BRAKES REAR END & EFRING,

Power Steering Parts



1967-94 Power Steering Pump

These economical service replacement pumps for 1967-94 Firebird models, are thoroughly reconditioned, and carefully remanufactured! The replacement reservoirs may be cosmetically different than the original. For example, a pump that was originally equipped with a "banjo style" reservoir, may include an "A-Style" reservoir due to short supply of rebuildable cores. If functionality is more important to you than original cosmetic appearance, these remanufactured units are an extremely good value. Cap, nut, and pulley are not included. These units are priced outright, meaning the core charge is built into the price. For that reason, it is not necessary to return your original core.

NO CORE REQUIRED!

| | neųvineu: | | |
|------------|---------------|-----------------------------|----------|
| | | ting hole in reservoir. **1 | With two |
| mounting h | oles/studs ii | | |
| | Pump | with Reservoir | |
| 6 Cylinde | r Engines | | |
| PS6117 | 1967-69 | | 74.99 ca |
| PS6000 | 1967 | with air pump | 89.99 ca |
| PS6000 | 1970-72 | | 89.99 ca |
| PS6001 | 1973-74 | | 64.99 ca |
| PS6801 | 1975 | without AC | 74.99 ca |
| PS6862 | 1976 | | 62.99 ca |
| PS6876 | 1977-79 | 231 with air pump | 64.99 ca |
| PS6862 | 1977-79 | 231 w/o air pump | 62.99 ca |
| PS7911 | 1980-81 | 231 | 55.99 ca |
| PS7926 | 1982-87 | | 74.99 ca |
| PS7926 | 1988-92 | | 74.99 ca |
| PS7926 | 1989 | 2.8L | 74.99 ca |
| PS7827 | 1993-94 | | 84.99 ca |
| 8 Cylinde | r Engines | | |
| PS6117 | 1967-70 | | 74 99 ca |
| PS6176 | 1971-74 | keyed shaft | 59.99 ca |
| PS6876 | 1975-76 | | 64 99 ca |
| PS6876 | 1977 | 301 (VIN code Y) | 64 99 ca |
| PS6876 | 1977 | 350 (VIN code P) | 64.99 ca |
| PS6901 | 1977 | 350 (VIN code R) | 69.99 ca |
| PS6803* | 1977-78 | 305 (VIN code U) | 69 99 ca |
| PS6800** | 1977-78 | 305 (VIN code U) | 79.99 ca |
| PS6876 | 1977-79 | 400 (VIN code Z) | 64.99 ca |
| PS6901 | 1977-79 | 403 (VIN code K) | 69.99 ca |
| PS6803* | 1978 | 350 (VIN code L) | 69.99 ca |

AUTHORIZED





1967-74 OE Style Power Steering Pump

Thoroughly remanufactured, these OER® Authorized pumps are carefully inspected and meticulously restored to OEM appearance and function! Reservoirs are reconditioned GM parts in the exact original configuration for complete authenticity! Careful attention is paid to reservoir reconditioning to ensure an authentic appearance. This is a good choice for restorations when an original appearance and superior quality is desired. These units are priced outright, meaning the core charge is built into the price. For that reason, it is not necessary to return your original core.

| NO | C | ORE | CHA | RGE | REQUI | REL | !! | | |
|-----|----|-------|------|-----|--------|-----|-----|---------|---|
| Vol | e: | Cap | nut, | and | pulley | are | not | include | a |
| 66 | vl | linde | r | | | | | | |

| P6120 | 1967 | with smog pump | 161.99 | ca |
|----------|---------|----------------|--------|----|
| NP6117 | 1967 | w/o smog pump | 173.99 | ea |
| NP6117 | 1968-69 | all | 173.99 | ca |
| P6120 | 1970-72 | all | | |
| P6001 | 1973-74 | all | 161.99 | ca |
| Cylinde. | r | | | |
| NP6117 | 1967 | all | 173.99 | ca |
| NP6117 | 1968-69 | all | 173.99 | ca |
| NP6117 | 1970 | all | 173.99 | ca |
| | | | | |

NP6176 1971-74 all... 177 99 ca AUTHORIZED 100% New Components!



1970-79 New Power Steering Pump 🔔

OER® Authorized reproduction new power steering pump (not rebuilt). Reproduced to OE specifications for an authentic original appearance and to provide years of trouble-free service A9500150 1970-72 chrome...... 191.99 ea NP6000 1970-72 black..... 186.99 ca

1977-79



1998-02 LS1 Power Steering Pump 🔥

Customize your LS1 engine with a polished, black, or cast finish aluminum Type II power steering pump. These pumps are designed as a direct boltin replacement for stock components, offering easy installation. Made in the USA with 100% new components.

FC2016 1998-02 polished aluminum 167.99 ea FC2017 1998-02 black aluminum.... 166.99 ea FC2018 1998-02 cast aluminum ... 145.99 ea





1967-02 Remanufactured PS Pump

Remanufactured Saginaw power steering pumps without the reservoirs. Each component is carefully inspected and replaced if not to OE tolerances. All seals and o-rings are replaced with factory equivalent parts. Each unit is tested to insure OE performance. Remanufactured in USA Pump without Pacarvair

| | er Engines | | |
|----------|------------|----------------|-----------|
| 96140 | 1967-74 | | 140.99 ea |
| PS840 | 1975 | | 64.99 ea |
| PS840 | 1977-79 | | 64.99 ea |
| PS862 | 1980-84 | | 59.99 ea |
| PS862 | 1982-84 | | 59.99 ea |
| PS862 | 1985-92 | exc. 1989 3.8L | 59.99 ea |
| PS877 | 1989 | 3.8L | 79.99 ea |
| PS862 | 1993-95 | 3.4L | 59.99 ea |
| PS905 | 1995-02 | 3.8L | 85.99 ea |
| 8 Cylind | er Engines | | |
| 96140 | 1967-74 | | 140.99 ea |
| PS840 | 1975-79 | | 64.99 ea |
| PS862 | 1980-84 | | 59.99 ea |
| PS860 | 1982-84 | | 79.99 ea |
| PS862 | 1985-92 | | 59.99 ea |
| PS981 | 1993-97 | | 99.99 ea |
| | | | |



1969 EPAS Electric Power Steering Set

EPAS power steering set for 1969 Pontiac Firebirds. This complete set includes a 60 amp electric motor unit, a pre-wired control module, and all the necessary hardware for installation. Features a built in potentiometer to adjust the amount of assistance according to driving conditions.

1449 99 set

350 (VIN code L)..

301 (VIN code W, Y) 267 (VIN code J)...

305 (VIN code H)..

79.99 ca

64.99 ca

71.99 ca

71 99 ca

161 99 cs

161.99 ca

74 99 ca

NP6901

174 99 ca

EP2009

1969

PS6800** 1978

1982-84

1985-87

1988-92

PS6876 1979

PS7803 1980-81

PS7803 1980-81





1967-77 Power Steering Pump Reservoir Installation Set — Saginaw Pumn

OER® power steering pump reservoir installation set for GM vehicles with a Saginaw power steering pump. These 11 piece sets include: mounting stud bolts, o-rings, and seals. Available with black or chrome mounting stud bolts. All components are also available separately.

| Complete S | | | |
|------------|----------|---------|----------|
| 1253570 | 1967-77 | black | 16.99 se |
| 1253571 | 1967-77 | chrome | 18.99 se |
| Stud and B | olt Sets | | |
| 1253573 | 1967-77 | black | 7.99 sc |
| 1253574 | 1967-77 | chrome | 9.99 se |
| O-Ring Sec | ıl Set | | |
| 1253575 | 1967-77 | 8 piece | 10.99 se |
| C |)6 | | M |



1967-95 Power Steering Pump Rebuild Set

OER® power steering pump rebuild set for 1967-95 Firebird with a Saginaw power steering pump. This set includes: Pressure fitting seal, pump body to cover seal, pump body to pressure plate seal, pump body to union seal, mounting stud to body seals (early and late designs), shaft bushing, shaft seal, and reservoir to pump body seal.

1253550 1967-95





1967-79 Power Steering Pump Stud 🔥

This power steering pump studinstalls on the rear of the pump for attachment to the rear bracket on the block. The stud is available separately or as a set including a flat washer, cup washer, and correct style slot nut. A8500124 13.99 set rear stud set .. A8500125 stud only



1967-93 PS Pumo Chrome Cao or Cover

Replace your damaged or missing power steering cap with this quality chrome aftermarket cap to dress up your engine compartment. This cap is designed to fit most Saginaw power steering pump reservoirs. Or, cover your stock power steering reservoir pump cap with a snap over cover. Cover fits most OEM applications with Saginaw power steering pump and

| measure | s 2 diamete | 1. | |
|----------------|--------------------|--------------------------------|--|
| 15431 T9257 | 1967-93 1967-93 | chrome cap chrome cap cover | |





1967-02 Power Steering Can

Replace your damaged or missing power steering reservoir cap with a quality aftermarket or authentic GM cap. These caps fit perfectly on original and reproduction power steering pump reservoirs. Aftermarket Renlacement

| 15130 | 1967-72 | original style | 39.99 e |
|----------|---------|------------------|---------|
| 7834183 | 1967-92 | black plastic | 7.99 e |
| 7834183 | 1993-95 | 6 cylinder, 3.4L | 7.99 e |
| C82589 | 1993-97 | LT1 | 13.99 e |
| C82575 | 1995-02 | 6 cylinder, 3.8L | 12.99 e |
| C82589 | 1998-02 | LS1 | 13.99 e |
| GM Repla | cement | | |
| G11677 | 1967-92 | all | |
| G11677 | 1993-95 | 6 cylinder, 3.4L | 11.99 e |
| G12416 | 1995-02 | 6 cylinder, 3.8L | 53.99 e |
| | | | |

AUTHORIZED





1967-77 Power Steering Hose Fitting

Many Saginaw power steering pumps with a female style fitting require an adapter in order to use the correct factory style hose. Straight, inverted flare zinc coated. 5/8"-18 to -6AN 4.99 ea 1253580 1967-77 5/8" x 18 to 5/8" x 18 4.99 ea

#AUTHORIZED



1967-77 Steering Pump Hose Fitting

Power steering pump supply hose fitting. This fitting is necessary to mount the cover to the pump and the supply pressure hose. 1253531 1967-77

1967-70 Power Steerin

This hardware set contains the correct hardware to mount the power steering pump and alternator on 1967-70 Pontiac engines. Set has the correct style fasteners with factory markings and finishes for an authentic restoration

Note: Rear stud set not included. A8500123 1967-70

.... 43.99 set



1967-69 Lower Power Steering Bracket

Reproduction lower power steering pump bracket for 1967-69 Firebird models with 350, 400, 421, 455, and 428 engines. This cast aluminum bracket features a machined surface for mounting to the block. Cast #9786903. A8500100 1967-69



1967-69 Steering Pump Mounting Plate Reproduction power steering pump mounting plate

for use on 1967-69 Firebird models with V8 engines. C869101 1967-69. 29.99 ca



1970 Power Steering Bracket Set Reproduction of the rare one year only power steering

pump bracket set for use on 1970 Pontiac Firebird/Trans Am models. Includes 3 brackets and 2 spacers. Fits all 350/400/455 motors with or without Ram Air or HO. 119 99 set





These are the correct size spacers that install between the power steering pump and front mounting bracket which is bolted to the pump. Sold in a pair. A8500126 1967-72













90

BRAKES ď Q Z U REAR DESPENSION,

Power Steering Parts





1967-70 Power Steering Pulley

Reproduction power steering pulleys for 1967-70 models. These stamped steel pulleys are manufactured to factory specifications featuring correct GM markings to keep your power steering turning at peak efficiency. Casting #9786900XD without AC

| F12319 | 1967-69 | 5-3/4" | 69.99 | ca |
|-------------|---------|--------|-----------|----|
| Casting #97 | | | | |
| F12362 | 1967-69 | 7-1/4* | 69.99 | ca |
| Casting #48 | | | | |
| A8500120 | 1970 | 6-1/8* | 69.99 | ca |



PE SENUINE

1995-02 Power Steering Pump Pulley

Genuine GM power steering pump pulleys for 1995-02 Firebird models. These stamped steel pulleys may be just what you need to get your power steering working at neak efficiency

| G3846 G3848 | 1995-02 1998-02 | 3.8L-K (L36) 5.7L-G (LS1) | |
|----------------|--------------------|------------------------------|--|
| | | | |

1967-77 Power Steering Pulley Nuts

Reproduction power steering pulley washer and nut. This nut and washer set is needed to secure the power steering pulley to the pump. 1253504 1967-77.. ... 11.99 set





Chrome Power Steering Pulley Nut 🗘

This chrome-plated self-locking nut is designed for aluminum performance power steering pulleys. It can also be used with OE and aftermarket pulleys on Saginaw power steering pumps with a 9/16"-18 threaded shaft. MP645 chrome pulley nut...... 1.99 ca

Varning: Concerning Steering Pump Pulleys Stock replacement, aftermarket stamped steel or cast iron pulleys are not designed to exceed 400 horsepower or 6000 RPM. Using reproduction pulleys on engines in excess of these limits may result in catastrophic disintegration of the pulley causing severe damage to the engine, cooling system and body parts. Classic Industries[®] assumes no liability for damages caused by improper usage of pulleys.

Please be sure to install the pulley properly to avoid

damages that could occur from improper installation or

exceeding the recommended RPM limitations.

48500121

1969 Power Steering Cooler

This steel line goes from the power steering return hose to the top of the radiator and back to the power steering pump. Set includes: steel cooler tube, rubber return lines, steering box steel return line, crimp style hose clamps, tie strap, and mounting hardware. Also available is the cooler tube and mounting hardware only. A8500121 1969 complete cooler set... 46.99 set FPS6901 1969 cooler tube w/clamps 41.99 ea A8500122 1969 replacement clamps .. 18.99 pr



1967-02 Power Steering Hose — 6 Cylinder

Replacing the worn out or leaking hoses can eliminate problems with the entire power steering system. Protect

| Note: All power steering return lines are cut-to-fit. Pressure Lines |
|--|
| 70225 1967-69 with air pump |
| 70225 1967-69 with air pump |
| 70273 1970-74 |
| 70273 1975 without AC 19.99 ea 80133 1975 with AC, air pump 11.99 ea |
| 80133 1975 with AC, air pump 11.99 ea |
| |
| 80132 1975 w/AC, w/o air pump 22.99 ea |
| 80133 1976 with air pump 11.99 ea |
| 80132 1976 without air pump 22.99 ea |
| 80116 1977-79 with air pump 19.99 ea |
| 70247 1977-79 without air pump 20.99 ea |
| 71072 1980-81 22.99 ea |
| 71074 1982-84 without AC 19.99 ea |
| 71074 1982 with AC - 1 pc hose 19.99 ea |
| 71220 1982-84 with AC – 2 pc hose, |
| from pump 16.99 ea |
| 71318 1982-84 with AC – 2 pc hose, |
| to gearbox 6.99 ea |
| 71272 1985 w/o AC - 1 pc hose 20.99 ea |
| 71275 1985-87 with AC - 2 pc hose, from pump |
| |
| 71318 1985-87 with AC - 2 pc hose, to gearbox |
| 71275 1986-87 1 piece hose w/o AC 22.99 ea |
| 71422 1988-92 19.99 ca |
| 71796 1993-95 3.4L |
| 80048 1995-02 3.8L |
| Return Lines |
| Hose, Hard Line, and Fitting |
| 70629 1967-69 9.99 ca |
| 70177 1970-72 |
| 70629 1973-76 |
| 70177 1977 |
| 70629 1978 with air pump 9.99 ea |
| 70177 1978 without air pump 10.99 ea |
| 80047 1993-95 3.4L |
| 80187 1995-99 3.8L 16.99 ca |
| 80249 2000-02 3.8L 19.99 ea |



1967-02 V8 Power Steering Hose

14 99 ca

Replacing the worn out or leaking hoses can eliminate problems with the entire power steering system. Protect your power steering parts by replacing the line. Note: All power steering return lines are cut-to-fit. Pressure Lines

1967-69 70265 1970

| 70260 | 1971-76 | | 26.99 c | a |
|-------|---------|------------------------|---------|---|
| 80116 | 1977 | 301, 305, 403 | | |
| 70260 | 1977 | 350, 400 | 26.99 c | a |
| 80116 | 1978-79 | 301. 305, 350, 403 | | |
| 70260 | 1978-79 | 400 | | |
| 71043 | 1980-81 | 4.3L, 4.9L | 12.99 c | a |
| 71122 | 1980-85 | 4.4L, 5.0L | 21.99 c | a |
| 70403 | 1986-87 | with carb, AC | | |
| | | 2 pc hose, from pump | 13.99 e | 3 |
| 71122 | 1986-87 | with carb, w/o AC | | |
| | | 2 pc hose, from pump | 21.99 e | a |
| 39138 | 1986-87 | with carb - 2 pc hose, | | |
| | | to gearbox | 6.99 c | |
| 71122 | 1986-87 | with fuel injection | | |
| 71422 | 1988-92 | 5.0-E with AC | | |
| 71094 | 1988-92 | 5.0-E without AC | 13.99 e | |
| 71094 | 1988-92 | 5.0-F | 13.99 e | |
| 71094 | 1988-92 | 5.7L | 13.99 e | |
| 71797 | 1993-97 | 5.7L | | |
| 80229 | 1998-02 | 5.7L | 29.99 e | 3 |
| | | Return Lines | | |

| 00229 | 1990-02 | J./L | 29.99 Ca | | |
|------------------------------|---------|----------------------|----------|--|--|
| | | Return Lines | | | |
| Hose, Hard Line, and Fitting | | | | | |
| 80154 | 1967 | all | 8.99 ea | | |
| 70177 | 1971-72 | all | 10.99 ea | | |
| 70629 | 1973-76 | all | 9.99 ea | | |
| 70177 | 1977 | 301, 350-R, 400, 403 | 10.99 ea | | |
| 70551 | 1977 | 305, 350-L | 16.99 ea | | |
| 70518 | 1977 | 350-P | 11.99 ea | | |
| 70177 | 1978 | 400 | 10.99 ea | | |
| 70551 | 1978 | 305, 350, 403 | 16.99 ea | | |
| 70177 | 1979 | 301, 400, 403 | 10.99 ea | | |
| 70551 | 1979 | 305, 350 | 16.99 ea | | |
| 91803 | 1993-97 | all | 34.99 ea | | |
| Hose Or | ıly | | | | |
| 71224 | 1968-70 | 24" | 7.99 ca | | |
| 71350 | 1980-81 | 48" | 16.99 ea | | |
| 71350 | 1982-92 | cooler to pump 48" | 16.99 ea | | |
| | | | | | |





A8500167

1967-69 Power Steering Hose Stamp

During assembly, workers identified correct hoses for placement by the stamp marks on them. This stamp was an identification and date code used on power steering return hoses approximately every three inches. Get an original looking hose with the use of this stamp. A8500127 1967-69 G-23A stamp.... 13.99 ea A8700167 white ink stamp pad

Hose Only

71350

71350

7.99 ca

... 16.99 ca


24"

1980-87 48" ..

END

90

Power Steering Parts



STISA.

1967-81 Power Steering Hose Set

Includes fittings to convert your steering gear to -6 AN fittings. Stainless steel braided hoses are Teflon lined. Hoses feature pre-crimped stainless steel fittings to attach to the -6 AN fittings at the steering gear. Set includes 30" hose length that can be routed and cut to length at the pump end. Requires a pressure fitting (D91801) for a GM type II pump to complete this hose set. These fittings are included; 9/16"-18 to -6 AN pressure fitting and 5/8"-18 to -6 AN return fitting. D91302 1967-81 hose set..... ... 194.99 set D91801 1967-81 pressure fitting 38.99 ea



Set Includes:

- High pressure hose 11/16"-18 and 5/8"-18 inverted flare type fittings
 High pressure hose – 20" long fittings
- long fitting to fitting and clocked 90 degrees
- Low pressure hose 5/8"-18 and open on
- opposite end to trim to length (3/8
- Low pressure hose 28" long from
- fitting to end (3/8"dia.) Inverted flare power steering pump fitting
- All fittings for Hydro Boost
- All fittings for GM power steering gearbox

1967-02 Hydro-Boost Hose Set Our power steering conversion hose set is designed to

fit the GM Saginaw power steering pump with inverted flare pressure fitting. It also fits the GM 605, 800, and 600 Series power steering gearbox! These hose sets are the same items that are required in all the popular power steering conversions using a GM type gearbox with Saginaw pump. Hose sets are a perfect way to complete your power steering conversion. These hose sets are designed to work with those running our power steering gearboxes that have inverted flare fittings. HBHK00FS 1967-02 stainless steel 399,99 set HBHK00FR 1967-02 nibber ... 342.99 set



1969 Power Steering Hose Clamp 🔥

Reproduction of the clamp that attaches the power steering hoses to the driver side motor mount on 1969 Firebird models equipped with power steering. 14288 19 99 ca



1967-69 Power Steering Hose Retainer Made of steel wire, this retainer holds the two power

steering hoses together in the engine compartment and prevents hose damage.



1967-72 Steering Return Hose Clamps

Reproduction return clamps for 1967-72 Firebird models with power steering. 1967-72



USA 1967-81 Rack and Pinion Conversion Power Steering Hose Set 🔥 Braided stainless steel power steering hoses for use with

Flaming River power rack and pinion steering systems on 1967-81 Firebird models. Includes stainless braided lines with fittings for installing Flaming River power rack and pinion with a remote reservoir. Simplifies installation with a clean, polished appearance. FR 1625 1967-81 343 99 set

AUTHORIZED



1967-76 Manual Steering Gearbox 🔥 OER® Authorized reproduction manual steering gearboxes for various 1967-76 Firebird models. Each

all new gearbox is manufactured with brand new tooling to factory specifications 1967-69 24:1, 6-1/4 turns 229.99 ea 1970-76 24:1, 6 turns...... 229.99 ea 1967-76 16:1, 4 turns...... 229.99 ea 5606094 8270032A 8270032B 1067.76



1967-72 Steering Box Mounting Bolt 🔔

Reproduction bolt used to mount the steering box to the frame. Will work on both power or manual steering boxes. This is a 7/16" bolt that is 4-5/8" long. 3 required. 1967-72 7/16"-14 x 4-5/8"



1967-79 Quick Ratio Power Steering Gearbox

Ouick ratio power steering boxes are all-new. They fit 1967-79 Firebird with a quick 12.7:1 ratio and a firm modern steering feel, plus they will bolt directly to the stock location and fit to the original power steering pitman arms. Power steering boxes include adapters, so you can use either o-ring or flare style hose connections. Note: All pre-1977 vehicles will require a new rag joint flange. Please use part #7818568.

800130 1967-79 12.7:1 ratio 467.99 ea



1967-79 500 Series™ Steering Gearbox The 500 Series power steering conversion gearbox for

1967-79 Firebird models is a key part of a modern, high-performance power steering system. These 14:1 ratio units provide superior control and feedback, thanks to low friction recirculating ball gears. Open centered rotary valve provides smooth operation while retaining excellent road feel and steering response. Works with the factory power steering pitman arm and 3/4"-30 rag joint and is a great upgrade for manual and power steering models, including those with the larger 605 power steering gearbox. portant: *For 1979 models must use fittings #GB50091

with inverted flare to metric o-ring hoses.

GB657004 1967-79 gearbox....... 448.99 ea GB50091* 1979 hose fittings...... 23.99 pr



Remanufactured power steering gearboxes. Available in quick, standard, or slow lock to lock turning ratio, Important: 1967-79 steering gear boxes feature 3/8" female inverted flare return port and 7/16" female inverted flare pressure port. 1980-92 steering gearboxes feature

| 13/16" In | put Shaft | | | |
|-----------|-----------|---------------|--------|----|
| P18502 | 1967-76 | 2-1/2 turns | 349.99 | ca |
| P18515 | 1967-76 | 3-3-1/2 turns | 388.99 | ca |
| P18503 | 1967-76 | 4-4-1/2 turns | 299.99 | ca |
| 3/4" Inpu | t Shaft | | | |
| P18505 | 1977-79 | 2-1/2 turns | 209.99 | ca |

metric o-ring ports.

E

209 99 ca P18507 1977-79 3-3-1/2 turns ... 246 99 ca P18511 1980-92 2-1/2 turns.... 169.99 ca P18510 1980-92 3-3-1/2 turns 161 99 ca













Steering Parts





1967-92 Steering Coupling Joint

These replacement steering coupling joints connect the steering gearbox to the steering column.

| With Man | ual Steering | |
|-----------|--------------|----------|
| 7806391 | 1967-69 | 39.99 ca |
| 7818568 | 1970-76 | 29.99 ca |
| 7826542 | 1977-92 | 32.99 ca |
| With Powe | r Steering | |
| 7828871 | 1967-76 | 31.99 ca |
| 7826542 | 1977-92 | 32.99 ca |
| | | |
| | | |

1967-02 Steering Coupler 12 Point Bolt

The original couplers came with a 12 point bolt in

the location where tightening this bolt squeezes the coupler onto the steering shaft. Having the 12 point bolts makes it much easier to install, and makes the part look much more authentic and original. 748612 1967-02...



1967-76 Steering Coupling Joint Repair Set

This coupling joint repair set repairs the weak link between the steering column and the steering gearbox. When the coupler becomes warn or oil soaked, it can lead to future problems with your steering system and expensive repairs. Fits models with or without power steering.

C2553 1967-76 16.99 set



Steering Coupler Hardware Set Convenient set of hardware for steering shaft couplers

on many GM vehicles. Set includes one 3/8"-24 Hex nut and lock washer and one 5/16"-24 nut and lock washer. Also includes the 12 point coupler bolt that secures the steering coupler to the steering shaft. All components are Grade 8 quality. 748799

hardware set



1970-92 Intermediate Steering Shaft

Reproduction intermediate steering shaft for 1970-92 Firebird models. Installs between the steering gearbox and the steering column shaft. ortant: 14470 has the factory correct plastic shroug

that was added to the shaft for 1982-92 models. Note: *Includes rag joint.

| Complete | Shaft | | | |
|------------------------|-------------------------------|--|----------------------------|----|
| 4443 5028* 4470* | 1970-78 1979-81 1982-92 | 1978 1st design without shroud with shroud | 128.99 124.99 139.99 | ea |
| Lower Sec 148565* | tion Only 1979-81 | | 59.99 | |

Power Steering Fluid Get the race winning experience of Joe Gibbs under your hood with Joe Gibbs power steering fluid. This fully synthetic power steering fluid is specially formulated to avoid foaming at high temperatures to create superior cooling properties. The higher

thermal stability also offers less pressure drop. One quart or case of 12 IG1306 ps fluid

16 99 ca IG1307 ps fluid case of 12 quarts .. 215.99 cs



Max EZ Power Steering Fluid

Max EZ is an advanced power steering fluid designed to maximize the life and performance of all power steering units. Max EZ is formulated with a blend of select synthetic base oils plus Royal Purple's Synerlec additive technology, which is proven to make equipment run cooler, smoother, longer, quieter, and more efficiently. RP01326 12 oz. bottle... 6.99 ca case of 12 - 12 oz. bottles... 75.99 cs RP12326



Set Includes:

- · Adapter bracket (adapts rack to chassis through A-arm bolts)

 Tie rod ends (Self-cleaning and
- lubricating, Teflon lined, adjustable) II-ioint assembly
- Power steering hoses
 - (not included with manual rack) Misc fasteners (Grade 8)

1967-69 Rack and Pinion Set

Steeroids® rack and pinion sets were designed to make your 1967-69 Firebird steer like a new car! This set features uniquely designed adjustable tie rod ends specifically engineered to eliminate bump steer even on owered vehicles. The system gives you greater control while driving on rough surfaces and provides a tighter and more precise feel. These bolt-on rack and pinion conversion sets do not require cutting or drilling into your frame, crossmember or its supports. Steeroids® power steering sets allow you to retain your stock power steering pump. Available in power or manual sets. Instructions included.

tant: If using your old pump, flush and clean it thoroughly before installing the set. Note: Shipped oversize.

| No Column | | | 081 | |
|----------------------|--------------------|-----------------|------------------------|----------|
| A9583001 A9583005 | 1967-69 1967-69 | power manual | 1671.99 : 1671.99 : | se se |
| With Colum | ns – Manı | ıal | | |
| A9583014 | 1967-68 | unpainted | 2211.99 | se |
| A9583016 | 1967-68 | black | 2373.99 | se |
| A9583024 | 1969 | unpainted | 2591.99 | sc |
| A9583026 | 1969 | black | | |
| With Colum | ns – Power | , | | |
| A9583010 | 1967-68 | unpainted | 2211.99 : | sc |
| A9583012 | 1967-68 | black | | |
| A9583020 | 1969 | unpainted | 2591.99 | se |
| A9583022 | 1969 | black | 2759.99 | se |



USA

1993-02 Manual Steering Rack Conversion Includes Flaming River U-joints sized to the OE steering shaft, billet rack mount adapter and double threaded tie rod ends. Features QA1 XR rod ends

and CNC-machined bump spacers. Direct bolt-in installation requiring no fabrication or welding. Hardware and instructions included West District to

| BX50002 | 1993-02 | silver | 849.99 | sc |
|------------|---------|------------|--------|-----|
| With OE K- | | | | |
| BX50003A | 1993-02 | red | 889.99 | se |
| BX50003B | 1993-02 | hammertone | 889 99 | Sec |

Steering/Suspension



1970-81 Rack and Pinion with Tilt Column

Easily convert your steering box to rack and pinion without chassis modification! This unique system uses the original inner and outer tie rod ends keep installation simple and maintain the original pivot position and turning radius. No cutting, welding, or drilling to the chassis is required. Complete sets include: the rack and pinion cradle system, a tilt steering column with a keyed ignition switch, universal joints, wire connectors, and all mounting hardware. Available in power, manual, or quick ratio manual. Power steering sets also include the pump with pulley and a polished aluminum reservoir

tant: Power steering pump brackets, hoses and column to dash clamp bracket are not included. *Quick ratio.

| lote: Shippe | ed double or | ersize. | - 0S2 | |
|--------------|--------------|-----------------|---------|-----|
| Power Stee | ring Set w | ith Tilt Column | -0074 | |
| R3161 | 1970-81 | paint column | | |
| R3162 | 1970-81 | polish column | 3424.99 | set |
| | | | | |

Manual Steering Set with Tilt Column FR3163 1970-81 paint column..... 2208 99 set FR 3164 1970-81 polish column.... 2517.99 set 2208.99 set

FR3165* 1970-81 paint column..... FR3166* 1970-81 polish column.... 2517.99 set



1970-81 Rack and Pinion Power Steering

80111601

Get superior steering performance from your 1970-81 Firebird with this rack and pinion system! This system greatly improves handling and steering response with reduced effort. Designed to bolt to the factory frame with no drilling or welding required. The factory steering geometry is maintained, virtually eliminating bump steer. Set includes: rack and pinion, outer tie rod ends, mounting bracket, pump kit, steering shaft kit, and mounting hardware. Choose between V-belt or 7 groove serpentine pump pulleys.

| Note: Shipped | double oversize. | - | |
|---------------|----------------------|---------|----|
| V-Belt Pulle | v | - 0S2 | |
| 80111601 | 1970-74 | 1853.99 | ca |
| 80111101 | 1975-81 | 1835.99 | ca |
| | rpentine Belt Pulley | | |
| 80111602 | 1970-74 | 1879.99 | ca |
| 90111102 | 1075 91 | 1964 00 | an |



Power Steering Fluid Filter

In-line Magna-Pure filter filters up to 190 micron particles. Protects the entire steering system from contamination. Features serviceable magnetic filter element. Fits 3/8" id power steering hoses. PS20038F 19 99 ca



OF SERVING

1967-86 Pitman Shaft Lash Adiuster Nut

Genuine GM pitman arm hardware for 1967-86 Firebird model

Pitman Arm Shaft Lash Adjuster Nut 11 99 ca 1967-86




1967-81 OE Style Upper Ball Joint Rivets

Reproduction upper ball joint rivets for 1967-81 Firebird models. Used to hold the ball joints into the control arm. Set of 6. 1256640 1967-81 LH and RH...... 6.99 set

| 00 | 00 | 000 | | | | | |
|----|----|-----|---|---|---|---|--|
| 0 | 0 | 00 | 1 | 1 | 1 | 1 | |

1967-81 Ball Joint Rivet Bolts

This rivet style bolt set attaches the ball joint to the upper control arm, providing the appearance of a real rivet. A serrated locking rivet head prevents spinning when the nut is tightened. Includes eight Grade 8 rivet bolts with lock washers and nuts. 1 set required per vehicle. A8500200 1967-81



1967-81 Upper Ball Joint Spacer Set

Adjustable ball joint spacer sets for extended length ball joints. Ball joint spacers raise the arm to improve frame clearance. Includes three 1/4" spacers and hardware. SP94304 1967-81 LH or RH









Oi 15 In 15

Id 15 U_l 154107 1967-69



STEERING,

SCOPENSIO

END

29.99 ca

1967-69 OE Type Suspension Components OE Quality, correct appearance suspension parts for 1967-69 Firebird models. Features a special coating

to maintain a freshly cast look. Includes hardware. Tie Rod Adjusting Sleeve

| 94101 | 1907-08 | LH OI KH | 24.99 Ca |
|----------|-----------|----------|----------|
| uter Tie | Rod | | |
| 54102 | 1967-68 | LH or RH | 34.99 ca |
| ner Tie | Rod | | |
| 54103 | 1967-68 | LH or RH | 27.99 ca |
| ler Arn | ı | | |
| 54104 | | | |
| 54105 | 1968 | | 79.99 ea |
| pper Ba | Ill Joint | | |
| 4106 | 1967-69 | LH or RH | 29.99 ca |
| | | | |

LH or RH



1967-81 Zerk Fittina Set Reproduction tie rod end and center link grease

fittings. When restoring tie rod end fittings, these need to be replaced. 1253599



Pickle Fork Set

This fork set is designed to separate ball joints, tie rods, pitman arms, and other suspension items that are difficult to separate. 5 piece set. Y41500 49 99 set











TEERING, BUSPENSION, REAR END & BRAKES

Steering/Suspension



- 2. Outer Tie Rod Ends
- Inner Tie Rod Ends (optional)
 Upper Ball Joints
 Lower Ball Joints
- 4 Upper Control Arm Bushings
 4 Lower Control Arm Bushings
 2 Outer Sway Bar End Link Kits

1967-79 Front End Rebuild Kit

Nearly everything you need to fully rebuild a worn out front end. The kit includes a comprehensive assortment of front end parts designed to renew worn out original front suspension components. Be sure you install what the factory intended with Classic's complete front end kit.

Important: Mid-year change in 1975. 1st design – front and rear upper control arm bashings are the same size. 2nd design – front upper control arm bushings are larger than the rear. Kits with Inner and Outer Tie Rods

| F45341 | 1976-79 | V6 | 221.99 | kit |
|-----------|-------------|----------------|--------|-----|
| F45341 | 1975 | V6. 2nd design | 221.99 | kit |
| F45340 | 1975 | 1st design | 255.99 | kit |
| F45340 | 1974 | | 255.99 | kit |
| F45344 | 1970-72 | | 262.99 | kit |
| F45339 | 1969 | | 300.99 | kit |
| F45338 | 1968 | | 228.99 | kit |
| F45337 | 1967 | - | 228.99 | kit |
| Kits with | Outer Tie R | ods Only | | |
| F45349 | 1976-79 | V6 | 329.99 | kit |
| F45349 | 1975 | V6, 2nd design | 329.99 | |
| F45348 | 1975 | 1st design | 391.99 | |
| F45348 | 1974 | | 391.99 | |
| F45343 | 1970-72 | | 398.99 | |
| F45347 | 1969 | | 390.99 | |
| F45346 | 1968 | | 264.99 | |
| | | | | |



1967-92 Center Drag Link

Reproduction center drag link for various 1967-92
Firebird models. I required per vehicle.

Note: *With 6" outer tie rods. **With 9" outer tie rods.

| E285 | 1967-68 | | 89.99 | |
|---------|---------|------------|--------|--|
| 25877 | 1970-74 | | 197.99 | |
| 25877* | 1975 | 1st design | 197.99 | |
| 25912** | 1975 | 2nd design | 237.99 | |
| 25912 | 1976-79 | | 237.99 | |
| DS829 | 1980-81 | V8 | 59.99 | |
| DS1049 | 1982-92 | all | 59.99 | |
| | | | | |

Driver Side (IRI) Driver Side (IRI) Driver Side (IRI) Driver Side (IRI) pliman arm center link tis red end tis red end ESS48R ESS03R ESS41R ESS61N ESS61N

1967-02 Tie Rod End

Reproduction inner and outer tie rod ends for various 1967-02 Firebird models. 2 inner and 2 outer tie rods are required per vehicle.

| Outer Tie I | Rod End | | | | | |
|---|---------|------------------|----------|--|--|--|
| ES348R | | LH or RH | | | | |
| ES381R | 1968 | LH or RH | 20.99 ca | | | |
| ES2003R | 1969 | LH or RH | 27.99 ca | | | |
| ES404R | 1970-75 | LH or RH | | | | |
| ES427R | 1976-81 | LH or RH - 6 cyl | 17.99 ca | | | |
| ES441R | 1976-81 | LH or RH - V8 | 16.99 ca | | | |
| ES2226R | 1982-92 | LH or RH | 26.99 ca | | | |
| ES3238 | 1993-02 | LH or RH | 17.99 ca | | | |
| Inner Tie Rod End Note: *5-3/4" center to end. | | | | | | |
| | | | | | | |

| ote5-5/4 | center to ex | TEA. | |
|----------|--------------|----------|----------|
| S681N | 1967-68 | LH or RH | |
| | | LH | |
| S716 | 1969 | RH | 24.99 ca |
| S784* | 1970-75 | LH | |
| S783* | 1970-75 | RH | |
| S2001L | 1976-81 | LH | 21.99 ca |
| S2002L | 1976-81 | RH | |
| S2227L | 1982-92 | LH or RH | |
| V260 | 1993-02 | LH or RH | 19.99 ea |
| | | | |

D

E

E

E

ca

ca

ca



1967-81 Tie Rod Adjusting Sleeve 🔥

| | | adjusting sleeves for | |
|------------|------------|-----------------------|------------|
| 1967-81 F | irebird me | odels. 2 required pe | r vehicle. |
| Fits LH or | RH side. | | |
| ES350S | 1967-68 | LH or RH | 10.99 ca |
| FS2004S | 1969-81 | I H or RH | 0 00 00 |



1967-81 Tie Rod Sleeve Bolts

Factory correct tie rod sleeve bolt set with correct



1967-92 Heavy-Duty Tie Rod Sleeves 🗥

Install these heavy-duty QA1 tie rod sleeves for a positive steering improvement in most GM vehicles. They are manufactured from solid steel Hey stock then zincplated for durable good looks and corrosion resistance. E5251 1967-69 5/8" x 4-7/8" 91.99 pr E5252 1970-81 11/16" x 3-1/2" '..... 80.99 pr E5250 5/8" x 3-3/8" . 91.99 pr 1982-92 HOTEHKIS



₩ 1967-92 Tie Rod Sleeves

Enhance the steering precision of your classic Firebird with machined tie rod adjusting sleeves. These gloss black powder coated sleeves have machined wrench flats and include jam nuts for quick and easy toe adjustment. Sold in pairs.

| H1607 H1612 H1601 | 1970-81 1982-92 | 5/8" thread 5/8" thread | |
|-------------------------|--------------------|----------------------------|--------|
| | | ride | tech : |
| | | 11 | 169400 |
| | | | D . |

1007 O

1967-81 Billet Tie Rod Adjusters At These billet tie rod adjusters are designed to be strong

and easy to use. Large wrench flars on both ends provide an easy way to dial your suspension and steering to the perfect toe and bumpsteer settings and the anodized aluminum finish provides a great long-tasting appearance. Made in USA.

11169400 1967-69 74.99 pr 1179400 1970-81 74.99 pr



1993-02 Inner Tie Rod Boot

Genuine GM replacement inner tie rod boot set designed to replace the tie rod inner boot and components necessary for installation. 2 required per vehicle.

G3844 1993-02 LH or RH 90.99 set

Steering/Suspension

1967-72 Tie Rod End Dust Boots

Reproduction tie rod end dust boots for 1967-72 models. Manufactured with correct part numbers 1253515 1967-72 4 piece 19.99 set









| USA | 913101G | 913101R |
|-----|-----------------|----------------|
| | 1067-97 Tie Rod | Fnd Duet Roote |

| /replacement | polyurethane tie rod o | endboots. |
|--------------------|------------------------|-----------|
| 1967-97 1967-97 | | |
| | 1967-97 | |







1967-76 Pitman Arm

151.00 ---

Reproduction pitman arms for various 1967-76 Firebird models. I required per vehicle

With Manual Steering 6 Cylinder 3953225 18768 1968 bent without no 24.99 ca $V_{\mathcal{R}}$

1067 69

| E323 | 1970-76 | without ps | 86.99 ca |
|------------|---------|-------------------|----------|
| | With P | ower Steering | |
| 6 Cylinder | | | |
| 3989445 | 1967 | straight | 25.99 ca |
| 18769 | 1968 | (exc quick ratio) | 34.99 ca |
| 3989445 | 1968 | (quick ratio) | 25.99 ca |
| V8 | | | |
| 9789157 | 1967-68 | curved | 64.99 ea |



1967-81 Pitman Arm Hardware Reproduction pitman arm retaining nut and lock washer

for 1967-81 Firebird models. 1253511 1967-81. 4.99 set



Pitman Arm Puller

This pitman arm puller will make replacing the pitman arm easy. Specifically designed to pull pitman arms. 33 99 ca



1967-92 Idler Arm Assembly

Reproduction idler arm assembly for 1967-92 Firebird models. 1 required per vehicle. Reproduction 3008383 1967 37.99 ea 3989447 1968 29 99 ca 7806613 1969 59 99 ca 18753 1970-81 34 99 ca 18832 1982-92 25 99 ca

| AUTHORIZED |
|-------------------|
| |

69 99 ca



1982-92

Genuine GM G6318





1967-02 Ball Joint

Reproduction ball joints for 1967-02 Firebird models. Fits LH or RH side of the vehicle

| Upper B | | | |
|---------|------------|----------------|-------|
| 10195 | 1967-69 | all | 23.99 |
| 10268 | 1970-81 | all | 16.99 |
| K6462 | 1993-02 | all | 16.99 |
| Lower B | all Joints | | |
| 10197 | 1967-69 | all | 20.99 |
| 10277 | 1970-81 | all | 23.99 |
| 10277 | 1982-92 | standard size | 23.99 |
| 104113 | 1982-92 | 0025 oversized | 14 99 |



1967-81 Extended Length Ball Joint 🛕

Extended length OEM style ball joint for 1967-81 Firebird models. These original style greaseable ball joints feature extended length for improved camber gain and increased control arm to frame clearance. SP94019 1967-69 upper...... 132.99 ea SP94017 1970-81 124 99 ca upper.



1967-81 Polyurethane Ball Joint Boots

Polyurethane ball joint boot sets from Prothane for 1967-81 Firebird models. Each set includes 2 upper and 2 lower boots. Available in black or red. PE191715G 1967-69 black.... PE191715R 1967-69 red 7.99 set PE191717G 1970-81 black..... 4.99 set

| 9 | |
|---|---|
| | 4 |

1970-81 red.







ENERCY

4.99 set

USA

PE191717R

1967-81 Polyurethane Ball Joint Boots

Polyurethane ball joint boots for 1967-81 Firebird models. Each set includes 2 upper and 2 lower boots. 913125G 1967-69 black 8 99 set 1967-69 913125R 8 99 set red 913128G 1070 91 black 8.99 set 913128R 1970-81 red 8 99 set



1967-69 Camber Shim Track Set 🔥 Detroit Speed's camber shim track set allows you to

adjust camber easily with our 1 piece slotted camber shims. Each shim is machined from 6061 aluminum and is then anodized black for durability. This set includes: four 1/16" shims, four 1/8" shims and two 1/4" shims. Made in USA. D31721 1967-69 10 piece...... ... 129.99 set



1967-69 Front End Alignment Shim 🔥

Reproduction front end alignment shims for 1967-69 Firebird models. Unlike generic shims, these offer an original appearance. Sold individually. Use as needed. 1967-69 F12391 1/16" F12392 1967-69 1/8" 2.99 ca











OTEERING,

Repr

Fireb

1539 1403

1403

92 REAR SCBPENBION,

Steering/Suspension





14039014

1967-81 Upper Control Arm Reproduction upper control arms for various 1967-81

| | | es: control arm, ball lack EDP coated. | joint, upper |
|----------|---------|---|--------------|
| 153980 | 1967-69 | LH and RH | 179.99 pr |
| 14039013 | 1977-81 | LH | 99.99 ca |
| 14039014 | 1977-81 | RH | 99.99 ca |

AUTHORIZED





1967-81 Lower Control Arm

14039015 - profile

| | | ntrol arms for varioudes: control arm | |
|------|---------|---------------------------------------|-----------|
| | | DP coated for rust | |
| 81 | | LH and RH | |
| 9015 | 1977-81 | LH | 97.99 ca |
| 9016 | 1977-81 | RH | 102.99 ca |



1993-02 Lower Control Arm

If your suspension rattles or makes noises when turning or going over bumps, it might be time to think about rebuilding your front suspension. You no longer have to search for obsolete parts because we carry the parts you need to rebuild the suspension on your classic.

| With Firn | ı Ride Suspe | nsion F41 | |
|-----------|--------------|----------------|-----------|
| G3817 | 1993-02 | LH | 456.99 ea |
| G3816 | 1993-02 | RH | 456.99 ca |
| | Suspension | | |
| G3817 | 1993-02 | LH | 456.99 ca |
| G3816 | 1993-02 | RH | 456.99 ca |
| With HD/ | Performance | Suspension FE7 | |
| G3815 | 1993-02 | LH | 305.99 ea |
| G3814 | 1993-02 | RH | 305 99 ca |



1967-79 Unner Control Arm Shaft Set

If your suspension rattles or makes noises when turning or going over bumps, it might be time to think about rebuilding your front suspension. You no longer have to search for obsolete parts because we carry the parts you need to rebuild the suspension. Each set includes: the shaft, bushings, nut, and washers for a complete

| | 13158A 13201A | 1967-69 1970-73 | LH or RH | 69.99 set 59.99 set 44.99 set |
|--|------------------|--------------------|----------|-------------------------------------|
|--|------------------|--------------------|----------|-------------------------------------|



1967-72 Steering Nut Set

This hardware set contains the 20 steering nuts necessary to mount the spindle to the control arms, the tie rod ends to the center link and secure the steering arms.

1253513 1967-72 ... 13.99 set 20 piece ..



1967-69 Upper A-Arm Bolt Set

Reproduction original style serrated bolts used to attach the upper A-arm shafts to the subframe. Includes 4 bolts and 4 attaching lock nuts. 748689 1967-69. 19 99 set



1967-70 Lower A-Arm Hardware 🔥

When replacing front lower control arm bushings we recommend replacing the hardware too. Fits front lower control arms, 4 each required per vehicle. 9421430 1967-69 bolt.. 5.99 ea 9442939 1967-70 lock nut 99 ca



124140 1133 12651

1967-02 Upper Control Arm Bushing

Upper control arm bushings for various 1967-02 Firebird models. Fits LH or RH side of the vehicle. Important: Mid-year change in 1975. 1st design – front and rear upper control arm bushings are the same size. 2nd design – front upper control arm bushings are larger than the rear.

| _ | _ | | COURT ! |
|--------|---------|---------------------------|----------|
| 12651 | 1993-02 | 2 pair required | 25.99 pr |
| 12414D | 1980-81 | rear of arm | 13.99 ca |
| 12235 | 1976-79 | rear of arm | 8.99 ca |
| 12310 | 1976-81 | front of arm | 15.99 pr |
| 12235 | 1975 | rear of arm (2nd) | 8.99 ca |
| 12310 | 1975 | front of arm (2nd) | 15.99 pr |
| 12235 | 1975 | rear of arm (1st) | 8.99 ca |
| 12235 | 1975 | front of arm (1st) | 8.99 ca |
| 12235 | 1970-74 | all | 8.99 ca |
| 12162 | 1967-69 | all | 15.99 ca |
| | | n vusnings are targer man | |





1967-02 Lower Control Arm Rushing

Lower control arm bushings for various 1967-02 Firebird models. Fits LH or RH side of the vehicle. Note: *1970-73 bushings are sold in pairs per side, will fit

| LH or KH | lower contro | l arm, 2 pair required per | vehicle. |
|----------|--------------|----------------------------|-----------|
| 12258 | 1967-69 | front of arm | |
| 12237 | 1967-69 | rear of arm | |
| K6110* | 1970-73 | front and rear 1 side | 16.99 set |
| 12297 | 1974-81 | | 7.99 ea |
| 12298 | 1974-81 | rear of arm | |
| 12355 | 1982-92 | front of arm | 8.99 ea |
| 12413 | 1982-92 | rear of arm | 18.99 ea |
| 12649 | 1993-02 | front of arm | 9.99 ea |
| 12650 | 1993-02 | rear of arm | 9.99 ea |



1967-69 Control Arm Bushing Kit

Replacing the old bushings can not only increase the life of your suspension, but can eliminate potential hazards to the safety of you and your passengers. The kit provides the necessary bushings and hardware to replace the worn out components. It's easy to replace your front end bushings with one convenient kit. Kit includes 4 upper and 4 lower control arm bushings and 2 sway bar outer end links and bushings.

K45335 1967-69 LH and RH

Steering/Suspension



STISA.

1973-79 Polyurethane Bushing Set 🔥 These front, upper/lower bushings are formulated and

designed to reduce the noise, vibration, and harshness that other bushings may have. Includes "squeak proof" Super Grease. All of the dynamic bushings feature grooves to hold grease for superior performance. Note: Please add color code to part number when ordering: G - black urethane. R - red urethane.

PE7212 1973 w/1.625* o.d. lower... 83.99 set PE7214 1974-79 all... ... 85.99 set





1967-02 Poly Control Arm Bushing Set

Polyurethane bushing sets include the necessary upper and lower control arm bushings for improved control and stability. Available in black or red

Note: Please add color code to part number when ordering. G - black wrethane, R - red wrethane. Metal shells and

| sleeves no | t included. | | | |
|------------|-------------|-------------------|-------|----|
| 33101 | 1967-69 | all | 99.99 | se |
| 33102 | 1970-72 | all | 99.99 | se |
| 33103 | 1973-74 | 1-5/8" o.d. lower | 99.99 | |
| 33104 | 1973-74 | 1-3/8" o.d. lower | | |
| 33105 | 1975-79 | all | 99.99 | se |
| 33106 | 1980-81 | all | 99.99 | |
| 33157 | 1982-92 | lower only | 58.99 | |
| 33164* | 1993-02 | all | 94.99 | se |



GW1020 GW709

BUILD A

1967-81 Del-A-Lum Rushinus & Offset Shaft These bushings feature inner and outer thrust washers

inner rotating sleeve, and lube fittings. Offset shafts can take the place of stock shafts. They will allow caster to be added without losing proper camber settings. Important: *Most 1967-69 upper control arm shafts hold the control arm bushing in place with a 3/8* bolt. This must be replaced with a 5/8* stud and slotted Hex nut to allow for cotter pinning the assembly to maintain proper torque on the Del-A-Lum bushing. If you have standard shafts with 3/8" bolts, you have two options:

Option 1 (Recommended): Order set #GW702. mufactured with studs and featuring a slight offset

allowing more latitude for proper alignment. Option 2 (Welding required): Order set #GW707, featuring

1967-69

a stud in each end of the 4 stock shaft. Extends the length of the upper shaft to allow the correct torque for Del-A-Lum hushings to he set Del-A-Lum Bushing Sets upper

| GW1014 | 1970-73 | upper | 139.99 set |
|-----------|----------|------------------|------------|
| GW1015 | 1974-79 | upper | 139.99 set |
| GW1016 | 1980-81 | upper | 139.99 set |
| GW1013 | 1967-70 | lower | 168.99 set |
| GW1017 | 1971-73 | lower | 168.99 set |
| GW1020 | 1974-81 | lower | 168.99 set |
| | Billet (| Cross Shafts | |
| Standard | | | |
| GW709 | 1967-69 | for OE arms | 78.99 ca |
| GW709 | 1967-69 | for tubular arms | 78.99 ca |
| GW715 | 1970-81 | for OE arms | 81.99 ca |
| GW715 | 1970-81 | for tubular arms | 81.99 ca |
| Offset | | | |
| GW702 | 1967-69 | for OE arms | 85.99 ca |
| GW705 | 1970-81 | for OE arms | 87.99 ca |
| Extension | Bolts | | |
| GW707 | 1967-81 | all | 36.99 set |



A-Arm Bushing Installation/Removal Tool Replacing OEM bushings and don't have a press?

No problem! This new tool allows you to remove and install bushings with simple hand tools. Includes all necessary hardware to remove upper and lower control arm bushings. 85000000 A-arm bushing tool..... 114 99 ca



Reproduction control arm bumpers for 1967-92 Firebird suspensions. Replacing damaged or missing

bumpers will reduce control arm to frame contact. I required per arm. Upper Control Arm Bumpers

| 99 ea | |
|-------|----------------------------------|
| 99 ea | |
| 99 ea | |
| | |
| | |
| | |
| 99 ea | |
| | |
| | 99 ca 99 ca 99 ca 99 ca |





1968-85 Control Arm Bump Stop Set

Control arm bump stops are guaranteed to last longer and perform better than OEM rubber stops. Cushions impact between suspension components preventing excessive damage. I pair required per vehicle.

| | | -11 | _ | Specialty |
|--------|---------|-------|-------|-----------|
| 39102R | 1975-81 | upper | red | 10.99 pr |
| 39102G | 1975-81 | upper | black | 10.99 pr |
| 99150R | 1971-85 | lower | red | 19.99 pr |
| 99150G | 1971-85 | lower | black | |
| 99154R | 1968-69 | lower | | 22.99 pr |
| 99154G | 1968-69 | lower | black | |
| | | | | |



1967-81 GM Replacement Bump Stop 🗥 OEM style conical bump stop for lower control arms.

designed to replace worn out bump stops. SP95339 1967-81 LH or RH 25.99 ea



1982-02 Control Arm Hardware Set 🔥

A-arm hardware set includes Grade 10.9 12mm bolts. washers and nylon lock nuts. Made in USA Front Upper Control Arm UM2302 1993-02 14 99 set Front Lower Control Arm HM3011 1982-92 12 99 set UM2301 1993-02 18.99 set

Rear Control Arm UM3001 1982-02 11 99 set











d 9 REAR DESPENSION,

Performance Control Arms



1967-69 Tubular Control Arms

Enhance the handling performance of your 1967-69 Firebird with tubular control arms. These arms are not only stronger and lighter weight than factory arms, they also feature improved suspension geometry for enhanced handling performance. Sold in pairs.

| 153630 | 1967-69 | LH and RH | 229.99 set |
|--------|---------|-----------|------------|
| | | | |

| Lower C | Control Arms | | | |
|---------|--------------|-----------|--------|-----|
| 153631 | 1967-69 | LH and RH | 252.99 | set |
| | | | | |



1967-69 gStreet Control Arm Set

An excellent option when upgrading the OEM style coil spring suspension. Chassisworks replacement tubular control arms feature deflection free polymer bushings and billet steel pivot shafts with upper arm caster inserts. Standard caster insert orientation duplicates stock geometry. Increased caster orientation improves steering feedback with added camber for greater front end cornering traction, perfect for street performance.

te: Shipped overweight. Upper and Lower Control Arm Set



1967-69 Totally Tubular Control Arms

The lower arms feature helical stamped mounts welded around the entire perimeter to 1-1/2" .120" wall DOM (Drawn Over Mandrel) tubing to positively secure the coil springs. The upper control arms are pre-assembled on billet chromoly cross shafts and pivot sleeves. The pivot barrels are made from rugged 1-1/2" .188" wall DOM tubing. Ball joints are included. Available in black powder coating.

te: Shipped oversize. Upper and Lower Control Arm Set TCA6774B 1967-69 LH and RH





TISA 1967-92 Control Arms

These QA1 performance control arms designed for street and racing feature powder coated tubular construction for increased strength and durability. Street arms include a replacement ball joint and polyurethane pivot bushings.

lote: *These arms require the use of coilover shocks. Upper Control Arms - Street

569.99 pr 1967-69 LH and RH E52718* 1970-81 LH and RH 569.99 pr Lower Control Arms - Street E52719* 1967-69 LH and RH 786,99 pr 1970-81 786.99 pr E52720 LH and RH





🗯 1967-02 Tubular Control Arms

Upper arm sets feature 6 degrees of caster to improve stability and cornering and include ball joints, billet cross shafts, built in bump stops, Del-A-Lum bushings, and related hardware. Lower arm sets feature a rotating mount spring pocket to index the coil spring and include ball joints, steering bump stops, Del-A-Lum bushings, coil spring pockets or coilover shock mounts, and related hardware.

1967-69 LH and RH 559.99 pr

Note: *For use with coilover shocks Upper Control Arms CTA79A 1967-69

| CTA71A | 1970-81 | LH and RH | 608.99 | рr |
|-------------|--------------|-------------------|--------|----|
| CTA32A | 1993-02 | LH and RH | 264.99 | рr |
| Lower Contr | rol Arms - 3 | Stock Coil Spring | S | |
| CTA79L | 1967-69 | LH and RH | 670.99 | pr |
| CTA71L | 1970-81 | LH and RH | 699.99 | рr |
| Lower Contr | | | | |
| CTA79H* | 1967-69 | LH and RH | 645.99 | pr |
| CTA71H* | 1970-81 | LH and RH | 715.99 | рr |
| | | | | |



1967-81 Adjustable Upper Control Arms

These front upper adjustable control arms designed for 1967-81 Firebird models will give you the most adjustability and best clearance of any arm on the market. These adjustable arms include ball joints that are 1/2" taller than stock to improve camber curve. Throw in some caster and the ability to tune camber and you will have a 'modern' feeling suspension. The ball joints are greaseable and rebuildable. Allows up to Camber ±3.0 degrees, Caster ±3.00 degrees.

1967-69 LH and RH 895.99 pr SP97120 SP97130 1970-81 LH and RH 895.99 pr



1970-81 Adiustable Upper Control Arms

Adjustable upper control arm for 1970-81 Firebird models. This rugged control arm offers a wide range of adjustments to meet your exact needs. These arms provide quick and easy compensation for standard or lowered ride heights. Fine tune your handling and alignment while minimizing tire wear. Perfect for Pro-Touring builds, as well as track or street use. Sold as individual arms. Includes a flat midsize plate, adjustable sleeves, and OE style (minimal deflection) pivots. ote: 1970-81 use extended ball joint SP94017 or stock

ball joint 10268. SP94340 1970-81 LH or RH..





1967-81 Lower Control Arms

These tubular lower control arms are a perfect fit for your 1st or 2nd Generation Firebird. On 1967-69 Firebird models, these arms lower the front end by 1" and add 1 degree positive caster for an aggressive, "Ready-to-Run" stance. On 1970-81 Firebird models, they add 2.5 degree positive caster and may be configured for stock or lowered height. Ride height spacer plates (coilover mounts) are available separately. SP94374 1967-69 LH and RH...... 956.99 pr SP94378 1970-81 LH and RH 1062.99 pr

Performance Control Arms



💆 1967-81 Tubular Control Arms

Improve your suspension geometry with Detroit Speed's robust tubular control arms, featuring Delrin bushings and a durable black powder coated finish. Upper arms, are designed to increase camber gain and improve roll camber. Features greaseable aluminum Delrin bushings and stainless steel cross shafts with DSE's 'Caster Tuner Bushings' for shim free adjustment. Fully assembled with ball joints. Lower arms are designed for positive caster and a lower spring pocket. Features Delrin bushings with steel housings and crush tubes and a black powder coated finish. Includes: lower ball joints, steering stops, and iounce bumpers.

| U | pper Cont | trol Arms | | |
|---|-----------|-----------|-----------|-----------|
| D | 30101 | 1967-69 | LH and RH | 799.99 pr |
| D | 030102 | 1970-81 | LH and RH | 799.99 pr |
| L | ower Cont | | | |
| D | 31201 | 1967-69 | LH and RH | 899.99 pr |
| | | | | |



™USA 1967-81 Tubular Control Arms

These bolt-on tubular upper and lower arms are stateof-the-art in both design and fabrication. The upper arms are 1-1/4" in diameter and include offset cross shafts for ease of caster adjustment for better straight line tracking and cornering feel. The lowers are a full 1-1/2" in diameter and are available for stock springs or in a version for coilover shocks. All arms are black powder coated, completely assembled, and supplied with factory ball joints. Urethane bushings prevent deflection for absolutely solid handling.

| | *For use | | | shocks. |
|------|----------|-------|----|---------|
| Inne | r Contr | al As | me | |

| Upper Con | | | |
|-----------|-------------|-------------------|-----------|
| HS3011 | 1967-69 | LH and RH | 622.99 pr |
| HS3021 | 1970-81 | LH and RH | 622.99 pr |
| Lower Con | trol Arms - | Stock Coil Spring | es |
| HS3111 | 1967-69 | LH and RH | 994.99 pr |
| HS3121 | 1970-81 | LH and RH | 943.99 pr |
| Lower Con | trol Arms - | - Coilovers | |
| HS3113* | 1967-69 | LH and RH | 969.99 pr |
| HS3123* | 1970-81 | LH and RH | 969.99 pr |



🌌 1967-81 Tubular Control Arms

Geometry corrected Hotchkis Tubular A-arms for 1967-81 Firebird models, 100% TIG welded, bolton installation. Offers improved camber curve and increased caster. Upper arms feature 4130 chromoly offset cross shafts, laser cut cross supports, greaseable bushings, premium ball joints and smooth operating Delrin bushings. Lower arms feature ride height adjustment shims, smooth operating Delrin bushings, premium ball joints, bump stops, and polyurethane coil spring isolators. Both finished in a durable, gloss black powder coated finish. Unner Control Arms

| H1107 | 1967-69 | LH and RH | 780.99 | p |
|-------|------------|-----------|--------|---|
| H1106 | 1970-81 | LH and RH | 846.99 | p |
| | ntrol Arms | | | |
| H1109 | 1967-69 | LH and RH | 846.99 | p |
| H1108 | 1970-81 | LH and RH | 975.99 | p |



🌌 1967-81 Tubular Control Arms

Enhance handling performance with BMR upper A-arms. Fabricated from heavy-duty DOM (Drawn Over Mandrel) tubing, uppers feature billet, nickelplated cross shaft and HD stainless bushing retainers. Compact design provides additional header clearance. Comes pre-assembled with polyurethane bushings and bump stops, as well as upper ball joints. Features sway bar mounting provisions and work with all stock springs and shocks.

| Note: Please A – red finis | add color i h, B – hami | code to part number who nertone gray finish. | en ordering: |
|---------------------------------|----------------------------|---|------------------------|
| Upper Cor BX20000 BX20060 | 1967-69 | | |
| Lower Cor BX20001 BX20002 | 1967-69 | | 509.99 pr 509.99 pr |



🏁 1967-81 gStreet Control Arms

The gStreet lower control arms feature a true coilover style eye mount. To keep installation simple and maximize compatibility, control arms utilize the factory chassis mounts and bolts directly to stock or aftermarket spindles. These arms require the use of VariShock coilover shocks or ShockWave air suspension, and feature a gray hammered powder coated finish, a pivot ball lower mount and ball stud upper mount that bolts directly to the factory mounting location. The exclusive greaseable ball stud mount provides more positive control of the suspension while still allowing free pivoting movement.

Important: These arms require the use of VariShock coilovers or ShockWave air suspension.

| Upper Con | trol Arms | | |
|-----------|-----------|-----------|-----------|
| K570461 | 1967-69 | LH and RH | 645.99 pr |
| K570462 | 1970-81 | LH and RH | 648.99 pr |
| Lower Con | | | |
| K570561 | 1967-69 | LH and RH | 780.99 pr |
| K570562 | 1970-81 | LH and RH | 839.99 pr |



UM2040B 1982-92 Spherical Caster/Camber Plates

These heavy-duty caster and camber plates allow you to make alignment changes that are not permitted with the factory strut mounts. Strut mounts are fully TIG welded using 1/4" steel and feature a chromoly Teflon lined spherical bearing for noise free driving. Strut mounts feature additional adjustment on the mounting plate and the bearing housing allowing the user to make changes for the track and the street. Mounts are built with increased height to provide additional travel for lowered vehicles. Includes new strut retainers and hardware. No drilling or welding required. Available in red or black powder coating. Made in USA.

ote: Please add color code to part number when order A - red finish, B - black finish UM2040 1982-92 249 99 set











499 99 pr

BX20061 1970-81

, BUSPENSION, REAR END & BRAKES

Performance Control Arms



1993-02 Upper A-Arms

Enhance your handling performance with BMR A-arms. Decrease overall weight and more importantly "unsprung" weight with a set of BMR tubular front A-arms. Baths. A-arms. Enters DOM (Drawn Over Control of the Control o

Note: Please add color code to part number when ordering: A – red finish, B – hammertone gray finish.

Non-Adjustable Upper Control Arms
BX20064 1993-02 LH and RH...... 299.99 pr





1982-02 Tubular Lower A-Arms

RY200664

DMR front lower control arms feature DOM (Drawn Over Mandre) busing construction with CNC millied hall joint caps, laser cut mounting plates, and pre-installed greascable ball joints. Also come pre-installed with polyurethane bushings. Features sway bar mounting provisions. Save 71 bis of unspring weight and increase rigidity of your front suspension at the same time. Meet Please and color code to part number when ordering:



™isa 1993-02 Unner A-Arms

UMI's fabricated tubular A-arms provide a rock solid foundation for your-dift Gen's front asspension. A-arms are built to offer increased rigidity, smooth travel and a precise steering feed equaliting a great street orienties. Once Mandrell 1-14" diameter tubular sections are precision bent, CNC notched and welded in a jig to form the solid base. The thick CNC laser cut ball joint pand features improved ball joint angle for lowered greater and the proposed of the proposed o

Note: Please add color code to part number when ordering: A – red finish, B – black finish.





🦥 1982-02 Tubular Lower A-Arms

These tubular lower A-arms are shipped fully assembled and ready for installation on your 1982-29 Firebrid. Features greaseable polyurethane bushings, peremium ball joints, polyurethane bushings, peremium ball joints, polyurethane bushings, peremium ball joints, polyurethane bushings, per solven and proposed to the peremit per solvent per s

Front Lower Control Arms
UM2031 1982-92 LH and RH..... 669.99 set
UM2305 1993-02 LH and RH 589.99 set



1982-92 Tubular K-Member and A-Arm Package, Factory Springs

This direct bolt-in replacement K-member and lower A-arm set instantly removes 25 lbs from the front of vour 1982-92 Firebird, while having the strength to endure everyday driving. Factory clamshell and engine mounts bolt to the precision machined mounting pads while both factory and aftermarket suspension is located by strong boxed mounting points. The tubular construction provides added clearance for aftermarket exhaust. The lower A-arms feature TIG welded tubular construction, adjustable steering stops and polyurethane bushings. Street and track testing has shown this K-member and A-arm set to be strong, reliable and a great upgrade for your high-performance ride. Features include: main center tube constructed from 1.500 in. x 0.120 in. seamless steel tubing, additional cross braces use 1.250 in, x 0.120 in. seamless steel tubing, front and rear A-arm mounts CNC-machined and fabricated from 0.188 in. thick steel, rear A-arm mounts gusseted to withstand extreme side loads and pressure. Available in red or black powder coated finish. Made in USA.

Note: Please specify when ordering: A – red finish B – black finish. Shipped oversize.



1982-92 GM Tubular K-Member, Coilover

This direct bolt-in replacement K-member and lower A-am set instantly removes 25 lbs from the front of your 1982-92 Firebird, while having the strength to most possible the properties of the p

Note: Please specify when ordering: A – red finish, B – black finish. Shipped oversize.

in conjunction with the UMI K-member. The spring perch set is an economical way to convert from a coil over K-member part #UM2402 or UM2404 to a factory style spring and shock.

style spring and shock.
UM2405 UM2402, UM2404 K-members 179.99 pr

Sway Bar Components



Adiustable Polyurethane End Links 🔥

Installing better handling and stability just got a lot easier with Energy's Adjust-A-Link. The end links include two different height bushings which enable you to mix and match to obtain the optimal length. Each set number offers 1/2" of adjustability in 1/4" increments. Energy's Adjust-A-Link will accommodate lengths of 2-3/4" to 6-3/8" with no coverage gaps.

| Note: Spi | cify color when ordering, add G - blac | k, $R - red$. |
|-----------|--|----------------|
| 98162 | 2-3/4" - 3-1/4" (70mm-83mm) | 24.99 set |
| 98163 | 3-3/8" - 3-7/8" (86mm-99mm) | 24.99 set |
| 98164 | 4" - 4-1/2" (102mm-115mm) | 24.99 set |
| 98165 | 4-5/8" - 5-1/8" (117mm-130mm) | 24.99 set |
| 98166 | 5-1/4" - 5-3/4" (133mm-146mm) | |
| 98167 | 5-7/8" - 6-3/8" (133mm-146mm) | 24.99 set |



USA 1967-02 Polv Front Swav Bar End Link Set

Classic Industries® offers early and late model polyurethane front sway bar end link sets. Includes 3/8" diameter Grade 5 bolt, nylon insert locknut, heavy-duty washers, high-performance grommets and heavy wall tubing spacers. 1 set required per bar.

| | | h.a. | |
|--------|---------|-------|-----------|
| 98118R | 1993-02 | red | 23.99 set |
| 98118G | 1993-02 | black | |
| 98117R | 1967-92 | red | |
| 9011/G | 1907-92 | DIACK | |



1970-81 Rear Swav Bar Links

Reproduction rear sway bar links for 1970-81 Firebird. These links are for factory sway bars and include body end bushings. Sway bar end bushings are sold separately. 1970-73

| 14913 | 1974-81 | 139.99 pr |
|-------|---------|-----------|
| | 1000 | |

1967-02 Swav Bar End Link

Front sway bar end link set for 1967-02 Firebird models. Designed to eliminate sway bar end movement. Includes: 4 bushings, 1 bolt, 1 nut, 4 washers, and 1 spacer. 2 required. 18060 1967-92 OER® LH or RH 12.99 set



1967-69 Front Swav Bar Sleeve Bracket

Reproduction front sway bar sleeve bracket for 1967-69 Firebird to replace that missing or broken bracket. These keep the original sway bar from moving side to side or making noise. These mount on the front sway bar next to sway bar bracket. Sold in pairs.

1967-69



1967-81 Front Sway Bar Brackets 🔥 Reproduction U-shaped sway bar bushing clamp for

1967-81 models that is used to hold the inner sway bar bushings and the sway bar to the subframe. 383493 1967-68 pair 20.99 pr

| 406887 | 1969 | 2nd design | 12.99 e |
|--------|---------|------------------|---------|
| 406887 | 1970-81 | LH or RH - 2 req | 12.99 e |
| 4 | | | A |



1993-02 Sway Bar Clamp and Bracket Genuine GM replacement front sway bar bushing clamp and bracket for 1993-02 models that is used to

hold the inner sway bar and bushings to the subframe. Front Clamp, LH or RH G3842 1993-02 2 required 17.99 са

| Front Br | acket, LH or | RH | | |
|----------|--------------|------------|-------|---|
| G3837 | 1993-02 | 2 required | 28.99 | c |
| | | | | |



1970-81 Rear Swav Bar Bracket OER® reproduction rear sway bar bracket for 1970-81

Firebird models. Manufactured from high grade steel to original specifications. Sway bar brackets hold the sway bar bushings to the frame. 3982300 1970-81. 12.99 ea



1968-81 Rear Sway Bar Bracket Bolt Original style bolt used to attach the rear sway bar

bracket to the lower anchor plate and leaf spring perch. This bolt was originally installed on 1971-81 models with the Heavy-Duty (F41) Suspension option, but may be shortened to required length for use without F41 suspension on 1968-81 models, 4 bolts are required per vehicle. 7/16"-20 x 1-5/16" 491040 1968-81 4 required



nd:

1967-69 Front Sway Bar Bushings 🔥

These replacement bushings were designed for use with an 11/16" bar only. Sold in pairs. HC84 1967-69 front 11/16"..... 19.99 pr





1969-83 Sway Bar Bushing

OER® reproduction front sway bar bushings are an exact replacement for your Firebird. 13/16" 18.99 pr HB1155 1969-81 1969-83 7.99 ca





1977-81 Rear Sway Bar Bushing 🔥 Reproduction rear sway bushing for 1977-81 Pontiac

Trans Am and Formula models. Manufactured to original specifications to replace deteriorated or missing sway bar bushings. 480913 1977-81 .550*/.590* hole..... 10.99 ea



35130G

WALLS

1982-02 Poly Front Sway Bar Bushings Designed for use in place of originals while giving a stiffer, tighter and more superior ride.

ant: Do not mix-and-match Polyurethane and OEM type bushings together. All bushings should either be rubber or polyurethane. Mixing and matching could cause problems for your suspension and cause your bushings to

| wear out n | uich faster. | | | |
|------------|--------------|------|-------|---------|
| 35159G | 1982-92 | 30mm | black | 17.99 p |
| 35159R | 1982-92 | 30mm | red | 17.99 r |
| 35130G | 1982-92 | 32mm | black | 17.99 p |
| 35130R | 1982-92 | 32mm | red | 17.99 p |
| 35131G | 1982-92 | 34mm | black | 17.99 p |
| 35131R | 1982-92 | 34mm | red | 17.99 p |
| 35163G | 1993-02 | 30mm | black | 17.99 p |
| 35163R | 1993-02 | 30mm | red | 17.99 p |
| 35162G | 1993-02 | 32mm | black | 17.99 p |
| 35162R | 1993-02 | 32mm | red | 17.99 p |
| | | | 91 | SENUIS |
| | | | | |







1998-02 w/HD suspension ... 21.99 ea

| 100 | JU UL UIII I | i i oni ovray bai bi | ioiiiiig |
|--------|--------------|----------------------|----------|
| 1odels | with Firm R | ide Suspension | |
| 33838 | 1993-97 | | 9.99 ca |
| | | n Ride Suspension | |
| 33840 | 1993-97 | with perf. pkg | 21.99 ea |







w/o firm ride 33 99 set







G3840


BRAKES

AUTHORIZED **■ △** FSR902

1967-02 Front and Rear Swav Rars

OER® Authorized front and rear sway bars designed for various 1967-02 Firebird models. These sway bars are designed to minimize body roll, under steer, and over steer when cornering, resulting in improved vehicle handling and control. These offer all of the above without affecting your ride quality. Each set includes sway bar links and frame bushings (where applicable) and mounting hardware.

FSB902 1967-69 front 1-1/8" dia.. 149.99 set RSB502 1892-02 rear 7/8" dia.... 134.99 set



1967-02 Sway Bar Set

Reproduction sway bars for 1967-02 Firebird models All sway bars include polyurethane bushings kits and mounting hardware for easy installation. mportant: RSB359 set may not contain all hardware

required, use existing original hardware. Note: *Without traction bars. **With traction bars.

Shinned oversize Front Sway Bar Sets

| FSB136 | 1967-69 | 1" | 170.99 set |
|--|---|--------------------------------------|--|
| FSB599 | 1967-69 | 1-1/8" | 174.99 set |
| FSB883 | 1970-81 | 1-1/8" | 179.99 set |
| FSB709 | 1970-81 | 1-1/4" | 194.99 set |
| FSB729 | 1982-92 | 1-1/8" | 249.99 set |
| FSB730 | 1982-92 | 1-1/4" | |
| FSB747 | 1993-02 | 1-1/4" | 229.99 set |
| Rear Sway | Day Sate | | |
| | | | |
| RSB226* | 1967 | 3/4" | 159.99 set |
| | | 3/4" 7/8" | 159.99 set 159.99 set |
| RSB226* RSB671* RSB455** | 1967 1967 1967 | 7/8" | |
| RSB226* RSB671* | 1967 1967 | 7/8* | 159.99 set |
| RSB226* RSB671* RSB455** | 1967 1967 1967 | 7/8" | 159.99 set 184.99 set |
| RSB226* RSB671* RSB455** RSB226 | 1967 1967 1967 1968-69 1968-69 1970-81 | 7/8" 7/8" 3/4" 7/8" 7/8" | 159.99 set 184.99 set 159.99 set |
| RSB226* RSB671* RSB455** RSB226 RSB671 | 1967 1967 1967 1968-69 1968-69 | 7/8" 7/8" 3/4" 7/8" | 159.99 set 184.99 set 159.99 set 159.99 set |

7/8"

198 99 set

Swav Bars



USA 1967-81 Swav Bar Specifically tuned and tested for each application to

offer a balanced feel. Hotchkis Sport featuring the latest, lightweight hollow tube design, these bars are finished in gloss black powder coated, and include greaseable bushings, mounts, and end links, and all necessary hardware for a complete installation. Note: Shipped oversize.

Front and Rear

- OS1


BY20032B

| Front and | | | |
|-----------|---------|---------------|-------------|
| H2207C | | | 1088.99 set |
| H2236C | 1970-81 | 1-3/8" - 7/8" | 761.99 set |
| Front | | | |
| H2207F | 1967-69 | | 335.99 ea |
| H2236F | 1970-81 | 1-3/8" | 276.99 ea |
| Rear | | | |
| H2207R | 1967-69 | 7/8" | 695.99 ea |
| H2235R | 1970-81 | 7/8" | 485.99 ea |
| | | | 31117 |
| | | | |
| | | aa !! | |
| - | | 00 11 | |
| | | | BX20030A |
| | | | |
| | | oo !! | |
| All . | | 00 88 | - 10 |
| | 0 | 1000 | BX20030B |
| 4 | | | P |
| ١. | 80 | II on | |
| - 1 | - | | - 1 |
| _ | | | |
| | | | BX20032A |
| 9 | | 1.1 | D |
| | | s I I on | |

1967-81 Front Sway Bar Set

Looking for better cornering and reduced body roll? BMR sway bars are the answer Made with cold formed steel to resist torsional fatigue better than conventional bars. Features solid core construction. Includes: mounting hardware, end links, and polyurethane bushings.

Note: Please add color code to part number when ordering: A – red finish, B – hammertone gray finish. BX20030 1967-69 1-1/8". 199.99 set 1970-81 1-1/4" BX20032 219 99 set 9 H 255 HW55703



HW5816

351.99 set

392.99 set 385.99 set

398.99 set 398.99 set

419 99 set

437 99 set 489 99 set

456 99 set 437 99 set

436.99 set

JUSA 1967-02 Swav Bar Set

Hellwig high-performance sway bars for 1967-02 Firebird models. Manufactured using high-quality 4140 chromoly steel, each sway bar was developed for its specific application. Easy bolt-on installation with basic hand tools (some sets may require drilling). Each sway bar set includes proper urethane bushings _ OS1

| | av Bars – I | way Bar S Pro-Touring |
|------------|-------------|--------------------------|
| HW55705 | | 1-1/8" |
| HW55703 | | 1-5/16" |
| HW55701 | 1993-02 | 1-3/8" |
| Solid Sway | | |
| HW5703 | | 1-5/16" |
| HW5704 | 1982-92 | 1-5/16" |
| HW5701 | 1993-02 | 1-5/16" |
| | Rear S | way Bar S |
| | ay Bars - I | Pro-Touring |
| HW55824 | 1967-69 | 3/4" |
| HW55817 | 1982-02 | 7/8" |
| Solid Sway | Bars | |
| HW5824 | 1967-69 | 3/4" |
| | 1970-81 | |
| HW5802 | 1970-81 | 1" |
| | | |
| | | |
| | | • |



1982-02 XTREME Rear Sway Bar Set

This bar will clear any stock or aftermarket rear end housing and most exhaust and suspension parts. Features heavy-duty 3/16* mounting plates for rear end and frame, a massive 1-1/4" solid sway bar, overkill 5/8" chromoly QA1 rod ends, billet sway bar bushing retainers, billet bushing adjusters, Prothane bushings, silicone grease, and includes hardware.

ote: Please add color code to part number when ordering: A - red finish, B - hammertone gray finish

Fits 2-1/2" or 2-3/4" Axle BX20138 1982-02 1-1/4" 449 99 set Fits 3" or 3-1/4" Axle 1-1/4" 449 99 set BX20137 1982-02

RSB359

ם בתם שעה



A8500301 1967-81 OE Style Front Sway Bar 🔔

Factory style front sway bars for 1967-81 models. Zincplated for corrosion resistance. Brackets, bushings,

| Note: Shipper | | 081 | | | |
|---------------|---------|---------|--------|--------|----|
| A8500302 | 1967-69 | 13/16" | silver | _ | ca |
| A8500300 | 1970-81 | 1-1/16* | silver | | |
| 1.0500300 | 1070 01 | 1 1/4" | 14 | 100.00 | |



Reproduction rear sway bar for 1967-69 Firebird and Trans Am models. Measures 7/8" in diameter and features a gold zinc-plated finish. Brackets, bushings, and hardware sold separately. **4** 081

| A8500304 | 1967-69 | 7/8" | gold | 119.99 ca |
|----------|---------|------|------|-----------|
| | | | / | PARTS |
| | | | | |
| 1 | | | | G4665 |

1993-02 GM Rear Swav Bar

Note: Shipped oversize.

Genuine GM rear sway bars designed for various 1993-02 Firebird models.

| G4664 G4664* G4665 | 1993-97 1993-97 1998-02 | Formula Trans Am with firm ride | 141.99 ca |
|--------------------------|-------------------------------|---------------------------------------|-----------|
| G4664 | 1998-02 | without firm ride | 141.99 ca |
| | | | |
| / | | -11- | BX20034B |



1982-02 Swav Bar Set with Bushings Enhance cornering and reduced body roll with BMR sway

bars. Made using cold formed steel to resist torsional fatigue. Front is 32mm diameter, solid core construction. Rear is 25mm diameter with hollow core construction. Includes mounting hardware and polyurethane bushings.

| A – red finish, B – hammertone gray finish. | onen oraering. |
|---|----------------|
| Front Swav Bar - 32mm Solid Core | |
| BX20034 1982-92 | 209.99 set |

| Front Sway Bar - 32mm Hollow Core | | |
|-----------------------------------|------------|--|
| BX20036 1993-02 | 259.99 set | |
| Rear Sway Bar - 25mm Hollow Core | | |
| DV20025 1092 02 | | |



USA

1967-69 Sway Bar Bushing Set Polyurethane bushing set designed to replace sway bar

bushings for Firebird models with aftermarket sway bars. Sets include: the sway bar end links, end link bushings, inner bar mounting bracket and bushings, and inner bracket mounting bolts. Some drilling may be required for installation of inner brackets. Bushings available in black. te: *The front is designed for aftermarket I" sway bars. Will not install on original 5/8" sway bars.

| R677252* | 1967-69 | front | 62.99 | set |
|----------|---------|-------|-------|-----|
| R677254 | 1967-69 | rear | 64.99 | set |









BX20152A 1982-02 red

BX20153B 1982-02

BX20153A

Fits 3-1/4" Axle

Fite 2 1/2" or 2 2/4" Ayle

1982-02 Rear Sway Bar Mount Set 🔥

Sway bar mount set includes weld-on bushing mounts, polyurethane mounting bushings, and end links as well as all necessary mounting hardware. Brackets are also sold separately in your choice of weld-on or bolt-on styles. Mounting Set with Weld-On Brackets

| BX20140 | 1982-02 | 19mm bar | 79.99 set |
|---------------|-----------|-------------|------------|
| BX20141 | 1982-02 | 22mm bar | 79.99 set |
| Fits 3" or 3- | 1/4" Axle | | |
| BX20142 | 1982-02 | 19mm bar | 79.99 set |
| BX20143 | 1982-02 | 22mm bar | 79.99 set |
| | Weld-on | Bracket Set | |
| Fits 2-1/2" o | | | |
| BX20150 | 1982-02 | | 39.99 set |
| Fits 3" or 3- | 1/4" Axle | | |
| BX20151 | 1982-02 | | 39.99 set |
| | Bolt-on I | Bracket Set | |
| Fits 3"Axle | | | |
| BX20152B | 1982-02 | hammertone | 109.99 set |
| | | | |





1967-81 Suspension Set USA

These front suspension sets integrate Detroit Speed's outstanding suspension products into a system designed tooverhaul your vehicle's factory subframe. Choose from 2 set levels to bring suspension performance up to your personal standards.

Note: Shipped double oversize.

D31307

front sway bar.

7089 Speed Set 1 Simple, bolt-on performance for your factory subframe. Includes: tubular control arms with stock spring pockets, Koni Classic front shocks, 2" drop coil springs, and front sway bar.

D31301 1967-69... 2453 99 set 1070 91 2508 99 set Speed Set 2

Adjustable ride height to set your level of performance Includes: tubular control arms with coilover shock spring pocket, coilover conversion set, DSE/JRi

aluminum body coilover shocks and springs, and D31350 1967-69



1967-69 Performance Lowering Set Upgrade your suspension and give your Firebird a sleek.

lowered look! This front and rear suspension system lowers your Firebird approximately 1-1/2" to provide the handling that you've been looking for! Includes 1-1/2" lowered front coil and rear leaf springs, shocks, sway bars, and mounting hardware. Springs and sway bars feature a black powder coated finish.

Note: Shipped double oversize. LHPK6774 1967-69

END

BRAKES











1982-02

109 99 set

109 99 set

hammertone .. 109.99 set

BRAKES d RAR

Suspension Sets



IISA 1967-81 TVS Stage 1

These exciting TVS (Total Vehicle System) sets contain engineered and tuned components that work together as a complete suspension system to maximize your vehicle's handling. Avoid the poor ride quality and disappointing handling that often results from mixing parts from multiple manufacturers. These packages have passed rigorous in-house testing procedures.

| Note: Shipped | | | |
|---------------|-----------------------|---------|-----|
| 2" Front Dr | op - 1-1/2" Rear Drop | TRUCK | |
| H8040121 | 1967-69 | | |
| H8051121 | 1970-81 | 1734.99 | set |

3" Front Drop - 2" Rear Drop H80035 1967-69... 1935 99 set



USA 1967-81 TVS Stage 2

The Stage II Total Vehicle System offers race proven handling and control with comfortable ride, all in one package. Subframe connectors and a rear sway bar cross member stiffen the chassis (convertible sets include the Chassis Max Brace), while massive sway bars reduce body roll. In front, tubular control arms increase caster and improve camber to create more front end grip. Heavy-duty tie rod sleeves, sport springs and performance shocks lower the vehicle to improve balance. In the rear, a multi-leaf drop spring design improves traction and reduces wheel hop. Includes heavy-duty shackles, U-bolts, pads, and hardware. Made in USA.

| Note: Shipped | truck freight | | | |
|---------------|---------------|-------------|---------|-----|
| 2" Front Dr | | | TRUCK | |
| H8041122 | 1967-69 | | 4806.99 | |
| H8042122 | 1967-69 | convertible | | |
| H8051122 | 1970-73 | all | 4776.99 | kit |
| H8061122 | 1974-81 | all | 4776.99 | kit |
| 3" Front Dr | | ar Drop | | |
| H8041132 | 1967-69 | coupé | 4877.99 | kit |
| H8042132 | 1967-69 | convertible | 5169.99 | kit |



1967-69 Convertible Strenathenina System

USA

The Chassis Max System for 1967-69 Firebird convertibles. It connects the subframe to the leaf spring pickup points, making your Firebird rock solid, and the system's multi-piece design contours around the undercarriage allowing up to a 3 inch diameter dual exhaust to fit cleanly while preserving ground clearance. All three components in the Chassis Max System are CAD designed and precision CNCmachined in the USA. A durable gloss black powder coated finish means the parts won't chip or crack, and all necessary polyurethane subframe mount bushings and hardware are included

| | Aax System | ersige. | 082 | |
|-----------|------------|---------|--------|----|
| H81001 | 1967-69 | system | 705.99 | sc |
| Cross Bro | | | | |
| H1404 | 1967-69 | X-brace | 215.99 | ca |
| | | | | |



USA 1967-69 Convertible Tunnel Brace 🔥

BMR's Tunnel Brace is laser out from 1/8" steel and features a CNC formed X-brace to strengthen this critical area. Replaces the factory brace and provides clearance for 3" dual exhaust pipes.

Note: Please add color code to part number when ordering: A – red finish. B – hammertone gray finish. BX20020 1967-69 X-brace. 189.99 ea



🌌 1967-81 Subframe Connectors

Stiffen your vehicle's frame with Detroit Speed and Engineering's weld-in 2" x 3" x .120" wall subframe connectors. Once installed, these connectors are barely visible from underneath the vehicle. The connector is tapered to attach to the rear frame rails with a laser cut slot that conforms to the rear seat floor pan without interfering with seat attachment hardware or the rear leaf spring pocket. Includes: laser cut brackets, templates, pictures, and detailed instructions. 1970-81 sets also include installation DVD. D10101 1967-69 all.. 200 00 set



🐃 1967-81 Subframe Connectors

Hotchkis Sport Suspension subframe connectors for 1967-81 models. Fabricated from rectangular steel tubing, these TIG welded connectors are powder coated gloss black and 1967-81 connectors include polyurethane front body mounts. Installation of these connectors requires absolutely no modification or cutting of the floor boards. The rear mounts weld in place, while the front mounts are bolt-ins with the

| | Exhaust ma | y need to modified on s | ome models |
|----------------------------------|--|-------------------------|------------------------|
| | ped oversize. | | / OS1 |
| 14007 14008 14012 14013 | 1967-69 1967-69 1970-73 1974-81 | coupeallall | 489.99 pr 449.99 pr |

Chassisworks

7// 4 001111

🌌 1967-69 Subframe Connector

Body flex kills handling performance and weakens your chassis. Get the most from your new subframe assembly while strengthening your chassis by installing a set of subframe connectors specifically designed to work with the Chassisworks subframe.

| Subframe (| Connectors | | |
|-------------|-------------|-------|------------|
| K5601 | 1967-69 | coupe | 538.99 ea |
| Adapters fo | r Stock Sub | frame | |
| K5903611 | 1967-69 | coupe | 118.99 set |



🏁 1967-69 Subframe Connectors

BMR's subframe connectors improve chassis rigidity and response. Manufactured from laser profiled square tubing, these bolt in around the rear frame rails and spring pocket. Includes BMR Delrin body mount bushings. Weld-in style is raw steel, requires cutting floor pan. Includes hardware and detailed instructions. ote: Please add color code to part number when ordering: A - red finish, B - hammertone gray finish

BX20010 1967-69 bolt-in ... 409,99 pr 1967-69 BX20011 weld-in 219 99 pr

D10103 1970-81 299 99 set



™ 1967-81 Subframe Connectors

Subframe connectors stiffen the unibody and are completely bolt-on, with no cutting or floor modifications required. Attach to front subframe and rear frame rails, or 4-Link brackets when used with Heidt's 4-Link rear suspension.

| H10020 | 1967-69 | coupe | 296.99 1 | pr |
|--------|---------|--------------------|----------|----|
| H10021 | 1967-69 | convertible | 296.99 | pr |
| H10064 | 1970-81 | all | 296.99 | þr |
| | | Pro-G Front Subfre | | |
| H10065 | 1970-81 | 911 | 296 99 1 | nr |



🌌 1967-81 Subframe Connectors Subframe connectors are used for high-performance

street and racing applications. It is no secret that tying the vehicle together with subframes not only stiffens the chassis but improves vehicle response. Sets include 2 stock height interloc body mounts, add C809 for complete set.

Important: Some welding required. If rubber bushings are used between the frame and body, they must be removed and solid bushings installed (Interloc bushings). Shinned ov

| | e Connecto | | 081 |
|---------------|--------------------|----------------|--------------------------|
| C900 | 1967-69 1967-69 | | |
| C900C C901 | 1907-09 | convertible | 305.99 set 305.99 set |
| C902 | 1974-81 | all | |
| Body Mo | | | |
| C809 | 1967-81 | 4 piece add-on | 105.99 set |



1982-02 Weld-In Subframe Connectors

These subframe connectors reinforce the rear control arm mounts, joining key structural areas. BX20013 is for full length headers and exhaust systems that run inside the frame rails. BX20014 is for OE manifolds or shorty headers with OE exhaust or similar that runs on the passenger side, outboard the subframe. Tubular connectors are constructed from 1-5/8" roll cage tubing, boxed connectors use 2" square tubing.

Note: Please add color code to part number when

| oraering: A - | rea jinish, B | nammerione gray | pnisn. | |
|---------------|---------------|-------------------------------------|--------|-----|
| Coupe Mod | | | | |
| BX20013 | 1982-92 | boxed style | 469.99 | set |
| BX20014 | 1982-92 | boxed style | | |
| BX20015 | 1993-02 | boxed style | | |
| BX20016 | 1993-02 | tubular | 239.99 | set |
| Convertible | Models | | | |
| BX20017 | 1993-97 | tubular for LT1 | 309.99 | set |
| BX20018 | 1998-02 | tubular for LS1 | 309.99 | set |



🌌 1982-02 Subframe Connectors

Tying your Firebird's subframe together not only stiffens the chassis, but improves vehicle response These connectors weld in place and tie into the strongest portion of the chassis. No cutting of the floor is needed and no ground clearance is lost. These connectors are manufactured from 1-5/8" seamless 1/8" wall round tubing for 1982-92 and 1993-02 convertible models and 2" seamless .1/8" wall round tubing for 1993-02 coupe models. Gussets and plates are 3/16" steel plate material.


| Note: Shi | pped oversize. | 081 |
|-----------|----------------|----------------------|
| C904 | 1982-92 | coupe 218.99 p |
| C905 | 1993-02 | coupe 248.99 p |
| C905C | 1993-02 | convertible 251.99 p |
| | | UM Profession |
| | - | (UNI purpose |
| 2 | 2211 | |
| - | | |
| | | |
| | | UM2002B |
| | | CM2002B |
| 3 | 71 | |
| | | |
| | | |

🌌 1982-02 Subframe Connectors Subframe connectors have been the answer for body

UM24001

flex which produces body squeaks and rattles as well as cracks in body panels. Constructed from either mild steel rectangular tubing for weld-in or DOM (Drawn Over Mandrel) mild steel tubing for bolt-in connectors. The bolt-ins are designed for everyday driving with an occasional autocross or drag race, while the weld-in one is for spirited driving and the serious racer. Both sets will tuck tight to the body so there are no ground clearance issues. The weld-in style requires no bolts to tighten ever and offers less chance of flex compared to bolt-in types. Both are available in a red or black powder coating. Made in USA ortant: *Will NOT fit convertible models

ote: Please add color code to part number when ordering: A - red finish, B - black finish. Shipped oversize.



| Hardtop, T-1 | op | | | |
|--------------|---------|---------|--------|-----|
| UM2002* | 1993-02 | 2 point | 299.99 | set |
| UM2004* | 1993-02 | 3 point | 599.99 | set |
| Convertible | | | | |
| UM2027 | 1993-02 | 2 point | 299.99 | set |
| UM2044 | 1993-02 | 3 point | 599.99 | set |
| | | | | |

These are constructed from 2.000" x 1.250 mild steel rectangular tubing with 0.188" CNCmachined mild steel mounting plate. UM2400 has a 3 piece design allowing 6 major welding points throughout the chassis ote: UM2001 connector has a 0.250° CNC-machi

mild steel mounting plate Hardtop, T-Top, Convertible UM2400 1982-92 boxed style 399.99 set Hardtop, T-Top

1993-02



🚧 1970-81 Front Frame Brace

This front frame brace for 1970-81 Firebird models improves chassis rigidity, reduces steering gear movement and provides for a crisper handling experience. These direct bolt-in braces require no

| | | - | - | |
|------|----------|---------------|--------|----|
| 658R | 1975-81 | red | 149.99 | ea |
| 658B | 1975-81 | black | 149.99 | |
| 654R | 1970-74 | red | 149.99 | |
| 654B | 1970-74 | | 149.99 | |
| | weiding. | Made III USA. | | |

26 26



1983-92 Wonderbar Frame Brace The 1983-92 steering brace, also known as the

Wonderbar, is designed to tie the front right and left subframe together to improve handling and overall performance. This brace strengthens the chassis and takes stress off of the steering gearbox mount. UM2020A 1092 02 red 00 00 an

| JM2030B | 1983-92 | black | 99.99 ea |
|---------|---------|-------|----------|
| 1 | | | 4 |

1050218 1987-92 Wonderhar Frame Brace

The steering brace, also known as the Wonderbar, ties

both sides of the frame together under the front of the vehicle to maintains the geometry of the pitman arm and idler arm during cornering. The steering brace strengthens the chassis and takes stress off of the

| 105021B 105021R | 1982-92 1982-92 | black | |
|--------------------|--------------------|-------------|--|
| 105021Y | 1982-92 | yellow zinc | |



This brace mounts between the frame horns and the sway bar. The "Wonderbar" will reduce flex and

| | | from the steering gearb eable with larger front | |
|------|---------|--|----------|
| TS13 | 1982-84 | blackblack | 50.99 ea |
| TS14 | 1985-92 | | 49.99 ea |



USA 1985-92 Steering Brace

Stiffen the notoriously flexible front subframe by installing a BMR steering brace. Also called a Wonderbar, this brace is designed to stiffen the front subframe assembly and reinforce the steering box mounts for crisper steering and to eliminate wander. BX20092A 1985-92 99 99 69 red ... BX20092B 1985-92 99 99 ca hammertone














279 99 set

349 99 set

m ď 9 READ

Suspension Components



🌌 1985-92 Strut Tower Braces

Available in 2 or 3 point designs, these braces feature strong, 1/4" mounting plates and 1-1/4" diameter tubing with precision cut mounting plates and logo. 3 point braces feature strong, clevis mounted ends instead of the "pinched tubing" designs offered by competitors. All mounting hardware and instructions included.

te: Will clear LSX motor with a car intake TPI Models - 2 Point Mount

BX20090B 1985-92 hammertone.... 139.99 set TPI Models - 3 Point Mount BX20091A 1985-92 red ..



🔤 1993-02 Strut Tower Braces

Reduce unwanted shock tower flex and improve handling and steering response in your 4th Gen with a strut tower brace. This precision brace, manufactured from high strength TIG welded steel and finished in gloss black powder coated, enhances front end stability, dampens front end vibrations, and reduces cowl shake. Includes all hardware and instructions. Fits LS1, SS, and V6.

1993-02 H2006 H2006R 1993-02 red 305.99 set



🖦 1993-02 Strut Tower Brace

Strengthen your front subframe assembly and minimize chassis flex by tying the shock mounts together. DOM (Drawn Over Mandrel) features 1.25" x .095" tubing, chromoly features 1.25" x .065" tubing and Xtreme uses 1.625" x .095". Easy 15-30 minute install. te: Please add color code to part number when ordering:

A - red finish, B - hammertone gray finish DOM - 1.25" x .095" Tubing BX20093 1993-02 V6 & 93-97 TA V6 & 93-97 TA ... 129.99 ea V8 exc. 93-97 TA 139.99 ea BX20094 1993-02

Chromoly - 1.25" x .065" Tubing BX20095 1993-02 V6 & 93-97 TA ... 199.99 ca BX20096 1993-02 V8 exc. 93-97 TA .209.99 ca XTREME - 1.625" x .095" Tubing BX20097 1993-02 V8 exc 93-97 TA 219 99 ea

BX20021A RY20021R USA

1993-02 Driveshaft Tunnel Brace

BMR driveshaft tunnel brace for 1993-02 Firebird hardtop models. Made with 3/16" mounting plates and 1" tubing for maximum rigidity. Not compatible with BMR Trak-Pak.

BX20021A 1993-02 99 99 ca BX20021B 1993-02 hammertone 99.99 ea



1967-69 Subframe Body Mounting Plates

A complete set of subframe mounting plates will take care of the rotted out crucial areas where the subframe bushings mount. After years of abuse, the plates may become damaged beyond repair. You certainly don't want to replace the bushings without checking the plates. These plates will secure the subframe and add stability to the original frame. Includes: the rear subframe plates, middle frame plates, and the core support plates.

1967-69 .. 48.99 set

K998

Four metal plates in the correct gauge and hole size to repair rusted, enlarged holes or thin tops on the 4 subframe to body mounting brackets. rtant: Welding required.

KW696 1967-69... 18 99 set 112

1967-69 Subframe Mounting Nut and Cage

Broken subframe mounting nuts are no longer the huge problem they used to be. Classic offers this replacement nut and cage. Must be welded in as original. 1967-69






1967-81 OEM Bodv Mount Bushing Kit 🗥

Reproduction OEM subframe body mount bushings for 1967-81 models. Each bushing is designed and manufactured to replicate the original in every detail. Each prepackaged kit contains all shouldered rubber bushings and biscuits including the radiator support bushings. Each body mount is produced using correct compression molded S.B.R. with steel sleeve inserts where required. Each kit includes 6 complete bushings.

| | | | _A | de |
|--------|---------|----------|--------------|-----|
| C3088F | 1976-81 | 12 piece | 79.99 | kit |
| C3088 | 1973-75 | 12 piece | | |
| C3025 | 1971-72 | 12 piece | 54.99 | ki |
| C3028 | 1970 | 12 piece | | |
| C3026 | 1969 | 12 piece | | |
| C3025 | 1967-68 | 12 piece | 54.99 | ki |
| | | | | |



1967-69 Subframe Body Mount Hardware

Each set contains all the correct bolts and washers used to mount the subframe to the body and the radiator core support to the sub frame. Replaces rusted, stripped, or otherwise damaged originals. We offer the replacement style set in silver zinc, or an OE style reproduction of the GM hardware which includes the correct washer

| head and | black iron ox | ide finish. | |
|----------|---------------|----------------|-----------|
| K3027 | 1967-69 | | 21.99 set |
| BK678 | 1967-69 | original style | 39.99 set |

Body Mounts and Bushings



1967-81 Body Mount Bushing Set 🎍

Improve handling response by eliminating chassis flex with a set of solid Delrin bushings. Squeak free and will not corrode like aluminum. Includes Grade 8 hardware and stainless HD washers.

BX22222 1967-81 Delrin 139 99 set





These solid body mounts offer a simple solution for

eliminating the chassis flex that occurs between the body and subframe connection, this will improve vehicle handling response by increasing chassis rigidity. These mounts should be used when installing rigidity. These mounts should be used when installing Body mounts are CNC-machined from billet aluminum and then hard coated, not anodized. Unlike regular anodizing, the hard coating process resists corrosion that can occur between steel and aluminum surfaces. These-sets include 2 core support mounts with stainless sets between the control of the control of the control sets of the control of the control of the control of the body both set is available separately.

D10301 1967-69 stock height..... 219.99 set D10801 1967-69 stainless steel bolts.. 114.99 set



1967-69 Aluminum Body Bushings 🔥

Stiffer body mount bushings will dramatically reduce body flex and are recommended when installing subframe connectors. Bushings are available in aluminum (not recommended for street applications). K6816 1967-69 aluminum 138.99 set



JUSA

1967-73 Interloc Body Mount Bushings Designed as a direct replacement for factory bushings

The self-locking design eliminates frame to body slippage. Especially recommended if going with subframe connectors. Sets include 4 main body bushings. I/2* drop sets also include 2 core support bushings. For Use without Global West Subframe Connectors C800 1967-69 stock height 146.99 set

 C800
 1967-69
 stock height
 146.99 set

 C807
 1970-73
 stock height
 173.99 set

 C801
 1967-73
 1/2" drop
 209.99 set

 For Use with Global West Subframe Connectors
 809
 1967-69
 stock height
 105.99 set

 C810
 1970-73
 stock height
 128.99 set
 128.99 set

HETEHKIS 3101

JUSA

Super Grease

This silicone based grease will reduce squeaking and keep your polyurethane bushings quiet. This waterproof, high temperature, high pressure formula is ideal for use in grease guns.

45.90 ca.



Formula Five Prelube

Energy Suspension Formula Five Prelube is a versatile, waterpoof, non-melting grease containing PTFE. This forms a tough, durable, chemical resistant film of lubricant and also prevents metal to metal contact even under severe shock loads. Only small amounts are required to properly bubricate bushings and metal components and to prevent corrosion. Use this when assembling your polyurethane bushings to your suspension.

Diaportant: Only small amounts of this prelube are needed



318190

USA

3

1967-02 Hyper-Flex Poly Bushing Set

Mixing standard rubber bushings with polyurethane bushings is not recommended, so, if you are going to replace any of the suspension bushings, then replace them all.

Important: 1967-92 sets do not include sway bar bushings due to the various bar sizes. 1967-69 subframe mounting hardware is not included. 1993-02 models reuse bushing shells. Note: Please add R – red when ordering.

| | | ENE | PCV |
|-------|---------|--------------------|------------|
| 18130 | 1993-02 | V8 - exc. w/1LE | 288.99 set |
| 18131 | 1982-92 | all | |
| 18117 | 1976-79 | all | |
| 18116 | 1975-79 | all | 390.99 set |
| 18118 | 1967-69 | multi-leaf springs | |
| 18119 | 1967-69 | mono-leaf springs | 316.99 set |
| | | | |

SUSPER

00000

3/428

1967-81 Polyurethane Body Mount Set

Replacement polyurethane bushings for 1967-81 models. Will replace all your front body mounts as easily as the originals. Choose from two different colors and bardware.

| | with Steel Si | | |
|-----------|---------------|------------|------------|
| 4142Ğ | 1967-69 | black | 101.99 set |
| 4142R | 1967-69 | red | 101.99 set |
| 4142G | 1970-81 | black | |
| 4142R | 1970-81 | red | 101.99 set |
| teel Slee | ves and Har | lware Only | |
| | | | |













Performance Subframes

HEIDT'S Subframes with Pro-G Suspension

Bolt-in optimal handling performance with the true race car geometry of Heidt's Pro-G suspension. These subframes directly replace the originals without floor modifications. Standard features include 1-1/4* upper and 1-1/2" lower tubular arms, billet adjustable coilover shocks, rotors, tall 2" drop spindles, power rack and pinion, and adjustable transmission crossmember

portant: 15" wheel or larger required. Outer tie rod ends, power steering pump, teering pump brackets, power steering hoses, body mount bu lines are not included. ote: Shipped truck freight

More applications available on our website!

Heidt's Base Subframe Includes:

- Pro-G Suspension with Tall 2" Drop Spindles
- Tubular Steel Control Arms
- Billet Coilover Adjustable Shocks
- Power Rack and Pinion with Column Hook Up Set
- 11" Rotors with Black 4 Piston Calipers
- Universal Motor Mount Stands
- Adjustable Transmission Crossmember

Options:

- Polished Stainless Steel Tubular Control Arms and Polished Shocks
- 1" Performance Sway Bar
- 1-1/4" Performance Śway Bar
- Wilwood 12" Drilled/Slotted Rotor and 4 Piston Caliper Brake Set ■ Wilwood 13" Drilled/Slotted Rotor and 6 Piston Caliper Brake Set

1967-69 Subframe with Power Rack and Pinion Steering Subframe with Black Calipers

| With | Wilwood 11" | Rotors and | 4 Piston Calipers | | |
|------|-------------|-------------|------------------------------------|-----------|------|
| H200 | 100 1967 | | subframe | 7084.99 | kit |
| H200 | 101 1967 | -69 with | 1" sway bar | 7437.99 | kit |
| H200 | | -69 with | 1-1/4" sway bar | 7522.99 | |
| H200 | 103 1967 | -69 with | polished tubular arms and shocks | 9784.99 | kit |
| H200 | 104 1967 | -69 with | 1" bar, polished arms and shocks | 10,137.99 | kit |
| H200 | 105 1967 | -69 w/1- | 1/4" bar, polished arms and shocks | 10,222.99 | kit |
| With | Wilwood 12" | Drilled/Slo | tted Rotors and 4 Piston Calipers | | |
| H200 | | | subframe | 7662.99 | |
| H200 | 201 1967 | -69 with | 1" sway bar | 8015.99 | kit |
| H200 | | -69 with | 1-1/4" sway bar | 8100.99 | |
| H200 | | | | | |
| H200 | | | 1" bar, polished arms and shocks | 10,715.99 | |
| H200 | 205 1967 | '-69 w/1- | 1/4" bar, polished arms and shocks | 10,800.99 | kit |
| | | | tted Rotors and 6 Piston Calipers | | |
| H200 | 300 1967 | -69 base | subframe | 9268.99 | kit |
| H200 | | -69 with | 1" sway bar | 9620.99 | |
| H200 | | | 1-1/4" sway bar | 9705.99 | |
| H200 | | '-69 with | polished tubular arms and shocks | 11,883.99 | kit |
| H200 | | | 1" bar, polished arms and shocks | 12,236.99 | |
| H200 | 305 1967 | '-69 w/1- | 1/4" bar, polished arms and shocks | 12,321.99 | kit |
| | | Subfram | e with Polished Calipers | | |
| | | | tted Rotors and 4 Piston Calipers | | |
| H200 | | | subframe | 7501.99 | |
| H200 | 401 1967 | -60 with | 1" cway bar | 7854 99 | lrit |

| With Wils | With Wilwood 11" Drilled/Slotted Rotors and 4 Piston Calipers | | | | | |
|-----------|---|--|-----------|-----|--|--|
| H200400 | | base subframe | 7501.99 | | | |
| H200401 | 1967-69 | with 1" sway bar | 7854.99 | kit | | |
| H200402 | 1967-69 | with 1-1/4" sway bar | 7939.99 | kit | | |
| H200403 | | with polished tubular arms and shocks | | | | |
| H200404 | 1967-69 | with 1" bar, polished arms and shocks | 10,554.99 | kit | | |
| H200405 | 1967-69 | w/1-1/4" bar, polished arms and shocks | 10,639.99 | kit | | |
| With Wils | vood 12" Drille | d/Slotted Rotors and 4 Piston Calipers | | | | |
| H200500 | | base subframe | 7662.99 | | | |
| H200501 | 1967-69 | with 1" sway bar | 8015.99 | kit | | |
| H200502 | 1967-69 | with 1-1/4" sway bar | 8100.99 | kit | | |

| H200503 | 1967-69 | with polished tubular arms and shocks | |
|---------|---------|--|---------------|
| H200504 | 1967-69 | with 1" bar, polished arms and shocks | 10,715.99 kit |
| H200505 | 1967-69 | w/1-1/4" bar, polished arms and shocks | 10,800.99 kit |
| | | d/Slotted Rotors and 6 Piston Calipers | |
| H200600 | 1967-69 | base subframe | 9268.99 kit |
| H200601 | 1967-69 | with 1" sway bar | 9620.99 kit |
| H200602 | 1967-69 | with 1-1/4" sway bar | |
| H200603 | 1967-69 | with polished tubular arms and shocks | |
| H200604 | 1967-69 | with 1" bar, polished arms and shocks | 12,236.99 kit |
| H200605 | 1967-69 | w/1-1/4" bar, polished arms and shocks | 12,321.99 kit |

Available with Ontional 12" or 13" Rotors Rase Suhframes from \$ 7084 991 Subframe shown with options Components that are not polished are shipped in raw, unfinished steel. MADEIN

1970-81 Subframe with Power Rack and Pinion Steering

| Subframe with Black Calipers | | | | | | |
|------------------------------|---|--|---------------|--|--|--|
| With Wilwood | With Wilwood 11" Rotors and 4 Piston Calipers | | | | | |
| H900100 | 1970-81 | base subframe | 7084.99 kit | | | |
| H900101 | 1970-81 | with 1" sway bar | 7437.99 kit | | | |
| H900102 | 1970-81 | with 1-1/4" sway bar | 7522.99 kit | | | |
| H900103 | 1970-81 | with polished tubular arms and shocks | 9784.99 kit | | | |
| H900104 | 1970-81 | with 1" bar, polished arms and shocks | 10,137.99 kit | | | |
| H900105 | 1970-81 | w/1-1/4" bar, polished arms and shocks | 10,222.99 kit | | | |
| With Wilwood | d 12" Drille | d/Slotted Rotors and 4 Piston Calipers | | | | |
| H900200 | 1970-81 | base subframe | 7662.99 kit | | | |
| H900201 | 1970-81 | with 1" sway bar | 8015.99 kit | | | |
| H900202 | 1970-81 | with 1-1/4" sway bar | 8100.99 kit | | | |
| H900203 | 1970-81 | with polished tubular arms and shocks | 10,362.99 kit | | | |
| H900204 | 1970-81 | with 1" bar, polished arms and shocks | 10,715.99 kit | | | |
| H900205 | 1970-81 | w/1-1/4" bar, polished arms and shocks | 10,800.99 kit | | | |
| With Wilwood | d 13" Drille | d/Slotted Rotors and 6 Piston Calipers | | | | |
| H900300 | 1970-81 | base subframe | 9268.99 kit | | | |
| H900301 | 1970-81 | with 1" sway bar | 9619.99 kit | | | |
| H900302 | 1970-81 | with 1-1/4" sway bar | 9705.99 kit | | | |
| H900303 | 1970-81 | with polished tubular arms and shocks | 11,883.99 kit | | | |
| H900304 | 1970-81 | with 1" bar, polished arms and shocks | 12,236.99 kit | | | |
| H900305 | 1970-81 | w/1-1/4" bar, polished arms and shocks | 12,321.99 kit | | | |
| | | rame with Polished Calipers | | | | |
| With Wilwood | d 11" Drille | d/Slotted Rotors and 4 Piston Calipers | | | | |
| H900400 | 1970-81 | base subframe | 7501.99 kit | | | |

| Subframe with Polished Calipers | | | | | |
|---------------------------------|---------------|---|---------------|--|--|
| With Wilwo | od 11" Drille | ed/Slotted Rotors and 4 Piston Calipers | | | |
| H900400 | 1970-81 | base subframe | 7501.99 kit | | |
| H900401 | 1970-81 | with 1" sway bar | 7854.99 kit | | |
| H900402 | 1970-81 | with 1-1/4" sway bar | 7939.99 kit | | |
| H900403 | 1970-81 | with polished tubular arms and shocks | 10,201.99 kit | | |
| H900404 | 1970-81 | with 1" bar, polished arms and shocks | 10,554.99 kit | | |
| H900405 | 1970-81 | w/1-1/4" bar, polished arms and shocks | 10,639.99 kit | | |
| With Wilwo | od 12" Drille | ed/Slotted Rotors and 4 Piston Calipers | | | |
| H900500 | 1970-81 | base subframe | 7662.99 kit | | |
| H900501 | 1970-81 | with 1" sway bar | 8015.99 kit | | |
| H900502 | 1970-81 | with 1-1/4" sway bar | 8100.99 kit | | |
| H900503 | 1970-81 | with polished tubular arms and shocks | 10,362.99 kit | | |
| H900504 | 1970-81 | with 1" bar, polished arms and shocks | 10.715.99 kit | | |

| H900505 | 1970-81 | w/1-1/4" bar, polished arms and shocks | 10,800.99 kit |
|--------------|------------|--|---------------|
| With Wilwood | 13" Drille | d/Slotted Rotors and 6 Piston Calipers | |
| H900600 | 1970-81 | base subframe | 9268.99 kit |
| H900601 | 1970-81 | with 1" sway bar | 9619.99 kit |
| H900602 | 1970-81 | with 1-1/4" sway bar | 9705.99 kit |
| H900603 | 1970-81 | with polished tubular arms and shocks | 11.883.99 kit |
| H900604 | 1970-81 | with 1" bar, polished arms and shocks | 12,236.99 kit |
| H900605 | 1970-81 | w/1-1/4" bar, polished arms and shocks | 12.321.99 kit |

STISA. 1967-81 Pre-Bent Steel Brake Lines

These pre-bent steel brake lines are specifically designed to fit the Heidt's front subframe assembly. Important: Steel brake lines are not included in subframe sets. H10068 1967-81 front

112.99 set

Subframes and Components







1967-69 OEM Style Subframe

Why waste money trying to repair a damaged subframe that may be compromised internally when you can replace it with one of these faithful, high-quality reproductions. Featuring factory style welds for an original appearance and extra bracing to the lower crossmembers for added strength when jacking up the vehicle. Designed for an authentic appearance, the added reinforcement is completely invisible. Features all correct holes and brackets, as original. With this much attention to detail, these subframes are virtually indistinguishable from the originals. Available without a transmission crossmember or with a TH400 transmission crossmember installed. Black EDP coated for rust prevention. Note: Shipped truck freight. TRUCK

Subframe without Crossmember

| K44716 | 1967 | EDP coated | 1499.99 | |
|----------|---------|-----------------|--|----|
| K44717 | 1968 | EDP coated | 1499.99 | ca |
| K44718 | 1969 | EDP coated | 1499.99 | ca |
| Subframe | with TH | 400 Crossmember | | |
| K44725 | 1967 | EDP coated | 1444.99 | ca |
| K44726 | 1968 | EDP coated | 1299.99 | ca |
| K44727 | 1969 | EDP coated | 1299.99 | ca |
| F | | - | Children of the Children of th | 2 |
| | D31060 | | | |
| (Freeze | | | | |
| | D31061 | - | 030 | |

Spanner Tool and Adjustment Tool 🔥 The DSE spanner tool is used for adjusting your ride height on DSE suspension applications when using DSE coilover shocks. The adjustment tool is used for

the valving on the DSE shocks. Important: Both are required when using DSE coilover shocks. D31060 DSE/JRi spanner wrench...... 11.99 ea D31061 DSF/IRi shock valve tool 21 99 ea



1967-81 Hydroformed Subframe

Detroit Speed and Engineering's all new front subframe is a bolt-in replacement for the Detroit Speed and Engineering's front subframe. Handling and ride quality are improved by DSE's unique suspension geometry, while the hydroformed frame rails offer strength and rigidity. Main and secondary crossmembers are stamped for structural rigidity. This subframe has been designed to accept Pontiac, small block, big block, LS1, LS2, or LS7 engines as a direct bolt-in. Up to wide wheels can be installed without modification to the inner wheel wells. C6 spindles and hubs require the use of a stock or aftermarket C6 Corvette brake package sold separately.

ortant: The subframe and parts are sold in bare meta uncoated and not assembled. If the powder coated option purchased, assembly is included. Subframe is satin black, purchasea, assembly is included. Subframe is saim bid upper and lower control arms, and sway bar arms are black. 1967-69 models can use stock frame and engine mounts for small block and big block applications. Engine mounts for Pontiac and LS engine applications are availab separately. Transmission crossmember on 1970-81 models must be modified because of the 1" setback of the engine.

pecial order, must be prepaid. Shipped truck freight.

| | Unassembled bare We | 6.1 | |
|---------|--------------------------------|---------|----|
| 1967-69 | | | |
| D32001 | 550 lb/in small block, LS | 8709.99 | se |
| D32002 | 650 lb/in Pontiac or big block | 8709.99 | sc |
| 1970-81 | | | |
| D32011 | 550 lb/in small block, LS | 9260.99 | se |
| | 550 lb/in small block, LS | | |
| D32012 | 650 lb/in Pontiac or big block | 9260.99 | sc |
| 4.00 | ambled Black Boundary | | |

Assembled Black Powder Coated 1967-69 D32004 550 lb/in small block, LS 9260.99 set D32005 650 lb/in Pontiac or big block 9260.99 set 1970-81 D32014 450 lb/in small block, LS.. ... 9812.99 set



These Chassisworks' transmission crossmembers have been carefully fabricated to provide maximum exhaust clearance. These crossmembers can be used with OEM subframe, but require adapter brackets (listed below). 1067 60 TH350 PG 4-speed 214 90 set

| ı | K6068 | 1967-69 | 700-R4 | 225.99 set | |
|---|-------|---------|------------------|------------|--|
| ı | K6068 | 1967-69 | Richmond 5-speed | 225.99 set | |
| ı | K6069 | 1967-69 | TH400 | | |
| ı | K6070 | 1967-69 | Richmond 6-speed | 260.99 set | |
| ı | K6073 | 1967-69 | OEM adapters | 93.99 pr | |




JUSA 1967-81 Engine Mount Set

These engine mount sets are for the 1967-81 DSE subframe. The LS engine mount bracket set enables easy, no hassle installation of LS engine into the DSE hydroformed subframe. These mounts locate the engine in the proper location, provides the correct method of adapting the 3 bolt engine mounts to the 4 bolt LS engine, and requires no fabrication. The DSE SB/BB/LS mounts include the following; frame side engine mount stands, CNC aluminum adapter plates, polyurethane engine mounts and hardware. For 1967-69 subframes use the stock Pontiac frame and motor mounts and for the 1970-81 subframes use DSE Pontiac mounts that include brackets only. Important: The 1970-81 engine mount set moves the

engine I" rearward of the stock location and lower for to maintain optimal steering geometry. This improves to maintain optimal steering geometry. This improves weight distribution, but also affects shifter location, driveshaft length and header fitment.

| LS Engir | ies | | |
|-----------|-------------------------------|--------|-----|
| D60401 | 1967-69 | 369.99 | set |
| D60414 | 1970-81 | 417.99 | set |
| Pontiac I | Engines (Brackets Only) | | |
| D60413 | 1970-81 | 223.99 | set |
| Small Blo | ock/Big Block Chevrolet Engin | es | |
| D60411 | 1970-81 | 293.99 | set |



1967-69 Motor/Mid Mounting Plate 🔥

When installing a high-performance motor into your new subframe it is recommended that you use mounting plates. All manual transmission applications require he use of a Lakewood bellhousing

| Motor P | late | | |
|---------|---------|---------------|----------|
| K6063 | 1967-69 | small block | 203.99 e |
| K6064 | 1967-69 | big block | 203.99 e |
| Mid-Pla | te | | |
| K6065 | 1967-69 | Chevy V8 AT | 110.99 e |
| K6066 | 1967-69 | Chevy V8 MT | 157.99 c |
| K6071 | 1967-69 | Pontiac V8 AT | 180.99 c |
| V 6072 | 1067 60 | D | 225.00 - |













OTERRING,

REAR

Z

90

BRAKES

BRAKES d 9 REAR

ridetech = Suspension Systems



1967-69 Tru-Turn Steering System 🔔

This Tru-Turn system resolves several issues with early Firebird front suspension geometry. With this set, bumpsteer is virtually eliminated, steering arm interference is corrected to allow wider tires, and the wheels lean into turns, rather than away. If your front suspension already uses RideTech drop spindles, the Tru-Turn upgrade set includes the remaining components to correct the issues of the factory design. Made in USA.

nportant: 10° wide tires may require modification of the ner wheelhouse and outer fender lip. Not for use with

| | u-Turn Steering System | | |
|-------------|------------------------|---------|-----|
| 11169500 | 1967-69 | 1149.99 | set |
| Upgrade Set | without Spindles | | |
| 11160525 | 1067.60 | 740.00 | cot |



1967-81 Coilover Shocks

RideTech offers 2 different series of coilover shocks for StrongArm and bolt-on 4-Link systems. Single adjustable shocks feature an adjustment knob to dial in the rebound force of the shock. Triple adjustable shocks remote reservoir shocks allow rebound adjustment and a dual stage (high speed and low speed) compression adjustment, providing the ultimate solution for adjusting between daily driving and trips to the track. All coilovers are rebuildable and include springs.

| | StrongArms | |
|--------------|----------------|------------------------|
| Single Adju | stable – Front | |
| | 1967-69 | 829.99 pr |
| 11173510 | 1970-81 | 829.99 pr |
| Triple Adius | stable – Front | |
| 11163511 | 1967-69 | 1959.99 pr |
| 11173511 | 1970-81 | 1959.99 pr |
| | Bolt-On 4-Link | |
| Single Adju | stable – Rear | |
| 11166510 | 1967-69 | 779,99 pr |
| 11176510 | 1970-81 | 779.99 pr 779.99 pr |
| Triple Adjus | stable – Rear | |
| | 1967-69 | 1909.99 pr |
| 11176511 | 1970-81 | 1909,99 pr |



USA 1967-69 StrongArms

Finish off your suspension with these tubular control arms from Ridetech! These arms are a precision engineered solution for ball joint binding, and frame clearance issues. These control arms are designed for use with either Shock Wave or Ride Tech coilover shocks.

| 11163699 | 1967-69 | 574.99 pr |
|-------------|----------|-----------|
| Lower Cont. | rol Arms | |
| 11162899 | 1967-69 | 794.99 pr |



🐃 1967-69 MUSCLEBar Swav Bar

RideTech MuscleBars are designed to greatly enhance the cornering performance of 1967-69 Firebird models. These sway bars are developed on a running, driving vehicle to properly address fitment and performance issues. Includes increased diameter sway bar, polyurethane bushings, and high-performance end links all add up to a sway bar package that works correctly with lowered vehicles and aggressive driving. Note: Designed for use on RideTech lower StrongArms.

Rear Sway Bar - 4-Link Only 1967-69 3/4" bar ... 524.99 set



1967-69 4-Link Suspension

Experience crisp, controlled ride quality and confident performance driving with this 4-Link suspension from Ridetech! This system attaches directly to your vehicle's OEM leaf spring mounts with no cutting or fabrication, just 4 small tabs to weld to the axle for your upper bars. The ride height of will be lowered approximately 2* and the ride quality and performance is dramatically improved. Use with ShockWave or RideTech coilover shocks (sold separately).

Note: 4 small tabs must be welded. Profession ended. Shocks not included tion recon

/ OS1

1624 99 set



Includes: RideTech Tall Spindles Upper StrongArms

11160201

 Front MuscleBar 4-Link Rear Suspension

5474 99 set

 Lower StrongArms HO Series Coilovers

1967-69.

1967-69 Collover System

This coilover package includes everything you need to completely upgrade your suspension. The package contains front upper and lower control arms, tall spindles, front MuscleBar, a rear 4-Link, and 4 single adjustable coilovers for every corner of your vehicle. Buying a complete suspension system takes all of the guesswork out when upgrading your suspension. This is a tested system to assure the improved handling of your Firebird. Note: Shipped double oversize.



Composite leaf springs save 70 lbs of weight! Tall ball joints improve OEM camber curve for a

more stable feel through the corners.

 Larger front sway bar minimizes body roll. Delrin sway bar bushings eliminate movement and static friction in the sway bar to improve ride

uality and handling performance RideTech HQ rebound adjustable shocks offer the ultimate in ride quality and handling.

 Staggered rear shocks eliminate wheel hop; upper mounts are reinforced for extra strength. 1967-81 StreetGrip System

Includes front dual rate coil springs, composite rear leaf springs, Delrin leaf spring bushings with shackles, Delrin front control arm bushings, front MuscleBar and HQ Series shocks.

| Note: Shippe | d oversize. | | - OS1 |
|--------------|-------------|-------------|-------------|
| 11165010 | 1967-69 | small block | 2599.99 set |
| 11165110 | 1967-69 | big block | 2599.99 set |
| 11175010 | 1970-81 | small block | 2599.99 set |
| 11175110 | 1970-81 | big block | 2599.99 set |

Shipped oversize.

Performance Suspension



1967-02 Front/Rear Air Suspension Set

Air Suspension System for various 1967-02 Firebird models. Includes front and rear HQ Series Shockwaves, upper and lower StrongArms, tall spindles, bolt-on

| 4-Link, and f | ront MuscleBar. | | |
|---------------|-----------------|---------|----|
| 11160298 | 1967-69 | 5784.99 | SC |
| 11210298 | 1993-02 | 2139.99 | SC |



™SX 1982-02 Tuhular K-Members Tubular K-Members with motor mounts weigh only

24 lbs, saving 30.5 lbs over OE. Combine this with a set of our Tubular A-arms and save up to 50 lbs. Made from .120" wall 1.5" DOM (Drawn Over Mandrel) tubing and laser cut, CNC formed 3/16" mounting plates. Important: Not compatible with stock A-arms.

Note: Please add color code to part number when ordering: A - for red finish, B - black finish. Shipped overweight.

| K-Members for Factory Steering Rack | | | | | |
|-------------------------------------|---------|------------------|-----------|--|--|
| | | w/o motor mounts | | | |
| BX20212 | | SB/BB mounts | | | |
| BX20214 | | LSX mounts | | | |
| BX20300 | 1993-02 | w/o motor mounts | 509.99 ea | | |
| BX20302 | | SB/BB mounts | | | |
| BX20304 | 1993-02 | LS1 mounts | 619.99 ea | | |
| V M b | C Di | - Dark Manuela | | | |

| BX20304 | 1993-02 | LS1 mounts | 619.99 | c |
|----------|-------------|------------------|--------|---|
| K-Member | s for Pinte | Rack Mounts | | |
| BX20211 | 1982-92 | w/o motor mounts | 519.99 | c |
| | | SB/BB mounts | | |
| BX20215 | | LSX mounts | | |
| BX20301 | | w/o motor mounts | | |
| BX20303 | 1993-02 | SB/BB mounts | 619 99 | C |

BX20305 1993-02 LS1 mounts..... ... 619.99 ca Upper Spring Mount (Required for OE Springs) BX20216 1982-92 149 99 pr



1975-02 Sport Coil Springs

These sport springs will lower the front of a 1975-81 model 2" from stock, or the front and rear of 1982-02 models 1" from stock, providing a firm but not harsh ride. They are precision wound from the highest quality steel with a powder coated dark gray finish. 1975-81 - Small Block

H1908 1975-81 2" drop – pair...... 236.99 pr 1982-92 - All H1903 1982-92 1" drop - set of 4... 436.99 set


1993-97 - LTI H1904 1993-97 1" drop - set of 4 ... 349.99 set

1993-02 - V6, SS, LS1 H1905 1993-02 1" drop - set of 4 ... 349.99 set



1967-81 Pro Springs Pro springs offer immediate handling enhancement

and give your muscle car an aggressive stance! Front springs provide approximately a 1.3" drop. Springs are epoxy coated with a diamond black color. If you're using these springs with Specialty Products Company tubular lower arms and need to fine tune your ride height, use ride height spacers SP94346 or SP95332. SP94393 1967-69... 226.99 pr SP94394 1970-81



USA 1993-02 Lowering Springs

Increase handling performance by increasing the spring rate and lowering the center of gravity. BMR springs lower the vehicle 1.25" yet retain OE ride quality. Spring seats for QA1 shocks and shock spacers also available. BX20173 1993-02 1.25" drop..... 239.99 set front springs only.. 129.99 pr BX20170 1993-02 BX20171 1982-02 rear springs only.. 129.99 pr OA1 shock seats.. 109.99 pr BX20308 1993-02 1/2" shock spacer... BX20309 1993-02 79 99 pr

H&RIII

1993-02 Sport Springs

H&R Sport Springs enhance the look of your vehicle with a reduced fender well gap. Sport Springs provide a lower center of gravity and reduce body roll for better handling. The progressive spring rate design provides superb ride quality and comfort. A lower wind resistance signature will make the vehicle more streamlined and improve gas mileage. If you are only looking to improve one part of your vehicle's suspension, you cannot go wrong with installing sport springs. Lowers the vehicle approximately 1-1/4". Note: Does not fit convertibles.

HR507291 1993-02 V6. 249 99 set





1993-02 Lowering Spring Set UMI's performance lowering springs are built to lower

1993-02 Firebird models, 1-1/4" front and 1-1/2" rear designed to level the vehicle and increase the spring rates for a crisp handling experience. 249.99 set

UM2061 1993-02.



1982-92 Rear Coil Springs

Replacement rear coil springs for 1982-02 Firebird models. Hef-T-Coil springs are an ideal upgrade for vehicles that carry heavy loads. These variable rate springs change resistance as they compress and become progressively stiffer as the load increases. Hef-T-Coil springs automatically adjust to changing load conditions to maintain proper chassis height and smooth ride characteristics.

Note: The SMS635V is a variable rate coil spring and can be used on all 1982-91 models as an optional heavy replacement. *Excluding Trans Am, Formula and SE.

CS5665* 1982-91 all..... SMS635V 1982-91 TA. Formula, & SE 174.99 pr 48.99 pr SMS635V 1992-02 all 48 99 pr









35

Original Style Coil Springs



 OE Quality Largest Selection

· Largest Inventory Fast Delivery

1967-81 Front Coil Surings

Replace your sagging original coil springs with highquality aftermarket springs. Each spring is designed to fit exactly as original. Classic Industries® has added more than a hundred listings bringing you the largest selection of front coil springs available anywhere! Each spring features a suitable spring rate for the particular model and options available for the vehicle. Once installed, these springs will offer a ride quality that your Firebird afforded when new, and will maintain the highest standards of originality and quality for your suspension. We stock a large variety of springs for fast UPS delivery.

| | Without Air Conditionin | q |
|---------|-----------------------------------|-----------------------|
| 1967 | | |
| CS6310 | 326, coupe | 179.99 pr |
| CS5370 | 400, coupe | 169.99 pr |
| CS6312 | all, convertible | 184.99 pr |
| 1968 | | |
| CS6310 | 6 cylinder convertible | 179.99 pr |
| CS638 | 350, convertible | 174.99 pr |
| CS6310 | 350, coupe | 179.99 pr |
| CS6312 | 400, coupe | 184.99 pr |
| CS5370 | 400, coupe, HD | 169.99 pr |
| 1969 | ,, | толол р. |
| CS6312 | 6 cylinder, coupe, 4 barrel | 104.00 |
| CS5230 | 6 cylinder, coupe, 4 barrel | 184.99 pr 89.99 pr |
| CS5246 | 350, convertible | 189.99 pr |
| CS656 | 400, convertible | 194.99 pr |
| CS5246 | 400, coupe | 189.99 pr |
| | 400, coupe | 109.99 pi |
| 1970-76 | | |
| CS5276 | 6 cylinder | 199.99 pr |
| CS5384 | 350, 400 | 224.99 pr |
| CS5376 | 455 | 214.99 pr |
| 1977 | | |
| CS6486 | 6 cylinder | 209.99 pr |
| CS574 | 301, 305, 350 (L34), 403 | 219.99 pr |
| CS8002 | 305, 350, w/o Formula, HD | 211.99 pr |
| CS8002 | 350(L34),(L76),400,403, | |
| | with Formula HD | 211.99 pr |
| CS5006 | 350, all (L76) | 209.99 pr |
| CS5006 | 400, all | 209.99 pr |
| 1978 | | |
| CS5276 | 231 | 199.99 pr |
| CS574 | 305, 350, 400 Formula | 219.99 pr |
| 1979 | | |
| CS6486 | 231, Firebird and Esprit | 209.99 pr |
| CS574 | 231, Firebird, Esprit | 219.99 pr |
| CS574 | 301, 305, 350, Firebird, Esprit | 219.99 pr |
| CS574 | 301, Formula, Trans Am | 219.99 pr |
| CS6486 | 305, 350 Formula | 209.99 pr |
| CS8002 | 400, Formula, Trans Am, HD | 211.99 pr |
| 1980 | | |
| CS5278 | 4.3, 4.9, 5.0 Firebird/Esprit, MT | 199.99 pr |
| CS5006 | 4.3, 4.9, 5.0 Firebird/Esprit, AT | 209.99 pr |
| CS574 | 4.9. 5.0. Formula/Trans Am. MT | 219.99 pr |
| CS5006 | 4.9. 5.0. Formula/Trans Am. AT | 209.99 pr |
| 1981 | | P |



 OE Quality Largest Selection

 Largest Inventory Fast Delivery

1967-81 Front Coil Springs

Replace your sagging original coil springs with these high-quality aftermarket springs. Each spring features

| a suitable options av | spring rate for the particular railable for the vehicle. | model | and |
|--------------------------|---|-----------------|-----|
| 10.15 | With Air Conditioning | | |
| 1967 CS6312 | 6 cylinder | 184.99 | |
| CS5246 | 326, convertible | 189.99 | |
| 1968 | 320, convertible | 109.99 | Pı |
| CS5230 | 6 cylinder convertible | 89.99 | |
| CS5246 | 350, 400, convertible | 189.99 | pr |
| CS638 | 350, coupe | 174.99 | |
| 1969 | , | | F |
| CS656 | 350. convertible | 194.99 | nr |
| CS5246 | 350, coupe | 189.99 | pr |
| CS5244 | 400, convertible | 194.99 | |
| CS656 | 400, coupe | 194.99 | pr |
| 1970-76 | | | |
| CS5278 | 6 cylinder | 199.99 | |
| CS5376 | 350, 400 | 214.99 | |
| CS5402 | 455 | 209.99 | pr |
| 1977 | | | |
| CS574 | 6 cylinder | 219.99 | |
| CS8002 | 6 cylinder, HD | 211.99 | |
| CS5006 | 301, Formula | 209.99 | |
| CS576 | 350 | 199.99 89.99 | |
| CS5006 | 350, w/o Formula, with L34 | 209.99 | |
| CS5404 | 350, with Esprit, L76 | 409.99 | |
| | 350, with Esprit, L76, HD | 89.99 | |
| CS5404 | 350, with Formula, L76 | 409.99 | pr |
| | 350, with Formula, L76, HD | 89.99 | |
| CS5404 | 400 | 409.99 | |
| | 400, HD | 89.99 | pr |
| 1978 | | | |
| CS6486 | 231 | 209.99 | pr |
| CS5006 | 305, Esprit/Formula, 350, | 200.00 | |
| CS574 | 400 standard, Esprit | 209.99 | |
| CS8002 | 305, 350 Esprit, 400, 403 | 219.99 | pı |
| C00002 | Trans Am, HD | 211.99 | nr |
| 1979 | | | F |
| CS5278 | 301, Formula, Trans Am | 199.99 | |
| CS5006 | 301, 305, Firebird/Esprit | 209.99 | |
| CS574 | 305, 350 Formula | 219.99 | pr |
| CS5006 | 403, Formula/Trans Am | 209.99 | |
| CS8002 | 403, Formula/Trans Am, HD | 211.99 | pr |
| 1980 | | | |
| CS5278 | 3.8 Firebird/Esprit | 199.99 | |
| CS8002 CS8002 | 4.3, 4.9, 5.0 Firebird/Esprit, AT 4.9 Formula/Trans Am. AT | 211.99 | |
| CS8002 CS8002 | 4.9 Formula/Trans Am, A1 4.9 Formula/Trans Am Turbo, MT | 211.99 | |
| CS8002 | 5.0 Formula/Trans Am, MT | 211.99 | |
| 1981 | | | r. |
| CS5006 | 4.3, 4.9, 5.0, Formula/Esprit | 209 90 | nr |
| | ,,, | | E.a |



1982-92 Front Coil Springs

Replace your sagging original coil springs with these high-quality aftermarket springs. Each spring features a suitable spring rate for the particular model and

| options available for the vehicle. | | | | |
|---|---|--|--|--|
| | Vithout Air Conditionin | g | | |
| 1982-83 CS5600 | 6 cylinder, 2.8 | 123.99 pr | | |
| 1982 CS5610 | 5.0, without Trans Am, HD | 129.99 pr | | |
| 1984 CS5600 CS5600 CS5610 | 2.8, SE, AT or MT | 123.99 pr 123.99 pr 129.99 pr | | |
| 1985 CS5610 CS5276 CS5610 | 5.0, TA, w/o 16" wheels, AT 5.0, SE, AT 5.0, HD, MT exc. Trans Am, SE | 129.99 pr 199.99 pr 129.99 pr | | |
| 1986-88 CS5610 SMS5602 CS5610 | 5.0, SE, MT, HD 5.0, SE, MT 5.0, HD, AT, exc SE, | 129.99 pr 76.99 pr | | |
| SMS5602 | Formula, Trans Am 5.0, exc SE, Formula, Trans Am | 129.99 pr 76.99 pr | | |
| | 5.0, MT, exc. TA & Formula | 76.99 pr | | |
| 1990 CS5610 SMS5602 | 5.0, all, HD, without 16" tires 5.0, all, exc. TA, Formula | 129.99 pr 76.99 pr | | |
| 1991 CS5610 SMS5602 | 5.0, HD, MT, all, w/o 16" tires 5.0, all, exc. Trans Am, Formula | 129.99 pr 76.99 pr | | |
| 1992 CS5664 CS5664 CS5664 CS5664 SMS5602 | 5.0, Trans Am conv. AT | 104.99 pr 104.99 pr 104.99 pr 104.99 pr 76.99 pr | | |
| 1982-83 SMS5602 CS5610 | With Air Conditioning 6 cylinder, 2.8 5.0 w/IA w/o P215.65.15 times | 76.99 pr | | |

| | With Air Conditioning | |
|---------|--------------------------------|-----------|
| 1982-83 | | |
| SMS5602 | 6 cylinder, 2.8 | 76.99 pr |
| CS5610 | 5.0, w/TA,w/o P215-65-15 tires | 129.99 pr |
| 1984 | | |
| SMS5602 | 2.8, SE, AT | 76.99 pr |
| CS5600 | 2.8, exc SE, AT or MT | 123.99 pr |
| 1985 | | |
| CS5610 | 5.0, Trans Am, w/o 16" wheels | 129.99 pr |
| CS5276 | 5.0, SE, MT | 199.99 pr |
| CS6486 | 5.0, SE, AT | 209.99 pr |
| CS5276 | 5.0, AT, exc. Trans Am, SE | 199.99 pr |
| 1986-88 | | |
| CS5610 | 5.0, SE, MT, HD | 129.99 pr |
| CS5610 | 5.0, HD, MT, exc SE, | |
| | Formula, Trans Am | 129.99 pr |
| SMS5602 | 5.0, MT, exc SE, Formula, TA | 76.99 pr |
| | | |

SMS5602 5.0, all, exc. TA, Formula.... 76.99 pr 1991 SMS5602 5.0, all, exc. TA, Formula.... 76.99 pr 1992 5.0, 5.7, Trans Am conv...... 104.99 pr 5.0, 5.7, GTA, coupe....... 104.99 pr CS5664

CS8002 4.3, 4.9, 5.0, Formula/Esprit, HD 211.99 pr

4.3 Formula, HD ..

4.3, 4.9, 5.0, Formula/Trans Am 219.99 pr

211.99 pr

CS5664

CS574

CS8002

CS5278 4.3, 4.9, 5.0 Formula/Esprit.... 199.99 pr

Formula/Trans Am, HD... 211.99 pr
 Turbo Formula/TA, HD... 211.99 pr



Shocks and Components



1967-81 Coil Spring Spacer

Reproduction coil spring spacer for 1967-81 models. This was used by GM on the production line between the lower control arm and the spring to adjust the front end at ride height.

14927 1967-81 LH or RH 14.99 ca



1967-81 Front Coil Spring Insulator 🛕 Molded rubber coil spring insulators that mount

between the coil springs and the frame. These insulators will keep the springs from riding on the frame metal to metal and will give you a better ride. Coil spring insulators were not original on all vehicles. Measures: 5-5/16" o.d., 3-3/4" i.d., 1/4" thick

ote: This insulator will increase ride height equal to the thickness of the insulator.

W1006 1967-81 LH or RH..... 12.90 ea

AUTHORIZED





1967-69 Coil Spring Upper Mount 🛕

Reproduction coil spring upper mounts for 1967-69 Firebird models. These upper coil spring mounts are manufactured to OE specifications from factory gauge stamped steel and feature the original shape and contours to provide an authentic replacement. Black EDP coated for corrosion resistance. Sold in pairs. C671003 1967-69 LH and RH...... 29.99 pr





1993-02 Upper Front Shock Mount 🔥 Replacement upper front shock mounts for 1993-02

Firebird models Reproduction K6516 1993-02 LH..... 50 00 ca

Genuine GM 262 99 ca G3819 1993-02 RH



1982-92 Upper Front Strut Mount 🔥

Reproduction of the upper front strut mount for various 1982-92 Firebird models.

... 178.99 pr F2930 1982-92 LH and RH



1967-69 OF Style Front Shock Hardware Many aftermarket shocks may not include the proper

upper bushings and plated washers needed for installation. This set will give your front upper shock mounts an authentic appearance.

HC85 1967-69 LH and RH



1967-69 Shock Absorber Plastic Can Correct reproduction of the original injection molded

plastic shock absorber cap designed for use with 1967-69 Firebird models. This is the cap that threads onto the top of the shock to protect the threads from damage Can be used on the front or rear shocks. Originally used on the drivers side rear shock only. Sold in pairs. C132 1967-69 LH and RH 12.99 pr



1967-69 Rear Shock Upper Mount Plates This rear upper shock mount plate is one of the most

commonly damaged or accidently discarded items in the rear suspension. This plate mounts between the upper shock bushings and bolts to the factory weld nuts above in the upper rear frame rail area. Manufactured in steel and EDP coated. Sold in pairs. K298 1967-69 LH and RH 8.99 pr



1968-81 Lower Rear Shock Bolt

Reproduction of the often missing lower rear shock mounting bolt. This essential bolt was utilized to correctly install the shock absorber to the lower spring mounting perch. For use with multi-leaf springs only. 748600 1968-81 LH or RH



1967-69 OE Style Spiral Shock Classic Industries® offers correct reproduction spiral

shocks for 1967-69 Firebird models. These highly sought after replacements feature the correct "Delco Products Division" lettering and part numbers. These shocks are just what you'll need to complete the authentic restoration of your Firebird.

ote: Mounting hardware and bushings not included. Front - OE #3192419 F344 1967-69 Front - OF #3192477 1968-69 .. 139.99 ca

Rear Mono-Leaf - OE #3192831 E346 1967-69 ... 139.99 ea Rear Multi-Leaf - OE #3192832 1968-69 130 00 es Rear Multi-Leaf - OE #3192851 F348 1968-69 ... 129.99 ca



Extends the top of the shock mount 2" allowing shocks

to reach the shock mounting location on body. For mono-to multi-leaf conversions. Multi-leaf springs lower the shock mounting plates approximately 2", these extenders fill that 2" void which allows the use of your existing shocks. I pair required. 27.99 pr RI 6 1967-81 fine thread...

RL6A 1967-81 coarse thread...... 23.99 pr

OER® Grav Shock Absorber Paint Original Hue paints are specially

formulated to perfectly match the original color of specific parts installed at the factory. This paint is specifically formulated to match the finish of OEM Delco shock absorbers from the 1960's and 70's exactly, however it can be applied to a variety of parts.

Note: Ships via ground freight only and is shipped exclusively within the continental US, as no air shipments are permitted on aerosol spray cans. K89532

19 99 ca











END

BUSPENSION, REAR END & BRAK

Performance Shocks



1967-02 GR-2 Gas Shock and Strut 🔥

KYB's GR-2 series is specially designed to deliver a smooth, comfortable ride. A patented check valve minimizes foaming and aeration to make sure the ride stays smooth, even under rough conditions.

| Front | | | |
|----------|---------|------------|----------|
| KY343127 | 1967-69 | all | 30.99 ca |
| KY343128 | 1970-81 | all | 29.99 ca |
| KY236001 | 1982-92 | all | 56.99 ca |
| Rear | | | |
| KY343135 | 1967 | all | 27.99 ca |
| KY343135 | 1968-69 | mono-leaf | 27.99 ea |
| KY343135 | 1968-69 | multi-leaf | |
| KY343131 | 1970-81 | all | 29.99 ca |
| KY343211 | 1982-02 | all | 25.99 ea |
| | | | |



1967-02 Gas-a-Just Shock

KYB's Gas-a-Just shocks are designed to deliver maximum driving control and performance. Gas-Just's higher gas pressure keeps tires glued to the road while its high strength, mono-tube configuration provides extra rugged durability and fade free performance. For a high-performance ride purchase a set of Gas-a-Just Shocks.

| ront | | | |
|--------|---------|--------|----|
| KG4515 | 1967-81 | | |
| KG9310 | 1993-02 | 131.99 | ca |
| Rear | | | |
| KG5524 | 1967 | 37.99 | ca |
| KG5521 | 1968-69 | | |
| KG5526 | 1970-81 | 43.99 | ca |
| KG5562 | 1982-02 | 41.99 | ca |
| | | | |



1967-81 Monro-Matic Plus Shocks

Get the best shocks available with low prices and fast delivery. Classic Industries® now stocks more Monroe shocks for your Firebird than any other supplier!

| S32066 | 1970-81 | all | 33.99 ea |
|--------|---------|-----------------|----------|
| Rear | | | |
| S32143 | 1967-69 | with mono-leaf | |
| S32126 | 1968-69 | with multi-leaf | 27.99 ca |
| 622112 | 1070.01 | -11 | 20.00 |



1967-81 Performance Shock

Koni front and rear Classic red shocks for 1967-81 Firebird models. These high-quality shocks posses excellent road handling properties with an exceptional level of comfort for performance applications. Sold individually and in kits.

| Note: *Mono-leaf rear springs. | | | | | |
|---|--|--|------------------------|--|--|
| Front 801914 80401017 | 1967-69 1970-81 | allall | 125.99 ea 138.99 ea | | |
| Rear 801953 801915* 80401018 | 1967-69 1967-69 1970-81 | with multi-leaf with mono-leaf all | 127.99 ea | | |
| Front and I KN268 KN267* KN270 | Rear Kits 1967-69 1967-69 1970-81 | with multi-leaf with mono-leaf all | 522.99 kit | | |



1982-02 Performance Shock

Koni front andrear shocks for 1982-02 Firebird models. Koni dampers are available in STR. T non-adjustable for street driven models, and Sport single adjustable for street/track vehicles. These high-quality shocks posses excellent road handling properties with an exceptional level of comfort for performance applications. Each level of comfort for performance applications. Each manufacturer's warranty. Sold individually and in kits. Kits consist of 2 shocks and 2 strus.

| rront Stru | rs . | | | |
|------------|---------|----------------|--------|----|
| 87411030 | 1982-92 | Sport (yellow) | 299.99 | ea |
| 82411139 | 1993-02 | Sport (yellow) | 337.99 | ea |
| 82501005 | 1993-02 | STR.T (orange) | 101.99 | ea |
| Rear Shock | ks | | | |
| 301265 | 1982-92 | Sport (yellow) | 153.99 | ea |
| 82411140 | 1993-02 | Sport (vellow) | 184 99 | ca |

| 301265 | 1982-92 | Sport (yellow) | | |
|-----------|-----------|----------------|------------|--|
| 82411140 | 1993-02 | Sport (yellow) | 184.99 ca | |
| 82501006 | 1993-02 | STR.T (orange) | 98.99 ca | |
| Front and | Rear Kits | | | |
| KN282 | 1982-92 | Sport (yellow) | 830.99 kit | |
| KN294 | 1993-02 | | | |
| KN293 | 1993-02 | STR.T (orange) | 391.99 kit | |



1967-02 Gas Shock

Get unbelievable control, precise handling, and incredible comfort. Bilstein's shock bodies are precision formed seamless extrusions for superior strength. The finished body is mated with a polished, chrome-plated induction hardened steel shaft, machined valving components, and highest quality seals. Bilstein Gas Pressure Shock Absorbers are the fastest way to farmatically improve the rick, handling, and control of your vehicle. Backed by Bilstein's lifetime warranty.

| lifetime warr | anty. | | |
|---------------|---------|-----------------|-----------|
| Front | | | |
| BN32972 | 1967-76 | all | |
| BN461104 | 1977-81 | all | 108.99 ca |
| BN461913 | 1993-02 | all | 164.99 ca |
| Rear | | | |
| BN2073 | 1967-69 | with mono-leaf | 98.99 ea |
| BN2074 | 1967-69 | with multi-leaf | 98.99 ea |
| BN460156 | 1970-81 | all | 98.99 ea |
| BN461121 | 1982-92 | all | 118.99 ca |
| BN461914 | 1993-02 | all | 108.99 ca |



1970-81 Stocker Star Shock

QA1 offers Stocker Star Shocks in your choice of fixed, single adjustable and double adjustable configuration. The fixed, non-adjustable version is a rebuildable and reralwable shock for the budget conscious owner. The single adjustable shock lets you simultaneously change the compression and rebound with one knob, chaosing. If walving options. The double adjustable choosing. If walving options. The double adjustable rebound separately, resulting in 24-24 walving options to fine tune your ride for any type of driving. All shocks have polywerthane bushings and are sold individually.

| Note: Some disassembly or modification may be necessary |
|---|
| to mount these shocks. |
| Front - Non Adjustable |
| 559013 1970-81 LH or RH 142.99 ea |

| 559013 | 1970-81 | LH or RH | 142.99 | ca |
|-----------|-------------|-----------|--------|----|
| Front - S | ingle Adjus | table | | |
| 559011 | 1970-81 | LH or RH | 190.99 | ca |
| Front - D | ouble Adju | stable | | |
| 559012 | 1970-81 | I H or RH | 284 99 | 00 |

CALVERT RACING Products



1967-92 Drag Shock

LW40302

Lakewood drag shocks feature state-of-the-art 10 stage valve design which provides excellent starting line reaction and stable high speed operation, superior to any other shock on the market today. These shocks include polyurethane bushings. The chrome-plated piston rod will resist corrosion and limit premature seal wear. Lakewood shocks are assembled using only high-quality components including specially formulated anti-foaming hydraulic fluid for precise and consistent drag strip operation regardless of temperature. All Lakewood drag shocks will mount in the stock location without modification.

Note: 90/10 series shocks are not designed for street use.

| | | | one | \bar{z} | OCKS | 1 |
|---|----------|------|-----|-----------|------|---|
| j | Series - | Race | Onl | v | | |

Will let the front end rise quickly to provide as much weight transfer as possible to the rear wheels on initial launch LW40100 1967-69 LH or RH..... 76.99 ca

LW/40101 1970-81 LH or RH 75 99 ca 1982-92 LW40510 LH or RH 177 99 ca 70/30 Series - Street and Strip

Used for overall improved handling on the strip or when quick front end lift is not needed. LW40120 1967-69 LH or RH 83.99 ea LW40121 1970-81 75 99 ca

LH or RH LW40500 1982-92 I H or RH 170 00 ca Rear Shocks 50/50 Series - Street and Strip

Used to properly load the rear wheels and prevent over reaction and wheel hop. Use with leaf or coil springs.

LW40301 1967-69 LH or RH 85 99 ca 1970-81 LH or RH 75.99 ca 85.99 ca LW40301 1982-92 LH or RH



1967-69 Rear Single Adi. Shocks

Aldan's True Line series shock absorbers are designed to replace OEM shocks with adjustable shocks for a more consistent, smoother ride. 100103 1967-69 mono-leaf. 478.99 pr

STEE CF Series Front 90/10 Shocks

Calvert Racing Suspensions offers a shock specifically designed for maximum weight transfer. Built with the softest rate on rebound on the market today, allowing the front end of your race car to come up as easy as possible! Dual stage valving on compression allows the car to settle on the top end. Due to a slightly larger diameter shock body, some slight trimming or clearancing may be required on the lower control arm. Sold in pairs.

Note: Needs slight grinding to fit per vendor. Not for street use CF43093 1967-81 LH and RH 147.99 pr



1967-01 Nine Way Adjustable — Rear Shocks

The Calvert Racing 9 way adjustable twin tube CR series rear shocks provide the best all around performance and maximum consistency you need. Features heavy-duty industrial steel body design for durability. Shocks can be set for street driving or with a few turns of the "adjustment dial" your vehicle can be ready for the strip. Sold in pairs.

| CR42133 | 1967-69 | 287.99 |
|---------|---------|--------|
| CR34136 | 1970-81 | 287.99 |
| CR42133 | 1982-01 | 287.99 |

pr



1967-02 HO Series Mono-Tube Shocks

Nothing influences how your carrides and handles more than shock absorbers. These smooth body aluminum Q-Series shock absorbers with their robust mono-tube design are a durable, direct replacement performance upgrade for nearly any Firebird build. Backed by a 1,000,001 mile RideTech warranty. HQ Series shocks offer 20 settings of rebound adjustment for drivers to tune ride quality and handling quality to their specific taste. Switch between cruising in comfort or stiffen your suspension for spirited driving. Sold individually. 2 required per vehicle. Made in USA. Front - Non-Adjustable

| 22149846 | 1967-69 | LH or RH | 209.99 ca |
|-------------|------------|-----------|-----------|
| 22159846 | 1970-81 | LH or RH | 209.99 ca |
| Rear - Non- | Adjustable | | |
| 22189842 | 1967-69 | LH or RH | |
| 22199847 | 1970-81 | LH or RH | 209.99 ca |
| 22180854 | 1982-02 | I H or RH | 200 00 00 |



12 Page Installation and Tuning Guide included. SensiSet (SS) – Factory valved for street

- erformance autocross use OuickSet 1 (OS1) – Single adjustable, 16 position
- knob adjusts bumps and rebound simultaneously. OuickSet 2 (OS2) – Double adjustable, dual 16 position knobs adjust bump and rebound.

1967-02 Bolt-In Shocks

VariShock™ Bolt-ins bring a more usable adjustment range and response curve, improved heat dissipation, and lightweight billet aluminum construction to production vehicles using factory mounting locations. VariShock offers the ultimate direct replacement shock absorbers for your Firebird. Performance and adjustability at an affordable price. Deflective disc valving reduces spring fatigue and the short housings allow more clearance and greater travel within the shock. The non-adjustable shocks have factory preset valving for street performance applications. Single adjustable sets offer 16 positions and uses a knob to adjust bump and rebound simultaneously. Double adjustable sets offer 256 positions, using use two knobs to adjust bump and rebound independently. Made in USA Front VariShocks™

| 14045425 | 1967-69 | LH and RH | 597.99 | pı |
|-------------|--------------|------------|--------|----|
| 14045515 | 1970-81 | LH and RH | 597.99 | ρı |
| Front - QS | 1 - Single A | djustable | | |
| 14145425 | 1967-69 | LH and RH | 648.99 | pı |
| 14145515 | 1970-81 | LH and RH | 648.99 | ρı |
| Front - QS. | 2 - Double | Adjustable | | |
| 14245425 | 1967-69 | LH and RH | 848.99 | pı |
| 14245515 | 1970-81 | LH and RH | 848.99 | ρı |
| | Rear V | ariShocks™ | | i |
| Rear - SS - | | | | |
| 14049715 | 1967-69 | LH and RH | 597.99 | pi |
| 14064715 | 1970-81 | LH and RH | 597.99 | pı |
| | | | | |

| 14049715 | 1967-69 | LH and RH | |
|------------|------------|-----------|-----------|
| 14064715 | | LH and RH | 597.99 pr |
| 14049715 | 1982-00 | LH and RH | 597.99 pr |
| Rear - OS1 | - Single A | ljustable | |
| 14149715 | 1967-69 | LH and RH | 648.99 pr |
| 14164715 | | LH and RH | |
| 14149715 | 1982-02 | LH and RH | 648.99 pr |
| Rear - OS2 | - Double A | djustable | |
| 14249715 | 1967-69 | LH and RH | 848.99 pr |
| 14264715 | | LH and RH | 848.99 pr |
| 14249715 | 1982-02 | LH and RH | 848.99 pr |
| | | | |

Front - SS - Non-Adjustable

Performance Shocks/Coilover Shocks



1967-81 Street Performance Shock 🔥

These 1.5 Street Performance shocks are the latest in mono-tube shock technology, tuned by Hotchkis for a smooth ride and exceptional control. Features a lightweight aluminum body with 1/2" hard chrome-plated, heat treated alloy shafts. Specially formulated oil and high pressure nitrogen provide consistent performance in temperatures and conditions

| H720012 | 1967-81 | front | 151.99 ea |
|---------|---------|---------|------------|
| H712012 | 1967-69 | rear | |
| H712014 | 1970-81 | rear | |
| H792003 | 1967-69 | 4 piece | 607.99 set |
| H792004 | 1970-81 | 4 piece | 607.99 set |



KYB's AGX adjustable gas shocks and struts allow drivers to adjust damping in seconds to match specific driving conditions for street, strip, track, or cruising, Damping is selected with an external knob on the shock body or a screwdriver slot at the top of the strut piston rod. Micro-smooth, hard chromed piston rods for reliability. Seamless cylinders and eye rings eliminate

weak points created by welded seams. Multi-lip seals and self-sealing packing are used to keep the oil in and contaminants out. A patented check valve minimizes foaming of oil and gas inside the shock. Front

| Rear KY743019 | 1982-02 | 96.99 ea |
|----------------------|--------------------|----------|
| KY735001 KY741034 | 1982-92 1993-02 | |



1993-02 Gas Shock and Spring Set These sets use Bilstein's superior mono-tube gas

shocks for greater sensitivity and precise control. The patented digressive piston head design and deflective valving instantly reacts to changing road conditions. This set consists of 4 coil springs with a performance directed spring rate and Bilstein's patented mono-tube gas pressure shock absorbers, providing a lower stance, a firmer ride, and better road handling and control. BN7501 1002.02



1967-69 Coilover Conversion Brackets

These coilover brackets are laser cut from 1/4" steel and are designed tie into the frame and upper A-arm mount, strengthening the mount. These brackets install without removing the motor or the fenders! Use a simple hole saw and drill to cut the shock opening. Steel templates and instructions are included

Important: Fabrication and welding required. Note: Coilover shocks or springs sold separately



1967-69 Proma Star Front Collover Shock

RY210400

BX201402

HS9001

Proma Star shocks are ride height adjustable, 100% dyno-tested and serialized. Spring mounting hardware is included. Sold individually. 2 required per vehicle. nt: These are for use with BX20400 mounting brackets. These have a different length stroke than stock . ote: *Must replace upper bushing with bearing set part

Proma Star - Single Adjustable These QA1 Proma Star shocks adjust compression

and rebound simultaneously, offering 18 settings of BX201402* 1967-69 LH or RH.

Proma Star - Double Adjustable Get full control of your suspension by adjusting compression and rebound independently. Sold individually. 2 required per vehicle

BX202402* 1967-69 LH or RH 10" Coilover Spring These coilover springs are designed for QA1 single and double adjustable Proma Star shocks. Sold individually, 2 required.

BX210400 400#/in rate - 1801-1900#.. 79.99 ea 450#/in rate - 1901-2000#.. 79.99 ea 500#/in rate - 2001-2100#.. 69.99 ea BX210450 BX210510 BX210550 550#/in rate = 2001-2100#... 69.99 ca BX210600 600#/in rate - 2301-2400#.. 69.99 ea BX210650 650#/in rate - 2401- up #... 69.99 ea Bearing and Trunnion Mount

BMR conversion requires replacement of upper shock bushing with a bearing set. Both the bearing set and the T-bar mount are sold individually. 2 of each required per vehicle

| BX201403 | bearing set | 28.99 ca |
|-------------|--------------------------------|----------|
| BX201404 | T-bar mount | 27.99 ea |
| | Spanner Wrench | |
| Spanner wre | nch for adjusting ride height. | |
| HS9001 | spanner wrench | 23 99 pr |



1967-69 Front Collover Shock

These smooth body aluminum Q-Series mono-tube shock absorbers are backed by a 1,000,001-mile

ridetech warranty. Includes coilover hardware. Sold individually. 2 required per vehicle. Important: These are for use with BX20400 mounting

brackets. These have a different length stroke than stock . HQ Shocks - Single Adjustable HO Series single adjustable coilover shocks offer

20 settings for drivers to tune ride and handling quality. Cruise in comfort or stiffen your suspension for spirited driving.

24149901 1967-69 LH or RH 10" Coilover Spring These 10* coilover springs are designed for ridetech RQ and HQ shocks. Sold individually, LH or RH. 59100400 400#/in rate - 1801-1900#... 70 00 00

59100450 450#/in rate - 1901-2000#... 70 00 00 59100500 500#/in rate - 2001-2100#.. 79 99 ca 59100550 550#/in rate = 2101-2300# 70 00 00 59100600 600#/in rate = 2301-2400#... 70 00 00 79 99 ca 50100650 650#/in rate - racing ... 59100700 79,99 ea 700#/in rate - racing. Trunnion Mount

These trunnion mounts are designed for ridetech shocks. Features a 2.25-2.875" wide mount opening. Includes snap rings. Sold individually, 2 required. Note: Ridetech shocks have integrated upper bearing sets.

90009990 LH or RH. 19 99 ca

Spanner Wrench Spanner wrench for adjusting ride height.

85000000 spanner wrench .. 19.99 ea



1970-81 Extended Coilover Mount

1970-81 Firebird models extended coilover mount is used to mount a true racing coilover. This weld-in upper coilover mount set locates a 2-1/2" racing coilover in the proper location for use with adjustable lower arm or most aftermarket coilover compatible arms. The set features strong 3/16" laser cut construction, quick-align mounting bolt, a 5-1/2" reinforcement ring and templates for trimming the frame. UMI is proud to offer UMI Afco and Viking specific shocks and springs as a direct bolt-in. Cutting and welding is required and installation by an experienced fabricator is recommended

UM2661 1070.91

Performance Coilover Shocks





FRONT AXLE WEIGHT IN LBS 1500-1600 1601-1700 1701-1800 1801-1900

400

665 99 set

| 1901-2000 | 2001-2100 | 2101-2200 |
|-----------|-----------|-----------|
| 450 | 500 | 550 |

300 1967-81 Pro Collover Set

GMP14 1967-69 350 lb/in

QA1 Pro coilover systems utilize adjustable and non-adjustable coilover shocks and springs, designed specifically for replacing the factory shocks and springs. This combination offers ride height adjustment and variable position valving adjustment (where applicable) for performance not found in other sets. 1967-69 Pro Coilover Sets

| GMP03 | 1967-69 | 400 lb/in | 665.99 set |
|--|--|---|--|
| GMP13 | 1967-69 | 450 lb/in | 665.99 set |
| GMP04 | 1967-69 | 500 lb/in | 665.99 set |
| GMP05 | 1967-69 | 550 lb/in | 665.99 set |
| Double A | diurtable | | |
| GMP16 | 1967-69 | 250 lb/in | 866 99 set |
| GMP17 | 1967-69 | 300 lb/in | 866,99 set |
| GMP18 | 1967-69 | 350 lb/in | 866,99 set |
| GMP19 | 1967-69 | 400 lb/in | 866 99 set |
| GMP20 | 1967-69 | 450 lb/in | 866.99 set |
| GMP21 | 1967-69 | 500 lb/in | 866,99 set |
| GMP22 | 1967-69 | 550 lb/in | 866 99 set |
| | uble Adjuste | | 000.77 361 |
| GMP57 | 1967-69 | 250 lb/in | 1800.99 ea |
| GMP58 | 1967-69 | 300 lb/in | 1800.99 ca |
| GMP59 | 1967-69 | 350 lb/in | 1800.99 ca |
| GMP60 | 1967-69 | 400 lb/in | 1800.99 ca |
| GMP61 | 1967-69 | 450 lb/in | 1800.99 ca |
| GMP62 | 1967-69 | 500 lb/in | 1800.99 ca |
| GMP63 | 1967-69 | 550 lb/in | 1800.99 ca |
| | | | |
| | | ro Coilover S | ers |
| C: 1.1 | | | |
| Single Ad | justable | | |
| Single Ad GMP29 | justable 1970-81 | 250 lb/in | 665.99 set |
| Single Ad GMP29 GMP30 | justable 1970-81 1970-81 | 250 lb/in 300 lb/in | 665.99 set |
| Single Ad GMP29 GMP30 GMP35 | justable 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in | 665.99 set 665.99 set |
| GMP29 GMP30 GMP35 GMP32 | justable 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 400 lb/in | 665.99 set 665.99 set 665.99 set |
| GMP29 GMP30 GMP35 GMP32 GMP31 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 400 lb/in 450 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set |
| GMP29 GMP30 GMP35 GMP32 GMP31 GMP33 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set |
| GMP29 GMP30 GMP35 GMP32 GMP31 GMP33 GMP34 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 400 lb/in 450 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set |
| Single Ad GMP29 GMP30 GMP35 GMP32 GMP31 GMP33 GMP34 Double A | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 djustable | 250 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set |
| Single Ad GMP29 GMP30 GMP35 GMP32 GMP31 GMP33 GMP34 Double Ad GMP43 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 djustable 1970-81 | 250 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set |
| Single Ad GMP29 GMP30 GMP35 GMP32 GMP31 GMP33 GMP34 Double A GMP43 GMP43 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 djustable 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 400 lb/in 450 lb/in 550 lb/in 250 lb/in 250 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set 866.99 set |
| GMP29 GMP30 GMP35 GMP35 GMP31 GMP33 GMP34 Double A GMP43 GMP44 GMP45 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 djustable 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 400 lb/in 400 lb/in 500 lb/in 550 lb/in 250 lb/in 300 lb/in 300 lb/in 350 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set 866.99 set 866.99 set |
| Single Ad GMP29 GMP30 GMP35 GMP32 GMP31 GMP33 GMP34 Double A GMP43 GMP44 GMP45 GMP45 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 400 lb/in 450 lb/in 500 lb/in 500 lb/in 350 lb/in 350 lb/in 350 lb/in 450 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set 866.99 set 866.99 set 866.99 set |
| Single Ad GMP29 GMP30 GMP35 GMP31 GMP31 GMP33 GMP44 Double A GMP43 GMP45 GMP45 GMP46 GMP46 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 400 lb/in 450 lb/in 550 lb/in 550 lb/in 250 lb/in 350 lb/in 350 lb/in 400 lb/in 450 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set 866.99 set 866.99 set 866.99 set |
| Single Ad GMP29 GMP30 GMP35 GMP32 GMP31 GMP33 GMP44 Double A GMP43 GMP45 GMP45 GMP46 GMP47 GMP47 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 350 lb/in 400 lb/in 450 lb/in 550 lb/in 300 lb/in 300 lb/in 300 lb/in 400 lb/in 400 lb/in 450 lb/in 550 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set |
| Single Ad GMP29 GMP30 GMP35 GMP31 GMP31 GMP33 GMP44 Double A GMP43 GMP45 GMP45 GMP46 GMP46 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 400 lb/in 450 lb/in 550 lb/in 550 lb/in 250 lb/in 350 lb/in 350 lb/in 400 lb/in 450 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set |
| Single Ad GMP29 GMP30 GMP35 GMP31 GMP31 GMP34 Double A GMP44 GMP45 GMP45 GMP47 GMP49 MOD Double A GMP49 MOD Double A | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 350 lb/in 400 lb/in 450 lb/in 550 lb/in 550 lb/in 350 lb/in 350 lb/in 350 lb/in 450 lb/in 450 lb/in 550 lb/in 550 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set |
| Single Ad GMP29 GMP30 GMP35 GMP32 GMP31 GMP33 GMP34 Double A: GMP44 GMP45 GMP46 GMP47 GMP48 GMP49 GMP49 GMP49 GMP49 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 300 lb/in 350 lb/in 400 lb/in 450 lb/in 550 lb/in 350 lb/in 350 lb/in 450 lb/in 450 lb/in 550 lb/in 550 lb/in 550 lb/in 550 lb/in 550 lb/in 550 lb/in 550 lb/in 550 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set |
| Single Ad GMP29 GMP30 GMP31 GMP31 GMP31 GMP34 Double A GMP43 GMP44 GMP45 GMP46 GMP47 GMP48 GMP49 MOD Dou GMP50 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 300 lb/in 350 lb/in 440 lb/in 440 lb/in 550 lb/in 550 lb/in 350 lb/in 550 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set 866.99 set |
| Single Ad GMP29 GMP30 GMP30 GMP32 GMP31 GMP33 GMP34 Double A. GMP44 GMP45 GMP45 GMP46 GMP47 GMP48 GMP49 GMP50 GMP50 GMP51 GMP51 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 300 lb/in 300 lb/in 350 lb/in 400 lb/in 400 lb/in 450 lb/in 500 lb/in 500 lb/in 300 lb/in 350 lb/in 450 lb/in 450 lb/in 550 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set |
| Single Ad GMP29 GMP30 GMP31 GMP31 GMP31 GMP34 Double A GMP43 GMP44 GMP45 GMP46 GMP47 GMP48 GMP49 MOD Dou GMP50 | justable 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 1970-81 | 250 lb/in 300 lb/in 300 lb/in 350 lb/in 440 lb/in 440 lb/in 550 lb/in 550 lb/in 350 lb/in 550 lb/in | 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 665.99 set 866.99 set |



- QuickSet 1 (QS1) Single adjustable, 16 position knob adjusts bumps and rebound simultaneously.
- OuickSet 2 (OS2) Double adjustable, dual 16 position knobs adjust bump and rebound.

™SX 1982-02 Collovers and Struts

Direct replacement shocks, struts, and coilovers for third and fourth generation Firebird models feature quality billet construction from high grade aluminum or 4130 (struts only). Versatile, broad range shock valving makes VariShockTM a smart suspension tuning solution for drag racing, street use, and handling performance.

| | Front | VariShocks'''' | |
|-----------|-------------|--------------------|-----------|
| | | e Adjustable – Str | |
| 172952 | 1982-92 | LH and RH | 1197.99 p |
| Front - O | S2 - Double | e Adjustable | |
| 872952 | 1982-92 | LH and RH | 1548.99 p |
| | S1 - Single | | |
| 8612834 | 1993-02 | LH and RH | 1197.99 p |
| | | e Adjustable | |
| 8622834 | 1993-02 | LH and RH | 1397.99 p |
| | | | |
| | | | |



1967-81 Front Coilover Set Mail.

Aldan American's front coilover conversion sets are designed to set your stance and ride firmness exactly where you want it on your 1967-81 Firebird models with Aldan coilovers. Includes single adjustable coilover shocks with 6 way adjustable valving. Adjustable coilovers deliver superior handling and ride quality for a drastic improvement over stock shocks and springs. These coil springs are designed to fit directly into the factory, upper spring pockets. Coilovers are engineered for use with factory, or aftermarket control arms Made in USA

| A95129 | 1967-69 | 450 lb/in | |
|--------|---------|-----------|------------|
| A95130 | 1967-69 | 550 lb/in | 619.99 set |
| A95131 | 1970-81 | 450 lb/in | 619.99 set |
| Δ95132 | 1970-81 | 550 lb/in | 610 00 set |



1967-81 Front and Rear Suspension Set

Alden American front and rear suspension package for 1967-81 Firebird models. Suspension package includes two Alden Road Comp single adjustable front coilovers and two TrueLine rear adjustable shocks which deliver superior handling and ride quality for a drastic improvement over stock suspension. Aldan's hybrid front coil springs are designed as a direct fit into the factory upper spring pockets. Rear sets use factory rear end and shock mounts for precise fitment. Provides full adjustment of front shocks, springs and rear shock damping. Adjustable ride height: 0.0"-2.0" lowered in the front. Made in USA.

| 300108 | 1970-81 | 550 lb/in | |
|--------|--------------------|--------------------------------------|--|
| 300117 | 1967-69 | | |
| 300116 | 1967-69 1967-69 | 450 lb/in, multi 550 lb/in, multi | |
| 300115 | 1967-69 | 550 lb/in, mono | |
| 300114 | 1967-69 | 450 lb/in, mono | |





1967-81 Front Coilover Set

The DSE/JRi 'Detroit Tuned' base shock is a 'pure blood pedigree' racing shock in its most efficient form as a non-adjustable unit. Although non-adjustable, it shares all the increased dynamic responses of all the JRi adjustable models while providing excellent ride quality on the street. Also available are single and Double adjustable versions in various spring rates.

| Base Shock | | | | |
|-------------|---------|-----------|---------|-----|
| D303110 | 1967-69 | 550 lb/in | 903.99 | |
| D303120 | 1967-69 | 650 lb/in | 1003.99 | |
| D303130 | 1970-81 | 575 lb/in | 1003.99 | |
| D303140 | 1970-81 | 700 lb/in | 1003.99 | set |
| Single Adju | | | | |
| D303111 | 1967-69 | 550 lb/in | 1409.99 | |
| D303121 | 1967-69 | 650 lb/in | 1565.99 | set |
| D303131 | 1970-81 | 575 lb/in | 1409.99 | |
| D303141 | 1970-81 | 700 lb/in | 1409.99 | set |
| Double Ada | ustable | | | |
| D303112 | 1967-69 | 550 lb/in | 2282.99 | set |

| D303122 | 1967-69 | 650 lb/in | | |
|---------|---------|-----------------|---------|----|
| D303132 | 1970-81 | 575 lb/in | | |
| D303142 | 1970-81 | 700 lb/in | 2282.99 | sc |
| | | h Remote Reserv | | |
| | | 550 lb/in | | |
| D303123 | | 650 lb/in | | |
| D303133 | 1970-81 | 575 lb/in | | |
| D303143 | 1970-81 | 700 lb/in | | |





500 lb/in







1967-69

2525.99 sci

Performance Suspension



1984-92 Front Coilover Conversion Set

Convert your struts to coilovers with this set. Adjustable ride height. Save 20 lbs over than factory setup and gain adjustability with coilovers and A-arms. Save over 10 lbs when you use the conversion alone

Note: Please add color code to part number when ordering: A - red finish, B - hammertone gray finish

Set with Tubular A-Arms BX20122 1984-92 1228.99 set

Coilover Set Only 1984-92 BX20120 \$40.00 cet

ridetech 📥



1993-02 Front/Rear Coilover Set 🔔

Convert your front and rear 1993-02 Firebird suspension to full ride height adjustable coilovers. The system includes: performance engineered mounting brackets, front and rear coilover shocks and springs, with proper spring rate.

11210210 1993-02...



Adiustable Coilover Spanner Wrench 🗥 Spanner wrench, fully adjustable - Universal with any

hook groove style coilover shock. Fully Adjustable for various size lock nuts and retainers. Steel frame construction with comfort grip rubber handle. Made in USA

WR11241 universal



- Dramatically Improve Handling
 Eliminates Bind During Articulation
- Strengthens the Chassis True Rolt in with No Cuttine into the Floor Per All Heli-arc Welded for the Highest Quality and Strength
- Driveshaft Loop Provides Added Safety
 Lowered Stance and Center of Gravity

1967-69 Torque Arm Rear Suspension

TCI Engineering's 1967-69 Firebird torque arm assembly is engineered for Street, Autocross, and Road Course applications. The torque arm rear suspension was designed to eliminate the suspension bind that occurs when cornering using the stock conventional leaf spring suspension. The torque arm features a telescoping slider at the front of the arm that rotates as the vehicle goes through suspension travel and articulation. This allows the vehicles handling to be controlled by the coilover shocks and the rear sway bar with no suspension binding variables. The set allows for a lowered stance, greater rear axle control and dramatically improved handling. There are 3 height adjustments on the axle brackets in one inch increments. You also have the ability to fine tune the ride height further with the adjustable coilovers.

Note: Welding is required for mounting tabs and brackets to the axle housing. Set is for any axle with 3" axle tubes. Set does not include axle assembly, third member or brakes. Shipped double oversize.

5295105 1967-69...



2679,99 set



STATES Y

1967-81 FAB9TM Rear End Housing For Torque Arm Rear Suspension 🔥

Superior handling, adjustable geometry, first rate engineering and construction. Mild steel FAB9 Ford 9* housing for Torque Arm g-Link Suspension with late big Ford seal style housing ends. Direct fit for 1967-81 Firebird with Mini wheel tub conversion. Includes mounts for optional housing-mounted billet arm anti-roll bar and Watts link. 60" wheel to wheel width with 1/4" thick hats, 1/2" offset pinion, late big ford seal ends, lower torque arm, and Watts link attachments installed, bolts into stock cars with torque arm Watts link conversion. Optional billet arm splined

end anti-roll bar sold separately. te: Special order part, NOT returnable for any reason

K8461011 1967-69 rear end housing 1797.99 set K8462011 1970-81 rear end housing

FAB9 Rear End Housing for Mini-Tubs 1797 99 set Splined Rear Sway Bar for Mini-Tubs K5821610 1967-69 w/billet arms K5821620 1970-81 w/billet arms 697 99 set 1409219DR

this item is shinned D41703 - shown asse



1967-81 OUADRAlink Rear Suspension

Upgrade your original rear suspension to DSE's exclusive 4Link geometry! The "Swivel-Link" allows the suspension to articulate with smooth, solid motion and no binding thanks to high durometer rubber bushings. The long upper links provide great pinion and U-joint angle control. Lower links are offset inboard for tire clearance and improved anti-squat geometry. The panhard rod laterally locates the rear axle under cornering and is adjustable as ride height changes for roll center control. The upper shock crossmember strengthens the rear body and frame section. Coilover shocks allow spring rate tuning and ride height adjustment. Designed to work with DSE deep tubs or stock tubs

Important: Axle brackets require a 3" axle tube. Note: Special order. Shipped overweight. With DSE/IRi Non-Adjustable Coilovers 1967-69... 2735 99 set D41703 D41711 1970-81 2889 99 set

With DSE/JRi Single Adjustable Coilovers 3354 99 cm D41711S 1970-81





Wilwood Brakes for DSF Auadralink

1947 99 set

Classic Industries® and Wilwood have put together disc brake sets to compliment Detroit Speed's QUADRAlink rear axle assembles. Match your front W6AR big brake set with the W4AR 4 piston caliper set. The Superlite 4R 4 piston caliper set will match your front Superlite 6 set to complete the overall styling and performance that makes your vehicle stand out

e: Special order. Shipped overweight. W4AR Big Brake Rear Sets black 14" 14010948D 2275 99 set 14010948DR red 14" 2275 99 set Superlite 4R Big Brake Rear Sets 1409219D 1947 99 set black 13".

red

Performance Suspension/Mini Tul



Sets Include

- 9" Aluminum Differential Carrier Housing Iron Positraction 3rd Member
- CV-Joint Type Halfshafts
- Tubular Upper and Lower Rear Control Arms
 Steel Outer Uprights
- Top Crossmember
- Frame Mounting Brackets
- Front Pinion Support
- Forward Struts Positraction
- Inhoard Mounted Disc Brakes
- Subframe Connectors

1967-69 PRO-G Bolt-In PALSON USA Independent Rear Suspension Set

Do you really want to go fast and out-handle everyone else on the autocross or road race course in your first generation Firebird? Full independent rear suspension is the only way to go. Heidts now has a high horsepower independent rear suspension bolt-in package that will do the job just fine. It is a true high horsepower package, with upper links and heavy-duty CV joints. The upper link produces - .5 deg of camber curve at 3/4 of total travel, especially during very high cornering loads. Forward struts, attached to the sub-frame connectors insures the wheels stay in place during hard acceleration. Track width: 58-1/2"

Note: Special order. Specify 3.00, 3.25, 3.50, 3.70, 3.90, or 4.11 final drive gearset. Specify of black, red, or polished calipers. Shipped truck freight.

H11001 1967-69 standard rotors... 12,816.99 set H11001S 1967-69 slotted rotors.... 13,271.99 set



1967-81 g-Bar Rear Suspension System The g-Bar rear suspension system features a complete

custom shock absorber developed by VariShock to take advantage of the outboard mounting position. Designed to compliment the gStreet front suspension.

| Note: Snippea | overweight. | |
|---------------|-------------------|-------------------|
| g-Bar Poly I | Eve with VariShoo | k Coilover Shocks |
| K580061 | 1967-69 | 2497.99 set |
| K5800621 | 1970-73 | 2497.99 set |
| 175000722 | 1074.01 | 2407.00 |



Set Includes:

- · Extra Wide, Deep Tubs Upper Shock Crossmember, Shock Mounts
- Offset Shackles, Heavy-Duty Leaf Springs
- Adjustable Leaf Spring Pads
 Lower Shock Plates, Heavy-Duty U-Bolts
- Installation Video CD. Templates

1967-81 Mini-Tuh Set Get that lowered "Pro-Touring" look while running

as much tire as you need with this Mini-tub package This set provides clearance for tires up to 335mm cross section and wheels up to 13" wide. Multi-leaf, 175 lb/in spring rate are offered in either a 2' 3" drop configuration. The tapered leaf design and anti-friction buttons offer a smooth ride. The spring is biased to allow the front section to controls spring wrap under load. The 1-3/4" offset, billet aluminum shackles are constructed with heavy-duty side bars that will eliminate unwanted flex. vrtant: Requires extensive modification and welding.

Rear frame rails must be notched and boxed. Requires a narrower than stock gas tank and 3" axle tube. Note: Shinned double oversize

| D41203 | 1967 | 2" drop | 1984.99 sc |
|--------|---------|---------|--------------|
| D41204 | 1967 | | 1984.99 sc |
| D41205 | 1968-69 | 2" drop | 1984.99 se |
| D41206 | 1968-69 | 3" drop | 1984.99 sc |
| D41222 | 1970-81 | 2" drop | 2447.99 se |
| D41223 | 1971-81 | 3" drop | 2447.99 se |
| | | | |
| | | | ACCRECATION. |



D80201

USA 1967-69 Mini-Tuh Fuel Tank

These bolt-in narrowed 19 gallon stainless steel fuel tank are designed for DSE's Mini-tub set. Available for carbureted or fuel injected engines. Carbureted tanks have a 1/2" NPT fuel pickup fitting compatible with -8 AN and -10 AN lines. Fuel injection tanks include in-tank pumps to deliver the pressure required by late model engines. All tanks are baffled and pressure tested and include stainless fuel tank straps.

ortant: Requires Universal 5 bolt single wire 90 Ohm fuel sending unit D80201.

| Note: Snipp | rea aounte ov | ersize. | | |
|-------------|---------------|------------|--------|----|
| Fuel Tank | r | | 0S2 | |
| D80101 | 1967-68 | carbureted | | |
| D80102 | 1969 | carbureted | 980.99 | se |
| Fuel Tank | Sending U | nit | | |
| D80201 | 1967-69 | 90 Ohm | 51 99 | ca |



™SA 1967-69 Mini-Tuh Rear Shocks

These AFCO rear shocks are essential for 1967-69 Firebird models that have been Mini-tubbed. The monotube, high pressure gas shocks have a 1/2" bearing mount on each end, and are rebound adjustable. The Mini-tub kit is designed around this shock for proper mount height, as well as jounce and rebound travel. D41301 1967-69 LH and RH.... 650 00 Lit



1967-81 Mini-Tuhs

Detroit Speed's Mini-tub inner wheel housings are designed to accommodate wide tire and wheel packages while retaining a stock appearance. Nearly 3" wider than stock, these tubs are stamped from 18 gauge steel and significantly reduce the installation difficulty of a Mini-tub project. Allows tires as wide as 335mm and wheels as wide as 12". Made in USA.

Important: Convertible installation is the same except some convertible hinge must be relocated to the new deep tubs. Note: Shipped double oversize. 082 D40401 1967-69 LH and RH .. 392.99 pr D40403 1970-81





JUSA 1967-69 Mini Wheel Tubs

Chassisworks Mini-Tub and sheet metal frame closeout sets (1967-69 only) will save you hours of work and effort when making room for larger rear tires. The wheel tubs replace the inner half of your factory wheel tubs with a newly stamped, 18 gauge steel tub. Additional clearance is 2" to 2-3/4", depending upon application, and will accommodate up to 315- or 335-section width tires.

K5913610 1967-69 tubs & closeouts.. 452.99 set K5913611 1967-69 closeouts only..... 130.99 set











STEERING,

REAR

2

BRAKES REAR END & BTEERING,

Performance Rear Suspensions



- Panhard Bar
- All Chassis and Axle Brackets Black Coilover Shocks and Springs
- Full Upper Coilover Crossmember
- Adjustable 4-Link Mounts Allow Suspension Tuning

Unfinished 4-Link Bars and Panhard Rod

4-Link shown with onal axle housing and chrome coilover shocks nurnoses only all mponents except sh are provided in raw

WADEIN 1967-81 4-Link Coilover Rear Suspension Designed specifically for 1st or 2nd generation Firebird models, This suspension

holts directly in place without floor modifications. Bolt-on maximum performance for your 1967-81 Firebird, Heidts* 4 link kit is built to work with mini tub kits for high horsepower cars, stock applications and autocross applications. Chassis and axle brackets are included, along with the full upper coilover crossmember, panhard bar and black shocks with black coilover springs and adjustable 4-Link mounts. The 4-Link system can be outfitted with one of 3 shock setups, a 9" axle housing with a 60-1/2" track width, and 31 spline axles with 5 x 4-3/4" bolt circle.

nt: Maximum ride height may be several inches lower than the factory stock



| | 4-Link | with Bare 9" Ford Axle Housing | | |
|---------|---------|--|---------|-----|
| H310104 | 1967-69 | with polished billet adjustable shocks | 3254.99 | kit |
| | | nd Panhard Rod | | |
| H304104 | 1974-81 | with polished billet adjustable shocks | 3474.99 | kit |
| H304103 | 1974-81 | with billet adjustable shocks | | |
| H304101 | 1974-81 | with black non-adjustable shocks | | |
| H301103 | 1970-73 | with billet adjustable shocks | 2314.99 | kit |
| H301101 | 1970-73 | with black non-adjustable shocks | 2371.99 | kit |
| H300104 | 1967-69 | | 2280.99 | |
| H300103 | 1967-69 | with billet adjustable shocks | 2224.99 | kit |
| H300101 | 1907-09 | with black non-adjustable snocks | 23/1.99 | KII |

| | 4-Link | with Bare 9" Ford Axle Housing | | |
|-------------|--------------|--|---------|-----|
| | | and Panhard Rod | | _ |
| H300201 | 1967-69 | with black non-adjustable shocks | 3318.99 | kit |
| H300203 | 1967-69 | | 3322.99 | kit |
| H301201 | 1970-73 | | 3318.99 | |
| H301203 | 1970-73 | with billet adjustable shocks | 3418.99 | kit |
| H304201 | 1974-81 | | 3224.99 | kit |
| H304203 | 1974-81 | | 3418.99 | |
| H304204 | 1974-81 | with polished billet adjustable shocks | 3474.99 | kit |
| Polished 4- | Link Bars an | d Panhard Rod | | |
| H310204 | 1967-69 | with polished billet adjustable shocks | 4376.99 | kit |

| H314204 | 1974-81 | with polished billet adjustable shocks | 4283.99 | kit |
|-------------|--------------|--|---------|-----|
| 4-Lin | k with 9" | Ford Axle Housing and 31-Spline | Axles | |
| Unfinished | 4-Link Bars | and Panhard Rod | | |
| H300401 | 1967-69 | with black non-adjustable shocks | 3692.99 | kit |
| H300403 | 1967-69 | with billet adjustable shocks | 3868.99 | kit |
| H300404 | 1967-69 | with polished billet adjustable shocks | 3925.99 | kit |
| H301401 | 1970-73 | with black non-adjustable shocks | 3823.99 | kit |
| H301403 | 1970-73 | with billet adjustable shocks | 3964.99 | kit |
| H301404 | 1970-73 | with polished billet adjustable shocks | 4020.99 | kit |
| H304401 | 1974-81 | with black non-adjustable shocks | 3729.99 | kit |
| H304403 | 1974-81 | with billet adjustable shocks | 3964.99 | kit |
| H304404 | 1974-81 | with polished billet adjustable shocks | 4020.99 | kit |
| Polished 4- | Link Bars an | d Panhard Rod | | |

with billet adjustable shocks...





🌌 1967-69 Superide Independent Rear Suspension

Finish your street rod with Heidt's SUPERIDE IRS, a complete hub to hub unit and offers the ride, handling, and suspension geometry compatible with most independent front suspensions. This high-performance suspension features aluminum center section, iron 9" Ford third member with a standard 60" track width (custom widths available), and wheel hubs with a 5 x 4-3/4" bolt circle. Includes: all chassis brackets, coilover shocks and chrome springs, control arms and struts, rotors with calipers

and brackets, and optional parking brake. Important: NOT INTENDED FOR DRAG RACING. Special order. Specify 3.00, 3.25, 3.50, 3.70, 3.90 or 4.11 final drive gearset. Heidt's subframe connectors required for installation,

sold separately. Note: Shipped truck freight.

TRUCK

20 270 99 kit

Standard Open IRS Systems Open differential includes 2" half shafts. Posi differential includes 3" heavy-duty half shafts. With Open Differential 1967-69 plain rotors without park brake 10,700.99 kit H22102 1967-69 drilled rotors without park brake..... 11,157.99 kit 1967-69 H22103 plain rotors with park brake 11 530 99 kit 1967-69 H22104 drilled rotors with park brake...... 11,987,99 kit With Posi Differential H22201 1967-69 plain rotors without park brake 12.275.99 kit 1067 60 drilled rotors without park brake..... 1967-69 H22203 plain rotors with park brake 12 971 99 kit H22204 1967-69 drilled rotors with park brake. 13,428.99 kit

Polished Open IRS Systems Open differential includes 2 half shafts. Posi differential includes 3" heavy-duty half shafts. Third member, center section, control arms, coilovers, half shafts, brake calpers, and parking brake are polished.

| With Open | Differential | | |
|-----------|--------------|-----------------------------------|---------------|
| H22301 | 1967-69 | plain rotors without park brake | 18,944.99 kit |
| H22302 | 1967-69 | drilled rotors without park brake | 19,401.99 kit |
| H22303 | 1967-69 | plain rotors with park brake | 19,773,99 kit |
| H22304 | 1967-69 | drilled rotors with park brake | 20,231.99 kit |
| With Posi | Differential | | |
| | | | |

drilled rotors with park brake

with polished billet adjustable shocks 4922.99 kit

1967-69

1970-74

4942.99 kit

H22402

H22403

H22404

1967-69

1967-69

1967-69

Rear Suspensions

HOTCHKIS

e compa



1967-81 Rear Leaf Springs

These reproduction rear leaf springs are designed as a direct replacement of the originals. Mono-leaf springs were originally installed on all 1967 Firebird models. 1968-81 Firebird models used either 4 or 5 leaf springs. The 4 leaf springs were offered as a performance spring and standard equipment on 400 models. The 5 leaf springs were offered as a heavy duty option originally installed on most 1968-81 standard applications and lower performance models. Front eye bushings are installed in all leaf springs. May differ cosmetically from your original springs. Sold as a pair.

ortant: Springs may increase ride height an average of 2" higher than the old worn out sagging springs. Shipped

| double ov | ersize. | | | | - |
|-----------------|------------------------|----------------|-----------------------|--------|----|
| Mono Le | af Springs | - Coup | e e | 0S2 | |
| RL10 | 1967-69 | mono, | 125 lbs/in | 479.99 | pr |
| Mono Le RL11 | eaf Springs 1967-69 | - Com mono, | ertible 126 lbs/in | 479.99 | pr |
| Multi Le | af Springs | -All | | | |
| RL12 | 1967-69 | 4 leaf, | 126 lbs/in | 399.99 | pr |
| RL5 | 1967-69 | 5 leaf, | 143 lbs/in | 399.99 | pr |
| RL12 | 1970-81 | 4 leaf | 126 lbs/in | 399 99 | nr |



🏂 1967-81 Split Mono-Leaf Spring

These revolutionary split mono-leaf springs from Calvert Racing are substantially lighter than your stock springs and designed to work with the Cal Trac traction bar system. A 12" overlap at the high stress area of the spring, emulating a parabolic type spring. Aluminum bushings in the front eyes and Polyurethane in the rear eyes remove slop and control spring motion. Used by the last 5 World Champions in Stock Eliminator, Calvert split mono leaf springs are available in stock ride height, 1" drop or 1" raised. Sold as a pair. Important: Some fabrication will be necessary for installati

| Note: Ship | 411574 | | |
|----------------------------|-------------------------------|---|----------------------------------|
| 144711 144712 144714 | 1967-81 1967-81 1967-81 | stock height 1" raised 1" lowered | 458.99 p 458.99 p 458.99 p |
| | | | 111 |
| | \div | - | |

1967-69 Leaf Spring Liner Set

Full length plastic leaf spring liners promote smooth, friction free spring operation. Smooths and quiets ride, prolongs life of springs. Also features shouldered extrusion that ensures the liner will not creep out of place. Each set will complete one vehicle. K654 1967-69 4 leaf.... 26.99 set 5 leaf

| 44 |
|--|
| |
| MM/*********************************** |
| H2407 |

≥ʊś¤ 1967-81 Sport Leaf Springs

When you install these springs, you'll not only improve the looks of your classic, but the handling too! These sport springs will drop your 1967-81 Firebird lower than stock and, unlike mono-leaf springs, these multileaf springs provide a progressive spring rate for performance driving without the sacrifices of a harsh ride. The spring sets include: leaf springs, heavy-duty shackles, shackle bushings, Grade 8 hardware, U-bolts, spring pads, and eye bushings. Note: Shipped triple oversize.

| Sport Le | af – 1-1/2" | Lowering | Springs | - | |
|----------|-------------|-----------|---------|--------|-----|
| | 1967-69 | | | | |
| | 1970-73 | | | | |
| H2409 | 1974-81 | LH and | RH | 625.99 | set |
| Sport Le | af - 3" Lo | wering St | rings | | |
| H2413C | 1967-69 | LH and | RH | 627.99 | set |
| | | | | | 10 |
| | | | | _ # | ** |
| / | | | | 1 | |
| - 1 | - 1 | 00 | | - 1 | |
| - 1 | - 1 | 00 | | - 1 | |
| - 1 | | 00 | | - 1 | |
| - 1 | | ه ه | | - 1 | |
| - 1 | | 00 | | | |
| - 1 | | 0.0 | | | |

1967-81 Leaf Spring U-Bolts

For multi-rear leaf springs. Necessary when changing mono-leaf to multi-leaf. 2 pair required. 1967-81 6-3/4" x 3-1/4" . 7-1/8" x 3-1/2" . 19.99 pr 1967-81 24.99 pr RI 7A




| USA | Leaf Spring U-Bolts | <u> </u> |
|--------------|---------------------------------------|----------|
| High-qualit | ty U-bolts to be used with the Calver | Racing |
| leaf springs | s. They are made of Grade 5 steel a | nd are a |
| large 1/2" c | fiameter. Sets include 4 nuts and v | vashers. |


Available for 3" or 3-1/4" axle housings. 34.99 set 3-1/4" 14470 34.99 set



1967-74 Leaf Spring Front Eve Bolt 🔥 Replacement bolt for the rear spring front eve attachment. Measures: 1/2"-20 x 5" 1967-74 I.H and RH 274318







1967-81 Leaf Spring Installation Set Classic Industries® offers a complete rear spring

installation set for mono-leaf or multi-leaf springs. Sets come complete with rear shackle sets. T-bolts. U-bolts, upper and lower spring pads, spring eye bolts, and clips and screws for mounting. These shackle sets include: the correct plates, bushings, bolts, and nuts for authenticity. Sets are available for mono- or multi-leaf installation

| R360 R361 | 1967-69 | mono-leaf multi-leaf | 109.99 | |
|--------------|--------------------|-------------------------|--------|----|
| R363 R362 | 1967-69 1970-81 | | 109.99 | se |



1967-69 Multi-Leaf Spring Clamp Set Specialty clamp sets for all high-performance multi-

leaf springs. Includes metal straps, clamps, rivet pins. and black silencers. Used to repair OEM original leaf springs for high-performance Firebird models. For use with original springs only. K0097 1967-69 4 leaf.. 36.99 set

5 leaf

K0098 1967-69













COPENSION,

REAR END

90

BRAKES

m d 2 ü

Rear Suspension






1967-81 Chassis Hardware Set

These chassis hardware sets come with the hardware to install virtually all chassis components for each specified vehicle. Every set includes individually packaged hardware for easy identification. Includes: hardware for accelerator lever, ball joints, brake cables, brake hose brackets, brake pressure valve and switch, caliper brackets and shield, control arms and bushings (upper and lower), drive shaft rear knuckle, engine mounts, engine to frame mounts, fuel hose, gas tank, grease fittings, idler arm, leaf spring brackets and bushings, master cylinder and pushrod, park brake to dash, pitman arm, power brake booster and hose, prop valve, rear axle housing cover and retainer plates, shackles, shocks (front and rear), speedo cable, stabilizer bar and brackets, steering box to frame, steering gear and coupler, steering linkage, suspension bumpers, transmission cross member, transmission mount, and wheel cylinders. Made in USA.

| F1101 | 1967 | 384 pc | disc | 419.99 set |
|-------|---------|--------|--------------|------------|
| F1102 | 1967 | 375 pc | drum | 399.99 set |
| F1103 | 1968 | 379 pc | disc | 439.99 set |
| F1104 | 1968 | 370 pc | drum | 424.99 set |
| F1105 | 1969 | 394 pc | disc | 459.99 set |
| F1106 | 1969 | 389 pc | drum | 439.99 set |
| F1107 | 1970-72 | 374 pc | w/o sway bar | 484.99 set |
| F1108 | 1970-72 | 392 pc | w/sway bar | 479.99 set |
| F1109 | 1973 | 356 pc | w/o swav bar | 474.99 set |
| F1110 | 1973 | 378 pc | w/sway bar | 479.99 set |
| F1111 | 1974 | 355 pc | w/o sway bar | 459.99 set |
| F1112 | 1974 | 375 pc | w/sway bar | 469.99 set |
| F1113 | 1975-76 | 355 pc | w/o sway bar | 444.99 set |
| F1114 | 1975-76 | 375 pc | w/sway bar | 449.99 set |
| F1115 | 1977 | 364 pc | w/o swav bar | 459.99 set |
| F1116 | 1977 | 384 pc | w/sway bar | 464.99 set |
| F1117 | 1978-79 | 387 pc | w/o sway bar | 479.99 set |
| F1118 | 1978-79 | 403 pc | w/sway bar | 484.99 set |
| F1119 | 1980-81 | 357 pc | w/o sway bar | 439.99 set |
| F1120 | 1980-81 | 373 pc | w/sway bar | 444.99 set |
| | | | | |



1967-81 Rear Spring Pad Set

Each pad is used to insulate the area between the spring and the mounting plate. 2 upper pads and 2 lower pads are required on vehicles with leaf springs. 2 upper pads required when replacing for vehicles with coil springs. Note: When converting 1967-69 single to multi-leaf applications it will be necessary to install RL8 spring pads

| | 4 | Piece Sets | |
|---------|------------|--------------|-----------|
| R652 | 1967-69 | mono-leaf | 26.99 set |
| R653 | 1968-69 | multi-leaf | 24.99 set |
| R654 | 1970-81 | all | 26.99 set |
| | Ind | ividual Pads | |
| Upper S | pring Pads | | |
| RL8A | 1967-69 | mono-leaf | 8.99 ea |
| RL8 | 1968-69 | multi-leaf | 7.99 ea |
| RL8B | 1970-81 | all | 9.99 ea |
| Lower S | pring Pads | | |
| RL8C | 1967 | all | 9.99 ea |
| RL8C | 1968-69 | single leaf | 9.99 ea |
| RL8 | 1968-69 | multi-leaf | 7.99 ea |
| RLSE | 1970-81 | all | 11.99 ea |

ENERCY



1967-81 Polyurethane Leaf Spring Pads

Longer-lasting, high-performance Polyurethane leaf spring pads are ideal when upgrading the suspension and spring assembly in your classic Firebird. Replace those original crushed rubber pads.

| 36113G 36112G 36111G | 1967-69 1968-69 1970-81 | mono-leaf multi-leaf multi-leaf | 31.99 | set |
|---|--|---------------------------------------|-------|-----|
| Red Polyu 36113R 36112R 36111R | rethane 1967-69 1968-69 1970-81 | mono-leaf multi-leaf multi-leaf | | set |









3934866



330264 1968-69 RH

R326




49 99 ca

1967-81 Rear Leaf Spring and Shock Plate

OER® rear leaf spring and shock mounting plates for 1967-81 Firebird models. Manufactured in quality stamped steel in the correct factory configuration. Black EDP coated for rust prevention. Available for models equipped with mono-leaf or multi-leaf springs.

| Mono-Lea | $f - OER^{\otimes}$ | | |
|-----------|---------------------|--------------|----------|
| E370 | 1967 | LH | 36.99 ea |
| E371 | | LH | |
| E371 | 1967-69 | RH | 36.99 ca |
| Multi-Lea | f | | |
| 3934865 | 1968-69 | LH | 44.99 ca |
| 3934866 | 1968-69 | RH | 44.99 ca |
| 480909 | 1970-81 | LH or RH | 29.99 ea |
| Multi-Lea | f with Facto | ory Sway Bar | |
| 330263* | 1968-69 | LH | 49.99 ca |



1968-69 Leaf Suring Conversion Hardware

Many Firebird models came equipped with mono-leaf springs, but changing over to a multi-leaf setup will allow better rear axle control under hard acceleration and improved handling through the corners. The comprehensive kit contains all components required to make the changeover. Includes: 4 T-bolts, 2 steel upper spring seats, 4 axle pads, and 2 U-bolts.

Important: Use 3" U-bolts for existing multi-leaf application. May require a spacer between the upper spring pad and axle tube when using a non multi-leaf rear axle R325 1968-69 with 3" U-bolts 127.99 kit

114:

USA 1967-69 Mono- to Multi-Leaf Conversion

Convert your mono-leaf rear suspension to a multi-leaf configuration. This complete conversion set includes: U-bolts, steel locating pad, aluminum spacers, washers,

| D04110 | 1967-69 | 105.99 | set |
|--------|---------|--------|-----|
| | | | |



1967-69 Rear Axle Leaf Suring Perches

Reproduction rear axle housing leaf spring perches for 1967-69 Firebird models. Weld to the rear axle tube and provide a secure mounting location for the rear leaf springs. Available for mono-leaf or multi-leaf.

1967-69 E3477 mono-leaf...... 72.99 pr E3478 1967-69 multi-leaf 74.99 pr



Axle Tube Spring Perches USA

These mono-leaf spring perches provide positive location for your Calvert mono-leaf springs. Available for 3" or 3-1/4" axle tube diameters. The large flat mating surface and drilled to fit pin hole eliminate the factory rubber bushings for a secure mount, and weld them on at the ideal angle to properly adjust pinion angle. Note: Welding required

| 14474 | 3-1/4" | | 49.99 pr |
|-------|--------|--------------|-------------|
| | | CALVERT RACI | NG Producti |
| | | | |



14475

USA Pininn Wedges

These CNC-machined aluminum wedges can help you adjust the pinion angle if you retain your factory rear axle perches. These pinion wedges mount between the rear

| 14475 | 2 degree | 24.99 pr |
|-------|----------|----------|
| 14476 | 4 degree | 24.99 pr |



1967-81 Leaf Spring Shackle Set

ENERCY

OER® leaf spring rear shackle sets for various 1967-81 Firebird models. Manufactured to factory

| specification bushing and 2 lo | s, 2 stamper | set includes: 4 black EPI d steel side plates, 2 sha | OM rubber ckle bolts, |
|--------------------------------|--------------|---|--------------------------|
| | | | |
| K544 | 1967-69 | LH or RH | |
| K550 | 1970-81 | LH or RH | 49.99 ca |



USA

1967-81 Heavy-Duty Shackle Set

Reduces wheel hop in acceleration, prevents shudder under braking and delivers greater handling control. Great for vehicles with high-performance tires and horsepower upgrades. With Front Eye Bushines

| 32136G | 1967-69 | black | | 146.99 set |
|-----------|-------------|---------|-------|------------|
| 32136R | 1967-69 | red | mono | 146.99 set |
| 32134G | 1967-81 | black | multi | 144.99 set |
| 32134R | 1967-81 | red | multi | 144.99 set |
| Without I | Front Eye B | ushings | | |
| 32137G | 1967-69 | black | | 101.99 set |
| 32137R | 1967-69 | red | | 101.99 set |
| 32135G | 1967-81 | black | multi | 101.99 set |
| 32135R | 1967-81 | red | multi | 101.99 set |
| | | | | |



1967-81 Leaf Spring Offset Shackles

These billet aluminum offset shackles are designed to relocate the rear leaf springs inboard to accommodate larger rear tires. They relocate the rear leaf spring inboard to accommodate 335 tires (with a section of 13.5") on a F-Body. The shackle offset is 1-3/4". Use along with other Mini-tub components to complete our project. Set includes 4 offset shackles and Grade 8 fasteners. This shackle is designed for maximum suspension travel. Made in USA.

Note: The stock fuel tank will need to be narrowed or use DSE's narrowed stainless steel fuel tank when relocating the rear leaf springs. D40901 1967-81 294 99 set

F955





1967-81 Leaf Spring Mounting Bracket

Front eye brackets that mount to the frame and provide the front mounting for the rear leaf springs. Available separately for your convenience.

| 1.950 1; | | | | |
|----------|----------|----|-------|----|
| E956 19 | 970-81 1 | RH | 29.99 | ea |
| | | | 29.99 | |
| | | | 29.99 | |
| | | | 29.99 | |





1967-81 Leaf Spring Bracket Hardware OER® leaf spring eye bracket mounting hardware for

various 1967-81 Firebird models. These special J-nuts and case hardened bolts are used to attach the rear leaf spring eye bracket to the floor pan reinforcement. J-Nuts

| 378276 K3613 | 1967-81 1967-81 | individual 6 piece | 2.79 12.99 | |
|-----------------|--------------------|-----------------------|---------------|-----|
| Bolt | | | | |
| 3791510 | 1967-81 | individual | 1.99 | ea |
| K3614 | 1967-81 | 6 piece | 10.99 | kit |



1967-81 Leaf Spring Front Eve Bushing

Reproduction bushing located on the front or forward section of the rear leaf spring. This bushing is seated into the evelet section of the rear leaf spring. Commonly forgotten replacement part that is usually required when rebuilding the rear suspension. 2 required per vehicle. 1967-81 LH or RH B298 23 99 ca

14472











TEERING,

m ď 2 REAR EFRING,

Rear Suspension Parts



1967-81 Leaf Spring Shackle Bushing

Replace your cracked, shrunken or worn out shackle bushings and bring your rear suspension back to original factory ride specifications. We recommend replacing

both upper and lower bushings. Note: 1970 models produced late in the production year

| | | ENER | CY |
|--------|---------|-------------|----------|
| R397 | 1970-81 | 8 piece set | 50.99 se |
| 499473 | 1970-81 | 8 required | 6.99 ea |
| R396 | 1967-69 | 8 piece set | |
| K979 | 1967-69 | 8 required | 4.99 ca |





1967-81 Leaf Spring Bushing Set These Polyurethane rear leaf spring bushing sets

include a complete set of 8 rear bushings, 4 front bushings, and 2 replacement sleeves for a complete replacement. Choose from black or red bushings. Plack Polyweethane

| 2101G | 1967-69 | mono-leaf | 82.99 set |
|---------------------|---------|------------|-----------|
| 2102G | 1967-69 | multi-leaf | |
| 32103G Red Polyu | | all | |
| 32101R | 1967-69 | mono-leaf | |
| 32102R | 1967-69 | multi-leaf | |

32103R 1970-81 all . 81.99 set



TISA

1982-92 Rear Control Arm Rushings These replacement Polyurethane bushings include four

| original f | actory rubb | asher set for installati er bushings, the Pol ride with less wear. | lyurethane |
|------------|-------------|--|------------|
| 33136G | 1982-92 | black | 64.99 set |
| 33136R | 1982-92 | red | 64 99 set |



1967-69 Rear Axle Pinion Bumper 🔥

OER® rear axle pinion bumper for 1967-69 Firebird models. Manufactured from quality molded rubber offering an original appearance and fit. This bumper attaches to a slotted bracket under the floor pan above the differential housing.

| 3923564 | 1967-69 | | 16.99 |
|---------|---------|----|-------|
| | A | Ñ. | OE |
| • | | | D |

1968-69 Rear Axle Rumner Assembly

3032734

G7096

| 1968-69 F | irebird mo | er and bracket asse dels. Manufactured DP coated for rust p | to factory |
|-----------|------------|---|------------|
| 3932733 | 1968-69 | LH | 42.99 ea |
| 3932734 | 1968-69 | RH | 42.99 ca |



1967-02 Rear Axle Bumper

Reproduction or Genuine GM rear axle bumpers for 1967-02 Firebird models. Manufactured from quality molded rubber offering an original appearance and fit.

483746

| OER® Rep | production | | |
|-----------|------------|----------|----------|
| 3892756 | 1967 | LH or RH | 24.99 ca |
| 3932735 | 1968-69 | LH or RH | 19.99 ca |
| 483746 | 1976-81 | LH or RH | 23.99 ea |
| Genuine (| GM . | | |
| G7096 | 1982-02 | LH or RH | 67.99 ea |



1993-02 Bump Stop Spacers

Rear bump stop spacers for 1993-02 Firebird WS6 models equipped with 17" wheels. These aluminum spacers are required when installing 17" wheels in order to prevent tire contact with the inner wheel well. A9400136 1993-02 39 99 nr



OA!

1982-02 Control Arm Relocation Brackets

These brackets lower the rear trailing arm mounting point to correct the trailing arm angle for lowered vehicles. This lowers the instant center of the vehicle and reduces squat under hard acceleration. Accepts OEM and aftermarket lower trailing arms. Grade 8 hardware is included

Weld-On Brackets E5275 1982-02 I H and RH 118 99 set



1982-02 Control Arm Relocation Brackets

Reposition your instant center by altering your control arm angle for increased traction. 3/16" laser cut, cold rolled steel construction. Lowers the control arms up to 3" and works with all makes of control arms

Note: *Please add color code to part number when ordering. A – red finish, B – hammertone gray finish.

Bolt-On Brackets BX20121* 1982-02 LH and RH 89.99 set

Weld-On Brackets - Bare Steel BX20124 1982-02 LH and RH 99.99 set



1982-02 Lower Control Arm Brackets

Optimize your vehicle's instant center and improve forward traction by lowering the rear of the lower control arm up to 3" and very important for lowered vehicles to correct lost geometry. These bolt-in brackets are CAD designed to accommodate factory lower control arms as well as all popular aftermarket styles. Relocation brackets are designed to work on both lowered and non-lowered vehicles and feature multiple settings to optimize vehicle handling and traction. Available in red or black powder coated. Made in USA.

te: *Please add color code to part number when ordering: A - red finish, B - hammertone gray finish.

For Factory or Strange Rear Ends - Bolt-On UM2012* 1982-02 LH and RH 109.99 set For Moser Rear Ends - Weld-On - Bare Steel 1982-02 I.H and RH UM2011 99 99 set



1988-02 Rear Lower Control Arm 🔥

Genuine GM rear lower control arms for 1988-02 Firebird models Heavy-Duty Suspension without Performance Pkg.

1988-92 LH or RH 159.99 ca Without Performance Package G4661 1993-02 LH or RH 163.99 ea



🐃 1982-02 Lower Control Arms

Choose between rectangular or tubular versions. Rectangular arms are constructed from strong, 1-1/2' x 3" x .120" wall tubing to eliminate flex and include fluted, greaseable, graphite/Polyurethane bushings. The tubular arms are made from 1-1/4" diameter x .120" wall steel for lighter weight without sacrificing strength and use a spherical ball assemblies on the chassis end to prevent bind and allow better control. Gloss black powder coated. Mounting hardware sold separately. EE5204 1982-02 rectangular 336.99 pr 30.99 set 1982-02 hardware set..



🏁 1982-02 Lower Control Arms BMR's fabricated control arms are available in both

tubular or boxed versions and in fixed or adjustable lengths. All are equipped with either internally lubricated Polyurethane bushings or heavy-duty QA1 Teflon race XR series spherical bearings.

Note: *Includes spherical bearing rod ends. Please add

| | | i when ordering. $A = h$ | ra jinisn, b = |
|------------|--------------|--------------------------|----------------|
| hammertone | gray finish. | | |
| DOM (Dra | wn Over M | | |
| BX20130 | 1982-02 | non-adjustable | 99.99 pr |
| BX20133 | 1982-02 | adjustable | 209.99 pr |
| Chromoly | | | |
| BX20131 | 1982-02 | non-adjustable | 269.99 pr |
| BX20134 | 1982-02 | adjustable | 349.99 pr |
| BX20136 | 1982-02 | XTREME adj | 339.99 pr |
| Chromoly - | | | |
| BX20317* | 1982-02 | LH and RH | 359 99 pr |







1982-02 Tubular Lower Control Arms

These heavy-duty control arms are replacements for the weak, factory stamped rear lower control arms, and are designed to minimize wheel hop and improve cornering while lowering track ETs. These high-performance control arms are constructed with 1-1/2" mild steel tubing with CNC-machined ends and are available in a variety of configurations to meet the needs of your application. All control arms feature greaseable bush d are available in red or black powder coated finish Made in USA. Note: Please add color code to part number when ordering. A – red finish, B – black finish.

| | | ntrol Arms | | |
|--------|---------|-----------------|--------|-----|
| JM2015 | 1982-02 | front and rear | | |
| | | Polyurethane | 99.99 | set |
| JM2033 | 1982-02 | front poly, | | |
| | | rear Roto joint | 229.99 | set |
| JM2034 | 1982-02 | | | |
| | | Roto joints | 319.99 | set |

| | | Roto joints | 319.99 | set |
|-----------|------------|--------------------------|--------|-----|
| Single Ad | justable C | ontrol Arms | | |
| JM2018 | 1982-02 | front and rear poly, | | |
| | | center adjustable | 219.99 | set |
| JM2013 | 1982-02 | front and rear poly, | | |
| | | end adjustable | 259.99 | set |
| JM2016 | 1982-02 | frt poly, rr spherical, | | |
| | | end adjustable | 199.99 | set |
| JM2039 | 1982-02 | frt poly, rr Roto joint, | | |
| | | end adjustable | 279.99 | set |
| and Adia | estable Co | ntrol Arms | | |

UM2017 1982-02 spherical ends 249 99 set spherical ends, with UM2817 1982-02 249 99 set offset bushings UM2035 1982-02 front and real 319 99 set Roto joints



📨 1982-02 Rear Control Arms These control arms allow the suspension to pivot

without binding and provide zero fore and aft deflection. Designed with spherical bearings at one end and rubber on the other. Ideal for drag race, road race, and performance street applications. TBC14 1982-02 LH and RH .. 297.99 pr



Manufactured from heavy gauge square steel tubing to eliminate the flex common to the original control arms. Polyurethane bushings reduce deflection and the black powder coated finish for corrosion resistance. Bolts directly to the stock mounting location without modifications using stock hardware. Includes grease fittings and instructions.



H1501 USA

1982-02 Rear Suspension Package 🔥

Get a grip! On the pavement, that is, Improve the handling and traction on your 3rd or 4th Generation Firebird by upgrading the flimsy stock rear suspension. This rear suspension package helps you put the power to the pavement, through the corners and down the straights. Set includes: fabricated lower trailing arms, adjustable panhard rod, and all necessary hardware. Black powder coated finish.

| Complete | Set | | | |
|-----------|-------------|------------|--------|----|
| H1801 | 1982-02 | complete | 520.99 | ca |
| Control A | rms Only | | | |
| H1301 | 1982-02 | LH and RH | 334.99 | pr |
| Adiustabl | e Panhard E | 3ar | | |
| H1501 | 1982-02 | individual | 185.99 | ca |
| C-nt-1 | III | C-4 | | |











ι



H1701



1982-02 Rear Susnension Package 🔥

This set replaces the weak, factory stamped lower control arms and panhard bar with a heavy-duty tubular setup, Minimize wheel hop, improve cornering while lowering ET's and helping track consistency. The panhard bar greatly increases rear stability, controls side movement and body flex while allowing easy on-car adjustments. The lower control arms help to reduce unwanted wheel hop and improve straight line traction. Control arms and panhard bar are constructed from mild steel tubing with CNC-machined ends and Polyurethane bushings. Available in non-adjustable or on-car adjustable. Choose between red or black powder coated. Made in USA.

| A - red finish, B | – black finish. | | g. |
|-------------------|-----------------|--------|-----|
| Non-Adjustab | le | 0S1 | |
| UM201520 | 1982-02 | 179.99 | set |
| On Car Adjus | table | | |
| UM201529 | 1982-02 | 229.99 | set |



USA

BPA

d

REAR

DESPENSION,

BTEERING,

1982-02 Panhard Relocation Set

This set replaces and relocates the panhard rod allowing dual 3" exhaust routing over the axle. Tubular upper panhard rod support mounts in OE location. Mounts using existing holes and lower the panhardrod to maintain correct geometry. No welding or drilling required. Me: Please add color code to part number when ordering

| BX20166 | 1982-02 | 119.99 set |
|---------|---------|------------|
| | | PARTS |

1984-02 Rear Axle Panhard Rod

| Genuine rear end | GM rear ax centered and | le panhard rod used l aligned. | to keep the | |
|---------------------|----------------------------|-----------------------------------|-------------|--|
| G4659 | 1984-02 | heavy-duty | | |
| | | | | |



1982-02 Panhard Rod USA

The panhard rod is responsible for locating the rear end side-to-side in the chassis. BMR panhard rods are all made from large diameter 1.25", heavy wall DOM (Drawn Over Mandrel) tubing and utilize greaseable Polyurethane bushings.

ote: *Includes spherical bearing rod ends. Please add color code to part number when ordering: A - red finish, B mertone gray finish.

Non-Adjustable Panhard Rods

| 3X20160 | 1982-02 | DOM | 89.99 | ea |
|--------------|-------------|-----------|--------|-----|
| 3X20163 | 1982-02 | chromoly | 199.99 | ca |
| Adjustable . | | | | |
| 3X20161 | 1982-02 | DOM | 139.99 | ea |
| 3X20164 | 1982-02 | chromoly | 259.99 | ca |
| Way Adju | stable Pani | hard Rods | | |
| 3X20162* | 1982-02 | DOM | 199.99 | ea |
| 3X20165* | 1982-02 | chromoly | 279.99 | ca |
| | | - | - | _ |
| m. | | - | | 900 |

1982-02 Panhard Rod USA

Panhard rods control lateral placement of the rear end in the chassis. Choose from a non-adjustable rod with Polyurethane bushings or a rod with spherical rod ends which allows for the length to be adjusted in order to center the rear end. This is especially necessary on lowered cars. Fits all 1982-02 Firebird models.

DHC3

| Non-Adj | ustable Pan | hard Rods | | |
|----------|-------------|-----------------|--------|----|
| PHC2 | 1982-02 | Polyurethane | 74.99 | ea |
| Adjustab | le Panhard | Rods | | |
| PHC3 | 1982-02 | poly/rod end | | |
| PHC4 | 1982-02 | bearing/rod end | 197.99 | ea |

1982-02 Adjustable Panhard Rod 🔥 Thick steel tubing prevents flex and bending, and durable

Polyurethane bushings and steel sleeves provide added stability. The adjustable length allows precise location of the rear axle housing and compensates lowered ride heights. Finished in corrosion resistant black powder coated and supplied with grease fittings. LW20440 1982-02



🕬 1982-02 Tubular Panhard Bar

UM2037R

UM20384

The heavy-duty tubular panhard bar is a replacement for the weak, factory stamped panhard bar. The highperformance tubular panhard bar greatly increases rear stability, controls side movement and body flex; a must when hard driving habits are present. All control arms feature greaseable bushings and are available in red or black powder coated finish. Made in USA.

ote: Please add color code to part number when ordering:

| Non-Adjustable Panhard Bar | | | | | |
|----------------------------|-------------------------------|---|------------|--|--|
| UM2020 | 1982-02 | front and rear Polyurethane | 89.99 set | | |
| Single Ad | Single Adjustable Panhard Bar | | | | |
| UM2029 | 1982-02 | front and rear poly, | | | |
| UM2019 | 1982-02 | center adjustable front and rear poly. | 139.99 set | | |

end adjustable... 119.99 set UM2022 1982-02 front and rear poly. on car adjustable. 180 90 set UM2021 1982-02 frt poly, rr spherical, end adjustable. 110 00 set UM2036 1982-02 frt poly, rr Roto joint,

end adjustable. UM2037 1982-02 frt poly, rr Roto joint, on car adjustable.... 189.99 set Dual Adjustable Panhard Bar

UM2023 1982-02 UM2038 1982-02 spherical ends... ... 159.99 set front and rear Roto joints .. 219.99 set



USA 1984-02 Torque Arm

These torque arms reduce wheel hop caused by excessive flex under hard acceleration and cornering. Fits 10 bolt equipped models with stock torque arm front locator lips facing away from the driveshaft Strong tubular construction and a black powder coated finish offer durability. An adjustable version allows inion angle adjustment without torque arm removal. Includes Grade 8 hardware.

| Note: Ship | ped oversize. | | OS1 |
|------------|---------------|----------------|-----|
| E5280 | 1984-02 | non-adjustable | |
| E5282 | 1984-02 | adjustable | |

C4658



™SA 1982-02 Torque Arm Set

Made with MIG welded 1.25" s. 1.20" DOM (Drawn Over Mandrel) buling with 14" mounting plates, Bolts in, no welding or drilling required! Clears all exhauss. Adjustable rear prinon angle, non-adjustable is preset at 2 degrees. Includes Polyurethane front mounting bushing, Replacement brackets also available. For V8 models only. Important: 1982-84 requires 1985-up clausibell torque arm

Important: 1902-9 requires 1903-up cuansneu torque arm mount. Fits V6 models with I piece driveshaft. Note: Please add color code to part number when ordering: A – red finish, B – hammertone gray finish. DOM, Non-Adjustable, Bolt-In

BX20056 1982-02 V8. 319.99 set

DOM, Adjustable, Bolt-In

BX20057 1982-02 V8. 309.99 set

Chromoly, Adjustable, Bolt-In

BX20058 1982-02 V8. 559.99 set

Trak Pak Set with Crossbrace

BX20268 1982-02 109.99 ca

Replacement Bracket, XTREME Torque Arm Only
BX20269 1982-02 109.99 ca

Replacement Crossbrace for Xtreme and Trak Pak
BX20110 1982-02 179.99 ca



1982-02 Torque Arm Mount Bushing 🗥

These bushings for 1982-02 Firebird models reduce wheel hop in acceleration, prevent shudder under braking and even add greater handling control.

Note: *Lips facing away from driveshaft. **Lips facing toward driveshaft. Must reuse all metal parts. Please add color and to part tumber when and time. P. and

| G - bl | | and man outring. A - rea, | | |
|--------|-------------|---------------------------|----------|--|
| 31110 | 1982-83 | specify color | 21.99 ca | |
| 31111 | 1* 1984-92 | specify color | 21.99 ca | |
| 31112 | 2** 1984-92 | specify color | 21.99 ca | |
| 31111 | 1 1993-02 | specify color | 21.99 ca | |



1982-02 Tunnel Mounted Torque Arm

USA

Tunnel mounted torque arm is designed to work with factory manual and automatic transmissions. It is designed to remove the front mounting point of the torque arm off of the transmission, proceeding the tail shalt from damage. Also works great for transmission wangs when a claimable torque arm is not feasible, when the standard transmission wangs when a claimable torque arm is not feasible. The proceedings of the standard transmission diversafts and can be purchased with or without a front diveshalt floop and with or without a transmission crossmember. Available inted or black powder coated. Recomment. Utsloods handware self- rook rear arm.

Recommend: UM3003 hardware set for stock rear ena Strange or other similar rear ends that use a straight through bolt design.

Note: Please specify: A - red finish, B - black finish.
Shipped oversize.

Without Driveshaft Loop
Crossmember Mount Long Torque Arm Sets
UM2214 1982-92 TH350 and T5...... 479.99 set

| UM2216 | 1982-92 | 700R4 and T5 | 479.99 | set |
|----------|-------------|--------------------|--------|-----|
| UM2218 | 1982-92 | TH400 | 479.99 | set |
| Mid Mour | nt Short Te | orque Arm Sets | | |
| UM2200 | 1993-02 | w/stock Kooks LT's | 469.99 | set |
| UM2202 | 1993-02 | w/long headers | 469.99 | set |
| | With L | Priveshaft Loop | | |
| | | t Long Torque Arm | | |
| | | TH350 and T5 | | |
| UM2217 | 1982-92 | 700R4 and T5 | 529.99 | set |
| UM2219 | 1982-92 | TH400 | 529.99 | set |
| Mid Mour | nt Short Te | orque Arm Sets | | |
| UM2201 | 1993-02 | w/stock Kooks LT's | 519.99 | set |
| UM2203 | 1993-02 | w/long headers | 519 99 | cet |



1982-02 Rear Torque Arm Bolts Arm Bolts This Grade 8 bolt upgrade set is recommended when

installing an aftermatect torque arm on the factory or are and and all similar rear housings that use the long through both design. Includes longer 9/16° Grade 8 both which accommodate the thicker torque arm mounting plates. Factory bolts will work with aftermarket torque arms however they may not have adequate amount of threads which could lead to failure and be unsafe. Made in USA.

Important: *This set will not work with Moser 12 bolt.

UM3003* 1982-02 w/o Moser 12 bolt 29.99 set

UM2098 1982-02 w/Moser 12 bolt 29.99 set



1982-02 Transmission Mounted Adjustable Torque Arm

Eliminate unwanted traction problems and transfer your power to the wheels by adding a UMI Performance adjustable torque arm. This aftermarket torque arm replaces the flimsy weak stock torque arm adding strength, rigidity and eliminating flex. The torque arm is designed to eliminate wheel hop under hard acceleration and reduces 60 foot times instantly. This tubular setup is supplied with a low deflection Energy Suspension front bushing designed to replace the stock rubber bushing and bolts in the existing clamshell. The rear torque arm mount is constructed entirely of 0.375" thick CNC-machined mild steel and is fully MIG welded. This setup features on car adjustability for easy pinion angle adjustments using a 4140 Heat treated adjuster and 3/4" QA1 Rod ends, truly the ultimate arm on the market at the most affordable price! The non-adjustable unit is preset at -2 degrees of pinion angle to ensure best traction and performance from the vehicle, no adjustments need to be made on a stock ride height vehicle. Fits GM 10 bolt rear ends, Moser and Strange 12 bolts as well as most 9" housings. Available in red or black powder coated. Made in USA. Recommend: UM3003 hardware set for stock rear end,

Recommena: 0.00.5005 naraware set for stock rear ena, Strange or other similar rear ends that use a straight through bolt design. This kit however is recommended for the Moser 9".

Important: 1982-84 models require purchase of a 1985 or nower clamshell mount. Requires grinding to fit aftermarket 9' housings. Note: Please add color code to part number when ordering: A – red fmith, B – black fmith. Shipped oversize. Adjustable Torque Arm

UM2205 1982-02

SHISA

BX20182 1993-97

11342002

Non-Adjustable Torque Arm
UM2206 1982-02 289.99 ca

1984-02 Torque Arm Crossmember Ares to trouge arm to the crossmember providing a

Moves the torque arm to the crossmember, providing a stiffer mounting point and preventing broken tail shafts. Features multiple mounting points for "instant center" height adjustments. Mounts using OE mounting holes.

| Note: Please add color code to part number when ordering: A – red finish, B – hammertone gray finish. | | | | | | |
|--|---------|----------------|-----------|--|--|--|
| BX20070 | 1984-92 | TH350/PG | 259.99 ea | | | |
| BX20071 | | TH400 | | | | |
| BX20072 | | 700R4 and 4L60 | | | | |
| BX20073 | | T-5 | | | | |
| BX20074 | | T-56 and M6 | | | | |
| BX20075 | | LT1 w/TH350/PG | 259.99 ca | | | |
| BX20077 | | LT1 w/TH400 | | | | |
| BX20079 | 1993-97 | LT1 w/4L60E | 259.99 ea | | | |

LT1 w/T-56/M6

BX20076 1998-02 LS1 w/TH350/PG 259.99 ca BX20078 1998-02 LS1 w/TH400 259 99 ca 1998-02 LS1 w/4L60E 259.99 ea BX20180 BX20181 1998-02 LS1 w/4L80E 259.99 ca BX20183 1998-02 LS1 w/T-56/M6 259 99 ca







ENERCY





259.99 ea

TEERING,

REAR

END

90

BRAKES

HOTCHKIS MISA. 1968-69 Rear Shock Tower Brace

Reduce unwanted shock tower flex and improve handling and steering response in your Firebird with a bolt-in rear shock tower brace. This precision brace is manufactured from high strength TIG welded steel and finished in gloss black powder coated. Enhances rear end stability and dampens rear end vibrations. Includes all hardware and instructions. Made in USA. 1968-69 177.99 ea

| | | | | HETE | HING. |
|-----|--------|--------|----|------|-------|
| | C::::: | - | 11 | 2 | |
| | | 100000 | _ | - | = |
| ÜSÄ | | | | | 1 |

1967-69 Rear Swav Bar Mount Brace

The Hotchkis performance chassis max sway bar mount brace for 1967-69 Firebird is designed to add much needed rigidity to the chassis and sway bar mounting area. This upgrade to the current Hotchkis rear sway bar package is perfect for the serious track car but practical enough for the daily driver. Fabricated from 1" x 1.5" .120" wall rectangular steel, TIG welded connectors and powder coated gloss black. Made in USA. H1415 1967-69 207.99 69





10672400 ೯೮೮೫ 1967-81 Traction Bar System

Developed by Super Stock champion John Calvert, these traction bars are the answer to "hooking up high horsepower with your leaf spring suspension vehicle. This simple bolt-on set requires no welding or alterations to the stock suspension. CalTracs redirect spring wrap-up force into the front pivot points, transferring weight to the rear of the car. Your car will launch harder with greatly improved 60 foot times, while maintaining correct pinion angle. Opposing threads on the transfer link make preload adjustments simple. Finished in black powder coated, CalTracs are approved by major sanctioning bodies like the NHRA, NMCA and the PSCA. Made in USA.

mportant: Low profiles give an additional 1.5" of ground learance with full preload adjustability.

| Note: Shippe | | | 081 |
|--------------|---------|-------------|------------|
| 14473 | 1967-69 | drag 2 hole | 388.99 set |
| 14478 | 1967-69 | | 388.99 set |
| 10672400 | 1970-81 | | 388.99 set |
| 10672401 | 1970-81 | low profile | 388.99 set |



1967-81 Traction Bars These rugged suspension bars are designed for multi-

leaf spring suspensions. Traction is greatly increased, wheel hop is eliminated, and the rubber snubbers provide a better ride. The simplest way to increase traction on your pavement stomping Firebird! Traction bar rubber snubbers sold separately. Made in USA. Important: Not for use with mono-leaf springs.

| Traction Be | ır | | 0S1 |
|-------------|---------|--------------|------------------------|
| LW21606 | 1967-69 | black | 198,99 pr |
| LW21607 | 1970-81 | black | 198.99 pt 198.99 pt |
| Traction Be | | | |
| LW20530 | 1967-81 | large bumper | 22,99 pr |



28" Universal Traction Bars

These heavy gauge rectangular steel bars strengthen multi-leaf spring rear suspensions and reduce wheel hop. Features MIG welded brackets for extra strength, Includes: rubber snubbers, U-bolts, and installation hardware. Made in USA.

| Vote: Shipped | for use with mono-leaf springs. oversize. | 081 |
|--------------------|--|----------------------|
| LW20470 LW20475 | chromeyellow | 83.99 pr 84.99 pr |
| | | // |

T



USA 1982-02 Traction Bars

I akewood traction action lift bars work with ayle torque to lift and load the chassis. This forces the wheels downward "planting the tires", transferring power to the pavement and eliminating wheel hop for improved traction and straight line launch. These lift bars are engineered for easy bolt-on installation with no welding required. They also feature an adjustable load control strut to allow right of left side suspension pre-load for fine tuning the chassis under various track conditions. Manufactured from heavy gauge square steel tubing to prevent flex or bending and featuring an attractive and durable black powder coated finish to resist corrosion. Includes Polyurethane bushings for positive suspension control and stability, and

| rease muni | gs for easy i | ubrication. | Made III US | 11 |
|---------------|---------------|-------------|--------------|----|
| Note: Shipped | oversize. | | _ | |
| raction Bar | | | 2 0S1 | |
| W21700 | 1982-02 | | 469.99 | pr |





1982-02 Traclinks

Traclinks bolt to the rear axle and control torque. transfer this energy to the tires to increase straight line traction and side bite for corner exit acceleration. They will also reduce brake dive and help eliminate wheel hop. Features an attachment point for a driveshaft safety loop and provides for pinion angle adjustment. Made in USA

| Note: Ship | oped oversize. | | 0S1 |
|------------|----------------|-----------|------------|
| TSC20 | 1982-85 | 5-speed | 556.99 set |
| TSC22 | 1986-92 | 5-speed | 556.99 set |
| TSC23 | 1984-92 | automatic | |
| TSC24 | 1993-02 | 6-speed | 491.99 set |
| TSC26 | 1993-97 | automatic | |
| TSC27 | 1998-02 | automatic | 489.99 set |
| | | | |





1967-69 Coupe Roll Cage USA

This exclusive roll cage design beautifully follows the interior lines of the vehicle. This 4 point roll cage fits coupe models only and does not interfere with the interior comfort. It packages close to the headliner and back window glass. The set is pre-notched to save you time and includes pre-bent rocker panel floor plates, pre-bent trunk floor plates for Mini-tubbed and stock trunk pans. Features a removable crossbar to access the back seat with CNC-machined stainless steel clevis and stainless steel quick release pins. Removable cross bar is 1-5/8' x .120" mild steel tubing. Does not meet NHRA/IHRA requirements due to the removable cross bar. The roll cage is 1-5/8" x .134" mild steel tubing. Welding required.

| NOT For Use with Mini-Tub Set | TRUCK |
|-------------------------------|--------------|
| D11301 1967-69 | 799.99 |
| Use with Mini-Tub Set | |
| | |

DINNER

Rear Suspension



UVI Daybonana

SP67602

Roto Joint Spanner Wrench

These spanner wrenches are used for adjusting and disassembling of roto joins used in all UM Performance control arms and panhard bars. This is CNC-machine for exact tolerance and zine-plated for resistance against corrosion. Over time if the Delrin reace inside the roto joint would wear, the spanner wrench is used to tighten the adjusting ring applying more pressure to the Delrin inside. The spanner werner is also used to disassemble the roto joint for cleaning, inspection, and rebuilding. Made in USA.

| UM0019 panhard bars/control arms | 19.99 ca |
|----------------------------------|----------|
| UM0018 control arms | 19.99 ca |



SKO7O

1967-02 Aluminum and Steel Driveshaft These replacement driveshafts for 1967-02 Firebird

models are complete, balanced and ready-to-install. Featuring 3"diameter .125" wall aluminum tube construction, aluminum weld yokes, steel transmission yoke and U-joints. Designed to be direct replacements for street cars supporting up to 500 HP using street tires.


| Note: Shippe | | | 081 | |
|--------------|------------|---------|--------|----|
| Aluminum | Driveshaft | | 4021 | |
| CF67693 | 1967-69 | TH350 | 459.99 | ea |
| CF67694 | | TH400 | 459.99 | |
| CF6769M | 1967-69 | 4-speed | 489.99 | ea |
| CF82000 | 1982-02 | all | 459.99 | ea |
| Steel Drive | shaft | | | |
| SK67693 | 1967-69 | TH350 | 424.99 | ea |
| SK67694 | 1967-69 | TH400 | 424.99 | ea |
| SK6769M | 1967-69 | 4-speed | 424.99 | ea |
| SK82000 | 1982-02 | all | 464.99 | ea |



1967-69 g-Connector System

Chassisworks tubular steel, subframe connectors and center support connect the front and rear frame rails, then bridge the left and right sides together. Improves chassis rigidity and yields more responsive handling and sharper acceleration. Versions available for leaf spring and g-Bar suspensions (shown) and Chassisworks torque arm system. Allows room for 3' chaust. Parts ship with black powder coated finish.

| Note: OEM s | ubframes re | quire weld-on adapt | er (shown) | Ŀ |
|----------------------|--------------------|--------------------------|-------------------|-----|
| K5901610 K5926610 | 1967-69 1967-69 | g-Bar/leaf torque arm | 988.99 1097.99 | |
| K5903611 | 1067 60 | OFM adapter | 118 99 | set |



1967-81 Driveshaft Loop

| H10000 | 1970-81 | 148.99 ca |
|--------|---------|-----------|
| 202 | | |

Required and approved by all major racing sanctioning

bodies. This universal driveshaft safety loop is fully adjustable to fit most vehicles. The four piece design is manufactured from 1/4" thick, 2" wide mild steel, bright zine-plated and includes all necessary hardware. Made in USA.

Made in USA.
LW18000 zinc-plated...... 51.99 ea



1982-02 Driveshaft Safety Loop

LW18022 1993-02

Specifically designed to fit 1982-02 Firebird models. Easy both-on installation requires no modifications. Both NHRA and HHRA legal. Manufactured from 1/4" thick zinc-plated steel. Complete with mounting hardware and instructions. Made in USA. LW18020 1982-92. 72.99 ea



95.99 ca

₩\$% 1993-02 Driveshaft Safety Loop

Vehicles capable of sub 13 second quarter mile runs will ind themselves unwelcome at most race tracks without a driveshaft safety loop. This NHRA approved loop bolts to the floor pan using existing holes with no drilling or welding required. Tunnel crossbrace is designed with a drop down to accommodate aftermarket exhausts and Y-pipes. Available in Hammertone black or rusted.





Synthetic Gear Oil





ROYAL SEPÜRPLE

Max-Gear Oil

Max-Gear is an ultra tough automotive gear oil. It makes gears run smoother, quieter, cooler and longer without overhauls. Max-Gear is recommended for use in front or rear differentials and manual transmis that specify use of an API GL-5 or GL-4 fluid. All viscosities of Max-Gear are formulated with hypoid friction modifiers necessary for use in clutch or cone type differentials. No additional additives are necessary. RP01300 75W-90 quart.. 18.99 ea RP01301 75W-140 quart. 21.99 ea





ACDelco

Limited Slip Axle Lubricant Additive 🔥











TEERING, BUSPENSION, REAR END & BRAKES

Rear Axie Components

with chrome or aluminun

ifferential cover

TRUCK



1967-81 Complete 12 Bolt Axle Assembly

These extremely durable cast nodular iron 12 both bousings from Moss r Engineering are direct replacements for GM led spring applications featuring gain caps secured by 12° Allen bolts and include perches. Choose from pressed on hall bearings, or OE style C-clips. The complete package includes a 12 both bousing, a post unit of the complete package includes a 12 both bousing, a both consideration of the complete package includes a 12 both bousing, a both consideration of the complete package in the package in the package in the complete package in the complete package in the package in th

Note: Special order only. Shipped truck freight. Mandatory shipping charges apply.

| ı | | A | ssemblies with C-Clip Axles | | |
|---|-----------------------|--------------------|--|---------|----|
| ı | 1310 Series M12100 | | Chrome Differential Cover with Eaton Posi, 30 spline only | 2057.00 | |
| ı | M12100 M12101 | 1967-81 1967-81 | with Truetrac differential, 30 spline only | | |
| ı | | | Chrome Differential Cover | 2901.99 | ca |
| ı | M12102 | 1967-81 | with Eaton Posi, 30 spline only | 5857 99 | ca |
| ı | M12103 | 1967-81 | with Truetrac differential, 30 spline only | 2907.99 | ea |
| ı | | Yoke and I | Performance Differential Cover | | |
| ı | M12104 | 1967-81 | with Eaton Posi, 30 spline only | 3040.99 | ca |
| ı | M12105 | 1967-81 | with Truetrac differential, 30 spline only | 3090.99 | ca |
| ı | | | Performance Differential Cover | | |
| ı | M12106 | 1967-81 | with Eaton Posi, 30 spline only | 3040.99 | ca |
| ı | M12107 | 1967-81 | with Truetrac differential, 30 spline only | 3090.99 | ca |
| ı | | | blies with Pressed Bearing Axles | | |
| ı | | | Chrome Differential Cover | | |
| ı | M12108 | 1967-81 | with Eaton Posi, 30 spline | 3017.99 | ca |
| ı | M12109 | 1967-81 | with Truetrac differential, 30 spline | | |
| ı | M12110 | 1967-81 | with Truetrac differential, 33 spline | | |
| ı | M12111 | 1967-81 | with Eaton Limited Slip Posi, 33 spline | 3049.99 | ca |
| ı | | | Chrome Differential Cover | | |
| ı | M12112 | 1967-81 | with Eaton Posi, 30 spline | 3017.99 | |
| ı | M12113 | 1967-81 | with Truetrac differential, 30 spline | 3068.99 | |
| ı | M12114 | 1967-81 | with Truetrac differential, 33 spline | 3093.99 | |
| ı | M12115 | 1967-81 | with Eaton Limited Slip Posi, 33 spline | 3049.99 | ca |
| ı | | Yoke and I | Performance Cover | | |
| ı | M12116 | 1967-81 | with Eaton Posi, 30 spline | 3200.99 | |
| ı | M12117 | 1967-81 | with Truetrac differential, 30 spline | 3250.99 | |
| ı | M12118 | 1967-81 | with Truetrac differential, 33 spline | 3276.99 | |
| ı | M12119 | 1967-81 | with Eaton Limited Slip Posi, 33 spline | 3232.99 | ca |
| ı | | Yoke and I | Performance Cover | | |
| ı | M12120 | 1967-81 | with Eaton Posi, 30 spline | 3200.99 | |
| ı | M12121 | 1967-81 | with Truetrac differential, 30 spline | 3250.99 | |
| ı | M12122 | 1967-81 | with Truetrac differential, 33 spline | 3276.99 | |
| ı | M12123 | 1967-81 | with Faton Limited Slip Poci 33 coline | 3232.00 | 00 |

12 Bolt Housing and Axle Package

If you're not looking for a 12 bolt axle and feel like tackling your own differential setup, try the housing and axle package. The package includes a Moser newly cast nodular iron housing, custom alloy axles (30 spline), ball bearings, heavy-duty retainer plates and 7/16' or 1/2' wheel studs.

| Note: Specia | l order, must be prepaid. Shipped truck freight. | |
|--------------|--|------------|
| | xles with C-Clips | TRUCK |
| M12163 | 1967-69 | 1525.99 ea |
| M12164 | 1970-81 | 1525.99 ea |
| 30 Spline A | xles with Pressed Bearings | |
| M12124 | 1967-69 | 1685.99 ea |
| M12125 | 1970-81 | 1685 99 ca |



Moser Compatible Wilwood Disc Brakes

Classic Industries* has worked with Wilrocot to design brake sets to work with the Moor I 2 but also assemblies that are sold through Classic Industries. These will be setup with the correct offset and center register (the diameter of the center flags) of the act where the rotor is installed, Sets include; either Forged Dynalie brakes (black or red calipers) and 12° rotors (standard or drilled and slotted); or Superlite 48 lgs Brake 13° rotors (standard or drilled and slotted); or Superlite 48 lgs Brake 13° rotors (standard or diffield and slotted); and have parking pbrakes. Offset is 2.81° except for 1409315-D-DR which has a 2.75° offset; and all have 2.78° center register.

Important: 1409215-D-DR are not designed for use with staggered shocks, factory shock mount must be moved inboard to clear caliper.

| mount must be me | vea тована во | сиси сищет. | | _ | |
|-------------------|--|----------------|---------------|-------------|--|
| Note: Special ord | Note: Special order. Shipped overweight. | | | | |
| ٨ | loser Rea | r Axle Part #I | M12100-M12107 | | |
| Rear Mounted | | | | | |
| 1407141 | Dynalite | black caliper | 12" HP rotor | 933.99 set | |
| 1407141D | Dynalite | black caliper | 12" SRP rotor | 1058.99 set | |
| 1407141DR | Dynalite | red caliper | 12" SRP rotor | | |
| 14012964 | Superlite | black caliper | 13" GT rotor | | |
| 14012964D | Superlite | black caliper | 13" SRP rotor | 1947.99 set | |
| 14012964DR | Superlite | red caliper | 13" SRP rotor | 1947.99 set | |
| Staggered Mou | nted | | | | |
| 1409315 | Dynalite | black caliper | 12" HP rotor | 964.99 set | |
| 1409315D | Dynalite | black caliper | 12" SRP rotor | 1089.99 set | |
| 1409315DR | Dynalite | red caliper | 12" SRP rotor | 1089.99 set | |
| 14010908 | Superlite | black caliper | 13" GT rotor | 1822.99 set | |
| 14010908D | Superlite | black caliper | 13" SRP rotor | 1947.99 set | |
| 14010908DR | Superlite | red caliper | 13" SRP rotor | 1947.99 set | |
| Λ | loser Rea | r Axle Part #I | M12108-M12123 | | |
| Rear Mounted | | | | | |

| 1409315DR | Dynalite | red caliper | 12" SRP rotor | 1089.99 set | | |
|-------------------|-----------|---------------|---------------|-------------|--|--|
| 14010908 | Superlite | black caliper | 13" GT rotor | 1822.99 set | | |
| 14010908D | Superlite | black caliper | 13" SRP rotor | 1947.99 set | | |
| 14010908DR | Superlite | red caliper | 13" SRP rotor | 1947.99 set | | |
| Λ. | loser Rea | Axle Part #I | M12108-M12123 | | | |
| Rear Mounted | | | | | | |
| 1407578 | Dynalite | black caliper | 12" HP rotor | 964.99 set | | |
| 1407578D | Dynalite | black caliper | 12" SRP rotor | 1089.99 set | | |
| 1407578DR | Dynalite | red caliper | 12" SRP rotor | 1089.99 set | | |
| 1409215 | Superlite | black caliper | 13" GT rotor | 1822.99 set | | |
| 1409215D | Superlite | black caliper | 13" SRP rotor | 1947.99 set | | |
| 1409215DR | Superlite | red caliper | 13" SRP rotor | 1947.99 set | | |
| Staggered Mounted | | | | | | |
| 14010918 | Dynalite | black caliper | 12" HP rotor | 964.99 set | | |
| 14010918D | Dynalite | black caliper | 12" SRP rotor | 1089.99 set | | |
| 14010918DR | Dynalite | red caliper | 12" SRP rotor | 1089.99 set | | |





1967-02 Driveshaft II-Joint

If your Firebird has annoying vibrations and noise, you may need to replace your driveshaft universal joints. Restore smooth operation of your drivetrain with high-quality replacement U-Joints, complete with clips or snap rings for installation.

1967-68 with inside snap rings.....

| 369 | 1988-92 | with aluminum shaft | 12.99 ea |
|---------|---------|-------------------------|----------|
| Rear | | | |
| 355 | 1967-68 | with inside snap rings | 19.99 ca |
| 372 | 1988-92 | with aluminum shaft | 29.99 ea |
| Front/F | Rear | | |
| 369 | 1967-68 | with outside snap rings | 12.99 ca |
| 369 | 1969-75 | with outside snap rings | 12.99 ea |
| 534G | 1976-81 | with inside snap rings. | 12.99 ea |
| 534G | 1982-84 | with inside snap rings | 12.99 ea |
| 331 | 1982-84 | with outside snap rings | 16.99 ea |
| 534G | 1985-87 | with inside snap rings. | |
| 534G | 1988-92 | with steel shaft | 12.99 ea |
| 534G | 1993-02 | with inside snap rings | 12 99 ca |

534G

Rear Axie Components



9" Housing and Axle Set USA Currie 9" housing and axle Package for 1967-92

Firebird models are built to match the vehicles stock axle width, pinion offset, suspension mounting locations and wheel bolt pattern for a straightforward hassle-free installation. American-made housings features 3" diameter axle tubes and CNC-machined face flange, for a flat leak-free seal. Sets include: Currie 9* housing, billet housing ends Currie Currie 9" housing, billet housing ends, Currie performance 31 spline 1541 alloy axles with 5 x 4-3/4" bolt pattern, tapered axle bearings, bearing retainers and spring perches when applicable. Made in USA.

Important: Housing and Axle Packages require a 9* third member assembly and compatible brake package to complete the rear end. Requires assembly of components prior to installation.

| Note: Shippe | *102X | | | |
|--------------|---------|-----------------|---------|-----|
| A9591311 | 1967-69 | mono-leaf | 1399.99 | set |
| A9591312 | 1967-69 | multi-leaf | 1399.99 | |
| A9592312 | 1970-81 | all | 1399.99 | set |
| A9593312 | 1982-92 | with torque arm | 2149.99 | set |



9" Rear Fnd Ail Service/Install Kit

Currie 9" rear end oil service/install kit contains: three 1 liter (1.06 quart) bottles of Currie 85-140 weight GL-6 racing gear oil, 9" third member gasket, set of 10 nylock nuts and aluminum crush washers CE9015



All 3rd Members Include:

- Nodular Iron "Sportsman" Gear Case w/3.062" Bore
- Nodular Iron Big Bearing Pinion Support
 Nodular Iron 1330 Series Short Yoke New Ring and Pinion in These Ratios: 3.00, 3.50,
- 3.70, or 4.11 Timken Bearings and Performance Oil Seals
 Professionally Setup, Ready-to-Install
- TwinTrac 9" 3rd Member

These are built and ready-to-install in your 9" rear end. The Currie TwinTrac is a helical gear style

performance differential that maximizes wheel traction and enhances driving and handling characteristics. The TwinTrac operates as a standard or open differential under normal driving conditions, allowing one wheel to spin faster or slower as necessary. Operation of the TwinTrac is smooth, quiet and automatic. The unit will engage without any driver knowledge or action required. It also has no wearable parts and requires no maintenance, meaning less time in the garage and more on the road

| CE932F | 31 spline | 4.11 ratio | 1696.99 ea |
|--------|-----------|------------|------------|
| CE932D | 31 spline | 3.70 ratio | 1696.99 ea |
| CE932C | 31 spline | 3.50 ratio | 1696.99 ea |
| CE932A | 31 spiine | 3.00 rano | 1090.99 ca |

P. WERTRAX



1967-00 Positive Locking Differential

These new positive locking differentials are a breakthrough in differential technology that prevents wheel "spin-up and delivers extreme traction with smooth, silent efficiency, while providing full differential operation! The Lock Right system is a rugged, simple design that replaces the existing spider gears with a pair of Lock Right driver and coupler gears in your stock open differential assembly. Requires no special tools, calibration equipment or fixtures, or extra modification because the ring and pinion gears are unaffected. Designed for fail safe operation and manufactured from ultra resilient, heat tempered steel alloys for maximum toughness. Note: Not for use with Positraction or Limited-Slip

differentials, use in stock, open differentials only. 10 Polt 28 Spling Ayle

| | 1971-81 | 8.5" ring gear | 361.99 | ca |
|-------------|-----------|------------------|--------|----|
| LR1931 | 1990-00 | 7.625" ring gear | 439.99 | ca |
| 12 Bolt, 36 | Spline Ax | le | | |
| LR1910 | 1967-70 | 8.875" ring gear | 369.99 | ca |
| 10 Bolt, 26 | Spline Ax | le | | |
| LR1930 | | 7.5" ring gear | 490.99 | ca |
| LR1932 | 1985-89 | 7.625" ring gear | 488.99 | ca |
| | | | | |



USA 1967-02 Limited-Slip Differential

Auburn Gear's High-Performance Series limited-slip differentials deliver more traction and faster engagement than OEM units for controlled power transfer and fast reaction to changing load conditions and provide smooth torque sensing operation with bias ratios to meet your performance needs. This superior performance is achieved through an innovative cone clutch design which transfers more power to the high traction wheel for quick acceleration and tight cornering. Compatible with ABS and electronic controls. Important: Check your axle before ordering to be sure

which one you have. There are codes stamped on the axle housing for identification.

Note: *C lock axle. **Accepts tone ring for ABS applications. 8.2" 10 Bolt - Pontiac Axle 27 Tooth Pinion Spline 5420114 1967-71 2.93-3.23-28 teeth 387.99 ea 5420113 1967-71 3.36/up-28 teeth.... 383.99 ea 8.5" and 8.6" 10 Bolt - GM Axle

542018 1971-88 2.73/up-28 teeth.... 574.99 ea 542022 1989-02 2.73/up-30 teeth.... 401.99 ea 8-7/8" 12 Bolt - 4 Series Case

5420104* 1967-72 4.10/up-30 teeth.... 409.99 ea 8-7/8" 12 Bolt - 3 Series Case

5420106* 1967-72 3.07-3.73-30 teeth 561.99 ea 7-1/2" and 7-5/8" 10 Bolt - GM Axle

542057 1976-88 3.23/up-26 teeth... 542058 1976-88 3.08/down-26 teeth 564.99 ea

542040** 1988-02 3.23/up-28 teeth... 401.99 ea 542041** 1988-02 3.08/down-28 teeth 414.99 ea





Rear Axle/Transmission Ventilator 🔥 OER® reproduction of the ventilator used by GM on a multitude of applications from the 1950's thru today's

vehicles and trucks. Uses include the rear axle housing, automatic transmissions and fuel tank evaporator cannisters that have a 3/8" hole for a ventilator. 7/16" Diameter - GM 1236317 1971-92 9.99 ca





USA Angle Finder

Checks angles from 0 to 90 degrees. Accurate to 0.5 degrees. Magnetically attaches for easier reading. This is a must tool when determining pinion angle when installing new rear suspension parts. Made in USA. 1967-02 UM3007 16 99 ca











BRAKES REAR END & SCBPENBION,

Rear Axie Components



USA 1967-02 C-Clin Axles

Moser offers forged steel street axles for 10 and 12 Bolt Chevrolet rear ends. These forged axles are non-tapered, with hardened bearing seats and machined C-clip grooves to fit OE applications.

| Note: "With | o cnannei AE | S. With 4 channel ABS. | | |
|--|--------------|------------------------|--|--|
| | 10 E | Bolt Axles | | |
| 29-1/2" Lo | ng | | | |
| M12131 | 1967-69 | 28 spline 318.99 pr | | |
| M12132 | 1967-69 | 30 spline 318.99 pr | | |
| 30-1/16" L | ong | | | |
| M12134 | 1970-81 | 28 spline 318.99 pr | | |
| M12135 | 1970-81 | 30 spline 318.99 pr | | |
| 30-5/16" L | ong | | | |
| M12137 | 1982-92 | 26 spline 318.99 pr | | |
| M12138 | 1982-92 | 28 spline 318.99 pr | | |
| 32" Long Diagonally from Edge of Flange to Tip | | | | |
| M12139* | | 28 spline 318.99 pr | | |
| M12140** | 1993-02 | 28 spline 361.99 pr | | |
| | 12 E | Bolt Axles | | |

| | | i | | |
|------------|---------|-----------|--------|---|
| 29-1/2" Le | | | | |
| M12133 | 1967-69 | 30 spline | 318.99 | p |
| 30-1/16" 1 | ong | | | |
| M12136 | 1970-81 | 30 spline | 318.99 | p |
| | | | | |



1993-02 Rear Axle Shaft

Replace your bent or broken axle shafts with highquality Genuine GM replacement axles. Each will replace the LH or RH axle.

Wish Book D

| | With near Drum Brakes | , |
|----------|---------------------------------|-----------|
| | nited-Slip without Traction Con | |
| G4654 | 1993-02 | 476.99 ca |
| Without | Limited-Slip Differential | |
| G4655 | 1993-02 | 296.99 ca |
| | With Rear Disc Brakes | |
| With Lin | nited-Slip without Traction Con | trol |
| G4654 | 1993-96 | 476.99 ca |
| G4655 | 1997 | |
| G4657 | 1998-02 | 464.99 ea |
| Without | Limited-Slip Differential | |
| | 1993-97 | |
| G4657 | 1998-02 | 464 99 ca |

With Limited-Slip with Traction Control



305 99 ca

1970-02 Rear Axle Repair Bearing 🔔

Replacement rear axle repair bearings for 1970-02 Firebird models. This axle repair bearing is a sealed, self-contained, pre-lubed unit, ideal for when damage has occurred to the axle shaft from a worn out bearing.

DIFFERENTIAL PARTS

| Note: This | should be co | onsidered a temporary fix. | |
|------------|--------------|----------------------------|---------|
| W1563 | 1970-81 | 8-1/2" | 19.99 c |
| W1563 | 1982-84 | 7-1/2" | 19.99 e |
| W1563 | 1985-02 | 7-5/8" | 19.99 e |





1967-02 Rear Axle Bearing

Prevent premature bearing or brake failure! Premium replacement bearings and seals for 1967-02 Firebird models. Fits LH or RH side of the vehicle.

| W508 W507 W507 WB90 W507 | 1967-69 1970-81 1982-84 1985-91 1985-02 | w/8-1/2" ring gear w/7-1/2" ring gear | 24.99 ea 17.99 ea 17.99 ea 28.99 ea 17.99 ea |
|--------------------------------------|---|--|--|
| | - | | |



1967-02 Rear Axle Bearing Seal

Prevent premature bearing or brake failure! Premium replacement bearings and seals for 1967-02 Firebird models. Fits LH or RH side of the vehicle.

| W8594 | 1967-69 | 2.575" | 9.99 ca |
|-------|---------|-------------|----------|
| W8660 | 1970-81 | 8-1/2" | 4.99 ca |
| W8660 | 1982-84 | 7-1/2" | 4.99 ca |
| W2242 | 1985-91 | 7-3/4" - LH | 7.99 ca |
| W7102 | 1985-91 | 7-3/4" - RH | 14.99 ca |
| W8660 | 1985-02 | 7-5/8" | 4.99 ca |



PARTS

1967-81 Axle Shaft Lock Genuine GM replacement axle shaft locks for 1967-

81 Firebird models with .150 horseshoe. 2 required. G6045 1967-81 .. 5.99 ca



Pinion Gear Crush Sleeve

Your choice of Genuine GM 8-1/2" 10 bolt sleeves or 8-7/8" 12 bolt sleeves. Keep your GM vehicle all GM by using OEM genuine parts. 10 bolt 8-1/2" 2.99 ca 8-7/8"

12.99 ea (i) masen

Main Can Stud Set USA

12 holt

Reduce unwanted movement inside the rear end and increase strength with a high-quality main cap stud set Includes: 4 study 4 nuts, and 4 washers

10 Bolt and 12 Bolt Chevrolet M12146 53 99 set 12 piece



Bearing Set for 10 and 12 Bol A set designed to replace the bearings on Firebird models. Includes: the gasket, washers, nuts, and other assorted items for a complete replacement.

R10CR 10 bolt.....

R120

| .K 12 boit | /0.99 set |
|------------|-----------|
| | • :::::: |
| | 00000 |
| | 0000 |
| 0000 | 0000 🛦 |

12 Bolt Ring and Pinion Installation Set

Replacement set includes 12 bolt gasket and installation washers, etc. For use with 12 bolt design. GG088100 12 bolt...



12 Bolt Ring and Pinion Set Includes: 12 bolt, 8-7/8" ring gear and pinion includes ring and pinion only (not a set). For a complete assembly

also purchase 12 bolt ring and pinion shim set. Note: Classic Industries® recommends professional installation. All ring and pinion sets are nonreturnable with no warranty implied





1978-81 Ten Bolt Ring and Pinion Set 🗥

Replace your worn out ring and pinion gears with new replacements. 10 bolt set includes: 8-1/2" ring and pinion, all carrier and pinion bearings, seals, differential gasket, pinion shim kit, ring gear bolt, crush sleeve, pinion nut.

Note: Classic Industries® recommends professional installation. All ring and pinion sets are non-returnable with no warranty implied. GM10411MKT 4.11 ratio. 351 99 set





| Aftermark | et replacem | ent shim set includes | the con | rect |
|------------|-------------|------------------------|---------|------|
| size shims | for 10 bolt | or 12 bolt application | ns. | |
| GM10SK | 10 bolt | 8-1/2" | | |
| GM12SK | 12 bolt | 8-7/8" | 4.99 | set |

G4656 1998-02



Rear Axie Components



Reproduction - Chrome T4787

1967-81



.. 36.99 ca

40500575 FW577

1967-02 Differential Cover Reproduction or Genuine GM differential covers for

| 1967-02 models. Choose unfinished, black, or chrome. | | | | | |
|--|-------------|---------------|----------|--|--|
| | 1 | 0 Bolt | | | |
| Reproductio | | | | | |
| | | all | | | |
| T9072 | 1982-92 | all | 32.99 ea | | |
| Reproductio | n – Black | | | | |
| | | all | | | |
| A9500575 | 1993-02 | V6 | 48.99 ca | | |
| Genuine GA | M - Unfinis | hed | | | |
| G7123 | 1982-84 | all | 31.99 ea | | |
| G7123 | 1985-92 | with 7-5/8" | 31.99 ea | | |
| 12 Bolt | | | | | |
| | | w Steel Style | | | |
| KW577 | 1967-81 | all | 37.99 ea | | |



Performance Differential Cover

Strengthen your 10 or 12 bolt Chevrolet rear with a Moser Performance Cover. These 356-T6 aluminum covers are designed to reduce gear deflection to increase ring and pinion gear life as well as improve the appearance of your vehicle. The whole cover weighs only 6 lbs and includes all bolts, washers, and gaskets needed. 10 B-4 B:-- C---

| M12143 M12144 | | 199.99 ea 199.99 ea |
|-------------------|-------------------|------------------------|
| 12 Bolt M12145 | vehicle axle 7110 | 199 99 69 |



Aluminum Differential Cover

B&M cast aluminum rear end cover was designed to strengthen the rear end by preventing case distortion. Constructed of A356.0-T6 aluminum, this rugged unit also dissipates heat much faster than the stock factory unit to prolong the life of your ring and pinion gears. Features an engraved B&M logo, added fluid capacity for better cooling, magnetic drain plug for catching ferrous metal particles, and complete hardware.

| Note: **10 bolt. | *12 bolt. | | |
|------------------|-----------|-----------|-----------|
| A9800121** | 8.2"/8.5" | ring gear | 224.99 ea |
| | | | |





1967-69 Rear Fnd Cover Set

Correct reproduction 10 bolt bare steel rear end cover for 1967-69 Firebird models with 10 bolt Pontiac rear

end. Includes gasket and bolt set. F82650 1967-69 10 bolt .. 54.99 set



1967-91 Differential Cover Gasket

Reproduction or Genuine GM differential cover gaskets for 1967-91 models.

| | , | | |
|---------|---------|---------|----------|
| | | 10 Bolt | |
| Reprodu | ection | | |
| | 1967-87 | 8-1/5" | 5.99 ca |
| T9052 | 1967-69 | BOP | 6.99 ca |
| T4353 | 1985-91 | 7-3/4" | 9.99 ea |
| Genuine | : GM | | |
| G7119 | 1971-81 | 8-1/2" | 18.99 ea |
| | | 12 Bolt | |
| Reprodu | ection | | |
| T4352 | 1967-81 | 8-7/8" | 8.99 ea |
| | | | 04 |

1967-89 Rear Axle Lubrication Tag 🔥 Reproduction rear axle i.d. tag which is installed on

1967-89 Firebird models indicating the correct limitedslip lubrication requirement. 363730 1967-89 5.99 ca



Differential Fill Plugs and Tags Reproduction of the original positraction differential

fill plug used on vehicles equipped with either a 10 bolt or 12 bolt positraction differential. Available in either 3/4" or 1" pipe thread plugs. Fill Plugs 14315 14316



1991-02 Rear Axle Housing Drain Plug Correct plug which is removed when draining or filling

the rear axle lubricant 1991-02 1/2* G7128



Differential Cover FilterMag

FilterMag's powerful rare earth magnets trap and hold metal particles smaller than 40-microns down to 1-micron. The magnetic force holds FilterMag to steel covers, is reusable, and will extend the life of your oil. FilterMags are also available for engine oil filters and steel automatic transmission pans. FDM101 2.0" x 1.25"... 31 99 ca



attach the differential cover to the differential. These bolts feature the correct head markings. 5/16*-18 x 1* 10 or 12 bolt 2.99 ca



Stainless Steel Rear End Cover Bolt Set Enhance your GM 10 or 12 bolt rear end with ARP's

stainless steel rear cover bolts. These precision machined 170,000 psi bolts are much stronger than stock (or even Grade 8) hardware and will not rust! Includes twelve 12 point stainless steel flanged bolts and washers AR43732 10 or 12 bolt ... 22 99 set

Rear Fnd Cover Rolt Set

High-quality Hex head bolts in your choice of chromeplated or polished stainless steel. Available for both 10 and 12 bolt applications.

| Chrome | | | |
|-----------|---------|-------|-----|
| AK125A | 10 bolt | 21.99 | set |
| AK126A | 12 bolt | 24.99 | set |
| Stainless | | | |
| AK125B | 10 bolt | 36.99 | set |
| AK126B | 12 bolt | 41.99 | set |
| | | | |











Fill Plug Tags

14406 14407



m COPENSION, REAR END 90 BRAKES

Š

m

Disc Brake Conversion Sets





1967-69 Four Wheel Disc Brake Conversion Set

Upgrade all four wheels with disc brakes in one convenient set! Sets include: rotors (plain or drilled and slotted), spindles (stock or 2" drop), cast iron single piston calipers and pads (plain or black powder coated), master cylinder, 11" booster (optional), splash shield, mounting brackets, hardware, and hoses.

te: Shipped double oversize Standard Conversion Sets — Features plain rotors, plain calipers and rubber hoses.

| Manual Disc | | | | | | |
|-----------------------|---------|-------------|-------------|--|--|--|
| Vith Stock Spindles | | | | | | |
| RS900133 | 1967 | w/o booster | 1095.99 set | | | |
| RS900139 | 1968-69 | w/o booster | 1095.99 set | | | |
| Vith 2" Drop Spindles | | | | | | |
| RS900136 | 1967 | w/o booster | 1164.99 set | | | |

1968-69 w/o booster.... 1164.99 set RS900142 Power Disc With Stock Spindles RS900107 1967 11" booster 1187.99 set 11" booster 1187.99 set RS900113 1968-69 With 2" Drop Spindles RS900110 1967

11" booster 1250.99 set RS900116 1968-69 11" booster 1250.99 set Performance Conversion Sets -Features drilled and slotted rotors, black powder coated

calipers and braided stainless hoses Manual Disc With Stock Spindles RS900134 1967 w/o booster.... 1369.99 set

| RS900140 | 1968-69 | w/o booster | 1369.99 | SC |
|--------------|-------------|-------------|---------|----|
| With 2" Dro | op Spindles | | | |
| RS900137 | 1967 | w/o booster | 1437.99 | se |
| RS900143 | 1968-69 | w/o booster | 1437.99 | sc |
| | Pov | ver Disc | | |
| With Stock S | | | | |
| RS900108 | | 11" booster | | |
| RS900114 | 1968-69 | 11" booster | 1460.99 | sc |
| With 2" Dro | op Spindles | | | |
| RS900111 | 1967 | 11" booster | 1523.99 | se |

1968-69 11" booster 1523.99 set

Includes chrome master cylinder, chrome power RIGHT booster and chrome proportioning valve. 00000 IIII OOOOOOTANNE



Performance Dress-Up Sets Include:

- Chrome Master Cylinder
 Spindles Stock or 2" Drop
- Drilled/Slotted 11" Rotors
- Cast Iron Black Calipers and Pads 2.85" Front Single Piston
- Braided Stainless Flex Hoses Splash Shields Mounting Brackets and Hardware
- · Parking Brake Cables
- Power Booster (optional) 15* Minimum Wheel Diameter

1967-69 Dress-Un 4 Wheel Disc Brake Conversion Set 🔥

RS900115

Upgrade all four wheels with disc brakes in one convenient set! Sets include: rotors drilled and slotted rotors, spindles (stock or 2" drop), cast iron single piston black powder coated calipers and pads, chrome master cylinder, chrome 8" power booster, chrome proportioning valve and mounting bracket, splash shield, caliper mounting brackets, hardware, and hoses. Note: Shipped double oversize

 Performance Dress-Up Sets — Manual Disc

| RS900135 | 1967 | w/o booster | 1432.99 set |
|--------------|------------|-------------|-------------|
| RS900141 | 1968-69 | w/o booster | 1432.99 set |
| With 2" Dro | | | |
| RS900138 | 1967 | w/o booster | 1495.99 set |
| RS900144 | 1968-69 | w/o booster | 1495.99 set |
| | Pov | rer Disc | |
| With Stock 5 | | | |
| RS900109 | 1967 | 8" booster | 1551.99 set |
| RS900115 | 1968-69 | 8" booster | 1551.99 set |
| With 2" Dro | p Spindles | | |
| RS900112 | 1967 | 8" booster | 1614.99 set |
| RS900118 | 1968-69 | 8" booster | 1614.99 set |
| | | | |

Braking Performance without Breaking Your Budget? Better Get the Right Stuff!





Standard Sets Include:

- Plain 11" Rotors Cast Iron Plain Caliners
- Rubber Hoses
- 11" Cad-Plated Power Booster (optional)
- Performance Sets Include: Drilled/Slotted 11" Rotors
- Cast Iron Black Calipers
- Braided Stainless Flex Hoses
- 11" Cad-Plated Power Booster (optional)

Performance Dress-Up Sets Include:

- Drilled/Slotted 11" Rotors
- Cast Iron Black Calipers
- Braided Stainless Flex Hoses

With

RS9

RS9

With

RSO

RS9

RS

RS900104

- Chrome Master Cylinder
- Chrome Prop Valve and Mounting Bracket 8" Chrome Power Booster (optional)

1967-69 Front Disc Brake Conversion Set Looking to convert your Firebird to disc brakes? These

sets include rotors, master cylinder, proportion valve and brake booster. Your choice of a basic setup with plain rotors and rubber hoses, a performance setup with cross drilled and slotted rotors and black powder coated calipers. A dress-up set is also available as an upgrade to the performance set, adding a chrome master

cylinder (and chrome booster on power brake systems). Note: Shipped oversize. Standard Conversion Sets

| | Manual Disc | | | | | |
|---------|-------------|-------------|------------|--|--|--|
| Stock ! | Spindles | | | | | |
| 00127 | 1967-69 | standard | 656.99 set | | | |
| 00128 | 1967-69 | performance | 799.99 set | | | |
| 00129 | 1967-69 | dress-up | 862.99 set | | | |
| 2" Dre | p Spindles | • | | | | |
| 00130 | 1967-69 | standard | 714.99 set | | | |
| 00131 | 1967-69 | performance | 855.99 set | | | |

sci

cet set

set

700 00 set

| RS900132 | 1967-69 | dress-up | 912.99 |
|--------------|------------|-------------|--------|
| | Pov | ver Disc | |
| With Stock 3 | Spindles | | |
| RS900101 | 1967-69 | standard | 759.99 |
| RS900102 | 1967-69 | performance | 890.99 |
| RS900103 | 1967-69 | dress-up | 987.99 |
| With 2" Dro | p Spindles | | |

1967-69

standard RS900105 1967-69 941.99 set performance .. RS900106 1967-69 1039 99 set dress-up...

RS900117

Disc Brake Conversion Sets

Already have a new master cylinder and honster? This set is for you?



1967-69 11" Rrake Basic Front Disc Brake Conversion 🔥

Each set includes: 11" rotors, single piston cast iron caliners, organic brake pads, caliner brackets, flex hoses, and necessary hardware. 2" drop sets include 2 drop spindles. Plain sets include rubber fley bases and sets with cross drilled and slotted rotors include black powder coated calipers and braided stainless flex hoses. Note: Shipped oversize.

| | | | _ |
|------------|----------|----------------|-------|
| | With 11" | Plain Rotors | |
| With Stock | Spindles | | |
| RS900145 | 1967-69 | plain calipers | 542.9 |

.99 set With 2" Drop Spindles RS900150 1967-69 plain calipers... 605.99 set

With 11" Drilled/Slotted Rotors With Stock Spindles 1967-69 black caliners .. 685.99 set RS900146

With 2" Drop Spindles RS900151 1967-69 black calipers .. 747.99 set

13" Rotors and Dual Piston Caliners



R\$900147G





Each set includes: 13"cross drilled and slotted zincplated rotors, 2 piston aluminum calipers, ceramic brake pads, caliper mounting brackets, braided stainless steel flex hoses, and necessary hardware. Fits OE drum and

| Note: Shipped o | | | € 0\$1 |
|-----------------|-----------|----------------|---------------|
| With 1 | 3" Drille | d/Slotted Ro | otors |
| With Stock Sp | | | |
| RS900147G | 1967-69 | black calipers | 948.99 set |



1967-81 Black Out

A9500112

Front Disc Brake Conversion Set 🔥 Update 1967-81 Firebird front brakes with this POI.

Black Out disc brake set. Includes 11" black zinc coated drilled and slotted rotors, black powder coated D52 calipers, spindles, backing plates, and stainless steel brake hoses.

With Stock Spindles LH and RH 537.99 set A9500111 1967-69 With 2" Drop Spindles A9500112 1967-69 LH and RH 711.99 set Δ9500113 1970-78 I H and RH 700 99 set A9500114 1979-81 LH and RH. 709.99 set



IIIIIIII 1967-81 Rear Disc Brake Conversion Set

Rear disc brake conversion sets for 1967-81 models with 10 bolt or 12 bolt rear axle With 11" Plain Rotors

These sets include: 11" rotors, cast iron 1 piston fully loaded calipers, caliper mounting brackets, rotors, flex hoses, hardware, and a pair of rear cables. Available without the parking brake and cables. Note: Shipped oversize.

| With Park | ing Br | ake | | 4 | R. |
|-----------|---------|----------|-----------|--------|----------|
| RS90012 | | 067 | | 52 | 1.99 set |
| RS90012 | | 068-69 | | | |
| RS900123 | 2 15 | 70-74 | | 521 | 1.99 set |
| RS90012 | 3 19 | 75-81 | | 52 | 1.99 set |
| Without I | Parking | Brake/Ca | bles | | |
| RS900124 | 4 15 | 967 | | 421 | 1.99 set |
| RS90012: | 5 15 | 968-81 | | 42 | 1.99 set |
| Wit | h 12" | Drilled/ | Slotted | Roto | rs |
| Includes: | caliper | mounting | brackets, | loaded | single |

piston aluminum calipers with integrated parking brake, ceramic brake pads, 12" cross drilled and slotted zinc-plated rotors, braided stainless steel flex hoses, hardware, and a pair of stainless steel rear cables. Available with black or red powder coated calipers.

| Note: Snippea o | versize. | - |
|-----------------|----------|-----------|
| Black Caliper | 5 | 081 |
| RS900148G | 1967 | 827.99 se |
| RS900149G | 1968-69 | 827.99 se |
| Red Calipers | | |
| RS900148R | 1967 | 827.99 se |
| RS900149R | 1968-69 | 827.99 se |



1967-69 12" Rotor Drop Spindle Set

Want big brake performance in a drop spindle set without using large wheels? These sets work with 15" disc brake wheels and provides a 2" drop to maintain the original steering geometry. Includes: drop spindles, 12" one piece rotors, loaded calipers, bearings, seals, brake hoses, and mounting hardware. portant: Moves wheels out 7/16" from drum brake offset.

Maximum backspace 4-3/8". Note: Shipped overweight. With Plain Rotors - Rubber Hoses

BK2038 1967-69 LH and RH... 504 99 set With Cross Drilled/Slotted Rotors - Stainless Hoses BK2038D 1967-69 LH and RH..... 604.99 set COO 13" Rotors





1967-69 Big Brake Conversion Set

This big brake system uses twin 52mm piston calipers to grab massive cross drilled and gas slotted rotors to provide a 60% increase in stopping over the popular C5 caliper. Front sets are compatible with stock drum brake spindles and include 13^b rotors, calipers, hoses, bearings, seals, mounting brackets, and hardware. Rear sets include 12" rotors, calipers, mounting brackets, hoses, wheel studs, hard lines, E-brake cables, and hardware. The 4 wheel set includes a 4 wheel disc manual/power master cylinder and proportioning valve. Caliners are available with a black rust inhibitive coating or powder coated red.

Note: Requires 17" or larger disc brake wheels Shipped overweight. Front Only 1967-69 black ..

| BB4013R | 1967-69 | red | 959.99 | sc |
|--------------|---------|-------|---------|----|
| Rear Only | | | | |
| BB4014 | 1967 | black | 794.99 | se |
| BB4014R | 1967 | red | 794.99 | se |
| BB4015 | 1968-69 | black | 794.99 | |
| BB4015R | 1968-69 | red | 794.99 | se |
| Front and Re | ear | | | |
| BB4003 | 1967 | black | 1797.99 | se |
| BB4003R | 1967 | red | 1797.99 | |
| BB4004 | 1968-69 | black | 1797.99 | se |
| BB4004R | 1968-69 | red | 1797.99 | se |
| | | | | |











Â

959.99 set

В

isc Brake **Conversion Sets**



1968-74 Rasic 4 Wheel Disc Brake Conversion Set

Upgrade to 4 wheel power disc brakes and retain a stock ride height with this conversion! This set includes all the basics, including 10.5" rotors, loaded calipers, caliper mount brackets, front spindles, front dust shields, 11" booster, proportioning valve and bracket, master cylinder, brake hoses, front bearings

and seals, and hardware. portant: Moves wheels out 7/16" from drum brake offset. ote: Shipped double oversize.

Plain Rotors - Rubber Hoses BK2031 1968-74 1438 99 set Drilled/Slotted Rotors - Stainless Steel Hoses

BK2031D 1968-74 1638.99 set



1967-69 Pre-Assembled Disc Brake Conversion Set

Now you can bolt-on brake performance with ease! Each set includes fully assembled front disc brakes, including the spindle, hub, rotor, brackets, calipers, and pads. In addition, for sets with brake master and booster, the 11" booster, master cylinder, proportioning valve, and bracketry and lines are fully assembled so you can simply bolt it to your firewall! 2" drop sets nclude 2" drop spindles. Plain rotor sets include rubber hoses and the cross drilled/slotted brake sets include stainless steel braided bake hoses.

mportant: Moves wheels out 7/16" from drum brake offset. Power Disc with Master/Booster

| | | isc Brake Se | ts | |
|-----------|----------|-----------------|---------|-----|
| ith Stock | Spindles | | | |
| K2026 | 1967 | plain rotors | | |
| K2026D | 1967 | drilled/slotted | 1638.99 | set |
| K2027 | 1968-69 | plain rotors | 1438.99 | set |
| K2027D | 1968-69 | drilled/slotted | 1638.99 | set |
| | Front Di | sc Brake Set | s | |
| ZeL Cenal | Caia II | | | |

BK03 1967-69 plain rotors..... 750 99 set BK03D 1967-69 drilled/slotted... 998,99 set With 2" Drop Spindles BK2034 1967-69 1967-69 plain rotors..... 879.99 set 1967-69 drilled/slotted.. 1079.99 set BK2034D - Manual Disc without Master/Booster -

Front Disc Brake Sets With 2" Drop Sp BK 2037 1967-69 plain rotors. 574.99 set BK2037D 1967-69 drilled/clotted 674.99 set



1967-69 Stock Spindle Rasic Disc Brake Conversion Set

Improve the stopping power of your vehicle while retaining your vehicle's stock ride height! Moves the wheels out 7/16" and works with most 15" disc brake wheels. Includes: disc brake bracket set, 11" rotors, loaded calipers, spindles, dust shields, bearings, seals, dust caps, spindle nuts, hoses, and all mounting hardware. Choose from sets with or without steering arms.

ortant: Factory steering arms may need to be drilled from 7/16" to 1/2". Note: Shipped overweight.

Basic Disc Brake Conversion Sets With Plain Rotors

1967-69 rubber hoses ... 549.99 set BK2035 With Cross Drilled/Slotted Rotors

BK2035D 1967-69 stainless hoses 559 99 set Disc Set with Steering Arms

BK2036 1967-69 rubber hoses ... 598.99 set With Cross Drilled/Slotted Rotors RK2036D 1967-69 stainless hoses 608 00 set



1967-69 Front Disc Brake Conversion Set

Improve the stopping power of your vehicle while retaining your vehicle's stock ride height! Moves the wheels out 7/16" and works with most 15" disc brake wheels. Includes: disc brake bracket set, 11" rotors, loaded calipers, spindles, dust shields, bearings, seals, dust caps, spindle nuts, hoses, and all mounting hardware.

Important: Factory steering arms may need to be drilled from 7/16* to 1/2*.

Note: Shipped overweigh

Pow

Power Disc with 9" Booster With Plain Rotors 1967-69 rubber hoses ... 829.99 set With Cross Drilled/Slotted Rotors 1967-69 stainless hoses 929.99 set

er Disc with 11" Booster With Plain Rotors BK2033 1967-69 rubber hoses ... 719.99 set With Cross Drilled/Slotted Rotors





1967-81 C5 Spindle 13" Rasic Disc Brake Conversion Set

Get the braking performance of a modern vehicle in your classic vehicle! This set maintains the drum brake offset and features bolt on spindles that allow better camber change during suspension movement. The use of C5 bearing hub assemblies with their sealed bearing packs virtually eliminate spindle pin flex. These sets include: spindles, 13" slotted/drilled rotors, loaded calipers, sealed bearing packs, and mounting hardware. Choose from black or red caliners

nportant: Compatible with original or CPP replacement steering arms. C5 hubs use 12 x 1.5 metric lug nuts.

| werweight. | | _ | |
|------------|-------------------------|-----------------|--|
| 3 | | | |
| 1967-69 | | | |
| 1970-81 | black | 978.99 | set |
| | | | |
| 1967-69 | | | |
| 1970-81 | red | 978.99 | set |
| | s 1967-69 1970-81 | s 1967-69 black | s 1967-69 black 978.99 1970-81 black 978.99 |



1967-69 Rear Disc Brake Conversion Set Replace the original rear drums in your first generation

Firebird with disc brakes! These rear end disc brake wheel sets are designed to bolt directly to 10 or 12 bolt rear ends and include 11" rotors, loaded calipers with built-in emergency brake, emergency brake cable, brake lines, axle hard lines, 10 and 12 bolt gaskets, and all mounting hardware. Available with plain or drilled rotors

| | tors. Shipped overweight. | | iri |
|--------------|--------------------------------|--------|-----|
| Plain Rotor | s – Rubber Hoses | Â | |
| RB1011P | 1967 | 598.99 | se |
| RB1012P | 1968-69 | | se |
| Drilled/Slot | ted Rotors - Stainless Steel 1 | Joses | |

RB1011PD 1967... 698 99 set 1967-69 stainless hoses 819 99 set RB1012PD 1968-69 698 99 set

Electronic Disc Brake Conversion Sets

Remote Electric Hydraulic Puma Provides Power

Eliminates the Bulky Original Booster

Gain valuable clearance in the firewall area by doing away with the unsightly, inefficient vacuum power booster. Sleek billet aluminum master cylinder takes its place for an improved appearance and performance.

Increases Braking Pressure and Performance

This electronic system runs on brake fluid, is self-contained and consistently provides 1400-2500 psi of braking pressure at the wheel. A perfect upgrade for engines with low vacuum due to a performance cam.



Replaces your OEM brake master cylinder as a direct bolt-on (no drilling required). Adjustable pedal rod





1967-69 Electronic Big Brake Disc Brake System

Looking for a disc brake upgrade or a big brake system for your 1967-69 Firebird? These solutions from ABS Power Brake are true bolt-on and mount to your OEM brake spindles. Choose from 12 or 13" cross drilled and slotted front rotors. The complete system includes all necessary brackets and an ABS Power Brake electric high nower master cylinder

| Note: Requir Shipped over | | ger wheels. | _ |
|------------------------------|---------|-----------------|-------------|
| Front and | Rear | | |
| PB68741 | 1967-69 | 13" frt, 12" rr | 3678.99 set |
| PB64745 | 1967-69 | 12" frt, 12" rr | 3277.99 set |
| Front Only | | | |
| PB64746 | 1967-69 | 12" front | 2154.99 set |
| PB68742 | 1967-69 | 13" front | 3254.99 set |



Warks with 14" OE style wheels



1967-69 Zero Offset Disc Brake System Is the big cam in your 1967-69 Firebird causing a

lack of braking, or do you have valve cover clearance issues? Classic Industries® has the answer! This true bolt-on solution from ABS Power Brake mounts to the OE brake spindles and works with 14" OE style wheels. These sets feature 10-3/4" cross drilled and slotted rotors. All necessary brackets are included with the system, plus the Electric High Power Master cylinder (EHPM). te: Shipped ov

Front and Rear PB64742

1967-69 with EHPM 2984.99 set Front Only PB64743 1967-69 with EHPM 2154.99 set



Electric High Power Master Cylinder 🗥 Is your big cam causing weak vacuum and hurting brake performance? Do you have valve cover clearance

issues? This bolt-on solution replaces your OEM brake booster/master cylinder with a compact billet aluminum master cylinder that does not rely on vacuum for power assist. The self-contained unit allows the master cylinder to provide between 1400 and 2500 psi. Measures: 8" x 3-1/2". PB 10569



1967-69 Front Bolt-On Disc Brake System

Looking for a disc brake upgrade for the front of your 1967-69 Firebird that will bolt to your OEM spindles? This bolt-on solution from ABS Power Brake includes cross drilled and slotted rotors and all required brackets. Use 10-3/4" rotors to fit OEM style 14" wheels or upgrade to 12" or 13" rotors. Master cylinder.

proportioning valve, and tubing sold separately. unt: PB64747 requires 16" wheels or larger, 13 requires 18" wheels or larger, PB68743 includes

| aluminum hi | abs. | | _ |
|--------------|--------------|----------------|------------|
| Note: Shippe | ed overweigh | t. | A |
| PB64744 | 1967-69 | 10-3/4" rotors | 637.99 set |
| PB64747 | 1967-69 | 12" rotors | 802.99 set |

13" rotors...... 1207.99 set

PB68743 1967-69



1967-81 Rear Disc Brake Conversion

Looking for a rear disc brake upgrade? This bolt on system from ABS Power Brake is the answer. Choose from 10-1/2" rotors that work with OEM size wheels. or upgrade to 12" rotors (requires 16" or larger wheels). These mount to your OEM differential housing brakes for a true bolt-on solution. Includes: calipers, parking brake cables, mounting brackets, and hardware,

| | eu overweign | | ATTA. |
|------------|--------------|------------------|-----------|
| i i | 0 and 12 | P. Bolt Rear End | s |
| Plain Roto | | | |
| PB67001 | 1967 | 10-1/2" rotors | 712.99 se |
| PB67003 | 1967 | 12" rotors | 742.99 se |
| PB67691 | 1968-69 | 10-1/2" rotors | |
| PB10121 | 1970-81 | 10-1/2" rotors | 674 99 sc |

| | 9" For | d Rear Ends | | ı |
|-------------|---------|----------------|----------|---|
| PB10122 | | 10-1/2" rotors | 764.99 s | c |
| PB67692 | | 10-1/2" rotors | | |
| PB64741 | | 12" rotors | | |
| PB67002 | | 10-1/2" rotors | | |
| Drilled/Slo | | | | |
| PB10121 | 1970-81 | 10-1/2" rotors | 674.99 s | c |

| ı | Plain Roto | rs | | | |
|---|-------------|-------------|----------------|--------|----|
| ı | PB10123 | 1969-81 | 10-1/2" rotors | 674.99 | S |
| ı | PB67693 | 1967-81 | 12" rotors | 802.99 | sc |
| ı | Drilled/Slo | tted Rotors | | | |
| ı | PB10124 | 1969-81 | 10-1/2" rotors | 764.99 | S |
| ı | PB10125 | 1967-81 | 12" rotors | 738 99 | St |











1374 99 set

OTEERING,

m

d

Baer Front Disc Brake Sets

Baer Brakes are known for exceptional braking performance and outstanding quality. Offering many upgrade and conversion brake sets that far exceed OE equipment performance. Baer Brakes have several sets available to choose from for your specific

Firebird models, SS4+, Track 4, Pro+, Extreme+, stock GM 10/12 bolt rear end SS4 with a variety of performance levels to fit your driving conditions and requirements. Note: Shipped overweight.





≽්ර්ම්ක් 1967-69 Front Disc Brake Set

rtant: *Design to be used with stock GM disc/drun spindles. Also fits DSE, Heidt's, Fatman, ridetech and LH custom drop spindles. 4301432 and 4301336 widens track 200" a side on stock drum brakes

Note: R - Red, B - Black, S - Silver. Photo for illustration purposes only, set contents may vary. Additional parts may be needed for installation.

SS4+

This set features the S4 four piston calipers, 11" slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs, mounting brackets and hardware included. 11" 2 piece rotor \$\$4+. Note: 15" minimum wheel size for 11" rotor, 17" minimum wheel size for 13" rotor. Uses common 4 piston pad

(#DR1).

| Stock Spind | | |
|-------------|---------|-------------|
| 4301432* | 1967-69 | 1394.99 set |
| | Track 4 | |

This set features the T4 four piston calipers, 13" one piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs, mounting brackets, and hardware included.

ote: 17" minimum wheel size. Uses Camaro 4th gen. front pads (#D0749)

Stock Spindles 4301381 1967-69 1994 99 set

Pro+ This set features the 6P six piston calipers, 13" or 14" two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs, mounting

brackets, and hardware included. Note: 17" minimum wheel size for 13" rotor, 18" mini wheel size for 14" rotor. Uses Corvette C5/C6 front pads

(#D0731). Stock Spindles - Rotor with Hub

1967-69 13" 2694.99 set 1967-69 14" 2794.99 set 2694.99 set 4301337* C5/C6 Based Spindles (e.g. DSE, RS, Morrison) -Rotor No Hub

4301352 1967-69 14"...... 2394.99 set Speedtech/CPP Spindles - Rotor No Hub 4301518 1967-69 14"...... 2394.99 set

Extreme+

This set features the 6S six piston forged mono-blocked calipers, 14" two piece slot, drill, zinc-plated rotors. stainless steel brake hoses, fully assembled aluminum hubs, mounting brackets, and hardware included. ote: 18" minimum wheel size. Uses common race pad (#D1247)

Stock Spindles - Rotor with Hub 4301083* 1967-69 14"...... 3994.99 set

C5/C6 Based Spindles (e.g. DSE, RS, Morrison) -Rotor No Hub 14" ... 4301171 1967-69 3594 99 set

🌌 1970-81 Front Disc Brake Set tt: *Brake system has no track width chang

stock. Drop spindles might change track width. 4301467 requires stock spindles to be modified. Note: R - Red, B - Black, S - Silver. Photo for illustration purposes only, set contents may vary. Additional parts may be needed for installation.

SS4+ This set features the S4 four piston calipers, 11" two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included Note: 15" minimum wheel size for 11" rotor. Uses common

4 piston pad (#DR1). Includes Modified Stock Spindles 1970-81 4301461 1794 99 set 1970-81 2194.99 set 4301462 Includes Hub/No Spindle 4301467 1970-78 1304 99 set

4301469 1979-81

This set features the T4 four piston calipers, 13 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles. mounting brackets, and hardware included. Note: 17" minimum wheel size. Uses Camaro 4th gen. front

1394 99 set

nads (#D0749) Includes Modified Stock Spindles ... 2494.99 set 4301397 1970-81 Includes Modified 2" Drop Spindles

4301398* 1970-81 2894 99 set Pro+ This set features the 6P six piston calipers, 13" or 14" two piece slot, drill, zinc-plated rotors, stainless steel

brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included. Note: 17" minimum wheel size for 13" rotor, 18" minimu wheel size for 14" rotor, Uses Corvette CS/C6 front pads (#D0731). Includes Modified Stock Spindle

3194 99 set 1970-81 4301343 1970-81 14" 3194.99 set Includes Modified 2" Drop Spindle 3594 99 set 4301413* 1970-81 14" 4301414* 1970-81 .. 3694.99 set

Extreme+ set features the 6S six piston forge blocked calipers, 14" two piece slot, drill, zincplated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included. 18° minimum wheel size. Uses common race nad

(#D1247) Includes Modified Stock Spindle ... 4394.99 set 4301091 1970-81 .. Includes Modified 2" Drop Spindle

1970-81

4301082*

1982-02 Front Disc Brake Set

vrtant: 1993-02 sets are designed to be use with 1998-2002 spindles and h

Note: Please add R - red, B - black, S - silver when ordering. Photo for illustration purposes only, set contents may vary. Additional parts may be needed for installation.

SS4+

This set features the S4 four piston calipers, 11 two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included. Important: 4301450 requires stock spindles to be modified. Note: 15" minimum wheel size for 11" rotor. Uses common 4 piston pad (#DR1).

Includes Hub/No Spindle 4201450 1982-92 1394.99 set Includes Modified Stock Spindles 4301463 1794 99 set 1982-92

Track 4 This set features the T4 four piston calipers, 13" one piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included.

Important: 4301403 increase track width by .400 a side over stock

Note: 17" minimum wheel size. Uses Camaro 4th gen. front nads (#D0749) Includes Modified Stock Spindles

4301403 1982-92 2494 99 set Requires Use of 1998-02 Spindle/Hub 1993-02 1694 99 set 4301306

This set features the 6P six piston calipers, 13" or 14 two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included. Note: 17" minimum wheel size for 13" rotor, 18" minimu, wheel size for 14" rotor. Uses Corvette CS/C6 front pads (#D0731)

Includes Modified Stock Spindle 4301334 3194 99 set 1982-92 13"..... 4301335 1082-02 14" . 3194,99 set Requires Use of 1998-02 Spindle/Hub ... 2294.99 set 4301332 1993-02 14" 4301333 1993-02 2394 99 set

This set features the 6S six piston forged mono-blocked calipers, 14" two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included. Note: 18º minimum wheel size Uses common race nad (#D1247)

Includes Modified Stock Spindle 4301089 1982-92 .. 4394.99 set Requires Use of 1998-02 Spindle/Hub

3594 99 set 4301002 1993-02

4794.99 set

Baer Rear Disc Brake Sets

Baer Brakes also offers rear disc brake sets with the same quality and performance as the front. Baer rear systems include a unique billet backing plate that not only act as a caliper mount, but also

houses the banksia (1 piece) park shoe setup. Note: Shipped overweight.







Note: R - Red, B - Black, S - Silver. Photo for illustration y, set contents may vary. Additional parts may he needed for installation

SS4

This set features the S4 four piston calipers, 12 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included.

Note: 15* minimum wheel size. Uses common 4 piston pad (#DR1)

10/12 Bolt Rear with C-Clips 1967-69 ..

SS4+ This set features the S4 four piston calipers, 13" two

piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included. Note: 17" minimum wheel size. Use common 4 piston

nad (#DR1) 10/12 Bolt Rear with C-Clips

4302327 1967-69

1794.99 set Pro+

This set features the 6P six piston calipers, 13" or 14" two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included.

Note: 18" minimum wheel size for 14" rotor, 17" minimum wheel size for 13" rotor. Uses Corvette C5/C6 front pads

10/12 Bolt Rear with C-Clips 4302350 1967-69

4302351 1967-69 2794.99 set Extreme+ This set features the 6S six piston forged mono-blocked calipers, 14" two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with

cables, mounting brackets, and hardware included. Note: 18" minimum wheel size. Uses common race pad (#D1247).

10/12 Bolt Rear with C-Clips 1967-69 4302376

3994 99 set





🌌 1970-81 Rear Disc Rrake Set

te: Please add R - red. B - black, S - silver when ordering. Photo for illustration purposes only, set contents may vary. Additional parts may be needed for installation.

SS4

This set features the S4 four piston calipers, 12" one piece slot, drill, zinc-plated rofors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included.

ortant: 15° minimum wheel size. Uses common 4 piston pad (#DR1).

| 1970-74 | 1494.99 set |
|---------|-------------|
| 1975-81 | 1494.99 set |
| SS4+ | |
| | |

set 4202479

piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included.

Note: 17" mi um wheel size. Use common 4 piston pad (#DR1)

10/12 Bolt Rear with C-Clips .. 1794.99 set 4302321 1970-74 4302315 1975-81 1794 99 set Pro+

This set features the 6P six piston calipers, 13' 14" two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables,

mounting brackets, and hardware included. Note: 18" minimum wheel size for 14" rotor, 17" minimu, wheel size for 13" rotor. Uses Corvette C5/C6 front rads.

10/12 Bolt Rear with C-Clips 1970-74 4302352 2694 99 set

13" rotor 13" rotor 4302354 1975-81 2694 99 set 4302353 1970-74 14" rotor 2794.99 set 14" rotor 4302355 1975-81 2794 99 set Extreme+

This set features the 6S six piston forged mono-blocked calipers, 14" two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included. Note: 18th minimum wheel size Uses common race

pad (#D1247) 10/12 Bolt Rear with C-Clips 1970-74... 3994.99 set 4302379 4302382 1975-81 3994 99 set



1982-02 Rear Disc Brake Set

tant: Use Lokar part #EC-80FU and #EC-80CC rear park brake cables for 1993-97 models Note: Please add R - red. B - black. S - silver when

ordering. Photo for illustration purposes only, set contents may vary. Additional parts may be needed for installation.

SS4 This set features the S4 four piston calipers, 12" one piece slot, drill, zinc-plated rotors, stainless steel brake

ioses, park brake assembly with cables, mounting brackets, and hardware included. ortant: 15" minimum wheel size. Uses common 4 piston

pad (#DR1). Saginaw 10 Bolt 4302388 1982-92 disc...... 1494.99 set

4302389 1982-92 drum 1494.99 set Borg Warner 9 Bolt 4302390 1982-1982-92 disc 1494 99 set SS4+

This set features the S4 four piston calipers, 13" 2 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included. Note: 17" minimum wheel size. Use common 4 piston

pad (#DR1).

Saginaw 10 Bolt 4302391 1982-92 disc..... 1794.99 set 4302302 1082-02 drum...... 1794.99 set Borg Warner 9 Bolt 4302393 1982-1982-92 disc 1794.99 set Stock 10 Bolt 1993-02

Pro+ This set features the 6P six piston calipers, 13 14" two piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included.

disc

1394 99 set

Note: 18" minimum wheel size for 14" rotor, 17" minimu wheel size for 13" rotor. Uses Corvette C5/C6 front pads.

| 13" Rotor S | | | |
|-------------|--------------|--------|-------------|
| 4302394 | 1982-92 | disc | 2694.99 set |
| 4302395 | 1982-92 | drum | 2694.99 set |
| 13" Rotor B | org Warner | 9 Bolt | |
| 4302396 | 1982-92 | disc | 2694.99 set |
| 13" Rotor S | tock 10 Bolt | t | |
| 4302464 | 1993-02 | disc | 2694.99 set |
| 14" Rotor S | | | |
| 4302397 | 1982-92 | disc | 2794.99 set |
| 4302398 | 1982-92 | drum | 2794.99 set |
| 14" Rotor B | | | |
| 4302399 | 1982-92 | disc | 2794.99 set |
| 14" Rotor S | tock 10 Bolt | t | |
| 4302482 | 1993-02 | disc | 2794.99 set |
| | | | |

This set features the 6S six piston forged mono-blocked calipers. 14" two piece slot, drill, zinc-plated rotors. stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included. Note: 18" minimum wheel size. Uses race pad (#D1247). C --- 10 D - I

| 4302400 4302401 | 1982-92 1982-92 | disc drum | | |
|--------------------|--------------------|--------------|---------|--|
| Borg Warner | 9 Bolt 1982-92 | disc | 3004 00 | |







2694 99 set

. 1494.99 set





2 REAR Ē

m

ď

lwood Disc Brake Sets



Dynalite Pro - 4 Piston



14010510DR

1967-87 Front Brake Set USA Wilwood disc brake sets for 1967-87 models. Each set features rotors, calipers, pads,

and all hardware necessary to mount them onto stock spindles. Available with plain or drilled and slotted rotors and red or black calipers. Notes: 1/2" -20 wheel studs. Shipped overweight

14010996BD

Dynalite Pro Series - 4 Piston Includes: 10.75" plain or drilled and slotted rotors, forged billet Dynalite 4 piston calipers, and low dust, low noise brake pads for big brake stopping power. Provides plenty of clearance for popular 15" wheels. These sets can be used with manual or power assisted master cylinders.

| Disc or Drum S | pindle | | | | |
|-----------------|---------|----------------|----------------|---------|-----|
| 14010996B | 1967-69 | plain rotors | black calipers | 931.99 | set |
| 14010996BD | 1967-69 | drilled rotors | black calipers | | |
| 14010996DR | 1967-69 | drilled rotors | red calipers | 1056.99 | set |
| Disc Spindle Or | nly | | | | |
| 14011007B | 1970-78 | plain rotors | black calipers | 931.99 | |
| 14011007BD | 1970-78 | drilled rotors | black calipers | 1056.99 | set |
| 14011008B | 1979-81 | plain rotors | black calipers | 931.99 | set |
| 14011008BD | 1979-81 | drilled rotors | black calipers | 1056.99 | set |
| 14011012B | 1982-87 | plain rotors | black calipers | 931.99 | |
| 14011012BD | 1982-87 | drilled rotors | black calipers | 1056.99 | set |

DynaPro 6 Series - 6 Piston Includes: 12.19" diameter rotors for non-ABS spindles, DynaPro 6 piston forged billet calipers with stainless steel pistons and low dust, low noise brake pads for big brake stopping power These sets can be used with either manual or power assisted master cylinders. Minimum wheel size: 16".

Disc or Drum Spindle 14010510

black calipers...... 1154.99 set 1967-69 plain rotors 14010510D 1967-69 drilled rotors black calipers...... 1279.99 set 14010510DR 1967-69 drilled rotors red calipers 1279.99 set 14010510R 1967-69 plain rotors red calipers ... 1154 99 set Disc Spindle Only 14010738 1 1970-78 black calipers...... 1147.99 set plain rotors 14010738D drilled rotors black calipers...... 1272.99 set

drilled rotors

ധിധയാ





assembled 1967-02 Front Big Brake Set USA

Wilwood big disc brake sets for 1967-02 models. Each set features rotors, calipers, pads, and all hardware necessary to mount them onto stock spindles. Available with slotted or drilled and slotted rotors and red or black caliners Important: *These sets are hat sets, all other sets are hub sets. Some sets may require

modifications to the original spindle. Notes: 1/2* -20 wheel studs. Shipped overweight.

Disc or Drum Spindle

Superlite 6 Series – 6 Piston Includes: 13" or 14" rotors for non-ABS spindles, billet calipers with 6 pistons and low dust, low noise brake pads for superior stopping power. Minimum wheel diameter: 17"

| 1409803 | 1967-69 | 13" slotted rotors | black calipers | 1942.99 set |
|----------------|---------|--------------------|----------------|-------------|
| 1409803D | 1967-69 | 13" drilled rotors | black calipers | 2067.99 set |
| 1409803DR | 1967-69 | 13" drilled rotors | red calipers | |
| 1409804 | 1967-69 | 14" slotted rotors | black calipers | |
| 1409804D | 1967-69 | 14" drilled rotors | black calipers | 2252.99 set |
| 1409804DR | 1967-69 | 14" drilled rotors | red calipers | 2252.99 set |
| Disc Spindle O | nlv | | | |
| 14010485 | 1970-78 | 13" slotted rotors | black calipers | 1942.99 set |
| 14010485D | 1970-78 | 13" drilled rotors | black calipers | 2067.99 set |
| 14010485DR | 1970-78 | 13" drilled rotors | red calipers | |
| 14010486 | 1970-78 | 14" slotted rotors | black calipers | 2127.99 set |
| 14010486D | 1970-78 | 14" drilled rotors | black calipers | 2252.99 set |
| 14010486DR | 1970-78 | 14" drilled rotors | | 2252.99 set |
| 14010492 | 1979-81 | 13" slotted rotors | black calipers | 1942.99 set |
| 14010492D | 1979-81 | 13" drilled rotors | black calipers | 2067.99 set |
| 14010492DR | 1979-81 | 13" drilled rotors | red calipers | 2067.99 set |
| 14010493 | 1979-81 | 14" slotted rotors | black calipers | 2127.99 set |
| 14010493D | 1979-81 | 14" drilled rotors | black calipers | |
| 14010493DR | 1979-81 | 14" drilled rotors | red calipers | 2252.99 set |
| 14015278 | 1982-92 | 13" plain rotor | | 2011.99 set |
| 14015278D | 1982-92 | 13" drilled rotor | black calipers | |
| 14015278R | 1982-92 | 13" plain rotor | red calipers | 2011.99 set |
| 14015278DR | 1982-92 | 13" drilled rotor | red calipers | 2136.99 set |
| 14015279 | 1982-92 | 14" plain rotor | | 2196.99 set |
| 14015279D | 1982-92 | 14" drilled rotor | black calipers | 2321.99 set |
| 14015279R | 1982-92 | 14" plain rotor | | 2196.99 set |
| 14015279DR | 1982-92 | 14" drilled rotor | red calipers | |
| 1409833* | 1998-02 | 13" slotted rotors | black calipers | 1834.99 set |
| 1409833D* | 1998-02 | 13" drilled rotors | black calipers | 1959.99 set |
| 1409834* | 1998-02 | 14" slotted rotors | black calipers | 1993.99 set |
| | | | | |

14" drilled rotors 6AR Series - 6 Piston Includes: 14" rotors, 11" tall calipers with 6 pistons and low dust, low noise brake pads for superior stopping power. Minimum wheel diameter: 17

Disc or Drum Spindle 14010920 1967-69 14" slotted rotor black calipers 2324.99 set 14010920D 1967-69 14" drilled rotors black calipers 2445.99 set 1967-69 14" drilled rotors 14010920DR 2445 99 set red caliner

1272.99 set

1409834D*

1998-02

black calipers 2118.99 set

1970-78

1970-78

Nilwood Disc Brake Sets

cuikuood

SALES

Rear Brake Set for 10/12 Bolt Axles

These FDL Pro-Series rear disc sets provide a solution for rear axles that require a parking brake. Forged billet Dynalite four piston calipers, 12.19" one piece drum/rotors, and high friction pads provide optimized and balanced braking for all types of builds. The neatly hidden internal shoe system provides a clean installation with superior static holding for parking. Important: May fit some 15" wheels, check wheel clearance diagram in installation instructions before purchase at www.wilwood.com. **Calipers are staggered opposite of factory shock location for filment on 1968-69 models.

Notes: Shipped overweight. - Dvnalite Pro Series - 4 Piston Includes: 12.19" one piece rotors with internal parking brake drum, forged billet 4 piston calipers, high friction



| 1407141DR | drilled rotors | 1058.99 | set |
|-------------------------------|-------------------|---------|-----|
| 1 | 0/12 Bolt Special | | |
| 2.81" Offset - 1 | | | |
| 1407578 | plain rotors | 964.99 | set |
| 1407578D | drilled rotors | 1089.99 | set |
| | | | |
| 10. | 12 Bolt Staggered | | |
| 2.81" Offset - I | Black Calipers | | |
| | | | set |
| 2.81" Offset - 1 1409315** | Black Calipers | 964.99 | |

1401001988 plain rotors 964 99 set 14010918D** drilled rotors..... . 1089.99 set Superlite 4R Series 4 Piston Includes: 13" two piece rotors with internal parking brake drum, forged billet 4 piston calipers, BP-10 compound brake pads and brackets, and hardware.

| 2.81" Offset - Black Calipers | | | | | |
|-------------------------------|----------------|---------|-----|--|--|
| 1409213 | slotted rotors | | | | |
| 1409213D | drilled rotors | 1947.99 | set | | |
| 2.81" Offset - | Red Calipers | | | | |
| 1409213DR | drilled rotors | 1947.99 | set | | |
| | | | | | |

| 10/12 Bolt Special, 3.15" Torino Bearing Ends | | | | |
|--|------------------|--------------------------|---------|-----|
| | 2.81" Offset - E | Black Calipers | | |
| | | slotted rotors | | |
| | 1409215D | drilled rotors | 1947.99 | set |
| | 2.81" Offset - B | | | |
| | | drilled rotors | | |
| | 10/12 Bo | lt with C-Clips Sta | ggered | |
| | 2.81" Offset - E | Black Calipers | | |
| | 14010908** | slotted rotors | 1822.99 | set |
| | 14010908D** | drilled rotors | 1947.99 | set |
| | 1998-02 10/12 1 | Bolt Axles - Black Calip | ers | |

slotted rotors drilled rotors 1998-02 10/12 Bolt Axles - Red Calipers 1822.99 set 1409830R slotted rotors 1409830DR 1947 99 set drilled rotors









W4AR Rear Big Brake Set

W4AR rear brakes are the perfect match for a W6AR front set. The W4AR calipers feature the same rigid body design as the front 6 piston caliper, with smaller pistons to balance the vehicle's braking. The 14" rotors are slightly thinner than the fronts to reduce rotating mass while providing cooling.

portant: *This set is not designed to fit with staggered shock suspension Notes: 1/2" -20 wheel studs. Shipped overweight.

| | | 8 |
|------------------|-------------------|-------------|
| 10/12 Bo | It Rear Ends with | C-Clips |
| Slotted Rotors - | - Black Calipers | |
| 14010943* | 2.81" offset | 2150.99 set |
| Drilled Rotors - | - Black Calipers | |
| 14010943D* | 2.81" offset | 2275.99 set |
| Drilled Rotors - | - Red Calipers | |
| 14010943DR* | 2.81" offset | 2275.99 set |

cuicum

1508850E

RP-10 Brake Pads

Wilwood's exclusive BP-10 is an all new type of metallic composite friction pad compound. BP-10 exhibits the medium to high temperature friction characteristics of a semi-metallic based race compound with the low temperature response, quiet engagement, and lowered dust levels normally associated with ceramic based street performance pads. The combination of these characteristics make it the perfect choice for your street machine, auto crosser, or drag racer.

| 1008800K | Dynante type /112 | 34.99 | |
|-----------|-----------------------|--------|-----|
| 1508855K | Superlite 6 type 7416 | 85.99 | |
| 1509488K | W6AR/W4AR type 6617 | 112.99 | set |
| 15010006K | DynaPro 6 type 6712 | 104.99 | |
| 1508939K | 1967-81 front, D52 | 69.99 | set |
| 1508936K | 1982-92 front, D154 | 69.99 | set |
| | | | _ |



Brake Line Fitting Adapter Set Wilwood's brake line fitting adapter set. 4 piece set. -24 Female IF to 1/8"-27 NPT Male 2200628 3/8* 4 piece

cuicum nn 2207056



Stainless Steel Braided Flexlines

Wilwood's stainless steel braided flexline sets are manufactured to high-quality standards and are available in various styles. These premium grade flexline sets have been designed for application specific sets. They are available as an optional item when ordering your disc brake sets and include all the required fittings. Wilwood highly recommends using these high-quality flexlines as replacement for the OE rubber hoses

| the OL rubber hoses. | | | | | | |
|------------------------------------|---------|-------|-----------|--|--|--|
| Application Specific Flexline Sets | | | | | | |
| 2207056 | 1967-83 | front | 69.99 set | | | |
| 2206746 | 1984-02 | front | | | | |
| 2209882 | 1998-02 | rear | 69.99 set | | | |
| Universal Flexline Sets | | | | | | |
| 14" Elevi | | | | | | |

| 14" Flexlii | ne Set | | |
|-------------|----------------------------|-------|----|
| 2206746 | 10mm-1 to 1/8-27 NPT 90° | 80.99 | sc |
| 16" Flexlin | | | |
| 2207600 | 2/9" 24 to 1/9 27 NIDT 00° | 60.00 | - |

| 2207699 | 3/8"-24 to 1/8-27 NPT 90" | 69.99 | set |
|-------------|----------------------------|-------|-----|
| 18" Flexlin | e Set | | |
| 2208307 | 3/8"-24 to 1/8-27 NPT 90° | 69.99 | set |
| 2206471 | 7/16"-24 to 1/8-27 NPT 45° | 80.99 | set |

| 2206856 | 10mm-1 to 1/8-27 NPT 90° | 80.99 set |
|-------------|--------------------------|-----------|
| Flex | line Sets for D52 Calip | ers |
| 14" Flexlir | | |
| 22011371 | 3/8"-24 to 7-16" Banjo | 80.99 set |
| 18" Flevin | e Set | |

| 22" Flexlin | e Set | | Banjo | |
|-------------|---------|----------|-------|-------|
| 220113/3 | 3/8"-24 | to 7-16" | Banjo | _ |





Rrake Line Fitting USA

Wilwood's brake line fittings are manufactured to high-quality standards and are available in various sizes and configurations.

| | Caliper Fitting | | |
|---------------|------------------|-------|----|
| | 8"-27 NPT Male | | |
| 2206956 | straight | | |
| 2206412 | 45 degree | 10.99 | ea |
| 22013125 | 90 degree | 9.99 | ca |
| | Frame Fitting | | |
| | Flare to -3 Male | | |
| 22013124 | 3/8" | 9.99 | ca |
| 2206457 | 7/16" | 10.99 | ea |
| -1.0 Inverted | Flare to -3 Male | | |
| 2206413 | 10mm | 10.99 | ea |
| -1.0 Bubble | Flare to -3 Male | | |
| 2206890 | 10mm | 15.99 | ea |

1409830

1409830D







1822 99 set

1947 99 set



USA



Power Brake Components



1967-69 Master Cylinder/Booster Combo

High-quality 11" power booster, master cylinder and proportioning valve assembly for disc/drum brake applications.

Booster/Master/Valve Combo PB803 1967-69 disc/drum 368 99 ca



1967-69 Black Out Series 9" Brake Booster/Master Combo 🔥

This new Black Out power brake conversion for the 1967-69 Firebird consists of a Black Out 9"power booster, black Wilwood master cylinder, and Black Out adjustable proportioning valve.



1967-81 Midnite Series Rrake Rooster/Aluminum Master Combo

| | | | cuum assisted |
|---------------|---------------|--------------|----------------|
| | | | aminum master |
| cylinder, al | uminum prop | ortioning va | alve, mounting |
| brackets, lin | es, and hardw | are for an e | asy install. |
| 6774FBB | 1967-69 | | 388.99 ea |
| 7081FRR | 1970-81 | | 388 99 ea |

POWER BRAKE PARTS



1967-81 Master Cylinder/Booster Combo

Replace your leaky booster and master cylinder with a new combination unit and stop safely. For models equipped with front discs and rear drum brakes. Available with 9" or original style 11" booster. Master cylinders have 1.125" bore. 11" set includes combo valve, bracket and master cylinder lines.

Booster/Master/Valve Combo GF10030971 1967-81 11" booster... 274.99 ea

Booster and Master Cylinder Only 1967-81 9" booster 171.99 ea GF902109



1967-81 Master/Booster/Valve Combo

Put some shine under your hood with this chrome master cylinder, booster and proportioning valve combination assembly. Includes: polished aluminum master cylinder and cap, 8" chrome dual diaphragm booster, and chrome combination valve with lines, and brake lamp switch. Available for disc front/drum rear

or four wheel disc brake setups. Disc Front/Drum Rear J85315171 1967-81 353 99 69 Four Wheel Disc 185315672 1967-81 353 99 69



Disc Brake Master/Rooster Combination

This complete booster and master cylinder was built with the disc brake conversion in mind. The combination unit is ready-to-install and is perfect for big block and street rod or custom applications. The booster is finished in an anodized gold and the master cylinder is in raw cast color

9" Master/Booster Combination A28141 199 99 ca 7" Master/Booster Combination A28142 199 99 ca



1967-81 Dual Diaphragm Power Brake Booster/Master Combo

Upgrade to a double diaphragm power brake booster set and increase pressure for faster braking. The 8' dual diaphragm booster is a Bendix design and offers 1400 psi. The 9" dual diaphragm booster is a Delco design and offers 1600 psi. Includes double diaphragm booster, dual master cylinder, proportioning valve and brackets. Available with cadmium- or chrome-plating for disc/drum or disc/disc brake systems

| C | admium-l | Plated Booster | |
|-----------|-----------|----------------|---------|
| 8" Double | Diaphragm | Booster | |
| PB79961 | | | |
| PB79951 | 1967-81 | disc/disc 42 | 7.99 sc |
| 9" Double | Diaphragm | Booster | |
| PB79661 | 1967-81 | disc/drum 42 | 7.99 sc |
| PB79651 | 1967-81 | disc/disc 412 | 2.99 sc |
| | Chrome-P | lated Booster | |
| 8" Double | Diaphragm | Booster | |
| PB79962 | 1967-81 | disc/drum 66- | 4.99 sc |
| PB79952 | 1967-81 | disc/disc 66- | 4.99 sc |
| 9" Double | Diaphragm | Booster | |
| PB79662 | 1967-81 | disc/drum 66- | 4.99 se |
| PB79652 | 1967-81 | disc/disc 66- | |





1967-69 Hydro-Boost Power Brake Set

Hydro Boost hydraulic brake assist power booster generates up to 1800 psi of pressure to the brake calipers. Does not take away or need vacuum from your engine. Firewall and valve cover clearance is

equivalent to a 7* diameter booster. HBC6874WB 1967-69 black ... 921 99 set 1967-69 bright .. HBC6874WP 921 99 set

Master Cylinders



1967-69 Hydro Boost Hose Set

Hydro boost conversion hose set is designed to fit the GM Saginaw power steering pump with inverted flare pressure fitting. It also fits the GM 605, 800, and 600 Series power steering gearbox.

HBHK00FS 1967-69 stainless steel ... 399.99 set HBHKOOFR 1967-69 rubber.... 342.99 set



1967-97 Brake Master Cylinder

These hydraulic brake master cylinders use aluminum and iron castings to match your vehicle's original equipment to ensure that your replacement brakes perform as safely and reliably as your original equipment.

1967-69 Drum Brake Master Cylinders MC26220 1967-69 1" bore, deep 60 99 ca 1968-69 1" bore, shallow...

| 1967-97 | Disc B | rake Master Cy | linders |
|-------------|------------|----------------------|-----------|
| Manual Bra | | | |
| MC36280A | 1967-68 | 1" bore, deep | 94.99 ca |
| MC36367 | 1969 | 1" bore, deep | 48.99 ea |
| MC36312 | | 1" bore, shallow | 116.99 ca |
| MC39023 | 1970-80 | 1" bore, shallow | 57.99 ea |
| Power Brake | | | |
| MC39018 | 1967-69 | 1-1/8" bore, deep | 52.99 ca |
| MC36306 | 1970-80 | 1-1/8" bore, shallow | 37.99 ca |
| MC39328 | 1981 | without 4.9 ltr | 50.99 ea |
| MC39385 | 1982-83 | | 69.99 ca |
| MC39575 | 1984-88 | | 63.99 ca |
| MC39575 | 1989-92 | | 63.99 ea |
| MC390214 | 1993-97 | | 86.99 ca |
| Power Brake | es - 4 Who | el Disc | |



1967-69 Brake Master Cylinder

A fine reproduction of the original master cylinder used on 1967-69 models with power front disc and rear drum brakes. This master cylinder is correct in every way and features the GM casting #5468309 on the cylinder. Features outlet port located bleeder valves . Power Brakes - Front Disc F358 1967-69 1-1/8" bore, deep 74.99 ea



1967-69 Chrome Master Cylinder 🛕

Each chrome master cylinder is designed for use on 1967-69 models and other disc brake conversions. Choose from 3 different dimensions listed below. 100% new not rebuilt!

1" Bore for Manual Disc Brakes 2018N stock, 9/16" and 1/2" LH ports.... 147.99 ea 2020N custom, 3/8" ports on both sides.. 147.99 ea 1-1/8" Bore for Power Disc Brakes 2071N stock 9/16" & 1/2" LH ports 147 99 ca



1993-02 Manual Brake Conversion Eliminate the power brake booster in your 4th gen

Firebird. Bolts into existing holes in firewall. Includes: strange master cylinder, firewall adaptor block, and mounting hardware. Provides proper pressure/volume for aftermarket 4 piston brake kits. BX50001 1993-02







Remaster Master Cylinder Baer Brakes introduces the Remaster master cylinder.

The Remaster is a direct replacement for GM bolt patterns. Left or right hand port configurations and compact design to make fitment easier. Master cylinders are available in these bore sizes: 15/16" for manual, 1 for power, 1-1/8" for hydroboost brakes. Provides the best balance between pressure and volume for great braking performance with reasonable brake pedal effort. A mount is machined into the bottom of the master cylinder for a Baer billet bracket/adjustable

| proportioning | yalve (sold separately). | | _ |
|---------------|-----------------------------|--------|----|
| 15/16" Bore | Manual Brakes | | |
| 6801264LP | left port - polished | 534.99 | e |
| 6801264RP | right port - polished | 475.99 | e |
| 6801262LP | left port - gray anodized | | |
| 6801262RP | right port - gray anodized | 434.99 | e |
| 6801272LP | left port - black anodized | 434.99 | e. |
| 6801272RP | right port - black anodized | 434.99 | e |
| 1" Bore Pow | er Brakes | | |
| 6801213LP | left port - polished | 534.99 | e |
| 6801213RP | right port - polished | 534 99 | - |

| 6801213RP | right port - polished | 534.99 | e |
|-------------|-----------------------------|--------|----|
| 6801238LP | left port - gray anodized | 434.99 | ea |
| 6801238RP | right port - gray anodized | | |
| 6801273LP | left port - black anodized | 434.99 | ea |
| 6801273RP | right port - black anodized | 434.99 | ea |
| 1-1/8" Bore | Hydroboost | | |
| 6801268RP | right port - polished | 534.99 | ea |
| 6801266LP | left port - gray anodized | 434.99 | ea |
| 6801266RP | right port - gray anodized | 434.99 | ea |
| 6801274LP | left port - black anodized | | |
| 6801274RP | right port - black anodized | 434 99 | 00 |

| Proportion | ing Valve and Bracket | | |
|----------------------|--------------------------------|--------|----|
| 6801243 | polished | 122.99 | ca |
| 6801245 | gray anodized | 114.99 | ca |
| 6801276 | black anodized | 114.99 | ca |
| | ing Valve Bracket | | |
| 6801242 | polished | 34.99 | ca |
| 6801244 | gray anodized | 24.99 | ca |
| 6801275 | black anodized | 24.99 | ea |
| Replaceme | nt Gaskets | | |
| 6150089 | top cover gasket | 13.99 | ca |
| 6150090 | cap gasket | 4.99 | ea |
| Replaceme 6150089 | nt Gaskets top cover gasket | 13.99 | c |

MC39028 1979-80

MC39322 1981

MC39384 1982-83

MC39576 1984-87

MC36235





without 4.9 ltr.....



46.99 ca

103.99 ea

107.99 ca

88 99 ca

64.99 ca





REAR GUBPENBION,

Master Cylinders



Disc Brake Master Cylinder

These tandem chamber master cylinders are configured for four wheel disc brakes, featuring a slotted mounting flange that bolts directly to the brake booster, firewall, or Morrison's frame mount brakes. Features fluid outlets on both sides of the cylinder to simplify plumbing in any mount location. Available in a natural finish, a bright finish or Wilwood's exclusive black E-coat.

| Important: DOI use with DOT 5 | 3 or 4 brake fluid recommend silicone fluid. | ed. Not for |
|----------------------------------|---|-------------|
| 1-1/8" Bore fo | or Power Assisted Brakes | |
| 2608556 | natural finish | 230.99 ea |
| 2608556P | bright finish | 277.99 ea |
| 2608556BK | | |
| I" Bore for M | anual Brakes | |
| 2608555 | natural finish | 230.99 ea |
| 2608555P | bright finish | 277.99 ca |
| 2608555BK | black finish | 277.99 ea |
| 7/8" Bore for | Manual Brakes | |
| 2609439 | natural finish | |
| 2609439P | bright finish | 277.99 ea |
| 2609439BK | black finish | 277.99 ca |



Disc Brake Master Cylinder Set

This dual master cylinder and proportioning valve assembly keeps brake proportioning adjustments uncomplicated. Designed for manual and power front disc/rear drum and four wheel disc brake applications. Available in natural finish, bright finish, or Wilwood's exclusive black E-coat.

| Important: DOI 3 or 4 brake fluid recommended. Not for use with DOT 5 silicone fluid. | | | | |
|--|-------------------------------------|--|------------|--|
| | 26113270 26113270P | Power Assisted Brakes natural finishbright finish | 400.99 set | |
| | 26113270BK I" Bore for Man | black finishual Brakes | 400.99 set | |
| | 26113269 26113269P 26113269BK | natural finish bright finishblack finish | 400.99 set | |
| | 7/8" Bore for Mc | nual Brakes | | |
| | 26113271 26113271P 26113271BK | natural finish bright finishblack finish | 400.99 set | |
| | 15/16" Bore for 1 | | | |
| | 26113626 26113626P | natural finish bright finish | 400.99 set | |
| | 26113626BK | black finish | 400.99 set | |



Combo Dual Bowl Master Cylinder

This high-performance chrome aluminum master cylinder has an integrated adjustable proportioning valve and can be used with front disc, 4 wheel disc, and drum brake applications. It's built to strict tolerances to be a top performer and is lighter than a cast iron unit (only weighs 5 lbs). It has optional 1" or 1-1/8" bore and can be used on manual or power brake applications. Beautifully chrome-plated, it is dual ported on the bottom with 3/16" threads so that the lines can be routed on the right left, or straight dos

| CP31500 CP31501 | 1" bore 1-1/8" bore | |
|--------------------|------------------------|--|
| | | |



1967-88 Master Cylinder Rebuild Set

Master cylinder rebuild sets are an exact match to the design of your vehicle's original equipment. You can be certain that your replacement brakes perform as good as your original equipment. Note: Without metallic lining.

| MK501 | 1967-69 | 1-1/8" bore | 34.99 set |
|---------|---------|-------------|-----------|
| MK1721 | 1982-88 | | 29.99 set |
| Aller . | | | - 14 |





D141222





1967-80 Master Cylinder Cover

Reproduction master cylinder covers for 1967-80 Firebird models. Features chrome-plating or gold cadmium finish as indicated.

| | Single for | or 3" x 5-5/8" | |
|------------|-------------|-----------------|-----------|
| Chrome-Pla | ited with B | ail | |
| J9101 1 | 970-80 | | . 6.99 ea |
| S | ingle for | 4-7/8" x 2-3/8" | |
| Chrome-Pla | ated with B | ail | |
| D141227 | 1967-69 | drum brakes | 17.99 ca |
| Gold Cadmi | ium withou | ıt Bail | |
| | | drum brakes | |
| A8500402 | 1967-69 | drum brakes OE | 21.99 ca |
| | Dual fo | or 3" x 5-3/4" | |
| Gold Cadmi | | | |
| | | disc brakes | |
| K0075 | 1971-75 | manual disc | 14 99 ca |



1981-92 Brake Master Cylinder Cover

This Genuine GM master cylinder cover is for 1981-92 Firebird models with Delco Moraine master cylinders. Also fits 1991 with J65 four wheel disc brakes. G8567 1981-92 10.99 69



1967-69 Master Cylinder Cover Bail 🛕

These are reproductions of the master cylinder coverbails for original master cylinders from 1967-69. These are correct in every way and will fit master cylinders with specific casting numbers ending in either 309 or 346. 21.99 pr 14296 1967-68 casting #346.... 14295 1969 casting #309. 14.99 pr









1967-92 Master Cylinder Diaphragm 🗘

Diaphragm seals for single and dual bail master cylinder covers.

| | | 2-3/8" x 4-7/8" | 3.99 |
|------------------------|------------------------|------------------|-------|
| | | ke Diaphragm | |
| Dual Bail : DR42071 | Diaphragm 1967-80 | 3" x 5-3/4" | 7.99 |
| Single Bai T3042B | l Diaphragi 1970-80 | n 3" x 5-5/8" | 5.99 |
| With Plast | ic Moraine | Master | 16.99 |



1979 Trans Am Brake Booster Vacuum Line Reproduction metal brake booster to engine vacuum line for Olds 403 engines, available in your choice of OEM tin costed tubing or from stainless tube

| OEM | | | |
|-----------|------|---------|----------|
| TA4053 | 1979 | style 1 | 11.99 ca |
| TA4055 | 1979 | style 2 | 11.99 ca |
| TA4057 | 1979 | style 3 | 11.99 ea |
| TA4059 | 1979 | style 4 | 11.99 ea |
| Stainless | | | |
| TA4054 | 1979 | style 1 | 13.99 ea |
| TA4056 | 1979 | style 2 | 13.99 ea |
| TA4058 | 1979 | style 3 | 13.99 ea |
| TA4060 | 1979 | style 4 | 13.99 ea |

Power Boosters/Brake Components



1967-02 Power Brake Booster

Having trouble with your power brakes? Check for loose or defective engine components and vacuum lines If you don't have a vacuum of at least 16" Hg, You may need to replace your power brake booster. These remanufactured brake boosters carry a manufacturers

limited lifetime warranty to keep your brake system Note: The listings below are for the power brake booster only and do not include the master cylinder

operating safely.

| D80030 | 1967 | all | 111.99 ca |
|---------|---------|-----------------|-----------|
| PB71106 | 1968 | all | 109.99 ea |
| D80031 | 1969 | all | 109.99 ea |
| D80022 | 1970-77 | all | 131.99 ea |
| D80028 | 1978 | all | 114.99 ca |
| D80329 | 1979-80 | with 4 whl disc | 134.99 ea |
| D80028 | 1979-80 | with rear drums | 114.99 ca |
| PB71223 | 1981 | with 4 whl disc | 149.99 ca |
| D80119 | 1981 | with rear drums | 134.99 ea |
| D80033 | 1982-92 | all | 107.99 ea |
| D80034 | 1993-02 | all | 134.99 ca |



Universal Power Brake Booster

Universal replacement power brake boosters for a variety of Firebird models. Perfect choice when space is at a premium or custom applications. Will require adjustable pedal rod and correct clevis for your application. Sold separately. Available in various sizes and finishes.

| 7" Single Dia | phragm | | |
|---------------|-------------------|-----------|--|
| PB 1080A | zinc | 59.99 ca | |
| PB1080B | black | 56.99 ea | |
| PB1080C | chrome | 84.99 ca | |
| 7" Dual Diap. | hragm | | |
| PB1081A | zinc | 89.99 ca | |
| PB1081B | black | 89.99 ca | |
| PB1081C | chrome | 114.99 ca | |
| 8" Single Dia | phragm | | |
| PB1082A | zinc | 69.99 ca | |
| PB1082B | black | 118.99 ca | |
| PB1082C | chrome | 84.99 ca | |
| 8" Dual Diap | hraem | | |
| PB1083A | zinc | 82.99 ca | |
| PB1083B | black | 89.99 ca | |
| PB1083C | chrome | 115.99 ca | |
| 8" Bendix Sty | le Dual Diaphragm | | |
| PB1084A | zinc | 118.99 ca | |
| PB1084B | black | 159.99 ca | |
| PB1084C | chrome | 134.99 ca | |
| 9" Slim Singl | e Diaphragm | | |
| PB1085A | zinc | 69.99 ca | |
| PB1085B | black | 99.99 ca | |
| PB1085C | chrome | 109.99 ca | |
| GM Style 9" S | Single Diaphragm | | |
| PB1086A | zinc | 91.99 ca | |
| PB1086B | black | 139.99 ca | |
| PB1086C | chrome | 94.99 ca | |
| GM Style 11" | | | |
| PB1088A | zinc | 99.99 ca | |
| PB1088B | black | 109.99 ca | |
| | | | |



1967-80 Delco-Moraine Power Rooster

When restoring your vehicle back to original, one of the hardest things to find is an original Delco Moraine power brake booster, and if you do, it probably isn't in very good condition. Classic Industries® now offers this beautiful reproduction. Available in both 9" or 11 and has the correct Delco Moraine stamping on the face and gold cad-plating. Ready-to-install, this power brake booster includes a vacuum fitting, firewall boot, rod to pedal clevis and short and deep style master cylinder pushrods. 11 inch is original.

| PB09 | 1967-69 | 9 inch | |
|--------|---------|---------|-----------|
| PB011 | 1967-69 | 11 inch | |
| PB7380 | 1973-80 | 11 inch | 190.99 ea |



AUTHORIZED

1967-81 Power Brake Booster Brackets These brackets are designed for adding an aftermarket

master cylinder/booster combination, to mount the booster to the firewall. These are direct bolt-on brackets that can be used with most aftermarket brake boosters.

| | | AC | Dele | ca |
|---------|---------|-----------------|-------|----|
| 153650B | 1970-81 | chrome-plated | 33.99 | pr |
| 153650A | 1970-81 | zinc-plated | | |
| BBK001S | 1967-69 | stainless steel | | pr |
| 153649B | 1967-69 | chrome | 29.99 | рr |
| 153649A | 1967-69 | zinc | 23.99 | pr |



ACDelco or reproduction power brake booster check valve used with 1967-97 Firebird models with power brakes. Each check valve includes correct grommet. ACDelco

| 4 | 4 | | - 4 |
|-------------------------|-------------------------------|---|-------------------------|
| Reprodu KW529 | ction 1967-92 | universal | 19.99 |
| G9671 G9671 G9671 | 1987-90 1991-92 1993-97 | w/rear drum brakes with 2.8L V6 with 2.8S | 19.99 19.99 19.99 |

1967-81 Mounting Nuts

Master to booster mounting nuts mount the master cylinder to the booster or firewall while reproduction booster to firewall nuts mount the booster to the firewall mounting studs

| П | | linder to Booster Nuts | | |
|---|-----------|------------------------|--------|----|
| П | 1253540 | 1967-81 | 3.99 | ρ |
| П | Brake Boo | ster to Firewall Nuts | | |
| Т | 1253535 | 1967-81 | 4.99 s | SI |



1967-80 Master Cylinder to Firewall Gasket

Reproduction of the correct master cylinder to firewall gasket used on all 1967-80 vehicles equipped without power brakes. . 1256650 1967-80 3 99 69

1967-81 Manual Pushrod Conversion Set

Special heavy-duty pushrod converts vehicles equipped with power brakes to manual brakes. Uses present master cylinder. Must have deep hole in piston. 398721 1967-81

AUTHORIZED



Universal 3/8"-24 Brake Pedal Clevis

Universal fit clevis for many potential uses, including connecting a brake master cylinder or power brake booster pushrod to the brake pedal arm. Measures approximately 2" long, is tapped for 3/8"-24 fine thread, and is zinc-plated for corrosion resistance.

1536607 universal 7 99 69



1967-81 Master Cylinder Pushrod Set

This set will come in handy when rebuilding your master cylinder and power booster on your power brake system. This set includes: the plastic sleeve (boot), 2 push pins (1 for a shallow master cylinder, 1 for a deep master cylinder) and the attaching clevis. PBK10 1967-81..... 15 99 set



1967-81 GM Rrake Rooster Sleeve

Brake booster sleeve for 1967-81 Firebird models This white sleeve is manufactured from blow formed plastic and connects from the back of the booster to the firewall A8500401 1967-81 10 99 69

A8500400 1970-80



Reproduction power brake booster rod for 1970-80 Firebird models with power brakes. This 2.600° rod installs between the power brake booster and master cylinder. Sold individually.











m ď ۵

Brake Components



1967-69 Distribution Block Set

Reproduction 1967-69 distribution block set bolts below the master cylinder. If pressure is lost in the front or rear brakes, this block seals off the malfunctioning end and activates the brake warning lamp. Includes distribution block, bolt, and mounting bracket. RE109 1967-69





1967-69 Rrake Hold-Off Valve

Replacement reproduction hold-off valves for 1967-69 Firebird models with front disc and rear drum brake systems. Includes mounting bracket. RE114 1967-69 disc/drum...... 84 99 ca



1967-69 Brake Pressure Regulator Valve

Reproduction rear brake pressure regulator valve for 1967-69 models equipped with factory air conditioning, big block models or models with a factory 12 bolt axle This brass valve features the correct mounting bracket and controls the hydraulic pressure to the rear brakes to evenly distribute front to rear braking force to keep the vehicle's heavy front end level under hard braking. RE104D 1967-69

1967-69 Disc Brake Metering Valve

Cosmetically correct reproduction valve for all 1967-69 models with disc brakes The metering valve prevents the front brakes from locking up before the rear brakes have had a chance to activate. A bad metering valve can cause severe nose-diving during braking and excessive front brake pad wear. Mounts remotely to the master

cylinder, including original style mounting bracket. F68691 1967-69 with disc brakes..... 52.99 ea



1967-72 Brake Combination Valve Set

The brake combination valve provides proper front to rear brake force balance. This set includes fluid metering and distribution block and system failure light switch. Includes a custom bracket to mount to master cylinder, avoiding frame/header clearance problems. Also includes pre-bent master cylinder to combination valve lines Front Disc Applications 391350 1967-72 d

drum/disc brakes 114.99 set 4 Wheel Disc Applications 391351 1967-72 disc disc/disc brakes 114 99 set







1967-74 Brake Combination Valve 🔥

These valves will fit and function for all 1967-74 models with either factory disc/drum, or disc/disc brake conversions. Available as a valve only or as a set including: valve, bracket and hardware or as a set including: valve, bracket, hardware, and lines. Combination Valve and Bracket Set

1967-74 w/disc/drum brakes 91.99 set 1967-74 w/disc/disc brakes 91.99 set PV71K PV72K Combination Valve Only w/disc/drum brakes 45 99 ea

1967-74 PV71 w/disc/disc brokes 82 90 ea Mounting Bracket Only PVB71 1967-74 mounting bracket .. 9.99 ea

Mounting Bracket with Correctly Bent Lines LH mount 24 99 set 1967-74 PV02 1967-74 24 99 set RH mount



1967-70 Hold Off Valve Mounting Rolt

Reproduction hold off valve mounting bracket bolt featuring correct with star washer and RBW head marking. Used to hold the cast iron valve to the hooster bracket 3.99 ca 1253538 1967-70



Universal Brake Proportioning Valve Rottom Mount Brackets Universal fit proportioning valve/combination valve mounting brackets mount the combination valves either

to the frame or directly under the master cylinder, providing access to lines and fittings. Each stamped steel bracket is chrome-plated or zinc-plated for superior corrosion resistance 153652A zinc 11 99 ca 153652B chrome 16 99 ca

AUTHORIZED



Universal Brake Proportioning Valve LH Mount Bracket

Universal fit bracket to mount the proportioning valve on the LH side of the master cylinder towards the driver side fender. Will fit most aftermarket 7-11 boosters with a GM style master cylinder. Mounting hardware is provided.

zinc-plated 153653D chrome-plated..... 14 99 set



1971-81 Pronortioning Valve Rracket

Reproduction proportioning valve bracket for use on 1971-81 models when converting from drum to disc brakes to mount the valve into the correct location, and can also be used on 1970 models converting from a three piece valve to a 1971 one piece valve.

RF005 1971-81 21 99 ca



Residual Pressure Valve

A 2 pound valve is used in disc brake systems where the master cylinder is mounted below the horizontal plane of the calipers and fluid drain back occurs from gravity and vibration, thereby causing excessive caliper iston retraction and a longer brake pedal stroke. A 10 pound valve is used with drum brake vehicles to compensate for return spring tension in the drums.

2 Pound Valve - Blue 26013783 with fittings 22.99 ea 10 Pound Valve - Red 26013784 with fittings 22.99 ca



Low Pressure Hydraulic Brake Switch

This unit requires 20-50 pounds pressure instead of stock units that need 60-120 pounds pressure to engage. Standard 1/8" pipe thread (9/16"-18). DOT compliant

and features silicone fluid compatibility. TF900650 universal..

Brake Components



Adiustable Proportioning Valve

Precision proportioning from 100 to 1000 psi. At full release, valve is capable of up to 57% reduction in line pressure. The new smaller body accommodates y mounting in a variety of locations in conjunction with two 1/4" diameter holes on 1.00" centers. Along with standard 1/8" NPT inlet and outlet ports and two 1/8" NPT to 3/8-24 inverted flare brake line adapters included with each valve makes installation simple. 2608419 48 99 ca



Universal Proportion Valve Block

Universal proportion valve and distribution block all in one. Features a rotary adjustment to regulate rear brake pressure and help maintain correct brake bias between front and rear. Distribution block connects to master cylinder and distributes brake fluid to all 4 wheels. Includes 5 stainless steel fittings for 3/16' brake line, brake light switch, and wiring pigtail.

without lines and bracket .. 70.99 ca with pre-bent lines & bracket.. 115.99 ea



Adiustable Proportioning Valve

The PROP-BLOCK is a precision machined combination distribution block and adjustable proportioning valve in one. The valve connects to the master cylinder and distributes brake fluid to all 4 wheels, while the adjustable proportioning valve regulates rear brake pressure, maintaining correct brake bias between front and rear brakes. A built-in switch activates brake lights when brake pedal is depressed. Important: This is not a direct factory replacement for original blocks and some line modifications may be necessary.

APVDR black anodized finish..... 94 99 69 APVDBC chrome finish 104 99 ca



Universal Adiustable Combination Valve

Universal adjustable brake combination valve. Features a rotary adjustment to regulate brake pressure. Includes: rotary adjustment to regulate pressure, five 3/8" ports, two front ports, one rear port, two ports feed master cylinder, five 3/8"-24 brake line fittings, and brake light sensor wiring pigtail.

| PB1109 PB1110 PB1112 PB1113 | valve only | 95.99 |
|--------------------------------------|--------------------------|-------|
| PB1113 | with disc/disc residuals | 85.99 |



Proportioning Valve Bleed Tool

®/PIIIL

Proportioning valve bleed tool for all non-adjustable GM style proportioning or combination valves. Designed to replace the warning light switch during the brake bleeding process to lock the low pressure shut valve and allow fast and easy brake system bleeding. all GM style valves ..



Brake Warning Socket and Wire Pressure differential warning light socket and pigtail.

Required when adding disc brake master cylinder and proportioning valve to hook up the brake warning light. PV1530 socket and wire...... 15.99 ea



Roll Control Set

Used primarily in drag racing to provide positive locking action to the front wheels of race cars. In tests, the Hurst Roll Control has proved a 1/100,000 of a second release time and vibration tests have seen up to 30 G's applied without mechanical failure. For all Firebird models. Roll Control installation set is sold separately. 1993-02 models require the use of Roll Control adapter set #5671515 sold separately.

| control adapter set #5071515 sold separately. | | | | | |
|---|----------------------------------|--|--|--|--|
| | | | | | |
| 55.99 set | | | | | |
| adapter set 19.99 set | | | | | |
| | trol set 147.99 set 55.99 set | | | | |



1967-81 Electronic Vacuum Pumo Set Your vehicle power brake booster requires 16 inches

of vacuum. Sometimes, big cammed or supercharged engines don't create enough vacuum to operate the booster, which makes braking harder. This pump set provides your booster with the needed vacuum for your brakes to function. 1967-81 vacuum pump... 203.99 set VP28146



Rieeder Screw Dust Cans These dust caps are installed in seconds on your brake

bleeder screws to keep road debris and the elements from plugging the orifice. KW561

1967-72 Rrake Bleeder Valve

Bleeder valves should be replaced whenever rebuilding your brakes. After years of use the valve can become stripped, broken, or clogged. K0103 1967-72 disc brakes .. 14.99 set K0104 1967-72 drum brakes.... 7.99 set



1967-97 Brake Bleeder Valve Bleeder valves should be replaced whenever rebuilding

your brakes. After years of use the valve can become striped, clogged, or broken. 12489575 1967-78 drum front/rear 4.99 ca 1979-97 drum front/rear..... 6.99 es D01161

1967-78 Speed Bleeder Screws

Now you can bleed your hydraulic braking system quickly and easily by yourself. Speed Bleeders simply replace your original bleeder screws at each wheel cylinder or caliper. The patented, spring loaded check valve in each speed bleeder lets you open the bleeder once, and leave it open until you've

| finished | bleeding that wheel. Sold in pairs. | |
|----------------|-------------------------------------|----------|
| Front 2208E | 1967-78 | 14.99 pr |
| Rear 2208F | 1967-72 | 14 99 pr |

1967-72 14 99 nr











BUSPENSIO END 90 BRAKES

d REAR END DESPENSION,

Brake Hoses and Components



1967-02 Hydraulic Brake Hose

These high-quality reproduction brake flex hoses are just what you need to complete your brake system rebuild! All hoses are produced with the original style fittings and are plated in the correct gold cadmium finish. These hoses are extra durable and produced using DOT approved brake fluid resistant ribbed hoses. Also includes the correct flex hose clip attached directly to the hose. These reproductions are by far the most

| original available! | | | | | |
|---------------------|-------------|--------|--------------------|----------|--|
| Note: *20th | anniversary | editio | n. **With traction | control. | |
| Front | | | | | |
| BH36525 | 1969 | LH | 4 wheel drum | 8.99 ca | |
| BH36525 | 1969 | RH | 4 wheel drum | 8.99 ea | |
| BH36672 | 1969-71 | LH | | 11.99 ea | |
| BH36672 | 1969-71 | RH | | 11.99 ea | |
| BH36715 | 1972-73 | LH | | 11.99 ea | |
| BH36715 | 1972-73 | RH | | 11.99 ea | |
| BH36772 | 1974-76 | LH | | 12.99 ea | |
| BH36772 | 1974-76 | RH | | 12.99 ea | |
| BH36646 | 1977-78 | LH | | 9.99 ea | |
| BH36646 | 1977-78 | RH | | 9.99 ea | |
| BH36845 | 1979-81 | LH | | 10.99 ea | |
| BH36845 | 1979-81 | RH | | 10.99 ea | |
| BH38102 | 1982-83 | LH | | 12.99 ea | |
| BH38103 | 1982-83 | RH | | 12.99 ea | |
| BH38181 | 1984-87 | LH | | 10.99 ea | |
| BH38252 | 1984-87 | RH | | 10.99 ea | |
| BH38181 | 1988 | LH | w/o perf. pkg | 10.99 ea | |
| BH38252 | 1988 | RH | w/o perf. pkg | 10.99 ea | |
| BH38181* | 1989 | LH | w/o perf. pkg | 10.99 ea | |
| BH38252* | 1989 | RH | w/o perf. pkg | 10.99 ea | |
| BH38603* | 1989 | LH | w/perf. pkg | 12.99 ea | |
| BH38602* | 1989 | RH | w/perf. pkg | 14.99 ea | |
| BH380406 | 1993-97 | LH | | 8.99 ea | |
| BH380406 | 1993-97 | RH | | 8.99 ea | |
| Front with | Rear Drug | n Bre | ikes | | |
| BH38181 | 1990-92 | LH | w/o perf. pkg | 10.99 ea | |
| BH38252 | 1990-92 | RH | w/o perf. pkg | 10.99 ea | |
| Front with | 4 Wheel L | isc | | | |
| BH38603 | 1988 | LH | w/perf. pkg | 12.99 ea | |
| | | | | | |

| BH38252 | 1990-92 | RH | w/o perf. pkg | 10.99 ea |
|------------|-----------|------|---------------|----------|
| Front with | 4 Wheel L |)isc | | |
| BH38603 | 1988 | LH | w/perf. pkg | 12.99 ea |
| BH38602 | 1988 | RH | w/perf. pkg | 14.99 ea |
| BH38603 | 1990-92 | | w/perf. pkg | 12.99 ea |
| BH38602 | 1990-92 | | w/perf. pkg | 14.99 ea |
| BH38181 | 1990-92 | | w/o perf. pkg | 10.99 ea |
| BH38252 | 1990-92 | RH | w/o perf. pkg | 10.99 ea |
| Rear | | | | |

| n30232 | 1990-92 | КП | w/o peri. pkg | 10.99 ca | |
|----------------------------|---------|----|---------------|----------|--|
| Rear | | | | | |
| 3H36527 | 1967-68 | | | 15.99 ea | |
| 3H36586 | 1969 | | | 14.99 ea | |
| 3H36692 | 1970-71 | | | 19.99 ea | |
| 3H36714 | 1972-73 | | | 13.99 ea | |
| 3H36765 | 1974-75 | | | 10.99 ea | |
| 3H36767 | 1976-78 | | | 9.99 ea | |
| 3H38104 | 1982 | | | 12.99 ea | |
| 3H38180* | 1989 | | w/o perf. pkg | 14.99 ea | |
| 3H380294 | | LH | w/perf. pkg | 10.99 ea | |
| 3H38612* | 1989 | RH | w/perf. pkg | 10.99 ea | |
| Rear with Rear Drum Brakes | | | | | |
| H26767 | 1070 91 | | | 0.00 an | |

| D1130012 | 1909 | KII | w/pcm. pkg | 10.99 Ca |
|-------------|---------|------|---------------|----------|
| Rear with R | | Brai | kes | |
| BH36767 | 1979-81 | | | 9.99 ea |
| BH38104 | 1983 | | | 12.99 ea |
| BH38180 | 1984-87 | | | 14.99 ea |
| BH38180 | 1988 | | w/o perf. pkg | 14.99 ea |
| BH38180 | 1990-92 | | w/o perf. pkg | 14.99 ea |
| Rear with 4 | | sc | | |
| BH38188 | 1983 | | | 14.99 ea |
| BH38429 | 1984-87 | | | 13.99 ea |
| BH38429 | 1988 | | w/o perf. pkg | 13.99 ea |
| | | | | |

w/perf. pkg... 10 99 ca

| BH380294 | | | | 10.99 | |
|-------------------------|----------------------|----|--------|-------|----|
| BH38612 | | RH | | 10.99 | ea |
| BH380289** | | | center | | |
| BH380483 | 1993-02 | | outer | 9.99 | ea |
| Rear with H | | | | | |
| BH380483 Rear with H | 1993-02 Rear Drun | | outer | 9.99 | ea |



1967-92 OE Hydraulic Brake Flex Hose

These high-quality reproduction brake flex hoses are just what you need to complete your brake system rebuild! All hoses are produced with the original style fittings and are plated in the correct gold cadmium finish. These hoses are extra durable and produced using DOT approved brake fluid resistant ribbed hoses. Also includes the correct flex hose clip attached directly to the hose. These reproductions are by far the most original available!

| Note: *With performance package. **Includes 1-fittings. | | | | | |
|---|----------|---------------------|----------|--|--|
| Front Brake Hoses | | | | | |
| FH32 | 1967 | front drum | 17.99 ea | | |
| FH21 | 1968 | front disc or drum | 13.99 ea | | |
| FH02 | 1968-69 | front drum 12-1/2" | 13.99 ca | | |
| FH03 | 1969 | front disc 15-1/2" | 13.99 ea | | |
| FH202 | 1970-71 | front disc | 16.99 ea | | |
| FH07 | 1972-73 | front disc 15-1/2" | 16.99 ca | | |
| FH31 | 1974-76 | front disc | 16.99 ca | | |
| FH08 | 1977-78 | front disc | 16.99 ca | | |
| FH09 | 1979-81 | front disc | 13.99 ca | | |
| FH175 | 1982-83 | left | 27.99 ca | | |
| FH176 | 1982-83 | right | 27.99 ca | | |
| FH159* | 1988-92 | left | 27.99 ca | | |
| FH161* | 1988-92 | right | 24.99 ca | | |
| Rear Brai | ke Hoses | | | | |
| FH04 | 1967 | rear, 13-1/2" | 13.99 ea | | |
| FH06** | 1967-69 | rear | 16.99 ca | | |
| FH10 | 1970-71 | rear - all | 16.99 ca | | |
| FH11 | 1972-73 | rear - all | 27.99 ca | | |
| FH12 | 1974-75 | rear - all | 19.99 ca | | |
| FH13 | 1976-81 | rear | 24.99 ca | | |
| FH173 | 1982-83 | exc. 1983 rear disc | 27.99 ca | | |
| FH174 | 1983 | disc | 24.99 ca | | |
| FH156 | 1984-88 | drum | 27.99 ca | | |
| FH157 | 1984-88 | disc | 24.99 ca | | |
| FH155* | 1988 | disc, LH | 16.99 ca | | |
| FH177* | 1988 | disc, RH | 19.99 ca | | |
| FH155 | 1989-92 | disc, LH | 16.99 ca | | |
| FH177 | 1989-92 | disc, RH | 19.99 ea | | |
| | | nium-Plated | | | |
| FHC01 | 1967-81 | flav hosa C clin | 2 00 an | | |



Brake Line Hose Bolts

| Specially caliper. Se | drilled bolt that secures the brake et includes 2 bolts and 4 washers. | line to the |
|-----------------------|---|-------------|
| 393705 | 10mm | 13.99 set |
| 393706 | 7/16"-20 | 14.99 set |



Reproduction of the front disc caliper hose bolt for 1969-77 models with single piston calipers. 1969-77

1967-69 Flexible Brake Lines

Chassisworks

ധിധത്യ


These flexible, Teflon lined, stainless steel brake lines are DOT approved and designed especially to accommodate Wilwood calipers and the Chassisworks' integrated caliper mount spindles and subframe assembly. Number-3 line 1/8" NPT to frame side fitting of 3/16" SAE female inverted flange. Includes frame side bracket and hardware.

K6329 1967-69 flex lines 156.99 pr



1967-81 Flexible Brake Lines

These flexible DOT approved stainless steel covered brake lines with Teflon lining are specifically designed to accommodate Wilwood calipers and the tall 2" drop spindles on the Heidt's subframe assembly. Set includes -3AN line frame side fittings and caliper adapters with seal washers. 2207056 1967-81 front



1967-02 Stainless Steel Brake Hose Set

Get increased stopping power, better pedal feel, and improved safety from these stainless steel brake lines. Rubber lines can swell under pedal pressure, causing a "mushy brake" feel. These quality brake hoses are tested up to 3000 psi. All lines are DOT certified and T.U.V. (Germany) approved. All front disc/rear drum sets include 3 lines, and four wheel disc sets

| Note: *With traction co | ontrol. **Without tractio | n control. |
|-------------------------|---------------------------|------------|
| C12285 1967-68 | with front disc | 124.99 set |
| C12246 1969-71 | w/single piston disc | 124.99 set |
| C12246 1972-77 | with front disc | 124.99 set |
| C12213 1977-81 | with hi-perf. pkg | 124.99 set |
| C12275 1978-81 | front disc/rear drum | 124.99 set |
| C12249 1978-81 | without hi-perf. pkg | 124.99 set |
| C12215 1982-83 | rear drum | 124.99 set |
| C12251 1983 | rear disc | 186.99 set |
| C12252 1984-88 | rr disc w/o hi-perf | 186.99 set |
| C12253 1985-88 | rear disc w/hi-perf | 186.99 set |
| C12254 1989-92 | rr disc w/o hi-perf | 186.99 set |
| C12217** 1993-97 | rear disc | 186.99 set |
| C12255 1993-97 | rear drum | 124.99 set |
| C12256* 1994-97 | rear disc | 186.99 set |
| C12218** 1998-02 | rear disc | 186.99 set |
| C12257** 1998-02 | rear disc | 222.99 set |

BH380294 1988

Brake Components



1967-69 Brake Hose Brackets

Reproduction front brake hose brackets for various 1967-69 Firebird models. Retains the brake hoses to the steel brake lines.

Note: *Includes 2 brackets, 2 bushings, 1 tube retainer clip and 1 bolt to mount the tube clip.

| Drum Br | akes | | | |
|----------------|-----------------|------------------------|----------------|----|
| HC113 14303 | 1967-68 1969 | LH and RH LH and RH | 32.99 24.99 | pi |
| Disc Bra | kes | | | |
| HC66 | 1967-68 | LH and RH | 28.99 | pi |
| HC65* | 1969 | LH and RH | 48.99 | SC |



1970-81 Front Brake Hose Bracket Reproduction front brake hose brackets for 1970-81

Reproduction front brake nose brackets for 19/0-81 Firebird models. Reproduced to exact specifications with original markings, these brackets attach to the frame rail and the brake hose passes through it.

| 2 Piece Set | | | | |
|-------------|------------|-----------|-------|-----|
| 881316 | 1970-73 | LH and RH | 29.99 | set |
| 881219 | 1974-76 | LH and RH | 29.99 | set |
| 881316 | 1977-81 | LH and RH | 29.99 | set |
| Individual | Components | | | |
| 3975499 | 1970-73 | LH | 18.99 | ca |
| 3975500 | 1970-73 | RH | 16.99 | ca |
| 6264041 | 1974-76 | LH | 18.99 | ca |
| 6264042 | 1974-76 | RH | 18.99 | ca |
| 3975499 | 1977-81 | LH | 18.99 | |
| 3975500 | 1977-81 | RH | 16.99 | ca |



Universal Front Brake Line Brackets



1967-81 Rear Brake Hose Bracket 👍

Reproduction rear brake hose bracket for 1967-81 Firebird models. This bracket attaches to the floor panel and retains the rear brake hose where it connects to the steel brake line.

| 14302 14304 A9500676 | 1967-68 1969 1970-73 | 29.99 14.99 | ea |
|----------------------------|----------------------------|----------------|----|
| A9500677 | 1974-81 | 14.99 | ea |
| | _ | | |



1969 Rear Brake Hose Bracket

Reproduction mounting bracket that attaches the rear brake hose to the rear end housing on 1969 Firebird models.

Note: Can also be used on 1967-68 models if using a 1969 style rear brake hose which has the T-fitting incorporated into the hose.

| HC28 | 1969 | 18.99 ea |
|------|------|----------|
| | | |

1969 Rear Brake Hose Mounting Bolt

Rear brake hose mounting bolt, 3/8* shank. Needed to mount brake hose to rear end bracket. Note: Can also be used on 1967-68 models if using a 1969 style rear brake hose which has the T-fitting



1969 Brake Hose Straps



1967-68 Rear Brake Hose Tee Fitting



THE CONTROL OF THE CO

Notchead Metal Line Clamps

This new line fastening system will keep your metal lines secure and look great while doing it! Once fastened down with the included hardware, your lines will snap in and out of these clamps for a clean and simple installation. Available in 6 pieces sets or in a 56 pieces shop assortment. Clamps are made from high to 180 degrees F.

Note: "Includes: clapteen: Juffo clamps, ten—187 clamps, ten—187 clamps, ten—187 clamps.

Note: *Includes: eighteen = 3/16" clamps, ten = 1/4" clamps, eighteen = 3/8" clamps, ten = 1/2" clamps, and hardware.

| 56 Piece Set A9700115* | all 4 sizes | 188.99 | set |
|----------------------------------|-------------|--------|-----|
| A9700114 | 1/2" | 23.99 | set |
| A9700113 | 3/8" | | |
| A9700112 | 1/4" | | |
| A9700111 | 3/16" | | |
| 6 Piece Sets | | | |
| | | | |

N#TCHEAD





This new line fastening system will keep your soft lines

(heater hose, battery cubles, AN lines, etc.) secure and tool great while doing if 10 not fistented down with the included hardware, your lines will snap in and out of these clamps for a clean and simple installation. Sets include 6 high strength copolymer acetal plastic clamps and installation hardware. Heat resistant to 180 degrees. Figure Sets.

| A9700116 A9700117 A9700118 | 1/2" hose & #6 AC line 5/8" hose & #8 AC line 3/4" hose & #10 AC line | 25.99 |
|----------------------------------|---|-------|
| | | |



HE CLASSIC INDUSTRIES ENDORSED COLLECTOR CAP NSURANCE PROGRAM IS FINALLY HERE













set

HERING

FIN6701 1967 FIN6702 1967

FIN6703

FIN6801

FIN6802

FIN6901

FIN6902 1969

FIN6903 1969 FIN69DC 1969

FIN7001

FIN7103 FIN7401

FIN7402 FIN7801

FIN8202

FIN8401

FIN8402

FIN8601

FR FR FR FR FR FR

1967 FIN67DC 1967

Brake Line Sets



- Available in stainless steel or original material.
- All lines have the correct color coded fittings.
- All lines have been pre-fitted for easy installation.
- · Each line is machine double flared for a safe, no leak fit.
- All lines are clearly labeled for your convenience. · Reproduced with the discriminating restorer in mind.

Reproduction brake lines for your early model Firebird are now available in OEM material for a stock look or stainless steel material which offers a longer life span and custom look! Each set includes all the necessary components.

We keep a large inventory on hand for quick delivery! Note: *Front sets shipped oversize. **Front to rear sets shipped double oversize.



Stainless Steel

Stainless Steel

| Front Brai | ke Line Sets* |
|-------------------|-----------------|
| Original Material | Stainless Steel |

| FKT6706 | 1967-68 | power brakes | 4 piece | drum 71.99 set | FKT6706S | 1967-68 | power brakes | 4 piece | drum 106.99 set |
|---------|---------|--------------------|---------|----------------|----------|---------|--------------------|---------|-----------------|
| FKT6709 | 1967-68 | manual brakes | 4 piece | drum 71.99 set | FKT6709S | 1967-68 | manual brakes | 4 piece | drum 106.99 set |
| FKT6806 | 1967-68 | manual brakes | 5 piece | disc 71.99 set | FKT6806S | 1967-68 | manual brakes | 5 piece | disc 106.99 set |
| FKT6808 | 1967-68 | power brakes | 5 piece | disc 71.99 set | FKT6808S | 1967-68 | power brakes | 5 piece | disc 106.99 set |
| FKT67DC | 1967-69 | disc conversion | 4 piece | disc 71.99 set | FKT67DCS | 1967-69 | disc conversion | 4 piece | disc 106.99 set |
| FKT6902 | 1969 | manual brakes | 4 piece | drum 71.99 set | FKT6902S | 1969 | manual brakes | 4 piece | drum 106.99 set |
| FKT6904 | 1969 | power brakes | 4 piece | drum 71.99 set | FKT6904S | 1969 | power brakes | 4 piece | drum 106.99 set |
| FKT6906 | 1969 | power brakes | 5 piece | disc 71.99 set | FKT6906S | 1969 | power brakes | 5 piece | disc 106.99 set |
| FKT7005 | 1970 | power brakes | 7 piece | disc 83.99 set | FKT7005S | 1970 | power brakes | 7 piece | disc 119.99 set |
| FKT7006 | 1970 | power brakes | 7 piece | disc 83.99 set | FKT7006S | 1970 | power brakes | 7 piece | disc 119.99 set |
| FKT7102 | 1971-78 | power brakes | 4 piece | disc 71.99 set | FKT7102S | 1971-78 | power brakes | 4 piece | disc 106.99 set |
| FKT7103 | 1971 | manual brakes | 4 piece | disc 71.99 set | FKT7103S | 1971 | manual brakes | 4 piece | disc 106.99 set |
| FKT7901 | 1979 | power brakes | 4 piece | disc 71.99 set | FKT7901S | 1979 | power brakes | 4 piece | disc 106.99 set |
| FKT8002 | 1980-81 | power brakes | 4 piece | disc 71.99 set | FKT8002S | 1980-81 | power brakes | 4 piece | disc 106.99 set |
| FKT8904 | 1989-92 | 6 cyl. 2nd des vlv | 4 piece | disc 71.99 set | FKT8904S | 1989-92 | 6 cyl. 2nd des vlv | 4 piece | disc 106.99 set |

Front to Rear Brake Line Sets

Original Material

| · | a. macoa. | | | • | | |
|-----------|---|--|--|---|-----------------------------------|--|
| 1 piece | 60.99 e | a FIN6701S | 1967 | 1 piece | | 84.99 ca |
| 2 piece | 60.99 s | | | | | 84.99 set |
| manual dr | um w/serial# lower than 135,000 60.99 e | a FIN6703S | 1967 | manual o | frum w/serial# lower than 135,000 | 84.99 ca |
| 2 piece | disc brake conversion 63.99 s | t FIN67DCS | 1967 | 2 piece | disc brake conversion | 87.99 set |
| 1 piece | 60.99 e | FIN6801S | 1968 | 1 piece | | 84.99 ca |
| 2 piece | 60.99 s | et FIN6802S | 1968 | 2 piece | | 84.99 set |
| 1 piece | power brakes only 73.99 e | a FIN6901S | 1969 | 1 piece | power brakes only | 97.99 ca |
| 2 piece | power brakes only 73.99 s | et FIN6902S | 1969 | 2 piece | power brakes only | 97.99 set |
| 1 piece | | | 1969 | 1 piece | manual drum | 97.99 ca |
| 2 piece | disc brake conversion 63.99 s | et FIN69DCS | | 2 piece | disc brake conversion | 87.99 set |
| 1 piece | power disc 73.99 e | a FIN7001S | 1970 | 1 piece | power disc | 97.99 ca |
| 1 piece | power disc 73.99 e | a FIN7103S | 1971-73 | 1 piece | power disc | 97.99 ca |
| 1 piece | power disc 73.99 e | FIN7401S | 1974-76 | 1 piece | power disc | 97.99 ca |
| 1 piece | Trans Am only 73.99 e | a FIN7402S | 1974-75 | 1 piece | Trans Am only | 97.99 ca |
| 1 piece | | | 1977-81 | 1 piece | power disc | 97.99 ca |
| 1 piece | V8, enters front of valve 60.99 e | a FIN8202S | 1982-83 | 1 piece | V8, enters front of valve | 84.99 ca |
| 1 piece | 4 & 6 cyl., enters front of valve 60.99 e | a FIN8401S | 1984-85 | 1 piece | 4 & 6 cyl., enters front of valve | 84.99 ca |
| 1 piece | V8, enters front of valve 60.99 e | FIN8402S | 1984-85 | 1 piece | V8, enters front of valve | 84.99 ca |
| 1 piece | | | 1986-92 | 1 piece | all with line in bottom of valve | 84.99 ca |
| | 1 piece 2 piece manual dr 2 piece 1 piece 1 piece 2 piece 1 piece 2 piece 1 piece | 2 piece disc brake conversion 135,00060.99 sc manual drum wiserial# lower than 135,00060.99 sc 2 piece disc brake conversion 63,39 sd 1,20 piece power brakes only 73,99 sc 1,20 piece power brakes only 73,99 sc 1,20 piece disc brake conversion 73,99 sc 1,20 piece manual drum 73,99 sc 1,20 piece manual drum 73,99 sc 1,20 piece power disc 74,20 piece 1,20 piece 1,2 | piece 60.99 at FINK701S FINK701S FINK701S FINK701S FINK701S FINK702S F | piece 60.99 ex FliN6701S 1967 2 piece 60.99 ex FliN6702S 1967 1967 2 piece 60.99 ex 1960 2 piece 1960 | Pince | piece 6,09 ex 1,000 ex 2,000 ex 1,000 ex 2,000 ex 2, |

Rear Axle Brake Lines

| | ıin: | | |
|--|------|--|--|
| | | | |
| | | | |

| | _ | rigiliai wateriai | Stanless Steel | | | | | |
|--------|---------|--|----------------|------------|---------|--|-----------|--|
| RA6703 | 1967 | | 29.99 set | FRA6703S | | | 42.99 set | |
| RA6803 | 1968 | | | FRA6803S | 1968 | | 42.99 set | |
| RA6903 | 1969 | | 29.99 set | FRA6903S | 1969 | | 42.99 set | |
| RA7002 | 1970-74 | all cars | 29.99 pr | FRA7002S | 1970-74 | all models | | |
| RA7802 | 1975-81 | standard rear suspension and rear drum | | FRA7802S | 1975-81 | standard rear suspension and rear drum | | |
| RA8002 | 1976-81 | F-41 suspension and rear drum | 29.99 pr | FRA8002S | 1976-81 | F-41 suspension and rear drum | 42.99 pr | |
| RA7902 | 1979-81 | rear disc WS6 | 35.99 set | FRA7902S | 1979-81 | rear disc WS6 | | |
| RA8201 | 1982-83 | rear drum | | FRA82RDS | 1982 | 4 wheel disc brakes | 42.99 pr | |
| RA8401 | 1984-92 | rear drum exc. HD axle | | FRA8201S | 1982-83 | | 42.99 pr | |
| RA8601 | 1986-92 | rear drum with HD axle | 29.99 pr | FRA8401S | 1984-92 | rear drum exc. HD axle | 42.99 pr | |
| RA8602 | 1986-92 | rear disc exc. HD axle | 29.99 pr | FRA8601S | 1986-92 | rear drum with HD axle | | |
| | | | | ED 4 8602C | 1096 02 | rear disc eye. UD ayla | 42 00 pr | |



1967-68 Front Disc Caliner Inlet Line

Reproduction front disc brake caliper inlet lines which are used on 1967-68 Firebird models with factory 4 piston disc brakes. These lines are manufactured with correct flare nut fittings and armor spring shielding. Available in original material or stainless steel for longer corrosion resistance.

Original Material

| FFC6701 FFC6702 | 1967-68 1967-68 | 3/8" x 3/8" left 3/8" x 3/8" right | |
|--------------------|--------------------|---------------------------------------|----------|
| Stainless Sta | eel | | |
| FFC6701S | 1967-68 | 3/8" x 3/8" left | 15.99 ca |
| FFC6702S | 1967-68 | 3/8" x 3/8" right | 15.99 ca |



1968-72 Brake Line Clip

| Correct clip required to connect hydraulic brake lines. | | | | | | | |
|---|---------|-------------------------|--|--|--|--|--|
| BC110 | 1969-72 | front 5/16" x 3/4" | | | | | |
| 1380949 | 1968 | rear 3/16" to 3/8" pipe | | | | | |



Correct clip for attaching brake and fuel lines to the

frame on various GM models. These clips are made of galvanized steel and are designed to accept one 3/8" and one 1/4" steel fuel line or one steel brake line. Bolt hole is 3/8", bolt not included. Sold as a set of 7 or as each.

| K22163 | 1969-81 | each | | |
|--------|---------|------|---|--|
| | | |) | |



1969-81 OE Style Line Clamp Bolts 🗥

Brake and fuel line clamp bolts with correct Anchor head marking. Fine thread self-tapping 1/2" bolt. 6 piece set. 1253536 1969-81 11.99 set



Reproduction brake and fuel line clamp bolts with no head marking. Coarse thread self-tapping 1/2 bolt. 6 piece set.

1253537 1969-81



Custom Hard Line Clamp Retainers 🔥


Clean up your engine bay with these aluminum line clamps. Machined from 6061 aluminum and feature removeable delrin inserts with a 3/16" pilot hole that can be drilled to accommodate a larger diameter line Made in USA.

| 5/8" Tall Line | | | |
|----------------|--------|----------|--|
| AE81201 | 1 hole | 14.99 ca | |
| AE81202 | 2 hole | 19.99 ca | |
| | 3 hole | | |
| AE81204 | 4 hole | 29.99 ca | |
| 1" Tall Line C | | | |
| | 1 hole | | |
| AE160302 | 2 hole | 24.99 ca | |
| AE160303 | 3 hole | 29.99 ca | |
| AE160304 | 4 hole | 34.99 ea | |
| | | | |
| | | | |



1967-69 Armor Spring Brake Line Shield

Correct shielding used on original brake lines for OEM restorers who want exact originality. Includes enough footage to allow you to replace or install shields on your original or replacement brake lines. 1967-69 3/16" dia., 10 feet .. 19.99 ea





1968-69 Park Brake Adjusting Pull Spring

Original adjusting spring for use with 1968-69 Firebird models with 4 wheel disc brakes. 2 required per vehicle. 1256664 1968-69



Reproduction park brake guide bar springs for 1967-88 Firebird models A9500101



1967-81 Rear Parking Brake Levers 🔥

Reproduction of the original rear parking brake levers designed for use on 1967-81 Firebird models. Designed for models with 9-1/2" rear drums. This is the lever that gets pulled by the parking brake cable and holds the shoes to the drum. Sold as a pair. 1967-81 9-1/2" rear drums 39.99 pr



E-STOPP® Push Button Parking Brake The perfect E-brake for stock or custom vehicles that

can accept an E-brake cable. It frees up room on the chassis and in the cab and doubles as an anti-theft device when the button is hidden. It replaces hand, pedal, or lever brake and mounts conveniently under the vehicle's carriage. The E-Stopp® attaches directly to your current e-brake cable and has a micro-computer that regulates the proper amount of pressure to your braking system – it will only pull up to 600 lbs before its locked down. The detachable head button allows for an easy install and for visual and audible recognition. For safety, the brake is inoperable while the ignition is on. It can be hooked up to the parking brake warning light. Includes the actuator, the control box with switch. and wire connectors. Made in USA. Important: If your brake cables are old, we recon

purchasing Lokar's Universal Rear Parking Brake Cables. You have a choice of a black housing BC80B or a Stainless Steel Housing BC80. It will make the installation easier and cleaner

| A9507801 A9507807 A9507808 | standard set replacement controller replacement actuator | 159.99 | ea |
|----------------------------------|--|--------|----|
| | | E | d |



Universal Rear Parking Brake Cable

Lokar universal rear brake cables are designed to work with the Lokar under dash foot operated brake cables. The outer housing is designed with a specially extruded liner for extended life of the cable, and the stainless cable resists moisture. Features adjustable cable lock and clevis and come complete with two 8' cut-to-fit housings, cables, cable bracket and spacers. Available

with either a black or stainless steel housing. EC80 stainless steel housing 303.99 ea EC80B black housing 211 99 ca













BRAKES REAR END & BTEERING,

ng Brake Cables & Sets



1967-92 Park Rrake Cahle

Parking brake cables and components for 1967-92 Firebird models. Available individually or as a complete set in your choice of original material or stainless steel. Choose from service replacement components or OER® reproduction individual components and complete brake kits. te: *OER® reproduction brake cables.

| 1967-69 Original Material | | | |
|---------------------------|----------|----------------------------|----------------------|
| Individua | l Compon | | |
| 9793660* | | front cable | 39.99 ea |
| 3892743* | | intermediate | 16.99 ea |
| 3914813* | | intermediate | 18.99 ca |
| 3934645 | | rear rr. w/o 4 whl disc | 28.99 ea 34.99 ea |
| | 1906-09 | ir, w/o 4 will disc | 54.99 ca |
| Full Set R1019* | 1967 | | 99.99 set |
| R1020* | 1968-69 | | 99.99 set |
| 1253420 | 1969 | w/factory 4 whl disc | 139.99 set |
| | | Original Materi | |
| Individua | | | |
| 1253422 | 1970-74 | front | 39.99 ca |
| 1253424 | 1970-74 | rear | 39.99 ca |
| Full Set | | | |
| 1253427 | 1970-74 | | 119.99 set |
| | 1075-01 | Original Materi | |
| Individua | | | aı |
| 344682* | 1975-81 | front | 36.99 ea |
| 1253408 | | rear, drum LH or RH | 37.99 ca |
| 1256897 | | | 37.99 ca |
| 1253408* | | rear, drum LH | 37.99 ca |
| 1256897* | | rear, disc RH | 37.99 ca |
| 1253408* | | rear, disc LH | 37.99 ca |
| Full Set | ., | , | |
| 1253434* | 1975-81 | | 119.99 set |
| 1253436 | | with 4 wheel disc | |
| 1.000.00 | | | |
| Individua | | Original Materi | tal I |
| 1253438 | 1984-92 | rear (long) | 59.99 ca |
| 1253440 | 1984-92 | rear (short) | 59.99 ca |
| 1233440 | | 9 Stainless Stee | |
| Individua | | | |
| 1253410 | | front | 39.99 ca |
| 1253411 | 1967 | intermediate | 18.99 ca |
| 1253412 | 1968-69 | intermediate | 18.99 ca |
| 1253413 | 1967 | rear | 39.99 ca |
| 1253442 | 1968-69 | rr, w/o 4 wheel disc | 44.99 ca |
| Full Set | | | |
| 1253443 | 1967 | | 199.99 set |
| 1253444 | 1968-69 | | 149.99 set |
| 1253421 | 1969 | w/factory 4 whl disc | 169.99 set |
| | 1970-7 | 4 Stainless Stee | 1 |
| Individua | | | |
| 1253423 | 1970-74 | front | 54.99 ca |
| 1253425 | 1970-74 | rear | 54.99 ca |
| Full Set | | | |
| 1253428 | 1970-74 | | 169.99 set |
| | | 1 Stainless Stee | |
| Individua | | | |
| 1253429 | 1975-81 | front | 54.99 ca |
| 1253430 | 1975-81 | rear, drum RH | 54.99 ca |
| 1253431 | | rear, drum LH | 54.99 ca |
| 1253431 | 1975-81 | rear, disc RH | 54.99 ca |
| 1253433 | | rear, disc LH | 54.99 ca |
| Full Set | | , | |
| 1253435 | 1975-81 | | 169.99 set |
| 1253437 | 1975-81 | with 4 wheel disc | 189.99 set |
| 1200401 | | 2 Stainless Stee | |
| | | | |



Under Dash Parking Brake Cable These Lokar universal parking brake cables connect

directly to the foot operated parking brake under your dash and connect to Lokar universal rear brake cables. Cables measure 6' in length and are designed to be cut to the required length for installation in your vehicle. Available in black or stainless steel housing. EC8001 stainless steel housing 187.99 ea EC8001B black housing 127.99 ea



Parking Brake Cable

These cables will complete the installation of your Wilwood parking brake set. This cable set is compatible with all of Wilwood's internal drum parking brake sets including the Dynalite, Superlite, and W4AR kits. This cable will connect Wilwood's parking brake mechanism to your vehicle's OE equalizer assembly. The cables are simple to install and adjust, and the cable housing's black finish disappears under the vehicle for a clean looking undercarriage.

3309371 parking brake cable w/clevis.. 138.99 set

1970-74 Brake Cable Tension Spring 🔔

Reproduction brake cable tension spring for use on 1970-74 models. This spring is used to maintain tension so your emergency brake cables don't sag. RE700 1970-74 16.99 ca



Rrake Cahle Clin

Reproduction of the original clip used to mount the brake cable to the rear section of the under body frame rails. This clip is located on the inside of the frame rail. 3875092 2.69 ca



1976-81 Park Brake Cahle Retainer 🔥

Reproduction of the original park brake cable retainer designed for various GM models as listed below. Manufactured in die-stamped steel with clear zinc-plating for corrosion resistance. Retainer attaches over the brake cable spring and holds the cable in place. 1 required. 1385078 1976-81



1967-81 Front Park Brake Cable Connector

Reproduction connector used to join the front and intermediate park brake cables on 1967-81 Firebird models. Each equalizer connector is manufactured in stamped steel and treated for rust resistance.



1967-81 Rear Park Brake Cable Connector

Reproduction connector used to join the center and rear section of the park brake cable. This cable connector was originally installed on all 1967-81 Firebird models regardless of the length of the cable. 537485 1967-81 LH or RH 4 40 00



1967-69 Park Rrake Cahle Retainer Clin

roduction of the park brake cable retainer clip for 1967-69 Firebird models. Retains the park brake cable to the park brake lever. 14651 1967-69 5 00 ea



1967-81 Park Brake Adiustment Nuts

Park brake cable adjustment nuts for 1967-78 Firebird models. Used to join the front and intermediate park A9500106 1967-81.. 1.99 pr



1967-74 Park Brake Cable Guide

Reproduction brake cable guide for 1967-74 Firebird models. This guide will properly route the cable. 3892744 1967-69 10.99 ca RE701 1970-74 .. 11.99 ca



1968-69 Rear Park Brake Cahle Bracket Reproduction parking brake cable mounting bracket

for models with factory multi-leaf rear springs. Mounts to the rear shock plate. HC69 1968-69 0 00 00



1970-81 Park Brake Cahle Brackets 🔥

Reproduction of the rear park brake cable brackets for use on 1970-81 models. These brackets are used to hold the rear cables where they pass through the unibody at the rear leaf spring pocket. 1970-81 LH and RH RE7081 19 99 nr

Individual Components

1253439 1984-92 rear cable (long)

1253441 1984-92 rear cable (short) ...

Brake Components



1967-68 4 Piston Style Rotor

Originally equipped with a two piece rotor, the 1967-68 model 4 piston calipers require a special rotor that hasn't been available for a long time. This all new reproduction will do the same job that the original two piece units provided. You can continue to use your original 4 piston calipers with these special rotors. 1967-68 LH or RH.....





1969-02 Replacement Brake Rotor 🔥

These premium, high-quality rotors feature 67 distinct vane configurations, to ensure your replacement part matches OE design. The rotors have an ultra smooth braking surface to reduce noise, dust and maximize disc pad life. Compared to economy rotors, these rotors are three times quieter, can stop your vehicle 22-1/2 feet sooner and provide up to 30% more pad life. They are designed to provide the highest levels of dependability, safety and superior performance.

| | h-performance package. 🍑 Witi | tout high- |
|-----------------|-------------------------------|------------|
| performance pai | kage. | |
| Front Brake F | | |
| CB2097A | 1969 | 61.99 ca |
| CB2099A | 1970-78 | 76.99 ea |
| CB2091A | 1979-81 | 62.99 ca |
| CB2095A | 1982-87 | 116.99 ea |
| CB2095A** | 1988-92 | 116.99 ea |
| CB2157A* | 1988-92 | 73.99 ca |
| CB2119A | 1993-97 | 77.99 ca |
| CB2130A | 1998-02 | 74.99 ea |
| Rear Brake Re | otor | |
| CB2096A | 1982-87 | 38.99 ca |
| CB2096A** | 1988 | 38.99 ca |
| CB2160A* | 1988 | 34.99 ca |
| CB2160A | 1989-92 | 34.99 ca |
| CB2120A | 1993-97 | 45.99 ca |
| CB2136A | 1998-02 | 101.99 ca |



1967-69 Brake Rotors

These brake rotors provide great stopping power at a reasonable price. Stock style rotors are CNC precision machined and non-directional crosshatched for better break-in. Performance drilled and slotted brake rotors are designed for maximum pad bite and to minimize brake fade, these rotors are CNC precision cross drilled, mill slotted and silver zinc coated. Nondirectional crosshatched for better break-in. Both meet SAE J431 specifications.

Important: Not for use with original 1967-68 four piston calipers. *Rotor functions as either LH or RH. Stock Style Rotors - Front (2 Required) RS5100* 1967-69.. 49 99 ca Drilled and Slotted Rotors - Front 163.99 pr R\$5200 1967-69 Drilled and Slotted Rotors - Rear 1967-69.. 124.99 pr RS5201









1969-02 Sport Rotor Performance wheels and tires are best complemented

with direct replacement Sport Rotors drilled and slotted rotors. Sport Rotors resist cracking under stress, prevent glazing of the pads, add bite, and improve wet and dry braking performance. Every rotor is produced from a high-quality casting and finished in a durable corrosion resistant coating. Important: Specify: L for left or R for right.

Note: *With high performance package. **Without high performance package. Front Brake Rotor

| Drilled and Slotted | | | |
|---------------------|------------------|-----------|--|
| CB2097D | 1969 | 174.99 ca | |
| CB2099D | 1970-78 | 175.99 ea | |
| CB2091D | 1979-81 | 176.99 ea | |
| CB2095D | 1982-87 | 251.99 ea | |
| CB2095D** | 1988-92 | 251.99 ea | |
| CB2157D* | 1988-92 | 185.99 ea | |
| CB2119D | 1993-97 | 226.99 ea | |
| CB2130D | 1998-02 | 265.99 ea | |
| | Rear Brake Rotor | | |
| CB2096D | 1982-87 | 139.99 ca | |
| CB2096D** | 1988 | 139.99 ca | |
| CB2160D* | 1988 | 164.99 ca | |
| CB2160D | 1989-92 | 164.99 ca | |
| CB2120D | 1993-97 | 204.99 ca | |





1969-02 Sport Rotor

Sport rotors are 1 piece, slotted discs for your factory brake system. Sport Slot Rotors feature a signature 'short slot" design, which improves performance by wiping away the debris of used friction material that otherwise accumulates between the rotor and pad. This keeps fresh pad material exposed to the rotor surface and helps prevent pad glazing. Power Slot Cryo High-Performance slotted rotors are given a cryogenic treatment. Deep cryogenic treatment is a one-time process that permanently improves the performance and service life of metal components. The rotor is cooled to 300 degrees, then gradually heated to +300 degrees

before being slowly returned to room temperature. The cryogenic treatment process redistributes residual stress in the rotor giving it extra protection against thermal distortion, extending the wear life of the brake disc. Important: Specify: L for left or R for right. te: *With high performance package **Without high

п

| erformance package. | , |
|---------------------|----------------------|
| Standard High | -Performance Slotted |
| Front Rotors | |

| Front Rotors | | | |
|--------------|---------|--------|----|
| CB2097B | 1969 | | |
| CB2099B | 1970-78 | | |
| CB2091B | 1979-81 | | |
| CB2095B | 1982-87 | 253.99 | ca |
| CB2095B** | 1988-92 | 253.99 | ca |
| CB2157B* | 1988-92 | 216.99 | ca |
| CB2119B | 1993-97 | 238.99 | ca |
| CB2130B | 1998-02 | 249.99 | ca |
| Rear Rotors | | | |
| CB2096B | 1982-87 | 158.99 | ca |
| CB2096B** | 1988 | 158.99 | ca |
| CB2160B | 1988-92 | 148.99 | ca |
| CB2120B | 1993-97 | 187.99 | ca |
| | | | |

| CB2160B CB2120B CB2136B | 1988-92 1993-97 1998-02 | 187.99 ca |
|-------------------------------|-------------------------------|-----------|
| | High-Performance Slo | |
| Front Rotors | | |
| CB2097C | 1969 | 238.99 ca |
| CB2099C | 1970-78 | |
| CB2091C | 1979-81 | |
| CB2005C | 1982-87 | 283 99 ea |

| | A | Delco |
|-------------|---------|-----------|
| CB2136C | 1998-02 | 263.99 ea |
| CB2120C | 1993-97 | |
| Rear Rotors | | |
| CB2130C | 1998-02 | 280.99 ca |
| CB2119C | 1993-97 | |
| CB2157C* | 1988-92 | |
| CB2095C** | 1988-92 | |
| CB2095C | 1982-87 | |
| | | |



F



1982-92 GM Brake Rotor

| ACDelc applicati | o replacer ions listed. | nent brake rotors fo | r vario |
|---------------------|----------------------------|----------------------|---------|
| G8571 | 1982-87 | rear | 30.99 c |
| G8571 | 1988 | rear without ILE | 30.99 e |
| G8573 | 1988 | rear with 1LE | 33.99 e |
| G8573 | 1989-92 | rear | 33.99 e |
| | | | |









CB2136D

246 99 ca

1998-02

BRAKES d 9 REAR SCBPENBION,

Replacement Calibers







USA

1969-81 Two Piston Brake Caliner 🔥

Direct bolt-on replacement for all 1969-81 Firebird models originally equipped with the big single piston D52 pad calipers. Built to mount in the stock location with stock dimension rotors, using regular OE type or aftermarket compound replacement brake pads and fitment anywhere OE calipers were used. Forged billet aluminum caliper body reduces weight. Stainless steel pistons with high temperature bore seals minimize heat transfer and provide maximum durability. Features a 2.00" bore for 1.00" disc width.

ant: Sold individually. Will work with any factory disc brake pads, which are sold separately.

12010937 gray anodized... black powder coated ... 195.99 ea 12010937BK 12010937RD red powder coated 195 99 ca 22011372 16" stepline hose set ... 80.99 set

ധിധത്ത





1969-81 Front Caliper Set IISA

Wilwood's D52 front caliper set is a direct bolton 2 piston replacement for the factory original single calipers on 1969-81 Firebird models. Forged billet aluminum bodies, stainless steel pistons, and competition style high temperature seals put an end to the rust, bore pitting, and seal failures that plague the OE caliper design. Vehicles 1978 and up (with M10-1.5 banio bolts) will require new brake lines.

| | otors. Requires flex hose set 2. | |
|------------|----------------------------------|------------|
| 14011291 | gray anodized | 440.99 set |
| 14011291BK | black powder coated | |
| 14011291R | red powder coated | 440 99 set |




1982-92 Front Caliper Set

Wilwood's D154 Front Caliper set is a bolt-on one 2.50" piston or two 1.62" piston replacement for the factory original single calipers on 1982-92 Firebird models. Forged billet aluminum bodies, stainless steel pistons. and competition style high temperature seals put an end to the rust, bore pitting, and seal failures that plague the OE caliper design. Uses the factory style brake pads and M-10-1.5 banjo bolt brake line mounting. te: For use on vehicles with 1.04" thick x max.

12.19* diameter rotors. Requires flex hose set 22011371. Single Picton Caliner

| 14012097BK 14012097R | 1982-92 1982-92 | black red | |
|--|--------------------|--------------|--|
| 2 Piston Calipe 14012099BK 14012099R | 1982-92 1982-92 | black | |
| | | | |



1994-02 Caliper Covers

Give your Firebird the aggressive look of a big brake system without the expense when you install these Caliper covers. Easily installs in about 10 minutes per wheel. Enhances wheel appearance, reduces caliper heat and brake dust, manufactured using 6061-T6 aerospace aluminum with powder coated finish. Available in red or black. Sold as a set of 4 covers (front and rear). Requires 17" or larger wheels.

| Black GF90019B | 1994-97 | 229.99 set |
|-------------------|------------|------------|
| Red GF90014R | 1998-02 | 229.99 set |
| | | SINT SINT |
| , L | ユ ル | |
| | | ALIEN C |
| 0 | 000111 | 10 |
| 9 | 999 | 10 |
| ₩USA | | BX50000B |

1993-02 C5 Caliner Conversion Brackets

This set of brackets allows you to retrofit your 1993-02 Firebird with C5 Corvette front brake calipers and rotors. Add suffix B for hammertone, A for red. Note: Spindle modification required BX50000 1993-02 159 99 pr





JUSA

Н

Н

R

HB250653

1969-02 HPS Ferro-Carbon Brake Pads

Hawk Performance High-Performance street brake pads for 1969-02 Firebird models. HPS disc brake pads are world renowned for their smooth braking feel, consistent release characteristics, and increased stopping power. These pads are excellent for spirited street driving providing a 20-40% increase stopping power and higher resistance to brake fade than standard replacement pads. Hawk's unique Ferro-Carbon compound achieves a higher friction coefficient than conventional materials but are gentle on rotors, low dust, and virtually noise free. Made in USA. and the second of the second

| ront | Pads | | | | |
|--------|------|---------|-----------|----------|----|
| | | 1969-78 | standard | | |
| IB11 | 9594 | 1983-92 | standard | 114.99 s | ct |
| IB21 | 7681 | 1994-97 | all | 94.99 s | ct |
| IB24 | 9575 | 1998-02 | all | 131.99 s | ct |
| lear . | | | | | |
| IB11 | 9594 | 1971-88 | standard | 114.99 s | ct |
| IB11 | 2540 | 1985-97 | HD brakes | 79.99 s | ct |
| IB11 | 2540 | 1985-97 | standard | 79 99 s | ct |

92.99 set

1998-02 all



1969-92 Street Performance Brake Pads Street Performance brake pads are engineered to

meet the demands of high-performance driving while maintaining the refinement and comfort expected in everyday driving conditions. These brake pads combine the benefits of premium street brake pads with aggressive friction formulas suitable for track day and autocross use.

CB2299F 1969-81 1 piston caliper 49.99 set CB2286F 1982-92 without perf. pkg .. 48.99 set

Replacement Brake Parts





1967-02 Semi-Metallic Brake Parls 🔥

These semi-metallic brake friction offers exceptional stopping power and is available for most vehicles on the road. They feature: low dust, shimmed to eliminate noise and vibration, formulated for reduced noise. semi-metallic compounds, and 100% Asbestos and copper free formula.

Features: Low dust

- - Formulated for reduced noise Semi-Metallic compounds
- Brake pads comply to current brake friction material legislation

| CB2294A CB2307A | 1967-68 1998-02 | 4 piston caliper | 33.99 set 19.99 set |
|--------------------|--------------------|--------------------|------------------------|
| Rear Pads | | | |
| CB2289A | 1982-87 | | 20.99 set |
| CB2296A | 1988-92 | with perf. pkg | 17.99 set |
| CB2296A | 1989-92 | without perf. pkg. | 17.99 set |
| CB2296A | 1993-97 | | 17.99 set |
| CB2308A | 1998-02 | | 18 99 set |



1969-02 Rrake Pads

These brake pads are manufactured using the same positive molding process utilized by OE suppliers. Positive molding uses extreme pressure to compress the friction material and bond it to the backing plate. This process assures consistent friction material density throughout the pad, resulting in even wear and performance characteristics throughout the life of the brake pad.

| ote: | wiin | perjormance | раскаде. |
|------|------|-------------|----------|
| | | | |

| Semi-Metallic Pads | | | | | | | |
|--------------------|---------|--------------|-----------|--|--|--|--|
| Front Pads | | | | | | | |
| CB2299A | 1969-81 | | 33.99 set | | | | |
| CB2286A | 1982-87 | 4 wheel disc | 31.99 set | | | | |
| CB2286A | 1982-92 | | 31.99 set | | | | |
| CB2286A* | 1988-92 | 4 wheel disc | 31.99 set | | | | |
| CB2295A* | 1988-92 | 4 wheel disc | | | | | |
| CB2298A | 1993 | | 36.99 set | | | | |
| CB2303A | 1994-97 | | 40.99 set | | | | |

CB2299E - front view CB2299E - back view





Features:

- Long wearing Semi-Metallic friction formula
- Low brake rotor wear 100% scorched for easy bed-in
- 100% shimmed to eliminate noise and vibration · Positive Molded for even wear characteristics Stable friction performance across a wide
- temperature range particularly high temperatures Excellentfor heavy-duty applications
 100% Asbestos-free formulas

1969-02 Rrake Pads These brake pads are manufactured using the same

positive molding process utilized by OE suppliers. Positive molding uses extreme pressure to compress the friction material and bond it to the backing plate. This process assures consistent friction material density throughout the pad, resulting in even wear and performance characteristics throughout the life of the brake pad. Extended Wear brake pads feature stable friction levels across a wide temperature range. These pads are formulated for longer pad life with reduced brake rotor wear. Hardware included where applicable. Note: *With performance package.

| | Extended Wear Pads | | | | |
|------------|--------------------|------------------|-------|-----|--|
| Front Pads | | | | | |
| CB2299E | 1969-81 | | 37.99 | set | |
| CB2286E | 1982-87 | 4 wheel disc | 36.99 | set | |
| CB2286E | 1982-92 | rear drum brakes | 36.99 | | |
| CB2286E* | 1988-92 | 4 wheel disc | 36.99 | | |
| CB2298E | 1993 | | 43.99 | | |
| CB2303E | 1994-97 | | 42.99 | | |
| CB2307E | 1998-02 | | 56.99 | set | |
| Rear Pads | | | | | |
| CB2296E | 1988-97 | | 50.99 | set | |
| CB2308E | 1998-02 | | 54.99 | set | |
| | | | | | |



1969-02 Rrake Pads

These brake pads are manufactured using the same positive molding process utilized by OE suppliers. Positive molding uses extreme pressure to compress the friction material and bond it to the backing plate. This process assures consistent friction material density throughout the pad, resulting in even wear and performance characteristics throughout the life of the brake pad. Available in three specialized formulas suited for varied applications and driving styles. Semimetallic, extended wear, and ceramic. Note: *With performance package.

| Front Pads | | | | |
|------------|---------|------------------|-------|-----|
| CB2299C | 1969-81 | | 42.99 | set |
| CB2286C | 1982-87 | 4 wheel disc | 42.99 | set |
| CB2286C | 1982-92 | rear drum brakes | 42.99 | set |
| CB2286C* | 1988-92 | 4 wheel disc | 42.99 | set |
| CB2295C* | 1988-92 | 4 wheel disc | 52.99 | set |
| CB2303C | 1994-97 | | 45.99 | set |
| CB2307C | 1998-02 | | 52.99 | set |
| Rear Pads | | | | |
| CB2296C | 1994-97 | | 39.99 | set |
| CB2308C | 1998-02 | | 39.99 | set |



|) | n | CB2295 |
|---|---|--------|
| | | |

1988-97 Fleet Performance Brake Pads Fleet Performance brake pads are specifically

pad can safely stop vehicles from high speeds and will continue to work at very high temperatures. Front Pads CB2295F 1988-92 with perf. pkg ... 187.99 set





1969-81 Brake Pad Retainer Suring 🔥

Recommended replacement whenever rebuilding brakes. 2 required. Clip-on type. H5404 1969-81 front











90

Replacement Brake Parts

AUTHORIZED



1969 Caliper Mounting Brackets

These forged brackets offer the appearance of hardware from the rare 4 wheel disc option. We also offer the standard style disc brake caliper brackets

Single Piston Front Brackets E330 1969 ... 74.99 pr



for 1969 models



1969 Caliner Bracket Bolts

Special bolts required to secure the caliper bracket to the spindle.



1969-02 Caliner Mounting Pins Replacement caliper mounting pins. One pair per

| caliper required. | | | | | |
|-------------------|---------|---------------|----------|--|--|
| Front | | | | | |
| E226 | 1969-81 | single piston | 9.99 pr | | |
| H5004 | 1982-87 | | 5.99 pr | | |
| H5004 | 1988-92 | exc. 1LE | 5.99 pr | | |
| G6371 | 1988-92 | with 1LE | 12.99 ca | | |
| H5053 | 1993-97 | | 11.99 ca | | |
| H5074 | 1998-02 | | 8.99 pr | | |
| Rear | | | | | |
| H5014 | 1982-87 | | 13.99 pr | | |
| H5014 | 1988 | exc. 1LE | 13.99 pr | | |
| H5041 | 1988 | with 1LE | 7.99 ca | | |
| H5041 | 1989-97 | | 7.99 ca | | |



DQ1001 1969-96 Front Caliner O-Ring Bushing

| | | nt o-ring bushing which ings goes through when | |
|--------|---------|---|---------|
| | | disc brake models. 4 rea | |
| D9402 | 1969-96 | outboard | 2.99 ca |
| D91001 | 1969-96 | inboard | 6.99 ca |

ACDelco





1969-81 Disc Brake Caliner Bolt Sleeve

The caliper bolt sleeve allows the caliper assembly to slide on the bolts to allow proper pad to rotor clearance. Worn or damaged sleeves and bolts can be noisy and dangerous. Use on single piston calipers. 2 required per caliper. 1969-81 all D9405 3.99 pr





DPS85032

1967-97 Brake Caliner Piston

Rebuilding your disc brake calipers? Don't forget to replace the pistons! Moisture is drawn in as brake system cools, causing hidden problems that can only be eliminated with a complete caliper rebuild. For this reason, we recommend replacing the piston along with e when doing

| 1968-69 | with 4 wheel disc | 6.99 | ca | | |
|---------|---------------------------------------|--|--|--|--|
| 1988 | w/perf. pkg., rear | 14.99 | | | |
| | w/perf. pkg., front | | | | |
| 1989-97 | rear | 14.99 | ca | | |
| | | | | | |
| 1982-92 | w/o perf. pkg., frt | 9.99 | | | |
| 1988 | front | 9.99 | ca | | |
| | 1968-69 1988 1988-92 1989-97 | 1968-69 with 4 wheel disc 1988 w/perf. pkg., rear 1988-92 w/perf. pkg., front 1989-97 w/o perf. pkg., frt | 1968-69 with 4 wheel disc 6.99 1988 w/perf. pkg., rear 14.99 1988-92 w/perf. pkg., front 11.99 1982-92 w/o perf. pkg., frt 9.99 | | |



1969-81 Caliper Repair Set

Reseal your calipers with these wheel caliper seal sets. Each set includes the enough seals and dust boots to reseal the caliper listed. I set required per piston. 2 sets required per vehicle.

CB2567

7.99 pr

| 1969-81 | 2-15/16" | 3.99 |
|---------|--|------|
| | _ | |
| - 4 | The same of the sa | |
| | | |
| | | |
| | | |



1967-81 Brake Backing Plate Gasket 🔨

This gasket inserts between the steering knuckle (spindle) and brake backing plate. Helps eliminate brake noise and squeaking. Reproduction

| K6872 | 1967-69 | disc | 4.99 ca | |
|---------|---------|------|---------|--|
| Genuine | | | | |
| G5181 | 1970-81 | disc | 1.99 ea | |
| | | | | |

AUTHORIZED









1967-81 Disc Brake Backing Plate 🔥

Reproduction backing plates with single piston or 4 piston caliper front disc brakes and rear drum brakes. Note: Not for use with 4 wheel disc brakes (JL8 option).

| KW416 | 1967-68 | LH and RH | 34.99 pr |
|-----------|---------|-----------|----------|
| Single Pi | ston | | |
| K1445 | 1969 | LH and RH | 46.99 pr |
| BP4023 | 1970-81 | LH | 24.99 ca |
| BP4024 | 1970-81 | RH | 24.99 ea |
| R7081 | 1970-81 | LH and RH | 41.99 pr |

AUTHORIZED



1967-69 2" Drop Disc Brake Backing Plates OER® Authorized front disc brake backing plates for

use with 2" drop spindles. Fits most GM A, F, and X-Body applications using drop spindles. Note: Use with disc brake spindles #153636. 153644 1967-69

H5075 1998-02

Replacement Brake Parts



1967-81 Rear Drum Brake Assembly

This drum brake set features new components preassembled onto backing plates with heavy-duty 9-1/2" finned drums and high-performance shoes. Notes Fits both 10 holt on 12 holt man and

| | ash Shields | | |
|---------|-------------|--------|------------|
| RE644 | 1967 | 9-1/2" | 509.99 set |
| RE648 | 1968-69 | 9-1/2" | 424.99 set |
| RE645 | 1970-74 | 9-1/2" | 509.99 set |
| RE646 | 1975-81 | 9-1/2" | 509.99 set |
| Without | Splash Shie | lds | |
| RE641 | 1967 | 9-1/2" | 459.99 set |
| RE647 | 1968-69 | 9-1/2" | |
| RE642 | 1970-74 | 9-1/2" | 459.99 set |
| RE643 | 1975-81 | 9-1/2" | 459.99 set |



1967-97 Brake Drum

These vehicle specific premium drums provide consistent quality, strength, performance and reduced noise. Available for models with 9-1/2" x 2-1/2" brakes. Note: Not for use with metallic linings. If you are replacing an aluminum drum with a cast iron drum, you must replace them in pairs. Front

| CB2005 CB2007 | 1967-68 | w/2.78" hub hole | | |
|------------------------------------|-------------------------------|------------------|----------------------------------|--|
| Rear CB2022 CB2033 CB2045 | 1967-74 1975-92 1993-97 | cast iron drum | 59.99 ea 61.99 ea 66.99 ea | |






1967-81 Rear Brake Backing Plates 🔥

Reproduction of the original rear brake backing plates for use on 1967-81 models with 9-1/2" brakes. Stamped to exact factory specifications featuring the correct thickness metal. Sold in pairs. RE107 1967-81 LH and RH

1967-81 Drum Brake Adjusting Hole Cover For use on all 1967-81 models with drum brakes





1967-78 Drum Brake Adjuster Set This set includes the brake shoe adjustment sprocket

brake shoe upper retainer and adjustment plate for 9-1/2" x 2" brakes. Excellent for use when replacing brake shoes. Front or rear with drum brakes. Н

| | | | _ | |
|------|---------|----|-------|-----|
| 2533 | 1967-78 | RH | 11.99 | set |
| | 1907-76 | LП | | |



Rebuilding or replacing your brakes doesn't have to be a painful experience. Completely replace worn out or missing springs and bring your brakes back to proper working condition. Rear sets for 9-1/2" x 2" drum brakes.

| | | traware Sets | | |
|---------|------------|----------------------|-------|----|
| H2319 | | rear drum | | |
| H2319 | 1969 | rear drum, | | |
| H2320 | 1979-83 | rear drum | 21.99 | se |
| H2321 | 1984 | rear drum | | |
| | | rear drum | | |
| | 1998-02 | | | |
| H5640Q | 1998-02 | front w/4 wheel disc | 9.99 | se |
| Drum Br | ake Spring | Set | | |
| H7103 | 1967-78 | w/o metallic shoe | 6.99 | se |
| | | ing Pin Set | | |
| H40192 | 1967-81 | per axle | 5.99 | se |



Correct replacement for all Firebird models not equipped with disc brakes. These bars are used to set the brake shoes apart when the parking brake is applied.

RE200 1967-81 2 required.....



11 99 ca

Correct replacement for all Firebird models not equipped with disc brakes. 2-15/16" o.l. x 7/64" thick. 5460399 1967-81



1967-97 Drum Brake Wheel Cylinder

These wheel cylinders match your vehicle's original equipment. Built for long service life and superior resistance to heat, corrosion and leakage these wheel cylinders deliver safe reliable performance. Erant

| WC37019 | 1967-69 | LH | | 9.99 ca |
|---------|---------|-----|--------|----------|
| WC37020 | 1967-69 | RH | | 9.99 ca |
| | 1907-09 | KII | | 9.99 Ca |
| Rear | | | | |
| WC37024 | 1967-75 | LH | | 7.99 ca |
| WC37024 | 1967-75 | RH | | 7.99 ca |
| WC37021 | 1976-81 | LH | | 10.99 ca |
| WC37021 | 1976-81 | RH | | 10.99 ca |
| WC37116 | 1981 | LH | export | 8.99 ca |
| WC37116 | 1981 | RH | export | 8.99 ca |
| WC37625 | 1982-88 | LH | SÁE | 10.99 ca |
| WC37625 | 1982-88 | RH | SAE | 10.99 ca |
| WC37647 | 1984-92 | LH | metric | 9.99 ca |
| WC37647 | 1984-92 | RH | metric | 9.99 ca |
| WC37973 | 1993-97 | LH | | 15.99 ea |
| WC37973 | 1993-97 | RH | | 15.99 ca |
| | _ | | | |



1967-92 Wheel Cylinder Rebuild Set

Wheel cylinder rebuild sets are an exact match to the design of your vehicle's original equipment. One set required per cylinder.

Note: *Export models. Pear Wheel Cylinder

| WK418 | 1967-75 | 7/8" bore | 5.99 s |
|--------|---------|-------------------|--------|
| WK423 | 1976-81 | 15/16" bore | 4.99 s |
| WK418* | 1981 | 7/8" bore | 5.99 s |
| WK886 | 1982-88 | 3/4" bore, SAE | 4.99 s |
| WK886 | 1984-92 | 3/4" bore, metric | 4.99 s |
| | | | |





1967-97 Drum Brake Shoes

These brake shoes are designed to provide the best overall premium performance for everyday driving conditions. 100% Asbestos-free formulas. Available in bonded style

| Front CB2037B | 1967-69 | 9-1/2" x 2-1/2" | 30.99 |
|------------------|---------|-----------------|-------|
| Rear CB2038B | 1967-81 | 9-1/2" x 2" | 21.99 |
| | | | |











set

TEERING, SUSPENSION, REAR END

90

BRAKES ď 9 REAR

Replacement Brake Parts



1967-69 Spindle

Replacement spindles for use on 1967-69 Firebird models with disc brakes. Each spindle fits either LH or RH. 2 required.

1967-69 disc brakes 69.99 ea



1967-69 2" Drop Disc Brake Spindles

OER® Authorized 2" drop spindles will replace OE single piston disc brake spindles. The stock steering arms bolt to the same location as on the stock spindle, maintaining the steering geometry. ote: Not for use with drum-to-disc brake conversions kits.

153636 1967-69. 185.99 pr



1967-69 2" Forged Drop Spindles 🔥 These spindles drops ride height by 2" and allow you

to use the stock steering arm and the factory 11" single piston disc brakes, or aftermarket 12"-13" brakes without modification. Forged from 1045 steel alloy and precision machined to perfection.

Note: Factory disc brake bracket requires minor modification and eliminates dust shields. Disc only CP30100



1967-69 2" Drop Spindles for 12" Rotors

These drop spindles let you run 15" or 16" wheels and larger brakes while you lower your Firebird. Works with 1970-78 calipers (RC4059 and RC4060) and 1988-92 Firebird 1LE 12" rotors (CB2157A), bearings and seals. Works with most 16" or larger wheels.

te: Not to be used with wheels with more the 4-3/8" backspacing. DS677412 1967-69 DROP SPINDLES

228 99 pr



1967-69 Improved Camber 2" Drop Spindle

These spindles raise the upper ball joint 1-1/2" for superior camber change! Use with Heidt's caliper brackets for stock 11" rotors to 13" big brake setups. tt: Not for drum brakes or OE dual piston calipers. HS013 1967-69 tall 2" drop spindles., 469.99 pr



1969 2" Drop Spindles Set

Lower your 1969 Firebird the right way with a factory style 2" drop spindle set. This set includes caliper mounting brackets and backing plates for a complete installation.

Note: Will work with 1967-68 models if using 1969 style

single piston D52 style calipers. RS900119 1969 LH and RH...... 264.99 set



1970-81 2" Machined Drop Spindles

Lower your Firebird 2" without affecting steering or suspension geometry. Spindles are cast from the highest quality Ductile Iron with CNC-machined 4130 chromoly pins. Attaches to stock ball joints and tie rod ends. Moves wheels out an 1/8* on each side and works with most 14" disc brake wheels. No need for bolt-on caliper brackets. Disc brake applications only. Note: 7078DS and 7981DS spindles work with factory

7078DS 1970-78 7981DS 1979-81



C5 Upright Spindles for 1967-81

These bolt on spindles for 1967-81 Firebird models use C5 bearing hubs with sealed bearing packs to eliminate spindle pin flex. The design maintains the drum brake offset while improving geometry to allow better camber change during suspension movement. Works with C5 brake components.

1967-69 318 99 set CP30014 1970-81 318 99 set



TISA

1967-69 Rillet Aluminum Snindles 🔥

These rigid and lightweight billet aluminum spindles and steering arms are direct replacement components for 1967-69 Firebird models. Overall height of both upright versions is 1-1/2" taller than stock, resulting in more aggressive camber gain with increased cornering performance. Spindles feature a black anodized finish and heat treated, corrosion resistant, slotted flange nuts. For use with calipers that attach to OEM style

disc brake locations. Note: Taller spindle height requires Chassisworks billet steering arms and tubular upper A-arms to properly osition ball joint range of alignment. Minimum rim size is

15" to 18" diameter, depending upon width and brake kit. K5754160 1967-69 stock height 902.99 pr 2" drop... 957.99 pr K5754162 1967-69



K5755628 1967-69 Steering Arms

These replacement steering arms are for vehicles with

standard power steering or quick ratio power steering, and models with quick ratio manual steering OE Style - Cast Iron 1967-69 LH and RH..... 78.99 pr

Billet Aluminum - Black Anodized K5755628 1967-69 LH and RH 481 99 pr

278.99 pr

278 99 pr

Wheel Bearings



This convenient set includes: dust caps, spindle nuts, keyed washers, and cotter pins in a set that does both sides of the vehicle. Each set includes: two 3/4" x 20 with 1-1/16" Hex head spindle nuts, two plated 1/8"x 1-1/2" cotter pins, two 1-25/32" or 2-1/16" o.d. wheel bearing dust caps, and two keyed spindle washers. 1-25/32" caps..... 16.99 set 153642 1967-69

2-1/16" caps...... 16.99 set



1970-92

153643

1967-92 Steering Knuckle Spindle Washer

Replacement steering knuckle washer used between the outer bearing and the spindle nut. BW2 1967-92 LH or RH... 1 99 ca



1967-90 Snindle Nut and Cotter Pin Kit Hex head spindle nut and plated 1/8" x 1-1/2" cotter

pin for securing drum or rotor to spindle. Kit contains: one nut and one cotter pin. 2 required per vehicle. K9142 1967-90 LH or RH ..



1967-92 Front Wheel Bearing Grease Can Replace your dented or missing grease caps with current

production GM or replacement grease caps. Your wheel bearings will last much longer when covered and protected from moisture and road debris, while retaining the grease within the bearing hub. 2 required. 1967-69 1-25/32" o.d..... WC54 2.99 ca WC53 1970-92 2-3/32" o.d.... 2.99 ca G8237 1970-92 2-3/32" o.d. - GM... 15.99 ea





Reproduction wheel bearing cap for 1967-69 Firebird models. Stamped steel cap features the "button" like the factory original. Sold in pairs. 3775190 1967-69 18 99 pr





1967-90 Wheel Bearing and Seal Kit

When replacing your wheel bearings, it's important to replace all of the wear parts for safety. Buy the complete kit and save time and money. Each kit includes: I outer and I inner wheel bearing with races, I wheel bearing seal, I spindle washer, I spindle nut, I cotter pin, and 1 grease cap. Note: *With 1LE performance package. **Excluding 1LE

| performana | e package. | | |
|------------|------------|----------|-----------|
| K9131 | 1967-69 | LH or RH | 24.99 kit |
| K9139 | 1970-78 | LH or RH | 24.99 kit |
| K9140 | 1979-81 | LH or RH | |
| K9144 | 1970-78 | LH or RH | |
| K9146 | 1979-81 | LH or RH | 65.99 kit |
| K9145 | 1982-87 | LH or RH | |
| K9145** | 1988-90 | LH or RH | |
| K9146* | 1988-90 | LH or RH | 65.99 kit |

ACDelco





1967-92 Front Wheel Bearing

Replacement wheel bearing for all 1967-92 Firebird models. Replace your worn out original wheel bearings to maintain proper alignment and smooth rolling. Note: *With ILE performance package. **Without ILE performance package.

| Outer WI | eel Bearin | ıg | |
|----------|------------|----------|-------|
| G8574 | 1967-78 | LH or RH | 11.99 |
| G8572 | 1979-81 | LH or RH | 21.99 |
| G8591 | 1982-87 | LH or RH | 11.99 |
| G8591** | 1988-92 | LH or RH | 11.99 |
| G8572* | 1988-92 | LH or RH | 21.99 |
| | eel Bearin | | |
| G8228 | 1967-92 | LH or RH | 21.99 |



1967-81 Wheel Stud

Wheel studs used on all 1967-81 wheels. Used to hold the wheel onto the axle. Measures: 7/16"-20 x 1-3/4". A14228 1967-81 front 3.49 ca



1970-92 Front Wheel Bearing Seal 🔥

Prevent premature bearing or brake failure! Replace aging, cracked, or deteriorated wheel seals to keep wheel bearing grease where it belongs... lubricating your wheel bearings! G8231 1970-92 LH or RH..... 7.99 ea

| | _ |
|--|---|
| | |



| This tool i | s great for | pulling | oil or | grease | seal: |
|-------------|--------------|-----------|--------|--------|--------|
| Convenient | tool that co | mes in ha | andy w | hen ne | |
| Y56750 | | | | 9 | .99 ea |



Bearing Race and Seal Driver When it comes time to install bearing races, you'll

find this tool to be an excellent way of saving time. Includes all you need to install or remove bearing races. Y12600



1967-72 Brake Rotor/Drum Nut Set 🔥

This hardware set includes the front rotor nuts, washers and pins needed to hold the rotor to the spindle for disc brakes and hub for drum brakes.

1253509 1967-72 6 piece.. 13 99 set



1967-72 Brake Rotor/Drum Nut Set 🔥

This 18 piece hardware set includes the front rotor and spindle nuts, washers, pins necessary to hold the rotor or drum to the spindle and the spindle to the upper and lower control arm and the spindle to the end link. For models with disc or drum brakes

> 1967-72 18 piece 15.99 set













1253510

OO

ō

END

m ď 9 REAR DUSPENSION,

Brake Tools



Brake System Power Bleeder

Bleed your hydraulic brake system like the pros with this high capacity brake bleeder system. This is a simple, one person operation with no external power source needed. Includes a precision pressure gauge for safe operation and you can flush the entire hydraulic system without frequently refilling the reservoir. This unit features a large reservoir that holds up to 2 quarts of brake fluid. Complete system includes: reservoir with gauge, hoses, fittings, instructions as well as two adapters that will fit most master cylinders from 1947-91

Brake System Power Bleeder bleeder w/universal adapters 89.99 ea



Mitvvac Brake Bleeder

The Mityvac Brake Bleeding Set can be used on virtually all hydraulic systems including most ABS systems. It's a rugged, low cost professional tool which enables one person to efficiently bleed brakes, clutches or other hydraulic systems. Choose from our sturdy polymer plastic bleeder, designed for occasional use, or step up to the heavy-duty model designed for the profe

| 4000 5820 | "professional" model "do-it-yourselfer" model | 139.99 54.99 | SC SC |
|--------------|--|-----------------|----------|
| | | | |



One Man Rrake Rieeder Loosen the bleeder screw and fill with brake fluid. Pump the brakes until the hose is free of bubbles.

Everything is included to quickly bleed brakes with no mess. Plastic bottle collects discharged fluids. Complete instructions included. Y19200



These will ensure that you don't strip the bleeder nuts on your calipers or cylinders. Check size before ordering. 1/4" x 3/8" Y10900 5/16" x 3/8" 8.99 ca



Handy Packer Bearing Packer

The Handy Packer works on bearings up to 3 1/2" o.d. The grease stays in the tool cavity, not on your hands. To pack a bearing, place the bearing on the piston. Press down on the cap until the old grease is forced out and the new grease shows on top of the bearing with less mess

V34550 23 99 cg



Hi-Temp Wheel Bearing Grease

When replacing or just repacking your wheel bearings, don't use ordinary grease. Protect those bearings with a high-quality, high temperature bearing grease. This is a very stable aluminized complex thickened grease used for the lubrication of wheel bearings, chassis ball joints and other bearing applications operating under severe conditions. This product assures high temperature protection from excessive heat generated by disc brakes. And... a special tool designed to pack the bearings so they stay where they belong. Works on most cars and trucks

SI.3161 bearing grease 14 oz. can..... 7.99 ea universal bearing packer...... 10.99 ea Y65250

Brake Adiustment Tool Speed up star wheel adjusting on drum brakes by

simply inserting the tool through the slot in drum backing plate. A different angle at each end adapts to many various models. Y50700



Disc Brake Hone

Special abrasive pads polish the cylinder without cutting. Controlled pressure, three abrasives, and flexible driver give good stability and speed. Stones are 1" long. Range 1-1/2" to 3-1/8". ... 18.99 ел V10400 hone

Y10490 set of replacement abrasives.... 6.99 set WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Brake Spring Removal Tool This heavy-duty brake spring tool will remove springs

installed through a hole Y44800 heavy-duty (lg. brake springs)... 14.99 ea



Brake Spring Removal Tool

The standard tool will remove springs that are set over a post. Y46750 standard tool...



Brake Suring Pliers

Removes and installs shoe return springs on most drum brakes. Socket end removes spring from anchor stud. Notched end installs spring on anchor. Pliers remove and install the return spring to outside of brake shoe.





Brake Cylinder Hone

Hones drum brake wheel cylinders and disc brake calipers from 13/16" to 2-3/4" in diameter. Sleeve makes insertion in cylinder easy and protects stones

9 99 set

when not in use. Use with variable speed drill. X265 3/8" Hex ... X266 3 pc stone set for drum brakes 5.99 set 3 pc stone set for disc brakes...

X2004

ധിധത്തി

Brake Tools



Speedy Brake Pad Spreader

The pistol grip ratcheting action and the fast acting plunger compress disc brake pistons in seconds. This makes brake pad replacement a snap.

Y24300 single piston pad spreader 46.99 ea Y25750 dual piston pad spreader 65 99 ca



Brake Pad Spreader

This unique tool makes changing disc brake pads easy. The tool compresses the disc brake piston for easy installation of pads.

Y24400 14.99 ca





Emergency Brake Cable Release Pliers

These pliers can be used on many domestic vehicles with an emergency brake cables at the rear wheels. Works on drum brake and disc applications, quick and easily pushes the emergency brake cable out the spring/connector for service or replacement.

Y44210 18.99 ca Y44220 21 99 ca

Double Flaring Tool Set

If your brake or fuel lines need to be flared, this is the right tool for you. This set allows the user to make single or double SAE flares to exact dimensions. Great item to keep in your tool box.

Y31310



Tubing Bender

These tools make bends easy without the tube collapsing. Tube benders can be used for bending copper or steel tubing such as brake, fuel, transmission cooler or power steering lines. I hand bender for small

lines or slight bends in larger lines. 2 hand bender for easy bends in larger lines. 3/16", 1/4", 5/16", and 3/8"... 37.99 ea 5/16" and 3/8" lines............... 49.99 ea X2180 V025700



Brake And Parts Cleaner

This powerful Brake And Parts cleaner quickly cuts through grease and grime, but it does not leave an oily film. This fast drying formula gets the job done while

| | on-chlorii | ated. | |
|----|------------|----------------------|---------|
| JC | 1210 | 14 oz. can | 5.99 ca |
| 10 | 11211 | totalise 14 an asses | 71.00 |

2908478





Brake Fluid

Wilwood offers two grades of high-performance brake fluid. Hi-Temp^o 570 for severe heat. EXP 600 Plus for extreme performance under the high heat of professional motor sports. Always add new fluid to a clean system. Sold by the case.

EXP 600 Plus - 626° Boiling Point 2908478 six 16.9 oz bottles.. 136 99 cs

Hi-Temp 570 - 570° Boiling Point six 12 oz bottles 75.99 cs 2902210





STOP ()TECH

CB2566 High-Performance Brake Fluid

StopTech High-Performance DOT 4 Brake Fluid is

compatible with modern ABS and stability systems. It mixes with all DOT 3 and 4 products. Choose from street or racing formulations. Sold in durable 500ML metal containers.

CR2560 street formula.. CB2566 racing formula 39 99 69







Brake Caliner/Brake Drum Paint System Available in 11 colors, this system is the most complete

brake caliper paint set available with brush-on application, high gloss finish, and the heat resistance of up to 950 degrees F! Includes: two component paint system, caliper cleaner, brush and mixing stick. Seals and protects from oils and corrosion. Choose from red, yellow, blue, silver, black, purple, green, white, gold, orange, or pink. Contains enough paint for 4 large calipers or 2 brake drums.

G22160 specify color.













BUSPENSION, REAR E 90

m ď Q Z U REAR SUBPENSION, BTEERING,

Rally I and Rally II Wheel Kits





1967-68 Rally I Wheel Kit

We offer a wide selection of kits including same size or mixed sizes. The original 1967-68 Rally I wheels included a black base center cap, however due to popular demand the polished stainless base cap is also offered. The original type trim rings are not available and we have chosen a similar trim ring which looks and fits as closely as possible to the original. Kits include: four Rally I wheels, black or polished center caps with ornaments, trim rings and twenty acorn lug nuts. Note: Shipped overweight.

> - 14" Wheel Kits -With Black Base Center Caps

Same Size Wheel Kits

RDK301B 14" x 6" 14" x 7"

RDK302B

| Mixed Size 1 | | | |
|--------------|---------------------------|---------|-----|
| | two 14" x 6" two 14" x 7" | | |
| With F | Polished Base Center | Caps | |
| Same Size V | heel Kits | | |
| RDK301P | 14" x 6" | 1098.99 | kit |
| RDK302P | 14" x 7" | 1104.99 | kit |
| Mixed Size 1 | | | |
| | two 14" x 6" two 14" x 7" | | |
| | — 15" Wheel Kits — | | _ |
| With | Black Base Center | Caps | |
| Same Size V | heel Kits | | |
| | 15" x 7" | | |
| RDK304B | 15" x 8" | 1123.99 | kit |
| Mixed Size \ | Wheel Kits | | |
| RDK310B | two 15" x 7" two 15" x 8" | 1156.99 | kit |
| With F | Polished Base Center | Caps | |
| Same Size V | heel Kits | | |
| RDK303P | 15" x 7" | 1234.99 | kit |
| RDK304P | 15" x 8" | 1166.99 | kit |
| Mixed Size 1 | Wheel Vite | | |

two 15" x 7" two 15" x 8" 1099.99 kit











1967-72 15" x 7" Rally II Wheel Kit

OER® 15" x 7" Rally II wheel and component kit for various 1967-72 Pontiac models. The original 1967-69 Pontiac Rally II wheels usually featured a red center cap. Some early 1970 models may have also included the red caps. The 1971-72 models were usually equipped with the black center caps. The original type trim rings are not available and we have chosen a similar trim ring which looks and fits as closely as possible to the original. Kits include: four Rally II wheels, red or black center caps, trim rings, and 20 red or black lug nuts. Bolt pattern is 5 x 4-3/4". Important: The trim rings supplied are aftermarket and although they will fit the wheels, they may vary in

appearance from originals. Note: Shipped overweight. RDK403R 1967-72 ... 977.99 kit red caps..... RDK403B 1967-72 black caps. 977 99 kit



1967-68 Rally I Individual Wheel

The original 1967-68 Firebird models were factory equipped with 14" x 6" Rally wheels. Although not original, we also offer 14" x 7", 15" x 7", and 15" x 8" Rally I wheels. They are offered due to the larger variety of tire sizes currently available in today's market. All Rally I wheels can be installed with either drum brakes or disc brakes. Bolt pattern is 5 x 4-3/4".

| Note: Shipp | ed overweig | ht. | - |
|-------------|-------------|---------------------|-----------|
| 4" Rally | I Wheel wi | ith 4-3/8" Backspac | ing 📶 |
| DK300 | 1967-68 | 14" x 6" | 178.99 ca |
| DK305 | 1967-68 | 14" x 7" | 178.99 ea |
| 5" Rally | I Wheel wi | ith 5" Backspacing | |
| DK310 | 1967-68 | 15" x 7" | 192.99 ca |
| DK315 | 1967-68 | 15" x 8" | 197.99 ea |
| | | | |





8888

Cast Aluminum Rally II Wheel

Wheels feature a gunmetal gray powder coating with machined edges. The Accepts original style center caps (sold separately). Bolt pattern is 5 x 4-3/4". Important: Not compatible with factory lug nuts.

| Note: Shipp | Note: Shipped overweight. | | | | |
|-------------|---------------------------|-----|--|--|--|
| 4-1/2" Ba | ckspacing | | | | |
| PW1784 | 17" x 8" | i | | | |
| R4432 | 17" x 8" | - 4 | | | |

| x 8" | individual | 256.99 ea | |
|------|------------|------------|--|
| x 8" | 4 wheels | 935.99 set | |
| x 9" | individual | 256.99 ea | |

5" Backspacing PW1795 R4433 17" x 9" 4 wheels.....

935 99 set Chrome Acorn Lug Nuts 7/16" x 20 set of 5 ... 13 99 set 716201

1052 99 kit

1059.99 kit

Wheels and Components

AUTHORIZED



1967-81 Rally II Steel Wheel

Rally II wheels were optional with 1967-81 Firchird models. The original 1967-81 Firchird models were factory equipped with 15° x 6°, or 15° x 7° Rally wheels. Although not original we also offer 15° x 8° x 60° x 10° x 10°

Important: Center cap, trim rings and lug nuts are available separately. Note: Shipped overweight.

| Item# | Size | Backspace | Price |
|-----------|---------------|--------------|----------|
| Gray Powe | ler Coated wi | th Dark Gray | |
| WV410 | 15" x 7" | | 230.99 е |
| WV415 | 15" x 8" | | 264.99 с |
| WV416 | 15" x 8" | | 264.99 с |
| WV417 | 15" x 10" | 5" | 299.99 е |
| | | | |





1967-81 Stamped Steel Wheel

Factory style replacement stamped steel wheel features gloss black powder coating with OE style dimples for "dog dish" hubcap, and dimples by the valve stem. Perfect for a classic sleeper look! Bolt pattern is 5 x 4-3/4".

Important: Rally hubcaps will not fit these wheels. For 14" x

important: Ratty nuocaps with not jit these wheets. For 14
6° and 14" x 7" use TK3000 trim rings and for 15" x 7" use
TK3125. The Pontiac hubcap F155 will fit all three wheels.
Note: Shipped oversize.

| 4-1/2" Back | | | € 0\$1 | |
|-------------|---------|----------|---------------|--|
| A8500504 | 1967-81 | 14" x 6" | 108.99 ca | |
| 4-3/4" Back | spacing | | | |
| A8500505 | 1967-81 | 14" x 7" | 99.99 ca | |
| A 8500506 | 1967-81 | 15" x 7" | 109 00 an | |





1967-68 Rally I Hubcap

Reproduction center hubcap required with all 1967-68 Rally 1 wheels. Each hubcap assembly include the center ornament and gasket. The caps are available in either black or stainless steel. Stainless steel was not original for 1967-68 Firebird but they are offered due to populatify and high demand. Each cap will fit original or reproduction wheels in any size!

| DK56 | 1967-68 | each | 96.99 | ca |
|-------|---------|---------|--------|-----|
| DK56S | 1967-68 | 4 piece | 330.99 | set |
| Black | | | | |
| DK59 | 1967-68 | each | 96.99 | ca |
| DK59S | 1967-68 | 4 piece | 395.99 | set |



1967-68 Rally I Center Hubcap Ornament Reproduction hubcap ornament for 1967-68 Rally I

wheels. This ornament bolts directly to the hubcap. The inner section of each ornament is phosphate coated to protect against corrosion. (This ornament is included when purchasing complete hubcaps).

DK60 1967-68 each 29.99 ca

4 piece 154.99 kit

1967-68 Rally I Hubcap Lock Adapter

This special adapter was produced to help eliminate hub rattling and coming loose as the originals were fianous for. This adapter is also used to lock your hubs in place from the inside of the wheel. Keeping thieves out! Installs on all sizes. One required per wheel.

DK32 1967-68



1967-72 Rally II Wheel Center Cap OER® chrome wheel center caps for 1967-72 Pontiac

OER" cnrome wheel center caps for 1907-12 Pontage models equipped with Rally II wheels. Available with red or black "PMD" inserts. Designed for bolt-on style installation to deter theft. Includes retainer and mounting hardware.

| With PML | Inserts - I | ndividual Caps | | |
|-----------|--------------|----------------|--------|-----|
| 480301 | 1967-72 | red | 29.99 | ea |
| 9792996 | 1967-72 | black | 29.99 | ea |
| Wheel Cer | iter Cap Sei | s – 4 Piece | | |
| | | red | | |
| 881231 | 1967-72 | black | 109.99 | set |



1973-81 Pontiac Rally II Wheel Center Cap and Insert

488953

489146

OER® wheel center cap and emblem insert for all 1973-81 Pontiac models with Rally II wheels. This die-cast zinc center cap features the correct brushed finish and red Pontiac logo insert. Includes the steel retaining elip. Emblem insert features the Pontiac Arrowhead design in correct silver and red colon. Center Cap with Emblem Insert

| Emblem Insert | | | | 49.99 ca |
|---------------|---------|---------|-----|----------|
| 489146 | 1973-81 | | | 8.99 ea |
| Osffino. | 1000 | ATT 100 | 100 | din |

1967-81 Wheel Cap Locks

Great product to protect your Rally II hubcaps, PMD center caps from 1973-21 or "Arrowhead" center caps from 1973-81. This Rally II wheel center cap lock set replaces the OE style attaching clip with an inner and outer plate to lock the cap in place, preventing theft. Includes plates and hardware for 4 caps.

WL96773 1967-72 PMD caps w/Rally II 25.99 set WL96773 1973-81 Arrowhead w/Rally II 25.99 set











DK60S 1967-68



Hubcaps and Trim Rings



1967-71 Original Style Hubcap

Reproduction of the original style hubcap on 1967-71 models with 14" standard wheels and drum brakes. Replace your missing, damaged, or discolored hubcaps

with this quality reproduction. 1967-71 90 99 ca





CM8204

CM8202





1967-72 Wheel Cover Fmhlem

Reproduction wheel cover emblems for 1967-72 Firebird models. Be sure to choose the correct diameter for your wheel covers.

e: Not for use on Rally II center caps Black -PMD

Red - PMD - Disc Brakes

| CM8200 | 1967-72 | 2-7/16" | |
|------------|---------|---------|----------|
| CM8202 | 1967-72 | 2-3/4" | 27.99 ea |
| Black - PM | | | |
| CM8204 | 1967-72 | 2-7/16" | 27.99 ea |
| Red -PMD | | | |
| CM8201 | 1967-72 | 2-7/16" | |
| CM8203 | 1967-72 | 2-3/4" | 27.99 ca |



BRAKES

d

9

REAR





2-7/16" 27.99 ea

Wheel Center Can Retainer Set Replacement plastic wheel center cap retainer set for various cast alloy wheels. These universal retainers are used to attach the center wheel ornament/cap to the

WHEEL TRIM RINGS

A ELE **OER® Factory Wheel Coatings**

OER® factory wheel coatings are available in a variety of original colors so you can achieve the correct factory look on the restoration of your wheels. Eliminates the need for expensive custom paint mixing and greatly simplifies the restoration process by

| providing spray gun results without the hassle and mess of a spray gun or the need for an air compressor. | |
|---|----------|
| Note: Ships ground only. No air shipment. | A |
| Rally Wheel Argent Silver | <u> </u> |
| (89320 12 oz. can | |
| C89321 case of six cans | 89.99 cs |
| Rally Wheel Argent Silver/Green | |
| (89325 12 oz. can | 19.99 ca |

case of six cans



1967-81 Wheel Paint Masking Set 🔥

This unique set offers Firebird and Trans Am owners the opportunity to do the restoration on their Rally II wheels without the expense of going to a professional.
This easy to use set includes 25 paint masks (enough to do 5-spokes per wheel)

| WMK | 1967-81 | 14" wheels | 16.99 | set |
|------|---------|------------|-------|-----|
| WMK1 | 1967-81 | 15" wheels | 16.99 | set |

AUTHORIZED



1967-81 14" x 6" Trim Ring

Excellent quality reproduction wheel trim ring. Classic Industries pow offers Pally usbaal trim Industries now offers Rally wheel trim rings at a greatly reduced price. Get a stylish look with this reproduction trim ring. TK3000 1967-81 14" x 6"

AUTHORIZED

1967-81 Wheel Trim Ring Set

545910

Quality reproduction of the original wheel trim rings. We offer these high-quality trim rings for the Firebird restorer who wants quality for a reasonable price. These reproduction trim rings include the correct rear mounting attachments unlike other inferior reproduction currently being offered. These reproduction are truly the highest quality trim rings the market has to offer. Manufactured in stainless steel. Get the same OEM look with these great reproductions. Complete set of 4 trim rings included with each set.

| 545910 | 14" x 7" | 3" deep | 109.99 | set |
|-----------|----------|-------------|--------|-----|
| K9796696R | 15" x 7" | 2-3/4" deep | 86.99 | |
| K3923626R | 15" x 8" | 3" deep | 86.99 | set |



1971-76 Honeycomb Wheel Trim Ring Reproduction trim ring for 1971-76 Firebird and Trans

Am models with Honeycomb wheels. Manufactured from stainless steel with original style clips. Available in 14" or 15" sizes.

| 14" Wheels A8500500 A8500501 | 1971-75 1971-75 | individual 4 piece | |
|------------------------------------|--------------------|-----------------------|--|
| 15" Wheels 15002 A8500503 | 1971-76 1971-76 | individual 4 piece | |



1973-81 14" Trim Ring



state or federal regulations, attachment clips may vary in location from original stock trim rings but does not effect appearance once installed. G8914 1973-81 14" x 6"

Lug Nuts and Components

AUTHORIZED









1967-70 Rally II Lug Nuts Reproduction of the original lug nuts used with Rally

II wheels, Complete sets are available for all 4 wheels. Choose from the red or black. F252 1967 64 99 set red F255 1968-70 black 64 99 set





G5931 1967-87 Steel Wheel Lug Nut

Replacement lug nuts for 1967-87 Firebird models. Lua Nuts for Steel Wheels

| Standard La | ig Nut - 7/ | 16"-20 | | |
|-------------|-------------|-----------------|-------|----|
| | 1967-81 | | .99 | |
| WL700120 | 1967-81 | | 17.99 | se |
| Standard La | ig Nut - 12 | 2mm x 1.50mm Th | read | |
| G5931 | 1982-87 | | 4.99 | ca |
| R5143 | 1982-87 | | 17.99 | se |
| Capped Lug | Nut - 7/1 | 6"-20 | | |
| 13944 | 1971-81 | stainless cap | 2.79 | ea |
| 881229 | 1971-81 | stainless cap | 39.99 | se |
| | | | _ | _ |



1967-02 Aluminum Wheel I ug Nut 🔥

Replacement lug nuts for 1967-02 Firebird models.

| Lug | Nuts for | Aluminum Wh | eels | |
|------------|-------------|-------------------|-------|-----|
| Standard I | Lug Nut - 7 | /16"-20 | | |
| K135 | 1977-81 | chrome | 3.99 | |
| 881184 | 1977-81 | chrome | 71.99 | set |
| External T | hreaded Lu | g Nut - 7/16"-20 | | |
| N980171 | 1967-81 | | 2.99 | ca |
| N980172 | 1967-81 | | 38.99 | set |
| External T | hreaded Lu | g Nut - 12mm x 1. | 50mm | |
| 9594683 | 1982-02 | | 4.99 | ca |
| R5123 | 1982-02 | | 89.99 | set |
| | | | | |



High Crown Acorn Chrome Lug Nut Set OER® Authorized correct reproduction of the original

early design 7/16" high crown acom lug nuts used with all 1967-81 Pontiac Rally I wheels, Rally II, or Honeycomb wheels. The design of the nut has been improved for longevity. Rather than having a chrome or stainless steel cap as originally designed, this nut is solid in design to prevent splitting or damaging the nut when using an impact wrench to tighten lugs. set of 20 DK79 1967-81



Rally Wheel I nck Set Protect your valuable Rally wheels and tires with

these excellent quality wheel locks, able to withstand hammers, chisels, and wrenches. Narrow groove key patterns and specially coded keys provide maximum security. No moving parts to damage or corrode. Set of four. One per wheel. Optional nylon caps are available, for exposed applications, in chrome or black K24012 12mm-1.5 thread

| 70006 cl | hrome caps – 4 piece. hrome caps – 4 piece /16"-20 thread | e 6.99 set |
|------------|---|----------------------------------|
| . . | ₽. ₽. ₽. | ₽ . ₽ . ₽ . |
| ₹. ₹. | ₹. ₹. ₹ . | ₹. ₹. ₹ . |
| 0 | 000 | |

Lug Nut and Lock Set

These specially designed McGard® nut and lock sets are made to last a lifetime. Guaranteed to out shine the competition long after others have rusted away. Each nut is identified by size directly on the head, chromeplated and case hardened completely through. The thread strength meets or exceeds OEM specifications. Sets include 4 locks and 16 nuts.

| П | 13/16" Hex | : – Chrome | | |
|---|------------|-----------------|-------|-----|
| L | K64001 | 7/16"-20 thread | 64.99 | set |
| ı | K64002 | 12mm-1.5 thread | 53.99 | set |
| ı | 3/4" Hex - | | | |
| L | K64011 | 7/16"-20 thread | 64.99 | set |
| ı | | 12mm-1.5 thread | 64.99 | set |
| ı | 3/4" Hex - | Black | | |
| l | K64015 | 12mm-1.5 thread | 87.99 | set |

AUTHORIZED



Replacement lug nut cap designed for GM factory aluminum wheels. Cap is designed to screw onto the factory style lug nut that features external threads. This is a perfect cosmetic upgrade to finish off those factory alloy wheels. Sold individually.

Notes: *Fits 9594683 and N980171 lug nuts.

| Nut Caps - | Individual | | |
|------------|------------|-----------|------------|
| 10028614 | 1982-99 | black | 3.99 ea |
| 748677 | 1982-99 | chrome | 1.99 ca |
| 748679 | 1982-99 | silver | 1.99 ca |
| 748680 | 1982-99 | dark gray | 1.99 ca |
| G5940 | 2000-02 | black | 11.99 ea |
| Nut Caps - | Sets of 20 | | |
| R5124* | 1982-99 | black | 48.99 set |
| R5140 | 1982-99 | chrome | 59.99 set |
| R5141 | 1982-99 | silver | 59.99 set |
| R5142 | 1982-99 | dark gray | 59.99 set |
| R5129 | 2000-02 | black | 197.99 set |



1982-02 GTA 12mm-1.5, Wheel Lug Nut

OER® lug nut set for a wide variety of 1982-02 GM applications with aluminum wheels. Each nut has a 12mm-1.5 metric thread. If installing these styles of wheels on 1967-81 models, the wheels study need to

| 9594683 | 1982-02 | individual | 4.99 | ea |
|---------|---------|------------|-------|----|
| R5123 | 1982-02 | set of 20 | 89.99 | SC |



K151800

1991-92 Firehawk R15, Wheel Lug Nut

OER® 1 piece acorn lug nuts are for the R15 style aluminum wheel or any aluminum wheel designed to use a factory style acorn nut. Available in standard and extended length, which gives the additional thread depth coverage that is necessary when running the wheels on the front of the vehicle with .25" spacers for wheel clearance. Sold individually or in a 10 piece set. For Use without Spacers

| K151800 | 1991-92 | 7/16"-20 | 1.99 ea |
|---------|-------------|------------------|----------|
| K8717 | 1991-92 | 7/16"-20 - 10 pc | 9.99 ea |
| K151801 | 1991-92 | 12mm-1.5 | 1.99 c |
| K8126 | 1991-92 | 12mm-1.5 - 10 pc | 9.99 c |
| | th 1/4" Spa | | |
| K151789 | | 7/16"-20 | |
| K8716 | 1991-92 | 7/16"-20 - 10 pc | 11.99 sc |
| K151790 | 1991-92 | 12mm-1.5 | 1.99 c |
| K8125 | 1991-92 | 12mm-1.5 - 10 pc | 11.99 s |











HEEZING,

BRAKES REAR END SCBPENBION,

Wheel Center Caps



for use on Daisy-200S. T70. or T70R alloy wheels





Hex Style Wheel Center Can

OER® alloy wheel 2 piece center cap is manufactured using high-quality chrome-plated injection molded ABS plastic with a stamped steel retainer. Duplicates the cap that was originally installed on American Racing wheels of the 1960's and 70's including the 200S Daisy wheel, T70, and T70R 5-spoke alloy wheel, may fit other aluminum wheels that have a 2-1/2" center bore. Cap will accept a 1-3/4" emblem.

14.99 ca







1971-77 Honevcomb Wheel Cap Correct Honeycomb wheel caps for 1971-77 models.

The 9791068 Honeycomb cap is unique, it does not have the arrowhead, it has a circular machined surface. This cap will mount with a plate from the back of the wheel so it cannot be stolen. The 9795568 features the correct chromed outer surface and the spun aluminum center area with the Pontiac Arrowhead emblazoned on it. ote: Snap-in style. For 1971 models fits 14" or 15" wheels.

| 9791068 | 1971 | 19.99 ca |
|---------------------------------|------|-----------|
| Set of 4 9791068K 9795568 | 1971 | 75.99 set |









881181

881187

1977-81 Snowflake, Stainless Steel (WS6), Wheel Center Can Set

OER® wheel center cap and emblem insert sets for the 'Snowflake" style aluminum wheels originally installed on 1977-81 Pontiac Firebird models. Each center cap is manufactured from polished stainless steel. Sets include 4 caps and your choice of red or gold Firebird center emblems. Insert emblems require adhesive, (included). Deluxe sets also include a set of 20 lug nuts

Standard Center Cap and Insert Sets 1977-81 with red bird 256 99 set 881181 1977-81 with gold bird 202.99 set Deluxe Center Cap Sets - Includes Lug Nuts

881182 1977-81 with red bird 328 99 set 881183 1977-81 with gold bird 274.99 set



1977-81 Snowflake Wheel Center Can

OER® wheel center cap for the "Snowflake" wheel on originally installed on 1977-81 Pontiac Firebird models. Each center cap is manufactured to factory specifications from polished stainless steel. Snowflake Center Cap 1977-81 without emblem 44 99 ea





1967-92 Pontiac Wheel Center Can

OER® correct wheel cap for 1982-92 Firebird models. These caps will also fit on GTA Snowflake, Turbine, and Hi-Tech Turbo style wheels used on 1967-92 models with zero offset wheels. These caps accept a 2-1/8" insert.

| 10097582 | 1967-92 | chromeblack | 24.99 ea |
|----------------------|-------------------------|-------------|----------|
| 10097583 | 1967-92 | | 24.99 ea |
| For 16mm 12514403 | Offset Wheel 1982-92 | black | |







1991-92 Firehird Firehawk (R15), Wheel Center Caps

OER® wheel center caps for the R15 style aluminum 5-spoke wheels installed on 1991-92 Pontiac Firebird Firehawk models. Center caps require the 2-15/16" emblems (sold separately) so you can use the emblem of your choice. A reproduction center cap bolt is also available. This bolt features a special theft deterrent head. Wheel Center Cap

| K151794RD | 1991-92 | red | 39.99 | ea |
|--------------|------------|----------------|-------|----|
| Wheel Center | Cap Keyed | Retaining Bolt | | |
| K151793 | 1991-92 | bolt | 9.99 | ea |
| Wheel Center | Cap Bolt H | (ey | | |
| K151792 | 1991-92 | key | 19.99 | ea |

AUTHORIZED

Wheel Center Caps



AUTHORIZED









748646

748645

748643















1977-81 Pontiac Firebird Wheel Center Cap and Insert Set

OER® Authorized wheel center caps for 1977-81 Pontiac Firebird models. These caps will fit the Hi-Tech Turbo, Turbine, and Snowflake wheels. Each set of ABS plastic caps is available in chrome, gloss black, flat black, and silver. Available in a choice of 2 different Firebird center emblem designs. Available with or without stamped steel retaining clip. Sold in sets of 4.

| Ca | ne with S | Steel Retaining | Cline |
|-----------|-----------|-----------------|------------|
| Chrome | | steer netaining | Onps |
| 748665 | 1977-81 | red bird | 84.99 set |
| 748666 | 1977-81 | gold bird | 79.99 set |
| Gloss Bla | ack Caps | | |
| 881150 | 1977-81 | red bird | 109.99 set |
| 881151 | 1977-81 | gold bird | 98.99 set |
| Flat Blac | k Caps | | |
| 881157 | 1977-81 | red bird | 109.99 set |
| 881158 | 1977-81 | gold bird | 136.99 set |
| Silver Ca | ups . | | |
| 881171 | 1977-81 | red bird | 152.99 set |
| 881172 | 1977-81 | gold bird | 98.99 set |
| Cap | s without | Steel Retaining | Clips |
| Chrome | Caps | | |
| 748667 | 1977-81 | red bird | 74.99 set |
| 748668 | 1977-81 | gold bird | 74.99 set |
| Gloss Bla | ack Caps | | |
| 881152 | | red bird | 152.99 set |
| 881153 | 1977-81 | gold bird | 98.99 set |
| Flat Blac | k Caps | | |
| 881164 | 1977-81 | red bird | 99.99 set |
| 881165 | 1977-81 | gold bird | 125.99 set |
| GM Restor | ation | | NER |
| | | | |

1987-97 Pontiac Firehird Wheel Center Cap and Insert Set

OER® Authorized wheel center caps for 1982-92 Pontiac Firebird models. These caps will fit the Hi-Tech Turbo, Turbine, GTA, and Snowflake wheels. Each set of ABS plastic caps is available in chrome, gloss black, flat black, and silver. Available with silver or gold Firebird emblem inserts. Available with or without stamped steel retaining clip. Sold in sets of 4.

| Cap | s with S | teel Retaining | Clips |
|-----------|----------|-----------------|------------|
| Chrome (| Caps | | |
| 881140 | 1982-92 | silver bird | |
| 881141 | 1982-92 | gold bird | 152.99 set |
| Gloss Bla | ck Caps | | |
| 748669 | 1982-92 | silver bird | 84.99 set |
| 748670 | 1982-92 | gold bird | 84.99 set |
| Flat Blac | | | |
| 881159 | | silver bird | |
| 881160 | 1982-92 | gold bird | 89.99 set |
| Silver Ca | | | |
| 881173 | 1982-92 | silver bird | |
| 881174 | 1982-92 | gold bird | |
| Caps | without | Steel Retaining | Clips |
| Chrome (| | | |
| 881145 | 1982-92 | silver bird | 79.99 set |

| Caps | without | Steel Retaining | Clips |
|-----------|----------|-----------------|-----------|
| Chrome (| Caps | | |
| 881145 | 1982-92 | silver bird | 79.99 set |
| 881146 | 1982-92 | gold bird | 79.99 set |
| Gloss Blo | ick Caps | | |
| 748674 | 1982-92 | silver bird | 74.99 set |
| 748675 | 1982-92 | gold bird | 74.99 set |
| Flat Blac | k Caps | | |
| 881166 | 1982-92 | silver bird | 79.99 set |
| 881167 | 1982-92 | gold bird | 79.99 set |
| | | | |
| | | | |

GM Restoration





1984-92 Wheel Center Cap Insert

OER® wheel center cap inserts for 1984-92 Firebird models with aluminum wheels. Gold/black inserts are original for 1984-85 Firebird models with N24. N78, N90, or PE1 aluminum wheels, silver/black are original for 1985-92 Firebird models with N24 or PW7 aluminum wheels. Manufactured in injection-molded ABS acrylic. Requires glue or self-adhesive tape for installation (not included). Sold individually.

Wheel Center Cap Insert - 2-1/8" Diameter gold/black.... 1984-85 24.99 ea 10030413 10036135 1985-92 silver/black 24 99 ca

1987-92 Pontiac (WS6), Wheel Center Can Set OER® Authorized wheel center caps for 1982-92 Pontiac Firebird models with the WS6 performance

package. These caps will fit the Hi-Tech Turbo, Turbine, GTA and Snowflake wheels. Each set of plastic caps is available in your choice of gloss black or silver with a variety of "WS6 Performance Suspension" logo

| | | in sets of 4. | cup i | мг |
|--------|---------|-------------------|-------|-----|
| | | Silver Background | | |
| 748647 | 1982-92 | black lettering | 94.99 | set |
| | | Black Background | | |
| | 1982-92 | silver lettering | | |
| 748644 | 1982-92 | gold lettering | 94.99 | set |
| | | | | |

Silver Caps - Silver Background 748646 1982-92 black lette black lettering...... 84.99 set Silver Caps - Black Background 748643 1982-92

silver lettering 84.99 set WE SENDING



1999 Trans AM 30th Anniversary Wheel Center Cap 🗥

Genuine GM wheel center cap for use with 1999 Firebird Trans Am 30th Anniversary 17" aluminum wheels. All caps are designed for 5-spoke wheels. 30th Anniversary Cap G4971 1999 blue/silver 56 99 ca











10003606



1977-84 Wheel Center Cap Insert 🔥

OER® wheel center cap inserts for 1977-84 Firebird

models with aluminum wheels. Red/black inserts are

original for 1977-84 Firebird models with YJ8, N89, or N99 aluminum wheels, gold/black are original

for 1978-81 Firebird models with Y84, Y88, or N90

aluminum wheels. Manufactured in injection-molded

ABS acrylic. Requires glue or self-adhesive tape for

24.99 ca

11 99 ca

installation (not included). Sold individually.

STEERING,

BRAKES d 2 2

Wheels and Components









1967-92 Firebird Hi-Tech Deep Dish 16" x 8" Aluminum Turbo Wheel

OER® Hi-tech deep dish Turbo aluminum wheels for 1982-92 Pontiac Formula models. RPO code PE0 on 1988-92 models. They will also fit 1967-81 models. 1967-81 Firebird models use a zero offset on all 4 wheels, 1982-92 models use zero offset in the front and 16mm offset rear wheels. Features rivets around the edge to give the wheel the appearance of a 2 piece wheel like the original. Accepts original style center caps and lug nuts. Caps, emblems and lug nuts are sold separately. Wheels measure 16" x 8" and have a bolt pattern of 5 x 4-3/4". Sold individually or as a set of 4. te: Spacers may be needed on some applications to ensure proper wheel and tire clearance

Wheel, Zero Offset - Individual 10089686 1967-81 front or rear...... 199.99 ea 10089686 1982-92 front. 199 99 ca Wheel, 16mm Offset - Individual 100 00 00

Wheel Set, Zero offset - Set of 4 749 99 set R4417 1967-81 Wheel Set, (2) Zero & (2) 16mm offset- Set of 4 D4419 1982-92 719 99 set 1/4" Billet Spacer 1/4" spacer. K151791 15 99 ca















1970-81 Pontiac Trans Am 17" x 9" Aluminum Snowflake Wheel

Replica Pontiac Snowflake aluminum wheel in oversize 17" x 9" format. Each wheel is produced in cast aluminum, and painted to closely mimic the factory wheel. Specifically developed to fit 1970-81 Trans Am models, but may fit other Pontiac models that accept wheels with 5 x 4-3/4" bolt pattern, +3mm offset, and 5-1/8" backspacing. Comes in your choice of 4colors, gold, silver, black, or gunmetal gray. Available individually, or as a set of 4. Original style center cap and lug nuts are sold separately. C-14 S----- 9-1-- Wh---

| vпаке w ne | eis | | |
|------------|--|------------------|---|
| | | | |
| 1970-81 | set of 4 | 749.99 | set |
| | | | |
| | | | |
| 1970-81 | set of 4 | 749.99 | set |
| | | | |
| | | | |
| 1970-81 | set of 4 | 749.99 | set |
| | | | |
| | | | |
| 1970-81 | set of 4 | 899.99 | set |
| | 1970-81 1970-81 wwflake Wh 1970-81 1970-81 wwflake Wh 1970-81 1970-81 Gray Snon 1970-81 | 1970-81 set of 4 | 1970-81 individual 219.99 1970-81 set of 4 749.99 |







1978-81 Pontiac Trans Am 15" x 8" Aluminum Snowflake Wheel

Reproduction Pontiac 15" x 8" cast aluminum 'Snowflake" wheel. This wheel was originally part of the WS6 option package on 1978-81 Trans Am models. Each wheel has inserts painted in your choice of gold or silver, and finished with a clear coat as original. Specifically developed for 1978-81 Trans Am models, but may fit other Pontiac models that accept wheels with 5 x 4-3/4" bolt pattern, and 4-1/4" backspacing. Available individually, or as a set of 4. Original style center can and lug nuts are sold senarately

| Gold Sno | wflake Whe | els | | |
|-----------------|--------------------|--------------------|------------|--|
| 251581 R4412 | 1978-81 1978-81 | individualset of 4 | | |
| Silver Sn | owflake Whe | eels | | |
| 251582 | 1978-81 | individual | | |
| R4413 | 1978-81 | set of 4 | 729 99 set | |



Secret Weapon Polish Ball

The Secret Weapon Polish Ball bends and compresses enabling itto fit into tight spaces and make the cleaning and polishing of difficult, hard to reach areas like wheels, rims, and other metal work much easier. Can be attached to any handheld drill or drill-like device for fast and superior cleaning and polishing. Great for cleaning and buffing small items like mirrors, headlight lenses and trim parts. Space age Dura-foam and fiber soft materials make it the most durable tool of its kind. Ideal for use with your favorite wax, polish, wheel product or compound.

K89412 3" red foam ultra fine density.. 10.99 ea 3" yellow foam med. density ... 10.99 ea 2.5" wool-like fiber material 26.99 ea K89413 K 89490

13 99 set

716201 1970-81 7/16*-20

10089687

1982-92 rear...

Wheels and Components











1967-81 Firehird

15" x 8" Aluminum Turbine Wheel 🔥

OER® Turbine aluminum wheels originally installed on 1979-81 Firebird SE, 10th Anniversary, 1980 Indy Pace Car and 1981 NASCAR Pace Car. The 1979 10th anniversary and SE had the natural wheels. The 1980 Indy Pace Car and 1981 NASCAR Pace Car had the white wheels. The gold wheel was a N89 option. These wheels will fit 1967-69 Firebird models, Caps, emblems, and lug nuts are sold separately. Wheels are

| 12. X 9. / | with a zero offse | a. Boit pattern is | 5 X 4-3 | /4". |
|------------|-------------------|--------------------|---------|------|
| 15" x 8" | Wheels - Indiv | idual | | |
| 10007389 | 9 1967-81 | natural | 229.99 | ca |
| 10013036 | 5 1967-81 | gold | 229.99 | ca |
| 10012258 | 8 1967-81 | white | 229.99 | ca |
| 15" x 8" | Wheel Set - Se | t of 4 | | |
| R4428 | 1967-81 | natural | 749.99 | set |
| R4429 | 1967-81 | gold | 749.99 | set |
| R4430 | 1967-81 | white | 749.99 | set |
| | ug Nut Set - 20 | | | |
| N9801 | 1967-81 | 7/16" - 20 | 31.99 | set |









1967-92 Firebird GTA Style 16" x 8" Allov Wheel

Classic Industries® offers the GTA wheel with black or gold color spokes. Each cast aluminum wheel features a machine finished outer lip and gold or black gloss spokes as original. The GTA wheel was originally installed on 1987-92 Trans Am GTA and Trans Am models, but will fit 1967-81 Firebirds too! 1967-81 models require a zero offset wheel on all 4 wheels while 1982-92 models used 0 offset wheels for the front and 16mm offset rear wheels. Accepts original style center caps and lug nuts. Bolt pattern is: 5 x 4-3/4 portant: Wheels with zero offset have 4-3/8" backspace, while wheels with 16mm offset have 5" backspace. Low profile lires may be required for clearance on early

| тоиет аррис | unons. | | | |
|-------------|--------------|------------------|----------|-----|
| Wheel, Zer | o Offset - I | ndividual | | |
| 10104410 | 1967-92 | black center | 239.99 | ca |
| 10104406 | 1967-92 | gold center | 239.99 | ca |
| Wheel, 16n | nm Offset - | Individual | | |
| 10104411 | 1982-92 | black center | 239.99 | ca |
| 10104407 | 1982-92 | gold center | 239.99 | ca |
| Wheel Set, | Zero Offset | - Set of 4 | | |
| R4410 | 1967-81 | black center | 863.99 | set |
| R4406 | 1967-81 | gold center | 863.99 | set |
| Wheel Set. | (2)-zero & | (2)-16mm offset- | Set of 4 | |
| R4411 | 1982-92 | black center | | set |















1982-02 Firebird 17" x 9.5" R15, 5-Spoke Aluminum Wheel Kit

OER® 5-spoke cast aluminum R15 style 5-spoke wheels originally installed on 1991-92 Pontiac Firehawk models. Also a popular aftermarket wheel choice for third and fourth generation GM F-Body vehicles. Each wheel includes: center cap, center cap keyed retaining bolt and key tool. Center cap emblem inserts not included. Most 2-15/16" adhesive center cap emblems will fit, or you may choose from our selection of specially designed center cap emblems sold separately. Wheels measure 17" x 9-1/2" and have a bolt pattern of 5 x 4-3/4" with a 5-3/8" backspace. rtant: Due to brake caliper clearance, special lug nuts

| | | or installation on t | | f |
|-----------------|-----------|----------------------|---------|----|
| | | are sold separately | F. | |
| 17" x 9-1/2" l | | | | |
| R151795BK | | | | |
| | | red | | |
| R151795SV | 1982-02 | silver | 699.99 | ki |
| 17" x 9-1/2" I | R15 Wheel | - Individual | | |
| K151795BK | 1982-02 | black | 239.99 | ea |
| K151795RD | | | | |
| K151795SV | 1982-02 | black | 239.99 | ea |
| Wheel Center | Cap Emble | ms - 2-15/16" | | |
| K151798 | PMD | | 11.99 | ea |
| K151799 | Firebird | | 11.99 | ea |
| 1/4" Billet Sp. | acer | | | |
| K151791 | | | . 15.99 | ea |
| Center Cap K | | | | |
| K151792 | | taining bolt | 10 00 | |
| K151793 | | bolt | | |
| | | | | |









R4407



gold center...

863 99 set

1982-92

BPENSION,

REAR END &

BRAKES

BRAKES REAR END & SCBPENBION,

Aftermarket Wheels





17" Cast Aluminum Honevcomb Wheel

OER® cast aluminum version of the Pontiac "Honeycomb" wheel originally offered on 1971-76 Firebird Trans Am models. Wheel features a silver powder coating with machined edges and accepts original style center cap (sold separately). If installing on earlier Firebird models (1967-70) or later models (1977-81); you must check clearances of brakes, wheel openings and backspacing to ensure proper wheel and tire clearance. Wheel size is 17" x 9" with a 5" backspace and 5 x 4-3/4" bolt pattern. Not compatible with factory lug nuts, uses #716201 7/16" - 20 lug nuts sold separately.

tant: Use part #716201 lug nuts on these wheels.

| Note: Ship | pped overweigh | at. | _ |
|------------|-------------------------|--------------------|------------|
| 17" x 9" | Wheel - Ind | lividual | ** |
| 451791 | 17" x 9" | silver | 249.99 ca |
| | Wheel Set - 17" x 9" | Set of 4 silver | 899.99 set |
| | Acorn Wheel | Lug Nut Set | 13 99 set |





American Racing Outlaw

In the 1980's the modular wheel became the hot ticket on any late 70's or 80's muscle car. The wheels were called modular because they consisted of 3 elements... an aluminum wheel center, an inner rim, and an outer rim. The combination of these "modules" allowed for an unlimited range of possibilities when it came to wheel specifications. This modular style wheel is manufactured by American Racing. It is a 1 piece machined alloy wheel with a modular look. It comes clear coated and includes center cap. It's a good choice if you're looking for a period correct wheel design at a great price. 5 x 4-3/4" bolt pattern.

| Item # | Size | Offset | Backspace | Price |
|--------|-----------|--------|-----------|-----------|
| OL4761 | 14" x 7" | 0mm | | 144.99 ca |
| OL5761 | 15" x 7" | -6mm | 3-3/4" | 165.99 ea |
| OL5161 | 15" x 10" | -38mm | 4" | 183.99 ea |



Tora-Thrust D

This classic design from American Racing Wheels burst on the scene way back in 1965 and became the most famous custom wheel of all time. The 1 piece, alloy, 5-spoke design is a timeless classic. Get a true nostalgic look when adding a set of these precision machined beauties. Center cap included. 5 x 4-3/4" bolt pattern. Note: Shipped overweight.

| Item # | Size | Offset | Backspace | Price |
|--------|------------|--------|-----------|-----------|
| TT4661 | 14" x 6" | -2mm | 3-3/8" | 140.99 ca |
| TT5461 | 15" x 4.5" | -15mm | 2-1/8" | 150.99 ca |
| TT5661 | 15" x 6" | +4mm | 3-5/8" | 152.99 ca |
| TT5761 | 15" x 7" | -6mm | 3-3/4" | 184.99 ca |
| TT5861 | 15" x 8.5" | -24mm | 3-3/4" | 175.99 ca |
| TT5161 | 15" x 10" | -44mm | 3-3/4" | 182.99 ca |
| TT6861 | 16" x 8" | -12mm | 4" | 182.99 ea |
| | | | | |



Torq-Thrust D Chrome

This classic design from American Racing Wheels. burst on the scene way back in 1965 and became the most famous custom wheel of all time. The 1 piece, 5-spoke design is a timeless classic. Get a true nostalgic look when adding a set of these precision machined beauties. Includes center cap. 5 x 4-3/4" bolt pattern. Note: Shipped overweight.

| Item# | Size | Offset | Backspace | Price |
|---------|------------|--------|-----------|-----------|
| | 15" x 6" | | 3-5/8" | |
| | 15" x 8.5" | | | 260.99 ea |
| TT6861C | 16" x 8" | -12mm | 4" | 287.99 ea |
| (3.7 | 0.00 | o o | m m | 20.00 |



Wheel Hardware Set Classic Industries® offers a lug nut set for your

American Racing wheels. A perfect set to purchase when mounting new American Racing wheels to your vehicle or when your current lug nuts are stripped, worn out or missing. All sets include: 20 lug nuts, w w

| varve | stems, 4 | wheel locks, and a key. | | | |
|-------|----------|-------------------------|-------|-----|--|
| K4 | 7/16" | - 20 thread | 41.99 | set | |
| K5 | 1/2" - | 20 thread | 41.99 | set | |
| K6 | 12mn | x 1.5 thread | 41.99 | set | |
| | | | | | |



TT24665



Torque Thrust II Polished Allov

A classic 5-spoke design with a modern flair. This handsome 2 piece alloy wheel comes fully polished and features a spoke design that is more tapered, creating a wider viewing area to unveil the disc brake stopping power behind your Chevy. Many sizes to choose from. Includes center cap. 5 x 4-3/4" bolt pattern. Note: Shipped overweight.

| | | | AWTA. | |
|---------|-----------|--------|------------------|--|
| Item # | Size | Offset | Backspace Price | |
| TT24665 | 14" x 6" | -2mm | 3-3/8" 156.99 ea | |
| TT24761 | 14" x 7" | 0mm | 4" 160.99 ea | |
| TT25661 | 15" x 6" | -2mm | 3-3/8" 169.99 ea | |
| TT25761 | 15" x 7" | -5mm | 3-3/4" 175.99 ea | |
| TT25861 | 15" x 8" | -18mm | 3-3/4" 177.99 ea | |
| TT25161 | 15" x 10" | -44mm | 3-3/4" 201.99 ea | |
| TT26761 | 16" x 7" | 0mm | 4" 304.99 ca | |
| TT26861 | 16" x 8" | -11mm | 4" 310.99 ca | |
| TT27761 | 17" x 7" | 0mm | 4" 328.99 ca | |
| TT27861 | 17" x 8" | -11mm | 4" 334.99 ca | |
| TT27863 | 17" x 8" | +8mm | 4-3/4" 334.99 ea | |
| | | | | |

American



T.T.O Alloy Wheel

This original straight spoke version of the Torq-Thrust is an icon of vintage and muscle cars throughout America. The TTO was originally offered in 1956 and quickly became the most sought after design of its time. Includes center cap. 5 x 4-3/4" bolt pattern. Note: Shipped overweight.

| Item # Size | | Backspace | |
|--------------|--------------|-----------|-----------|
| TTO5765 15" | x 7" -6mm | 3-3/4" | 178.99 ca |
| TTO58561 15" | x 8.5" -24mn | 1 3-3/4" | 175.99 ea |

Note: Shipped overweight.

American Racing Wheels



polished finish



Alloy Salt Flat Special

This 2 piece wheel will give your vehicle a vintage look reminiscent of the old Halibrand "kidney bean" wheels that first gained popularity with racers in the 1960's, Available in many different sizes. This wheel's center is painted in a magnesium gray with a polished outer rim. Includes center cap. 5 x 4-3/4" bolt pattern.

Note: Shipped overweight.

| Item # | Size | Offset | Backspace | Price |
|--------|-----------|--------|-----------|-----------|
| SF5661 | 15" x 6" | -2mm | 3-1/4" | 525.99 ca |
| SF5761 | 15" x 7" | -5mm | 3-3/4" | 530.99 ea |
| SF5861 | 15" x 8" | -18mm | 3-3/4" | 536.99 ea |
| SF5161 | 15" x 10" | -44mm | 3-3/4" | 564.99 ca |
| SF7761 | 17" x 7" | 0mm | 4" | 558.99 ca |
| SF7861 | 17" x 8" | -12mm | 4" | 566.99 ea |





Alloy Salt Flat Special Polished

This 2 piece wheel will give your vehicle a vintage look reminiscent of the old Halibrand "kidney bean wheels that first gained popularity with racers in the 1960's. Available in many different sizes. This wheel's center is polished with a polished outer rim. Includes center cap. 5 x 4-3/4" bolt pattern.

| Note. Shipp | **** | | | |
|-------------|-------------|--------|-----------|-----------|
| Item # | Size | Offset | Backspace | Price |
| SF5661P | 15" x 6" | -2mm | 3-1/4" | 504.99 ea |
| SF5761P | 15" x 7" | -5mm | | 511.99 ca |
| SF5861P | 15" x 8" | -18mm | 3-3/4" | 515.99 ea |
| SF5161P | 15" x 10" | -44mm | 3-3/4" | 544.99 ea |
| SF7761P | 17" x 7" | 0mm | 4" | 581.99 ea |
| SF7861P | 17" x 8" | -12mm | 4" | 588 99 ca |

Racing

The Houster Polished Allov

If you like the stylish look on your vehicle you simply must purchase a set of the Hopster wheel. These wheels will give any vehicle a retro look, and not to mention all the heads that will be turning as you roll on by in style. Includes center cap. 5 x 4-3/4" bolt pattern. Note: Shipped overweight.

| item# | Size | Offset | Backspace | Price |
|--------|----------|--------|-----------|-----------|
| TH5661 | 15" x 6" | -2mm | 3-1/4" | 282.99 ea |
| TH5761 | 15" x 7" | -5mm | 3-3/4" | 285.99 ea |
| TH5861 | 15" x 8" | -18mm | 3-3/4" | 292.99 ea |
| TH6761 | 16" x 7" | 0mm | 4" | 307.99 ea |
| TH7761 | 17" x 7" | 0mm | 4" | 326.99 ca |
| TH7861 | 17" x 8" | -11mm | 4" | 333.99 ea |
| TH7863 | 17" x 8" | +8mm | 4-3/4" | 333.99 ea |
| | | | | |



American Racing Center Cap Now from American Racing! The most popular custom

wheels for classic muscle cars are now available with logo center caps or spinners. Note: *Includes mounting screws. 0.....

| | Tora Thrust/Hopster/Salt Flat | | | | | |
|-------------|-------------------------------|--------------|--|--|--|--|
| CC511 | polished embossed logo | 23.99 ca | | | | |
| CC512* | polished plain | 21.99 ca | | | | |
| CC513 | polished Salt Flat Special | 23.99 ca | | | | |
| CC514* | chrome plastic cap | 19.99 ca | | | | |
| CC515 | chrome embossed logo | 27.99 ca | | | | |
| CC516 | chrome bullet | 48.99 ca | | | | |
| CC502 | Carlisle Tri-Bar spinner | 139.99 ca | | | | |
| Install Set | | | | | | |
| | includes five 8/32" stainless | | | | | |
| mount har | dware and an Allen wrench | installation | | | | |



The Glen Wheel

This aluminum The Glen wheel puts you back in the day of the Trans Am era, Pony car racing! These wheels are currently used in the Australian Trans Am Series and have shown not only their beauty but their strength and durability. These are a high-quality gravity cast aluminum and processed to the T6 specification. The wheel is over 1 pound lighter than the original The Glen wheel and 15% stronger in the spokes and core than the original. It is powder coated The Glen gray with a clear powder coated finish. Wheel has a diamond finished outside edge. Includes cap. Lug nuts are sold separately. 5 x 4-3/4" bolt pattern. Itom # Size Offset Backspace Prio

| | 40 15" x 7" | | | 290.99 ea |
|-------------|------------------|---------|--------------|--------------|
| TA81582 | 45 15" x 8" | 0mm | 4-1/2" | 303.99 ea |
| Bul | ged Lug N | uts wi | th 3/4" I | lead |
| Note: *Inci | udes 16 lug nuts | 4 wheel | locks, and 4 | valve stems. |
| Lug Nuts | /Locks/Valve | Stem Se | t | |
| WK55* | 7/16"-20 x 1. | 88" 24 | piece | 41.99 set |
| WK56* | 1/2"-20 x 1.8 | 8" 24 | piece | 41.99 set |
| Lug Nut | | | | |
| | 7/16"-20 x 1. | | piece | 8.99 set |
| MW919 | 1/2"-20 x 1.8 | 8" 5 j | piece | 8.99 set |
| | | | | |



STEERING

PENBIO

E Z

90

BRAKES

Superlite Wheel

The Superlite race wheel puts you back in the heart of the Trans Am Era, Pony car racing! These are a gravity cast, high-quality aluminium which is then heat and aged treated to T6 specification. The Australian engineered and designed Superlite is over 1 pound lighter than the original Minilite and has been reengineered to strengthen the core of the spokes, along with the center. After machining, the wheels are given a silver and clear powder coated. The signature finish on the lip is machined by a diamond tip then brought to a high polish. Includes cap. Lug nuts sold separately. 5 x 4-3/4" bolt pattern.

WESSS

TA0150240 15 X 6

MW919 1/2"-20 x 1.88"

3.99 set

Note: *Includes 16 lug nuts, 4 wheel locks, and 4 valve ste Size

| | 45 15" x | | | 303.99 | |
|---------|-----------|------------|-----------|--------|-----|
| TA91502 | 50 15" x | 10" 0mm | 5" | 303.99 | ca |
| TA91795 | 250 17" x | 9.5" 0mm | 5-1/2" | 410.99 | ea |
| Bul | ged Lug | Nuts wi | th 3/4" I | Head | |
| | | ve Stem Se | | | |
| WK55* | 7/16"-20: | x 1.88" 24 | piece | 41.99 | set |
| WK56* | 1/2"-20 x | 1.88" 24 | piece | 41.99 | set |
| Lug Nut | Set | | | | |
| WK 555 | 7/16"-20: | v 1 88" 5 | niece | 8.99 | cet |

5 piece.











tool. Mounts one cap.

6 piece



BRAKES REAR END & DUBPENBION,

Aftermarket Wheels



1967-92 "Injector" Wheel

As soon as Rocket released the Launcher Series "front runner" wheels. Rocket was overwhelmed by enthusiast demand for a hardcore traditional hot rod wheel that could be matched with the Launcher for the perfect staggered combo. Rocket's Scientists accepted the challenge and created this wheel to revive this classic design from drag racing's golden age. Reminiscent of the testosterone pumping Fuelie wheels of the 1960's absolutely complete the big and little combo look. Rocket "Injector" wheels are sculpted to perfection and hold true to the greatest era of Detroit automotive performance. Available fully polished or in its natural "As Cast" finish. 5 x 4-3/4" bolt pattern.

| Item # | Size | Backspace | Price |
|------------|--------------|-----------|-----------|
| "As Cast" | | | |
| RN154225A | 15" x 4-1/2" | | 258.99 ea |
| RN158375A | 15" x 8" | | 269.99 ea |
| RN158450A | 15" x 8" | | 269.99 ea |
| RN1510300A | 15" x 10" | | 308.99 ea |
| RN1510375A | 15" x 10" | 3-3/4" | 308.99 ea |
| Polished | | | |
| RN154225P | 15" x 4-1/2" | 2-1/4" | 308.99 ca |
| RN158375P | 15" x 8" | 3-3/4" | 330.99 ea |
| RN158450P | 15" x 8" | | 330.99 ea |
| RN1510300P | 15" x 10" | | 308.99 ea |
| RN1510375P | 15" x 10" | 3-3/4" | 342.99 ea |



Knockoff Wheel Spinners

PR2000C

These wheel spinners fit all Rocket Racing wheels from the Fuel, Booster, Igniter, Launcher, Velocity, Strike, and Injector wheel series. Supplied with threaded adapters and sold in pairs (1 left and 1 right hand thread), allowing you to mix and match according to offset. For vehicles that run staggered wheels, order one pair of flat and one pair of deep angle spinners. High offset wheels and wheels 15" x 6" or narrower

| snould run i | iai angie spinners. | | |
|--------------|---------------------|----------|----|
| Chrome | | | |
| RR2000C | flat angle | 154.99 [| pr |
| RR2001C | deep angle | 154.99 | pr |
| Polished | | | |
| RR2000P | flat angle | 119.99 [| pr |
| RR2001P | deep angle | 119.99 | pr |
| | | | |



1967-92 "Igniter" Wheel

RG156350A

Back in the glory days of vintage racing, these style 5 window kidney bean wheels could be from the strip street to the salt flats. Those lake beds eventually became test sites for top secret rocket planes that set world speed records. Now you can prepare your ride for launch with the style that started it all with the Rocket "Igniter". This painted Salt Flats style wheel which was inspired by Vintage Drags and Bonneville Dry Lakes Land Speed Racing. 5 x 4-3/4" bolt pattern. Available fully polished, "As Cast" and painted gray

| centers with in | acimica np. | | |
|-----------------|-------------|-----------|-----------|
| Item # | Size | Backspace | Price |
| Gray Painted | | | |
| RG156350G | 15" x 6" | 3-1/2" | 238.99 ea |
| RG157425G | 15" x 7" | 4-1/4" | 264.99 ca |
| RG158375G | 15" x 8" | 4-1/2" | 253.99 ea |
| Polished | | | |
| RG156350P | 15" x 6" | 3-1/2" | 292.99 ca |
| RG157425P | 15" x 7" | 4-1/4" | |
| RG158375P | 15" x 8" | 4-1/2" | 273.99 ea |
| "As Cast" | | | |
| RG156350A | 15" x 6" | 3-1/2" | 238.99 ca |
| RG157425A | 15" x 7" | 4-1/4" | |
| RG158375A | 15" x 8" | 4-1/2" | 253.99 ea |





Rocket Replacement Dome Center Cap

"Rocket Racing Wheels" vintage style o-ring center caps are constructed of cast aluminum and perfectly match the Rocket Racing Wheel Booster, Fuel, Igniter, Velocity, and Launcher series. These are replacements for the stock wheel center caps and are available in polished or chrome finish RR2002C 1967-92 38.99 ca chrome. RR2002P









1967-92 Rocket "Fuel" Wheel

Get timeless styling with the precision crafted Rocket "Fuel" wheel. Manufactured from A356 aluminum. the "Fuel" wheel provides a traditional hot rod look topped off with a vintage style aluminum oil ring center cap. 5 x 4-3/4" bolt pattern. Choose from painted gray

| centers with m | achined lip. | , fully polished | l, or chrome. |
|----------------|--------------|------------------|---------------|
| Item # | Size | Backspace | Price |
| Gray Painted | | | |
| RF566135G | 15" x 6" | 3-1/2" | . 154.99 ea |
| RF576142G | 15" x 7" | | . 159.99 ea |
| RF586145G | 15" x 8" | | . 164.99 ea |
| RF776142G | 17" x 7" | 4-1/4" | . 204.99 ea |
| RF786145G | 17" x 8" | 4-1/2" | . 214.99 ea |
| Polished | | | |
| RF566135P | 15" x 6" | 3-1/2" | . 188.99 ea |
| RF576142P | 15" x 7" | 4-1/4" | . 215.99 ea |
| RF586145P | 15" x 8" | | . 220.99 ea |
| RF776142P | 17" x 7" | 4-1/4" | . 243.99 ea |
| RF786145P | 17" x 8" | 4-1/2" | . 253.99 ea |
| Chrome | | | |
| RF566135C | 15" x 6" | 3-1/2" | . 273.95 ea |

303 99 ca

308.99 ca

374.99 ca

343 99 ca





PR177425T

208 99 69

214.99 ea

243.99 ca

281.99 ca

258.99 ca

332.99 ca

4-1/4"...... 224.99 ca

1967-92 Rocket "Booster" Wheel 🔥

Get ready to blast off with the Rocket Racing Wheels "Booster"! This I piece 5 x 4-3/4" wheel is purpose built to deliver classic inspired style and performance for the finest muscle cars, Pro-Touring and street machines at a reasonable price. Designed specifically for the offsets of hot rods and muscle cars, each Booster is precision crafted from A356 aluminum and topped off with a vintage style aluminum O-ring center cap. Available with painted gray center and machined outer lip, in full chrome, in Hypershot finish or with hyper silver center section with machined outer lip. Manufactured with cutting edge alloys, the strictest quality standards and a gorgeous classic design, the Booster is sure to get you push you into the stratosphere at the next car show Item#

4-1/2" 4-1/2"

5-1/4"

Gray Painted Center - Machined Outer

17" x 7" 4-1/4"

17" x 8"

18" x 8" 4-3/4"

18" x 9"

Hyper Silver Center - Machined Outer

17" x 7"

20" x 8-1/2" 5-1/4"

RB177425G

RB178450G

RB187450G

RB188475G

RB189525G

RB208525G

RB177425S

| RB178450S | 17" x 8" | 4-1/2" | 229.99 ca |
|---------------|--------------|----------|-----------|
| RB187450S | 18" x 7" | 4-1/2" | 286.99 ca |
| RB188475S | 18" x 8" | 4-3/4" | 263.99 ca |
| RB189525S | 18" x 9" | 5-1/4" | 269.99 ca |
| RB208525S | 20" x 8-1/2" | 5-1/4" | 343.99 ea |
| Chrome Center | - Chrome O | Outer | |
| RB177425C | 17" x 7" | 4-1/4" | 337 99 ca |
| RB178450C | 17" x 8" | | |
| RB187450C | 18" x 7" | 4-1/2" | 363.99 ca |
| RB188475C | 18" x 8" | 4-3/4" | 368.99 ca |
| RB189525C | 18" x 9" | 5-1/4" | 377.99 ca |
| RB208525C | 20" x 8-1/2" | 5-1/4" | 431.99 ca |
| Hypershot Cen | ter – Machin | ed Outer | |
| RB177425T | 17" x 7" | 4-1/4" | 224.99 ca |
| RB178450T | 17" x 8" | 4-1/2" | 229.99 ca |
| DD197450T | 19" - 7" | 4 1/2" | 259 00 ar |



1967-92 Rocket "Strike" Wheel

Get timeless styling with the precision crafted Rocket "Strike" wheel. Manufactured from A356 aluminum the "Fuel" wheel provides a traditional hot rod look topped off with a vintage style aluminum oil ring center cap. 5 x 4-3/4" bolt pattern. Choose from painted gray centers with machined lip, fully polished, or chrome

| Item # | SHOR | Backspace | Price | |
|----------------|----------|-----------|-----------|--|
| As Cast Center | | | | |
| | | 3-1/4" | | |
| | | 4-1/4" | | |
| | | 4.0" | | |
| RS158450A | 15" x 8" | 4-1/2" | 269.99 ea | |
| Polished Cente | | | | |
| RS156325P | 15" x 6" | 3-1/4" | | |
| RS157425P | 15" x 7" | 4-1/4" | 288.99 ca | |
| RS158400P | | 4.0" | | |
| RS158450P | 15" x 8" | 4-1/2" | 293.99 ca | |



RL154225A 1967-92 "Launcher" Wheel

The Rocket "Launcher" is a front runner 10-spoke gasser wheel. The 1950's and 1960's were the Golden Age of Drag Racing. The 10- and 12-spoke Gasser front runners could be found on everything from "run-what-you-brung" roadsters to full blown and supercharged Altereds and Gassers. Back then, the 15" x 4" size fronts were only available as spindle mounts on straight axles. The Rocket "Launcher" preserves the original nostalgic Gasser design and perfects it with a much safer 5 lug bolt-on design. Available with gray painted center and machined lip, "As Cast" or fully

| Item# | Size | Backspace | Price |
|------------------------|--------------|-----------|--------|
| Gray RL154225G | 15" x 4-1/2" | 2-1/4" | 249.99 |
| "As Cast" RL154225A | 15" x 4-1/2" | 2-1/4" | 243.99 |
| Polished RL154225P | 15" x 4-1/2" | 2-1/4" | 243.99 |







Classic 100 Wheel

These Classic 100 wheels by Rev Wheels give you that authentic "in the day" look with today's modern manufacturing, machining, and materials. Choose from anthracite, polished, or chrome finish. Available in 15°, 16°, 17°, 18°, and 20° diameters. Includes the center cap. 5 x 4-3/4° bolt pattern. Lug nuts sold separately.

| ١. | Item # | Size | Backspace | Price |
|----|---------------|--------------|-----------|-----------|
| , | Anthracite Ce | nter | | |
| 1 | RV56610A | 15" x 6" | 3-1/2" | 123.99 ea |
| | RV57610A | | 4.0" | |
| | RV58610A | 15" x 8" | 4-1/2" | 133.99 ea |
| | RV77610A | 17" x 7" | 4.0" | 143.99 ea |
| | RV78610A | 17" x 8" | 4-1/2" | 145.99 ea |
| | RV79610A | 17" x 9" | | 156.99 ea |
| | RV88610A | 18" x 8" | | 185.99 ea |
| | RV89610A | 18" x 9" | | |
| | RV28610A | 20" x 8" | 4-1/2" | 224.99 ea |
| S | RV295610A | 20" x 9-1/2" | 5-1/4" | 269.99 ea |
| | Polished | | | |
| 1 | RV56610P | 15" x 6" | 3-1/2" | 146.99 ea |
| r | RV57610P | 15" x 7" | 4.0" | 139.99 ea |
| 1 | RV58610P | 15" x 8" | 4-1/2" | 142.99 ea |
| i | RV77610P | 17" x 7" | 4.0" | 167.99 ea |
| | RV78610P | 17" x 8" | 4-1/2" | |
| s | RV79610P | 17" x 9" | 5.0" | 181.99 ea |
| | RV88610P | 18" x 8" | | 197.99 ea |
| ì | RV88610P | 18" x 9" | 4-1/2" | 199.99 ea |
| / | Chrome | | | |
| / | RV56610C | | 3-1/2" | |
| | RV57610C | 15" x 7" | 4.0" | |
| | RV58610C | 15" x 8" | 4-1/2" | |
| • | RV77610C | 17" x 7" | | 143.99 ea |
| | RV78610C | 17" x 8" | | 145.99 ea |
| | RV79610C | 17" x 9" | | 245.99 ea |
| | RV88610C | 18" x 8" | | 185.99 ea |
| | RV89610C | 18" x 9" | | 187.99 ea |
| | RV28610C | 20" x 8" | | 224.99 ea |
| | RV295610C | 20" x 9-1/2" | 5-1/4" | 269.99 ea |







4-3/4"



263.99 ca





3, BUBPENBION, REAR END & BRAK

Era Correct Custom Wheels



Smoothie Wheels

The ultimate nostalgic wheel, the chrome smoothie provides a look like no other. It is often used with whitewalls and abay moons. A chrome moon-center cap is included with each wheel, but with a little ingenuity, this wheel can provide many different looks for your vehicle. Available in a variety of different sizes. Lug nuts sold separately.

| Item # | Size | Offset | Backspace | Price |
|----------|-----------|--------|-----------|-----------|
| 3134605P | 14" x 6" | 7mm | 3-3/4" | 156.99 ea |
| 3134705 | 14" x 7" | 0mm | 4" | 156.99 ea |
| 3135605P | 15" x 6" | 7mm | 3-3/4" | 167.99 ca |
| 3135705P | 15" x 7" | 3mm | 4-1/8" | 167.99 ea |
| 3135805 | 15" x 8" | -15mn | | 179.99 ea |
| 3135853 | 15" x 8" | -15mn | 1 4-1/4" | 179.99 ca |
| 3135105 | 15" x 10" | -38mn | 4-1/4" | 196.99 ea |



Center Caps for Smoothie Wheel

This cap is made exclusively for smoothie wheels. Available in chrome or stainless steel. Sold individually or in a set of 4.

| Police Style | Caps | | | |
|--------------------|--------|------------------------|-------|-----|
| WK1003C | chrome | individual | | |
| WR1003C WK1003S | chrome | set of 4 individual | | |
| | | individuai | 27.99 | ea |
| Baby Moon | Caps | | | |
| WK1009 | | individual | | |
| WR1009 | chrome | set of 4 | 53.99 | set |



Lug Nut Set for Smoothie Wheels Classic Industries® now offers a lug set for your

| smoothie wheels. A perfect set to purchase if your lug nuts are stripped, worn out or rusted. All sets include: 16 lug nuts, 4 valve stems, 4 wheel locks, and a key. | | | | | | |
|---|-------------------|-----------|--|--|--|--|
| WK1 | 7/16" - 20 thread | | | | | |
| WK2 | 1/2" - 20 thread | 41.99 set | | | | |
| WK3 | 12mm x 1.5 thread | 41 99 set | | | | |



S/S Super Sport Wheel

By 1974 the Crugar SS had become one of the most popular wheels of the musel c are cra. Because it was popular wheels of the musel c are cra. Because it was popular wheels of the musel c are not been perfectly as the shine and was easier to keep feetan. Instead of requiring time consuming polishing, the Cragar SS was ready to show with a simple hosing off and wiping down. Chrome aluminum center cap is included with each wheel. Lug must sold separately

| Note: Snippea overweight. | | | | |
|---------------------------|----------------|------------|------------|--------------|
| Item # | Size | Offset | Backspace | Price |
| | ls-5x4-1/2 | | | |
| | 14" x 6" | | | |
| 61714 | 14" x 7" | 3mm | 4-1/8" | 256.99 ea |
| 15" Whee | ls - 5 x 4-1/2 | ". 4-3/4". | 5" Multi-l | Bolt Pattern |
| 61615 | 15" x 6" | -3mm | 3-3/8" | 283.99 ea |
| | 15" x 7" | | | 283.99 ea |
| | 15" x 8" | | 4-1/4" | 291.99 ea |
| 61015 | 15" x 10" | -32mm | 4-1/4" | 330.99 ea |
| 17" Whee | ls - 5 x 4-3/ | 4" Bolt I | Pattern | |
| 617734 | | -6mm | | 455.99 ea |
| 617834 | | | | 455.99 ea |
| 617834P | | | | 455.99 ea |
| | 17" x 9" | | | 468.99 ea |
| 617934P | 17" x 9" | 13mm | 5-1/2" | 447.99 ea |

| | 000000000000000000000000000000000000000 | |
|-----|---|-----|
| 8 0 | 0000000 | 000 |

Cragar S/S Mag Lug Nut Set

Lug nut set WK25 includes: 20 SS mag lug nuts, 20 center drilled, 20 offset drilled Cragar mag washers, 1 lock set, and 4 valve stems. Lug nut set WK28 includes: 20 SS duplex size mag lug nuts, 20 duplex center drilled Cragar mag washers, and 4 valve stems. Eur all 148 and 155 Cragar SS wheat SS

| WK25 | 7/16* SS mag lugs | 41.99 | set |
|------|------------------------|-------|-----|
| WK26 | 1/2" SS mag lugs | | |
| WK95 | 12mm x 1.5 SS mag lugs | 43.99 | set |



Acorn Lug Nut Set for 17" Cragar S/S 61 Series Wheels

Lug nut sets include: 20 bulged acorn lug nuts, 1 lock set and 4 valve stems. Designed to mount all 17" Cragar S/S wheels.

WK55 7(1/6" bulged acorn lugs 41,00 set

| Crag | ar 5/5 wheels. | | |
|------|-----------------------------|-------|-----|
| K55 | 7/16" bulged acorn lugs | 41.99 | set |
| K56 | 1/2" bulged acorn lugs | 41.99 | |
| K57 | 12mm x 1.5 bulged acom lugs | 41 99 | ca |



Cragar 32 Series Keystone Klassics

If your vehicle is a 1960-70's model, chances are it came with narrow wheels and tiny bias ply tires. By the mid-1960's, afternarket wheel swaps were commonplace money car enthusiasts. One of the commonplace money care thresholds with the common common control of the common common

| | ped overweig | | | | | |
|------------------------------|--------------|------|--------|------------------------|--|--|
| | Size | | | | | |
| 15" Whee 325799 325899 | 15" x 7" | -6mm | 3-3/4" | 321.99 ea 321.99 ea | | |
| 00 | 000 | | 000 | 200 | | |



Mag Lug Nut Set for 2 Conice Kovetono Classic Whools

32 Series Keystone Classic Wheels Lug nut sets WK38-WK40 include: 20 SS mag lug nuts, 20 center drilled, 20 offset drilled Keystone mag

| vashers, | 1 lock set, and 4 valve stems. | |
|----------|--------------------------------|-----------|
| VK38 | 7/16" SS mag lugs | 41.99 set |
| VK39 | 1/2" SS mag lugs | |
| VK40 | 12mm x 1 5 SS mag lugs | 43 99 set |





CRACAR

Keystone Klassic Replacement Center Cap

Replace your missing or damaged center cap with an original Cragar cap or dress-up your Cragar wheels with a new set of Cragar spinner caps.

KC0271 for Keystone Klassic wheel.... 19.99 ea

w

Era Correct Custom Wheels



Cragar 390 Street Pro

The style of the Cragar Street Pro is reminiscent of the Halibrand Sprint which was made famous on the circle track cars of the 60's. The similarities stop there, however. Unlike the Halibrand which was made of magnesium and required constant polishing to retain its shine, the Cragar street pro is manufactured of a chrome-plated steel rim with a chrome-plated aluminum center. They clean up easily and retain their shine with a simple hosing off and wiping down. The price of original 60's era Halibrands has been pushed up by collectors and the new Halibrand wheels are also very pricey. So, if you'd like the look of a legend at about 1/4 of the price, the Cragar Street Pro is definitely the way to go. Chrome center cap is included with each wheel. Lug nuts sold separately.



| Note: Shippe | d overweigh | t. | | WTA. |
|--------------|-------------|------------|----------|-------------|
| Item # | Size | Offset B | ackspace | Price |
| 15" Wheels | | | | |
| 3905605 | | | | 338.99 ea |
| 3905705 | | | | 338.99 ea |
| 3905805 | | | | 345.99 ea |
| 3905105 | 15" x 10" | -32mm | 4-1/4" | 351.99 ea |
| 17" Wheels | - 5 x 4-1/ | 2", 4-3/4" | Dual B | olt Pattern |
| 3907805P | | -6mm | | 437.99 ca |
| 3907905 | | | | 440.99 ca |
| 3907905P | 17" x 9" | 6mm | 5-1/4" | 440.99 ca |



Lug Nut Set for 390 Street Pro Wheels All lug nut sets listed below include: 20 OE flanged

| lug nuts, | 1 lock set, and 4 valve stems. | | |
|-----------|--------------------------------|-------|----|
| WK12 | 7/16" OE flanged lugs | 41.99 | sc |
| WK13 | 1/2" OE flanged lugs | 41.99 | S |
| 33/02/14 | 12 | 41.00 | _ |



14mm x 1.5 OE flanged lugs.... 41.99 set

Cragar 390 Street Pro Center Cap

Replace your missing or damaged center cap with an original Cragar cap or dress-up your Cragar wheels with a new set of Cragar spinner caps. spinner cap for Street Pro-390SK



Cragar S/S Center Cap or Spinners 🔔

Replace your missing or damaged center cap with an original Cragar cap or dress-up your Cragar wheels with a new set of Cragar spinner caps.

spinner set for S/S wheel. 090952 9090 center cap for S/S wheel 20.99 ca

American







Classic 2008 Daisy Wheel

One of the most popular wheels ever made by American Racing Equipment was the 200S, also known as the "Daisy Wheel". These wheels were originally cast at a foundry in Portland. Oregon until the late 1970's. The Daisy Wheel is a great alternative to the more common Torque Thrust wheel. Includes center cap. 5 x 4-3/4" bolt pattern.

Note: Shipped overweight.

| Item # | Size | Offset | Backspace | Price |
|-------------|-------------|----------|-----------|-----------|
| Gray Cent | er – Polish | ed Outer | | |
| TS5861 | 15" x 8" | -12mm | 4" | 559.99 ca |
| TS5161 | 15" x 10" | -38mm | 4" | 588.99 ca |
| TS7761 | 17" x 7" | 0mm | | 621.99 ca |
| TS7861 | 17" x 8" | -12mm | 4" | 628.99 ca |
| TS7863 | 17" x 8" | +14mm | 5" | 628.99 ea |
| Fully Poli: | shed | | | |
| TS5861P | 15" x 8" | -12mm | 4" | 522.99 ca |
| TS5161P | 15" x 10" | -38mm | | 550.99 ca |
| TS7761P | 17" x 7" | 0mm | 4" | 573.99 ca |
| TS7861P | 17" x 8" | -12mm | 4" | 580.99 ca |
| T\$7863P | 17" v 8" | ±14mm | 5" | 580 99 69 |

H&RXX

0000 HR4085704 @ @ @ @

1993-02 Trak+ Wheel Spacers

Wider is Better! H&R TRAK+ Wheel Spacers provide simple and effective vehicle track widening for improved handling, performance, safety, and a 'perfect stance'. Featuring a 'perfect fit' hub centric design, TRAK+ Wheel Spacers are extremely durable and lightweight thanks to a proprietary aluminum/ magnesium alloy. Fits all 1993-02 V6 or V8 models.

| IR4085704 | 1993-02 | 20mm | |
|-----------|---------|------|----|
| IR5085704 | 1993-02 | 25mm | |
| IR6085704 | 1993-02 | 30mm | |
| IR9085704 | 1993-02 | 45mm | |
| | .,,,, | | p- |





Wheel Bolt Center Measuring Template Accurately measure your wheel lug pattern. Determine

the exact bolt center dimension for 4 and 5 lug wheels and hubs. The 4 lug identify 4 x 4-1/2", 4 x 110 mm, 4 x 108mm, 4 x 100mm and 4 x 98mm bolt patterns. The 5 lug identify 4 x 5-1/2", 5 x 5", 5 x 4-3/4", 5 x 4-1/2", and 5 x 4-1/4".

| | BCT400 BCT500 | 4 lug | | |
|-----|------------------|------------------------|--------|--|
| | | Dice Valve Stem Colors | | |
| - 1 | | | \sim | |











Custom Valve Stem Cans

| he rest? Look | ing to add a personal touch to | your curb |
|----------------|-------------------------------------|---------------|
| | no further than custom valve s | |
| Choose the de: | sign that suits your style. Sold a: | s a set of 4. |
| Dice Style Ca | ps | |
| | red | 5.99 set |
| CP50018B | white | 5.99 set |
| CP50018C | black | 5.99 set |
| | | |

| CF30018D | Diuc | 3.99 | set |
|------------------------------|----------------------|-------|-----|
| Skull Style with CP50019B | h Red Eyes chrome | 9.99 | set |
| | ovski" Diamond Style | | |
| CP50022A | blue | | |
| CP50022B | green | 21.99 | set |
| CP50022C | purple | 21.99 | set |
| CP50022D | clear | | |
| CP50022E | red | 21.99 | set |
| CP50022F | amber | 20.99 | set |

WK15











Reproduction Tires



Radial - Wide Oval Tire

Firestone Wide Oval Radial tires, a product that will bridge the gap between authentic bias ply tires and modern radials. The raised white letter version, seen here, features correct sidewall markings, even down to the correct size of the letters

| to the correct size of the fetters. | |
|-------------------------------------|-----------|
| C54880 FR70-14 raised white letter | 349.99 ea |
| C55280 GR70-14 raised white letter | 373.99 ea |
| C62490 FR70-15 raised white letter | 392.99 ca |
| C62510 FR60-15 raised white letter | 471.99 ca |
| C62680 GR70-15 raised white letter | 415.99 ca |
| C54890 FR70-14 red line | 349.99 ca |
| C55290 GR70-14 red line | 373.99 ca |
| C62500 FR70-15 red line | 392.99 ca |
| C62690 GR70-15 red line | 415.99 ca |



Classic Redline Radial Tire

Classic Industries® is pleased to offer this reproduction style redline radial tire designed to give the appearance of an original tire. Each tire is new and offers a great way to retain originality. Poly/steel construction offers strength.

ote: Wheel not included. Tires must be prepaid. Shipped overweight. radial

P20575R14R

m

RAR



OER® TNT Extended Life Tire & Trim Dressing

This unique formula quickly penetrates rubber trim and tires o hydrate and provide lasting protection. TNT Extended Life gel by OER® finally delivers on that promise. Simply wipe on using a pad and TNT gel restores the look of faded tires, trim, bumpers, seals and weatherstrip. What's more, OER® TNT gel lasts for many months not days. Our exclusive

no-streak, no-run, and non-drip formula works to repel water and detergents and helps keep tire walls hydrated and supple as well as looking brand spanking new. A true premium trim restorer and protectant, that will not drip, dry out, or destroy surfaces. Provides unmatched durability, ease of application and a superior "new look" shine that

| ч | lasts throu | | | |
|---|-------------|---------------|----------|--|
| 1 | K89616 | 32 oz. bottle | | |
| 7 | K89617 | 1 gallon | 34.99 ca | |

HOICE

Firestone Wide Oval Tires Are Back!

These tires are manufactured from the original molds to bring you the highest quality muscle car tire available. Each tire features a 2 + 2 construction (2-ply polyester and 2-ply fiberglass). Available in raised white lettering, featuring the words Firestone and Wide "O" Oval, redlines, or pinstripe whitewall.

| Note. Thes n. | usi ve prepata. | эресли зтррту нас ирра | £3. | | | | April 1 |
|---------------|-----------------|------------------------|-------------|------------|------------|---------------|-----------|
| Part # | Tire Size | Description | Tread Width | Press Sect | Outer Dia. | | Price |
| T54640 | D70 x 14 | raised white letter | 6.21" | 7.85" | 25.32" | | 303.99 ea |
| T54650 | D70 x 14 | pinstripe | 6.21" | 7.85" | 25.32" | | 303.99 ea |
| T54670 | E70 x 14 | raised white letter | 6.38" | 8.05" | 25.76" | | 326.99 ea |
| T54680 | E70 x 14 | pinstripe | 6.38" | 8.05" | 25.76" | | 306.99 ea |
| T54850 | F70 x 14 | raised white letter | 6.67* | 8.30" | 26.24" | | 337.99 ea |
| T54860 | F70 x 14 | pinstripe | 6.67* | 8.30" | 26.24" | | 309.99 ea |
| T55250 | G70 x 14 | raised white letter | 6.92" | 8.75" | 26.82" | | 365.99 ea |
| T55260 | G70 x 14 | pinstripe | 6.92" | 8.75" | 26.82" | | 334.99 ea |
| T62530 | E70 x 15 | raised white letter | 6.00* | 8.30" | 26.60" | Sport car 200 | 482.99 ea |
| T62450 | F70 x 15 | raised white letter | 6.71" | 8.35" | 26.94" | | 367.99 ea |
| T62460 | F70 x 15 | pinstripe | 6.71* | 8.35" | 26.94" | | 351.99 ea |
| T62510 | G70 x 15 | raised white letter | 6.50* | 8.50" | 27.50" | | 471.99 ea |
| T62480 | F60 x 15 | raised white letter | 8.75* | 9.20" | 25.94" | | 421.99 ea |
| T54690 | E70 x 14 | redline (wide track) | 6.38" | 8.05" | 25.76" | | 323.99 ea |
| T54870 | F70 x 14 | redline (wide track) | 6.67* | 8.30" | 26.24" | | 336.99 ea |
| T55270 | G70 x 14 | redline (wide track) | 6.92" | 8.75" | 26.82" | | 365.99 ea |
| T54660 | D70 x 14 | redline (wide track) | 6.21" | 7.85" | 25.32" | | 303.99 ea |
| T62470 | F70 x 15 | redline (wide track) | 6.71" | 8.35" | 26.94" | | 379.99 ea |
| T62500 | G70 x 15 | redline (wide track) | 6.50* | 8.50" | 27.50" | | 531.99 ea |

Get Goodvear Quality with a Nostalgic Appearance!

Perfect for your Firebird!

USA

The Goodyear® name means quality and dependability!

Increase the value of your project while maintaining originality!

These Goodyear tires are produced with exact specifications offering the highest quality while maintaining complete originality! Now you can own the original Polyglas Goodyear tires, and because they are made from the same molds as the originals, you can count on the quality. Perfect for classic wheel types such as Rally I or Rally II wheels!

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

Important: OW-1 Speedway Wide Tread. Note: Tires must be prepaid. Shipped overweight.



| | | | | - Marie 240 |
|-----------|-----------|---------------------|--------------------------------|-------------|
| Part # | Tire Size | Style | Description | Price |
| GYE7014 | E70/14 | raised white letter | 2/2 Polyglas | 355.99 ea |
| GYF7014 | F70/14 | raised white letter | 2/2 Polyglas | 375.99 ea |
| GYE7015W | E70/15 | raised white letter | QW-1 4 Ply Poly | |
| GYF7015 | F70/15 | raised white letter | 2/2 Polyglas | 427.99 ea |
| GYF6015 | F60/15 | raised white letter | 2/2 Polyglas GT | 440.99 ea |
| GYG6015 | G60/15 | raised white letter | 2/2 Polyglas GT | 504.99 ca |
| GYG7015 | G70/15 | raised white letter | 2/2 Polyglas GT | 419.99 ea |
| GYG70151 | G70/15 | raised white letter | Steelgard | 419.99 ca |
| GYE7014R | E70/14 | .350 redline | custom wide tread 2/2 Polyglas | 381.99 ca |
| GYF7014R | F70/14 | .350 redline | custom wide tread 2/2 Polyglas | 405.99 ea |
| GYF7014WR | F70/14 | .350 redline | QW-1 4 Ply Poly | 389.99 ea |
| GYG7014R | G70/14 | .350 redline | custom wide tread 2/2 Polyglas | 449.99 ea |
| GYF7015R | F70/15 | .350 redline | custom wide tread 2/2 Polyglas | 429.99 ea |
| GYF7015WR | F70/15 | .350 redline | QW-1 4 Ply Poly | 442.99 ea |
| GYG7015R | G60/15 | .350 redline | 2/2 Polyglas GT | 503.99 ea |
| | | | | |

Wheel ire and Combos

When you buy a tire and wheel package from us you can rest assured that you are getting the best. These complete sets include four tires of your choice, Pontiac Rally II wheels, black/red PMD center caps, trim rings, valve stems and lug nuts... fully mounted and balanced! Your tire and wheel package will be mounted and balanced by a professional with the latest state-of-the-art Hunter balancing equipment. For maximum ride quality our Hunter SmartWeight balancing system analyzes the entire assembly for non-conformity issues, the result is improved

ride quality, performance and wear, You'll also receive FREE nitrogen inflation that will give your combo longer life and better performance. Important: Choose tire brand from below. Please specify B - black or R - red lug nuts when ordering

Note: Tire sets must be prepaid. Special shipping rate applies.



- Hand Mounted and Computer Balanced to Precise Quality Control Standards for a Guaranteed True and Round Assembly.
- Scratch Less Mounting, No Need to Worry About a Scratched Rim.
- Lug Centric Balancing for the Best Balance and Truest Ride.

YOU PURCHASE

Static Balanced with the Unsightly Weights on the Inside of the Combo.



Your Choice of lug nut colors!



red lug nut

black lug nut

| SPI | |
|-------|--|
| Price | |

| CC2004B | P215/70R15 | BFG Silvertown Radial Redline | 15" x 6" Pontiac Rally II | 15" x 6" trim ring |
|---------|------------|-------------------------------|---------------------------|--------------------|
| CC2005B | P215/70R15 | BFG T/A Radial RWL | 15" x 6" Pontiac Rally II | 15" x 6" trim ring |
| | | | | |

RFGoodrich Silvertown Radial

Classic Industries® offers these reproduction BFGoodrich Radial tires for various classic American cars. Each tire is manufactured to original specifications, is S-Speed rated and U.S. DOT approved for use on all U.S. highways. With its grippy allseason tread design and original style raised white letters, these tires will give both authenticity and safety to your classic car.

- 14 and 15 inch rim diameters available
- 70 series available
- S-Speed rated (112 MPH)
- All season tread
- High tech tread design
- Backed by our life of the tread warranty
- U.S. DOT approved for all U.S.
- highways ECE approved - meets or exceeds all
- requirements for the European community



Classic Industries® offers these reproduction BFGoodrich Radial T/A tires for various classic American cars. Each tire is manufactured to original specifications, is S-Speed rated and U.S. DOT approved for use on all U.S. highways. With its grippy all-season tread design and original style raised white letters, these tires will give both authenticity and safety to your classic car.

- Made in the USA
- 14 and 15 inch rim diameters
- S-Speed rated (112 MPH)
- U.S. DOT approved for all U.S. highways ECE approved - meets or exceeds all requirements within the
- European community All season tread design



| Note: Wheel not included. | . Tires | must | be | prepa |
|---------------------------|---------|------|----|-------|
| Shipped overweight. | | | | |
| | | | | |

7.0*-9.0

| P20570R14T | 5.0"-7.0" | 8.2" | 25.4" | 188.99 ea |
|------------|-----------|------|-------|-----------|
| P21560R14T | 6.0"-7.5" | 8.7" | 24.2" | 195.99 ea |
| P21570R14T | 5.5*-7.0* | 8.7" | 25.9" | 199.99 ea |
| P22560R14T | 6.0*-8.0* | 9.0" | 24.7" | 183.99 ea |
| P22570R14T | 6.0*-7.5* | 9.0" | 26.5" | |
| P23560R14T | 6.5"-8.5" | 9.5" | 25.1" | 205.99 ea |
| P24560R14T | 7.0*-8.5* | 9.8" | 25.6" | 217.99 ea |
| P19560R15T | 5.5*-7.0* | 7.9" | 24.2" | |
| P20560R15T | 5.5"-7.5" | 8.2" | 24.7" | |
| P21560R15T | 6.0*-7.5* | 8.7" | 25.2" | 206.99 ea |
| P21565R15T | 6.0*-7.5* | 8.7" | 26.0* | |
| P21570R15T | 5.5*-7.0* | 8.7" | 26.9" | |
| P22560R15T | 6.0*-8.0* | 9.0" | 25.6" | |
| P22570R15T | 6.0*-7.5* | 9.0" | 27.4" | |
| P23560R15T | 6.5"-8.5" | 9.5" | 26.1" | 215.99 ea |
| P23570R15T | 6.0*-8.0* | 9.5" | 28.0" | |
| P24560R15T | 7.0"-8.5" | 9.8" | 26.6" | 223.99 ea |
| | | | | |

Note: Wheel not included Tires must be prepaid

| Shipped overweight. | | | | | | <u> 🗥 </u> |
|---------------------|------------------|--------------|--------|---------|--------|------------|
| Tire Size | Description | Construction | Tread | Section | Diam. | Price |
| P20570R14RL | 3/8" - redline | Poly/Steel | 5.80* | 8.00" | 26.10" | 325.99 ea |
| P21570R14RL | 3/8" - redline | Poly/Steel | | 8.70" | 25.90" | 339.99 ea |
| P22570R14RL | 3/8" - redline | Poly/Steel | 6.70* | 8.90" | 26.30" | 339.99 ea |
| P21570R15RL | 3/8" - redline | Poly/Steel | 6.40* | 8.70" | 26.90" | 334.99 ea |
| P22570R15RL | 3/8" - redline | Poly/Steel | | | 27.40" | 339.99 ea |
| P23570R15RL | 3/8" - redline | Poly/Steel | 7.080" | 9.50" | 28.00" | 359.99 ea |
| P21570R14WL | 3/8" - whiteline | Poly/Steel | 6.40* | 8.70" | 25.90" | 334.99 ea |
| P21570R15WL | 3/8" - whiteline | Poly/Steel | 6.40* | 8.70" | 26.90" | 359.99 ea |
| D22570D15WI | 2/9" whitaling | Doly/Steel | 6.70* | 0.00" | 27.40" | 206 00 an |













P25560R15T