Replacement Fuel Tanks

These reproduction fuel tanks are manufactured to factory specifications from stamped steel and are available in a variety of finishes to suit your build. Basic zinc coated steel tanks are a great value, offering strong corrosion resistance at a reasonable price. Ni-terne steel tanks provide an OE quality appearance for discerning restorers. For show quality builds, stainless steel tanks offer superior corrosion resistance with a spectacular polished finish.

7inc-Coated Fuel Tanks

- Quality Replacement Tank
- Standard Corrosion Resistance
- Manufactured to Factory Specifications

Ni-Terne Steel Fuel Tanks 🤺

- OE Quality Replacement Tank Exceptional Corrosion Resistance
- Manufactured to Factory Specifications

Stainless Steel Fuel Tanks 🔺 🖈

- Show Quality Replacement Tank
- Superior Corrosion Resistance Stainless Steel Polished Finish
- Manufactured to Factory Specifications



1967-97 Firehird Fuel Tank

Correct reproduction fuel tanks for 1967-97 Firebird models. These reproduction gas tanks are manufactured to exact specifications and are available in zinc coated steel, ni-terne steel or stainless steel. ote: Shipped double oversize. *Shipped triple oversize

Zinc Coated Stee

FT1000A	1967-68	without fuel filler neck	
FT1001A	1969	attached fuel filler neck	
FT1002A	1970	without EEC	
FT1003A	1970-73	with EEC	
FT1004A	1974-78	all models	
FT1005A	1979-81	all models	149.99 ea
FT1006A	1982-87	with fuel pump on engine	
FT1007A	1982-92	with fuel pump in tank	
FT1008A*	1993-97	all models	209.99 ea
		Ni-Terne Coated Steel	
FT1000B	1967-68	without fuel filler neck	219.99 ea
FT1001B	1969	attached fuel filler neck	223.99 ea
FT1002B	1970	without EEC	
FT1003B	1970-73	with EEC	248.99 ea
FT1004B	1974-78	all models	
FT1005B	1979-81	all models	266.99 ea
FT1006B	1982-87	with fuel pump on engine	
FT1007B	1982-92	with fuel pump in tank	
FT1008B*	1993-97	all models	269.99 ea
		Stainless Steel	
FT1000C	1967-68	without fuel filler neck	
FT1001C	1969	attached fuel filler neck	
FT1002C	1970	without EEC	369.99 ea
FT1003C	1970-73	with EEC	
FT1004C	1974-78	all models	360 00 ea

339 99 ca



Now available in stainless steel

- 1 Gas Tank (1987-89) 1 Tank to Filler Neck Hose (1967-68)
- 1 Fuel Tank Strap Mounting Bolt Kit (1967-69) 1 Fuel Tank Unner Neck and Clamn (1967-68)
- 1 Sending Unit Lock Ring (1987-89) 1 Gas Tank Filler Neck Sleeve (1987-88) 1 Sending Unit O-ring Gasket (1987-89)
- 1 Gas Tank Mounting Anti-Squeak Kit (1967-69)

2 Fuel Tank Strans (1987-89)

1967-69 Firehird Fuel Tank Kit

Replace all the necessary components for your 1967-69 Firebird with Classic Industries® fuel tank kits. Each kit provides the individual components needed for a complete replacement. Fuel tank sending units are sold separately due to differences

in engines, options, etc. Note: Shipped double oversize. R304 1967-68 w/zinc coated tank (w/o neck, sleeve or clamp)... 172 99 kit R324 1967-68 w/stainless tank (w/o neck, sleeve or clamp) ... 361.99 kit w/zinc coated gas tank (w/neck, sleeve & clamp) 1967-68 240 00 Lit 370.99 kit R323 1967-68 w/stainless gas tank (w/neck, sleeve & clamp) R 302 1969 with zinc coated gas tank .. 141 99 kit R322 1969 with stainless steel tank... 352 99 kit



1967-73 Aeromotive Fuel Tank

These tanks bring modern fuel system technology to your classic muscle car. By placing the fuel pump inside the tank, hot fuel issues such as vapor lock and cavitation are eliminated. We have all heard the stories of hot rodders being stuck on the side of the road with a fuel system or an engine that stumbles under braking, acceleration or hard cornering. These issues are related to fuel pump location, plumbing and lack of proper baffling. You can now have an in-tank fuel pump that is properly vented and submerged in fuel at all times. These new reproduction steel tanks feature a durable silver powder coated finish. In addition, they feature an internally baffled system with an in-tank performance fuel pump capable of supporting up to 1000 HP. Deep sump tanks include new fuel tank straps. Choose the bypass regulator that best serves your vehicle application.

Note: Shipped oversize A9718657 1967-68 stock capacity 18 gallon... A9718658 1969 stock capacity 18 gallon..... A9718328 21-1/2 gallon 1970-73 1" deeper than OEM

999.99 ea

999.99 ca

1099 99 ca

all models

1979-81

Fuel Tank Components



Sniner EFI Fuel Tank System

Holley Sniper EFI conversion fuel tank systems for 1967-81 Firebird models. Each tank is galvanized and then powder coated to maximize corrosion resistance. They feature OEM style internal baffling, including an extra large internal fuel tray to promote optimal fuel pump performance. These tanks are a direct, bolt-in install for most applications and capable of supporting 750 HP. The system includes the tank, a 255 or 400 lph fuel pump, a fuel level sender, and the filler neck. ender operates at the same 0-90 Ohms as the factory GM fuel level gauge.

Note: Shipped	l oversize.		
Sniper EFI	Tank with	255 LPH Fuel Pu	ımp 🚚
A9719100	1967-68		615.99 ea
A9719101	1967-68	narrow corners	672.99 ea
A9719103	1969	narrow corners	672.99 ea
A9719104	1969		615.99 ea
A9719108	1970-73		615.99 ea
A9719142	1974-78		638.99 ea
A9719140	1979-81		672.99 ea
		400 LPH Fuel Pu	
A9719400	1967-68		672.99 ea
A9719401	1967-68	narrow comers	727.99 ea
A9719403	1969	narrow comers	727.99 ea
A9719404	1969		672.99 ea
A9719408	1970-73		672.99 ea
A9719442	1974-78		672.99 ea
A9719440	1979-81		672.99 ea



Gold Standard Fuel Tank Sealer Set 🔥

Our 3 step fuel tank sealer set contains almost everything you might need to seal a tank of up to 25 gallons. The Gold Standard Tank Sealer is specifically formulated to stop rust and corrosion by forming a tough, fuel impervious coating while simultaneously sealing small pinholes and weld seams. The prep products are formulated to extend storage times by leaving a zinc phosphate film that prevents rust until you have a chance to seal the tank with the sealer. Complete set and individual items available.

3 Step Fuel Tank Sealer Set Buy our fuel tank sealer set and save! Each fuel tank sealer set includes: 2 quarts of Klean (a water based.

heavy-duty, cleaner/degreaser), I quart RustBlast (a powerfulrustremover/metaletch), I quart Gold Standard Tank Sealer, gloves, instructions, and a stir stick KB53000 prep/sealer set.....

KBS Klean	- Degreaser	
KB2400	one quart	12.99 ca
KB2500	one gallon	23.99 ca
KBS RustB	last Rust Remover	
KB3400	one quart	17.99 ca
KB3500	one gallon	34.99 ca
KBS Fuel 7	Tank Sealer	



1967-02 Fuel Tank Mounting Straps 🔥

Reproduction fuel tank mounting straps for 1967-02 models produced using heavy-duty preformed steel for an original appearance or long-lasting stainless

steel for cor	rosion resistance.	
OE Materia	ıl	
FT1100A	1967-69	24.99 pr
FT1101A	1970-73	24.99 pr
FT1102A	1974-75	30.99 pr
FT1103A	1976-81	29.99 pr
FT1104A	1982-02	27.99 pr
Stainless St	teel	
FT1100B	1967-69	39.99 pr
FT1101B	1970-73	43.99 pr
FT1102B	1974-75	46.99 pr
FT1103B	1976-81	43.99 pr
FT1104B	1982-02	43.99 pr
	ATTENTO	anizen



1967-81 Fuel Tank Mounting Brace 🔥

C2480W

These correct reproduction fuel tank mounting braces are just what you need to properly and securely mount your fuel tank. Each is constructed from original gauge steel and stamped to fit as original. EDP coated for corrosion resistance. Gas tank straps will attach to these braces and securely hold the gas tank in place.

EDF Coul				
C3480	1967-68	LH or RH, 2 req	48.99	c
C2057	1969	LH	41.99	
C2056	1969	RH	41.99	c
C2480	1970-73	4 piece set	153.99	St
153251	1974-81	4 piece set	141.99	St
Weld-Thr	u™ Coated			
C2490W	1070.72	A minus out	160.00	_



1974-81 Fuel Tank Strap Bolt

Correct replacement bolt for use with all 1974-81 Firebird models. This bolt measures 3/8"-16 x 1-3/4" There are two required per vehicle. 9441560 1974-81



1967-69 Fuel Tank Anti-Squeak Set

Highest quality reproduction on the market! Includes precision die-cut 1/2" sponge neoprene tank to floor cushion and 2 strap to tank inserts. The molded rubber cushions are inserted between the gas tank and the mounting straps while the neoprene sponge pad is inserted between the top of the tank and the trunk floor to eliminate rattles and vibrations. These sponges will eliminate any tank movement which may occur. Highly recommended when replacing your gas tank or mounting straps.

I" wide.	or aesignea jor use with gas tank straps	more mun
K915	1967-69	24.99 set
M		
ŀ		-

Universal Fuel Tank Anti-Smueak Felt

Universal gas tank anti-squeak inserts. These felts insert between the gas tank and the mounting straps to eliminate any noise from tank movement and vibration which may occur. Felts measure 36" x 1-3/4" and are flat with no edges. Highly recommended when replacing your gas tank or mounting straps. UK915



1967-69 Fuel Tank Stran Mounting Rolt Set It's easy to replace your fuel tank straps with fuel

tank strap carriage bolts, nuts, and washers. This set is recommended when replacing fuel tank straps. K561 1967-69. 6.99 set



1976-81 Fuel Tank Stran Hardware

Reproduction fuel tank strap hardware set for 1976-81 Firebird models. This set is recommended when replacing fuel tank straps. 153351 1976-81















1967-68 Fuel Tank Upper Neck

Reproduction of the original 1967-68 upper fuel neck used exclusively on Firebird models. Replace your damaged neck and rubber fuel neck sleeve with these excellent reproductions.

7693146 1967-68 upper neck...... 49.99 ea





153845

112:

1967-68 Fuel Tank Neck Rubber Sleeve

Reproduction of the original 1967-68 upper fuel neck rubber sleeve used exclusively on Firebird models. Correct reproduction of original.



1974-97 Fuel Tank Filler Neck

Reproduction fuel tank filler necks for 1974-97 Firebird models. Manufactured to factory specifications, featuring the correct gas cap opening for proper fit,

153844	1974-78	16.99	ca
153845	1979-81	16.99	
153846	1993-97		



1967-68 Tank to Filler Neck Hose 🔥

Seals inlet filler neck to tank stub neck. This hose will eliminate gas fumes from entering in the interior or trunk area when properly installed. Each hose is produced with correct high-quality neoprene and will last much longer than other hoses of inferior quality materials. K630 1967-68



Reproduction of the original 1967-68 fuel neck sleeve

clamp used to hold the sleeve to the trunk floor. 7707773 1967-68

1968-70 Fuel Tank Vent Valve

Reproduction plastic gas tank vent valve that mounts on the frame rail. One vapor line comes off of gas tank and goes to this valve. Put one cotton ball in the valve to keep dirt from entering the gas tank. 14987 1968-70

474

Driven Carb Defender 👙

Driven Carb Defender Fuel Additive has been formulated to protect against harmful ethanol deposits and corrosion in fuel and the induction system. Special inhibitors resist expensive damage and reduced performance from moisture accumulation from modern ethanol blended gasoline. This additive controls combustion chamber residue, cleaning and protecting fuel system and intake tract surfaces to keep carburetors functioning properly. Carb Defender is ideal for everyday drivers or classics that spend time in storage between cruises and special events. One bottle treats up to 25

gallons of ethanol blended fuel. IG1340 4.5 oz bottle 12.99 ca IG1341

case of 6 - 4.5 oz. bottles 147.99 cs

Fuel System Cleaner Max-Clean targets and cleans deposit

buildup in the intake system and combustion chamber and is effective on the entire spectrum of engines on the road. Deposit buildup is a natural consequence of fuel combustion, but can have significant effects on the performance and reliability of your engine, Royal Purple's Max-Clean can restore internal engine surfaces, recovering lost fuel economy

and performance. RP11722 20 oz. can .. case of 6 - 20 oz. cans ... RP11723



91 99 cc

Driven Defender+Rooster 🔥

Raises the octane in unleaded fuels, reduces valve seat wear and protects against the corrosion deposits common with today's gasoline. This product features corrosion inhibitors that control combustion chamber residue, as well as clean and preserve surfaces of the fuel system. By cleaning and controlling combustion chamber and intake valve deposits, Defender + Booster Fuel Additive protects against detonation and improves fuel economy. The additive is ideal for all carbureted and fuel injection vehicles, including motorcycles and marine engines. Each 10 ounce bottle treats up to 25 gallons of gasoline, and regular use has been

proven to lower emissions. IG1342 10 oz bottle 23.00 ca IG1344 case of 6 - 10 oz ... 142.99 cs

.I-R Weld Gas Tank with and Radiator Repair

AutoWeld is a hand mixable, steel reinforced, non-rusting epoxy putty that quickly repairs or rebuilds anything made of metal. After mixing. it forms an industrial strength polymer compound that can be molded into shapes or used to buildup, patch and repair steel components. AutoWeld sets in 5 minutes and after 60 minutes, can be drilled, tapped, machined, ground, filed, and painted, Cures dark gray. Made in USA. IB8217



4 99 ca



1967-81 Fuel Tank Pickup Tube Filter 🗥

OER® reproduction replacement fuel tank pickup tube strainer used to help keep contaminants in the fuel from entering into the fuel lines. This part attaches directly to the fuel tank pickup tube.

1967-81 5/16" OEM style..... K404 3/8" OEM style..... K405 1967-81 9.99 ca



48700164 48700150 A8700193



the fuel sending unit and fuel pump.

48700161





48700166 48700158

1964-81 GM Fuel Hose Stamp These stamps were used to identify hose size and placement. 1/4" hose was used for fuel return hose, 5/16" and 3/8" was used for main fuel lines.

A8700160 1964-81 GM 1/4 stamp..... 13.99 ea Δ8700161 1964-81 GM 5/16 stamp.... 13.99 ea 1964-81 GM 3/8 stamp..... 13.99 ea A8700162 This stamp was used by hose supplier SWAN on all rubber fuel hose that connected the main fuel line to

A8700159 1967-79 SWAN GAS stamp 16.99 ea This stamp was used to identify fuel hoses and was

stamped about every inch. A8700193 1967-79 GAS stamp 13.99 ca

These stamps were used to identify emissions hose size and placement. A8700163 1970-81 EVAP 1/4 stamp .. 13.99 ea

1970-81 EVAP 5/16 stamp 13.99 ea 1970-81 EVAP 3/8 stamp .. 13.99 ea A8700164 A8700165 This stamp were used to identify hose on GM vehicles with an in trunk fuel filler neck vapor system

A8700166 1965-70 VAPOR.... 13 90 ca No authentic restoration is complete without attention to every detail. These inspection stamps were placed

on fuel tanks to show they had passed pressure safety testing and quality inspections. Each stamp is aesthetically accurate and includes a bottle of correct red paint. Note: Black ink was occasionally used in place of red ink.

A8700157 1967-72 Inspector 3 stamp 39.99 ea A8700158 1968-72 20 insp ok stamp.. 39.99 ea

Hose Marking Ink Pad This pre-inked ink pad is the correct frost white ink

for marking hoses. The slow drying water based ink makes mistakes easy to correct before the ink becomes permanent



Fuel Caps and Doors









G2138

17 99 ca

16 99 ca

25.99 ca

23 99 ca

0.00 ca






1969-70 Fuel Cap with OEM Markings

Reproduction fuel cap manufactured and designed with the correct "S" rivet and properly raised lettering. Made to exact specification. 1060 2nd decign

931449	1970		it EEC	24.99 ca
		.	entin Con	1







with strap..... 2001-02 with strap... 17.99 ca MOTO RAD

G6954

1967-02 Fuel Can Replace your original broken or missing gas cap with an genuine ACDelco replacement. Each cap will fit



exactly as original.

1975-79

1980-81 G6956

1982-97

1000 00

G6954 1967-70

G2138

G6957

G4676 1998

G5490



without EEC..... 31.99 ea







1969-02 Replacement Fuel Cap These service replacement fuel caps may differ from

the original in appearance but will fit and function as original Replacement Fuel Caps ST10646 1969-70 w/o 70 CA models 4.99 ea

ST10806	1970	CA models only	5.99 ca
ST10807	1971-74		6.99 ca
ST10817	1975-81	non-vented	6.99 ea
ST10819	1975-81	vented	10.99 ea
ST10822	1982-97	non-vented	5.99 ca
ST10823	1982-97	vented	12.99 ea
ST10836	1999-02		6.99 ca
Locking F	uel Caps		
ST10571	1971-74		14.99 ea
ST10591	1975-81	non-vented	13.99 ea
ST10501	1975-81	vented	17.99 ea
ST10594	1982-97		16.99 ea
ST10506	1999-02		13.99 ea

1979-81 Firebird/Trans Am Fuel Door OER® reproduction fuel doors for 1979-81 Pontiac

Firebird/Trans Am models. Features the correct smoke colored finish. Your choice of door assembly that includes pre-attached door hinge bracket for easy replacement or without bracket so you can use your existing bracket and hinge. Available with or without the recess for the Firebird emblem. Firebird emblems and other components are also sold separately.

Door Assembly - with Bracket and Hinge 5973205 1979-81 w/emblem recess ... 109.99 ea 5973870 1979-81 w/o emblem recess 119.99 ea r - without Bracket and Hinge

R278146		w/emblem recess	54.99	
R278145	1979-81	w/o emblem recess	69.99	ca
Emblems				
5973147	1979-81	emblem silver	29.99	ea
5973148	1979-81	emblem gold	29.99	ea
Bracket a	nd Hinge			
5970932	1979-81	bracket and hinge	69.99	ea



1982-92 Fuel Tank Filler Door

Fuel tank filler door makes replacing the worn out or missing original easily. For use with all 1982-92 models 20638651

1967-68 Fuel Filler Door

Reproduction of the fuel filler door for 1967-68 Firebird models. Includes spring and hinge. This is the second design door and does not feature the finger lift on bottom of door 1967-68 93.99 ca K7968





1982-87 Fuel Door Lock Complete lock assembly for installation in either the

stowage box door or fuel door. Each replacement lock includes: the case and hook assembly (pre-assembled), lock cylinder (pre-coded) and 2 precut keys which match the lock cylinder.

1982-87 TK1029B black 31.99 set



1969-98 Fuel Door Rubber Rumner 🔥 Correct replacement fuel door bumpers which were

originally installed on 1969-98 Firebird models. CS81 1969-78 reproduction... 0 00 00 10257216 1993-98 on fuel filler pocket 3.99 ea



1967-68 Fuel Filler Door Tension Spring Replacement spring used to keep tension on the fuel

filler door. For 1967-68 Firebird models. 1967-68





Universal Billet Fuel Filler Assembly 🔥

These billet fuel filler assemblies will add a custom look to any car. Made from machined aluminum they offer OEM quality sealing. Assemblies include billet filler neck, custom billet locking cap with two keys, and fasteners. Assemblies are available in both clear and black anodized finishes. An optional vent kit is also available for applications where venting is required.

91000034 229.99 set clear anodized..... 81000036 black anodized 239 99 set 81000038 9 99 set vent kit











0

Fuel Feed Lines



1967-91 Fuel Feed Lines

Reproduction 3/8" fuel feed lines which extend from the fuel tank to the fuel pump. Choose between OEM material or stainless steel lines. 2 piece line.

Note: *1 nieco	Note: *1 piece line. Shipped double oversize.				
OEM Mater			0S2		
FGL6713	1967		79.99 set		
FGL6712	1968		79.99 set		
FGL6916	1969		79.99 set		
FGL7003	1970	Trans Am	79.99 set		
FGL7103	1971-73	Trans Am - RH	120.99 set		
FGL7403	1974	RH	79.99 set		
FGL7401	1974-75	Trans Am	79.99 set		
FGL7501	1975	except TA - RH	79.99 set		
FGL7601	1976	Formula 350 - LH	79.99 set		
FGL7601	1976-81	Pontiac 400 - LH	79.99 set		
FGL7801	1977	Chev 305 two bbl	79.99 set		
FGL7903	1977-79	Olds 403 - LH	79.99 set		
FGL7908*	1979	5/16" vent line	79.99 ca		
FGL8105	1981	TA w/5.0L/305	79.99 set		
FGL8203*	1982-84	RH	79.99 ca		
FGL8503*	1985-91	carbureted - LH	79.99 ca		
OEM Mater	ial – Fuel	Iniected			
FGL8507*	1985-91	tank to filter	79.99 ca		
FGL8506*	1985-91	filter to rubber hose	79.99 ca		
FGL8508*	1985-91	rubber hose to fuel rail	36.99 ea		
Stainless St	eel				
FGL6713S	1967		120.99 set		
FGL6712S	1968		120.99 set		
FGL6916S	1969		120.99 set		
FGL7003S	1970	Trans Am	120.99 set		
FGL7103S	1971-73	Trans Am – RH	120.99 set		
FGL7403S	1974	RH	120.99 set		
FGL7401S	1974-75	Trans Am	120.99 set		
FGL7501S	1975	except TA - RH	120.99 set		
FGL7601S	1976	Formula 350 – LH	120.99 set		
FGL7601S	1976-81	Pontiac 400 - LH	120.99 set		
FGL7801S	1977	Chev 305 two bbl	120.99 set		
FGL7903S	1977-79	Olds 403 - LH	120.99 set		
FGL7908S*	1979	5/16" vent line	120.99 ea		
FGL8105S	1981	TA w/5.0L/305	120.99 set		
FGL8203S*	1982-84	RH	120.99 ea		
FGL8503S*	1985-91	carbureted - LH	120.99 ea		
Stainless Sta	eel – Fuel				
FGL8507S*	1985-91	tank to filter	120.99 ca		
FGL8506S*	1985-91	filter to rubber hose	120.99 ea		



FGL8508S* 1985-91



rubber hose to fuel rail 73.99 ea

1967-81 Fuel Line Clips and Bolts 🔥 Various underbody fuel, brake and vapor line clips for

1970-74 fuel/vapor line - 7 pc 17.99 set

1967-81 Firebird models. Fuel Line Clips 1380949 1968-69 brake/fuel line 2.99 ea K26629 1969 1970-74 fuel/vapor line

Anchor Head Fine Thread 1/2" Bolts 1253536 1967-69 anchor head...... 11.99 set Bare Head Coarse Thread 1/2" Bolts 6 99 set

1253537 1967-69 bare head



1970-91 Fuel Return Line

Reproduction return lines which extend from the fuel tank to the fuel pump. All fuel return lines are 1/4" unless noted. Choose between OEM material or stainless steel lines.

summess seec	i iiico.			
Note: *5/16" to	ubing. Shipp	ed double oversize.		
OEM Materi	ial – 1 Piec	e	0S2	
FGL8204	1982-84	LH	79 99	ca
FGL8205*	1982-84	RH	79 99	ca
FGL8504	1985-91	LH	79 99	ca
FGL8505*	1985-91	RH	79.99	ca
OEM Materi	ial – 2 Piec	e		
FGL7004	1970	Trans Am - LH	79.99	set
FGL7104	1971-73	RH, ends at subframe	79.99	set
FGL7404	1974	RH	79.99	set
FGL7402	1974-75	Trans Am	79.99	set
FGL7502	1975	RH	79.99	set
FGL8004	1979	Olds 403 - RH	79.99	set
FGL8106	1981	TA w/5.0L/305	79.99	set
		ac 400 - 3 Piece		
FGL7602	1976-78	RH	79.99	
FGL8003	1979-81	RH	79.99	set
Stainless Ste				
FGL8204S	1982-84	LH	120.99	
FGL8205S*	1982-84	RH	120.99	
FGL8504S	1985-91	LH	120.99	
FGL8505S*	1985-91	RH	120.99	ca
Stainless Ste				
FGL7004S	1970	Trans Am - LH	120.99	
FGL7104S	1971-73	RH, ends at subframe	120.99	
FGL7404S	1974	RH	120.99	
FGL7402S	1974-75	Trans Am	120.99	
FGL7502S	1975	RH	120.99	
FGL8004S	1979	Olds 403 - RH	120.99	
FGL8106S	1981	TA w/5.0L/305	120.99	set
		c 400 – 3 Piece		
FGL7602S	1976-78	RH	120.99	
FGL8003S	1979-81	RH	120.99	set




Pump to Carburetor Fuel Line These high-quality fuel lines offer a clean and precise

fuel supply line for mechanical fuel pumps with 3/8" NPT outlet to Edelbrock single feed or dual feed fuel inlet kits. Kits are a pre-assembled hose with hose ends and is available with stainless steel braided hose or black nylon fabric Pro Classic hose.

	teel Braided Hose		
E8123	small block Chevy	45.99	ca
E8124	Pontiac 326-455ci	53.99	ca
Pro Classic			
E81233	small block Chevy	45.99	ca
E81243	Pontiac 326-455ci	63.99	ca

Fuel Hose Pinch Clamn Reproduction style green pinch clamp for 3/8" gas hose. These clamps are found on the hose connecting the fuel tank float to



Fuel Line Vapor Return Hose Line Clamp

Reproduction style red pinch clamp for 1/4" gas hose. These clamps are commonly found on the fuel vapor return line connecting the fuel tank float to the fuel pump vapor return line.





79.99 ea

79 99 ca

FGL8206

1967-91 Vapor Line Reproduction vapor lines which extend from the fuel tank to the fuel pump. All fuel return lines are 5/16" unless noted. Choose between OEM material or

Note: \$1/4" tubing. Shipped double oversize.

stainless steel lines

FGI 6018* 1960

FEM10S

FEM09S

FEM81S 1981

1977 FEM08S

Stainless Steel with Tank Crossover - 3 Piece

OEM Material - 1 Piece FGL6814* 1967-68

FGL6918*	1969		79.99 ca
FEM05	1975-77	LH	79.99 ca
FGL7908	1979		79.99 ca
FGL8206	1982-84	LH	79.99 ca
FGL8205	1982-84	RH	79.99 ca
FGL8510	1985-91	LH	79.99 ca
FGL8511*	1985-91	carbureted - LH	79.99 ca
FGL8512*	1985-91	RH	79.99 ea
OEM Mater	ial – 2 Pie		
FEM7401	1974	LH	119.99 set
FEM7402	1974	RH	119.99 set
FEM06	1975-78	RH	119.99 set
FEM10	1977	Chev 305 two bbl	119.99 set
FEM08	1978-81	Olds 403 - LH	119.99 set
FEM09	1979-81	Pontiac 400 - RH	119.00 set
FEM81	1981	TA w/301 turbo	119.99 set
OEM Mater	ial – with	Tank Crossover -	3 Piece
FEM18	1978	LH	119.99 set
OEM Mater			
FEM7001	1970-73	LH	119.99 set
Stainless Ste	el – 1 Pie	ce	
FGL6814S*	1967-68		120.99 ca
FGL6918S*	1969		120.99 ea
FEM05S	1975-77	LH	167.99 ea
FGL7908S	1979		
FGL8206S			120.99 ca
	1982-84	LH	120.99 ea 120.99 ea
FGL8205S	1982-84 1982-84	LH	
FGL8510S	1982-84 1982-84 1985-91	LH RH LH	120.99 ea 120.99 ea 120.99 ea
	1982-84 1982-84 1985-91 1985-91	LHRH	120.99 ea 120.99 ea
FGL8510S	1982-84 1982-84 1985-91	LH RH LH	120.99 ea 120.99 ea 120.99 ea
FGL8510S FGL8511S* FGL8512S* Stainless Ste	1982-84 1982-84 1985-91 1985-91 1985-91 rel – 2 Pie	LH RH LH carbureted – LH RH	120.99 ea 120.99 ea 120.99 ea 120.99 ea 120.99 ea
FGL8510S FGL8511S* FGL8512S* Stainless Ste FEM7401S	1982-84 1982-84 1985-91 1985-91 1985-91 rel – 2 Piec 1974	LH RH LH carbureted – LH RH	120.99 ea 120.99 ea 120.99 ea 120.99 ea 120.99 ea 120.99 ea
FGL8510S FGL8511S* FGL8512S* Stainless Ste	1982-84 1982-84 1985-91 1985-91 1985-91 rel – 2 Pie	LH RH LH carbureted – LH RH	120.99 ea 120.99 ea 120.99 ea 120.99 ea 120.99 ea
FGL8510S FGL8511S* FGL8512S* Stainless Ste FEM7401S	1982-84 1982-84 1985-91 1985-91 1985-91 rel – 2 Piec 1974	LH RH LH carbureted – LH RH	120.99 ea 120.99 ea 120.99 ea 120.99 ea 120.99 ea 120.99 ea



Chev 305 two bbl 167.99 set

TA w/301 turbo - RH 167.99 set

1978-81 Olds 403 - LH... 167.99 set

1979-81 Pontiac 400 - RH 167.99 set

E8126

Fuel Line for Edelbrock Carburetors These fuel line and filter sets fit Thunder Series or

Performer Series carburetors. Features chromed hard steel line and Russell fuel filter.

Single I	Feed Lines for Square Bore Carbs			
E8134	with blue anodized fuel filter	45.99		
E8131	with polished fuel filter	48.99		
E8126	w/3/8" barbed hose end, no filter	33.99	ca	
Dual Feed Lines for Thunder Series AVS Carbs				

E8133	with blue anodized fuel filter		
E8128	with polished fuel filter	126.99	ca
E8132	w/3/8° barbed hose end, no filter	122.99	ca
Replace	ment Fuel Filter		
E8130	blue anodized fuel filter only	35 99	ca

E8129 polished fuel filter only

K0094

38 99 ca

Fuel Tank Components



Fuel Tank Sender This universal type fuel sender is used with gauges that require 240Ω empty and 33Ω full and can be adjusted for tanks from 5" to 24" deep. Modification to fuel tank required.

AM3262



Internal Float Fuel Sending Unit

Get reliable fuel gauge readings with this internal float fuel sending unit. This advanced design provides accurate readings without fluctuations due to fuel slosh. Because this internal float design requires no float arm, it is far more resistant to corrosion, even with racing fuels. All sending units mount to the tank with the standard 5 bolt mounting flange and are available in sizes from 4" to 24".

ortant: Sending unit should not touch bottom of tank When the fuel gauge reads empty, the area below the sending unit is reserve fuel.

Note: Sending units are available in lengths from 4" to 24" and are sold in 1" increments. Please add the desired length to the end of the part number, eg. 06 = 6", 11 = 11". 0-90 Ohm

A81010 4-12" sending unit...... 118.99 ea A81011 13-24" sending unit...... 128.99 ea 240-33 Ohm A81012 4-12" sending unit... 118.99 ca A81013



1967-81 Fuel Sender Harness

This is the correct power feed harness which activates the fuel tank float sending unit located in the gas tank. This harness is essential to get a correct reading. We recommend replacing this harness when installing a new gas tank sending unit for insurance against possible

miss reading	or current tuer capacity.		
CA71184	1967-68	17.99	ca
FB99289	1969	17.99	ca
FB03899	1970-73		
CA36272	1974	17.99	ca
CA 26260	1070 81	24.00	an



1967-81 Fuel Tank Sending Unit

OER® Reproduction

6428069

25000357 1976-81 with AC

25000309 1978-81

25000308 1978-79

25000308 1980

Reproduction fuel tank sending units for 1967-81 Firebird models With 5/16" Fuel Lines 230, 250.....

6428069	1967-68	V8 with 2 barrel	49.99 ca
6428069	1968	6 cylinder	49.99 ca
6428844	1968-69	6 cylinder	54.99 ea
	With 3	/8" Fuel Lines	
Note: *With	1/4" return l	ine.	
OER® Rep	roduction		
6428068	1967	V8 with 4 barrel	49.99 ca
6428068	1967-68	V8 with 2 barrel	49.99 ca
6428845	1968-69	V8 with 2 barrel	49.99 ca
6428322*	1969	350, 396 w/o HP	54.99 ca
6428800	1970-73	307. 350	54.99 ca
153158*	1970-73	307, 350	53.99 ea
152249	1074.75	1/9	50 00 an

with 1 line...

with 1 line....

305 w/return line.. 59.99 ea

59 99 ca 64.99 ea

59.99 ca



1985-92 Fuel Tank Sending Unit After years of use, your fuel sending unit can corrode, its float can flood and it can simply stop working,

causing your fuel gauge to read incorrectly or even not at all. This Delco service replacement will replace your original in both fit and function though it may differ cosmetically. Fits vehicle models with an intank fuel pump. 153249 1985-92



1993-95 Fuel Tank Sending Unit After years of use, your fuel sending unit can corrode,

its float can flood and it can simply stop working, causing your fuel gauge to read incorrectly or even not at all. This Delco service replacement will replace your original in both fit and function though it may differ cosmetically

G13113 1993-95 authorized



1967-02 Fuel Sender Lock Ring and Gasket Install the sending unit on your vehicle with a new

reproduction sending unit lock ring and gasket set. Lock ring is manufactured from steel with zinc coating. Each set includes the lock ring and rubber o-ring gasket.

Lock Rin	g and Gas	ket Sets		
FT5031	1967-69		7.99	set
FT5030	1970	without EEC	11.99	
FT5030	1970-73	with EEC	11.99	set
FT5031	1974-81		7.99	set
FT5032	1982-87	fuel pump on engine	14.99	
FT5032	1982-92	fuel pump in tank	14.99	set
FT5035	1993-97		11.99	set
Lock Rin				
3774937	1967-69	OER® reproduction	2.99	ea
G7001	1970-73	GM	7.99	ea

3774937 G4691	1974-81 1999-02	OER® reproduction GM	2.99 ea 7.99 ea
Gasket O	nly		
3825206	1967-69	OER® reproduction	2.50 ea
G6978	1970-73	GM	6.99 ea
3825206	1974-81	OER® reproduction	2.50 ea
G6978	1982-92	GM	6.99 ea
G4692	1993-98	GM	8.99 ca
G4693	1999-02	GM	6.99 ea



1967-81 Fuel Tank Sender Lock Ring Tool

A handy tool used to remove the fuel tank sending unit lock ring on 1967-81 Firebird models. CX4879 1967-69... 18.99 ca 1974-81 CX4879 18 99 ca













Fuel Pumps

H12136



1967-81 EFI Fuel Pump/Sender Modules

Holley 255 lph OEM style in-tank fuel pump conversion modules are designed as a direct replacement for the factory pickups and sending units in 1967-81 Firebird models. These modules will install exactly like the factory assembly with no modifications required. This system is hands down the simplest way to convert a fuel tank for electronic fuel injection. They are internally regulated to 58 psi and canable of supporting engines up to 550 horsenower

H12300	1967-69	385.99 ea	
H12301	1970-73		
H12304	1974-81	385.99 ea	

In-Tank Fuel Pump Retrofit Kit

Holley 450 lph universal in-tank return less retrofit fuel module. Use this module to convert to an in-tank EFI fuel system with no welding or fabrication. Installs in any fuel tank from 7" to 12" deep. Includes a low profile die-cast pump hanger bracket to control pump vibration low profile and an integrated fuel pump capable of supporting up to 875 EFI or 1100 carb HP. This is the easiest way to convert your vehicle to an in-tank EFI fuel system, ideal for Terminator EFI, Sniner EFI MSD Atomic EFI or any



Pontiac Fuel Pump

Designed for use with all Edelbrock carburetors used on Performer or Performer RPM applications. These high-performance street fuel pumps feature a high-quality three stage

polished finish. The unique valve design improves flow quantity and quality, and will support engines up to 600 HP. High volume, 3/8" NPT inlet and outlet surpass the capacity of conventional models. Produces 6 psi and does not require a regulator E1713 Pontiac V8, 326-455... 175 99 ca

Holley

1977-78 Chrome Fuel Pump

Replace your original fuel pump with genuine Holley chrome fuel pumps. Each mechanical fuel pump is triple chrome-plated and flows 60 gallons per hour at 7-1/2 psi. Includes an adjustable lower housing allowing 360 degree rotation of fuel inlet-outlet fittings for custom installation. For Pontiacs with a Chevrolet small

block engine. ortant: Inlet and outlet are tapped for 1/4" NPT. Fuel line fittings are not included. 12834 1977-78 115 99 ca small block



1967-87 Renlacement Mechanical Fuel Pumn

Choose from a wide range of fuel pumps specifically designed for each year and engine size. Some fuel pumps may differ slightly in appearance from original but will fit and function correctly offering years of satisfactory service. These mechanical fuel pumps will replace the original worn out fuel pump. Manufactured by an OEM

- 1	Owi suppin	-4.			
	Inline 6				
	M4503	1970-74	250/4.1-D		21 99 ca
		1770 74	250/4.1 15		21.55 00
	V6				
	M4641	1977	231/3.8-C	early 1977	
	M6951	1977-81	231/3.8-C,A	late 1977	22.99 ea
	M60280	1982-84	173/2.8-1,L		59.99 ca
	V8				
	M4523	1967	326/5.3	2 barrel without AC	22.00
	M4525 M4684	1967	326/5.3	2 bbl with AC, all 4 barrel	23.99 ca
	M4513	1967	400/6.6	2 barrel without AC	21.99 ca
				2 barrel without AC	20.99 ca
	M4685	1967	400/6.6	2 bbl with AC, all 4 barrel	
	M4689	1968	350/5.7	2 barrel without AC	21.99 ea
	M4690	1968	350/5.7	2 bbl with AC, all 4 barrel	24.99 ca
	M4689	1968	400/6.6	2 barrel without AC	21.99 ca
	M4690	1968	400/6.6	2 bbl with AC, all 4 barrel	24.99 ca
	M4868	1969	350/5.7	2 barrel without AC	19.99 ca
	M4885	1969	350/5.7	2 bbl with AC, all 4 barrel	20.99 ca
	M4868	1969	400/6.6	2 barrel without AC	19 99 ca
	M4885	1969	400/6.6	2 bbl with AC, all 4 barrel	
	M6112	1970-71	350/5.7	2 barrel with AC	
	M6112	1970-71	400/6.6	2 barrel	36.99 ca
	M6104	1971	455/7.5		28.99 ca
	M6405	1972	350/5.7-M,N	4 barrel	99.99 ca
	M6404	1972	400/6.6-R	2 barrel with AC	
	M6405	1972	400/6.6-T	4 barrel	99.99 ca
	M6405	1972-74	455/7.5-X	4 barrel	99.99 ca
	M6404	1972-75	350/5.7-M,N,E	2 barrel with AC	
	M6405	1973	400/6.6-R,T		
	M6405	1974	350/5.7-M,N	4 barrel	99.99 ca
	M6404	1974	400/6.6-P,R	2 barrel with AC	21.99 ca
	M6405	1974	400/6.6-T	4 barrel	99.99 ca
	M6122	1975	455/7.5-W	with AC	23 99 ca
	M6803	1975-76	400/6.6-S	without AC	23.99 ca
	M6122	1975-76	400/6.6-S	with AC	23 99 ca
	M6803	1975-76	455/7 5-W	without AC	
	M6804	1976	455/7.5-W	with AC	25 99 ca
	M6803	1976-77	350/5.7-M.P	without AC, std rear axle	23.99 ca
	M6122	1976-77	350/5.7-P	with AC	
	M6108	1977	350/5.7-R	with AC	20.99 ca
	M6122	1977	400/6.6-Z		
	M6109	1977-79	403/6.6-K		
	M6624	1977-80	305/5.0-U.G.H	•••••	12.99 ca
	M6624	1977-00		all without AC, MT w/AC	16.99 ca
			350/5.7-L	all without AC, MT W/AC	18.99 ca
	M6101	1978	350/5.7-L	AT with ACwithout AC	23.99 ea
	M6803	1978	400/6.6-Z		
	M6122	1978	400/6.6-Z	with AC	
	M6122	1979	301/4.9-W	4 barrel	
	M6626	1979	350/5.7-L		18.99 ca
	M6122	1979	400/6.6-Z		
	M6122	1980	301/4.9-T	Turbocharged	23.99 ca
	M6803	1980	301/4.9-W	without AČ	23.99 ea
	M6804	1980	301/4.9-W	with AC	25.99 ca
	M6803	1980-81	265/4.3-S	without AC	23.99 ca
	M6804	1980-81	265/4.3-S	with AC	25.99 ca
	M4685	1981	267/4.4-J		
	M6122	1981	301/4.9-T.W		
	M4685	1981	305/5.0-H	all without AC, MT w/AC	17 99 ca
	M6101	1981	305/5.0-H	AT with AC	
	M6626	1982-83	305/5.0-H	AI WIIII AC	
	M6626	1984-85	305/5.0-G.H	high output w/mech pump	
	M6626	1986-87	305/5.0-G,FI 305/5.0-H	w/o FI, mech and elec req'd	
- 1	N10020	1700-07	303/3.0-H	w/o i i, meen and electred u	10.79 Ca

Fuel Pump Components

1977-81 Fuel Pump Pushrod

Correct fuel pump pushrod for use with Chevrolet small block engines.

3704817 1977-81



USA Fuel Pump Bolt Set

Make sure that mechanical fuel pumps stay properly aligned by using ARP's durable black oxide finished chromoly or rustproof stainless bolts (both materials are rated at 170,000 psi and considerably stronger than Grade 8 hardware). Your choice of either conventional Hex heads or 12 point head. Washers are included.

Chevrolet E			
AR13162	black oxide	Hex head	7.99 set
AR13161	black oxide	12 point	8.99 set
AR43162	stainless	Hex head	9.99 set
AR43161	stainless	12 point	9.99 set
Pontiac En			
AR19162	black oxide	Hex head	5.99 set
AR19161	black oxide	12 point	6.99 set
AR49162	stainless	Hex head	11.99 set
AR49161	stainless	12 point	8.99 set



1978-87 SB Chevy Fuel Pump Bolt Set

Dress-up your Firebird these one-of-a kind dress-up bolt sets. The Pontiac arrowhead, or flames logo is stamped directly onto the head of the bolts. They are available in decorative chrome-plated or polished stainless steel versions. For 1978-87 Pontiac Firebird models with small block Chevy engine.

Note: Must specify suffix A - Arrowhead, B - GT, C - Flames.					
56460C	1978-87	chrome-plated	10.99 set		
56460S	1978-87	stainless steel	6.99 set		



Fuel Pumn Rolt Set

Polished original style Hex head bolts for use with all Chevrolet small block fuel pumps. Includes a complete set for installation of one fuel pump. AK116A polished chrome... 9.99 set AK116B polished stainless





1967-86 Fuel Pump Mounting Plate 🔥

This plate is used to cover the large access area for the fuel pump pushrod, and provides a mounting surface for the fuel pump on 1967-86 V8 small block engines. Plate features the pump arm opening and 4 mounting holes

Mountin	g Plate – I	ncludes Gasket		
R2310	1967-86	small block	4.99	ca
Replaces G6993	nent Pump 1967-86	to Plate Gasket small or big block	3 99	ca

Fuel Pumn Pressure Tester

Tests for fuel line pressure and vacuum leaks. Check for leaky valves, timing, fuel pump, vacuum, pressure and gas line leakage. Easy-to-read gauge with 3 foot hose and vacuum hose adapter fitting. Gauge measures vacuum from 0 to 28" HG in 1" increments. (0 to 700mm

HG in 50mm increments). Measures pressure from 0 to 15 psi in 1/2 psi increments (0-1Kg/cm2 in .1 Kg/cm2 increments). Y20300 25 99 69







fuel tank or muffler 20.99 ea

fuel tank or muffler 20.99 ea

4.97001.40 Fuel Tank and Muffler Stencils

The steel sheets used to produce fuel tanks and mufflers featured manufacturer name and date code markings. These stencils make it possible to correctly mark mufflers and fuel tanks for an accurate restoration. Armco Steel

A8700143 A8700144 A8700145	1970 1971 1972	fuel tank or muffler fuel tank or muffler fuel tank or muffler	20.99 ea
Pittsburgh A8700146 A8700147 A8700148 A8700149 A8700150	1968 1969 1970 1971 1972	fuel tank or muffler fuel tank or muffler fuel tank or muffler fuel tank or muffler fuel tank or muffler	19.99 ea 19.99 ea 19.99 ea 19.99 ea 19.99 ea
USS Steel A8700151 A8700152 A8700153 A8700154 A8700155 A8700156	1967 1968 1969 1970 1971 1972	fuel tank fuel tank fuel tank	20.99 ea 20.99 ea 20.99 ea

1969 Fuel Filter Bracket Reproduction of the original

1968 A8700141

A8700142 1969

fuel filter bracket used in all 1969 Firebirds equipped with a quadrajet carburetor. This bracket is produced from original material electro-plated and galvanized. 19 99 ca K0112 1060



Plastic Fuel Filter Assembly

Replacement fuel filter set for various models. This set includes: filter, 2 pieces of rubber hose, and 4 clamps. Used to mount an inline filter in factory hard fuel lines. 9155B 6 99 set



1969-96 Replacement Fuel Filter

Replace the dirty or clogged fuel filter on your classic vehicle with one of our GM or aftermarket filters. We

carry a va	riety of filte	ers to meet your speci	nc needs.	
WIX W33044	1969-71	for carb fuel inlet	4.99 ea	
GM G3203	1985-92	with TBI	16.99 ea	
Replacem	ent			
V3481	1985-92	with TBI	9.99 ea	
In-Line F	uel Filters	- Disposable		
T9177	chrome	3/8" inlet & outlet	4.99 ea	
T9212	chrome	5/16" inlet & outlet	4.99 ea	
T9245	glass	3/8" inlet & outlet	9.99 ea	
T9247	glass	5/16" inlet & outlet	9.99 ea	
In-Line Fuel Filters with Bronze Element				
T9407	chrome	3/8" inlet & outlet		

Replacement spring which fits the Rochester carburetor body and keeps the fuel filter in the fuel line. Will fit the 1967-71 two barrel and 1967-81 four barrel carburctors. IT16001 1967-71 two barrel ... IT16001 1967-81 four barrel. 1.99 ea



Fuel Filters and Mounts Billet Specialties aluminum in-line fuel filters for

carbureted applications. This compact 4-1/2" x 1-3/8" design is available with smooth and ribbed housing and with a 3/8" barb or -6AN fittings. B42320 3/8" inlet and outlet .. 39.99 ca 41.99 ea B42420 -6AN inlet and outlet B42520 21 99 ca mounting bracket.














Fuel Pump Components



1967-79 Fuel Pump to Carburetor Line

These lines are the correct size line with original bends making installation easier. You can choose from the original style material or our upgraded stainless steel material. OFM Material

OEM Materi				
FPC6711	1967	400 Carter 4 barrel		
FPC6720	1967	4 barrel without vent line Rochester	21.99	ca
FPC6721	1967	350 4 barrel HO 3 lines with vent		
FPC6820	1968	4 barrel		
FPC6920	1969	4 barrel		
FPC6921	1969	Ram Air IV		
FPC7020	1970	400 four barrel		
FPC7021	1970	Ram Air III		
FPC7022	1970	Ram Air IV		
FPC7023	1970	455 four barrel		
FPC7101	1971	350 two barrel		
FPC7120	1971	400 four barrel		
FPC7220	1972	400 four barrel		
FPC7903	1977-79	Olds 403	21.99	ca
FPC7904	1977-79	Pontiac 400 four barrel, L72 without foam	21.99	ca
Stainless Ste	el			
FPC6711S	1967	400 Carter four barrel	29.99	ca
FPC6720S	1967	4 barrel without vent line Rochester		
FPC6721S	1967	350 four barrel HO 3 lines with vent		
FPC6820S	1968	4 barrel		
FPC6920S	1969	4 barrel		
FPC6921S	1969	Ram Air IV		
FPC7020S	1970	400 four barrel		
FPC7021S	1970	Ram Air III		
FPC7022S	1970	Ram Air IV		
FPC7023S	1970	455 four barrel		
FPC7101S	1971	350 two barrel		
FPC7120S	1971	400 four barrel		
FPC7220S	1972	400 four barrel		
FPC7903S	1977-79	Olds 403		
FPC7904S	1977-79	Pontiac 400 four barrel, L72 without foam	29.99	ca



1973-79 Carburetor Fuel Line

Correct style carburetor to fuel pump lines feature a black foam rubber insulating sleeves and are available in OEM steel or stainless steel materials.

Super Duty Carburetor Fuel Line - 455ci Engines A8700178 1973-74 OEM steel 27.99 ea stainless steel... 32.99 ea A8700179 1973-74 Trans Am Carburetor Fuel Line - 400ci Engines OEM steel 27.99 ea stainless steel ... 32.99 ea A8700180 1977-79 A8700181 1977-79



Correct replacement fuel hose for all models equipped with 4 barrel carburetors. Not for models with vapor return line. Includes correct 3/8" hose with 2 mounting clamps. K0061 1967-80

FUEL PUMP PARTS



1969-74 Double Line Fuel Hose Set

Correct replacement fuel hose for all models equipped with 4 barrel carburetors. For models equipped with vapor return lines. Includes correct 3/8" fuel line and 1/4" vapor return line hose with 4 mounting clamps. 1969-74



1977-79 Trans Am Carburetor Fuel Fitting

Reproduction carburetor fuel inlet fitting for the fuel oump to carburetor line of 1977-79 Trans Am 403ci Olds engines. Mounts on the front of the carburetor. TA4043 1977-79



1967-69 Fuel Line Support Bracket 🔥

Reproduction fuel line support bracket for all 1967-69 Firebird models



C125381



12.99 ea

1967-81 Fuel Pump Eccentrics

Reproduction of the fuel pump eccentric used on 1967-81 Pontiac V8 and Olds 403 engines. The eccentric mounts to the camshaft in front of the camshaft gear and activates the fuel pump lever. Manufactured to the

exact dimensions of the original part. 1967-81 Pontiac V8 TA4005 1977-79 Olds 403 19.99 ca





In-line Fuel Pressure Gauge

Set and monitor fuel pressure with these easy to use gauges! Simply splice into the existing carburetor line to with the anodized aluminum fuel block and 3/8" nipples. Each gauge measures 1-1/2" in diameter with a 0-15 psi range in 1/2 lb increments. Gauges are available in standard form or liquid filled for better vibration resistance and readability.

standard.. 48 99 ca liquid filled..... 71564 51.99 ca



Professional Fuel Pressure Tester 🔥

Use this professional fuel pressure tester to diagnose driveability problems caused by poor fuel pressure. Features a 40 inch hose, 2-1/2" gauge face with 0-100 psi/0-700 kPa scales, and a pressure relief button and 6 foot hose for safe gasoline disposal of gasoline and repeat tests. Includes: test adaptors for GM/Chrysler, GM TBI, M12 x 1.25 banjo bolt, and dual Manifold Test Adapter, as well as a handy storage pouch and a manual with step-by-step test procedures.

AC7838

Fuel Pump Components





n n





520194 S88536 **1982-02 Electric Fuel Pum**o

Electric fuel pumps will require additional components for installation. Please read the notes carefully to determine the correct style pump for your year and model. You may contact our technical department for more information. Note: Now arrainers must be used on electric pumps for warranty compliance. Fuel pump striniers on included on electric pumps without anothers. If yet a pump striniers are included on electric pumps without anothers. If yet a pump strinier are included on electric requirements on certain fuel pumps, models denoted with one or two asterists ("or "") require a strainer and write harness adultage for installation." Use 20104 strainer and 38353 where harness.

			Electric Pumps		
Inline 4					
P60293	1982-83	151/2 5-F		41 99	ca
P60288	1983	151/2.5-2	with cruise control	26.99	ca
P60288	1984	151/2.5-2	use S20194 strainer	26.99	ca
	1704	131/2.3 2	use 520174 studies	20.77	
V6					
P74006*	1985-89	173/2.8-S		33.99	
P60488**	1989	231/3.8-7		76.99	
P74037**	1990-92	189/3.1-T		41.99	
P74762M	1998	231/3.8-K	pump and sender assembly	144.99	
P74920M	1999-02	231/3.8-K	pump and sender assembly	173.99	ca
V8					
P60288	1982-83	305/5.0-7.S		26.99	ca
P60293	1984	305/5.0-G.H	with electric pump	41.99	ca
P60488	1985	305/5.0-G	with eletric pump	76.99	ca
P74006*	1985	305/5.0-F	OE replacement	33.99	ca
P74209HP*	1985-87	305/5.0-F	optional hi-performance	65.99	ca
P60488	1986	305/5.0-G	4 barrel, with eletric pump	76.99	ca
P60488	1986-87	305/5.0-H	without FI, use S20194 strainer	76.99	ca
P74006*	1986-87	305/5.0-F	OE replacement	33.99	ca
P74006*	1987-89	350/5.7-8	OE replacement	33.99	ca
P74209HP*	1987-89	350/5.7-8	optional hi-performance	65.99	ca
P74000*	1988-89	305/5.0-E	1	30.99	ca
P74006**	1988-92	305/5.0-F	OE replacement	33.99	ca
P74209HP**	1988-92	305/5.0-F	optional hi-performance	65.99	ca
P74000**	1990-92	305/5.0-E	1	30.99	ca
P74006**	1990-92	350/5.7-8	OE replacement	33.99	ca
P74209HP**	1990-92	350/5.7-8	optional hi-performance	65.99	ca
P74131	1993-94	350/5.7-P	use S20197 strainer	138.99	ca
P74131	1995	350/5.7-P	use S20192 strainer	138.99	ca
P74782M	1996-97	350/5.7-P	pump and sender assembly	197.99	ca
P74783M	1998	350/5.7-G	pump and sender assembly	190.99	
P74921M	1999-02	350/5.7-G	pump and sender assembly	193.99	ea
		Ct.	ainers and Harness		ä
		311	anner e anne ra mese		_

	Strainers and Harness	
S20192	strainer	5.99ca
S20194*	strainer	5.99ca
S20197**	strainer	5.99ca
S88536	wire harness	4.99ea

Universal Fuel Pump Relay

This universal fuel pump relay will ensure proper wiring to reduce the risk of damaging the fuel pump, and offers consistent fuel pressure. This relay is used with fuel pump part #E1791 or E1792.



Edelbrock



Fast Idle Cut-Off Relay

Reproduction fast idle cut-off relay designed to replace non-functional original relays.					
19844	1983	5.0L, 305 -7	11.99 ea		
19868	1983-84	5.0L, 305 -H	19.99 ea		
19844	1985-86	5.01 305 -H	11 99 co		

ACDelco



1970-02 Fuel Vapor Charcoal Canister

Genuine ACDelco or replacement fuel vapor charcoal canister used to help cut down or eliminate fuel vapors. Essential part of the fuel and emissions system. Mounts near firewall on LH side of engine compartment.

6 Cylinder

G4272	1995-97	Deico	
VC122	1998		
VC123	1999-02	3.8L 231-K	155.99 ea
8 Cylinde	er		
G6991	1982		86.99 ea
G4272	1993-97	Delco	126.99 ea
VC122	1998	all	120.99 ca
VC123	1999-02	all	155.99 ea

ACDelco



1982-02 Fuel Pump Relay

A bad fuel pump relay can be the cause of a hard starting problem in your 1982-02 Firebird. If youtum the key into the on position, you should hear the fuel pump "whir" for a few moments as it pressurizes the system. If not, (and the pump is good) that may be an indication that you have a bad fuel pump relay.

you nave a	bad ruei pi	imp reiay.	
19868	1982	5.0L - replacement	19.99 ea
19957	1982-85	2.5L - replacement	11.99 ea
14078915	1983		22.99 ea
19844	1983-85	5.0L - replacement	11.99 ea
19844	1987-89	Delco	11.99 ea
19856	1990-92	all - replacement	14.99 ea
19265	1993-94	all 5 pin - black	17.99 ea
19264	1993-95	all 4 pin - gray	5.99 ea
19273	1994	all 5 pin - replacemt	9.99 ea
19265	1996-97	all 5 pin - black	17.99 ea
19264	1998-02	all 4 pin – gray	5.99 ea



Fuel Evaporation Relay

		vaporation relay designed ginal relays.	l to replace
19868	1982-83		19.99 ea
19844	1092	all air cleaner door	11 00 an









19844

Electric Fuel Pumps





H128011





Electric Fuel Pump

We offer externally mounted Holley electric fuel pumps. They all feature the proven rotor and vane design and are available in ratings from 97 gph to 140 gph. The 97 gph "red" pump is set at 7 psi and does set at 14 psi and includes a regulator. The 140 pph "black" pump is also set at 14 psi and includes a regulator. The 140 pph "black" pump is also set at 14 psi and can be used for gas or alcohol fuel

p		
ıp	97 gph	144.99 ea
·p	110 gph	179.99 ea
mp	140 gph	227.99 ea
	4-1/2 to 9 psi	37.99 ea



Electric Fuel Pump

These externally mounted electric fuel pumps are ideal for most street and strip applications. Proven rotary vein technology provides high flow and stable pressures with minimal vibration and sound. Each pump features 3/8" NPT inlets and outlets along with an externally accessible pressure relief valve. Note: Not for fuel injected engines. Pumps that produce more than 7 psi should be used with a pressure regulator.

	Chrome Housing	
100 gph 62531C	7 psi	129.99 ca
120 gph 62541C	14 psi	129.99 ea
140 gph 62561C	9 psi	129.99 ea
	Cadmium Housing	
100 gph 62531	7 psi	69.99 ea
120 gph 62541	14 psi	113 99 са
140 gph 62561	9 psi	



Nuiet-Flo Flectric Fuel Pumn

State-of-the-art electric fuel pumps offer maximum performance in a compact package for carbureted applications. Anodized aluminum housing and highquality internals make it both strong and extremely durable. The E1791 electric fuel pump is factory set to 6.5 psi does not require a regulator, 3/8" inlet/ outlet, 120 gph free flow, up to 600 HP. The E1792 electric fuel pump is preset to 12 psi and requires an external regulator. 1/2" inlet-outlet, 160 gph free flow,

П	up to ro	JU 111.		
ı		t: For proper installation and voltage		
ı	requireme	nts, use fuel pump relay E1795.		
ı	E1791	6.5 psi	271.99	ca
ı	E1792	12 psi	275.99	ca



Ouiet-Flo Electric Fuel Pump

This anodized aluminum EFI fuel pump offers

maximum performance in a compact package. The in-line design keeps the pump motor and components cool even under harsh conditions. Features -10AN inlet/outlet with a flow rate of up to 80 gph at 45 psi for high HP fuel injected applications. This fuel pump supports 835 HP at 12 Volts with a current draw of 12 amps at 45 psi. 10AN inlet/outlet 80 gph at 45 psi.



In-Line Electric Fuel Pump



This in-line electric fuel pump is continuous duty rated and is ideal for EFI applications that require additional pumping capabilities for upgraded modifications. Works superbly as either an in-line booster pump or as a stand alone unit. Use with EFI regulator part #E1728 for adjustability from 35 to 90 psi. 57 gph, 3/8" hose barb fittings. Includes mounting bracket and 3/8" hose barb fittings. E3594 208 99 69



Features:

- Solid-state worry free electronics
- Internal pressure regulating
 Universal design allows for easy installation
- No diaphragms or mechanical parts to wear out Hose barbs fit 5/16" fuel hose

Micro Flectric Fuel Pumn

This compact electric fuel pump features a solid state design that has a low current draw of around one amp and makes a good stand alone pump or booster pump. Designed for carbureted vehicles with a 12 Volt negative ground electrical system, this pump supports 4 at up to 35 gph. Includes: fittings, mounting hardware

and instructions. Note: Not for diesel applications. 71211

48 99 ca

Red Pump

H128011

Blue Pum

H128021

Black Pur

Electric Fuel Components



1982-95 Delco Electric Fuel Pump 🔥

Checking an electric fuel pump is a pretty straightforward operation. If you apply 12 Volts to the pump's contacts and it makes a "whirring" sound, it's a pretty good sign that the fuel pump itself isok. If there is no sound coming from the unit while hooked up to 12 Volts, you have a bad pump. This is an original Delco in-tank electric

ruei pump	mat mounts to the sending unit	-	
1982-83			
G3849	8 cyl	79.99	ca
1986-86 w	ith Fuel Injection		
G3850	8 cyl	119.99	ca
1985-92			
G2144	6 cyl	97.99	ca
1987			
G3850	8 cyl eng VIN F, 8	119.99	ca
1988-92			
G3849	8 cyl w/TBI	79.99	ca
G3850	8 cyl w/o TBI	119.99	ca
1993-95			
G4687	6 cyl 3.4L		
G4688	6 cyl 3.8L		
G4689	8 cyl	254.99	ca



Fuel Pump Safety Switch

This safety feature is a must have for any electric fuel pump vehicle. This safety switch monitors the tach signal to limit when an electric pump can operate. When the key is first turned on, the fuel pump is allowed to run for three seconds, priming the fuel system. After that, it only operates if the engine is running. If the engine stops, so does the fuel pump. No plumbing into the oil lines or no extra priming button under the dash is required



Fuel Pump Safety Switch

This fuel pump safety switch shuts off fuel flow whenever oil pressure drops below 15 psi. This adds a safety factor in case of an accident or engine stall. Designed for 12 Volt electrical systems and can be teed into the oil pressure sending unit with an 1/8" NPT tee. 28 99 ca



Fuel Pressure Regulator

These fuel pressure regulators are machined from aircraft quality aluminum and have fluorosilicone diaphragm material for high temperature protection and extended life. Fully adjustable.

	160 gph		
	NPT Inlet/Dual Outlets		
E1727	5-10 psi	175.99	ea
	180 gph		
With -6A	V Inlet/Outlet/Bypass		
E1728	35-90 psi	193.99	ca
With -10A	M Dual Inlets/Outlet, -6AN B	vpass	
F1720	35-90 nei	108 99	00



EFI Fuel Pressure Regulator

Holley 3/8" die-cast aluminum EFI bypass fuel pressure regulators. These regulators are fully adjustable between 15-60 psi. They feature an EFI return port, an 1/8" gauge port and an 1/8" 1:1 boost reference port perfect for fuel injection conversions with or with power adders. 1/8" hose barb fitting included

H12882 H12886	polishedblack	



Billet Fuel Pressure Regulator

Holley billet aluminum bypass fuel pressure regulators. Each one is precision machined from 6061-T6 billet aluminum with a black anodized base and a clear anodized top. These regulators are fully adjustable between 4-60 psi for either carbureted or fuel injected applications. They feature an dedicated bypass/return port, an 1/8" gauge port and an 1/8" 1:1 boost reference port perfect for fuel injection conversions with or with power adders. 1/8" hose barb fitting included. H12879 3/8" inlet/outlet... 173.99 ca

156 99 ca



EFI Bypass Regulator

Performance EFI regulator designed for medium to high horsepower applications. This regulator features Aeromotive's high flow design, superb pressure control and legendary durability. Features base pressure adjustable from 40-75 psi, gasoline and alcohol compatible, fuel pressure rises on a 1:1 ratio with boost, 1/8" National Pipe Thread taper (NPT) gauge port. Includes two o-ring boss fittings (ORB-06) inlet ports and one o-ring boss fitting (ORB-06) return port. 209.99 ea A9713109 adj. with EFI.



Universal Bypass Regulator

A dual purpose, universal regulator for EFI or for carbureted street/strip applications. Features pressure adjustable from 3 to 20 psi with standard spring, (installed) or from 20 to 60 psi with high pressure spring (included).

Offers the full flow and rock steady fuel pressure that only a dynamic, Aeromotive bypass regulator provides. Capable of regulating any fuel pump between 100 and 250 gph, fuel pressure rises on a 1:1 ratio when referencing boost. All ports are 3/8" National Pipe Threadtaper (NPT), with one inlet and three outlets on the main body and one return port on the bottom. Bypass design provides the ultimate, dynamic fuel pressure control. Note: Requires a return line to be installed from the bott

of the regulator to the top of the tank.





Carbureted Bypass Regulator

For use when converting from fuel injection to carburetion using the EFI pump in a carbureted application. Perfect for naturally aspirated or 'blow-through' supercharged engines. Features base fuel pressure adjustable from 3-15 psi, 1 o-ring boss fitting (ORB-10) inlet port and 1 o-ring boss fitting (ORB-08) return port, fuel pressure rises on a 1:1 ratio when referencing boost, bypass design provides the ultimate, dynamic fuel delivery system, ideal for converting from fuel injection to carburetion using the stock, in-tank pump, EFI conversions will require a larger than stock return line for proper low pressure control. Includes two o-ring boss fittings (ORB-06) outlet ports and 1/8" National Pipe Thread taper (NPT) gauge port. Note: Requires Army/Navy fitting (AN-08) return line fro.

bottom of regulator back to top of the tank A9713204 2 port.

RE12003









H12880



Carburetors





1967-84 Six Cylinder 1 & 2 Barrel Carburetor

Classic Industries® offers affordable replacement carburetors with performance you can count on. These 1 and 2 barrel carburetors are excellent replacements for your Firebird. These Rochester carburetors are remanufactured to original specifications and have a remote, climatic, or electric style choke. Closed loop versions are for use on vehicles with computer control. Note: *Models without computer control.

13	Barre 324 325	1969 1970	250 250	
2	Barre	el.		
25	586	1977	3.8L V6 Federal	289.99 ca
25	592*	1979-80	3.8L V6	389.99 ca
25	596	1981	3.8L V6 "closed loop"	479.99 ca
26	517	1982-83	2.8L V6 "closed loop"	489.99 ca
26	520	1984		519.99 ca



1967-79 Eight Cylinder 2 Barrel Carburetor

Classic Industries® offers affordable replacement carburetors with performance you can count on. These 2 barrel carburetors are excellent replacements for your Firebird. These Rochester carburetors are remanufactured to original specifications and have a remote, or climatic style choke.

Note: *2 barrel carburetors with 4 barrel casting.					
2545	1970	350, 400 California	283.99	ca	
2553	1972	350, 400			
2627	1975-76	350, 400	269.99	ea	
2584*	1977	301 (4.9L)	308.99	ca	
2609	1977-79	301 (4.9L)	360.99	ca	
2614	1978	305 (5.0L) Federal	219.99	ca	
2601	1070	205 (5.01.)	260.00		

CARBURETORS



1968-87 Eight Cvl. 4 Barrel Carburetor

Affordable replacement carburetors with performance you can count on. These 4 barrel carburetors are excellent replacements for your Firebird. These Rochester 4 barrel carburetors are remanufactured and have a remote, or climatic style choke. Closed loop versions are for vehicles with computer control.

4373	1972	400, 455	
4437	1973-74	350, 400, 455	
4345	1978-80	305-X	403.99
4379	1980	301 (4.9L) w/o Turbo	459.99
4380*	1980	305 (5.0L)	
4387*	1980-81	301 (4.9L)	499.99
4383	1981	301 (4.9L) Turbo	589.99





Race Series Carburetor

Finally an affordable high-performance race carburetor! PROFORM's Race Series carburetor is hand assembled in Bowling Green, Kentucky utilizing the PROFORM high flow carburetor main body, durable billet metering blocks, aluminum fuel bowls, and a high-performance billet throttle base plate. These dual fuel feed inlet carburetors are equipped with a square hore base plate, without choke

	cal Secondaries
67100	650 ofm

67199	650 cfm	573.99 ca	
67200	750 cfm	586.99 ea	
67201	850 cfm	625.99 ca	
67202	950 cfm	653.99 ea	
Vacuum	Secondaries		
67204	650 cfm	563.00 ea	



Thunder Series Carburetor

Edelbrock Thunder Series carburetors share all the performance advantages of the popular Performer Series but with innovative new features. These carburetors include all of the performance features of the Performer Series carburetors and also include distinctive black hardware, dual fuel inlets (shipped with left side plugged), lightweight ball burnished and CNC profiled body, and the Ouick-Tune secondary. They're available in 650 cfm and 800 cfm sizes with manual or electric choke. There's even a 650 cfm version specifically designed for off-road vehicles. These Edelbrock carburetors bolt-on and run right out of the box! Simply dependable, proven performance for almost any carbureted vehicle. All Edelbrock carburetors include an installation kit and

Standard	Finish

E1905 E1906 E1913	650 cfm 650 cfm 800 cfm	manual choke electric choke electric choke	433.99 ea	



Performer Series Carburetor

By design, Performer Series square bore carburetors are refined to provide the widest possible torque range when matched with Edelbrock Performer, Performer RPM, RPM Air Gap, or Torker II manifold and camshaft combinations. However, these carburetors are not limited to these applications, they also match well with most stock and other manifolds of similar design. Performer Series square bore carburetors are all aluminum, ball burnished and lightweight. There are no power valves to blow out or plastic parts to break. The two piece construction resists warping and the metering rods can be changed in seconds without removing the carburetor. All Edelbrock carburetors include an installation kit and owners manual.

Note: *50 state legal for all 1980 and earlier GM V8 engines.

Standard Finish

	E1403	500 cfm	electric choke	
	E1400*	600 cfm	electric choke	
	E1405	600 cfm	manual choke	
	E1406	600 cfm	electric choke	
	E1407	750 cfm	manual choke	
	E1411	750 cfm	electric choke	
	E1412	800 cfm	manual choke	
ı	E1413	800 cfm	electric choke	544.99 ea

Performance Carburetors

Street Series Carb

Street carburetors are constructed of lightweight aluminum, including provisions for a choke assembly and changeable idle air bleeds for easy, non-permanent calibration changes if necessary. Fine tuning is accomplished by simply changing air bleeds, not opening up calibration restrictions with a drill bit! These dual fuel feed inlet carburetors are hand assembled in the U.S. using the PROFORM high flow carburetor main body, durable billet metering blocks, aluminum fuel bowls, and a high-performance billet throttle base plate.



Carburetor Main Body Features:

Lightweight Aluminum - Not Heavy Zinc High Flow Center Section Design Flat Surfaces: CNC Precision Finish Changeable Screw-in Idle Air Bleeds Changeable Screw-in High Speed Bleeds High-Performance Down Leg Boosters

except 650 cfm Electric Choke on Mechanical Secondary and Vacuum Secondary Models

Fuel Bowl Features:

Mechanical Secondaries

Lightweight Die-Cast Aluminum Fuel Level Sight Windows Externally Adjustable Needle and Seat Dual Feed Fuel Inlet Notched Secondary Float

Billet Throttle Base Plate Features: Adjustable Secondary Housing on Vacuum

Secondary Models Easy Access Secondary Idle Air Flow Adjustment Strong, Lightweight Billet Aluminum

Corrosion Resistant Black Anodized Appearance Button Torx Head Throttle Plate Screws Power Valve Blow Out Protection Slip Link Linkage on Mechanical Secondary Models

Billet Metering Block Features: Strong, Lightweight Billet Aluminum

Four Corner Idle System on Mechanical Secondary Models Changeable Idle Feed Restrictions Durable, No Warping or Porosity Problems Secondary Jet Extensions on Mechanical Secondary Models Non-stick Gaskets

67211	600 cfm	electric choke		
67212	650 cfm	electric choke	495.99	ca
67213	750 cfm	electric choke	462.99	ca
67214	850 cfm	electric choke	447.99	ca
Vacuum	Secondarie	s		
67206	600 cfm	electric choke	444.99	ca
67207	650 cfm	electric choke	429.99	ca
67208	750 cfm	electric choke	469.99	ca

Slaver Series Carburetor

The 600 and 750 cfm Slayer Series carburetors are designed with the same engineering and innovations featured on all QFT products. These affordable, vacuum secondary street carburetory feature all aluminum construction and hand built quality They are designed with a secondary metering plate with changeable jets, eliminating the need for a costly secondary metering block. Get QFT race winning innovation for your vehicle at a great price.



Note This product is not CARB exempt. Products that are not CARB exempt are legal in most states, but may not be use

in California or states with similar emissions laws except on pre-1976 vehicles.

- Changeable idle air and high speed bleeds
- 3 Stage emulsion circuits in primary metering block
 Changeable primary idle feed restrictions and power valve channel restrictions
- · QFT QuickSet adjustment on the vacuum secondary housing that
 - provides external adjustment of the diaphragm without changing springs

 Notched secondary float for use with jet extensions
- · Secondary metering plate with changeable jets Fully adjustable electric choke

• Folish	ed titilsti for superior good tooks
CB710600	600 cfm – electric choke
CB710750	750 cfm – electric choke

= 1997390907 Hot Rod Series Carburetor

The Hot Rod Series of carburetors is designed for street applications. Made from lightweight aluminum castings and packed full of features, these carburetors are sure to make your hot rod run its best! Hand assembled and engine tested in the USA! Available in both vacuum and mechanical secondary configurations.

Note This product is not CARB exempt. Products that are not CARB exempt are leval in most states, but may not be used in California or states with similar emissions laws except on pre-1976 vehicles

CR711650 · Quick Set electric choke with one wire hookup for years of trouble-free starting.

Dual inlet fuel bowls with Quick Set sight windows on both fuel bowls for safe and easy float level adjustment Vacuum secondary carburetors have a Quick Set housing that is adjustable

- by simply turning a screw no more spring assortments to keep up with or torn diaphragms. 4 corner idle for smooth and efficient idle quality.
- Screw-in air bleeds for quick and unsurpassed tuning capability.
- Screw-in idle feed restrictions
- Non-stick gaskets throughout for easy service.

 The QFT 4 door* power valve with a strong diaphragm and blow-out protection
- in the throttle body.

 Universal throttle lever with sealed throttle shafts for years of smooth operation

	Im accessory ports for PCV, power brakes and timed spark a Secondary Carburetors	ATTIMICE.	A.
B711600	600 cfm	552.99	ea
CB711650	650 cfm	552.99	ea
CB711750	750 cfm	610.99	ea
CB711850	850 cfm	647.99	ea
acuum Seco	ondary Carburetors		
CB711580	580 cfm	548.99	ea
CB711680	680 cfm	530.99	ea
CB711780	780 cfm	548.99	ea

Street Series Carburetor

These Quick Fuel Super Street carburetors offer race performance in a lightweight, street friendly package. These carburetors are manufactured from aluminum and designed for maximum tunability through idle feed adjustment and power valve channel restrictions well as idle and high RPM air bleeds. Available with vacuum secondaries, which use fuel bowls with single sight glass windows, or a mechanical secondary design featuring dual inlet, dual sight glass 4500 style fuel bowls with links to tune the



Note This product is not CARB exempt. Products that are not CARB exempt are legal in most states, but may not be used in California or states with similar emissions laws except on pre-1976 vehicles.

- · Changeable air bleeds idle and high speed for ultimate tuneability
- Aluminum fuel bowls with dual sight glass windows Billet metering blocks with changeable idle feed and power valve
- channel restrictions

secondary opening rate.

- 4 corner idle system
- Notched secondary floats Secondary jet extensions
- Slabbed throttle shafts with Teflon bearing ribbons with stainless steel plates
- Billet aluminum throttle body
- · Dog leg boosters/annular boosters mechanical secondary

CB712650	650 cfm					
CB712651	650 cfm	annular booster				
CB712750	750 cfm		741.00 6	ca		
CB712751	750 cfm	annular booster				
CB712850	850 cfm		741.99	ea		
Vacuum Secondary Carburetors						
CB712680	680 cfm		688.99			
CB712780	780 cfm					
CB712880	880 cfm		688.99	ca		













.. 384.99 ca 414 99 ca

Performance Carburetors





Brawler Die-Cast Carburetor

Brawler die-cast carburetors are made from lightweight die-cast aluminum components and are available in both vacuum and mechanical secondary models. They offer all the tunability and options found on more expensive carburetors in the market, including a beautiful appearance, electric choke, and four corner idle adjustment on all mechanical secondary models. Vacuum Secondary

570 cfm electric choke 389 99 ea

BR67270	600 cfm	electric choke	
BR67271	600 cfm	manual choke	330.99 ea
BR67256	670 cfm	electric choke	
BR67258	770 cfm	electric choke	430.99 ca
Mechanical	Secondary		
BR67255	650 cfm	electric choke	
BR67276	650 cfm	electric choke	347.99 ca
BR67277	650 cfm	manual choke	347.99 ea
BR67257	750 cfm	electric choke	
BR67259	850 cfm	electric choke	536.99 ca



390 CFM Carburetor This Holley 4160 Series 390 cfm 4 barrel carburetor is ideal for small displacement V8 or V6 engines. It

features side hung float bowls, a universal throttle lever, vacuum secondaries, and an electric choke. This is one of the simplest ways to get more performance from your engine

H8007 390 cfm 4 barrel



Vacuum Secondary Carburetor

These classic Holley 4160 Series carburetors are available in several sizes and with manual or electric choke. These carburetors feature vacuum secondaries and power valve blow out protection. All are bright

chromate finish.						
H1850	600 cfm	manual choke	369.99 ea			
H80457	600 cfm	electric choke	385.99 ca			
H3310	750 cfm	manual choke	407.99 ca			
H80508	750 cfm	electric choke	403 99 ca			



Mechanical Secondary Carburetor 🔥

These classic Holley 4150 Series double pump carburetors are available in several sizes and with manual or electric choke. These carburetors feature mechanical secondaries, center hung float bowls and power valve blow out protection. All have

manuai	cnoke.		
H4776	600 cfm	manual choke	
H4777	650 cfm	manual choke	
H4778	700 cfm	manual choke	
H4779	750 cfm	manual choke	
H4780	800 cfm	manual choke	
H4781	850 cfm	manual choke	792.99 ca





Street Avenger Carburetor

The Holley 4150 Series Street Avenger™ Series carburetors are dyno-tested, and calibrated for performance on the street. They feature the No Trouble™ adjustable vacuum secondary, four vacuum ports, electric choke, external float adjustment, and the new Gen IV Power Valve. If you're looking for better throttle response, quicker acceleration, enhanced fuel economy and superior driveability, the Street Avenger"

carbs are your answer.				
	H80570 H80670 H80770	570 cfm 670 cfm 770 cfm	4 barrel 4 barrel 4 barrel	528.99 ca



600 CFM Carburetor Remanufactured 600 cfm Holley carburetor featuring an original finish, vacuum secondaries, and power valve blowout protection. These replacements are

similar to the units installed on 1967-69 Z28's with cross Ram induction and can be used to replace list numbers 3810S, 4410A, and 4295. riant: Throttle valenaid used an same models no included. Order separately. Carburetor is stamped with

80457 600 cfm replacement carb 362.99 ea



650 CFM Carburetor



This Holley 4150 Series 650 cfm 4 barrel carburetor is ideal for most moderate performance small block V8 engines. It features center hung float bowls, a universal throttle lever, vacuum secondaries, and an electric choke

H80783 650 cfm electric choke 643.99 ea



750 CFM Carburetor




Remanufactured 750 cfm Holley carburetor featuring an original finish, vacuum secondaries, electric choke and Power Valve blowout protection. These replacements are similar to the 780 cfm units installed on Z28 and big block models and can be used to replace list numbers 3910, 4490, 4555, 4800-1, 4801-1, 6238-1.

Important: Throttle solenoid used on some models not included. Order separately. Carburetor stamped with

current manufacturing date 750 cfm replacement carb ... 403.99 ea



750 CFM Carb Main Body



(#3310) vacuum secondary carburetors. This all new main body replacement will help to enhance the look and performance of your Holley carburetor without a complete replacement. 67101C

134 99 ca

BR67253





Carburetor Set

Standard Rebuild Sets These sets are just what you need to make your Holley carburetor perform like new again. They include: new

gaskets, o-rings, pumps, diaphragms, needles and seats, power valves, and detailed instructions to help you step-by-step through the rebuilding process. Note: Visit website for specific carburetor number

applications of each set. With Vacuum Secondaries 600 cfm 4160. H37119 600 cfm 4160 (1850/80457)

H37754 750 cfm 4160 34 99 set With Mechanical Secondaries H37485 4150 double pump carbs Performance Rebuild Set

This set contains all the parts you'll TricKit need to perform a complete rebuild on your Holley vacuum secondary or double pumper carburetor. Plus its got extra parts related to carburetor calibration that are required to accomplish a real performance tune. These include accelerator pump discharge nozzles, accelerator pump cams, vacuum secondary springs, and extra gaskets. A carburetor exploded view and detailed

tuning guide are also included. H37933 Holley Trickit Set® 149,99 set



Carburetor Base & Air Cleaner Gaskets

These are reproductions of the gaskets used on Holley dual float carburetors. This is a 2 piece set consisting of the base gasket as well as the air cleaner gasket. A must when rebuilding your Holley dual float carburetor. 4.99 pr 14306

Holley







... 13.99 pr

10.99 pr

Carburetor Gasket

We now offer a selection of the most commonly needed Holley carburetor gaskets.

Base Gaske	et and Studs		
H10851	4150 & 4160 carbs, .250"		
H10812	4150 & 4160 carbs, 5/16"	25.99 ca	a
Base Gaske			
H10858	4150 & 4160 carbs, .204"		
H10818	4150 & 4160 carbs, 5/16"		
H10810	4150 & 4160 carbs, 1/16"	10.99 ca	а
H10825	4165 & Quadrejet carbs, 1/4"	24.99 ca	a
Metering B			
H10889	4150, 4160 & 4165 carbs	13.99 pt	ſ
H10890	4150, 4160 & 4165 carbs	15.99 pt	г
H10891	4150, 4160 & 4165 carbs	15.99 p	ſ
Fuel Bowl			

4150, & 4160 carbs...

H10892 4165 carbs.

H10883

39.99 set



Rubber Air Cleaner Gasket

This Buna rubber gasket is designed for air cleaners with a straight lip, the gasket has a groove that fits over the lip for a superior seal against dust and debris. It can also be flipped and used on air cleaners with a rolled lip. for 5-1/8" neck.....



1974-80 Carburetor Rase Gasket 🔥 Carburetor to intake manifold gasket for 1974-80 models with 4 barrel Rochester carburetor.

354310 1974-80 Rochester

Hollev Carburetor Air Cleaner Gasket

This circle shaped gasket is installed between the carburetor body and the base of the air cleaner. Its a must for keeping small particles 1256633

of dirt from entering your engine. They measure 5-1/8" in diameter and are available in two thicknesses.

1256633 5-1/8" diameter .060" thick .. 4.99 ea H10862 5-1/8" diameter .200" thick.. 12.99 ea 1977-79 Trans Am

Carburetor Rase Gaske Factory correct reproduction

carburetor to intake manifold gasket for 1977-79 Trans Am models with Olds 403ci V8 engine. TA4051 1977-79..

14.99 ca



USA Carburetor Installation Set

This set contains installation hardware for most Demon 4 barrel carburetors, including mounting studs. washers, nuts, air cleaner studs, vacuum caps, throttle cable balls with bushing adapters for throttle levers and 3 types of base gaskets for square and spread bore carburetors, and a gasket for the Street Demon. D160049 24 99 set



1967-89 Quadraiet Carburetor Rebuild Set

Bring your carburetor back to original working order by replacing the crucial components with this complete rebuild set for use with original or Edelbrock replacement Quadrajet carburetors. Each part is manufactured to exact specifications assuring a quality part and an authentic rebuild. Includes all parts and gaskets necessary for a complete rebuild. Available for 1967-89 models ED1920 1967-78 750 cfm 39.99 set

ED1921 1975-89 795 cfm 39 99 set













1967 Rochester Carburetor Renair Set

You've got the original carburetor but it needs work What do you do? You get a carburetor repair set and fix it! This OE style repair set is fabulous for repairing minor problems associated with original Rochester carburetors. Each repair set includes: gaskets, pump, needle and seat, float gauge, guide, ball, spring and retainer. Perfect for off the vehicle repair.

1967 MT with 2 barrel 23.99 set



Street Demon TPS Set When using an electronic overdrive transmission, such

as a 4L60E, with a carbureted engine, the transmission control unit requires a throttle position signal. This sensor bolts on to the carburetor and sends the proper signal to the computer. The simple design allows for easy calibration and voltage adjustments. Includes all necessary installation hardware. Made in USA. D1951 Street Demon TPS.. .. 217.99 set



Throttle Solenoid

Some vehicles require a throttle solenoid to be used with Holley carburetors. This is a replacement unit manufactured by Holley. Also available are the solenoid bracket #H209, and nut #H2657.

H4674 Holley throttle soleniod... 106 99 es H200 bracket 12 99 ca H2657 9.99 ca nut



Street Demon Throttle Solenoid Set 🔥

Some vehicles, especially vehicles with air conditioning. require a throttle solenoid to automatically increase engine RPM. This throttle solenoid set from Demon Fuel systems includes the solenoid, bracket, and mounting nut. Made in USA. D1950 Street Demon



Street Demon Calibration Set

This calibration set allows fine tuning of Street Demon carburetors. Although the carburetors are already fine tuned other adjustments and modifications may be necessary for optimal performance in built engines with large cams. This set includes an assortment of primary jets, metering rods and step-up springs along with secondary jets all in a convenient plastic storage case.



Carburetor Calibration Set

These sets include a selection of metering rods, jets, and step up springs that allow fine tuning and calibration of Edelbrock Performer and Thunder Series carburetors for mildly to extremely built motors, especially motors with performance camshafts that cause low intake

manifold vacuum. Made in USA.

Performer Series Sets							
E1479	for 1405 models	88.99 set					
E1480	for 1407, 1410, 1412 and 1413	86.99 set					
E1486		82.99 set					
E1486	for 1802, 1803 & 1804 models	82.99 set					
E1487	for 1406 models	60.99 set					
E1488	for 1409 models	81.99 set					
E1489	for 1411 models	70.99 set					
	AVS Series Sets						
E1840	for 1805 and 1806 models	79.99 set					
E1841	for 1812 and 1813 models	96.99 set					
E1842	for 1826 models	80.99 set					



Jet Assortment Set

The Holley jet assortment set is the professional way to track tune your Holley carburetor for top performance. The set consists of 2 each of 36 different jet sizes ranging from #64 to #99. The jets are contained in a plastic case that keep them separated and make them easily accessible. Jet sizes selected will give the broadest range of adjustment and performance for most performance carburetor applications. H36181 iet assortment

H122 47 = Main Jet Size #47

67454

Desired Main Jet Size

Carburetor Main Jets

Holley jets are the professional way to track tune your Holley carburetor for top performance. They are sold in sets of 2 and are available in jet sizes ranging from #40 to #110. The jets will give the broadest range of adjustment to get the most performance out of your Holley carburetor.

rtant: Please specify jet size at the end of the part nber when ordering. See chart above for more informa H122 specify jet size, #40 to #110..... 10.99 pr



Power Valve and Installation Tool

The power valve is a key component of the power enrichment system of Holley performance carburetors. These power valves incorporate "power valve blow out protection". Power valve installation tool is also available, and sold separately. Daniel Value Com Jan I Flan

H12525	2.5" Hg	12.99	ea
H12535	3.5" Hg	12.99	ea
H12545	4.5" Hg	12.99	ea
H12555	5.5" Hg	12.99	ea
H12565	6.5" Hg	12.99	ea
H12585	8.5" Hg	13.99	ea
H125105	10.5" H̃g	13.99	ea
Power Valve -	High Flow		
H125125	2.5" Hg	20.99	ea
H125135	3.5" Hg	18.99	ea
H125145	4.5" Hg	18.99	ea
H125155	5.5" Hg	18.99	ea
H125165	6.5" Hg	20.99	ea
H125185	8.5" Hg	20.99	ea
H1251005	10.5" Ĥg	18.99	ea
Installation T			
67454	anodized aluminum	31.99	ea
			_





Accelerator Pump Squirters

We offer several sizes and styles of accelerator pump squirters. Choose from straight type or tube style to fit 4150, 4160, and 4500 series carburetors. All

menuc 2 ga	ISKUIS.		
Straight Typ	pe		
H121125	.025	straight	16.99 set
H121128	.028	straight	16.99 set
H121131	.031	straight	16.99 set
H121135	.035	straight	17.99 set
H121137	.037	straight	16.99 set
H121140	.040	straight	17.99 set
H121142	.042	straight	16.99 set
H121145	.045	straight	16.99 set
Tube Type			
H12125	.025	tube	26.99 set
H12128	.028	tube	26.99 set
H12131	.031	tube	29.99 set
H12135	.035	tube	26.99 set
H12137	.037	tube	26.99 set
H12140	.040	tube	26.99 set
H12142	.042	tube	26.99 set



Carb Dual-Feed Fuel Line

Made from aircraft quality Buna-N neoprene hose encased in braided stainless steel, this fuel line is temperature, gas and oil resistant. Made for 3/8' NPT fittings, the fuel line is adjustable between the carb bowls from 7-1/2" to 11-1/2". Includes 1/8" pipe fitting and plug for optional fuel pressure gauge, etc. Hose inlet nipple not included.



Holley | Nual-Feed Fuel Line

We offer chromed copper fuel lines for Holley carburetors. The hard lines are manufactured with seamless copper tubing and are double flared at the ends with 5/8"-18 inverted flare inlets.

H3439 H34150 H34160	4150 carbs	48.99 ca



Hollev Carb Dual-Feed Fuel Line

Chrome dual feed fuel line for use on Holley carbs with 3/8" inlet. High-quality gas lines specifically designed for use on Holley dual feed carburetors. Each gas line will replace the original exactly. Stainless steel construction for a performance appearance and long-lasting dependability.

66635 66636	Holley Holley	8-21/32" centers 9-5/16" centers	





1967-81 Holley Fuel Inlet Nut Correct replacement fuel inlet nut for Holley carburetor

with 5/16 fuel lines. K0171 1967-81 2 required..... 17.99 ca



Vacuum Secondary Diaphragm This vacuum secondary diaphragm fits most 4150 and

4160 square bore Holley carburetors. H1354 diaphragm. 14 99 ca



1968-74 Carburetor Rear Vacuum Fittino

This is a reproduction of the rear carburetor fitting that screws to the back of the carburetor and the power brakes hose attaches to the large port. The other vacuum ports can be used for other accessories such as distributor vacuum advance or hideaway

headlamp	actuators.			
F12358	1968-74	w/angled fitting	21.99	ca
F12371	1968-74	w/straight fitting	21.99	ca
F12372	1968-74	w/2 angled fittings	27.99	ca

1967-69 Carburetor Vacuum Break Control



CP20	1967-69	Rochester	14.99
CP20	1968	Ram Air	14.99
CP20	1968-69	without Ram Air	
CP20	1969	400 HO	14.99

ca

ca ca

ca

5 99 set

6.99 set

4.99 set

4 99 set



Assorted Vacuum Caps

Assorted vacuum caps for almost any automotive repair job. Each vacuum cap is constructed from durable, heat resistant vinyl, and provides a tight fit to prevent vacuum leaks. Excellent for capping lines and hoses while testing carburetors, emission control systems, vacuum lines, and more.

5/32" Vacuum Cap - For 4 Barrel Holley Carb 3928101 1 piece 5/32" black...... 2.99 ea

Assortment - Colored Includes four each: 1/8" yellow, 3/16" blue, 1/4" red, 5/16" white, 3/8" black. A0747207 4 each assorted colors 4 00 set

Assortment - I Includes: 5/32"	Black , 7/32", 5/16", 3/8", 3/16" x 2,	1/4" :	x 2.
A9747396 A9799350	8 piece assortment	2.99 8.99	set set
4 Pack - Black Includes four 5 A9747394		2.99	set
5 Pack - Black Includes five 1/ A9747393		2.99	set

Edelbrock

Holley/AFB to Quadraiet Adapter

Adapt a Holley or AFB 4 barrel carburetor to a Quadrajet 4 barrel manifold with this adaptor plate. Includes all necessary hardware. E2696 36 99 ca



Carburetor Adapters Carburetor to manifold adapter sets. These adapters

take the hassle out of many common intake, carburetor, and throttle body swaps. They are constructed of diecast aluminum and include the necessary gaskets and hardware to mount it all up.

Note: Additional modifications my need to be made to achieve proper fit and function.

MG1933		23.99	
MG1929		24.99	
MG1937		23.99	
MG1932	square bore to spread bore	23.99	set

Spread Bore Sealing Plate

Holley EFI spread bore sealing plate. This plate adapts a dual bolt pattern square bore carburetor or throttle body to a spread bore manifold and seal properly. Includes a 1/16" thick plate and 2 gaskets.

28.99 ea



Carburetor Heat Shield

Heat shield for all GM models with Holley carburetors. This heat shield will help cool the intake charge for better performance. Excellent reproduction of the original 1970 GM Holley heat shield. 3969835 Holley 4 barrel carb 43 99 ca









1/8

 $\Delta 9747389$

A9747392

A9750003

A9747395



1974-75 Rochester Carburetor Heat Shield

Reproduction carburetor to intake manifold heat shield. This shield when applied to intake manifold, will keep fuel in carburetor from reaching high temperatures due to engine block heat. Excellent for use on highperformance engines. For use with 4 barrel with Rochester bolt pattern.



T2063

Carburetor spacer sets are now available for Holley carburetors. Each set includes mounting hardware and gaskets

Open Cer	iter		
T2063	3/8" tall "Hiker"		
T2094	3/8" tall w/vacuum tube, cap		
T2084	1" tall	25.99	set
T2103	1" tall w/3/8" fitting for PVC	32.99	set
T2081	2" tall	36.99	set
Ported			
T2280	3/8" tall	61.99	set
T2048	2" tall	36.99	set



Carburetor Spacer Set

Easily optimize the flow rates of air and fuel in your car with this modular 1" carb spacer set! Since various engine combinations have different fuel and air delivery requirements for maximum performance, each spacer set includes 1 frame and 2 popular inserts: open, 4 hole, and tapered 4 hole. This way, you can dial in exactly the right flow to get the most from your motor. carburetor spacer

5-1/8" Diameter Carburetor Cover Keep dirt and contaminants

out of your carburetor while working on your engine with the air cleaner removed Produced using tough plastic construction. For use on all 4 barrel carburetors. 5-1/8" diameter. T2012 1967-86 4 barrel





Carburetor Wedge Plate During hard acceleration the float bowls in a carburetor become uneven, causing moderate fuel starvation. This aluminum spacer tilts the carburetor forward 5 degrees to help keep it level. This spacer measures .830" at its thickest point and has a dual bolt pattern for standard Holley, Carter AFB, and Edelbrock carburetors.

Note: Not legal for use on pollution controlled vehicles 265030



Carhuretor Linkage Plate

Each plate is triple chrome-plated for a beautiful finish. For GM cables. Can be used with part #T2334. Holley/AFB

ATTHORIZED



Reproduction carburetor rod to accelerator rod clip. Manufactured to original specifications for a correct replacement. Fits 5/32" rod diameter, LH and RH, 11/64" i.d.

100937 3962782 2.99 ea

1967-69 Servo Mounting Bracket

Correct reproduction servo mounting bracket for 1967-69 models with cruise control. Authentic reproduction of original. HC87 1967-69

Morse Cable Bracket



TH700-R4 Trans. Cable Bracket Flolley

This bracket is designed to be used on Holley 4150 and 4160 square hore carburetors only. It bolts onto the carburetor flange ear and provides a convenient mounting point for transmission and throttle cable

H2095



79 99 ca

7 99 ca

32.99 ca





Transfer Tube O-Ring Seals

These fuel resistant o-rings will helpprevent dangerous fuel leaks at your carburetors fuel transfer tube. Both old and new style o-rings are available. H2637 old style H10897 9.99 pr new style ..





Carburetor Needle and Sea We offer several needle and seat assemblies for Holley

carburetors. The seat size determines how much fuel can flow at a certain pressure. Larger sizes flow more fuel. Tune your Holley carburetor to flow the right amount of fuel at the proper pressure with a new Vitor

viton-tip	pea neeai	e and seat.	
H6506	.97	adjustable	17.99 ea
H6504	.110	adjustable	
H6518	.120	adjustable	31.99 ea
H6513	.97	off-road	35.99 ea

ACDelco



1975 Carburetor Float

Genuine ACDelco replacement Rochester carburetor floats. Replace the original float when rebuilding your carburetor and assure you get the quality you deserve. G9661 1975 4 barrel.....



These are reproductions of the screws for Holley dual

float carburetor bowls. This is a set of eight 2-1/2" flat blade screws. A must when rebuilding your Holley dual float carburetor. .. 14.99 set



Float Adiustment Tool



carburetor float level with this hand float adjustment tool. 5/8" socket and built-in screwdriver blade protects your engine and hands from fuel spray. 67443

Accelerator Pump Cam Set

This set will allow you to "tailor" accelerator pump performance to the engine's actual requirements, Fach

cam has a different shape to give different results. The shape of each cam directly affects the accelerator pump stroke and pump capacity A steeply rising cam shape will give a fast, heavy fuel shot right off idle. Conversely, a gentle sloping ramp will spread the pump action over a longer period of time.

Holley

H2013



Secondary Spring Set & Housing

Make changing your vacuum secondary spring a simple job with this quick change housing and set of adjusting springs. It is simple to install on any vacuum secondary Holley carburetor. The seven color coded spring set from light to heavy will allow you to adjust the opening of your secondaries.

H2013	springs	17.99 set



1967-81 GM Ouadraiet Carburetor Bolts Reproduction 1967-81 GM quadrajet carburetor

to intake manifold bolts. These bolts secure the carburetor to the intake on many GM vehicles with 4 barrel carburetor. TA4044 1967-81



Air Cleaner Studs

OER® replacement carburetor air cleaner stud for many Firebird models Stud Size: 1/4"-20 x 2-5/16"

2951729 1967-81 6 99 ca Stud Size: 1/4"-20 x 2" - Cowl Induction with Holley 3747933 1967-70 6 99 ca



Hollev Carburetor Air Cleaner Studs

Correct reproduction of the stud that attaches the air cleaner to the carburetor on all Holley carburetors

	ir cleaner.	un OL	style	urop	ouse	ope	
IC295	universal.				9.9	9 ea	ı



Carburetor Stud Set

We offer a variety of stud sets to fit just about any Holley or Rochester carburetor. Each set includes: 4 studs, 4 nuts, and 4 washers. T2046 1-3/8" 2.99 set T2047 3 99 set 3.99 set T2106



1969 Trans Am Ram Air Stud

Reproduction of the Ram Air stud for use on all 1969 Trans Ams. This stud fits from carburetor to the pan. C459741 1969...



1969 Trans Am Ram Air Studs 1969 Firebird 400 and Trans Am Ram Air pan to

carburetor stud set. This pair of studs is used to attach the lower Ram Air pan to the carburetor. C459742 1969 29.99 set



Carburetor Mount Linkage Bracket 🔥

installed	ghtly polished, chrome-plated braci on vehicles equipped with Holley ca with GM cables.	cets can be irburetors.
T9619 T9620	manual trans	9.99 ea 12.99 ea



1967-69 Carb Lever Extension

Reproduction of the original extension lever originally found on 1967-69 Firebird models with 4 barrel carburetors. Each bracket is manufactured in stamped steel to the original factory dimensions offering an authentic replacement that will fit and function as original. Will install on original type carburetor and mounts on the carburetor

With 400	Engine		
	1967	27.99	ea
With 8 C	vlinder		
C922361	1968	29.99	ea
C989271	1969	26.99	ea
			-

		+	0
	Dall Oand	0-4	

Carburetor Ball Stud Set

Install your Holley carburetor and hook it up right with these throttle ball studs. H202 set of four .. 18 99 set



1969-80 Carb Return Springs

Correct reproduction of the commonly missing spring which installs between the carburetor and water neck. 302, 350, 396, 400 5.99 ea K0135 V8 outer.. 340637 4.99 ca K0154 1974-80 V8 inner... 5.99 ca



Chrome Carb Return Spring Bracket This replacement chrome universal carb return

bracket is designed to replace the original bracket for most carburetors. Adds a high-performance touch to any carburetor.

66180	 3.99 ea
New!	OER

1967-69 Accelerator Lever Cable 🔥

6 cylinder ..

These are factory service replacements which extend from the carburetor to the accelerator lever and open the carb when the accelerator is pressed. 3998633 1967 6 & 8 cylinder .. 22.99 ea

CARBURETOR PARTS

1968-69

3998633















1970-72 Rochester 4 Rarrel Choke Pull Off

Reproduction choke pull off for 1970-72 Pontiac motors equipped with a Rochester 4 barrel carburetor. The main purpose of the choke pull off is to keep the choke from closing too much when the engine speeds up, or vacuum drops down. This allows the motor to get the proper amount of fuel to get going, especially when the engine is cold. Features the correct style metal body with gold cadmium finish like original. Available in single or dual port designs.

ote: *Fits all 1970 Firebird models except Ram Air. †Fits all 1971-72 Firebird models except Ram Air and HO. A8700400* 1970 with 2 ports 29.99 ea A8700401* 1971-72 with single port ... 19.99 ea



1967-69 Firebird Choke Housing Plug/Cap

Choke housing plug/cap. This cap covers the adjustment hole in the side of the choke housing. 1253549 1967-69





1977-79 Trans Am Choke Tube Reproduction choke tube for 1977-79 Trans Am models

with Olds 403ci V8 engine. Features correct contours and fittings and is available in your choice of original material or stainless steel TA4047 TA4048

1977-79	OEM material	
1977-79	stainless steel	23.99 ca



1977-79 Trans Am Choke Tube Heater

Factory correct reproduction choke tube heater assembly for 1977-79 Trans Am models with Olds 403ci V8 engine. This item secures choke tubes to

ne m	take.	mannoid.		
FA40	49	1977-79	 23.99	ca



Reproduction choke relay designed to replace nonfunctional originals. 19967 1980-81. ... 23.99 ca



1977-79 Trans Am Choke Tube Heater Gasket

Factory correct reproduction choke tube heater assembly intake manifold gasket for 1977-79 Trans Am with Olds 403 V8 engine. . 6.99 ca TA4050 1977-79



1971-72 Idle Stop Solenoid Bracket

This bracket mounts the idle stop solenoid to the carburetor on 4 barrel Firebird and Trans Am models. Manufactured from heavy gauge plated steel for a lasting appearance and performance. A8700104 1971-72 14 99 ca



This is the correct hardware for mounting the idle solenoid to the carburetor bracket on 1967-72 Pontiac engines. Set contains two TR marked bolts and two correctly marked locking nuts.

A8700194 1967-72 ...



1967-70 Remote Choke Thermostat Cover

Reproduction remote choke thermostat covers for 1967-70GM models with Rochester 4 barrel carburetors with the choke thermostat mounted to the intake manifold. Note: For vehicles with Chevrolet engine conversion 3864866 1967-70 6.99 ea



1967 Thermostatic Choke Coil

Over many years of driving, the choke coil winding can suffer undue distortion causing incorrect operation. Will install as original and will ensure countless hours

trouble-free driving. Note: For vehicles with Chevrolet engine conversions 1256604 1967 396..... 25.99 ca



1968-69 Choke Set



designed for use with 1968-69 Firebird small block. and big block (396) models with Holley carburetor. Includes all the necessary components to replace an old or damaged choke setup. Set includes: the cover, rod, choke spring, screw, and clip. 5 piece set. Note: For vehicles with Chevrolet engine conversions K0062 1968-69 all with Holley carb 27.99 set



1968-71 Throttle Shaft and Choke Set

Reproduction of the original quadrajet throttle shaft and choke set designed for use with various 1968-71 Pontiac models including Firebird and Trans Am models. This show quality set contains the key components to repair or restore a 1968-71 Pontiac Quadrajet carburetor with bad throttle shafts. Includes front and rear shafts and a choke assembly featuring correctly stamped GM numbers. This set can also convert later model carburetors to work with an earlier application. A8700127 1968-71.. 74 99 ca



1967-70 Choke Rod

During a multitude of years and mechanics modifications, these choke rods can become damaged or missing. Replacing this choke rod will allow your carburetor to function correctly and keep your engine running smooth. Also includes correct attachment clip. Note: For vehicles with Chevrolet engine conversions.

1967-68 1256602	327/275HP w/o smog	19.99 ea
1969 1256602	350 w/2 bbl. Rochester	19.99 ea
1970		



1967-70 Choke Thermostat Mounting Screw

This mounting screw is used to hold the thermostatic choke assembly to the intake manifold. 1256603 1967-70 2.99 ca



Manual Choke Cable

This cable can be used with all manual choke Holley carburetors. Cable length is 6 feet and the control knob has the Holley name prominently displayed. H45228 6 ft length



Manual Choke Cable Mount Hardware

This universal bracket mounts inside the vehicle under the dashboard to secure the choke control cable. The cable clamp set is for use on Holley model 4010, 4150,

Cable Bra			
H45229	universal	27.99	ca
Cable Cla			
H45456	4010/4150/4160 carbs	19.99	set



1967 Carburetor Dash Pot If your 1967 Firebird stalls when you put it in gear or

hit the brakes, your dash pot may need to be replaced. The dash pot opens the throttle to keep the engine from stalling and helps close the throttle when the ignition is turned off. Designed for models with 4 barrel Carter AFB carburetors. F450 1967

New!	BBK



1985-92 TBI Throttle Body

This high-performance throttle body will add 7-12 rear wheel horsepower improving throttle response and acceleration. It is CNC-machined from highquality 356 aluminum castings to ensure perfect OEM quality and fit every time. Features die-stamped throttle linkages double sealed bearings and o-ringed throttle shafts. Direct fit replacement for a hassle free installation. New gaskets and hardware are included. Emissions Information: This part is C.A.R.B Approved. EO Number Is D-245-15. It is legal for use on the follow GM applications in all 50 states: 1985-88 Camaro/Firebird and Corvette 5.0/5.7L applications.

	BK1534 BK1536 BK1537 BK1539	1985-88 1985-88 1989-92 1989-92	58mm	399.99 389.99	ca
--	--------------------------------------	--	------	------------------	----



1998-02 LS1/6 Throttle Body

BBK Power Plus series throttle bodies with cable or electronic throttle controls. Uses factory rubber o-ring gaskets. Includes mounting hardware and instructions. BK1709 1998-02 80mm... BK 1710 1998-02 85mm.. 399.99 ca



1992-97 Performance Throttle Body

With larger ports in the throttle body your engine will receive a greater volume of air which will allow it to make more potential horsepower and less likely to be a restriction in the system. This is why we offer the 52mm and 58mm high flow throttle bodies. Designed for outstanding throttle response and wheel spinning torque, these throttle bodies have been meticulously cast and flow bench tested for optimum airflow It provides supreme power when mated with high flow intake systems, exhaust systems, headers, or

Note: No c	ore required.			
TB100	1992-93	52mm	389.99	c
TB101	1994-97	52mm	389.99	ca
TB102	1992-93	58mm	399.99	c
TB103	1994-97	58mm	399.99	c







1985-92 TPI Throttle Body Plate Cover

TPI/LT1 throttle body plate covers for 1985-92 Firebird Trans Am GTA models. They are anodized aluminum that is available in black, red, or blue. Includes 6

stainless steel	screws to finish off this cus	tom piece
for your engir		
	black	
A9701315	red	49.99 ea
A9701316	blue	49.99 ea















Universal Throttle Cable USA

All Lokar throttle cables are designed with a specially extruded liner to extend the life of the cable. Cables are equipped with aluminum fittings and aluminum ferrule to eliminate fraying. These cut-to-fit cables are available in 24", 36", or 48" lengths with a stainless steel inner wire, and your choice of a stainless steel, black stainless steel, or black nylon housing. Clevis is designed to eliminate cotter pins and set screws. Includes installation instructions

portant: Remember to pull inner wire out before cutting outer housing.

de: For 1986-93 FFI use TC10024

48" TC30048B

36"

48"

Ram Jet 502 TC40024A

TC40024B

TC40024C 24"

TC50048A

Vortec TC50036B

		1 ase 1 C10024.	
		Throttle Cable - Carbi	
TC10024A	24"	stainless steel	75.99 ca
TC10024B	24"	black stainless steel	
TC10024C	24"	black nylon	64.99 ca
TC10036A	36"	stainless steel	86.99 ca
TC10036C	36"	black nylon	75.99 ca
TC10048A	48"	stainless steel	97.99 ca
TC10048B	48"	black stainless steel	97.99 ca
TC10048C	48"	black nylon	86.99 ca
Tuned Port I	niectie	on 1985-91 and LT1/L	Γ4
TC20024A	24"	on 1985-91 and LT1/L: stainless steel	75.99 ea
TC20024A TC20024B	24" 24"	stainless steel black stainless steel	75.99 ea 75.99 ea
TC20024A TC20024B TC20024C	24" 24" 24"	stainless steel	75.99 ea 75.99 ea 64.99 ea
TC20024A TC20024B TC20024C TC20036A	24" 24" 24" 36"	stainless steel black stainless steel black nylon stainless steel	75.99 ea 75.99 ea 64.99 ea 86.99 ea
TC20024A TC20024B TC20024C	24" 24" 24"	stainless steel black stainless steel black nylon	75.99 ea 75.99 ea 64.99 ea
TC20024A TC20024B TC20024C TC20036A	24" 24" 24" 36" 36"	stainless steel black stainless steel black nylon stainless steel	75.99 ea 75.99 ea 64.99 ea 86.99 ea
TC20024A TC20024B TC20024C TC20036A TC20036B	24" 24" 24" 36" 36"	stainless steel black stainless steel black nylon stainless steel	75.99 ea 75.99 ea 64.99 ea 86.99 ea 86.99 ea

black stainless steel 97.99 ea

black stainless steel 75.99 ea

black nylon 64.99 ea

black stainless steel 86.99 ea

stainless steel

stainless steel



Dun-Pak Throttle Cable Set STILE A

Lokar Duo-Pak throttle cable sets will easily adapt to most gas pedals and throttle assemblies. Sets feature Lokar's Hi-Tech throttle cable, stainless steel carburetor bracket, and return spring kit. Cables designed with aluminum fittings and aluminum ferrules to eliminate fraving and feature a "U-Cut-to-Fit" stainless inner wire and outer housing. Available in your choice of stainless steel, black stainless steel, or black nylon. Note: Duo-Pak only available for carbureted applica with Holley, Edelbrock, AFB, Quadrajet and In-Line Dual Quad carby DP10001A 24"

DP10001A DP10001B	24" 24"	stainless black stainless	118.99 set
DP10001C DP10002A	24" 36"	black nylon stainless	108.99 set 129.99 set
DP10002B	36"	black stainless	
DP10002C	36"	black nylon	118.99 set
		ALT	HORIZED



Universal Throttle Cable

specially extr Cables are ma aluminum fitt fraying. Clevi	rized throttle cables are desig uded liner to extend the life of anufactured in stainless steel a sings and aluminum ferrule to is is designed to eliminate cotte- ludes installation instructions. t.	the cable. and feature eliminate er pins and
153665A 153665B	stainless black	

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Lokar throttle cable brackets are available for a variety of different motors including carbureted setups, LS1, Ram Jet 350, 502, and more. Finishes include stainless steel, black stainless steel, and billet aluminum were available. Carburetor brackets only fit Holley, Edelbrock, AFB, Quadrajet, Demon, and In-line Dual Quad carbs and mounts to the rear. Brackets for Tuned Port Injection are available with a single hole stud for throttle only, a dual hole stud for throttle and kick down, and a triple hole stud for a throttle, kick down and cruise control cables. Made in USA.

ortant: Ram Jet 350 uses LS1 throttle cable TC30036 or TC30048

Note: *Cruise control bracket set only.					
Carburetor					
Stainless S	iteel				
SR4000	bracket and springs	44.99 set			
SR4001	bracket only	24.99 ea			
SR4002	springs only	24.99 ea			
Black Stair					
SR4003	bracket and springs	48.99 set			
SR4004	bracket only	27.99 ca			
SR4005	springs only	27.99 ea			
LS1 wi	ith 3" Throttle Body Linkag	e Cam			
1998-99 Brushed Billet Aluminum					
SR4006	single hole stud throttle only	60 99 ca			
SR4007	dual hole stud throttle & cruise	60.99 ea			
1998-99 Black Billet Aluminum					

SR4006 SR4007	dual hole stud throttle & cruise	60.99 ea
	lack Billet Aluminum	
SR4008	single hole stud throttle only	66.99 ea
SR4009	dual hole stud throttle & cruise	66.99 ea
LS1 w/	3 1-2" Throttle Body Linka	ge Cam
2000-02 B	rushed Billet Aluminum	
SR4018	single stud - throttle only	60.99 ea
SR4011	dual stud - throttle and cruise	60.99 ea
2000-02 B	lack Billet Aluminum	
SR4012	single stud - throttle only	66.99 ea
SR4013	dual stud - throttle and cruise	66 99 ca

Ram Jet					
SR4014	SB 350	stainless			
SR4015	SB 350	black stainless			
SR4016	BB 502	stainless			
SR4017	BB 502	black stainless	104.99 set		
Tuned Port Injection 1985-91					
Brushed Billet Aluminum					

11.11	ea Fort injection 1965	-57
Brushed B	illet Aluminum	
	single hole stud	
TF800159	double hole stud	66.99 ea
TF800160	triple hole stud	66.99 ea
	illet Aluminum	
TF800161	single hole stud	115.99 ea
	double hole stud	
TF800163	triple hole stud	115.99 ea
	t Aluminum	
	single hole stud	
TF801165	double hole stud	66.99 ea
TF801166	triple hole stud	66.99 ea

Stainless Steel - Includes Kick Down Bracket				
	1992-93 LT1	96.99 si		
	1994 and later LT1 & LT4			
TF801169*	1992 and later LT1	96.99 s		
	less Steel - Includes Kick Do			
	1992-93 LT1			
TF801171	1994 and later LT1 & LT4	104.99 s		
		604		



OER® reproduction of the original accelerator rod grommet and sleeve unit where the accelerator rod fits into the linkage. Includes cotter pin. Sold individually.

1967-69

75.99 ca



≥usk Street Demon Cable Bracket

These brackets remove the guesswork when installing a Street Demon carburetor in almost any carbureted GM application. All brackets have a clear zinc coating for vane

corrosion protection and include installation	
Throttle Rod Adapter	
For Mechanical Linkage	
D1952	18.99

	Throttle and Trans Kick Down		
	D1953	31.99	5



Throttle Cable Bracket

This chrome throttle cable bracket can be used with all 4150 and 4160 model square bore Holley carburetors. It includes dual stainless steel return springs. H2088 with springs. 33 99 ca



1968-71 Four Rarrel Throttle Cable Bracket Reproduction die-stamped throttle cable bracket for

1968-71 Firebird/Trans Am models with TH400 or manual transmission, 1968-69 bracket has original style F-4 and 9797415 markings stamped on it. 1970-71 bracket has original style F-4 and 480589 markings stamped on it.

1968-69 1970-71	



1970-72 Throttle Cable Bracket

Reproduction throttle cable bracket for use on 1970-72 Firebird models. This quality bracket is for high-performance cars with a Holley carburetor. Replaces OE # 6261814. 14876 19 99 ca



Throttle Sorina Return Set

Mounts to intake manifold on driver side. Required by many race sanctioning bodies and a great idea for any high-performance vehicle, these intake manifold mounted throttle return spring and bracket sets provide positive throttle return. Includes: chrome brackets, springs, bushings, and fastener.

Holley 2 Barrel DC2083 230	0, 2305	13.99 s	ct
Holley 4 Barrel	0 4160	12 00 -	

Tall for Use with Carb Spacers T2387 small block 24.99 set



Carburetor Throttle Stud

Install you	r Holley carburetor and hook it up r	ight w	/iti
these throt	tle studs. Measurement based on	diamo	ete
of throttle	stud.		
	7/32" diameter		
H2038	1/4" diameter	9.99	ea



Correct reproduction accelerator throttle lever to pedal rod pinch bolt kit. Includes: one 1/4*-20 x 1-1/4* grade 5 bolt, nut, and washer.



TH350 Kick Down Cable

Stainless steel transmission kick down cable that fits TH350 transmissions with carburetor kick down cable. Designed for 4 barrel type carburetors and small block Chevrolet engines. Includes extender for more versatility in adjusting cable length where needed. Important: Cable housing cannot be cut-to-fit.

153666 TH350 26.99 ca



H2040

Install your Holley carburetor and hook it up right with this transmission kick down stud. transmission kick down stud







Rillet Throttle & Kick Down Cable Bracket

Lokar billet aluminum throttle and kick down cable brackets. They mount to various Holley, Edelbrock, AFB. Quadraiet, and Demon carbs and ease the installation of Lokar's throttle and kick down cables.

Edelbrock Performer/Performer AVS billet aluminum... LK2133B black billet aluminum 127.99 ea Street Demon

LK2134 billet aluminum LK2134B black billet aluminum 115 99 ca = [:[4]34]:[:



Throttle & Kick Down Cable Brackets Chrome-plated bracket set small block Chevy with

cable type linkage. May be used with either round or square mounts. You do not have to remove the carburetor to install. Allows full adjustment. Note: Use T9757 also if you have a TH350 transmission

Throttle Cable Bracket T9756 small block.. Kick Down Bracket 350 transmission

TH350 Kick Down Cable Bracket Flolley This bracket is designed

to bolt to a small block V8 intake manifold and provides a convenient mounting point for the transmission kick down bracket, Fits TH350 with 4 barrel carburetors H2045













Electronic Fuel Injection



Atomic FFI Set

The MSD Atomic EFI set fits all engines making up to 525 horsepower at the crankshaft. The annular ring charge injection design produces a better air/fuel mixture and distributes it evenly among the cylinders. As a result, engines idle, start, and drive better with the Atomic EFI set. Throttle bodies feature 80 lb injectors and a self-calibrating throttle position sensor. They also feature an internal fuel rail for no-leak, no-bassle fuel delivery. The master set is complete and ready to use out of the box. It includes the EFI throttle body, electric fuel pump, fuel line and filter with hardware, power module with wide band O2 sensor, and handheld controller. Also available are the throttle body set which includes everything except for the fuel system components. Or purchase the fuel components separately.

te: Atomic EFI sets are California emi: for carbureted General Motors vehicles 1987 and older. E.O number D-722.

Atomic EFI Master Set 2900	1621.99 set
Throttle Body Set 2910	1332.99 set

Fuel System Components for Up to 525HP



Atomic EFI High Horsepower Fuel Set 🗥

High horsepower fuel components set for MSD Atomic EFI sets. This set supports 620 horsepower at the crankshaft and supplies more fuel to the Atomic EFI throttle body than the standard Atomic EFI fuel pump. Includes: 15' of 3/8" fuel line, in-line electric fuel pump, fuel filter, brackets, and EFI specific fuel line clamps. 765 99 set



Oxvaen Sensor Runa Set Oxygen sensorbung set. A quick and easy way to install an oxygen sensor onto your exhaust without welding. FF60012 19 99 ca



FF30005 Street Series Fuel Injection System 🔥

FF30008

FiTech Street Series "Ready-to-Run" throttle body EFI systems. These self-tuning, bolt-on systems will increase reliability, horsepower, and fuel efficiency. Available in 3 performance levels, ranging from 250 to 800 HP. tant: For naturally aspirated engines only Go Street EFI Basic Set

EE30003 860 00 ca Go Street EFI Master Set with Inline Pump FF31003 1125 99 ca Easy Street EFI Basic Set FF30005 869 99 ca MeanStreet EFI Basic Set FF30008 1099 99 ca



Sniner Returnless EFI Master Set 🔥

Sniper EFI master sets, with a returnless retrofit fuel module. This contains combines the Sniper EFI selflearning throttle body, with an easy to install in-tank retrofit returnless module, 20 ft of Earl's vapor guard fuel hose, and the required fittings. The included fuel system places a 340LPH fuel pump in the tank, which can easily be accomplished with basic hand tools. The drop-in master sets make plumbing your Sniper EFI installation as hassle free as possible, simply cap the regulator on the Sniper EFI throttle body with the provided -6an cap, safely route the vapor guard fuel line along the chassis back to the die-cast fuel hat, and

the job is iiiis	MICG.	
H550510D H550511D H550516D	black ceramic	1966.99 set 1966.99 set 1966.99 set



Go EFI 4 600HP Fuel Injection System 🔥

The Go EFI 4 self-tuning fuel injection is rated at up to 600 HP and is suitable for engines from 250 HP thru 600 HP. It fits any 4 barrel intake manifold and is the most self-contained and full featured unit of this type. It has a built-in fuel pressure regulator and includes handheld touch screen controller for a quick and easy setup. Go EFI 4 Basic Set

EE30001 bright aluminum..... FF30002 matte black 999,99 ca Go EFI 4 Master Set with Inline Pump 1272.99 ea FF31001 bright aluminum..... FF31002

matte black



Throttle Return Saring

This set will provide a throttle return spring for any FiTech 4 barrel throttle body. Includes: bracket, springs,

1272 99 ca

and mounting hardware. FF60011 33 99 00



Sniper EFI Air Cleaner Base

Holley Sniper EFI air cleaner 1" drop base for 14" air cleaners. This base was specifically designed for use with the Sniper EFI 4 barrel throttle body. It features 2 reliefs stamped into the steel to clear the Snipers dual fuel inlets. Compatible with -6AN to 3/8" 90 degree fittings and available in chrome or black.

H120510 all V8 chrome 28 99 69 .. 23.99 ea H120511 all V8 black hild:likin



FFI Fuel Return Adanter

This adapter creates a return system simply by cutting a 2-3/4" section out of any standard 2" fuel filler tube. Made from aluminum with a 3/8" fitting that points 90 degrees downward to direct fuel back to the

bottom of the tank. Each set includes the adapter with 2 Buna rubber sleeves and 4 stainless steel clamps for a leakproof seal. 265385





Sniner FFI Fuel Injection Conversion Set

Holley Sniper EFI universal self-tuning fuel injection conversion sets. Converting to EFI will put an end to the cold start issues, hesitations, vapor lock, and flooding associated with most carbureted engines. Sniper sets feature numerous styles of throttle body and are available in polished, black ceramic, and classic gold finishes. Master sets include the most complete fuel system on the market. Holley just brought EFI within range and Classic Industries® carries the complete Sniper line with sets for nearly any application.

Sniper EFI Features:

- Easy 4 Wire Hoon Un
- Throttle Rody Mounted FCII
- Supports Up to 650 HP
- Integrated Ignition Timing Control & Coil Driver
- High Resolution Full Color Touchscreen
- Simple Calibration Wizard No Lauton Needed
- OEM Style Sensors
- Clamp-on Oxvgen Sensor Bung

4150 Four Barrel Set Holley 4150 four barrel sets feature dual bolt patterns

(square and spread bore), an internal fuel pressure regulator, and four 100 lb injectors capable of supporting up to 650 horsepower. ote: Spread bore/Rochester Q-jet applications require sealing plate part #H90060

Standard Sets H550510 H550511 H550516	polished/shinyblack ceramicclassic gold	1228.99 set
Master Sets H550510K H550511K H550516K	polished/shinyblack ceramicclassic gold	

Duadraiet 4 Barrel Set Holley Quadraiet 4 barrel sets are designed to deliver that Rochester mar at wide open throttle Features a spread bolt pattern and multiple fuel inlet configurations that allow for a stock

appearing installation under the stock air cleaner. Includes a GM brake booster adapter, throttle lever provisions for TH350/TH400 and 200R4/700R4 transmissions, and a kick down bracket, Capable of supporting up to 500 horsepower. Brake booster

	es external fuel pressure regulato	or.	Δ
H550867 H550868 H550869	polished/shiny black ceramic classic gold	1474.99 1536.99 1536.99	set
		- 61	-



Terminator TRI Set

Holley Terminator EFI4 barrel throttle body fuel injection system with transmission control. High-performance system includes a 950 cfm 4150 flanged throttle body based on Holley's NascarTBI with four 80 lb/hr injectors. The Terminator ECU is virtually maintenance-free and fully self-tuning - no laptop required. The base sets include a 4150 style square bore throttle body, a Terminator ECU, a handheld EFI monitor, and with or without transmission control. Master sets include the most complete fuel system on the market.

Stealth Base S			
H550405	polished/shiny		
H550406	hardcore gray	2795.99	set
Stealth Base S.	ets with Trans Control		
H550407	polished/shiny	3541.99	set
H550408	hardcore gray	3610.99	set
Stealth Master	Sets		
H550405K	polished/shiny	3188.99	set
H550406K	hardcore gray	3257.99	set
H550406K	hardcore gray	3257.99	set

TERMINATOR EF 4 Rarrel FFI Conversion Set

Holley Terminator Stealth EFI conversion sets. The Terminator Stealth EFI system has the same great self-tuning features as other Terminator EFI systems but with the stealthier



ı	advanced tu	ning options.		Δ
ı	Stealth Base	e Sets		4
ı	H550440	polished/shiny	2657.99	set
ı	H550441	hardcore gray	2725.99	set
ı	H550444	classic gold	2645.99	set
ı	Stealth Base	e Sets with Trans Control		
ı	H550442	polished/shiny	3455.99	set
ı	H550443	hardcore gray	3520.99	set
ı	H550445	classic gold	3417.99	set
ı	Stealth Mas	ter Sets		
ı	H550440K	polished/shiny	3188.99	set
ı	H550441K	hardcore gray	3257.99	set



HP FCII and Harness Set

Holley HP EFI ECU and harness sets are a "Plug and Play" alternative for stock or high-performance GM TPI and LS engines. This set includes: HP ECU, harnesses, communication cable, software, and a wide band 02 sensor designed to be used with GM engines with factory GM coils. The HPECU is equipped with 4 programmable inputs and 4 programmable outputs allowing the user to configure the system to support a wide range of controls including boost control, progressive nitrous, water/methanol injection, speed inputs, fuel pump control, AC inputs, timing retard inputs, and various other uses.

TPI and Holley Stealth Ram™ - HEI Ignition H550601 Bosch O2 sensors 2360.99 set H550601N NTK O2 sensors 2561.99 set

LS1 and LS6 w/24X Crank Sensor - Bosch Injector Harness Connectors H550602 Bosch O2 sensors 2197.99 set H550602N NTK O2 sensors 2650.99 set

LS2, LS3, and LS7 w/58X Crank Sensor - EV6 Injector Harness Connectors H550603 Bosch O2 sensors 2197.99 set ... 2650,99 set H550603N NTK O2 sensors

LS2, LS3, and LS7 w/58X Crank Sensor - Bosch Injector Harness Connectors H550607 Bosch O2 ser Bosch O2 sensors 2441 99 set H550607N NTK O2 sensors... 2650 99 set



FFI Fuel System Set

Holley EFI fuel system sets are available in a number of configurations, with and without fuel pumps or return lines. Every set includes 20 feet of 3/8" Earl's Vapor Guard fuel hose, a post filter, and the necessary fittings for installation. Sets with fuel pump include pre-filters and return style sets include an extra 20 feet of hose and a fuel tank bulkhead fitting

Note: Additional components may be necessary for some applications

Without F	Return Line		
H5269	without pump	177.99	sc
H5265	with pump	370.99	sc
With Retu			
H52610	without pump	291.99	SC
H5267	with pump	446.99	sc











classic gold

H550444K

3160 99 set

Exhaust Headers

1967-02 Hedman Hedders

HEDMAN HEDDERS

Classic Industries® stocks Hedman Hedders™ for 1967-02 Firebird models. These units are designed to replace the heavy, and restrictive factory manifolds with tubular steel manifolds. These Hedders are not only lighter, but will also increase your Firebird's performance. Tork-Step Hedders feature an innovative design that allows for an increased overall torque curve. Sets are complete and ready to bolt-on. Includes collector and header to head gaskets. collectors, and bolts. We offer Hedman Hedders for use with or without air injection (smog tubes). Get more performance from your Firebird without breaking the bank, and do it with a name you can trust in the header business... "Hedman".



Note: These headers are intended for off highway use only and are not designed for use on California vehicles with pollution control devices. Shipped oversize.





													The Carlo
Part#	Year	Engine	See Notes	AC	PS	AT Column	AT Floor	MT Column	MT Floor	Smog Notes	Tube Dia.	Coll Dia.	Price
35271	1967-69	326-455	1, 10, 23	Y	Y	Y	Y	N	Y	C	1-3/4"	3"	324.99 set
28140	1967-81	326-455	1, 2, 4, 6, 10, 23, 45, stepped	Y	Y	N	Y	N	N	C,I	1-5/8"-2"	3"	307.99 set
28150	1970-81	326-455	1, 4, 6, 10, 23, 45	Y	Y	N	Y	N	Y	C,I	1-3/4"	3"	345.99 set
28164	1970-79	326-455	1, 6, 15, 45, stepped	Y	Y	N	Y	N	N	D,*	1-5/8"-1-3/4"	3"	348.99 set
68460	1982-91	283-400	1, 6, 45, 103, 109, 121, 131, 135	Y	Y	Y	Y	N	N	D,*	1-5/8"	3"	292.99 set
68470	1982-91	283-400	1, 6, 15, 45, 103, 121, 131	Y	Y	Y	Y	N	Y	D,*	1-5/8"	3"	266.99 set
68481	1982-91	283-400	4, 5, 15, 103, 121, 131, 144, TEMS, Sgl Cat	Y	Y	Y	Y	N	Y	X	1-5/8"	stock	461.99 set
68534	1998-02	5.7L LS1 tork step	1, 6, 45, full length	Y	Y	N	Y	N	Y	D,*	1-1/2"-1-5/8"	3"	467.99 set

Hedman Hedder Notes

- Three tube design
- Includes parts pecessary to retain emission devices (50 state)
- With A.I.R. system. 6) Modification to stock exhaust required to retain catalytic converter
- Except round ports.
- ortie Hedder (Max. ground clearance). 161
- Check non-Tork Step listings for same part number replacing last digit with a zero. Pay special attention to emission footnotes.
- me heads require drilling and tapping of end holes
- 16 gauge tubing.

 Not legal for sale or use in California on pollution controlled motor vehicles.

 Will not fit Saginaw close ratio ps with 825 power steering box.
- **Hedman Hedder Notes Continued** Will fit with angle plug heads (Chevy aluminum only). 103)
- 100) Dual exhaust only. Limited ground clearance.
 - Must modify rotary AC bracket. Chevrolet engine.
- 131 135 Transmissions limited to TH700R4 and TH350.
- 144 Complete with Y-Pipe to single catalytic converter. Complete with dual Y-pipe to dual catalytic conve-
- 167) Must use part #21107 oxygen sensor reducers, not supplied with Hedder.

Hedman Hedder Emissions Notes

- Not applicable or intended for street or highway use. Legal only for racing vehicles which may never be used upon a street or highway. For vehicles 1964 through 1974 without A.I.R. system, considered as OE
- C)
- replacement parts when existing emission controls are not removed from vehicle. Not legal for sale or use in California. 1975-79 only, 50 state legal for these years only.
- T.E.M.S. (Tubular Exhaust Manifold Systems) are 50 state legal for years listed in catalog only

1970-81 Competition Headers





Hooker Competition headers offer the best value in the high performance header market. Designed for the value conscious buyer who is running either a "stock" or "mildly modified" engine, Hooker Competition headers offer premium features at a very competitive price. Made of durable 16 gauge mild steel tubing, the Hooker Competition header design utilizes a long transition collector to reduce back pressure and increase exhaust flow. A perfect sealing surface is assured with the 5/16" machined flanges, with welded o-ring seals. Experience has proven that this flange size is ideal to maintain header integrity and be pliable enough to seal each exhaust port. Tubing is mandrel bent to maintain metal strength and provide consistent tube diameter at radii to maximize performance.

te: Shipped overweight. Dainted Hands

	ompetition stant paint.	headers have a standard finish that features a heat-	cured, high	
4901	1970-79	Pontiac engines	305.99 pr	
2451	1978-81	Chevy small block	238.99 pr	



I			Ceramic Coated Headers	
	These H Barrier C		etition headers have the famous Hooker Ceran	iic Thermal
	49011	.oating. 1970-79	Pontiac engines	579.99 pr
	24511	1978-81	Chevy small block	

1967-81 Doug's Headers Doug's headers are carefully developed to fit each HEADERS specific vehicle application. Doug's headers are available for 1967-81 Firebird models with small block or big block V8 engines, with and without air injection ports, and with console or

column shifters. Heavy-duty machined and finished header flanges, the smooth mandrel bends tubes, and a protective Metallic Ceramic Thermal Barrier Coating (MCTBC) make Doug's Headers an excellent choice for exhaust system performance.

noug's o

Important: These headers are intended for off-highway use only and are not designed for California vehicles with pollution control devices. Be sure to read the important notes listed on the bottom of this wave pertaining to each header system for

	application										.,	page permaning to each neuter s	्रवाजा 🔥
	265-455 Engine												
		\$mog	Tube Diameter	Cell Diameter	NC.	PB	PS	AT	AT Floor	MT	MT	See Notes	
D Pon			Distilleces	Diameter				00L	11001	out.	1100		
D Pon 8569	1967-69	Δ	1-3/4"	3"	v	v	v	N	v	N	v	44 45	786.99 set
8570	1970-74	A	1-3/4"	3"	Ŷ	Ŷ	Ŷ	N	Ŷ	N	Ŷ	44,45 44,45	809.99 set
	as Cylinda	er H	ad Port									•	
8368	1967-69	A	1-3/4"	3"	N	Y	Y	N	Y	N	Y	36,52,92,93 92,95,96 92	730.99 set
8324	1970-81	Α	1-3/4"	3"	Y	Y	Y	Y	Y	N	Y	92,95,96	764.99 set
8326	1970-81	Α	1-7/8"	3-1/2"	N	Y	Y	Y	Y	N	Y	92	895.99 set
Oval I	Port											•	
8304	1967-81	Α	1-5/8"	3"	Y	Y	Y	Y	Y	N	N	5,36,52,92,93,96,202,214	718.99 set
8308	1967-81	Α	1-5/8"	3"	Y	Y	Y	N	Y	N	Y	5,36,52,92,93,96,202,214 36,92,93,96,214	662.99 set
						3	96	50	2 En	air	ıe.		
Round	l Dort						_	_					
коин 8319	1967-69	IΔ	2-1/8"	13-1/2"	I N	ıv	I N	ıv	ıv	ΙN	ıv	69	820.99 set
8568	1967-69		1-7/8"	3-1/2" 3-1/2" 3-1/2" 3-1/2"	v	v	v	N	v	N	v	36 44 47	871.99 set
8581	1970-74		1-7/8"	3-1/2"	v	v	v	N	v	N	Ŷ	36,44,47 44,45	909.99 set
8523	1970	A	2*	3-1/2"	v	v	v	N	v	N	v	36	966.99 set
	As Cylind		ead Port	5 1/2	•	•	•	.,	•	.,	•		700.77 300
mille .	Cyunu		1 0/1										

8320 8328	1967-69	A	2" 1-7/8"	3 1/2" 3-1/2"	Y N	Y	
5) 36)	Shorty desig	n for	maximur lar baade	n ground	clean	ance.	

1967-69 A

- Will fit Edelbrock Performer, RAM-Air, Super Duty and HO heads only. 441 Vehicles with locking steering columns require
- linkage removal. Some heads require drilling and tapping of end holes.

 Applications with scatter shield or factory bellhousings
- ith dual starter pockets must use Fram oil filter PH3675 or equivalent. not fit with Saginaw close ratio 825 steering box
- Big block frame stands and motor mounts must be used to insure proper engine location and header fit. Will fit most angle plug heads.
- Requires removal or modification of locking steering

- columns if equipped. Reducers available with O2 sen Installation requires a left side AC bracket 7608. 1979 and later vehicles with short compressors can use the
- stock hmcket Will fit with Detroit Speed & Engineering front subfra with rack and pinion steering.

 Must use non-shell type motor me

810 99 se

769.99 set

RHI

RHI

The product accompanying this document is legal only for off-highway use (except in California or states that have

for off-highway use (except in Catiforma or states that have adopted California emission standards), racing use or for pre-emission controlled motor vehic les/motor vehicle engines (pre-1974 domestic vehicles certified to California standards, pre-1974 domestic vehicles certified to federal standards and all pre-1974 foreign vehicles), per the manufacturer's application guide.

1998-02 Full Length Stainless Steel Racing Headers ARH full length stainless steel header and Y-pipe

sets for 1998-02 Firebird models. The headers are fabricated from aircraft quality T304 stainless steel and feature 3/8" thick round port flanges with hand ported inlets and fully welded custom sized merge collectors with scavenger with spikes standard.

American Racing Headers will provide excellent ground clearance and are a direct bolt-in installation for General Motors 4th Generation Firebird models. Includes: gaskets, clamps O2 extension harness and har

RH15028		1-3/4" and 3" Y-pipe
RH15028		1-3/4" and 3" Y-pipe
RH15029		1-7/8" and 3" Y-pipe
RH15029	1 1998-99	1-7/8" and 3" Y-pipe
RH15028	0 2000	1-3/4" and 3" Y-pipe
RH15028	1 2000	1-3/4" and 3" Y-pipe
RH15028		1-7/8" and 3" Y-pipe
RH15028	3 2000	1-7/8" and 3" Y-pipe
RH15028	4 2001-02	1-3/4" and 3" Y-pipe
RH15028		1-3/4" and 3" Y-pipe
RH15028	6 2001-02	1-7/8" and 3" Y-pipe
RH15028	7 2001-02	1-7/8" and 3" Y-pipe



without catalytic converters	1593.99	
with catalytic converters	1750.99	
without catalytic converters	1620.99	
with catalytic converters	1778.99	
without catalytic converters	1593.99	
with catalytic converters	1750.99	
without catalytic converters	1620.99	
with catalytic converters	1778.99	
without catalytic converters	1593.99	
with catalytic converters	1750.99	
without catalytic converters	1620.99	
with catalytic converters	1778 99	SC



1967-81 Full Length Stainless Steel Racing Headers

ARH full length stainless steel headers for 1967-81 ARH full length stainless steel neaders for 1907-91.

Pontiac Firebird. They are fabricated from aircraft quality T304 stainless steel and feature 3/8" thick round port flanges with hand ported inlets and fully welded custom sized merge collectors with scavenger. with spikes standard. American Racing Headers will provide excellent ground clearance and are a direct bolt-in installation for Firebird models.

ote:	*Stepped	head	ers

1967-69		
RH150089	1-5/8" with 3" collector	
RH150088	1-3/4" with 3" collector	
RH150090		1405.99 se
RH150091*	1-7/8"-2" w/3" collector	1989.99 sc
1970-81		
RH150083	1-5/8" with 3" collector	1350.99 sc
RH150082	1-3/4" with 3" collector	

RH150083 RH150082	1-5/8" with 3" collector 1-3/4" with 3" collector	1372.99 sc
RH150084	1-7/8" with 3" collector Big Block	1405.99 se
1967-69 RH150066	1-7/8" with 3" collector	1427.99 se

LS Swa	p w/Stock Front Sus	pension
RH150071	2-1/8" with 4" collector	
RH150070		1703.99 se
RH150069		
RH150068	2" with 3-1/2" collector	1593.99 se
RH150067	1-7/8" with 3" collector	

	p w/Stock Front Sus	pension
1967-69		
RH150073	1-3/4" with 3" collector	
RH150076	1-7/8" with 3" collector	
RH150079	2" with 3" collector	
RH150081	2" with 3-1/2" collector	1482.99 set
1970-81		

RH150085 RH150086 RH150087	1-3/4" with 3" collector 1-7/8" with 3" collector 2" with 3" collector	1361.99 set
	/Detroit Speed Front S	uspension
1967-69		
RH150072	1-3/4" with 3" collector	
RH150075	1-7/8" with 3" collector	1383.99 set

Swap :	w/Art Morrison Front S	uspensio
50080	2" with 3-1/2" collector	
50078	2" with 3" collector	1493.99 sc
50075	1-7/8" with 3" collector	1383.99 se

RH150074 1-7/8" with 3" collector .. 1359.99 set RH150077 2" with 3" collector....... 1537.99 set



Header Collector Reducers

These welded, 12" extended length reducers connect your headers directly to your Pypes X-pipe to eliminate unnecessary seams, clamps and extra work. They are constructed of polished 304 stainless steel. Limited

P1044	3" header flange to 2-1/2" pipe	87.09 pr
P1045	3" header flange to 3" pipe	87.99 pr
P1046	3-1/2" header flange to 3" pipe	89.99 pr
D1047	2 1/2" hander flange to 2 1/2" pine	











Exhaust Manifolds







Ram's Horn Exhaust Manifolds

These exhaust manifolds are based on the famous high-performance small block Chevy Ram's Horn manifolds from the 1950's and 60's. Manufactured from heavy cast iron without air injection ports or alternator/generator bracket provisions. Available in raw cast iron, black ceramic, silver ceramic or with a heavy chrome finish. Includes mounting hardware and gaskets. Sold in pairs.

te: Not legal for use on pollution controlled vehicles. A7700103 152.99 pr raw cast A7700104 black ceramic 253.99 pr A7700105 silver ceramic .. 272.99 pr



Exhaust Manifold Dressing

Apply this non-toxic manifold dressing to your manifolds with a cloth and polish them to a silvery shine. One 3 ounce container will do approximately 3 sets of manifolds, Exhaust manifold dressing is burn proof up to 1800 degrees Fahrenheit.

15 99 ca 3 ounce can



1967-68 Ram Air I Exhaust Manifold 🔥

Reproduction 1967-68 Ram Air I D-port long branch exhaust manifolds were originally installed on 1967-68 Pontiac Firebird Ram Air models with Pontiac engines and D-port heads. These high-performance reproductions are designed and manufactured from high grade cast iron in the USA. Manifolds have 6 bolt holes and a 2 bolt flanges each, and require 2-1/2" head pipes. Flanges sold separately. Gaskets not included. portant: When using these manifolds on 1967-68

Firebird models with a 1970 or newer engine, a different oil filter. Part #5579457 (currently unavailable from GM or as a reproduction) from a 1966 GTO has the proper offset of approximately 120 degrees which allows for the clearance needed

ote: To properly mount the RH manifold on a non-Ram Air

ASII'2

the RH manifold to clear the oil filter.					
Exhaust Manifolds - D-Port Long Branch					
EM67927L	1967-68	LH			
EM67927R	1967-68	RH			
EM67927PR	1967-68	LH and RH	503.99 pr		
Manifold Flange					



1968-69 Ram Air II/IV Exhaust Manifold

Reproduction 1968-69 Ram Air round-port exhaust manifolds were originally installed on 1968 Ram Air II and 1969 Ram Air IV Pontiac Firebird models with Pontiac engines and round port heads. These high-performance reproductions are designed and manufactured from high grade cast iron in the USA. LH manifold has 5 bolt holes and a 2 bolt flange. RH manifold has 5 bolt holes and a 3 bolt flange. Both manifolds require 2-1/4" head pipes. Flanges sold

separately. Gaskets not included Exhaust Manifolds - Round-Port

	EM68422L EM68422R		LH 2 bolt flange RH 3 bolt flange	
	EM68422PR		LH and RH	
۱	Manifold Fla			
-	EMF1002	1968-69	2 bolt flange	16.99 ca
۱	EMF1003	1968-69	3 bolt flange	16.99 ea



USA

1970 Ram Air III Fxhaust Manifold

Reproduction 1970 Ram Air III D-port exhaust manifolds were originally installed on 1970 Pontiac Firebird Ram Air models with Pontiac engines and D-port heads. These high-performance reproductions are designed and manufactured from high grade cast iron in the USA. LH manifold has 5 bolt holes and a 2 bolt flange, RH manifold has 4 bolt holes and a 3 bolt flange. Both manifolds require 2-1/4" head pipes. Flanges sold separately. Gaskets not included.

Ex	haust Ma	nifolds -	- D-Port		
ΕN	468321L	1970	LH 2 bol	t flange	184.99 ea
ΕN	468321R	1970	RH 3 bol	t flange	184.99 ca
EN	468321PR	1970	LH and F	RH 4	422.99 pr





LS Cast Iron Exhaust Manifolds

These Hooker cast iron exhaust manifolds are designed to hug the engine block closely so they will work with a variety of LS engine swaps or as a replacement. The contoured shape increases flow and performance over stock manifolds with a traditional look. Fits all LS engines up to 500 horsepower except LS7 and LS9. Made from hi-silicon ductile iron for years of durability and corrosion resistance. Available in a range of different finishes.

Important: Not C.A.R.B. certified and may not be legal for

use in soi	не магез он рошинон соштоней чени		
85010	raw finish	364.99	p
85013	black ceramic finish	485.99	p
85011	silver ceramic finish	485.99	p
85014	titanium ceramic finish cast iron gray ceramic finish	485.99	p
85015	cast iron gray ceramic finish	485.99	p

Exhaust Manifold Parts



1970-80 Exhaust Pipe Packing Gasket

Replacement exhaust pipe flange gasket for various makes and models including Chevrolet and Pontiac. They are designed to meet or exceed OE specifications for quality, fit, and function. 1 for 6 cylinder, 2 for V8 engines. Measures: 2" i.d. x 2-1/2" o.d. Sold individually

31400 1970-80 4 99 ca



1967-74 Exhaust Manifold Flange 3 Bolt Reproduction 3 hole iron exhaust manifold flange for

1967 Ram Air/HO (both sides), 1968-1974 Ram Air IV/ Ram Air III, 1971-1972455 HO and 1973-1974 SD-455 models (RH side). Connects the exhaust manifold to the head pipe on Ram Air and HO engines.

EMF1003 1967-74 Ram Air/HO 16.99 ea



1972-74 Exhaust Manifold Flange 2 Bolt

Reproduction 2 hole iron exhaust manifold flange for 1970-74 Ram Air III/Ram Air IV. 1971-72 455 HO and 1973-74 SD-455 models. Fits LH manifold. Connects the exhaust manifold to the head pipe on Ram Air and HO engines.

FMF1002 1972-74 Ram Air/HO 16.99 ea



1969 Exhaust Manifold Flange 2 Bolt Reproduction 2 hole iron exhaust manifold flange for

Ram Air III models that use the "long branch" exhaust manifolds. Connects the exhaust manifold to the head pipe on Ram Air III engines with "long branch" manifolds (originally 1969 models). EMF1012 Ram Air w/"long branch" 19.99 ea



1967-74 Exhaust Manifold Lock This reproduction exhaust manifold lock is manufactured

to keep your exhaust manifold bolts from inadvertently loosening up.

523540 except 307. 1.99 ca



1977-79 Exhaust Manifold Bolt Locks

Reproduction exhaust manifold bolt locks for 1977-79 Trans Am models with 403ci Oldsmobile engine. These are used to lock exhaust manifold bolts in place after they are tightened down. 2 locks per side. 1977-79 Olds 403 16 99 set

1977 Upper Heat Stove OER® reproduction exhaust manifold upper heat stove

which is used with the air heat tube to preheat the air cleaner thermo-sensor This item mounts on the RH

(passenger side) exhaust manifold. The air tube is inserted into this item. 338471 1977 305-U



1968-69 Exhaust Manifold Heat Shield

Reproduction exhaust manifold heat shield for 1968-69 Firebird models with standard exhaust manifolds. Features the factory style silver cad-plating. F12373 1968-69 non-Ram Air 79.99 ea



1968-72 Exhaust Manifold Heat Shield

Reproduction exhaust manifold heat shield for 1968-72 Firebird/Trans Am models with Ram Air III, D-port exhaust manifolds. Features the factory style silver cad-plating. F12374

1968-72 Ram Air III...... 79.99 ea



1969-72 Exhaust Manifold Heat Shield Reproduction inner and outer exhaust manifold heat

shields for 1969-72 Firebird/Trans Am models with Ram Air IV or HO exhaust manifolds. Features the correct gray phosphate finish. F12376 1969-72 RA IV/HO - inner 29.99 ea F12375 1969-72 RA IV/HO – outer 79 99 ca



Aluminum Collector Gasket Set

Soft conforming aluminum gaskets easily conform to the collector flanges for a superior seal. Each set includes 2 gaskets and 6 nuts and bolts. 2-1/2" collector ... 67920 13 99 set

67927 3" collector... 15 99 set 67928 14 99 set 3-1/2" collector



Soft Conforming Aluminum Header Gaskets Soft conforming aluminum gaskets easily conform

to the header flanges for a superior seal. Each set includes 2 gaskets.

Chevrolet SB, square port 23.99 pr

Air Injection Tube Eliminator Plug Correct block-off plug used when

converting currently produced exhaust manifolds with holes for smog tubes, back to pre-smog usage. Each V8 manifold requires 4 plugs per side. 6 cylinders may vary. EMP330 all





1969-72 Intake Crossover Chimney 🔥

Reproduction heat stove chimney for 1969-72 Firebird/ Trans Am models with Ram Air IV or HO manifolds. Mounts on the intake manifold crossover and provides a connection for the ducting to the Ram Air pan. F12377 1969-72 Ram Air IV/HO 29.99 ea



1977-81 Lower Heat Stove

This lower heat stove was originally installed on 1977-81 models. For use with V8 small block engines as listed 19,99 ca 338473 1977 305-U

1978-79 338473 305-G. 305-U. 350-L. 19.99 ca 338473 1980-81 267 305-H









1977-79 Trans Am Exhaust Manifold Rolts 🔥

Reproduction exhaust manifold bolt set for 1977-79 Trans Am models with 403ci engine. This 20 piece bolt and washer set will mount the exhaust manifolds

1977-79 27.99 set TA4012



1967-81 Ram Air Exhaust Manifold Bolts 🔥

Exhaust manifold bolts for 1967-81 Ram Air vehicles. These bolts match the factory style and specifications, featuring the correct head markings and black oxide coating. Each set includes original style lock tab washers.

400-428ci RA & HO Long Branch A8700124 1967-69 16 pc 24.99 set 389-455ci RA & HO D-Port

A8700125 1968-81 13 pc 47.99 set 400-455ci RA II. IV & HO Round Port A8700126 1968-74 14 pc 47.99 set



Includes all original style Hex head bolts for small block or big block headers. Choose from polished stainless or chrome. Small block sets include 12 bolts and big block sets include 16 bolts. AK119A SB chrome.... 16.99 set AK119B SB stainless.. 29.99 set BB chrome.... 21.99 set AK118A AK118B BB stainless .. 41.99 set



Small Head Header Rolt Set

These 12 piece small head bolt sets are designed to replace regular Hex head bolts for easier access and fewer skinned knuckles. Available in both black oxide and zinc finishes Black Oxide Hex Head

66341 3/8"-16 x 3/4" ... 5.99 set Zinc Hex Head 3/8"-16 x 3/4" ... 6.99 set 17970 3/8"-16 x 1"



Wedge Locking Header Rolts

PROFORM Grade 8 (12.9 steel), Hex type header bolts were designed to keep bolts from backing off. These permanently assembled bolts feature special washers with super hardened serrated teeth that when sufficiently torqued, the washers bite into and grab the bottom of the bolt head and the top surface of the header. After being self-locked in this manner, any bolt loosening rotation is blocked by a wedge locking action created by the washers interfacing, matching cams. Engine vibration increases the tension making them even more secure! They are reuseable and you can count on them to not fail. Available in different sizes

Note: Image for illustra *1979-earlier, SB 265-400. **BB 396-502/

3/8"-16 Thread Diameter - 3/4" Long 66751* set of 12...... 30.99 set 66752** set of 16... 34.99 set 3/8"-16 Thread Diameter - 1" Long 66753* set of 12 31 99 set 66756** 34.99 set set of 16. Collector Nuts and Bolts

66757

USA

set of 6 24.99 set



Header Rolt Set

The compact 12 point nut version lets you easily slip a socket close to the pipe. Each ARP bolt set includes the specific number of parts for your application.

plus premium quality washers and Hex or 12 point nuts, as required. Each small block set contains 12 bolts and each big block set contains 16 bolts. Made in USA ct

	k=3/8" Dia		
	black		
	stainless	3/4"	22.99 set
AR11111	black	1"	20.99 set
AR41111	stainless	1"	34.99 set
	k - 3/8" Di		
AR1121	black	3/4"	16.99 set
AR1121 AR4121	black stainless	3/4"	16.99 set
AR1121	black stainless	3/4" 3/4"	16.99 set

1993-97 LT1 Heat Stove/ Shield Mounting Pin

This is the factory mounting pin used to mount the air heat stove or exhaust manifold heat shield to the exhaust manifold. Fits 1993-97 LT1 Firebird models. G7020 1993-97



1978-97 Header Bolts /

Dress-up your Firebird with these one-of-a-kind dress-up bolt sets. The Pontiac Arrowhead, GT or flames logo is stamped directly onto the head of the bolts. They are available in decorative chrome-plated or polished stainless steel versions. What better way to make a statement than with these unique bolts? Fits 1978-87 Firebirds with small block Chevy engines.

Note: Must specify logo Suffix: A -Arrowhead, B - GT logo, C - Flames.

Chrome-			
56461C	1978-87	SB	26.99 set
56418C	1978-87	SB - 1"	26.99 set
56488C	1978-87	BB	36.99 set

Stainless Steel 56461S 1978-87 SB... 35.99 set 56418S 1978-87 SB - 1" 26.99 set



1968-79 Heat Riser Set 🔥

This heat riser set connects the exhaust manifold heat shroud to the air cleaner. Each set includes an OE style black paper duct tube, air cleaner elbow, and correct style upper and lower clamps. Clamps also available separately. Note: Ram Air IV engines require two sets

All other models only require one set. A8700182 heat riser tube 29.99 set A8700183 lower clamp ... 3.99 ea A8700184 upper clamp ... 3.99 ca



TPI 305/350 Cold Start Injector Delete Set TPI 305/350 cold start injector delete

set for 1985-88 Firebird models. This set allows you to remove the cold start injector from your TPI intake. Includes plug for the LH side runner, and for the rear of the fuel rail. Mounting hardware is included A9701345 1985-88 305 44.99 set A9701345 1987-88 350 44.99 set ACDelco



1985-02 Oxygen Sensor 📤

This often overlooked item is a very important component in your late model Firebird. Controlling both the fuel and ignition systems, a bad oxygen sensor can lead to problems such as poor fuel economy, increased emissions, failed catalytic converters and poor driveability. The ease of which these sensors can be replaced is frequently misunderstood. It is highly recommended that you test and/or replace your sensor at every tune-up and before submitting your vehicle for emissions testing.

Note: *Fr	ont.			
34752	1993-95	3.4L	25.99	ea
34753	1995	3.8L	143.99	ea
34754	1996-97		95.99	ea
34754*	1996-97	5.7 LT1	95.99	ea
34754	1998-02	5.7 LT1	95.99	ca

PAINLESS.



Oxvgen Sensor Fitting 🔥 This is a weld-in oxygen sensor fitting

for all fuel injection systems. 60406 7 99 ca

mblablar



Oxvaen Sensor Plua

When retrofitting a carburetor on late model engines, an oxygen sensor is not necessary. This plug seals the oxygen sensor bung on headers and exhaust manifolds. Made from trivalent chromium-plated steel with a M-18 thread size to fit most stainless headers. 222734 M-18 thread plug 15.99 ea

Oxvgen Sensor Socket

Removes and installs oxygen sensors on most domestic and some foreign vehicles as well. Includes special 7/8" socket with cutaway slot to provide clearance for wire harness Provides adequate depth to fit over sensor. Heat treated alloy steel. Use with 3/8" square drive or wrench



12.99 ca

Y12000







1967-92 Replacement Smog Pump 🔥

These remanufactured smog pumps are just what you'll need to replace your non functioning or missing original. We offer these pumps for various engine sizes and are available for 6 cylinder and V8 model vehicles. Each pump is remanufactured using new bearings and every pump is computer tested for quality and reliability. No-exchange is required when purchasing a smog pump.

No Core Exchange Required

11132A	1967		202.99 ca
11114	1972-75	with AC	209.99 ca
11118	1972-75	without AC	145.99 ca
11118	1976	all	145.99 ea
V6			
11118	1977-79	231ci, 3.8	145.99 ca
32212	1980-81	231ci, 3.8	169.99 ca
32436	1982-84	173ci, 2.8	110.99 ca
32408	1985-86	173ci, 2.8	139.99 ca
32426	1987-89	173ci, 2.8	144.99 ca
32426	1990-92	189ci, 3.1	144.99 ca
V8			
11132A	1967	326ci	202.99 ca
11114	1973-79		209.99 ca
32207	1980	301ci	145.99 ca
32410	1981	301ci	139.99 ca
32212	1982-86	305ci	169.99 ca
A32270	1987	305ci, 350ci	142.99 ca
32431	1988-92	305ci, 350ci	139.99 ca



Socket Assist Set

Essential tool for bolts with tight clearance like spark plugs and header bolts! 12 point for maximum finger traction. Set of three including: 1/4" x 1/4", 1/4" x 3/8", 3/8" x 3/8" (12 point x socket drive size). These belong in every tool box. 67575 3 piece. 11 99 set

A970140B

1998-00 LS1 EGR/Smog Block Off Set

LS1 EGR smog block off set for 1998-00 Firebird models. This set includes: 1 LS1 EGR intake block off, 1 EGR block off plate for RH side exhaust manifold. and 2 smog block off plates for both LH and RH exhaust manifolds. Offered in brushed aluminum or black. Mounting hardware is included.

Δ970140Δ 1998-00 brushed 111.99 set 1998-00 black 111 99 set



1998-00 LS1 EGR & Smog Block Off Plates

LS1 EGR and smog block off plate set for 1998-00 Firebird models, This set includes: 1 EGR block off late for RH side and 2 smog block off plates for both LH and RH. Offered in brushed aluminum or black. Includes mounting hardware.

A970141A A970141B	1998-00	black	



LS1 Smog/Air Pump Tube Block Off Plate LS1 smog/air pump tube block off plates for 1998-02

Firebird models. For use on exhaust manifold/header. Available in brushed aluminum or anodized black. Includes mounting hardware.

Note: 2 required. Δ970143Δ 1998-02

20 00 00 brushed 1998-02 A970143B black 20 00 00 gm



1973-75 Diverter Valve Tee

Correct GM replacement T-connector for use wherever a 3/16" T-connector is needed for 1973-75 models. 1973-75 G5135 all



1998-00 LS1 FGR Block Off Plate

LS1 EGR block off plate for 1998-00 Firebird models This plate is used to block off EGR on exhaust manifold/ header Available in brushed aluminum or anodized black. Mounting hardware is included.

Note: Only 1 required for RH exhaust manifold. A970144A 1998-00 brushed A970144B 1998-00 black 29.99 ea



1987-92 L98 TPI 305/350 EGR Block Off L98 TPI 305/350 EGR block off plate delete set for

1987-92 Firebird models. This Chevrolet L98 TPI EGR block off set includes both the EGR and exhaust tube block off plates. Made from 3/8" thick 6061-T6 aluminum. Mounting hardware is included. A9701343 1987-92 brushed



1993-97 LT1 EGR Block Off Plate Set

LT1 billet aluminum EGR block off plate for 1993-97 Firebird models. This set includes the 3 necessary plates needed for the removal of the EGR system. Intake and header plates CNC-machined from 6061 aluminum. Mounting hardware is included. A9701330 1993-97...

1993-97 LT1 Smog Plugs

Billet aluminum smog/air block off plugs for 1993-97 Firebird models with a LT1. Made from 6061 aluminum and designed to plug the air injection ports in both exhaust manifolds.



Note: For 1995 vehicles, please check your ufacture date before ordering

Δ9701313 1993-95 E95. A9701312

44.99 pr 44.99 pr 1995-97 1.95 3.8L EGR Intake & Exhaust Block Off Plates

EGR intake and exhaust block off plates for 1995-02 Firebird models with 3.8L V6. This set includes 2 EGR plates, 1 for I H side exhaust manifold and 1 for the intake manifold. Available in brushed aluminum



1995-02 A9701336 black 64 99 set EXHAUST HARDWARE













1967-81 Manifold Down Pines

Not all performance enthusiasts use collector style headers, so Pypes has designed 2-1/2" down pipes for log style, rear exit exhaust manifolds to fit your Pypes header back systems. These down pipes are made from 409 stainless steel and mandrel bent 16 gauge tube that fit directly onto factory cast iron manifolds, and slip into the header back systems. Manifold flanges

are alrea	ady installed	i.	
Note: Sh	ipped double	oversize.	
2-1/2" !	System		082
P1091	1967-69	long branch	147.99 pr
P1092		2 bolt flange	167.99 pr
P1093		2 bolt flange	160.99 pr
P1088	1970-81	3 bolt flange	165.99 pr
	r-HO Mani		
P2023	1967-77	(1) 2 bolt/(1) 3 bolt flange	163.99 pr
P2033	1967-77	(2) 3 bolt flange	162.99 pr



1967-81 Manifold Down Pines

Not all performance enthusiasts use collector style headers, so Pypes has designed 2-1/2" down pipes for log style, rear exit exhaust manifolds to fit your Pypes header back systems. These down pipes are made from 409 stainless steel and mandrel bent 16 gauge tube that fit directly onto factory cast iron manifolds, and slip into the header back systems. Manifold flanges are already installed. ote: Shipped double oversize.

1967-81 2-1/2", 3 bolt. 161.99 pr



Header Collector Ball Flange Set

This header collector set takes the place of messy three bolt, flange type connections and allows for a leak free and gasket free ball flange type connection. F15923 3-1/2" collector to 3" system 135.99 set 3" collector to 2-1/2" system 126.99 set F15925



1986-89 Manifold Y-Pine Seiis

These Y-pipes are manufactured in 100% stainless steel and designed to complement crossmember back exhaust systems. Mates to OEM manifolds and fits to 2-1/2" tubes. Made in USA.

16450 1986-89 small block 259.99 ea



Universal Balance Pine Set

Flowmaster offers a pre-fabricated universal balance pipe set to ease the installation of a crossover pipe in a dual exhaust system. Set includes: T-pipe connectors, balance pipe and clamps.

F15920 2-1/2"



Tru-X and Y-Pines

The more gentle radius of these X- and Y-pipes allow for better exhaust gas scavenging, noise cancellation and better balance between cylinder banks. The result is a significant increase in power and torque, but a reduction in dB sound levels

2-1/2" dual in/out x 9-1/2" long 141 99 ea

75 99 ca

P1078

10782	3" dual in/out x 13.2" long	147.99 ca
Crossover		
10790	2-1/4" dual in/out x 12" long	
10791	2-1/2" dual in/out x 12" long	126.99 ea
10792	3" dual x in/out x 14" long	133.99 ea
Y-Pipe		
10748	2-1/2" single, 2" dual	74.99 ca
10758	2-1/2" single, 2-1/4" dual	74.99 ca
10768	2-1/2" single, 2-1/2" dual	74.99 ca
10778	3" single, 2-1/2" dual	97.99 ca



1967-81 Tunnel X-Crossover Since a V8 fires alternately, exhaust exits in pulses rather than a steady flow. While one pipe is filled with pressure the other pipe is relatively pressureless, but connecting the two pipes in a Siamese pattern allows pressure to be equalized between the two tailpipes. This action allows the exhaust to pass through quicker for better breathing that increases horsepower. The Pypes crossover product line is defined by a high-quality, exceptionally versatile design. They are a proven winner when it comes to bumping up the horsepower of your daily driver or race car. Pypes tunnel X-crossover fits a variety of 1967-81 Firebird models with easy installation. All crossovers are made of 409 stainless steel with dual reinforcement plates at the welds where they are needed most. All pipes are mandrel bent to allow for the maximum flow of exhaust gasses, which boosts acceleration. Limited lifetime warranty.

t: Modification to the body pan brace is required on 1967-69 convertible models. In order to utilize this X-pipe, it is necessary to either add a body pan designed to allow clearance for the X-pipe assembly, or remove the body pan and install subframe connectors. If using stock, cast iron manifolds, add a set of down pipes to connect

Force	P1067	1967-81	3"	264.99 ea
-------	-------	---------	----	-----------



1967-81 X-Crossover Dumo Leas

These dump legs replace the front legs of the X-pipe crossover. Strategically located for maximum ground clearance. All dump legs include block-off plates and hardware. Manufactured in 409 stainless steel with mandrel bends to allow for the m aximum flow of exhaust gasses. Add the optional electric exhaust cutouts (sold separately) and make un-corking your exhaust as easy as flipping a switch. Note: *Connects to any 2-1/2" exhaust with an approximately 12" straight section and enough clearance for

e motor/valve assemblies X-Crossover Dump Legs 145 99 set 1967-81

10798

3" pipe, 3" dual.

157 99 set



1967-69 Aluminized Tailpine

OEM style tailpipes which are aluminized offering a superior appearance to the coated style originals Long-lasting and effective against salt road winters. 17 99 ca

E253 E258	1967-68 1969	RH LH and RH		0
E236	1909	Ln and Kn	94.99	ŀ



1970-92 Aluminized Tailpipe OEM style aluminized tailpipes offer a superior

appearance to the coated style originals. Long-lasting and effective against salt road winters. Note: *Shipped oversize. **Shipped double o Tailpipes without Dual Chrome Tips

≠0\$1 **≠**0\$2

43745	1978-79	6.6L, LH	42.99 ca
43744	1978-79	6.6L, RH	42.99 ca
43745	1980-81	301, 305, LH	42.99 ca
43744	1980-81	301, 305, RH	42.99 ca
43831*	1982-87	305-H LH	11.99 ca
43846*	1982-87	305-H RH	10.99 ca
43989	1984-86	305-G. 305-F LH	25.99 ca
43988	1984-86	305-G, 305-F RH	29.99 ca
43831*	1985-92	V6 w/dual outlet LH	11.99 ca
43846*	1985-92	V6 w/dual outlet RH	10.99 ea
43989	1987-89	350-8 LH	25.99 ea
43988	1987-89	350-8 RH	29.99 ca
43989	1986-90	305-F LH, 1 converter	25.99 ea
43988	1986-90	305-F RH, 1 converter	29.99 ca
43831*	1988-90	305-E LH	11.99 ca
43846*	1988-90	305-E RH	10.99 ca
43989	1989	3.8L-7 Turbo LH	25.99 ea
43988	1989	3.8L-7 Turbo RH	29.99 ea
	1989		
Tal	1989 Ipipes v	3.8L-7 Turbo RH vith Dual Chome i	
Tal Dual Ex	1989 Ipipes v haust	vith Dual Chome 1	
Tal	1989 Ipipes v	tailpipe LHtailpipe RH	Tips
Dual Ext	1989 Ilpipes v haust 1975-78	tailpipe LHtailpipe RH	ips 99.99 ea
Dual Ext 43821* 43822*	1989 Ilpipes v haust 1975-78 1975-78	tailpipe LHtailpipe RH	99.99 ea 99.99 ea
Dual Ext 43821* 43822* 43821*	1989 Ipipes v haust 1975-78 1977-79	tailpipe LHtailpipe RH6.6L tailpipe RH6.6L tailpipe RH8.10.1-W LH LH81.1-W 8 301-W LH	99.99 ea 99.99 ea 99.99 ea 99.99 ea 99.99 ea
Dual Ex. 43821* 43822* 43821* 43822*	1989 haust 1975-78 1975-78 1977-79 1977-79	tailpipe LHtailpipe RH	99.99 ea 99.99 ea 99.99 ea 99.99 ea 99.99 ea
Dual Ext 43821* 43822* 43821* 43822* 43821*	1989 haust 1975-78 1975-78 1977-79 1977-79 1979	tailpipe LHtailpipe RH6.6L tailpipe LH6.6L tailpipe RHV8 301-W LHV8 301-W RH	99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca
Dual Ext. 43821* 43822* 43821* 43822* 43821* 43822* 43821* 43822* 43821* 43822*	1989 ilpipes v haust 1975-78 1975-78 1977-79 1977-79 1979 1980-81 1980-81	tailpipe LH. tailpipe RH. 6.6L tailpipe RH. 6.6L tailpipe RH. V8 301-W LH V8 301-W RH. 301, 305 LH. 301, 305 RH.	99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca
Dual Ex. 43821* 43822* 43821* 43822* 43821* 43822* 43821* 43822* 43831*	1989 ilpipes v haust 1975-78 1975-78 1977-79 1977-79 1979 1980-81 1980-81 1991-92	tailpipe LH. tailpipe RH. 6.6L tailpipe RH. V8 301-W LH. V8 301-W LH. 301, 305 LH. 305-E.F. LH.	99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 11.99 ca
Dual Ex. 43821* 43822* 43821* 43822* 43821* 43822* 43821* 43822* 43831* 43846*	1989 Ilpipes v haust 1975-78 1975-78 1977-79 1979- 1979 1980-81 1980-81 1991-92 1991-92	tailpipe LH. tailpipe RH. tailpipe RH. 6.6L tailpipe LH. 6.6L tailpipe RH. V8 301-W LH. V8 301-W LH. 301, 305 LH. 301, 305 RH. 305-E, F LH. 305-E, F RH.	99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 11.99 ca 10.99 ca
Dual Ext. 43821* 43822* 43821* 43822* 43821* 43822* 43821* 43822* 43831* 43846* 43989	1989 IDIPLES ** haust 1975-78 1975-79 1977-79 1977-79 1979 1980-81 1980-81 1991-92 1991-92 1989-92	tailpipe LH. tailpipe RH. 6.6L tailpipe RH. 6.6L tailpipe RH. 8.6L tailpipe RH. V8 301-W LH. V8 301-W RH. 301, 305 LH. 305-E, F RH. 305-F, F RH.	99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 11.99 ca 10.99 ca 25.99 ca
Dual Ex. 43821 43822 43821 43822 43821 43822 43821 43822 43821 43846 4389 43989	1989 Ipipes thaust 1975-78 1975-78 1977-79 1977-79 1979 1979 1980-81 1980-81 1991-92 1989-92 1989-92	vith Dual Chome tailpipe LH. tailpipe RH. 6.6L tailpipe LH. 6.6L tailpipe LH. 9.8 301-W LH. 9.8 301-W LH. 9.8 301-W RH. 301.305 LH. 305.2.F. LH. 305.2.F. LH. 305.2.F. LH. 305.2.F. LH. 305.2.F. RH. 305.2.F. RJ.	99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 11.99 ca 10.99 ca 25.99 ca
Dual Ext. 43821* 43822* 43821* 43822* 43821* 43822* 43821* 43822* 43831* 43846* 43989	1989 IDIPLES ** haust 1975-78 1975-79 1977-79 1977-79 1979 1980-81 1980-81 1991-92 1991-92 1989-92	tailpipe LH. tailpipe RH. 6.6L tailpipe RH. 6.6L tailpipe RH. 8.6L tailpipe RH. V8 301-W LH. V8 301-W RH. 301, 305 LH. 305-E, F RH. 305-F, F RH.	99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 99.99 ca 11.99 ca 10.99 ca 25.99 ca



1967-69 3" Firebird Tailpine Set

Flowmaster's 3" mandrel bent tailpipe set covers 1967-69 Firebird models. This tailpipe set is designed so you can create a mandrel bent custom high-performance exhaust for any Firebird including convertibles. Flowmaster designed these one piece tailpipes with three things in mind: performance, fit and easy installation. The tailpipes are designed to exit between the tires and rear bumper on either side of the vehicle. Important: No hardware or hangers are included

F15822	1967-69	170.99	SC



1983-92 Super Turbo Exhaust Components

High-performance pipe which is aluminized offering a superior appearance and was designed to follow the OEM routing and mounting points exactly. This intermediate pipe runs from the muffler to the tailpipe. Important: Your Firebird's engine is the 8th digit of the VIN.

Note: Shipped oversize. Intermediate Pipes

ı	46669	1986-91	code G or F		
	Tailpipes 43244 43243	1983-92 1983-92	LHRH	54.99 54.99	



1967-81 Tailpine Clamos

2-1/4" diameter 13.99 pr

Reproduction of the original style band clamps for use on 1967-81 models. These clamps are used for attaching tailpipe hangers. 1967-81 2" diameter 13.99 pr

	10	10.	1
WATER OF THE PARTY	THE !	18000	1000

1967-73 Muffler Clamp

48700114

Original style muffler clamps for 1967-73 Firebird and Trans Am models. These clamps have been designed to factory specifications from steel to provide an authentic replacement for damaged or missing clamps. A8700114 1967-73 2" clamp 8.99 ca A8700115 1967-73 2-1/4" clamp... 8 99 ca



1967-69 Muffler Clamp

Correct replacement muffler clamps are designed to replace the factory originals. Each clamp includes hardware. Either 2" or 2-1/4" pipes.

	1967-69 1967-69	with 2" with 2-1/4"	
Guillotii HC94 HC95	ne Clamp 1967-69 1967-69	with 2" with 2-1/4"	



1967-79 Muffler Clamps

Correct muffler clamps for 1967-79 applications. Each

Cia	mp is	nsteu as stanuai	d style of neavy-c	iuty.
		nent Style		
35	408	2" clamp	standard 5/16"	2.99 ea
		2" clamp	HD 3/8"	5.99 ea
35	413	2-1/4" clamp	standard 5/16"	1.99 ea
35	336	2-1/4" clamp	HD 3/8"	2.99 ea
35	337	2-1/2" clamp	HD 3/8"	2.99 ea
35	794	3" clamp	HD 3/8"	4.99 ca
Sto	inless	Steel		
E2		2" clamp	standard 5/16"	18.99 ea
E2	41	2-1/4" clamp	standard 5/16"	
E2	42	2-1/2" clamp	standard 5/16"	22.99 ca
Ca	dmiur	n-Plated		
E2		2" clamp	standard 5/16"	5.99 ea
E2	44	2-1/4" clamp	standard 5/16"	5.99 ea
E2	45	2-1/2" clamp	standard 5/16"	2.99 ea

1982-90 Genuine **GM Exhaust Clamp**

Tailoine Exnan

Used to remove of

grooves and roun

crushed or bent e to ensure a tight i



2.99 ca



'hard core" restorer. G9627 1982-90 2" clamp ... 22.99 ea

laer 🛌	
lamp (
d out	
xhaust pipes	Contract of the contract of th
fit, eliminating	-

exhaust leaks. The Hex end allows the use of a combination wrench to remove clamp grooves or small imperfections, or an impact wrench to expand pipes. Imperfections are forced outward rather than forward, eliminating possible damage to component parts. No holding fixture is necessary.

1-13/16" to 2-1/2" pipes 44.99 ca

Exhaust and Tailnine Cutter

Cuts pipes _____ 3/4" to 3" (19mm to 76mm) in diameter. 15 blades effectively cut pipe so only 1/4" turn is needed for complete cut. Works great in hard to reach areas X2031





Dual Exhaust











F331 1967-81



TUEL & EXHAUST

Mufflers



1967-95 Transverse Mounted Muffler 👍

19	6/-95 IP	ansverse Mounted N	luttler 🗥			
Correct	replaceme for 1967-	nt transverse mounted d 95 models.	ual exhaus			
V6 Sing	ele Inlet D	ual Outlet Mufflers				
22253			96.99 ca			
22253	1990-92	189ci 3.1L	96.99 ca			
V6 Sins	ele Inlet Si	ngle Outlet Mufflers				
	1993-95	207ci 3.4L	94.99 ca			
22317	1995	231ci 3.8L	94.99 ca			
		ual Outlet Mufflers				
22253	1982-87	305ci 5.0L 4 barrel				
		code H w/o HO	96.99 ca			
22253	1988-90					
		w/EFI, without HO	96.99 ca			
22253	1991-92	305ci 5.0L code E, F	96.99 ea			
Dual In	Dual Inlet/Outlet Mufflers					
21696		V8	139.99 ca			
21696	1973-74	V8 except 455 SD	139.99 ca			
Dual In	let/Outlet	Aluminized Mufflers				
E249	1967-81	28" overall length	109.99 ca			



1975-97 Super Turbo Muffler

Exclusive patented flow directors channel exhaust flow and climinate turbulence, larger diameter internal tubes for maximum flow, along with fiberglass matting that delivers a mellow, true performance sound. All aluminized materials, double wrapped and are-welded for longer life and sharper appearance. All universal multers are reversible for custom installation. 1975-97 V8





FLOWMASTER Muffler Heat Shield

MUFFLERS

Formed aluminum heat shield designed to mount on muffler for added protection in reducing heat radiated from mufflers and reducing interior noise. Attaches easily with included straps. Fits 5* x 10* x 17* mufflers. F51017 39 99 ea



1982-92 Terminator Muffler

Flowtech's Terminator is constructed entirely of super thick, black aluminized steel, fully welded for strength and durability with 3" inner pass tubes that reduce back pressure and increase horsepower like no other muffler can.

Note: Dimensions: 15" x 11" x 5". 1982-92 Direct Fit

50162 2-1/2" offset/offset dual 124.99 ea



1967-81 Dual Exhaust Muffler



Super HP-2 Muffler

Designed for street rods, customs and vehicles where undercarriage space is tight, the Flowmaster Super HP-2 provides the exhaust performance you need in a compact packep that fits wherever you need. It he Super HP-2 has a moderate tone with the appearance, durability, and sound control to suit daily drivers, weekend cruisers, and world-class show whicles. Available with 4409S atainless steel case prolishable 304S stainless steel case in sizes from 2°, 2-1/4°, and 2-1/2°. Made in USA.

2-1/2 . Made III USA.							
409S Stainless Steel Case							
F12012409	2"	4" x 5" x 12"					
F12018409	2"	4" x 5" x 18"					
F12412409		4" x 5" x 12"					
F12418409	2-1/4"	4" x 5" x 18"					
F12512409	2-1/2"	4" x 5" x 12"					
F12518409	2-1/2"	4" x 5" x 18"	170.99 ea				
304S Polishable Stainless Steel Case							
		4" x 5" x 12"					
F12518304	2-1/2"	4" v 5" v 18"	203 99 ea				







ĕʊś¤ Oval Case Muffler

Magnaflow's wide open performance mufflers outflow DEM chamber syle mufflers by a much as 167%! This reduces engine heat and back pressure and improves chaust scavenging from the combustion chamber. Magnaflow minimizes the power robbing effects of the capine. Magnaflow is the taright through, wide open performance muffler with a smooth, deep tone. Made in USA.

iviade iii e	,		
	Stain	less Steel Mufflers	
Center In	let/Cen	ter Outlet	
12214	14"		ca
		2-1/4" 112.99	ca
		2-1/2" 112.99	
122191	14"	3" 126.99	ea
Center In	let/Offs	set Outlet	
12224	14	2"	ea
12225	14"	2-1/4" 112.99	ca
		2-1/2" 112.99	
12229	14"	3" 126.99	ea
Offset Inl			
12266	18"	2-1/2"/2-1/4" 152.99	ca
		2-1/2*/2-1/2* 157.99	
12267	18"	3"/2-1/2" 158.99	ea
Poli	shed :	Stainless Steel Mufflers	
Center In	let/Cen	ter Outlet	
142161	14"	2-1/2" 150.99	ca
		3-1/2" 190.99	
141531	14"	4" 199.99	ea
Offset Inl	et/Dua	Outlet	
14266	18"	2-1/2"/2-1/4"	ea
Center In	let/Offs	set Outlet	
142261	14	2-1/2" 150.99	ea

Outlet 2-1/4" 2-1/2" 164.99 ca

150.99 ea

150 99 ca

164 99 ca

142291

142361 14"

142391

Offset Inlet/Offset 142351 14"

SUSA 🗥

Magnaflow circular case mufflers. Available in two sizes and regular or mirror finish stainless steel. Made in USA.

	Stainl	ess Steel Muffler	S	
4" x 4" A	1 ufflers			
10416	14"	2-1/2"	94.99	ea
5" x 5" N	1 ufflers			
12866	14"	2-1/2"	130.99	ea
12867	14"	3"	139.99	ea
Poli	shed S	tainless Steel Mu	fflers	
4" x 4" A	1 ufflers			
		2-1/2"		
144191	14"	3"	117.99	ea
5" x 5" A	1 ufflers			
140671	1.47	21	162.00	



Thrush mufflers have a straight through, smooth flowing, perforated center tube design for maximum flow and power. Made of a heavy gauge shell for durability. Feature expandable bushings for custom applications. Enjoy the unmistakable sound of a Thrush glasspack muffler today.

		. overati tengin x sneti tengin x
shell dian	teter.	
24200	2*	25" x 20" x 3-1/2" 36.99 ea
24202	2*	27" x 22" x 3-1/2" 36.99 ea
24204	2"	31" x 26" x 3-1/2" 36.99 ca
24201	2-1/4"	25" x 20" x 3-1/2" 36.99 ea
24203	2-1/4"	27" x 22" x 3-1/2" 36.99 ea
24205	2-1/4"	31" x 26" x 3-1/2" 32 99 ea



Glasspack Muffler

Magnaflow Glass Pack Mufflers feature a free flowing. straight through perforated core, and Rockwool acoustical packing material to deliver a smooth, deep tone to ensure long-life and no sound degradation over time. Available in sizes from 2"-3" diameter. Made in USA

18124 2" 22	" x 18" x 3-1/2"	44.99 ca
18134 2" 26	" x 22" x 3-1/2"	46.99 ca
18144 2" 30	" x 26" x 3-1/2"	49.99 ca
18125 2-1/4" 22	" x 18" x 3-1/2"	44.99 ca
18135 2-1/4" 26	" x 22" x 3-1/2"	46.99 ca
18145 2-1/4" 30	" x 26" x 3-1/2"	49.99 ca
	" x 26" x 4"	
18129 3" 22	" x 18" x 4"	64.99 ca

Exhaust Renair Kit

Complete Permatex exhaust repair kit for repairing cracks and splits in mufflers tailpipes and exhaust pipes. Withstands temperatures over 1000 degrees F. The kit contains ready to use foil packed bandage and support wire. S80334



Mufflers



Terminator Muffler

Flowtech's Terminator is constructed entirely of super thick, black aluminized steel, fully welded for strength and durability with 3" inner pass tubes that reduce back pressure and increase horsepower like no other muffler can. Dimensions: 15" x 11" x 5".

Universa	l Fit	Inlet /Outlet	
50121	2-1/4"	center/offset	100.99 ca
50122	2-1/2"	center/offset	100.99 ea
50130	3"	center/offset	100.99 ea

FLOW TROOK



Universal Fit Rantor Muffler

Flowtech's new Raptor turbo performance muffler features a unique sound rib case design and aluminized, lock seal construction. Low restriction, reduces back pressure and increases performance. Dimensions 13 x 10" x 4-1/2" with offset-inlet/center-outlet.

50050 50051 50052	2" 2-1/4" 2-1/2"		34.99 32.99 32.99	ca
		0 77	ne.	òx



17734 Universal Super Turbo Muffler

Exclusive patented flow directors channel exhaust flow and eliminate turbulence, larger diameter internal

tubes for maximum flow, along with fiberglass matting that delivers a mellow, true performance sound. All aluminized materials, double wrapped and are welded for longer life and sharper appearance. All universal mufflers are reversible for custom installation.

Important: Sport model from 2* to 2-1/2* measures: 4* x 9-3/4* x 18-1/2* and 3* measures: 4* x 9-3/4* x 20*, Street model measures: 4* x 9-3/4* x 25-1/2*.

Sport			
17730	2"	inlet offset/center outlet	69.99 ca
17736	2"	inlet offset/offset outlet	77.99 ca
17731	2-1/4"	inlet offset/center outlet	67.99 ca
17732	2-1/4"	inlet offset/offset outlet	76.99 ea
17733	2-1/2"	inlet offset/center outlet	61.99 ca
17734	2-1/2"	inlet offset/offset outlet	65.99 ca
17797	2-3/4"	inlet offset/center outlet	101.99 ca
17744	3"	inlet offset/center outlet	69.99 ca
17743	3"	inlet offset/offset outlet	60.99 ca
Street			
17747	2-1/4"	inlet center/offset outlet	76.99 ca
17748	2-1/2"	inlet center/offset outlet	99.99 ca
17749	2-1/2"	inlet offset/offset outlet	114.99 ca



T-304 SS Illtra Flo Muffler

Uses a unique straight through design that maximizes flow and power. Made from all stainless steel materials for corrosion resistance. Includes high chromium content, high luster T-304 cover and heads. Continuous perf design maximizes sound absorption minimizes turbulence and gives a deep powerful true performance sound. All universal mufflers are reversible for custom installation.

Important: This muffler comes in two styles: Sport model measures: 4" x 9-3/4" x 18-1/2", Street model measures: 4" x 9-3/4" x 25-1/2".

	2-1/2"	inlet offset/center outlet inlet offset/center outlet inlet ctr/2-1/2* offset dual outlet	136.99	c
Street				

17289 2-1/2" inlet offset/center outlet 226.99 ea





409 Stainless Muffler Pypes Street Pro mufflers are chambered to maintain

rich sound without resonance. Race Pro have a straight through design, while Violator mufflers have an internal louvered tube with mini sound deflector chambers. making it flow like a straight through muffler but with the sound of a chambered muffler. Each muffler

neasures	: 4" x 9" x	14".		
treet Pr	o 409 Stai.	nless Steel		
		offset/offset		
1022	2-1/2"	offset/center	95.99	ca
1023	3"	offset/offset	95.99	ca
	409 Stain			
1029	2-1/2"	offset/offset	95.99	ca
1030	2-1/2"	offset/center	95.99	ca
11021	211	-0°1-0°1	05.00	

offset/offset

offset/center

offset/offset

	-		_		-
Muffler	å	Tailpipe	Re	pair	

Violator 409 Stainless Steel

h

P1038

P1039

P1040

Putty and sealer seals holes and leaks in mufflers, tailpipes and around joints. Makes new installation more secure. Resists temperatures up to 2000 degrees F. Epoxy impregnated fiberal

ufflers an	d tailpipes. (Great for ts, and		
80335 80333 80331	sealer putty bandage	3 oz. tube 4 oz. pouches 84 sq. in	4.99 ea	











95.99 ea 95.99 ea

95 99 69

rformance Mufflers



technology uses the pressure and sound energy released from an engine's combustion chamber into the exhaust system to create a low pressure area between exhaust

Flowmaster's

pulses. Their design uses this energy to pull spent gases out of each cylinder more

efficiently. This improved removal of exhaust gases out of the cylinders promotes a more efficient charge of unburned fuel and air to fill the cylinder for the next cycle. The result is more power as the engine has a purer mixture to burn.



MADEIN

Super 40 American Thunder

The Super 40 5" x 10" case design gives you a deeper tone that retains our classic 40 Series sound and feel. Increased flow path radius for optimum internal flow using the latest in Delta Flow technology. Flowmaster state-of-the-art robot assembly technology assures a product that exceeds OEM auto manufacturers' specifications To achieve such critical quality, Flowmaster performs extensive R&D at the track and in-house with our own engine and chassis dyno facilities. Flowmaster Super 40 is aluminized, black in color and is the most aggressive, deepest sounding street two chamber muffler they've ever built. Enjoy some American Thunder today!

F952445 F952446 F952447 F952448 F952545 F952545 F952547 F952548 F952549 F953045 F953046 F953046	2-1/4" 2-1/4" 2-1/4" 2-1/2" 2-1/2" 2-1/2" 2-1/2" 2-1/2" 3" 3" 3"	center in/center outlet offset in/center outlet center in/offset outlet center in/offset outlet offset in/opposite offset outlet offset in/opposite offset outlet. offset in/opposite outlet	114.99 114.99 114.99 114.99 114.99 114.99 114.99 114.99 114.99	ea ea ea ea ea ea ea ea
F953047 F953048		center in/offset outlet	114.99	ca

Suner 10 Series — Stainless Steel Muffler

Looking for the most aggressive sound available? Flowmaster's new Super 10 series mufflage. new Super 10 series mufflers are so aggressive, they aren't recommended for street driven vehicles. Best suited to racing applications, these feature the same Delta Flow performance technology used in the highly popular Super 40 and Super 44 series Flowmaster mufflers. Manufactured from durable 409S stainless steel for long-life and offered in a variety of configurations. Backed by a limited lifetime manufacturer's warranty, these short,

single chamber mufflers deliver the closest thing to open pipe sound possible If you want high impact sound, the Super 10 series mufflers are the answer.

Measures: 6-1/2" x 9-1/2" x 4".

ı	Note: These n	ufflers are recomme	nded for off-highway use, not for street driven ve	hicles.	
ı	F842515	2-1/2"	center inlet/center outlet	89.99	ea
ı	F8425152	2-1/2"/2-1/4"	center inlet/dual outlet	89.99	ca
ı	F842518	2-1/2"		89.99	
ı	F843015	3"		89.99	
	E9/120152	2"/2 1/2"	center inlet/dual outlet	90 00	00

FI OWMASTER 40 Series Performance Muffler

- FLORMANIA	- 38	40 S	ERIES"
	Santarius Tanna Lange	Constant Seed Level	Printersions 979' West
Powerful Deep	673	-	1 11
Mellow	-	-	0.00
Mild	94	94	107700



- Aluminized Steel
- Original Flowmaster Tone Deep Tone Inside Vehicle
- Street or Strin




≝üsä 40 Series — Original Flowmaster Tone

This is the most "aggressive" sounding street/strip muffler that Flowmaster offers. If you're looking for attention, this one will get you noticed. The standard 40 series has an "aggressive rumble" and will generally resonate inside the vehicle around 1800-2000 RPM's, and again at 2400-2600 RPM's. Constructed of 16 gauge aluminized steel and fully MIG welded for maximum durability

F42441	2-1/4"	offset inlet/center outlet		
F42541	2-1/2"	offset inlet/center outlet	89.99 c	a
F42442	2-1/4"	center inlet/offset outlet	114.99 e	a
F42542	2-1/2"	center inlet/offset outlet		
F42443	2-1/4"	offset inlet/offset outlet	89.99 c	a
F42543	2-1/2"	offset inlet/offset outlet	89.99 c	a
F430402	3"/2-1/2"	center inlet/dual outlet	89.99 c	a
				_

FI NWMASTER Delta Flow 40 Performance Muffler



- T409 Stainless Steel
- Powerful Aggressive Tone Lower Interior Resonance
- Street or Strip



MADEIN

Nelta Flow 40 Series — Reduced Interior Resonance

This two chamber design incorporates Flowmasters patented "Delta Flow" technology. The "Delta" deflectors result in increased scavenging for better performance and reduced interior resonance over the standard 40 series with a nice growl outside the vehicle. Sounds great on late model performance cars with catalytic converters. Constructed of 16 gauge steel and fully MIG welded for maximum durability.

F842541	2-1/2"		
F843041	3"	offset inlet/center outlet	125.99 ea
F842543	2-1/2"	offset inlet/offset outlet	125.99 ea

USA

E042515





FLOWMASTER Performance Mufflers

FLOWMASTER Suner 44 Delta Flow Muffler

S44 SERIES



125	M	ADE	IN
-	п	IS	Λ

Super 44 Delta Flow

The Super 44 is the most aggressive, deepest toned street and strip muffler Flowmaster has ever made! The Super 44's offer maximum performance, an improved flow path radius, and generates more torque and more power than ever before! If you really

want to nea	your canau	ist system miside as wen as outside, the Super 🕶	is for you
F942445	2-1/4"	center inlet/center outlet	95.99 ca
F942446	2-1/4"	offset inlet/center outlet	95.99 ca
F942447	2-1/4"	center inlet/offset outlet	95.99 ca
F942448	2-1/4"	offset inlet/opposite offset outlet	95.99 ca
F942545	2-1/2"	center inlet/center outlet	95.99 ca
F942546	2-1/2"	offset inlet/center outlet	95.99 ca
F942547	2-1/2"	center inlet/offset outlet	95.99 ca
F942548	2-1/2"	offset inlet/opposite offset outlet	95.99 ca
F942549	2-1/2"	offset inlet/same offset outlet	95.99 ca
F943045	3"	center inlet/center outlet	95.99 ca
F943046	3"	offset inlet/center outlet	95.99 ca
F943047	3"	center inlet/offset outlet	95.99 ca
F943048	3"	offset inlet/opposite offset outlet	95.99 ca
F943049	3"	offset inlet/same offset outlet	
F9430452	3"	center inlet/dual outlet	95.99 ca

Flowmaster 50 Series SIIV-Performance Muffler

Powerful	Sans Level	Year Level	18-0" Water
Овер		63	
Mellow	200		10 de
Mild			5.0° Thick




- Early Era Muscle Cars
- Neen Tone Outside Of Vehicle

50 Series — SIIV-Performance IISA

The SUV-Performance muffler is a larger version of Flowmasters 50 Series Delta Flow muffler and is specially designed for trucks, light SUVs and high horsepower vehicles. The larger H-chamber reduces interior resonance to a minimum. Constructed ninized steel and fully MIG welded for maximum durability

F52555	2-1/2"	center inlet/center outlet	158.99 ea	
F52556	2-1/2"	offset inlet/center outlet	158.99 ea	
F52557	2-1/2"	center inlet/offset outlet		
F52558	2-1/2"	offset inlet/offset outlet	158.99 ea	
F53055	3"	center inlet/center outlet		
F53056	3"	offset inlet/center outlet		
F53057	3"	center inlet/offset outlet		
F53058	3"	offset inlet/offset outlet	158.99 ca	

FI NWMASTER 50 Series Performance Muffler





- T409 Stainless Steel
- Milder Performance Sound Lower Interior Resonance
- Performance Street



USA

Delta Flow 50 Series — Milder Interior & Exterior Tone

This is the latest design of the 50 series muffler that utilizes Flowmasters patented "Delta Flow" technology along with an "H-Chamber" to eliminate most all interior resonance and still have that famous Flowmaster sound outside the vehicle.

		ge steet and tuny MIG weided for maximum du	
F842451	2-1/4"	offset inlet/center outlet	
F842551	2-1/2"	offset inlet/center outlet	
F843051	3"	offset inlet/center outlet	146.99 ea
F842452	2-1/4"	center inlet/offset outlet	146.99 ea
F842453	2-1/4"	offset inlet/offset outlet	146.99 ca
F842553	2-1/2"	offset inlet/offset outlet	146.99 ea

FI NWMASTER 80 Series Performance Muffler



- Aluminized Steel
- Aggressive Performance Sound
- Higher Interior Resonance





USA

Cross Flow 80 Series — Transverse Mounting The 80 Series is designed for applications where the muffler must be mounted

transversely (cross flow) behind the rear end. It provides an aggressive muscle car sound both inside and outside the vehicle. A replacement for early and late model Firebirds. Constructed of 16 gauge aluminized steel and fully MIG welded for

maximum	durability.		
F42582	2-1/2"	dual inlet/dual outlet 4" x 9.75" x 24"	170.99 ea
F42583	2-1/2"	single inlet/dual outlet 4" x 9.73" x 21"	136.99 ea
F43083	3"/2-1/2"	single inlet/dual outlet 4" x 9 73" x 21"	136 99 ca











Exhaust Systems





1967-69 Header Back Dual System with X-Pine

Pypes has designed a header back dual exhaust system for 1967-69 V8 models that incorporates a 16 gauge, mandrel bent stainless steel X-pipe to maximize exhaust gas flow and boost horsepower. This system features a Siamese designed X-pipe, a pair of street Pro, Race Pro or Violator mufflers, tailpipes, ead-plated clamps, and hangers. The combination of the crossover and the mufflers deliver a perfect balance of sound and performance. Features 409 stainless steel X-pipe, mufflers, intermediate pipes, and tailpipes. Limited lifetime warranty.

portant: Modification to the body pan brace is required on 1967-69 convertible models. In order to utilize this X-pipe, it is necessary to either add a body pan designed to allow clearance for the X-pipe assembly, or remove the body pan and install subframe connectors. If using stock, exst iron manifolds, add a set of down pipes to connect your original ifolds to the header back system.

Note: Ship	ped double ove	ersize.			
P1068S	1967-69	2-1/2"	w/Street Pro mufflers	1/4 exit	633.99 set
P1068R	1967-69	2-1/2"	w/Race Pro mufflers	1/4 exit	633.99 set
P1068V	1967-69	2-1/2"	w/Violator mufflers	1/4 exit	633.99 set
P1069S	1967-69	3"	w/Street Pro mufflers	1/4 exit	684.99 set
P1069R	1967-69	3"	w/Race Pro mufflers	1/4 exit	684.99 set
P1069V	1967-69	3"	w/Violator mufflers	1/4 exit	684.99 set



1967-73 Dual Exhaust System These dual exhaust systems are manufactured from aluminized steel that has been

pre-bent to factory specifications. Each set includes the correct head pipes and

Note: Hangers	not included. S	hipped oversize.		
With Resona	tors		OS1	
A8700131	1967-68	400ci without RA	413.99	set
A8700132	1967-68	400ci HO and RA	429.99	set
A8700133	1969	400ci without RA	388.99	set
A8700134	1969	400ci HO and RA	429.99	set
Without Rese	onators			
A8700135	1970-73	350-455ci without RA	359.99	set
A8700136	1970-73	350-455ci RA	339 99	set



1967-73 True Dual Exhaust


American Thunder Series dual 2-1/2* system with H-pipe assembly and two Delta Flow mufflers. Direct out rear stock exit tailpipes. Extends from transmission crossmember back. 1969-73 tailpipes feature stainless steel tips. Not for 1967-69 convertibles.

Note: Sh	ipped double oversize.		•	
With 4	Series Mufflers			082
F17129		V8	2-1/2"	540.99 set
F17139	1969	V8	2-1/2"	683.99 set
With 50	Series Mufflers			
F17149	1970-73	V8	2-1/2"	672.90 set



1967-74 Dual Pipe Cross Flow Exhaust

American Thunder Series dual 2-1/2* system with H-pipe assembly and a transverse mounted 80 Series Cross Flow Delta Flow muffler. Features direct out rear stock exit tailpipes. Extends from transmission crossmember back. Not for 1967-69 convertibles. Note: Shipped double oversize F17104 1067.74



1967-74 Crossmember Back Exhaust USA

Magnaflow's Firebird systems start with mufflers specifically designed with internal paths that ensure fast, equalized exhaust flow so that both sides flow the same. The crossmember back systems are built with fast flowing mandrel bent stainless steel tubing that feature Magnaflow's Tru-X crossover pipe. For V8 models only. Made in USA.

Note: Req	uires modificati	on for convertible. Shipped truck freight.	
Dual Ex	haust		TRUCK
15895	1967-69	2-1/2" - transverse	1016,99 set
15896	1967-69	2-1/2"	798.99 set
15899	1967-74	3"	1051 99 set

1967-81 Header Back Crossflow System

Pypes has designed a 2-1/2′ crossflow system for use on 1967-81 Friebid models meeding maximum ground clearance. The Bace Po multiler is the first maximum flow, trapight through, transverse mounted Cost offer Month (2000) and the control of the cost of th

Important. Modification to the body pan brace is required on 1967-69 convertible models. In order to utilize this X-pipe, it is necessary to either add a body pan designed to allow clearance for the X-pipe assembly, or remove the body pan and install subframe connectors If using stock, cast iron manifolds, add a set of down pipes to connect your original manifolds to the header back system.

Note: Shipped double oversize.



1967-02 U-Fit Dual Pipe Set

These sets come complete with all the pipes you need to build a custom dual exhaust system in 2.14*2.21*2", or 3" pipe dameters. These U-Fit sets include: the front adapter pipes, intermediate pipes, H-pipe assembly and over the axle pipes. Each piece has a sll-pit connection, for easy assembly and built from mandrel bent, 16 gauge aluminized steel tubing.

Important: Hardware not included.
Note: Shinned double oversize

	•	I M A
F15937	3"	
F15936	2-1/2"	
F15935	2-1/4"	
Note: Shipp	ed double oversize.	#US7



1970-73 Exhaust Hanger

Reproduction of the original exhaust hangers for 1970-73 Firebird models. Replace your missing exhaust hangers with these quality reproductions, for vehicles equipped with dual exhaust systems. The hanger includes the mounting plate that is spot welded to the trunk floor.





1969 Exhaust Hanger Mount Plate

Reproduction stamped steel exhaust hanger mount plate for 1969 Firebird models with factory dual exhaust. This bracket mounts to the frame rail providing a mounting location for the rear exhaust hanger.

KW673 1969 LH 13.99 ca



1970-81 Firebird Performance Exhaust System

From the makers of Holley performance products comes this great Super Street chausat system. Cet more power and sound! Made from 2-148" if gauge, heavy-duty stee!, this is a high-quality, dual exhaust system that offers the maximum in above the frame and feature CPM exhibit both and the street of the terminator muffler of the Raptor muffler. Plowder's Terminator is constructed to the Terminator muffler of the Raptor muffler. However, the constructed with 3" inner pass tubes that reduce heak pressure and increase horsepower like no other muffler. Can Terminator Dimensions are 15' x 11" x 5". The Raptor muffler features a unique sound rhe case elseys and admanrate, lock seal construction. The gigantic, high output flow tubes to provide more horsepower, better mileage, and a sound of pure performance. Dimensions 13" x 10" x 4.12" with offster-inelicenter must be used in conjunction with headers sold separately. For second generation Friedrick with small block Chevrolte engines.

Note: No provi	ision for catalytic converter. Shipped double oversize.		
	st Systems for 1970-81 Firebirds with Chevrolet Engine		
11100	with Terminator muffler	448.99	kit
11101	with Raptor muffler	294.99	kit
Painted Hea			
H11100	Chevy small blocks	191.99	ca
Ceramic Coa			
31100FLT	Chevy small blocks	401.99	ca



1967-92 Exhaust Hangers/Brackets/Insulators

Classic Industries® offers a variety of exhaust hangers and brackets to make replacing exhaust parts easy. Each bracket is designed to replace the original hanger or bracket.

and usuall	y includes the	e correct design.	OI DI III	ACC.
Hangers				
35880	1967-69	header to intermediate pipe	8.99	ca
35527	1970-81	tailpipe	9.99	
35475	1982-92	rear	6.99	ca
35648	1984-92	intermediate pipe	19.99	ca
35245	1986-92	catalytic converter	15.99	ea
Brackets 35358	1975-81	muffler support	5.99	ea
Insulator				
35183	1975-81		8.99	ca
35182	1978-79	(6.6 V8)	2.99	ca











Exhaust Systems







1970-81 Crossmember Back Dual System

Pypes has designed a crossmember back dual exhaust system for 1970-81 V8 models that incorporates a 16 gauge, mandrel bent stainless steel X-pipe to maximize exhaust gas flow and boost horsepower. This system features a Siamese designed X-pipe. a pair of Street Pro, Race Pro or Violator mufflers, tailpipes, cad-plated clamps and hangers. The combination of the crossover and the mufflers deliver a perfect balance of sound and performance. Features 409 stainless steel X-pipe, mufflers. intermediate pipes, and tailpipes. Limited lifetime warranty.

Important: If using stock, cast iron manifolds, add a set of down pipes to connect your original manifolds to the header back system. lote: Shipped double oversize.

Vith X-Pipe	#US72
21019S 1970-81 2-1/2" with Street Pro mufflers, rear exit	570.99 set
	569.99 set
	570.99 set
	658.99 set
	667.99 set
P1020V 1970-81 3" with Violator mufflers, rear exit	658.99 set
rue Dual without X-Pipe	
	562.99 set
	562.99 set
P1063V 1970-81 2-1/2" with Violator mufflers, rear exit	562.99 set



1970-89 Performance Exhaust System

Made from 2-1/4" 16 gauge steel, these high-quality, dual exhaust systems will increase horsepower in Firebird models with small block Chevrolet, Pontiac, or Oldsmobile engines. Choose between Ultra Flo SS or Super Turbo mufflers. The Dynomax Ultra Flo mufflers are made from aluminized steel for longer life and use a straight through design to maximizes flow. The Dynomax Super Turbo muffler features patented flow directors to channel exhaust and reduce turbulence for maximum flow and a mellow performance sound. Super Turbos are made from double wrapped aluminized material for longer life. Kits include hardware and instructions. All systems must be used with Dynomax headers sold separately. nt. Will not fit manual teams in years 1971-76

ипронине.	witt noi ju m	unuui irans in years 19/1-70.		
Note: Shipp	ped double ov	ersize.	0000	
		Ultra Flo Muffler	082	
11108	1970-79	with Pontiac engine	410.99 ki	
881378	1977-81	with Olds 403 engine		
11104	1982-89	with Chevy 305 engine	461.99 ki	it
		Super Turbo Muffler		
11111	1970-79	with Pontiac engine	331.99 ki	it
11109	1977-81	with Olds 403 engine	331.99 ki	it



1983-91 Direct Fit Exhaust System

Installing a high-performance exhaust system for your later model Firebird has never been easier! This 2-1/2" direct fit system follows the OEM routing and mounting points exactly so you don't have to cut and weld brackets and pipes. Now you can bolt-on a complete high-performance system featuring your choice of the power boosting Super Turbo muffler or the Ultra Flo SS muffler.

Important: *Except dual catalyst converter models

Note: Engine is the oin aigit of the visv. Shipped oversize.			-000
Super Tur	bo Systems		₽ 0\$1
DF110	1983-90	code H or E, exc HO	340.99 kit
DF112*	1986-91	code G. F. or 8	320 99 kit



1984-02 Cat-Back Dual Exhaust Systems

Get a deep, bold growl from your 3rd or 4th Gen with a Borla high flow Cat-Back exhaust system! Features 3" mandrel bent tubing to reduce back pressure and improve performance. Includes: muffler, connection pipes, tailpipes, chrome exhaust tips, and mounting hardware. Manufactured from high-quality stainless steel and backed

Note: *Featur		s sound settings. AT/MT. Shipped oversize.	
		nd 2-1/2" Angle Cut Exhaust Tips 5.0/5.7L	. 1913.99 e
		tercooled Angle Cut Exhaust Tips	
BA14464* BA14555*	1993-97 1995-97	5.7L LT1 with single cat	
BA14780*	1998-02	5.7L LS1	
		und Angle Cut Exhaust Tips	
BA140028	1998-02	5.7L LS1	. 1069.99 e
			OWMASTE
			(UNYNY/A LY I



1986-02 Single In/Dual Out Exhaust

American Thunder Series exhaust systems feature aluminized pipes with stainless steel tips and an 80 Series Crossflow Delta Flow muffler. Available for 1986-02 models. Important: *With resonator. **Without stainless steel tip.

Note: Shippe	d double overs	ize.	_
2-1/2" In-C	Out		0S2
F17133**	1995-97	5.7 dual Cat	416.99 ea
F17358*	1998-02	3.8 slip-fit Cat	560.99 ea
3" In - 2-1	/2" Out		
F17143**	1993-95	5.7 3" Cat	449.99 ea
3" In-Out			
F17233	1986-91	V8 3" Cat	
F17234	1986-91	V8 2.5" Cat	
F17274	1993-95		
F17199	1998-02	5.7	560.99 ea



Cat-Back systems are built with fast flowing mandrel bent stainless steel tubing. A Magnaflow wide open performance muffler reduces engine heat and back pressure

and improves exhaust scavenging from the combustion chamber for much stronger performance. For V8 models only. Made in USA. Note: Shipped truck freight. 168291 1983-92 2-1/2" dual rear exit.. 747.99 set



MADEIN 1993-02 Cat-Back Exhaust Systems

These systems are built with fast flowing mandrel bent stainless steel tubing and include long 3-1/2" diameter polished stainless steel tips. The Camaro V6 system is designed to look just like the V8 with split dual out tips. Magnaflow's wide open performance mufflers outflow OEM chamber style mufflers by as much as 167%. This reduces engine heat and back pressure and improves exhaust scavenging from the combustion chamber. Made in USA. Note: Shinned truck freight

		TRUCK	
1993-97	5" x 8" x 14" muffler	805.99	set
1998-02	5" x 8" x 14" muffler	727.99	set
gine			
1993-97	5" x 8" x 18" muffler	654.99	set
1998-02	5" x 8" x 18" muffler	765.99	set
1998-02	dual rear exit	1133.99	set
	1998-02 gine 1993-97 1998-02	1998-02 5" x 8" x 14" muffler	1998-02 5" x 8" x 14" muffler 727.99 1998-02 5" x 8" x 18" muffler 654.99 1998-02 5" x 8" x 18" muffler 765.99











™usa Universal Dual Electric Cutout Set

The optional electric exhaust cutouts and make uncorking your exhaust as easy as flipping a switch. Electric cutout set includes: 2 valves, wire harness, switch, mounting hardware, and 2 gaskets. Limited ifetime warranty. Available with or without Y-pipes. Made in USA.

ote: *Connects to any 2-1/2" exhaust with a straight section of approximately 12" in length and enough arance for the motor/valve asse

For use with 2-1/2" or 3" Y-Pipes (Dump Legs) P1074 cutout set only 428 99 set

Includes 2-1/2" Y-Pipes (Dump Legs) P1074K* 550 99 set cutout set with Y-pipes



Don't crawl under your vehicle to uncork your exhaust ever again by switching to electric cutous. Keep them closed and quiet for the street, who open for the strip, or anywhere in hetween with the fijn of a switch. You control the volume and the power! Available in sizes 2-1/4* to 4* and a low profile oval design for applications with limited ground clearance, Fils 2-1/4* to 3* round exhaust pipe. But with high-quality materials CNC 6061 aluminum body and motor plate, stainless steel shaft and butterfly plate, high torque DC gear driven motor, weather tight wiring connectors, and custom illuminated toggle switch. Note: Match valve size with cutout size for optimal fit and performance.

Electric Cutout Valves - Individual

Part# MN2443	Cutout Size 2-1/4" valve	Additional Notes	Price 217.99
MN2444	2-1/2" valve		217.99
MN2445	3" valve		217.99
MN2446	oval valve	includes connector, fits 2-1/2" to 3" round pipe	239.99
MN2447	3-1/2" valve		217.99
MN2448	4" valve		238.99
MN2449	4" valve	includes 4" three bolt flange	268.99
		Electric Cutout Valve Sets	
MN2450	two 2-1/4" valves		430.99
MN2451	two 2-1/2" valves		430.99
MN2452	two 3" valves		430.99
MN2453	two oval valves	includes connector, fits 2-1/2" to 3" round pipe	487.99
MN2454	two 3-1/2" valves		430.99
MN2455	two 4" valves		478.99
MN2456	two 4" valves	includes 4" three bolt flange	532.99



These cutouts feature a rugged 12 Volt DC motor and rotating gate for a leak proof seal every time the cutout is opened and closed. When fully opened, these cutouts do not create exhaust flow obstructions that can create a leaky gasket sound, unlike butterfly style cutouts. A pre-wired harness with an illuminated rocker switch is supplied for easy installation. Uncork your exhaust the flip of a switch from your dash. The cutouts are ideal for race tracks that don't require mufflers Available individually, in pairs, or in complete kits with Y-Pipes for easy installation. Made in USA

ortant: Not recommended for vehicles equipped with

Note: May not be legal for highway use or use on emission controlled vehicles.	
2-1/2" Cutouts 25054 complete electric cutout set 474 99 set	

25052 single electric cutout 25053 pair electric cutouts..... 389.99 pr 3" Cutouts complete electric cutout set ... 499.99 set 217 99 ca single electric cutout... 429.99 pr pair electric cutouts



೬೮೬೩ Stainless Steel Cutout Turndown Easily route your cutout exhaust flow in any direction

with these easily installed 304 stainless steel turndowns. These turndowns are made specifically for Doug's electric cutouts and included stainless band clamps for weld free attachment. Made in USA. 2-1/2" turndown pipe 40.99 ca 25058

39 99 ca



Stainless Steel Cutout Pipe

Stainless steel exhaust cutout pipes for all models. Manufactured from 304 stainless steel with a polished finish. They feature a TIG welded construction with a 3/8" flange for a proper seal. Includes: the end cap, gasket and hardware for an easy installation

MN2460	2-1/4" cutout	62.99 ea
MN2461	2-1/2" cutout	62.99 ea
MN2462	3" cutout	
MN2463	3-1/2" cutout	62.99 ea
MN2464	4" cutout	99.99 ca



ca ca ca ca pr pr pr pr

рr

Universal Exhaust Turndown Universal exhaust turndowns for electric cutouts. The

round tips feature a 360 degrees floating flange which allows turning in any direction. Manufactured from stainless steel with a polished finish

MN2457	2-1/2* turndown	
MN2458 MN2400	3" turndown	



Electric Cutout Remote Control System

Remote control for your electric cutout system. When space is a premium this control box gives you the flexibility you need. Includes 2 wireless key fobs for 100% control over your cutouts at the push of a button. MN2466

3" turndown pine

25059



Stainless Steel Exhaust Tin USA

Made of T-304 stainless steel this tips will stand out on any vehicle. Made in USA. Dual Rectangular Tips

35150 2" x 8" dia., 11" long, 2-1/4" i.d. .. 224.99 pr Turndown Tips

	2-1/2" dia., 13" long, 2.75" i.d	65.99 ea
	3" dia., 13" long, 3" i.d	75.99 ea
15 Degree	Slash Cut Tips	
35101	3" dia., 12" fong, 3" o.d	42.99 ca
35102	3" dia., 18" long, 2-1/2" i.d	56.99 ea
35104	3-1/2" dia., 12" long, 3" i.d	48.99 ca
35105	3-1/2" dia., 18" long, 2-1/2" i.d	63.99 ea
	Slash Cut Tips	
35140	3" dia., 18" long, 2-1/4" i.d	55.99 ea
35141	3" dia., 22" long, 2-1/4" i.d	65.99 ea
35216	3-1/2" dia., 18" long, 2-1/4" i.d	62.99 ea
35146	4" dia., 18" long, 2-1/2" i.d	74.99 ca



1967-69 Exhaust Splitter Tips

Excellent reproduction of the original tailpipe extension for 1967-69 Firebird models. Installs and looks exactly like original! 2" pipe goes clamped over tubing. 1967-69 308.99 pr DK64



Stainless Exhaust Tin

These tips add the final personal touch to your custom exhaust! The extensive line of stainless steel Pypes exhaust tips will provide years of eye-popping looks and excellent durability.

Fits 2-1/2	' Pipe	
P1048	dual 3-1/2" splitters	142.99 pr
P1049	6" x 3" oval tip	101.99 pr
P1050	8" x 2" rectangle tip	144.99 pr
P1051	9" slash cut tip	41.99 pr
P1052	3-1/2" rolled edge tip	62.99 pr
P1053	4" x 2" oval tip	112.99 pr
P1072	2-1/2" long slash cut tip	107.99 pr
Fits 3" Pig	e e	
P1082	8" x 2" rectangle tip	154.99 pr
P1083	9" slash cut tip	48.99 pr
P1085	4" x 2" oval tip	128 99 pr



Stainless Rolled Edge Tip

Stainless exhaust tip that is designed with your choice of a rolled edge or angle cut tip. Finished with an embossed Flowmaster logo. Sold individually.

Clamp-on Rolled Edge Tip F15361 3" dia. for 2-1/2" pipe -12" L 62.99 ea F15363 3-1/2" dia. for 3" pipe - 12" L 59.99 ea Clamp-on Double Wall Rolled Edge Tip F15364 3-1/2" tip fits 2-1/4" pipe 3-1/2" tip fits 2-1/4" pipe 65.99 ea 4" tip fits 2-1/2" pipe 64.99 ea F15365 Weld-on Angle-Cut Tip



1970-75 Exhaust Tips Reproduction exhaust tips for 1970-75 Formula and

Trans Am models. Correct 2" front opening at the exhaust and 2-1/2" rear exit. Manufactured from high grade stainless steel with the correct angles and cuts as original. 15161 1970 199.99 pr 199.99 pr 15162 1971-73

15163 1974-75 199,99 pr

J-B Weld SteelStik MUSA

J-B Weld SteelStik is a steel reinforced epoxy putty stick. This hand knead able epoxy adhesive will plug holes and make permanent repairs on wet and dry surfaces. Cures completely submerged in gasoline or under water in 60 minutes. Can be drilled, sanded, filed, tapped, machined, and painted. Works on multiple surfaces: aluminum, brass, bronze, copper, iron, and stainless steel. Cure color is dark gray. Made in USA. IB8267











P1073



113.99 pr





02 - iet black 05 - cast iron grav



12 oz. net weight can





42 99 c

DE010219

Stainless Steel I ocking Tie and Tool Set

All the ties you need to securely fasten your exhaust wrap to your headers or exhaust. Set includes: eight 9 inch locking ties, four 14 inch locking ties, and a 1/4" locking tie tightening tool.

DE010219 13 piece tie and tool set 30.99 set DE010220 1/4" drive tightening tool..... 8.99 ea



Stainless Steel Strap Set

Quality stainless steel straps with a dependable multi-lock system are available in standard lengths. The narrow width, standard length straps include the multi-lock already attached - just insert the end and null to tighten

uriety of Sizes		
six 9" and four 18"	29.99	set
eight 9" and four 18"	31.99	set
of Single Sizes		
twelve 9" straps	30.99	set
six 18" straps	19.99	set
	six 9" and four 18" eight 9" and four 18" of Single Sizes twelve 9" straps	six 9" and four 18"



HiTemp Stainless Steel Cable Tie 🔥 🗥

High temperature stainless steel cable ties are great for harsh environments. Perfect for installing heavyduty and high temp sleeving. Available in 7-1/2" or

Individual		
SS719101	7-1/2"	
SS719102	14-1/2"	1.19 ea
5 Pack		
SS729101	7-1/2"	
SS729102	14-1/2"	5.99 kit
10 Pack		
SS729103	7-1/2"	8.99 kit
SS729104	14-1/2"	10 99 kit





Hi-Heat Coatings ThermoTec exhaust insulating products work excellent

as a paint directly on metal surfaces and can handle continuous temperatures up to 1200°F. It is also recommended for coating exhaust insulating wrap. The coating will protect the wrap from abrasion and harmful liquid spills. Extra resins and binders toughen the surface and extend the life of the wrap. Note: Shipped within the continental U.S. only. Shipped

DE010128 1" x 15"....

В

TT12001	11 oz.	black	15.99 ca
TT12002	11 oz.	aluminum	
TT12003	11 oz.	copper	



06 - rocket 07 - Pontiac 23 - stainless 25 - charcoal Xtreme Temperature Coating

XTC is a high temperature/heat resistant coating formulated specifically to protect metal surfaces operating at temperatures from 500 to 1500 degrees F. With proper preparation, XTC provides outstanding adhesion, film integrity, weathering, and thermal shock resistance throughout this entire temperature range, and is guaranteed not to burn off! Available in your choice of a wide variety of colors and sizes.

ste: 8 oz, will coat approximately 3 sets of automotive uust manifolds with 2 coats or coat a set of shorty headers with 2 coats. Pints will coat a set of full size headers with 2 coats or coat a complete automotive exhaust system with 2 coats.

Xtreme Temperature Coating Important: When ordering, select the part number for the size of the can you need, then add the two digit numerical

color code to the end of the part number to specify you derived color Jet Black, Charcoal Metallic, Flame Blue, Cast Iron

Gray, or O	7-wnite	
KB651	12 oz. net weight	22.99 ea
KB652	half pint (8 oz.)	22.99 ea
KB653	one pint	34.99 ea
KB654	one quart	62.99 ea
KB655	one gallon	200.99 ca
Aluminum,	Rocket Red, Pure White, or Sta	inless Steel
KB651	12 oz. net weight	
KB652	half pint (8 oz.)	31.99 ca
KB653	one pint	45.99 ea
KB654	one quart	83.99 ea
KB655	one gallon	279.99 ea

XTC Silicone Zinc Primer prevents corrosion of metal surfaces exposed to high heat, high humidity, condensation, and salt air. It functions much like galvanizing as it locks itself to bare metal surfaces leaving a perfect primed surface for top coating. Available in a wide variety of sizes.

KB65100 12 oz. net weight 22 99 69 KB65400 one quart.... 125.99 ca KB65500 one gallon 439 99 ca

Titanium Exhaust Wran

Titanium exhaust wrap from DEI, Withstands 1800 of direct, and 2500 of intermittent heat. Extremely pliable for an easy install with no wetting necessary Very durable with high resistance to abrasions, oil, and chemicals, and thermal breakdown. Titanium Exhaust Wrap

DE010005 DE010004	ium Exhaust Wrap 2" x 15' 2" x 25' 2" x 50'	34.99	ca

Gen II Copper Header Wrap Copper Header Wrap improves heat resistance

TT11032

55 99 ca

up to 30%. Generation II Copper Exhaust Wrap creates more horsepower and reduces underhood temperatures, increases exhaust scavenging, withstands continuous heat up to 2000 degrees Fahrenheit, contains no asbestos. TT11031 1" x 50' 37.99 ел

2" x 50'

TT11032



Reduce Underhood Temperatures!

Increased exhaust scavenging is produced, along with lower intake temperatures. Exhaust Insulating Wrap™ withstands continuous heat up to 2000 degrees F, and contains no asbestos. Will not over insulate a system when properly installed due to a proprietary coating developed by Thermo-Tee® Thermal Conduction Technology (TCT) that conducts heat across the wrap's surface. The 1/16* thick wrap is available in 1 inch or 2 inch widths in 15' or 50' rolls. Choose from off-white or graphite black.

	Exhaust Wrap	
	1" x 15' short roll	
TT1011	2" x 15' short roll	
TT1010	1" x 50' long roll	28.99 ea
TT1012	2" x 50' long roll	45.99 ea
	lack Exhaust Wrap	
	1" x 15' short roll	
TT1054	2" x 15' short roll	
TT1013	1" x 50' long roll	34.99 ea
TT1014	2" x 50' long roll	46.99 ea
		40



Reduce Underhood Temps Up to 70%!

The new quick wrap, high velocity Exhaust Jackets are an innovative way to insulate and block radiant heat. The jackets cover the header tubes vertically allowing for a consistent fit. The fit allows the exhaust system to expand as it comes up to operating temperatures without restrictions and provides air space for added insulation. This product uses Thermal Conduction

	y (TCT), developed by Thermo-	
can be app	lied with the headers in the vehi	cle.
TT1015	4-6 cylinder	76.99 ea
TT1016	8 cylinder	91.99 ca



This Flexible Heat Shield Clips Into Place!

The Header Manifold Blanket provides excellent heat retention for exhaust headers and manifolds. This flexible heat shield simply clips into place on the upper portion of the header. The fabric side of the material should be facing the heat source, and the aluminized side facing away - offering protection from abrasion and harmful liquid spills. The Header Manifold Blanket is available in 2 sizes: two 20" by 24" blankets for V6 and V8 applications, and one 36" by 40" blanket for

TT1017	V6-V8 applications	82.99
TT1018	straight 6 or 4 cvl models	78.99





Vermiculite Coated Header Wran

Insultherm Header Wrap is an extremely high temperature resistant wrap used to insulate hot gases in automotive exhausts. Manufactured from texturized fiberglass yarns that are woven into a strong, flexible wrap with vermiculite coating. Resists gasoline and engine chemicals and withstands temperatures up to 1200 degrees F (maximum continuous temperature of 1000 degrees F). Available in black or natural in

1" Header Wi	an		
HW719301	black	1" x 50'	19.99 ca
HW719302	natural	1" x 50'	
	black	1" x 25'	
HW719304	natural	1" x 25'	8.99 ca
2" Header Wi			
HW719311	black	2" x 50'	
HW719312	natural	2" x 50'	
HW719313	black	2" x 25'	
HW719314	natural	2" x 25'	15.99 ea



Turbo Insulating Set The turbo insulating set is designed to protect and

improve performance of the turbo. This universal set will help reduce turbo lag. The cut-to-fit set includes a substantial amount of material to cover turbos from the smallest automotive application to heavy-duty truck applications.

TT15002	6 or 8 cylinder set	110.99 s	ic
TT15003	turbo insulation cover only	38.99	ea

Shield Plastic or Rubber Hoses and Wiring from Radiant Heat!

Thermo-Shield™ protects hoses and wires from radiant heat. Unprotected, rubber hoses and plastic or rubber insulated wiring can dry out, melt or crack over time. Thermo-

ShieldTM is used in applications where it is difficult or not practical to disconnect one end of the hose or wire. The adhesive backed composite construction tape can easily be wrapped around the hose or wire to make a clean, professional appearance. Reflects radiant heat up to 2000 degrees F. Provides a barrier against the extreme conditions that underhood components are exposed to. Wrap your fuel lines and and and the exposed to: W

ı	TT1019	1-1/2" x 15' feet	18.99
ı	TT1051	2" x 50' feet	48.99





Floor and Tunnel Shield II

Ten mil aluminum bonded to woven glass fiber with a hi-temp adhesive backing. Designed to withstand temperatures up to 1750 degrees F. The adhesive backing adhere to almost anything while withstanding temperatures over 450 degrees F. Ideal for firewalls, floor pans, transmission tunnels, and under hoods. Note: Cool-Tape recommended for seams and edges.

	nel Shield with Adhesive E		
	21" x 2'		
	21" x 4'		
DE050503	42" x 4'	159.99	ca
	nel Shield without Adhesiv		
	42" x 2'		
DE050520	42" x 4'	76.99	ca
Cool-Tape			
DE010408		20.99	
DE010416	1-1/2" x 30' roll		
DE010468	2" x 30' roll	42.99	ca

An Extremely Versatile Heat Barrier™!

The Aluminized Heat Barrier™ is made up of woven silica with a flexible aluminized finish. The highly reflective surface of the material is capable of withstanding radiant



using standard rivets with a backup washer, or with weather strip adhesive. The Snap Straps (sold separately) can be used to hold the blanket in place for manifolds or exhaust systems. TT1008 36" x 40", 10 sq. ft., 79.99 ea

Keen Cool! Reflect Radiant Heat!

The Muffler/Catalytic Converter Heat Shield™ is made up of woven silica with a flexible Mylar finish. The highly reflective heat shield can be installed between the catalytic converter, muffler,



or any other component to reflect radiant heat from the undercarriage of the vehicle. Kit includes one 24" x 40" Mylar heat shield and all necessary fasteners. TT1007 muffler heat shield

Clamo-On Heat Shield

The flexible Clamp-On Heat Shield blocks more than 90% of damaging radiant heat from the exhaust. Silica based clampon shields are available in 1'. 2', and 3' lengths Clamp-On Shields are available in 1', 2', and 3' lengths. Sets come complete with all clamps and install easily



Silica Based Fabric Clamp-On Heat Shield

		2'		
TT11600		1'		
TT11620		2'		
TT11630	6" x	3'	67.99	set
Stainless Steel Clamp-On Heat Shield				
		1'		
TT1104	6" x	2'	80.99	set











