Hi Performance Crate Engines from ATK

ATK has been building engines for over 75 years and has assembled a line of dyno-proven crate engine packages to power up your car. Classic Industries[®] dedication to bringing the highest quality products on the market, combined with ATK's industry leading warranty make these Ford ATK crate engines an obvious choice. Available in various configurations including a complete, "Ready-to-Run" package for those who want to bolt their engine into their Ford muscle car and hit the road. For the ultimate in Ford crate engines, there's no better source than ATK from Classic Industries®.



Important: Not for use in pollution controlled vehicles. Computer controlled vehicles may need updated chips or other modifications. All prices include a \$310.00 core charge. Note: Special order, prepaid only. Not eligible for No Fault Gold Warranty Program.

Features a 24-Month/Unlimited-Mile Warranty!



Stage 1:



The ATK Stage 1 package is the basic building block of performance. Each Stage I motor comes with oil pump, oil pan, timing cover, and valve covers installed. Choose your own intake, fuel system, and ignition components.



The ATK Stage 2 package builds on the basics of the Stage 1, adding the distributor, a performance intake manifold, water pump, flexplate, and harmonic balancer. Add the carburetor and spark plugs and ignition wires of your choice.



performance in a crate, with oil pan and pump, spark plugs and wires, timing and valve covers, distributor, performance intake manifold, carburetor, fuel pump, water pump, flexplate, and balancer all preinstalled.

The 302ci engine produces 300HP and 336 lbs of torque. This engine is designed to have great street manners and work with most stock components. Includes: oil pump, black painted oil pan, chrome valve cover, and timing cover installed. Just add your own fuel and ignition components. Specifications:

302/300HP

HP: 300 Torque: 336 Engine Type: Ford small block V8 Displacement: 302ci Block: Seasoned OE roller Crankshaft: OE Ford cast 3.000" stroke 1 piece seal externally balanced 50 oz. Bore/Stroke: up to 4.040 x 3.000 Rods: OE steel 5.090" stock bolts Pistons: Hypereutectic Rings: M Rings: Moly Camshaft Type: Hydraulic roller Canshaft Lift: 498 in x. 498 ex Duration @ .50: 219 in x 219 ex Unade: OB ESTE/E7TH Cylinder Heads: OE ESTE/E7TE Chamber Size: 62cc Valve Size: 1.77 in x 1.46 er Compression Ratio: 9.1:1 in x 1.46 ex Rocker Arms: 1.6 stamped steel Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2400-2800 Note: OE 5 qt. oil pan is front sump, Fox body 5 qt. oil pan is dual sump. HP79 OE pan 4242.99 ea HP06 Fox body pan.... 3978.99 ea

302/365HP

The 302ci engine produces 365HP and 370 lbs of torque. This engine will have a noticeable idle and work with power brakes. Includes: oil pump, black painted oil pan, chrome valve cover, and timing cover installed. Just add your own fuel and ignition components. Specifications:

HP: 365 Torque: 370 Engine Type: Ford small block V8 Displacement: 302ci Block: Seasoned OE roller Crankshaft: OE Ford cast 3.000" stroke piece seal externally balanced 50 oz. Bore/Stroke: up to 4.040 x 3.000 Rods: OE steel 5.400" stock bolts Pistons: Hypereutectic flat top Rings: Moly Camshaft Type: Hydraulic roller Camshaft Lift: .512 in x .512 ex Duration @ .50: 220 in x 224 ex Cylinder Heads: Dart Pro alumin Chamber Size: 58cc/170cc

Valve Size: 2.02 in x 1.60 ex Compression Ratio: 9.5:1 Rocker Arms: Billet aluminum 1.6 roller Recommended Fuel: 91+ octane Ign, Timing: 34-36 deensee total Ign. Timing: 34-36 degrees total AT Stall Converter: 2500-2800

Note: OE 5 qt. oil pan is front sump, Fox body 5 qt. oil pan is dual sump. HP78 OE pan 5086.99 ea HP08 Fox body pan 5119.99 ea

Stage 1 Engines 351W/300HP A

The 351W ci engine produces 300HP and 377 lbs of torque. This engine is built for daily drivers that needed more power and torque. Includes: oil pump, black painted oil pan, chrome valve cover, and timing cover installed. Just add your own fuel and ignition components.

Specifications: HP: 300 Torque: 377 Engine Type: Ford small block V8 Displacement: 351ci Block: Seasoned OE ro : Seasoned OE roller Crankshaft: OE Ford cast 3.500" stroke piece seal externally balanced 28 oz. Bore/Stroke: up to 4.040 x 3.500 Rods: OE Steel 5.955" Stock Bolts Pistons: Hypereutectic Dished Rings: M Camshaft Type: Hydraulic roller Camshaft Lift: 498 in x 498 ex Duration @ .50: 219 in x 219 ex Cylinder Heads: Dart Pro aluminum Chamber Size: 62cc Valve Size: 1.77 in x 1.46 er Compression Ratio: 9.5:1 in x 1.46 ex Rocker Arms: 1.6 stamped steel Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 1500-2500 Oil Pan: 5 qt. rear sump HP09 3960.99 ca

351W/385HP

The 351W ci engine produces 385 HP and 410 lbs of torque. This engine has great street manners with good horsepower. Includes: oil pump, black painted oil pan, chrome valve cover, and timing cover installed. Just add your own fuel and ignition components.

Specifications: HP: 385 Torque: 410 Engine Type: Ford small block V8 Displacement: 351ci Block: Seasoned OE roller Crankshaft: OE Ford cast 3.500" stroke 1 piece seal externally balanced 28 oz. Bore/Stroke: up to 4.040 x 3.500 Rods: OE steel 5.955" stock bolts Pistons: Hypereutectic flat top Rings: Moly Camshaft Lift: 512 in x .512 ex Duration @ .50: 220 in x 224 ex Cylinder Heads: Dart Pro 1 aluminum Chamber Size: 58cc/170cc Valve Size: 2.02 in x 1.60 ex Compression Ratio: 9.8:1 Rocker Arms: Billet aluminum 1.6 roller Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2200-2500 Oil Pan: 5 qt. front sump HP11 5134.99 ca

331/380HP Stroker The 331ci engine produces 380HP

and 385 lbs of torque. This engine was designed to be street able, with noticeable idle, and work with power accessories. Includes: oil pump, black painted oil pan, chrome valve cover, and timing cover installed. Just add your own fuel and ignition components. Specifications:

HP. 380 Torque: 385 Engine Type: Ford small block V8 Displacement: 331ci Block: Seasoned OE roller Crankshaft: Scat Nodular iron 3.250" stroke 1 piece externally balanced 28 oz. Bore/Stroke: up to 4.040 x 3.250 Rods: Scat 4340 Forged I beam 5.400 with ARP 8740 bolts Pistons: Forged flat top w/4 valve reliefs Rings: Moly Camshaft Type: Hydraulic roller Camshaft Lift: .512 in x .512 ex Duration @ .50: 220 in x 224 ex Cylinder Heads: Dart Pro alumit Chamber Size: 58cc/170cc Chalinger Side: Josef Hose Valve Size: 2.02 in x1.160 ex Compression Ratio: 10.1:1 Rocker Arms: Billet aluminum 1.6 roller Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2400-2800 Oil Pan: OE 5 qt. front sump HP14 5974 99 ca

347/410HP Stroker

The 347ci engine produces 410HP and 415 lbs of torque. This engine was designed to be street able, with noticeable idle, and work with power accessories. Includes: oil pump, black painted oil pan, chrome valve cover, and timing cover installed. Just add your own fuel and ignition components. Specifications:

HP. 410

Torque: 415 Engine Type: Ford small block V8 Displacement: 347ci Block: Seasoned OE roller Crankshaft: Scat Nodular iron 3.400" stroke 1 piece externally balanced 28 oz. Bore/Stroke: up to 4.040 x 3.400 Rods: Scat 4340 Forged I beam 5.400 with ARP 8740 bolts Pistons: Forged flat top w/4 valve reliefs Rings: Moly Camshaft Type: Hydraulic roller Camshaft Lift: .512 in x .512 ex Duration @ .50: 220 in x 224 ex Cylinder Heads: Dart Pro alumin Chamber Size: 58cc/170cc Chalinger Side: Josef Hose Valve Size: 2.02 in x1.160 ex Compression Ratio: 9.7:1 Rocker Arms: Billet aluminum 1.6 roller Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2400-2800 Note: OE 5 qt. oil pan is front sump, Fox body 5 qt. oil pan is dual sump. HP80 OE pan..... 6046.99 ea HP20 Fox body pan 6032.99 ea

TNANDAMDD C. ENGINES





Stage 2 Engines

302/300HP

⚠

The 302ci engine produces 300HP and 336 lbs of torque. This engine is designed to have great street manners and work with most stock components. Includes: oil pump, black painted oil pan, chrome valve cover, timing cover, distributor, intake manifold, water pump, flexplate, and balancer installed. Specifications: HP: 300 Torque: 336 Engine Type: Ford small block V8 Displacement: 302ci Block: Seasoned OE roller Crankshaft: OE Ford cast 3.000" stroke 1 piece seal externally balanced 50 oz. Bore/Stroke: up to 4.040 x 3.000 Rods: OE steel 5.090" stock bolts Pistons: Hypereutectic Rings: Moly Camshaft Type: Hydraulic roller Camshaft Lift: 498 in x 498 ex Duration @ .50: 219 in x 219 ex Cylinder Heads: OE E5TE/E7TE Chamber Size: 62cc Valve Size: 1.77 in x 1.46 ex Compression Ratio: 9.1:1 Rocker Arms: 1.6 stamped steel Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2400-2800 Note: OE 5 qt. oil pan is front sump, Fox body 5 qt. oil pan is dual sump. HP79M OE pan 4686.99 ea HP06M Fox body pan 4558.99 ea

302/365HP

The 302ci engine produces 365HP and 370 lbs of torque. This engine will have a noticeable idle and work with power brakes. Includes: oil pump, black painted oil pan, chrome valu cover, timing cover, distributor, intake manifold, water pump, flexplate, and balancer installed.

Snecifications: HP: 365 Torque: 370 Engine Type: Ford small block V8 Displacement: 302ci Block: Seasoned OE roller Crankshaft: OE Ford cast 3.000" stroke 1 piece seal externally balanced 50 oz. Bore/Stroke: up to 4.040 x 3.000 Rods: OE steel 5,400" stock bolts Pistons: Hypereutectic flat top Rings: Moly Camshaft Type: Hydraulic roller Camshaft Lift: .512 in x .512 ex Duration @ .50: 220 in x 224 ex Cylinder Heads: Dart Pro alt hamber Size: 58cc/170cc alve Size: 2.02 in x 1.60 ex Compression Ratio: 9.5:1 Rocker Arms: Billet aluminum 1.6 roller Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2500-2800 Note: OE 5 qt. oil pan is front sump, Fox body 5 qt. oil pan is dual sump. HP78M OE pan 6221.99 ea HP08M Fox body pan 6284.99 ea

alve cover, timing cover, distributor, intake manifold, water pump, flexplate, and balancer installed. Specifications: HP: 300 Torque: 377 Engine Type: Ford small block V8 Displacement: 351ci Block: Seasoned OE roller Crankshaft: OE Ford cast 3.500" stroke 1 piece seal externally balanced 28 oz. Bore/Stroke: up to 4.040 x 3.500 Rods: OE Steel 5.955" Stock Bolts Pistons: Hypereutectic Dished Rings: Moly Camshaft Type: Hydraulic roller Camshaft Lift: 498 in x 498 ex Duration @ .50: 219 in x 219 ex Cylinder Heads: Dart Pro alu Chamber Size: 62cc Valve Size: 1.77 in x 1.46 ex Compression Ratio: 9.5:1 Rocker Arms: 1.6 stamped steel Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 1500-2500 Oil Pan: 5 qt. rear sump HP09M 4001 00 ca

351W/300HP

The 351W ci engine produces 300HP

and 377 lbs of torque. This engine is built for daily drivers that needed

more power and torque. Includes: oil

pump, black painted oil pan, chrome

347/410HP Stroker

The 347ci engine produces 410HP and 415 lbs of torque. This engine was designed to be street able, with noticeable idle, and work with power accessories. Includes: oil pump, black painted oil pan, chrome valy cover, timing cover, distributor, intake manifold, water pump, flexplate, and balancer installed. Specifications: HP: 410 Torque: 415 Engine Type: Ford small block V8 Displacement: 347ci Block: Seasoned OE roller Crankshaft: Scat Nodular Crankshaft: Scat Nodular iron 3.400" stroke 1 piece externally balanced 28 oz. ore/Stroke: up to 4.040 x 3.400 Rods: Scat 4340 Forged I beam 5.400 with ARP 8740 bolts with ARP 8/40 bolts Pistons: Forged flat top w/4 valve reliefs Rings: Moly Camshaft Type: Hydraulic roller Camshaft Lift: .512 in x .512 ex Duration @ .50: 220 in x 224 ex Cylinder Heads: Dart Pro aluminum Chamber Size: 58cc/170cc Valve Size: 2.02 in x 1.60 ex Compression Ratio: 9.7:1 Rocker Arms: Billet aluminum 1.6 roller Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2400-2800 te: OE 5 qt. oil pan is front sump, Fox body 5 qt. oil pan is dual sump.

Stage 3 Engines

302/250HP Base

C.O.D. PayPal

Classic 302 Ford fully dressed will have stock idle, built to replace your stock worn out engine. Based off the 1980-86 Ford 302 engine. Includes: oil pan, timing cover, valve covers, distributor with spark plugs and wires, a performance intake manifold, performance carburetor, fuel pump, water pump, flexplate, and balancer all preinstalled.

Specifications: HP: 250 Torque: 335 Engine Type: Ford small block V8 Displacement: 302ci Block: Seasoned OE roller Crankshaft: OE Ford cast 3.000" stroke piece seal externally balanced 50 oz. Bore/Stroke: up to 4.060 x 3.000 Rods: OE steel 5.090" stock bolts Pistons: Hypereutectic Rings: Mol Camshaft Type: Hydraulic flat tappet Cylinder Heads: OE cast iron Compression Ratio: 8.5:1 Rocker Arms: 1.5 stamped steel Recommended Fuel: 87 octane Ign. Timing: 34-36 degrees total AT Stall Converter: Stock Oil Pan: OE 5qt. front sump

Note: This particular engine is not dyno tested, you will still have to do the inti break in for this engine. May not clear OE air cleaners. HP99F 1968-74..... 3803.99 ea

302/300HP

The 302ci engine produces 300HP and 336 lbs of torque. This engine is designed to have great street manners and work with most stock components. Includes: oil pan, timing cover, valve covers, distributor with spark plugs and wires, a performance intake manifold. performance carburetor, fuel pump, water pump, flexplate, and balancer all preinstalled.

Specifications: HP: 300 Torque: 336 Engine Type: Ford small block V8 Displacement: 302ci Block: Seasoned OE roller Crankshaft: OE Ford cast 3.000" stroke piece seal externally balanced 50 oz ore/Stroke: up to 4.040 x 3.000 Rods: OE steel 5.090" stock bolts Pistons: Hypereutectic Rings: Mo Camshaft Type: Hydraulic roller Camshaft Lift: 498 in x 498 ex Duration @ .50: 219 in x 219 ex Cylinder Heads: OE ESTE/E7TE Chamber Size: 62cc Valve Size: 1.77 in x 1.46 ex Compression Ratio: 9.1:1 Rocker Arms: 1.6 stamped steel Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2400-2800 Note: OE 5 qt. oil pan is front sump, Fox body 5 qt. oil pan is dual sump.

351W/385HP

The 351W ci engine produces 385HP and 410 lbs of torque. This engine has great street manners with good horsepower. Includes: oil pan, timing cover, valve covers, distributor with spark plugs and wires, a performance intake manifold, performance carburetor, fuel pump, water pump, flexplate, and balancer all preinstalled. Specifications:

HP. 385 Torque: 410 Engine Type: Ford small block V8 Displacement: 351ci Block: Seasoned OE roller Crankshaft: OE Ford cast 3.500" stroke 1 piece seal externally balanced 28 oz. Bore/Stroke: up to 4.040 x 3.500 Rods: OE steel 5.955" stock bolts Pistons: Hypereutectic flat top Rings: Moly Camshaft Type: Hydraulic roller Camshaft Lift: .512 in x .512 ex Duration @ .50: 220 in x 224 ex Cylinder Heads: Dart Pro 1 alumin Chamber Size: 58cc/170cc Valve Size: 2.02 in x 1.60 ex Compression Ratio: 9.8:1 Rocker Arms: Billet aluminum 1.6 roller Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2200-2500 Oil Pan: 5 qt. front sump

347/410HP Stroker

The 347ci engine produces 410HP and 415 lbs of torque. This engine was designed to be street able, with noticeable idle, and work with power accessories. Includes: oil pan, timing cover, valve covers, distributor with spark plugs and wires, a performance intake manifold, performance carburetor, fuel pump, water pump, flexplate, and balancer all preinstalled.

Specifications: HP: 410 Torque: 415 Engine Type: Ford small block V8 Displacement: 347ci Block: Seasoned OE roller Crankshaft: Scat Nodular iron 3.400" stroke 1 piece externally balanced 28 oz. Bore/Stroke: up to 4.040 x 3.400 Rods: Scat 4340 Forged I beam 5.400 with ARP 8740 bolts with ARP 8/40 bolts Pistons: Forged flat top w/4 valve reliefs Rings: Moly Camshaft Type: Hydraulic roller Canshaft Lift: .512 in x .512 ex Duration @ .50: 220 in x 224 ex Cylinder Heads: Dart Pro aluminus Chamber Size: 58cc/170cc Valve Size: 2.02 in x 1.60 ex Compression Ratio: 9.7:1 Rocker Arms: Billet aluminum 1.6 roller Recommended Fuel: 91+ octane Ign. Timing: 34-36 degrees total AT Stall Converter: 2400-2800 te: OE 5 at. oil pan is front sump. Fox body 5 qt. oil pan is dual sump.

<u>R</u>a

COMPONENTS

⊼

Each Engine Features a 24-Month/Unlimited-Mile Warranty!



WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Engine Mounts



1964-73 Motor Mount

These are OEM quality, replacement style motor mounts and may not match your original mounts in appearance. Note: *Excludes Hi Po and Boss 429.

	er Motor M		
		LH	9.99 ca
6038A	1964-66	RH	7.99 ca
8 Cylind	er Motor M	ounts – Stud Type	
		LH before 11-1-65	
6038B*	1964-66	RH before 11-1-65	12.99 ea
		ounts – Ear Type	
6038E*	1966-73	LH from 11-1-65	
	1966-73		18.99 ca
6038M			42.99 ea
6038M			
6038M	1967-71	LH or RH 429CJ	42.99 ea
	otor Moun		
6038N	1965	upper round	19.99 ca
6038P	1965	lower rectangle	39.99 ca

1964-70 Motor Mount Brackets

These brackets are the 1966 and later "tall" style that allow you to use the stronger 'ear" type motor mounts in 1964-65 Mustang models, or



Misa.

AE160303

convert 6 cylinder vehicles to V8. 1965 Mustang V8s with shorty headers will also need this bracket/mount conversion to make clearance for the header tubes. These brackets bolt to the frame on 1964-70 Mustang models. Sold in pairs.

6028A 6028E 6028F	1964-66 1967 1967-70	small block 390 V8 V8 big block	115.99 pr



ARP stainless steel high-performance motor mount bolt set. Rated at 180,000 psi, stronger than Grade 8 fasteners, heat treated, and thread rolled to ensure

AR1503102	black oxide	Hex	12.99	set
AR1503101	black oxide	12 point		
AR4503102	stainless		23.99	
AR4503101	stainless	12 point	25.99	set

Aluminum I ine Clamn

	ACCA.
ean up your engine bay	-
th these aluminum	
e clamps. Machined	670 - 67
m 6061 aluminum	
i feature removeable	
Irin inserts with a	1000
6* pilot hole that can b	e drilled to
commodate a larger	
meter line. Made in US	A.
" Tall Line Clamp	

5/8" Tall Lir		<u> _</u>
	1 hole	
	2 hole	
	3 hole	
AE81204	4 hole	29.99 ca
1" Tall Line	Clamp	
	1 hole	
	2 hole	
	3 hole	
AE160304	4 hole	34.99 ca



These replacement motor mounts for 1979-04 Mustang models are manufactured from superior quality materials that will meet or exceed OE service life, performance, and ride quality. They will restore proper support to your engine and dampen the vibration and noise caused by worn out factory mounts. Sold individually,

Note: *Convertible motor mounts are a great heavy-duty

upgraae jo	0. 1894-82 1	5.0L, ana	1 1995-95 Cobra naratops.		
4 Cylinder Motor Mounts					
89Ľ115	1979-86	LH	all 14.99 ea		
89L132	1979-86	RH	all 14.99 ea		
A89125		LH	all 42.99 ea		
A89126	1987-93	RH	all 44.99 ea		
6 Cylinde	r Motor M	lounts			
89L115	1979	LH	V6 14.99 ea		
89L132	1979	RH	V6 14.99 ea		
A89129	1979-82	front	straight 6 7.99 ea		
A89130	1983	LH	hatchback 14.99 ea		
A89124	1983-84	LH	convertible 15.99 ea		
A89131	1983	RH	all 14.99 ea		
A89124	1984	RH	all 15.99 ea		
A89123	1983-86	LH	ex. conv 12.99 ea		
A89127	1994-95	LH	all 26.99 ea		
A89128	1994-95	RH	all 27.99 ea		
A89132	1996-04	LH	all 27.99 ea		
A89133	1996-04	RH	all 27.99 ea		
	r Motor M				
89Ľ115	1979-83	LH	all 14.99 ea		
89L132	1979-83	RH	all 14.99 ea		
A89123	1984-92	LH	ex. conv 12.99 ea		
A89124	1984-92	RH	ex. conv 15.99 ea		
89L121*	1984-92	LH	convertible 14.99 ea		
89L122*	1984-92	RH	convertible 24.99 ea		
89L121	1993-95	LH	all 14.99 ea		
89L122	1993-95	RH	all 24.99 ea		
A89134	1996-04	LH	all 24.99 ea		
A89135	1996-04	RH	all 24.99 ea		



1965-70 R3PP Engine Mounts

Fabricated from quality steel with Polyurethane bushings, ready to mount the engine to the crossmember. Designed for use with R3PP's 1965-70 Mustang front crossmember suspension systems only. Available for most popular engines.

Note: *Special on transmission when	der, please specify your engin 1 ordering.	e and
FM110705A	289/302	324.99 pr
FM110705B	351W	324.99 pr
FM110705C	351C	324.99 pr
FM110705D	Coyote 5.0	
FM110705E*	other engine	324.99 pr



1964-73 Master Engine Hardware Set

Master engine fastener sets for your Vintage Ford. The Makier engine tasterer sets to your vintage role. The authentic hardware you need to correctly reassemble the engine components that attach to the long block. A typical set includes fasteners to attach: oil pan, exhaust manifolds, valve covers, carburetor to intake manifold, manifolds, valve covers, carburetor to intake manifold, intake manifold, engine i.d. tag, crankshaft damper, starter, air cleaner heat shroud, points/condenser, water neck, block drain plugs, fuel pump, distributor clamp, crank pulley, timing cover, ignition coil strap and bracket, air cleaner wing nut, water pump. Each application within the set is separately packaged and labeled, so you know exactly where the fasteners go.

6 Cylinder	Engine			
MHK24	1964-65		106 pc	89.99 set
MHK25	1966-67	170/200	88 pc	81.99 set
MHK134			88 pc	86.99 set
MHK59	1969-73		90 pc	94.99 set
		with Genera		
		260 w/o AC	140 pc	141.99 set
MHK135		289 w/o AC	140 pc	141.99 set
MHK136		289 w/AC	140 pc	132.99 set
MHK136		289 w/AC	141 pc	132.99 set
MHK130 MHK137		289 Hi-Po	133 pc	134.99 set
8 Cyunaei MHK5		w/Alt, Alum		
	1965	289 w/o AC	141 pc	144.99 set
MHK60	1965	289 w/AC	151 pc	144.99 set
MHK115	1965	289 Hi-Po	133 pc	134.99 set
MHK122	1965	GT350	143 pc	136.99 set
8 Cylinder	Engines	w/Alt, Cast	ron Wat	er Pump
MHK66	1965	289	142 pc	139.99 set
MHK138	1965	289 Hi-Po	139 pc	129.99 set
MHK139	1965	GT350	144 pc	134.99 set
MHK4	1966-67	289 w/o AC	122 pc	139.99 set
MHK6	1966	289 w/AC	126 pc	139.99 set
MHK140	1966	GT350	162 pc	130.99 set
MHK141	1966-67	289 Hi-Po	115 pc	130.99 set
MHK50	1967	289 w/AC	126 pc	139.99 set
MHK142	1967	GT350 w/o AC	144 pc	129.99 set
MHK252	1967	390GT	133 pc	144.99 set
MHK112	1967-70	390/428	133 pc	134.99 set
MHK253	1967	GT500 428PI	180 pc	185.99 set
MHK22	1968	289/302 w/o AC	131 pc	144.99 set
MHK27	1968	289/302 w/AC		144.99 set
MHK126	1968-69	390GT	138 pc	147.99 set
MHK254	1968	428CJ	145 pc	160.99 set
MHK143	1968	GT350 w/o AC	157 pc	144.99 set
MHK144	1968	GT350 w/AC	159 pc	144.99 set
MHK110	1968	GT500KR 428PI	165 pc	174.99 set
MHK255	1968	GT500 428CJ	164 pc	169.99 set
MHK88	1969	302 w/o AC	131 pc	144.99 set
MHK145	1969	302 with AC	135 pc	144.99 set
MHK146	1969	Boss 302	134 pc	184.99 set
MHK117	1969	351W w/o AC	130 pc	141.99 set
MHK147	1969	351W w/AC	136 pc	141.99 set
MHK121	1969-70	GT350 w/o AC	152 pc	139.99 set
MHK148	1969-70	GT350 w/AC	152 pc	136.99 set
MHK105	1969	428CJ/SCJ	157 pc	172.99 set
MHK149	1970	302 (exc Boss)	126 pc	144.99 set
MHK225	1970	Boss 302	152 pc	223.99 set
MHK256	1970	428CJ/SCJ	159 pc	174.99 set
MHK150	1971-73	302	123 pc	136.99 set
MHK151	1970-73	351W	128 pc	144.99 set
MHK97	1970-71	351C 2V	127 pc	139.99 set
MHK124	1970-71	351C 4V	131 pc	139.99 set
MHK211	1970-71	429CJ/SCJ	136 pc	172.99 set
MHK91	1971	Boss 351	131 pc	152.99 set
MHK152	1972-73	351C 2V	129 pc	139,99 set
MHK153		351C 4V	125 pc	141.99 set
			· F	

458 ENGINE MOUNTS WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

TOLL FREE 800.854.1280

Clo wit lin

fro

and

De

3/1

acc

Engine Hardware



Fnaine Bolt Set USA

Each engine bolt set contains 12 groups of fasteners: intake manifold bolts, valve cover bolts, thermostat housing bolts, alternator bracket bolts, distributor bracket bolts, motor mount bolts, oil pan bolts, coil bracket bolts, header bolts, front cover bolts, water pump bolts, and fuel pump bolts. Your choice of Hex head or 12 point bolts in black oxide or polished stainless steel finish.

Black Oxide		
AR5549801	289-302	Hex head 188.99 set
AR5549701	289-302	12 point 203.99 set
AR5549802	Boss 302	Hex head 232.99 set
AR5549702	Boss 302	12 point 232.99 set
AR5549803	351W	Hex head 96.99 set
AR5549703	351W	12 point 106.99 set
AR5549804	351C	Hex head 171.99 set
AR5549704	351C	12 point 172.99 set
AR5559802	390-428	Hex head 151.99 set
AR5559702	390-428	12 point 184.99 set
AR5559801	429-460	Hex head 165.99 set
AR5559701	429-460	12 point 149.99 set
Stainless		
AR5549601	289-302	Hex head 252.99 set
AR5549501	289-302	
AR5549501	289-302	12 point 241.99 set Hex head 257.99 set
AR5549501 AR5549602	289-302 Boss 302	12 point 241.99 set Hex head 257.99 set
AR5549501 AR5549602 AR5549502	289-302 Boss 302 Boss 302	12 point 241.99 set Hex head 257.99 set 12 point 296.99 set Hex head 187.99 set
AR5549501 AR5549602 AR5549502 AR5549603	289-302 Boss 302 Boss 302 351W	12 point 241.99 set Hex head 257.99 set 12 point 296.99 set Hex head 187.99 set
AR5549501 AR5549602 AR5549502 AR5549603 AR5549503	289-302 Boss 302 Boss 302 351W 351W	12 point 241.99 set Hex head 257.99 set 12 point 296.99 set Hex head 187.99 set 12 point 172.99 set Hex head 249.99 set
AR5549501 AR5549602 AR5549502 AR5549603 AR5549503 AR5549604	289-302 Boss 302 Boss 302 351W 351W 351C	12 point 241.99 set Hex head 257.99 set 12 point 296.99 set Hex head 187.99 set 12 point 172.99 set Hex head 249.99 set
AR5549501 AR5549602 AR5549502 AR5549603 AR5549503 AR5549604 AR5549504	289-302 Boss 302 Boss 302 351W 351W 351C 351C	12 point 241.99 set Hex head 257.99 set 12 point 296.99 set Hex head 187.99 set 12 point 172.99 set Hex head 249.99 set Hex head 239.99 set
AR5549501 AR5549602 AR5549602 AR5549603 AR5549503 AR5549504 AR5549604 AR5549504	289-302 Boss 302 Boss 302 351W 351C 351C 351C 390-428	12 point
AR5549501 AR5549602 AR5549502 AR5549503 AR5549503 AR5549504 AR5549504 AR5559602 AR5559602	289-302 Boss 302 Boss 302 351W 351C 351C 351C 390-428 390-428	12 point



ARP high-performance valve cover stud sets for cast aluminum valve covers. These studs ensure a leak atumnum varve covers. I nese studs ensure a teak free seal on your Mustang's valve covers. They are available in black oxide chromoly steel or polished stainless steel with either Hex head nuts or compact 12 point nuts. Washers included. Made in USA. Your choice of black oxide or stainless steel.

Black	Oxide

VISA

289-351W	Hex	28.99 set
289-351W	12 point	39.99 set
351C	Hex	37.99 set
351C	12 point	53.99 set
429-460	Hex	34.99 set
429-460	12 point	47.99 set
289-351W	Hex	34.99 set
	Hex 12 point	34.99 set 81.99 set
289-351W		
289-351W 289-351W 351C 351C	12 point	81.99 set
289-351W 289-351W 351C	12 point Hex	81.99 set 92.99 set
	289-351W 351C 351C 429-460	289-351W 12 point 351C Hex 351C 12 point 429-460 Hex



Head Bolt Set

ARP premium grade 8740 alloy chromoly steel highperformance head bolt sets. They are rated at 180,000 psi, 15 percent stronger than Grade 8 fasteners. These head bolts and manufactured to exact tolerances, heat treated, and thread rolled to ensure consistent clamping force strength and durability. Made in USA.

260-302			
AR1543601	black	Hex	49.99 set
AR1543701	black	12 point	57.99 set
AR4543601	stainless	Hex	95.99 set
AR4543701	stainless	12 point	132.99 set
Boss 302			
AR1543602	black	Hex	57.99 set
AR1543702	black	12 point	55.99 set
AR4543602	stainless	Hex	124.99 set
AR4543702	stainless	12 point	132.99 set
302 with Win	dsor or Afte	ermarket Heads	
AR1543605	black	Hex	115.99 set
AR1543705	black	12 point	97.99 set
AR4543605	stainless	Hex	173.99 set
AR4543705	stainless	12 point	201.99 set
351W			
AR1543603	black	Hex	82.99 set
351C			
AR1543604	black	Hex	93.99 set
390-428	omen		20.27 acc
AR1553601	black	Hex	92.99 set
	DIACK	riex	92.99 set
427 SOHC			
AR1553602	black	Hex	95.99 set
429-460			
AR1553603	black	Hex	146.99 set
-			



High-Performance Head Stud Set

ARP premium grade 8740 alloy chromoly steel high-performance head stud sets. These head studs are manufactured to exact tolerances, heat treated, centerless ground, and thread rolled to ensure consistent clamping force strength and durability. Made in USA. Note: *Includes washers for Windsor style aftermarket heads.

289-302	Hex head	139.99 set
Boss 302	Hex head	134.99 set
302	Hex head	151.99 set
390-428		
427		
429-460	Hex head	286.99 set
	Boss 302 302 351W 351C 390-428	Boss 302 Hex head 302 Hex head 351W Hex head 351C Hex head 390-428 Hex head 427 Hex head

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Edelbrock head bolt set of the highest quality head bolts and hardened washers available. Cold formed to ensure molecular integrity, heat treated prior to thread rolling and machining. Reduced diameter bolt heads eliminate the need for valvetrain removal to facilitate cylinder head retorquing. Rated at 170,000 psi.

EDL8552	289-302 7/16"	80.99	set
EDL8553	351Windsor 1/2"	179.99	
EDL8560	351Cleveland		
EDL8557	Ford FE 390-428	179.99	set
EDL8566	Ford 429-460	328.99	set



Engine dress-up bolts for various Ford engines. Choose from valve cover or intake manifold sets. Allen head provides for a sleek custom look under the bood

		e of 12 (Allen Head)		
	170/200			
19015A		use w/steel covers		
19015B	170/200	use w/cast covers		
19015B	289/302	use w/cast covers	5.99	set
Intake M	anifold Pa	ckage of 12 (Allen Hea	d)	
19013A	289/302		9,99	set



Harmonic Damoer Bolts Stie h

ARP 8740 alloy chromoly steel high-performance harmonic balancer bolt sets. They are rated at 180,000 psi, many times stronger than Grade 8 fasteners. These premium damper bolts are manufactured to exact tolerances, heat treated, and thread rolled to ensure consistent clamping force strength and durability. 12 point head design with a black oxide finish and come complete with washers and nuts where applicable. Made in USA

AR1502501	289-460	ex. 351C	25.99	set
AR1542501	351C		23.99	
AR1562501	4.6-5.4		34.99	
AR1562502	5.0	Coyote	39.99	set

ENGINES <u>R</u>a COMPONENTS

ENGINE HARDWARE

Specialty Engine Tools



Max Energy Power Programmer

The Max Energy power programmer allows countless adjustments from shift points to speedometer calibrations for a wide range of gear ratios and tire sizes. It allows up to 1000 RPM adjustments of the rev limiter, the ability to change the top speed limiter and can be used to read and clear DTC's. It undates via internet and can easily return the vehicle to stock tune, if necessary.

Note: Not for sale or use in California.

HYPERTECH



Hypertech Speedometer Calibrator

The Hypertech Ford Speedometer Calibrator allows speedometer and odometer correction for on 1999-04 Mustang when changing to 2.73, 3.08, 3.23, 3.42, 3.73, 4.10, 4.56 gears. It can also clear DTC's and make corrections for tires 23" to 30" in 1/4" increments. Completely user friendly and easy to use! It updates via internet and can easily return the vehicle to stock tune! 742500 1999-04 4.6L 2V 229.99 ca



BLNANDAND

C.

iagnostic trouble codes, but also offers the most
robable solutions for your specific vehicle when
oubleshooting details are available thanks to the
Code Connect database of 3 million verified fixes.
ead and erase DTCs (Diagnostic Trouble Codes),
isplay and reset MIL (Malfunction Indicator Lamp)
tatus, read, record, and playback live sensor data, read
nd display I/M (Inspection/Maintenance) monitors.
Other features include an OBD II emissions check and
rive cycle mode, ABS code read/erase capability for
nost 1996 and newer GM, Ford, and Chrysler vehicles,
large, backlit LCD, a USB port for updates, and the
apability of printing data via PC. Compatible with
BD II and CAN vehicles 1996 and newer.
ote: Troubleshooting data in English only.

ENGINE TOOLS

460

236.99 ca



AutoTroubleshooter

This ingenious tool features automatic reverse polarity indication, automatic zero adjustment for Volts and amps for accurate measurements and overload protection on all ranges. Performs all standard electrical tests for on-car and bench troubleshooting. Locate faulty wiring, test electrical components, engine sensors, ignition and fuel systems and your starting/ charging system. .. 55.99 ca

AC7677



AutoAnalyzer Digital Multimeter

Pinpoint problem area and determine which components are faulty! Performs standard electrical tests for on-car and pm bench to locate faulty wiring, test electrical components, engine sensors, ignition and fuel systems and starting/charging system voltage. Features 19 ranges and automatic zero adjustment for Volts, amps, and battery tests, as well as an easy-to-read backlit LCD. Includes: color coded detachable test leads, alligator clips, and a comprehensive user manual AC7665 . 35.99 ea



This advance timing light features an all metal inductive pickup, bright Xenon flash, and one touch control. Available with a degree dialed knob for easy timing adjustments or a digitally controlled with LED display and tachometer functions. Detailed instructions included

AC7528 adjustable knob 65.99 ea AC7529 LED display.

Aim this IR thermometer at the target, press a button, and read the temperature display Verify the temperature in your AC system or find an overcharge in your electrical systems. System On-Chip technology creates a compact, lightweight design with a measurement range of -58 degree F to +932 degree F (-50 degree C to +500 degree C). Includes two AAA batteries and belt holster. AC7876 65.99 ca

Infrared Thermometer with Laser Pointer



Allows one person to start or crank engine from under the hood. Ideal for compression test or bumping engine onto TDC (top dead center) timing marks for valve, distributor or camshaft adjustment. Power tool type trigger switch for regular use with medium currents. Heavy-duty Neoprene leads. 10 amp, medium current clips open to 1/2". Protective rubber boots prevent electrical shorts. Ergonomic handle. One-year warranty. Made in USA



Heavy-Duty Remote Starter Switch

Start and crank engine from under the hood or from either side of the vehicle. Ideal for compression test or bumping engine onto TDC (top dead center) timing marks for valve distributor or camshaft adjustment Convenient hot circuit red indicator light glows when starter switch is ready, light goes off when switch is depressed. Heavy-duty push button trigger switch, 5 foot heavy-duty leads, 12 gauge conductors. 20 amp, high current clips open to an extra wide 5/8" for easy hook up. Protective rubber boots prevent electrical shorts. Soft, non-slip rubber grip. Made in USA.

AC7854 52.90 cm



Remote Starting Switch MISA . Excellent tool allowing easy engine starting from under the hood. Features heavy gauge, rubber covered copper wire. Simply depress the button to jog or start the engine. Made in USA.

Y20750 91 99 ca

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

TOLL FREE 800.854.1280

18.99 ca

FORD MUSTANG PARTS AND ACCESSORIES



Jactron



Compression tester detects worn rings, burnt valves and blown head gaskets. Features external pressure release valve, full 21/2° easy-to-read face. U.S. and metris scales. 14° high pressure flexible oil and grease resistant hose. 14mm and 18mm ends fit most spark plug penings. Professional kit fatures a detachable hose and includes adapters for all standard spark plug threads, a repair kit with valves and rubber o-rings. ACR360 tester only ______ 6.09 ea





Works with standard engine hoists to provide an additional axis to maneuver adjust the angle of the engine with a turn of the handle! The engine tilter is rated for 1200 pounds, made from steel, weighs only 14 pounds, and comes fully assembled. Includes an upper lap link and four 20° chains. Made in USA. MN2087 179 99 ea

VISA



Motor Coater® Engine Refinishing Set

KBS Motor Coater engine paint set has everything you need to do a superior job when you paint your engine, and even inclusies the step-by-step instructions needed to help you do it right. Motor Coater is easy to apply, offers supperfor everage and enamels provide deep, rich pignemetel colors for excellent coverage. Your engine will be a show stopper at this DJY price... too bad it's kept under the hood! First, MSJ second engines cleaner and degreeser eliminates all ding grease and oil. Next, use the Russiliant MSB Miser Colland prep the metal. Then, mayproof and top coat theme, glowest a brouch, and a strick.

RE1036	all years	Universal Gloss Black	64.99	set
RE1057	all years		64.99	
RE1056	all years	Daytona Yellow	64.99	set



Engine Assembly Grease

Used by Joe Gibbs Racing during the assembly of every NASCAR Sprint Cup and Nationwide Series engine. Unique formula dissolves in oil. Can be applied to ring lands in order to prevent micro welding during initial break-in. Combine with the Joe Gibbs BR break-in oil (part #BR106 or #BR107) for proven protection during break-in.

	1 pound can		
G732	1 oz. tube	5.99	ea



Max-Tuff Assembly Lube

Max-Tuff is an ultra tough, synthetic lubricant designed for use in reassembling reparted equipment. Max-Tuff utilize durable synthetic molecules that adhere to metal surfaces and create an extremely strong barrier between surfaces minimizing the possibility of metal-to-metal root and correspondence of the surface of the strong metals. Formulated with Royal Purple's proprietary Synsile additive technology:

RP01335 8 oz. bottle RP12335 case of 12

WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov



ENGINES & COMPONENTS



AMERICA'S FIRST CHOICE IN AUTOMOTIVE RESTORATION



462 ENGINE TOOLS

BLNANDAND

Γ.

66978

10.99 ea 10.99 ca

13.99 ca

14 99 ca

18.99 ca

51.99 ca

97 99 set

Δ

11.99 ca

40.99 ca



8

Specialty Engine Tools



Nil Pressure Switch Socket

Easily remove oil pressure sending units! This socket designed with extra recess to accommodate most oil ressure switches and many brake lamp switches. This pressure switches and many brace lamp structures a 3/8" drive socket features a 1-1/16" Hex opening and a durable black oxide coating.

X3923 5 99 ca



Beam Type Torque Wrench

Directly measure a variety of torque values when tightening fasteners. Pointer moves clockwise or counterclockwise to measure torque in English and metric. Satin finish scale reduces glare. Inch pound models feature ball type handles which localize force, assuring accuracy. Foot pound version has comfortable, palm fit handle to provide natural smooth, accurate pull. Palm fit handle pivots on beam to maintain constant distance from drive point to load point for precise measurement. Wrench can be easily calibrated by bending pointer to zero before use. Serviceable luct N n-ratchet

X2955	1/4" f	ixed, inch/lbs	. 54.99 ca
X2956	3/8" f	ixed, inch/lbs	. 79.99 ca
X2957	1/2" f	ixed, foot/lbs	. 69.99 ea



This tool hooks into the flywheel teeth to rotate the crankshaft. Use when working on clutches, transmissions, installing rings, or other jobs which require the crankshaft to be in a specific position. Spring tension aids tool engagement on the flywheel. x2270 35.99 ca

VISA



Valve Spring Compressor

Makes compressing the spring and removing the keepers a simple job because there is no need to remove the head. Faster than conventional compressors because there is no need to readjust the tool after each spring. Note: When space prohibits use of cam handle, replace the handle with a bolt and turn the socket.

Y16750 compressor. 36.99 ca



Engine oil priming tools safely pre-prime an engine with oil prior to the initial engine startup. The priming tool, once paired with a standard hand drill circulates oil throughout the engine quickly and safely

MPT11	1964-95	260/289/302/5.0	21.99 ea
MPT12	1969-73	351W	
MPT12	1970-73	351C	21.99 ea
MPT11	1967-70	390/427/428	21.99 ca
MPT12	1969-71	429	21.99 ca
MPT12	1964-73	170/200/250	21.99 ca



and breaker bar to rotate the crankshaft when turning the engine with the balancer already installed. 66782 1964-71 26.99 ea



Make removing the rocker studs easier by using this special tool designed for not only removing rocker studs, but aligning as well. 66792 24.99 ca WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov





Silicone Gasket Maker

Makes reliable formed in place gaskets that resist cracking, shrinking and migrating. Coats precut gaskets to increase reliability. Resists auto and shop fluids. Great for use on valve covers, intake manifold end seals, timing covers, water pumps, and thermostat housings, 3 oz, tube.

S80022		3.99	
S81160	red #26B	5.99	ca



For use with turbo-charged engines or highperformance models. The most advanced, hi-temperature silicone gasket available. Sensor safe, low odor, non-corrosive. Outstanding oil resistance and joint movement values. Temperature range -75 to 700 degrees F intermittent. Recommended for pre-1980 six cylinder and V8 engines. Great for use on exhaust manifolds/headers, valve covers, intake manifold end seals, oil pans, timing covers, water pumps, thermostat housings, 3 oz, tube,



than adhesion. Resists shop fluids and fuels. Great for valve cover gaskets and oil pan gaskets. \$80016 3.07 3.99 ca 3M per Silicone Super Silicone Sealant Excellent for use with all types of gaskets. A rapid curing adhesive/sealant can also be used as a sealant between flanges, hose connectors, and similar close fitting parts. 08661 3 oz. tube .. 10.99 ca clear 08662 12.99 ca black 3 oz tube



fiming Components



1964-67 Timing Chain Cover

Features a cast-in timing pointer and a deep upper cavity to match the rear of the factory aluminum water pump. This cover must be used with the early style aluminum water pump with an exposed impeller. Does not include oil fill tube hole.

289/302/351W.... 171.99 ea 6019A 1964-67



1966-84 Timing Chain Cover

This timing chain cover is a replacement style cover that will fit any 1966-84 Mustang 289/302/35 I W with a cast iron water pump. Original looking, intended to be used with a bolt-on timing pointer sold separately. This cover must be used with a cast-iron water pump with a stamped steel cover plate over the back of the pump. 6019DR 1966-84 289/302/351W..... 69.99 ca



1967-93 Timing Chain Cover

This aluminum timing chain cover is an accurate reproduction of the 1967-93 V8 timing cover featuring a cast-in timing pointer. This cover must be used with a cast water pump with a stamped steel cover plate over the back of the pump.

6019C 1967-93 V8 110.00 es

Warning: Concerning Timing Chain Cover

Any reference to a "cast iron" or "aluminum" water pump refers to the two different types of water pump/ timing chain cover combinations originally used by the Ford factory on early Mustang V8's. Some early V8 Mustangs came from the factory with an aluminum water pump featuring an exposed impeller on the back. This pump required a special timing chain cover with a deep cavity to mate properly with the exposed impeller. At some point in the 1965 production run. Ford changed over to a cast iron water pump with a stamped steel cover over the back of the pump. The timing chain cover was changed to accommodate this new pump, and features a shallow cavity where the iron pump attaches to it. Each of these early pumps MUST use the appropriate style of timing chain cover.



1965-95 Aluminum Timina Cover

Stock replacement die-cast aluminum timing covers for Ford early and late model EFI 5.0L and 351W engines. Includes gaskets and crankshaft seal. Both are compatible with OEM or Edelbrock Victor Series aluminum water pumps

ste: Part #4250 will not fit high volume oil pumps. With reverse rotation water pump

EDL4250		289 (non K code) & 302		
		351W		
EDL4251*	1988-95	351W	218.99	ca



1962-95 Performer-Link Timing Set 🔺

Performer-Link timing chain sets have solid bushing chain for true bearing surface that rolls with the sprockets, eliminating chain stretch. Cam sprockets are made from 35.000 psi tensile strength cast iron. Crank sprocket are made from billet steel and induction heated. Include correct keyway setting points to ensure accurate timing selection for early or late model vehicles.

Note: *Stock replacement, Performer-Link timing se are not for use above 6500 RPM. †From 3-21-84. ††To 3-21-84.

V8 260, 289, 30			
EDL78117	1984-95	72.99	set
EDL7814*7	1984-95	41.99	set
V8 289, 302, 30			
EDL782077	1962-84	65.99	set
V8 360, 390, 42	7. 428		
EDL7808	1963-76	77.99	set
V8 351C, 351M	/400		
EDL7821	1969-82	78.99	set
EDL7830	1968-87	77.99	set
EDL7821 V8 429/460	1969-82 1968-87		



1965-92 Magnum Double Roller Timing Set

Magnum double roller timing sets for Ford Mustang V8. They feature a hardened cast iron cam gear, a billet steel crank sprocket, and a heavy-duty, heat treated double row chain. The 3 keyway crank sprocket can be adjusted for up to 4 degrees of advance/retard. CC2120 1065-88 255 289 302 Boss 302 76 99 set

CC2131	1982-84	302HO	36.99	set
		5.0L, 302-351		
		351W		
		351C		
		390, 427, 428		
		429, 460		
CC2130	1972-87	429, 460	68.99	set



Replacement oil seal that inserts into the timing cover

on variou	us 1964-73 I	Ford engines.	
6700A	1964-73	8 cyl (exc. 351W)	
6700A	1969-73	250 6 cylinder	14.99 ea
6700B	1964-73	170/200 6 cylinder	14.99 ca
6700C	1970-73	351W	7.99 ca



1964-73 Timing Chain Cover Gasket Set

This gasket set contains all the gaskets and seals required to mount a timing chain cover on your 1964-73 models

6020A	1964-73	170/200	21.99 set
6020C	1965-73		14.99 set
6020D	1970-73		14.99 set
6020D 6020E	1970-73	390/427/428	14.99 set 14.99 set



1965-73 Timina Pointer

Reproduction timing pointer. Fits 1965-73 289. 351W with bolt-on timing pointer. Mounting bolts included. 6023A 1965-73 10.99 ca



Moroso timing pointer for Ford small block engines. They fit 289, 302, and 351W with 10 or 11 o'clock top dead center.

MS60150	1986-93	11 o'clock	75.99 ea
MS60155	1996-04	10 o'clock	64.99 ea

5.99 set

1964-73 Timing Chain

MHK250 1970-73

Set of bolts OEM timin over the tir gear on 19	ng chain co ning chain	ver	
6 Cylinder	Engines		- 4
6025A		170ci w/gen	7.99 set
MHK13	1965-70	170/200ci w/alt	7.99 set
MHK258	1969-73	250ci	7.99 set
8 Cylinder	Engines		
MHK259	1965-67	260/289ci w/gen	9.99 set
MHK14	1965-67	260/289ci w/alt	11.99 set
MHK251	1967	390/427/428	17.99 set
MHK15	1968-69	289/302/351W	11.99 set
MHK260	1968-69	390/427/428	17.99 set
MHK261	1970-71	429	9.99 set
MHK262	1970	Boss 302	24.99 set
MHK56	1970-73	302/351W	11.99 set

GUMPONENTS C. 自己と同之日

351C TOLL FREE 800.854.1280

Engine Components







1964-73 Black, Chrome, or Anodized Billet Aluminum Engine Pullev

Great engine dress-up items! Available for water pump (WP) or crankshaft (CS) in bright chrome-plated steel or anodized billet aluminum with one, two, or three belt grooves as listed below. Note: *WP=water pump pulley, CS=crankshaft pulley.

		Bla	ack Pai	nted			
Item# 8509F 8509G 8509H 6A312K 6A312AB 6A312CB	Year 1965 1966-67 1965-70 1964-67 1964-67 1965-67	Engine 6 cyl 289 289 6 cyl 289 289 289	Type WP WP CS CS CS	Groove single single double single double double	O.D. 5" 6-1/8" 5-7/8" 6" 6-3/4" 6-3/8"	Color black black black black black black	67.99 ea 67.99 cs 69.99 ea 97.99 ea 84.99 ea 72.99 ea
		Chi	rome-P	ated			
Item# 8509A 8509B 8509C 6A312A 6A312B 6A312C	Year 1965-66 1964-73 1965-66 1964-67 1965-67 1965-67	Engine 289 with smog 289 289 289 289 289	Type WP WP CS CS CS	Groove double triple single double triple single	O.D. 5-7/8" 5-7/8" 6-3/16" 6-3/4" 6-3/4" 6-3/8"	Color chrome chrome chrome chrome chrome	47.99 ea 47.99 ea 31.99 ea 56.99 ea 60.99 ea 41.99 ea
		Bill	et Alum	inum			
Item# 8509D 8509E 6A312D 6A312E 6A312F 6A312F 6A312G 6A312H 6A312J	Year 1965-69 1965-68 1965-68 1969 1965-68 1969 1965-68 1965-68 1969	Engine 289/302/351W-2V 289/302/351W-2V 289/302-2V 302/351-2V 289/302-2V 289/302-2V 289/302-2V 302/351-2V 302/351-2V	Type WP CS CS CS CS CS CS CS	Groove double double double double triple triple triple	O.D. 5-3/4" 5-3/4" 6-1/8" 6-1/8" 6-1/8" 6-1/8" 6-1/8" 6-1/8"	Color silver black black silver black silver silver	84.99 ea 84.99 ea 99.99 ea 99.99 ea 99.99 ea 149.99 ea 149.99 ea 149.99 ea



This 13 piece set features 4 different sized attaching bolt sets to remove most common Ford harmonic balancers. Bolts to balancers, pulleys, and gears with tapped holes with the center screw on the end of the crankshaft. Tighten while tapping on the screw head to remove. A floating swivel prevents damage to the shaft end. TX141 14 99 69

1965-73 Crankshaft Vibration Damper

VISA

Over time, your stock balancer can wear out. causing vibration and possible major engine damage. Replace your old damper with one of these Dorman

harmonic balancers. Part of their OE Solutions line, these balancers bolt right up to the stock location for a perfect fit

316AR

PayPal

6316AR	1965-68	289 (exc. Hi-Po) repro	94.99 ca
6316H	1965-70	200 6 cyl. w/o AC	111.99 ca
6316C	1967	390 – 3 bolt	156.99 ea
6316L	1968	302 - 3 bolt	120.99 ca
6316D	1969	302 (exc. Boss)	143.99 ca
6316J	1969	351W - 3 bolt	143.99 ea
6316E	1970-73	302 - 4 bolt	143.99 ea



1979-04 Under Drive Pullev Set

BBK Performance under drive pulley sets for 1979-04 Mustang models. Manufactured from aircraft quality machined steel or aluminum alloy. Designed as direct bolt on replacements for the current factory pulleys and retain full cooling and charging characteristics. Each pulley set is vehicle specific for maximum performance. These BBK under drive front accessory pulley sets are one of the easiest ways to free up an average 8-15 horsepower. Available in a hand polished aluminum finish. Includes: new crank, water pump, alternator pulley, complete installation instructions, and allows the use of existing serpentine belts.

Note: Fits 1986-93 5.0L EFI motors (Reverse Rotation Sementine System)

Hand Polis	hed Alum	inum Sets			
BBK1553				139.99	
BBK1554	1994-95	GT	3 pc	149.99	set
BBK1619	1994-98	3.8L V6	2 pc	99.99	set
BBK1555	1996-01	GT. Cobra	3 pc	199.99	set
BBK1559	2000-02	Cobra	3 pc	199.99	set
BBK1559	2001-04	GT	3 pc	199.99	set
WARN www.P	ING: Cano 65Warning	er and Repr	oductive	e Harm-	



1979-00 Billet Aluminum linder Drive Sernentine Pullev Set 🔥

We carry an assortment of anodized, billet aluminum serpentine pulley sets for your Mustang. Under drive pulleys are smaller, and turn your accessories slower which increases available horsepower by as much as 11% and can increase fuel economy up to 3 MPG! Typical set includes: alternator, crank and water pump pulleys, plus any required hardware.

portant: *1979-85 sets convert V-belt engines to serpentine. Includes: pulleys, PS bracket kit, alternator bracket kit and related hardware. Not recommended for cars using AC.

89L442*	1979-85	5.0	chrome		
89L443*	1979-85	5.0		337.99	
89L444*	1979-85	5.0		337.99	
89L445*	1979-85	5.0	black	337.99	
89L438	1986-93	5.0	blue	151.99	set
89L439	1986-93	5.0	black	135.99	
89L440	1986-93	5.0	polished	132.99	
89L441	1986-93	5.0	machined	121.99	set
89L447	1996-98	4.6 GT	polished	151.99	
89L447	1996-99	4.6 Cobra	polished	151.99	
89L448	1999-00	4.6	polished	151.99	set



1996-04 Under Drive Pullev

<u>R</u>a

COMPONENTS

465

Steeda's under drive pulleys are the only ones engineered to have the proper torsional vibration dampening characteristics for your 4.6L engine. Regain up to 10 horsepower and increase gas mileage by reducing the parasitic accessory drag on the engine. These pulleys are made from high-quality nodular iron and the crankshaft pulley also has injection molded bonded rubber to withstand engine heat and absorb vibration. Includes pulleys for crankshaft, water pump, alternator, and the crankshaft pulley bolt.

Note: Midway through the production run for the 2001 model year Ford changed the design of the water pump resulting in a change in design for models after January 2001.

89L013	1996-99	Cobra	289.99 set
89L012	1996-01	GT	279.99 set
89L014	2001-04	GT	
89L014	2001	Cobra	
89L013	2002	Bullitt	289.99 set



ENGINE COMPONENTS



Air Cleaners & Parts



Ford Racing Air Cleaner

Complete 13" air cleaner assembly features bright chrome finish. Lid is embossed with "Ford" logo. Fits 4V carbs. 360 degree opening with wire mesh, uses production air filter element. Includes matching "Ford Script" wing nut.

Note: *Not legal for use on pollution controlled motor vehicles. Off-road use only in California.

801 108* bright chrome 72 99 cs





Chrome Air Cleaner with Tri-Star Nut

Top off your engine with an open element air cleaner for the ultimate in looks and maximum airflow. Each triple chrome-plated air cleaner includes a handsome tri-star wing nut to finish the look in style. Available for a variety of applications and sizes as listed.

Note: 66315 adaptor must be purchased for models with 4-7/32" neck.

Round 14" Diameter
With 3" Tall Element, Low Profile
66801 fits 5-1/8" and 4-7/32" neck 34.99 ea
With 5" Tall Element
T2286 fits 5-1/8" neck 62.99 ea
Round 10" Diameter
With 2-7/8" Tall Element
66802 fits 5-1/8" and 4-7/32" neck 22.99 ea
Round 6-3/8" Diameter
With 2-3/8" Tall Element
66803 fits 5-1/8" and 4-7/32" neck 16.99 ea
Round 4" Diameter
With 1-7/8" Tall Element
66816 fits 2" 2-5/16" 2-5/8" necks 20.99 ca



High-Performance Air Cleaner

Beautiful concours style air cleaner with a polished chrome finish. This concours correct Hi-Po air cleaner features polished chrome top, blue bottom, and authentic OEM style round holes in filter element screen. 14" diameter; fits most standard V8 carburetors (2V and 4V). This air cleaner is a reproduction of the 1965-67 high-performance style. Includes a 14' diameter chrome air cleaner, wing nut, air filter, chrome air cleaner lid, and a blue air cleaner base. Installation hardware also included. Fits most 2V and 4V carburetors. Replacement filter, air cleaner decal, and breather tube insert included.

Note: Includes breather tube mounted on the base and Hi-Po decal

9600D concours correct 47.99 ea



High-Performance Chrome Air Cleaner

High-quality chrome finish, measures approximately 14" x 2-1/2". Includes: air filter and Hi-Po decal, Fits most standard V8 carburetors

9600C 43.99 ca



1965-73 Six Cylinder Hi-Po Air Cleaner

Now six cylinder owners can finish off their under hood dress-up with this Hi-Po chrome air cleaner for 1965-73 170, 200, and 250 six cylinder engines. The base was designed specifically to fit the original Autolite 1V carburetor.

9600P 1965-73 42.99 ca 9601G replacement filter element only.. 24.99 ea



1969-70 Shaker Scoop and Air Cleaner

Reproduction of the infamous shaker scoop and air cleaner assembly. Now you can add a shaker to any 1969-70 V8 small block Mustang (289, 302, 351W, 351C with stock intake manifold) and have a factory look and fit. Cutting a hole in your hood is required. Scoop hood trim ring part #16958A is available separately.

Note: *Shipp	ed oversize.	0S1
9600S*	1969-70	605.99 ea
9600SBB*	1969-70	605.99 ea
16958A	1969-70	176.99 ea



1967-68 390 GT Air Cleaner Housing

This air cleaner housing is an accurate reproduction of the rare chrome top high flow air cleaner used on 1967-68 GT Mustangs with the optional 390 V8. Includes the blue painted air cleaner base with emissions fitting and the chrome-plated air cleaner lid. Filter element and wing nut sold separately.

1967-68 with CA emissions.. 448.99 ea 1967-68 49 state emissions... 448.99 ea 0600P 96007

AUTHORIZED



1969-70 Shaker Intermediate Plate 🔥

This intermediate plate features stamped steel construction just like the original. Available with or without the functional vacuum activated flapper and pivot rod. This plate assembly is a direct replacement for the original plate assembly. Also available is the flanner ass embly sold separately

9600IP	1969-70		272.99 ca
16958B	1969-70	with flapper	426.99 ea
9600U	1969-70	flapper assembly	46.99 ea

Air Cleaners & Parts



1965-73 OE Style Air Cleaner

Reproduction OE style air cleaners for 1965-73 Mustang models. These sharp reproductions are designed as original and feature a black primer finish. Filter element not included.

9600E	1965-66	6 cylinder (Non-California)	114.99	
9600F	1967	6 cylinder (Non-California)	99.99	
9600G	1965-67		104.99	
9600H	1965-67	V8 with vent tubes (California)	254.99	ca
9600N	1965-67	V8 without vent tubes (Non-California)	254.99	ca
9600Q	1971-73	V8	239.99	ca



Oval Air Cleaner Assembly

Die-cast aluminum oval air cleaners for single or dual four barrel carburetors. They feature ablack coated housing with cast aluminum ribs, outline, and script. Assemblies come complete with top, base, filter element, wing nut, and mounting hardware. *Emission Notes: For (PPCV) Pre-Pollution Controlled Vehicles Only: Check your state law before ordering:*

9600AG	Running Horse	147.99 ea
9600AH		147.99 ca
A6406	plain	132.99 ea
A6407	plain – dual carbs	132.99 ea
A6408	Mustang	139.99 ea
A6409	Mustang - dual carbs	139.99 ea



Reproduction heat riser shrouds for 1965-73 Mustang models equipped with 289-302ci engine and factory original air cleaner assembly. This stamped steel heat shroud and tube connects the exhaust manifold, and then to the snorkel on the air cleaner assembly to help heat up the choke.

9A603R	1965-67	V8	86.99 ea
9A603AR	1968-73	V8	86.99 ea

PayPal

VISA CON



3" Aluminum Slant Edge Air Cleaner

Ford Racing air cleaner for Ford Mustang. These air cleaners feature milled diccast aluminum construction with a raised or a resceed Ford Racing emblem on the lid. The lids have a durable crinkle finish and attach with a cast-in threaded boss climitating the need for a center nut. Includes a genuine Motorcraft air filter. *Emission Nater: For (PPCV) Pro-Politica Compiled Vibics Only. Legal for use on all vehicles that were manifestarie blevier mission control realizations were imposed. Clack*

your state law before ordering.

Raised Logo				
A48054	5-1/8" diameter	black/milled emblem	154.99	ea
	5-1/8" diameter	blue/milled emblem		
A48056	5-1/8" diameter	gray/milled emblem	160.99	ca
Recessed Lo	go			
	5-1/8" diameter	polished/black emblem		
	5-1/8" diameter	chrome/black emblem		
A48059	5-1/8" diameter	black/red emblem	154.99	ca





Billet Aluminum Air Cleaner

Billet Specialities billet aluminum air cleaners for 4 barrel carburetors. They are available with either ball milled or smooth fick and come in a variety of shapes and sizes. Every Billet Specialities air cleaner is designed around a standard size air filter that can be found at any auto parts store. They are manufactured from high grade aluminum, CNC-machined, and polished to a quality finish. Polished stainless steel mounting hardware included.

Small Oval Air Cleaner -	10" Round Air Cleaner – 10" x 3"		
11-7/8" x 8-3/8" x 3"	B15229 smooth 146.99 ea		
B15329 smooth 139.99 ea	B15220 ball milled 146.99 ea		
B15320 ball milled 139.99 ea	6-3/8" Round Air Cleaner -		
Large Oval Air Cleaner –	6-3/8" x 3"		
15" x 8-1/2" x 3"	B15129 smooth 97.99 ea		
B15429 smooth 161.99 ea	B15120 ball milled 94.99 ea		
B15420 ball milled 141.99 ea	Triangle Air Cleaner –		
14" Round Air Cleaner – 14" x 3"	14-7/8" x 13-1/2" x 3-1/8"		
B15829 smooth 175.99 ea	B15729 smooth 316.99 ea		
B15820 ball milled 185.99 ea	B15720 ball milled 261.99 ea		



Air Cleaners & Parts



13" Open Element Air Cleaner

13° open element air cleaner assembly from Ford Racing available in chrome or black. Fits Mustang models with 289/302/351W engines and 2V and 4V carburctors. and are supplied with a 5-5/8 high Motorcraft filter element. Assembly includes polished upper and lower housing, performance filter element, cast Ford oval wing nut and all necessary mounting hardware. Matching valve covers, breathers, and valve cover bolt sets are available separately.

Emission Notes: For (PPCV) Pre-Pollution Controlled Vehicles Only: Legal for use on all vehicles that were manufactured before emissions control regulations were imposed. Check our state law before ordering

9600AC 9600AD 9600AF 9600AA 9600AB	Mustang Cobra Ford Racing Mustang Cobra	chrome chrome chrome black black	83.99 95.99 81.99 82.99	ca ca ca
9600AE	Ford Racing	black	76.99	ea



The Classic Series air cleaner was created to perfectly match the popular classic The Cansack series aft cleaner was treated to pertextly haudt me popular Cassit auminum finned value covers. These air cleaners work with all popular 5-16° right" hold on the covers of the cleaner provides a dequate bood clearance in demanding applications as well as a coordinated appearance with the classic finned look. Available in classic polished or durable black powder coated finish. Include a hist-naultice 2017 washable, no colded or durable black powder coated finish. Include a hist-naultice 2017 washable, no colded cost and cleaner cleaner (classic) and the classic finance of the classic finance and the classic finance cleaner (classic) and the classic finance of the classic finance of the classic finance cleaner (classic) and the classic finance classic) and the classic finance classic classic and the classic finance classic) and the classic finance classic and the classic finance classic cellent filtration 45

	468 4	AIR CLEANERS & PARTS 🔥	ARNING: ww.P65Wa	Car rnir		
1 2	Black Finish E41173 EDL41153 EDL41193	14" round for 4 barrel carb with 3" element 15" x 8-1/4" oval for 4 barrel carb with 2.4" element 17.5" x 9.35" oval for dual quads with 2.4 element	225.99	ca		
	Polished Finis E4117 EDL4115 EDL4119	h 14" round for 4 barrel carb with 3" element 15" x 8-1/4" oval for 4 barrel carb with 2.4" element 17.5" x 9.35" oval for dual quads with 2.4 element	328.99	ca		
	Satin Finish EDL41179 EDL41159 EDL41199	14" round for 4 barrel carb with 3" element 15" x 8-1/4" oval for 4 barrel carb with 2.4" element 17.5" x 9.35" oval for dual quads with 2.4 element	214.99	ca		
	https://doi.org/10.1017/2008/1019-0114-0114-014-014-014-014-014-014-014-0					



Victor Series Air Cleaner

These Victor Series accessories are one more line of engine dress-up. Made from heavy-duty gauge, die-cast aluminum. Feature black powder coated with a finely textured surface for a pleasing and unique appearance. This is the same unique finish you will find in other Victor Series accessories. Round air cleaner fit all popular 5-1/8" diameter carburetors or 4 barrel throttle bodies. Feature a knock-out in the base for use with a crankcase ventilation adapter (sold separately). Include a high-quality pre-oiled, washable, and reusable Pro-Flo filter for excellent filtration.

Round Air Cleaner

EDL41613	14" x 3-1/8"	with 3" element	
Oval Air Clean			

EDL42203 11-7/8" x 8-1/4" with 2.4" element 167.99 ca



Elite II Series Air Cleaner



Introducing the next generation of Elite Series accessories. Made from heavy gauge, die-cast aluminum and are finished off with a show quality high luster polished finish. The raised fins are accented by a contrast gloss black finish between the fins for the definite Elite Series finish. Round air cleaner fit all popular 5-18" diameter carburetors and include a black anodized knurled nut. Oval air cleaners are designed to fit Edelbrock single/dual quad applications and should clean HEI distributors/OEM parts. Both include a high-quality pre-oiled, washable, and reusable Pro-Flo filter for excellent filtration. nr are 13.5/8" x 7.2/16"

Round Air Cle				
E4266	14" x 3-1/8" with 3" element, 3/8" deeper flange	150.99 ea		
E4268				
EDL43666	14" x 3" round element only	33.99 ea		
Oval Air Clea	ners			
EDL4272	oval x 3-1/2" with 2-1/2" element for dual guad	192.99 ca		
EDL4273	oval x 3-1/2" with 2-1/2" element for 4 barrel carb	173.99 ca		
EDL1226	oval 2-1/2" element only	28.99 ea		



Racing Series Air Cleaner

These new Racing Series accessories are the latest addition to the line of engine dress-up. Made from heavy-duty gauge, die-cast aluminum. Feature a sleek flat black textured finish, diamond cut finish raised racing stripe and Edelbrock Racing back textured mem high teaches to will give any engine an aggressive look to match it's performance. Round air cleaner fit all popular 5-1/8° diameter carburetors and include a black anodized knurled nut. Includes a high-quality pre-oiled, washable, and reusable Pro-Flo filter for excellent filtration

14" x 3.125" with 3" element, 3/8" deeper flange 176.99 ea EDL41663 EDL43666 14" x 3" round element only. 33.99 ca





Top off your engine with a good looking Pro-Flo air cleaner. The Edelbrock signature and styling coordinate beautifully with Edelbrock Signature Series valve covers. These air cleaners are stamped from 18 gauge steel and triple chrome-plated for a high-quality finish and good looks. They 'll work with all popular 5-1/8" diameter carburetor necks.

Important: Use E1121 with all Edelbrock square bore carburetors and Q-jets.

E1207	" Diameter with 3" Element chrome with logo	42.99	
E1121 E1223	chrome with logo, low profile black with logo, low profile	41.99 45.99	
		45.99	ea
	" Diameter with 2" Element		
E1208	chrome with logo	33.99	
E1203	black powder coated with logo	35.99	ca
	Diameter with 2" Element		
E1209	with logo	39.99	ca
Triangula	ar with 2-1/2" Washable Elemen	at	
E1222	with logo	139.99	ca
-	_		_
	\frown	Edulkios	de la
			_
	(

Air Cleaner Spacer

These 5-1/8" diameter plastic spacers from Edelbrock get you the clearance you need between the carburetor and air cleaner base. Available in 1/2" and 3/4" sizes. Made in USA.

E8093	1/2"	tall		17.99	ca
E8092	3/4"	tall	spacer	12.99	ea

PayPal

VISA



Vintage Series air cleaners are 14° in diameter and are vaniable in boh? and 4° heights. They can also be had with either paper (white) or premium reusable cotton gauze (red) filter elements. All air cleaners include color matched bases with knock out provisions for a fresh air adapter. The carburetor gasket and mounting fresh air adapter. The carburetor gasket and mounting 4150 and 4160 with 5-18° diameter neck. Li di smade from die-cast luminum with a stamed steel base.

	r Elements 14" x 3"
H120150	polished finish 201.99 ea
H120152	black finish 159.99 ea
H120158	natural finish 153.99 ea
Paper Filter	r Elements 14" x 4"
H120154	polished finish 207.99 ea
H120156	black finish 165.99 ea
H120159	natural finish 159.99 ea
Premium F	ilter Reusable Element 14" x 3"
H120151	polished finish 207.99 ea
H120153	black finish 165.99 ea
H120160	natural finish 159.99 ea
	ilter Reusable Element 14" x 4"
H120155	polished finish 214.99 ea
H120157	black finish 173.99 ea
H120161	natural finish 165.99 ea



SUSA Ribbed Billet Air Cleaner

Manufactured from machined billet aluminum with a mirror polished finish. Each air cleaner includes a K&N filter, stainless steel mounting hardware, and detailed instructions. Available in a 14⁺ round version or a dual quad configuration with adjustable base plate to allow for variations in carburetor spacing. Made in USA. *Note: Not for us with Dominator carburetors*.











Streamline Series Air Cleaner

These billet aluminum air cleaners are machined for style, featuring a mirror polished billet strip on top with integrated wing nut. Designed to fit standard forubarrel carburetors, each air cleaner inchudes stainless steel hardware and detailed instructions. Choose from three designs, available in your choice of stain black powder coated or bead blasted and ready for paint. Made in USA.

Note: Not fo	r use with Dominator carburetors	
Round - 14	r=	
158240	black	286.99 ea
158241	ready to finish	289.99 ea
	- 15" x 8-1/2" x 3"	
154240	black	213.99 ea
154241	ready to finish	231.99 ea
	- 11-7/8" x 8-3/8" x 3"	
153240	black	
153241	ready to finish	211.99 ea



Air Cleaners and Scoops



5700206

Concealed Element Air Cleaner

These "concealed" element air cleaners will give a stunning look to any engine! Finned air cleaner covers are cast in aircraft grade aluminum and polished to a gleaming shine. Cast and spun air cleaners feature a two piece shell - a spun aluminum shell with a brushed finish and a polished aluminum cap on top. Each air cleaner includes a washable, pre-oiled air filter, base, and mounting hardware. Air cleaner base has a 5-1/8" flange for all popular 4 barrel carburetors.

Finned Air Cleaners

A5700202 teardrop 12" x 9" x 3-1/2" ... A5700203 oval


Cast and Spun Air Cleaners

A5700204 finned A5700205 Orbit A5700206 Mohawi	12" x 4" 12" x 4-3/4" k 12" x 4-1/2"	224.99 e
--	--	----------



4 57

file of the B-17 Bomber, with steep fins on the	
ling edge that fade away toward the back. Both	
cast in A356 aircraft alloy and polished to a show	
lity shine. Each air cleaner includes a platinum	
es washable 12" x 8" x 2" filter, featuring a neutral	
y material with stainless steel mesh.	
700200 Razorback 318.99 ca	
lity shine. Each air cleaner includes a platinum es washable 12" x 8" x 2" filter, featuring a neutral y material with stainless steel mesh.	





Mini 6-3/4" air cleaners for dual quad carburetor setups Air cleaner lids and bases are made with A356 aircraft grade castings and polished to a show quality finish. Each air cleaner includes hardware and washable, pre-oiled filter. Available with a straight base or with a 1/4" offset base, for those with clearance issues. Sold individually, 2 required. Specifications: base flange 5-1/8"; diameter 6-3/4"; height 4-1/2

Note: Check your center-to-center spacing before ordering 45700207 Orbit straight base Orbit 1/4" offset base 188 99 ca A5700208 188 99 ca A5700209 Mohawk straight base ... 188 99 ca A5700210 Mohawk 1/4" offset 188.99 ca full finned straight base A5700211 188 99 ca A5700212 full finned 1/4" offset 188 99 ca



Low Profile Air Cleaner

Looking to add a high tech look to your engine compartment? Check out this Spectre ProFab low profile oval inlet polished air cleaner. This air box has an enclosed housing around the air filter that is designed to help block engine heat from getting to the air filter. In addition, this housing includes a single 10 inch wide by 2.4 inch tall oval snorkel inlet that is designed to allow more air to the air filter than a standard 4 inch round inlet Fits all carburetors or TBI with 5-1/8" neck. Includes Spectre's HPR6 14" x 3" air filter

SP98801 polished aluminum 229.99 ea



1969-70 Shaker Air Cleaner Snorkel

This reproduction air cleaner snorkel fits 1969-70 Mustangs with a 351 Cleveland or Windsor Engine. Manufactured in stamped steel to factory specifications for proper fit and function. Black EDP coated. 9A626A 1060 70 110.00 as







Aluminum Street Scoops

These aluminum street scoops add an old school performance look to almost any engine, especially if it has a tunnel ram or dual carburetors. Each 20* scoop is made from polished cast aluminum with three fully functional reversible round butterflies. Designed for carburetors with a 5-1/8" neck and includes both dual and single carburetor mounting plates, 6-3/8" x 2-1/2" paper element air filters, hardware, and instructions. 53301 smooth housing scoop 305 00 set 52391 ribbed housing scoop . 393 99 set



These aluminum street scoops add an aggressive performance look to any custom street or show car engine. They are polished and available in finned or smooth finishes. Full size scoops measure 20" long by 5" tall and are available for single or dual 4 barrel applications. Mini scoops measure 13-1/2" x 4-1/2" and are only available for single carburetor applications. Includes necessary hardware and a 6-3/8" x 2-1/2" paper element air filter.

Note: All	scoop	s fit only carburetors with 5-1/8" neck.

A

uu size	Street Scoops		
52351	finned, single 4 barrel		
52331	finned, 2 x 4 barrel	268.99 ea	
Mini Stre	et Scoops		
52451	smooth		
52461	finned	187.99 ea	



VISA

🕼 PERFORMANCE FILTERS

F

Ē

E

Ē

E

Ē

E

E

Е E Ē Е Ē Ē

E

E E E

Е

Ē

Е

Ē

Ē

E

Ē

Е

E

3 Ē

E



14" Low Profile Chrome Air Cleaner

This air cleaner provides a low profile fit by dropping the filter 7/8" or 1-1/4" below the carburetor flange. 5-1/8" flange fits all popular 4 barrel carburetors. Your choice of 4 element heights are offered to fit a wide variety of applications. Note that the 7/8* drop will fit carburetors with electric choke mechanisms. Optional vent kit, item #851190 is available and sold separately. Total height listed below is the minimum clearance needed above the carburetor flange.

Note: *Will not fit Edelbrock carbs with electric choke

7/8" Drop without Vent Kit

601430	3" element, 3.12" total ht	
601440	4" element, 4.12" total ht	139.99 ca
601450	5" element, 5.12" total ht	
601460	6" element, 6.12" total ht	139.99 ea
1-1/4" Dr	op without Vent Kit	
601280	3" element, 2.75" total ht	109.99 ca
601290	4" element, 3.75" total ht	
601300*	5" element, 4.75" total ht	139.99 ca



601260

14" Raised Profile Chrome Air Cleaner

14 National From on one real This air cleaner raises the element 9/16" above the carburetor flange, 5-18" flange fits all popular 4 barrel carburetors. Your choice of 4 element heights and the variety of applications. Will are offered to fit a wide variety of applications. Will clear HEI distributors. Vent kit is included. Total height listed below is the minimum clearance needed above the carburetor flange.

9/16" Paired Profile with Vent Kit

601263	2-1/4" element, 3.87" total ht	
601264	3" element, 4.62" total ht	129.99 ea
601260	4" element, 5.62" total ht	139.99 ea
601270	5" element, 6.62" total ht	179.99 ea



Air Filter Sealing Grease

K&N Air Filter Sealing Grease seals the air cleaner assembly, eliminating the possibility of dirt, dust, and other particles from entering your carburetor from between the air filter element and air cleaner assembly. This is especially important if you will be operating your vehicle off-road or in extremely dusty conditions such as construction sites, etc. K&N Air Filter Sealing Grease resists heat and will not melt or run off. 990704 6 ounce tube 10.00 a



14" Triangular Chrome Air Cleaner 🔥

Breathe a little life into your engine compartment! This triangular air cleaner will set your underhood area apart from the norm. The 5-1/8" flange fits all popular 4 barrel carburetors. Element height is 3" while 3.62" is the minimum clearance needed above the carburetor flange.

601470 3" element, 3.62" total ht 139.99 ea



11" Stainless Steel Air Cleaner

This air cleaner is perfect when high-performance is desired but space is at a premium. 5-1/8" flange fits all popular 4 barrel carburetors. Your choice of 4 element heights are offered to fit a wide variety of applications. 3/4" vent kit is included. Total height listed below is the minimum clearance needed above the carburetor flange. Top is made of long-lasting polished stainless steel while bottom is an attractive chrome finish.

601170 2-1/8" element, 3.12" total ht., 159,99 ea 3-1/2" element, 4.75" total ht.. 129.99 ea 601180 5" element, 6.00" total ht..... 139.99 ea 601200 601210 6" element 7.00" total ht. 139.99 ca

Air Filter Oil & Clean/Degreaser Set!

K&N Air Filter Oil and Cleaner/Degreaser is the only oil and cleaner/ degreaser specially formulated to work in combination with the cotton fabric in the K&N filter. The use of any other could void the filter's warranty and potentially harm the air filter's cotton material. The cleaner/degreaser works



to dissolve the dirt buildup and old oil filter oil and can be washed away with water. It is environmentally friendly, and when used as directed, is safe on paint, chrome, cast aluminum, plastic, rubber, and vinyl. Each set includes: oil, cleaner/degreaser, and service decal. Your choice of 6-1/2 oz. serosol spray or 8 oz. squeeze oil bottle is offered. 995000 kit w/6-1/2 oz. aerosol oil 19.99 set

005050 kit with 8 oz squeeze oil ... 16.99 set

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Air Filter Element for OEM Air Cleaner 🔥

/100	LINIO LINI	
1080	1964-65	170 L6 69.99 ca
1080	1964-67	200 L6 69.99 ca
1080	1964	260 V8 69.99 ea
1080	1964	289 V8 exc. hi perf 69.99 ea
1090	1964	289 V8 hi perf 99.99 ea
1090	1965	289 V8 exc. hi perf., 99.99 ea
1560	1965	289 V8 hi perf 79.99 ea
1090	1966	289 V8 99.99 ea
1040	1967	289 V8 79.99 ea
1560	1967	390 V8 79.99 ea
1030	1968-69	200 L6 59.99 ea
1570	1968	289 V8 79.99 ea
1570	1968-69	302 V8 79.99 ea
1570	1968-69	390 V8 79.99 ea
1560	1968	427 V8 79.99 ea
1560	1968-69	428 V8
1570	1969	
1500	1969	429 V8
15/0	1970 1970	302 V8 2 barrel 79.99 ea 302 V8 4 barrel 79.99 ea
1570	1970	351 V8 w/o Ram air 79 99 ea
1580	1970	351 V8 w/Ram air 64.99 ea
1560	1970	428 V8 79 99 ca
1560	1970	429 V8
1560	1971	302 V8 w/o Ram air 79 99 ea
1570	1971	302 V8 w/Ram air 79.99 ea
1570	1971	351 V8 2 barrel 79.99 ea
1560	1971	351 V8 4 barrel 79.99 ea
1560	1971	429 V8 w/o Ram air 79.99 ea
1570	1971	429 V8 w/Ram air 79.99 ea
1300	1972	302 V8 59.99 ea
1300	1972	351 V8 w/o Ram air 59.99 ea
1570	1972	351 V8 w/Ram air 79.99 ea
1325	1973	302 V8
1580	1973 1973	351 V8 exc police 64.99 ea 351 V8 w/police 79.99 ea
1570	1975-76	302 V8 64.99 ea
1290	1975-76	5.0L V8
1325	1983-86	3.8L.V6 74.99 ca
1535	1983-85	5.0L V8
32015	1986-93	5.0L V8
32044	1987-93	2.3L L4
0940	1994-04	3.8L V6
0940	1994-95	5.0L V8 69.99 ca
0945	1995	5.8L V8 74.99 ea
0945	1996-04	4.6L V8 74.99 ea
0940	2004	3.9L V6 69.99 ea

Carburetor Cover

Damage to pistons rings and other components can be caused by accidently dropping something into your carb while the air cleaner assembly is off. The K&N carburetor cover



is used on 5-1/8" carburetors eliminating the risk of dropping bolts, nuts, screws, or other items down the throat and into the intake manifold. Also works well in keeping dirt, dust, and other elements out of your carb during times you must store your engine or vehicle with the air cleaner assembly removed. Choose from black red or orange

5-1/8" Carburetor Cover 858913C specify black, red, or orange.. 49.99 ea





Air Filter Element

A K&N air filter element can be washed up to 25 times before its considered no longer serviceable. Even though the filter may not show outward signs of deterioration, it should be replaced after 25 washings. Excessive washings will deplete the timy coton hairs that riskersors the openings. The resulting damage will allow inty data particles to pass through. The elements and stainless steel air cleaner assemblies.

14" Round Elements

E1650	3" height	14" diameter	79.99 ca
	4" height	14" diameter	
	5" height	14" diameter	79.99 ca
E3770	6" height	14" diameter	119.99 ea
	nd Elements		
	2-1/8" height	11" diameter	109.99 ca
	3-1/2" height	11" diameter	69.99 ca
	5" height	11" diameter	89.99 ca
E3690	6" height	11" diameter	99.99 ea
14" Tria	ngular Element		
E3737	3" height	14" triangular	109.99 ca



PRECHARGER Filter Wrap

The K&N PRECHARCER is a specially designed filter warp made to extend the length of time between cleanings. A great idea when operating off-road or in very dusty conditions. They are made from a durable polyester material containing uniform micronopenings. The PRECHARCER will stops small particles, yet add little restriction to the airflow of the and can be cleaned with &KN Filter Cleaner. Double stitched elastic openings keep the PRECHARCER securely in place. Each comes silk screened with the K&N lites, Choose from black, blue, red, or yellow. Huppraturi: Places aperiy black. Nuc. end, or yellow.



14" Diameter PRECHARGER E1650P 3" height 44.99 ca E3750P 4" height 49.99 ca E3760P 5" height 49.99 ca E3770P 6" height 44.99 ca

VISA



If your engine atill has its assol, style filter element and ari celeme assembly, it most liskly is not realizing its full horsepower potential. Restrictive elements combined with the turbulence insuita a stock filter housing tend to choke off critical airflow. Pitt an end or the XSTREAM air flow assembly and feed your engine all the airfica auss. Theresult will be maximum horsepower Thoose from the complete assembly or pass tall the airfica and the stock of the cust turbulence. Clanable and results bigst like our other filters. Total height listed below is the minimum clearance needed above the carburctor flange.

XSTREAM Air Flow Top (Top Only)

14" black rim	
14" red rim	159.99 ea
	14" black rim 14" polished rim 14" blue rim 14" red rim

XSTREAM Air Flow Assembly 7/8" Drop (for 5-1/8" Neck Flange) 663050 3" element (3-1/8" height)... 219.99 ea

XSTREAM Air Flow Assembly 1-1/4" Drop (for 5-1/8" Neck Flange) 663040 3" element (2-3/4" height)... 179.99 ea 663060 4" element (3-3/4" height)... 179.99 ea

663070 5" element (4-3/4" height)... 219.99 ea XSTREAM Air Flow Assembly Raised 9/16" Base

(for 5-1/8" Neck Flange) 663010 3" element (4-5/8" height)... 179.99 ea 663020 4" element (5-7/8" height)... 219.99 ea 663030 5" element (6-7/8" height)... 219.99 ea



PRECHARGER XStream Filter Wrap 🔥

The K&N PRECHARCERS is a specially designed filter warp made to extend the length of time between cleanings. A great idea when operating off-road or in very dusty conditions. They are made from a durable poly-ester material containing uniform micronopenings, and little restriction to the airflow of the filter. The PRECHARCERS is designed to be run dry and can be cleaned with K&N Filter Cleaner. Each comes situ screened with the K&N logo. Choose from black, blue, red or d vyellow, places specify color when ordering.

		eam Top PRECHARG		
221430		element		
221440		element		
221450	with 5"	element	89.99	ca



1965-73 Replacement Paper Air Filter Element

Δ

An OEM quality pleated paper element for standard applications. Quality air filters lengthen engine life by preventing the introduction of damaging foreign particles to the fuel mix.

Note: *For Hi-Po air cleaner reproduction element with round holes

9601F	1965-67	170/200	10.99 ea
9601V	1967-69	200 6 cylinder	12.99 ea
9601W	1969-73	250 6 cylinder	11.99 ea
9601A	1965-67	260/289	9.99 ea
9601G*	1965-73	Hi-Po	24.99 ea
9601A	1968-71	289/302	9.99 ca
9601C	1966-67	Hi Po 289	16.99 ea
9601A	1969-70	351 w/o Ram Air	9.99 ea
9601C	1970-71	302/351 w/o Ram Air	16.99 ea
9601A	1971-72	302/351 w/Ram Air	9.99 ea
9601E	1967-68	GT 350/500	28.99 ea
9601C	1969-70	351 Ram Air	16.99 ea
9601D	1970	351 with Ram Air	9.99 ea
9601C	1967-69	390	16.99 ea
9601C	1968	427	16.99 ea
9601C	1968-70	428CJ	16.99 ea
9601A	1971	429CJ w/o Ram Air	9.99 ea
9601A	1971	429SCJ w/Ram Air	9.99 ea
9601C	1971	429SCJ w/o Ram Air	16.99 ea
9601C	1969-70	Boss 302/Boss 429	16.99 ca



Performance Induction



Universal 14" Air Box

Direct cool air into your engine with these universal air boxes. Includes components and hardware for installation in most vchicles. 180, 150, 135, and 120 degree versions are available. Available in 14 black ducting. Fits standard 5-1/8⁹ carb neck. Comes complete with Speed By Spectre HPR air filter that is engineered for increased flow and greater performance.

Important: This product is not C. A. R. B. (California Air Resources Board) exempt. Products that are not C.A.R.B. exempt are legal in most states, but may not be used in California or states with similar emissions control laws except on pre-1976 vehicles.

	SP70228A SP70328A SP70338A	black duct black duct black duct	180 degree 135 degree 120 degree	299.99	ca
--	----------------------------------	--	--	--------	----

0

Cool-Air Tube Heat Shield

The Cool-Air tube heat shield features a unique laceup design. This unique design allows this heat shield to fit air tubes from 2-1/2" to 4" in diameter, up to 3 decinit neight. Like most of Thermori-Tec's products; it blocks more than 90% of radiant heat from the exhaust, protecting the air tube and the fresh air within from the destructive effects of high heat. For an added kick, Cool-Air Tube Heat Shield includes laces in 4 cool colors – white, blue, red, and yellow! T14500



1996-04 Performance Cold Air Set ⊿

A great high-performance look for your 1996-04 4.G. GT, with up to a 14HP gain and increased fuel economy toback itup! Compatible with stock computer controls. Includes an optional configuration that delivers even more power with a computer reflash. Features a highly polished, 4⁴ diameter intake tube and 9⁴ long hi-flow air filter. Replaces the stock air box. CA.R.B. 50 state legal for 1996-04 applications.







1986-95 5.0L Air Intake System 🔥

As one of oday's frowing performance solit one, cold ani induc systems list deliver great looks as well as real world horsepower gains. BBK 50 state legal cold aritnake systems utilize a high flow washable concisicotton element filter and most are designed as fender well units to maximize performance. Each cold air intake model has been designed and dyno-tested at the and maximize bencomset, and the solution of the solution and maximize bencomset of the solution of the solution both of the solution of the solution of the solution of the both on with no modifications or tune required. Available in chrome-plate of balcout series finish.

Note: 1986-88 models speed density (non-mass air) models require part #1558 mass air adapter.

Open Style				
BBK1556	1986-93	5.0L chrome	199.99	ca
Fender Well				
BBK1557		5.0L chrome		
BBK15575	1986-93	5.0L blackout	219.99	ca
BBK1712		GT chrome		
BBK17125	1994-95	GT blackout	249.99	ca
Non-Mass A	ir Adapter			
		chrome	89.99	ca



1994-04 3.8L/3.9L Air Intake System

As one of today's favorite performance bolt-ons, cold air inake systems kits deliver grane tooks as well as real world horsepower gains. BBK 50 state legal cold air inake systems tulize a high flow washable conical cotton element filter and most are designed as fender well units to maximize performance. Each cold air the system of the system and maximize horsepower and longues. Kit is a direct bolton with no modifications or tune required. Available in chrome-plate of balcout series finish.

Chrome Gains – 7-10HP

BBK1717	1994-98	3.8L V6	229.99 ea
BBK1719 Blackout Ge	1999-04 uns – 7-10	3.8L/3.9L V6 HP	249.99 ea
BBK17195	1999-04	3.8L/3.9L V6	249.99 ea





1996-04 Air Intake System

As one of today's favorite description of peterlo on acceleration of the second second

Note: Mass air sensor not included. Image is for illustration purposes only

mismanon pa	spoars only.			
GT – Gains				
BBK1718	1996-04	chrome	249.99	ca
BBK17185	1996-04	black	249.99	ca

Performance Induction







USA 1996-04 Cold Air Intake

Replace your factory air box with these cold air intakes from Steeda and get improved airflow and power. Includes a lifetime filter and installation hardware. nportant: Not for sale of use in CA or states that require a CA E.O#.

GT Cold Air Intake With less restriction and more surface area, this high flow air set has been dyno-proven to outperform the competition and provide 7-10 horsepower over the factory unit.

891.345 1996-04 cold air intake 289.99 set Mach 1 Cold Air Intake

Featuring a new Velocity Stack for improved airflow, this set provides 7-10 horsepower over the factory unit. Designed to work with the Mach 1 signature Shaker hood scoop.

2003-04 cold air intake 219.99 set 891.049 Cobra Cold Air Intake

Featuring a new Velocity Stack for improved airflow, this kit provides 14-18 horsepower over the factory unit. 2003-04 cold air intake 209.99 ea 891.346



1979-04 Universal Intercooler

This sleek and stylish Mishimoto universal front mount intercooler will provide the perfect cooling capacity needed for turbo applications. These Mishimoto intercoolers are constructed of TIG welded 6061 aluminum with black finish to give this intercooler a sleeper look when mounted. Z Line series are ideal up to 325rwhp, while M Line go up to 550rwhp,

31" x 10" x 5	~	• •	
		Z Line	181.99 ea
33-3/4" x 16"	x 6"		
MM13057	1979-04	M Line	274.99 ea

C.O.D. PayPal

0201002002

VISA



1986-02 Mass Air Flow Meter

These mass air flow meters are calibrated to work with specific flow rate (lbs/hr) injectors. Dynotesting has shown up to 15 RWHP gains while maintaining an accurate airfuel ratio with precisely calibrated electronics.

Note: *For use with factory air box

BBK80105 1994-95

		wder Coated
5.0L Except	Cobra	
BBK8002	1986-93	76mm 19# 249.99 ea
BBK8003*	1986-93	76mm 24# 249.99 ca
BBK8004	1986-93	76mm 24# 249.99 ca
BBK8005	1986-93	76mm 30# 249 99 ca
BBK8007	1994-95	76mm 19# 249 99 ca
BBK8009	1994-95	76mm 24# 249 99 ca
BBK8010	1994-95	76mm 30# 249.99 ea
4.6L Except	Cohra	
BBK8012	1996-98	86mm 19# 249.99 ea
BBK8012	1996-98	86mm 24# 269.99 ca
BBK8017	1990-98	86mm 19# 249 99 ca
BBK8017 BBK8019	1999-02	80mm 19# 249.99 ca 86mm 24# 269.99 ca
BBK8019		
	Polished	l Aluminum
5.0L Except	Cobra	
BBK80025	1986-93	76mm 19# 299.99 ca
BBK80045	1986-93	76mm 24# 299.99 ca
BBK80055	1986-93	76mm 30# 299.99 ca
BBK80075	1994-95	76mm 19# 299.99 ea
BBK80085*	1994-95	76mm 24# 299.99 ea
BBK80095	1994-95	76mm 24# 299.99 ea



76mm 30#

299.99 ca

1988-98 Mass Air Flow Meter

Replacement mass air sensor for various Ford and 1988-98 Mustang models. This sensor is 100% computer tested to ensure the ECU receives accurate airflow readings under hard engine conditions. Proprietary sensing elements provide accurate airflow output to

0.000	while range of amotent temperat	ures.	
2579A	1988-93	91.99	ca
2579B	1994-95	69.99	ca
2579C	1996-98	74.99	ca

Newd PM8875119

PM9685319

1988-04 Mass Air Flow Meter

Pro-M mass air meters for 1988-04 Mustang models with cold air or stock air boxes. These sensors are designed around state-of-the-art sampling elements with tolerances 3 times tighter than the OEM. They feature reinforced mounting bosses and OE connector location for a direct bolt-in install. The precision sensor element can be recalibrated, for future modifications unlike many other meters.

Note: Numbers below are for vehicle with stock air boxes. Add a "C" at the end of the part number for "Cold Air Intake" calibration. Cold Air Intakes will also be an additional \$20 charge.

-			
		n Bullet	
1988-93 - 5.0			
PM8875119	1988-93	19# unflanged	209.99 ea
PM8875124	1988-93	24# unflanged	209.99 ea
PM8875130	1988-93	30# unflanged	209.99 ea
PM9475219	1994-95	19# flanged	209.99 ca
PM9475224	1994-95	24# flanged	209.99 ea
PM9475230	1994-95	30# flanged	209.99 ea
1993-95 - 5.0			
PM9375124	1993	24# unflanged	209.99 ca
PM9375130	1993	30# unflanged	209.99 ca
PM9575224	1994-95	24# flanged	209.99 ca
PM9575230	1994-95	30# flanged	209.99 ea
	85mm /	Aluminum	
1996-04 - 4.6	LGT		
PM9685319	1996-98	19# flanged	314.99 ca
PM9685324	1996-98	24# flanged	314.99 ca
PM9685330	1996-98	30# flanged	314.99 ca
PM9985319	1999-02	19# flanged	314.99 ca
PM9985324	1999-02	24# flanged	314.99 ca
PM9985330	1999-02	30# flanged	314.99 ca
PM0385319	2003-04	19# flanged	314.99 ca
PM0385324	2003-04	24# flanged	314.99 ca
PM0385330	2003-04	30# flanged	314.99 ea
1996-04 - 4.6	L SVT Co	bra	
PM9885324	1996-98	24# flanged	314.99 ca
PM9885330	1996-98	30# flanged	314.99 ca
PM0185324	1999-02	24# flanged	314.99 ca
PM0185330	1999-02	30# flanged	314.99 ca
PM0395439	2003-04	39# flanged	334.99 ca
PM0395442	2003-04	42# flanged	314.99 ca
PM0395447	2003-04	47# flanged	314.99 ea
2003-04 - 4.6	L Mach I		
PM0395539	2003-04	39# flanged	314.99 ca
PM0395542	2003-04	42# flanged	314.99 ca
PM0395547	2003-04	47# flanged	314.99 ea

ENGINES & COMPONENTS

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



476

h

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

TOLL FREE 800.854.1280







1965-73 Ford Racing Valve Covers 🔥

Utilize the "tall" design to clear roller rockers, and includes baffles and breather grommets. Emblems and top detail recessed are inlaid with contrasting paint. Sold in pairs.

Polished 6582AE 6582AF	1965-73 1965-73	Mustang Cobra	149.99 pr 149.99 pr
Black 6582AD 6582AG	1965-73 1965-73	Mustang Ford Racing	149.99 pr 85.99 pr





1968-72 "POWERED BY FORD" Valve Covers Reproduction of the popular blue valve covers that were offered in late 1960's Ford vehicles. Features

"Powered By Ford" logo on the top of each valve cover and a cutout on top of the valve cover for the PCV valve grommet and a cutout for the twist on oil cap. For 289, 302, and 351W engines. Sold in pairs. 6582A1 1968-72 dark blue 75.99 pr 6582A2 1968-72 chrome-plated 117.99 pr



1964-80 Chrome Valve Cover

Bright chrome finish. Great quality at an economical price. Fits 144/170/200/250 six cylinder. 6582C 1964-80.. 24.99 ca



1965-85 Chrome Valve Covers

Beautiful chrome finish. Made from stamped steel. Fits 1965-85 289, 302 and 351W engines. Sold in pairs 8331P 1965-85 small block 33.99 pr



Ford Racing Tall Valve Covers

Constructed from high-quality die-cast aluminum. Included is both left and right valve covers, baffles, and grommets. Valve covers are 3-3/4" tall for superior roller rocker clearance. Provision for breather cap installation provided. Fits 289/302/351W engines. Sold in pairs. M-6582-E302 polished aluminum 159.99 pr M-6582-L302 black with red 142.99 pr

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Die-cast wrinkle finish, polished aluminum, Plug wire brackets and PCV grommet included. Will fit all non-EFI Ford small block engines (260-289-302-351W). Sold in pairs.

582H	Cobra powered by Ford	202.99	pr
582K	289	184.99	pr
582L	302		
582M	351	184.99	ca
582N	Mustang powered by Ford	202.99	pr
582P	CS Shelby	202.99	pr



Fabricated Aluminum Valve Covers

Moroso fabricated aluminum valve/cam covers for 1964-04 Ford engines. These covers are fabricated from high grade aluminum with a 3/8" billet rail machined to accept OEM gasket. They are a direct bolt in for the years listed below and feature an oil fill hole with billet aluminum cap, ports for PCV and vent lines, standoffs for factory wiring, coil mounting, and provisions for factory cam timing solenoids. Includes mounting hardware. PCV and fitting.

MS68475	1964-95	302-351W	476.99 pt
MS68461	1967-70	390-428	596.99 pi
MS68348	1970-73	429-460 2-1/2"	610.99 pt
MS68349	1970-73	429-460 3-1/2"	596.99 pi
MS68389	1996-04	4.6-5.4	788.99 pi



Rall Milled Billet Alumin Valve Covers for Small Block Ford Engines

Billet Specialties ball milled polished aluminum valve covers are guaranteed to draw attention to your engine compartment. They feature a tall design to clear high-performance valvetrain components and a 1-1/4 diameter breather hole positioned between the rockers to reduce oil splash. These covers are manufactured from high grade aluminum, CNC-machined, and polished to a quality finish. 176 99 n

. B95320 nolished




477



Engine Dress-Up







Small Block Dress-Up Set

Ford Racing dress-up sets for Ford 260, 289, 302, 351W small block engines. These valve covers feature stamped steel construction with embossed and painted Ford racing emblems. Includes: stock height baffled valve covers, 13" air cleaner, wing nut, 12 valve cover hold down nuts, 1 push-in breather, and 2 grommets. Not for use on engines with roller rockers.

n Notes: For (PPCV) Pre-Pollution Controlled Vehicles Only: Legal for use on all vehicles that were manufactured before emissions control regulations were imposed. Check your state law before ordering. PPCV – Pre-Pollution Controlled Vehicles are defined as: 1965 and older, USA Manufactured, California Certified Vehicles, 1967 and older, USA Manufactured, Federally Certified Vehicles, and 1967 and older, Foreign Manufactured Vehicles.

Note: *Includes dipstick and wire separators. **Does not include hold down nuts

A48072	black crinkle w/red emblems	215.99 set
A48073	chrome w/black emblems	228.99 set
A48074*	chrome w/embossed emblems	223.99 set
A48075**	carbon style w/red emblems	309.99 set



1965-71 Appearance Sel

Included in this appearance set is our chrome Hi Po air cleaner with air filter (part #9600-C), "Mustang valve covers, a chrome dress-up bolt set, and a pair of valve cover gaskets. Fits 1965-71 small blocks. Requires use of part #6A868 adapter to use our "pushon" style breather caps.

DUK4 1965-71 237.99 set



1965-73 Six Cylinder Engine Dress-Up Set

A popular chrome engine dress-up package for 1965-73 Mustang 6 cylinder engines. Includes: a chrome 6 cylinder Hi-Po air cleaner with air filter (part #9600P). a chrome valve cover (part #6582C), a chrome dressup bolt set (part #19015A), valve cover gasket (part #6584A), breather cap (part #7199) and a 6 cylinder PCV valve. DUK1 1965-73 with air cleaner 83.99 set



1965-85 Chrome-Plated Engine Appearance Set — Premium 🔥

Easy-to-install, chrome-plated accessories for your small block Ford. Includes: a pair of chrome-plated valve covers, a high-performance style open element chrome air cleaner with filter, chrome breather cap, valve cover gaskets, and valve cover wing nuts. Fits 1965-85 289, 302, and 351W engines. All gaskets and mounting hardware included. DUK2

1965-85 289/302/351W 115 99 set







Hex Head Ford Logo Valve Cover Bolts

High-quality steel mini nuts are the perfect way to finish your engine dress-up project. Small and unobtrusive with the Ford oval cut sharply into the top. All nuts are supplied with a separate stud which permits precise gasket positioning on the head prior to mounting the valve covers. 1/4*-20 threads. Fits a wide variety of Valve covers. 1/4 - 20 Inreads. Fits a wide variety of Ford V8 engines including 1964-96 Windsor engines (260ci, 289ci, 302ci, 351ci). Sold as set of 4 bolts (3 sets required per vehicle). Available in chrome or black crinkle finish.

Windsor Engines (260ci, 289ci, 302ci, 351ci)				
M-6680-A	1964-96	chrome	16.99	
19015C	1964-96	black	18.99	



Wing Style Ford Logo Valve Cover Bolts

High-quality steel mini nuts are the perfect way to finish your engine dress-up project. Small and unobtrusive with the Ford oval cut sharply into the top. All nuts are supplied with a separate stud which permits precise gasket positioning on the head prior to mounting the valve covers. 1/4"-20 threads. Fits a wide variety of Ford V8 engines including 1964-96 Windsor engines (260ci, 289ci, 302ci, 351ci). Sold as set of 4 bolts (3 sets required per vehicle). Available in chrome or black crinkle finish

Windsor Engines	(260ci, 28	9ci, 302ci, 35	23.99 set
M-6680-A302	1964-96	chrome	
19015D	1964-96	black	
TOLL FR	EE 80	10.854.	1280

PCV Valves & Components





1965-73 PCV Valve

Positive crank ventilation, relieves any excess crank case pressure and routes it back through the intake manifold.				
6A666A	1965-73	170/200/250 6 cyl	5.99 ca	
6A666C	1965-72	289/302/351		
6A666E	1971	429		
6A666E	1973	all 8 cylinder	9.99 ca	



Aluminum PCV Valve

This aluminum housed PCV valve is just what you need to finish your engine bay detailing project. Manufactured with a 3/4" neck for 3/4" i.d. grommets. Note: Rubber grommet not included

T6068	polished PCV valve	19.99 ea
T6067	chrome PCV valve	21.99 ea

Keen Your Oil Cleaner with an Adjustable PCV Valve!



Dual Flow Adjustable PCV Valve

Does your PCV valve match your engine? Stock PCV valves are not designed to work with modified high-performance engines due to their altered vacuum profiles. A mismatched PCV valve can cause oil to push out of your breathers, cause oil leaks, or contaminate your oil with piston blow-by gasses. Now you can manage your crankcase pressure with this fully rebuildable, 6061-T6 billet aluminum dual flow PCV valve. Once adjusted, the valve will provide sufficient vacuum to the crank case both during idle and during engine acceleration. Valve fits 3/4" i.d. valve cover grommets and 3/8" i.d. PCV lines. An available adapter allows for installation on 3/8" i.d. inline applications. PCV valve set includes valve, vacuum gauge fitting, Allen wrench, and detailed instructions. Made in USA. Note: Not intended for use on pollution-controlled vehicles

DF1700	adjustable PCV valve	128.99 ca
DF1701	billet inline adapter	29.99 ca
DF1702	PCV valve rebuild set	15.99 set

PayPal

VISA



Universal Crankcase Evacuation System

This universal crankcase evacuation system is designed for high-performance and racing applications. It replaces the standard PCV to air cleaner system by connecting to the exhaust system allowing exhaust pressure to pull the from the crankcase. Includes simple pipes with one way valves that weld to the header collectors and are connected to dual valve cover breathers

Note: Not for use on pollution controlled vehicles. For valve covers with 1-1/4" holes. Hoses are not included 20501 crankcase evacuation ... 52.00 set





1.99 es

1967-70 PCV Connector

18572A

Reproduction of the original PCV connector designed for use on 1967-70 Mustang models with big block engines. This connector features details just like the original and is finished in gold dichromate. Beautiful appearance and designed for 390, 427, 428, and Boss 302 models. 1967-70.. 647064 33.99 ca





The hoses are designed specifically so they won't collapse under the vacuum of the PCV system, and most are ink stamped with the vintage part number and Ford script logo. Venting the crankcase gasses and blow-by is an important step in protecting your engine. 6A664D 1966-68 289/302 (from 5/2/66) 9.99 ea 351C..... 6A664A 1970-73 14.99 ca 64664B 1969-70 351W 14 99 ca 64664C 1968-70 390/428 27.99 ca



12226E

Fnoine Comnartment Vacuum Hose Set

Accurately reproduced with correct markings. Includes enough precut pieces to replace all vacuum hoses under the hood. Instructions included.

Single	Dianhraan	Distributor

12226A		Boss 302		
12226B	1968-70	390/428 CJ - MT		
12226C	1968-70			
12226D	1969-70	Boss 429		
12226E	1971	Boss 351	22.99 set	
12226F	1971	429 CJ – MT		
12226G	1971	429 CJ – AT		
12226L	1970-73	351C		
12226J	1968-73	302/351W	23.99 set	
Dual Dia	ohragm Dis	tributor		
		302/351W		
12226K	1970-73	351C	23.99 set	



Mustang 5.0L models. Manufactured to factory specifications featuring correct mounting holes, and original style script to label the supply line, and the lines it supplies. 921.014 22.99 ca

1986-93 5 OL





WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Dil Caps and Breathers



EGR Valve Cap Chrome-Plated Cover 🔺

This chrome-plated cover is shaped and designed just like the valve, so once installed it will look factory. It's made in copper and then chrome-plated for lasting quility. It is easy-to-install as it simply slips over the original EGR valve cap located on top of the engine. Even if you are not into chrome parts, you will want this cap because the original cap really stands out on the modular engine and looks ugly.

96L203 1996-98 V8...... 27.99 ea 96L204 1996-04 V8 (exc.Corbra) ... 31.99 ea



Reproduction of the original PCV connector designed for use on 1964-73 Mustangs with big block engines. This connector features details just like the original and is finished in gold dichromate. Designed for 390. 427, 428, and Boss 302 models. 6A868AR 1964-73





Chrome Valve Cover Breather

Your choice of any of these aftermarket style valve cover breathers. Each chrome breather and filler cap includes the highest quality chrome available for each application. Choose from "push-in", "push-on" or "twist-on" styles and breathers with or without 1/2" PCV tubes.

	ircular Valve Cover Breathers
	t PCV Tube
66008	push-in, 2-1/4" dia., fits 1" i.d 4.99 ea
66035	push-in, 3" dia., fits 3/4" i.d 8.99 ea
66010	twist-on, 3" dia 14.99 ea
With Pe	CV Tube
66017	push-in, w/1/2" PCV tube, 3" dia.,
	for 7/8" i.d. grommet 7.99 ea
-	and the second se
	logo – detail



1964-70 FoMoCo Reproduction Push-On Style Breather Cap

67661

These reproduction breather caps allow filtered air to enter the engine. Depending on the style of your valve covers there are several types to choose from. Available in black or chrome and features the FoMoCo logo. No Tube

6766J 6766K		black chrome		
With Tul	be			
6766M	1965-70	black	22.99	ca
6766L	1965-70	chrome	29.99	ca



1964-73 Chrome Push-On Style Breather Cap

6766F 1964-73 breather cap 5.99 ea 6A892A 1964-73 grommet adapter 2.49 ea



These open style replacement breather caps allow filtered air to enter the engine. Available in twist-in or push-on style.

Important: 6A868 adapter required when using cast aluminum valve covers.

Note: *Exc	ludes Hi-Po	before 5/2/66.	
Twist-In			
6766E	1966-68	289	6.99 ca
6766H	1966-67	289 Hi Po	22.99 ca
6766Y	1967	390	41.99 ea
Push-On			
6766G*	1964-68	260/289	5.99 ca



1965-73 Ford Racing Breather Cap 🔥

These "push-in" style breather cap from Ford Racing features embossed Ford oval with "Mustang" or "Corba" emblems. Choose either a beautiful chrome finish or black crinkle finish. Fits most any 1965-73 289/302/251W valve cover with "push-in" style rubber grommer. Sold individually.

Push-In	Style - Chron	ne		
6766T	1965-73	Mustang	14.99 ca	ł.
6766U	1965-73	Cobra	12.99 ea	£.
Push-In	Style - Black	Crinkle		
6766R	1965-73	Mustano	17.99 es	



1964-73 Ford Racing Breather Cap 🔺

These "push-in" or "twist-in" style breather caps that features the embossed "Ford Motorsport" logo. Fits cast aluminum valve covers. For off-road use only. Sold individually.

Push-In	Style - Chi	rome	
6766Z	1964-73	Ford Racing	14.99 ea
Push-In 6766V	Style – Bla 1964-73	ck Crinkle Ford Racing	15.99 ea
Twist-In	Style - Ch.	rome	
6766B	1964-73	Ford Racing	13.99 ea



il Caps and Breathers



1970-73 Oil Cap with PCV Elbow

Reproduction of the original 1970-73 Mustang "Autolite" oil cap including crankcase vent hose elbow and grommets. These authentic reproductions include the correct "Autolite" marking engraved on the face of the cap for complete authenticity. Includes 2 grommets and the PCV elbow for various applications. Available in black or chrome

6766W	1970-73	black	35.99 ca
6766X	1970-73	chrome	41.99 ca



1986-95 V8 Ail Fill Breather

An open element breather featuring bright chromeplated top, and rubber threaded base that screws into the passenger side valve cover.





T4871	without PCV tube	6.99 ea
T9242	with PCV tube	7.99 ea

VISA



4.48086 Ford Performance Slant Edge Breather Cap

448085

448087

Ford Performance 2-1/2" push-in breather caps for Mustang. These breathers feature die-cast aluminum construction with a raised Ford oval emblem. The lids have a durable crinkle, polished, or chrome finish.

A48081	polished no emblem	32.99 ca
A48082	black milled emblem	32.99 ea
A48083	blue milled emblem	32.99 ea
A48084	gray milled emblem	32.99 ea
A48085	polished black emblem	32.99 ea
A48086	chrome black emblem	32.99 ea
A48087	black and red emblem	32.99 ea



Ford Racing Chrome Breather Cap

This stamped engine oil filler cap features an adhesive Ford Oval logo to be centered after installation. This is a screw-on style oil filler cap is a direct replacement part. Made from high-quality steel and has a great looking chrome-plated finish. For hole size 1-1/4" in diameter. Sold individually.

6766D 22.99 ca



This chrome-plated oil cap cover with an opening in the center to leave the engine oil symbol clearly visible once the cover is installed. The cover simply slips over the existing oil cap. 96L202 1986-10 30.99 ca





Vintage style breathers for most applications. Finned caps are crafted in aircraft grade A356 aluminum and polished to a show quality finish. Chromed steel filler tube fits the 1-1/4" hole in early small block and big block intake manifolds. Chrome tube and cap assembly stands 8-1/2" in height. Push-in breather is 3" in diameter with a 1" neck, fits 1-1/4" valve cover holes with a rubber grommet.

Important: *Twist-on breathers are shipped unassembled to w you to properly align the fins, assembly requires usage of a high temperature adhesive sold separately.

Breathers		
A5700215	tube/breather	
A5700216	push-in style	64.99 ca
A5700217*	twist-on style	58.99 ca
JB Cold Wei		
JB8265	2 x 1 oz. tubes	9.99 ca
JB8280	2 x 5 oz. tubes	15.99 ca



Retro Black Billet Aluminum Breather Can

Billet Specialties retro black billet aluminum breathers for 1-1/4" valve cover holes. Both breathers feature a two piece design for easy maintenance. The standard breather has an easily washable filter element and the PCV breather has a common replaceable PCV valve with a barbed fitting for 3/8" hose. They are manufactured from precision machined 6061-T6 aluminum and powder coated with quality black finish. B20939B standard breather 67.99 ca B21939B PCV breather 69.99 ca



Ball Milled Billet Aluminum Breather Cap

Billet Specialties ball milled billet aluminum breathers for 1-1/4" valve cover holes. The standard breathers feature an easily washable filter element, while the PCV breather features a common replaceable PCV valve with a barbed fitting for 3/8" hose. Both are manufactured from high grade aluminum, CNCmachined, and polished to a quality finish. B20920 standard breather 51.99 ca B21920 PCV breather

52.99 ca

<u>R</u>o



Intake Manifolds Edelbrock





EDL3721



Performer 289-302

Edelbrock Performer manifolds are dual plane, low rise intake manifolds with a patented runner design that you won't find on other brands. This patented design greatly improves throttle response and torque over a wide RPM range, especially from idle through the mid-range. Manifolds are offered in EGR and non-EGR versions for most Ford V8s.

Performer 289 Idle - 5500 RPM

- 260 280 302 non FCR Will not

fit Boss 302 or 25	5 c.i.d. V8's.		
EDL21211	satin polished black	562.99	ea
Performer 302 Note: Designed f	Idle – 5500 RPM for carbureted 302 with EGR.		
EDL3721	satin 4V	382.99	ea
	M 302 - 1500-5500 RPM for street 289, 302 non EGR.		
	satin black		









Edelbrock Performer 351W intake manifold is designed for street 351 c.i.d. Ford Windsor V8's. Edelbrock's patented dual-plane, low-rise design with a 180 degree firing order greatly improves torque over a wide RPM range for excellent throttle response from off-idle through 5500 RPM. Available in satin or black. Will not fit Borr 351

	satin	
EDL21813	black	500.99 ea



EDL2665

Performer 351 Cleveland 2V and 4V 🔥

Performer 351-4V is designed for street 351C and Boss 351 Fords that came stock with 4V carb and heads. Performer 351-2V is designed for street 351C and improve the performance of engines that came stock with 2V carb and heads, operating between idle-5500 RPM. Available in satin finish.

Note: Neither 1 Motorcraft spr		Boss	302 a	r accept ste	кk	
EDI ACCC	ECD 2			10.1	00	

403.99 ca EDL2750 non-EGR 351-2V



Performer 390

Designed for non-EGR street 332-428ci Ford V8 engines with medium or low rise cylinder heads, operating between idle-5500 RPM. Intake manifolds are not equipped with EGR and will not accept stock Motorcraft spread bore carburetor. EDL2105 satin 508 99 ca





Performer RPM E-Boss 302

Dual plane designed for high-performance street and competition Boss 302 engines operating between 1500-6500 RPM. Intake manifold has Cleveland port layout and intake bolt hole pattern to fit both 2V/4V heads. Features 8.2" deck height, Windsor end rails, front/rear water bosses, water neck, and distributor clearance. EDL7129 non-EGR 483.99 ea



ARPhigh-performance intake manifold bolt sets. These sets are forged from high grade chromoly steel hardened to a nominal tensile strength of 180,000 psi. They feature wide underhand flanges and companion washers for even load distribution. Their precision rolled threads prevent galling while promoting more consistent torque loading. Washers included. Made in USA.

Note: *With Edelbrock RPM Air Gap intake manifold

260-302			
AR1542001	black	Hex	34.99 set
AR1542101	black	12 point	35.99 set
AR4542001	stainless	Hex	42.99 set
AR4542101	stainless	12 point	48.99 set
351W			
AR1542002	black	Hex	37.99 set
AR1542102	black	12 point	35.99 set
AR4542003	stainless	Hex	43.99 set
AR4542103	stainless	12 point	48.99 set
AR1542005	black	Hex	39.99 set
AR1542105	black	12 point	40.99 set
AR4542005	stainless	Hex	57.99 set
AR4542105	stainless	12 point	63.99 set
351C			
AR1542004	black	Hex	33.99 set
AR1542104	black	12 point	36.99 set
AR4542004	stainless	Hex	52.99 set
AR4542104	stainless	12 point	55.99 set
AR1542006*	black	Hex	40.99 set
AR1542106*	black	12 point	54.99 set
AR4542006*	stainless	Hex	59.99 set
AR4542106*	stainless	12 point	63.99 set
390-428			
AR1552002	black	Hex	28.99 set
AR1552102	black	12 point	33.99 set
AR4552002	stainless	Hex	50.99 set
AR4552102	stainless	12 point	48.99 set
429-460			
AR1552005	black	Hex	46.99 set
AR1552105	black	12 point	48.99 set
AR4552001	stainless	Hex	73.99 set
AR4552101	stainless	12 point	74.99 set

C. BANIDNE

GOMPONENTS

482 INTAKE MANIFOLDS





Edelbrock

Intake Manifolds







EDL2171



EDL2166

510.99 ca

A

⚠

Performer 400 EGR

Designed for 351M/400 engines operating between idle-5500 RPM in one of the three following configurations:

- OEM 2V carb and EGR system with supplied 2V EGR spacer
- 4V EGR system with either an Edelbrock or Ford EGR spacer
- For off highway use non-EGR 4V system with an Edelbrock 4V spacer.

Available in satin finish.

EDL3771 satin

Performer 400 Non-EGR

Designed for 400 c.i.d. non-EGR engines from 1971-82 with 2V Cleveland heads and 351M from 1975-82 operating between idle-5500 RPM. Will not fit 1974 and earlier 351C, valley width 8-17/32°. Available in satin finish.

EDL2171 satin...... 407.99 ea

Performer 460

Designed for street 429 and 460ci Ford V8 engines operating between idle-5500 RPM. Choose from EGR and non-EGR versions. Intake will not accept stock spread bore carburetor and will not fit 429 Cobra Jets.

Note: For EGR must use factory EGR plate. Non-EGR EDL 2166 satin 385.99 ea

VISA



The Performer 5.0 EFI aluminum intake manifold designed for 1986/65 5.0L. V8 engines with EGR. The popular design incorporates modern air flow technology and CAD programming for maximum power gains up to 3/HP with no loss of low speed torque. Includes broad power range from idde-5500 RPM, removable plenum cover that allows access to runner for modification and hose manifold is CNC port matched to upper manifold. Made to USA.

Emission Note: For Racing Use Only: This product is intended for vehicles that are exclusively designated as a racing or off-road vehicle only. This product is not legal for use on vehicles that are operated on public highways. Not for use on a strete-driven vehicle.

Note: 1994-95 Mustang engines require throttle body adapter #3835.

EDL3821 complete intake 818.99 ea



Performer 5.0 RPM II

The Performer 5.0 RPM II intake manifold for 1986-95 5.0L V8 engines with EGR has shown significant gains in horsepower in the 1500-6500 RPM range. Suited for street and strip applications, manifold has a V-shape crossover with an increasing cross sectional area, which passes over to 8 large tapered runners. Available in sain and black finish.

Important: Not for use on pollution controlled vehicles. Note: 1994-95 Mustang engines require throttle body adapter #3835 and adapter t#8025. Recommended 70mm throttle body, 75mm will require port matching. Emission Note I Engine Swap Part: This product is

Emission Note I Engine Swap Part: Inis product is intended for use on engines that have been transplanted or swapped into an uncontrolled, race or off-road vehicles, or into a PPCV - Pre-Pollution Controlled Vehicles. This product is not legal for use on pollution controlled vehicles.

Emission Note 2 For Racing Use Only: This product is intended for vehicles that are exclusively designated as a racing or off-road vehicle only. This product is not legal for use on vehicles that are operated on public highways. Not for use on a stret-driven whicle.

EDL7123	satin	914.99 ca
EDL71233	black	1008.99 ea

WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov



EDL7105



EDL71053





EDL7166

RPM Manifold

Designed/for street.289-.020 Foud V8 engines, the RPM Air Gap intake mainfold incorporates the same race winning technology that's been used on our Victor Series competition intakes for decades. The Air Gap runners from the hot engine oil resulting in a cooler, denser charge for more power. Features nitrous hosses. No provision for exhaust heated chokes and no exhaust crossover. Minfolds are dual plane, high rise intakes incredible top end horse-power while retaining good throttle response. Available in several finishes.

RPM Air Gap	302 1500-6500 RPM		
	satin		
EDL75213	black	574.99	ca
	2500-6500 RPM		
EDL5021	satin	365.99	ca

RPM 460 Manifold

Designed for non-EGR high-performance street 429-460 Ford V8 engines with standard or Cobra Jet cylinder heads operating between 1500-6500 RPM. Dual plane intake manifold design results in excellent low and mid-range torque and outstanding horsepower on appropriately equipped engines. Will accept square bore or spread bore carburetors. EDI 7166 string 424.99 en 424.99 en <u>R</u>a

Edelbrock

Intake Manifolds







Super Victor 8.2

Designed for high RPM or competition 302-347 non-EGR engines with aftermarket Windsor style racing cylinder heads or equivalent. Single plain race manifold delivers big power gains from 4500-9000 RPM. Features nitrous and rear cooling water bosses. Note: The square hore carb pad stands 850° taller than

Victor Jr.		
EDL2928	satin carbureted	532.99 ea
EDL29285	satin EFI	
EDL292851	polished EFI	987.99 ea



EDL2924

Suner Victor 351W

Designed for high RPM or large displacement competition 351 Windsor with deck height 9-1/2* which are used in drag racing or oval track engines operating between 4500-8500 RPM. Can be used with ported factory cast iron heads or equivalent. Runners 2.20 re inch cr

EDL2924	satin	506.99	ca
EDL29245	satin EFI	564.99	ca



FDL7535

RPM Air Gao Dual Ouad Δ Designed for 289, 302, and 351W non-EGR engines.

These intakes are taller than the low profile F-28 and offers performance improvements in the 1500-6500 RPM range. Features the unique large runners designed from Air Gap manifolds. Available in satin finish. Dual Quad 289-302

Dual Quad 35	1 W		
EDL7585	satin	 519.99	ca



RPM Air Gao 351C

The RPM Air Gap 351 Cleveland manifold is designed to improve performance on the street or racetrack with engines operating between 1500-6500 RPM. Features an open space that separates the runners from the hot engine oil resulting in a cooler, denser charge. Works well with 4V/2V cast iron Cleveland heads or equivalent. Available in satin or polished finish.

EDL7564	non-EGR satin	
EDL75641	non-EGR polished	825.99 ea



RPM Air Gap 351W

Designed for street and high-performance non-EGR 351-427 engines. 1500-6500 RPM. Features an open air space that separates the runners from the hot engine oil resulting in a cooler, denser charge for more power. Also features bosses for rear water crossover. Available in satin or polished finish.

EDL7581	satin	440.99	ca
EDL75811	polished	744.99	ca



RPM Air Gap 460

Designed for street and high-performance 429/460ci Ford V8 engines with standard or Cobra Jet heads. Manifold incorporates the same design from Victor Series competition intakes and features an open air space that separates the runners from the hot engine oil resulting in a cooler, denser charge for more power. The carb mount flange accepts both square bore and spread bore carbs for Cobra Jet applications. EDI 7566 satin 518 99 cm

Torker II 351W

Designed for 1969 and later non-EGR 351 Windsor high-performance engines with OEM 12 or 16 bolt heads or equivalent operating between 2500-6500 RPM, Will not fit Boss 351 Cleveland, Available in stain finish EDL:5081

391 99 ca

FDI 2021

Victor Jr. 302

These intakes are designed for non-EGR competition racing engines using modified stock cast iron or aftermarket Windsor style heads. Available for carbureted or EFI applications.

Note: Designed for 289, 302.

Victor Jr. 302	3500-5500 RPM	
EDL2921	satin carbureted	437.99 ca
EDL29215	satin EFI	470.99 ea



The Edelbrock Victor Jr. 351W (9-1/2" deck) intake manifold is designed for competition 351 Windsor Ford V8's from 1969 and later with Edelbrock Performer RPM . Victor Jr., Victor or similar heads. This intake manifold fits SVO blocks with a 9-1/2" deck height. Ideal for both oval track and drag racing engines operating between 3500-7500 RPM. Runners have a 2.70 square inch cross sectional area.

Standard 351W Block with 9-1/2" Deck 504.99 ca EDL2981 satin



Victor Jr. Ford 4.61 SOHC

Designed to allow you to take any 1999-04 SOHC Modular 4.6L engine and convert it for use with a carburetor. EDL2839 includes an electronic timing control module, which picks up MAP, crank, cam position sensors, and drives the stock coil on plug system. The timing control module comes loaded with a basic timing curve, rev limit, and can be modified using a laptop

EDL2838 without electronics (carb) .. 448.99 ea EDL28385 manifold only (EFI) 470 00 cm



The Holley SysteMAX intake manifold is engineered to be the highest performance Fox body Mustang street manifold on the market. The Systemax high rise design features long transition runners that produces maximum volume and horsepower. The power band extends from 2000 to 6500 RPM. It retains the stock injectors, water outlet locations, and EGR functions to directly replace the stock manifold.

H30072S 1986-93 shinny finish 1099.99 ea 1986-93 black finish 1003 99 ca H30072B

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Victor Jr. Series Cylinder Head

Victor Jr. series cylinder heads are the best choice for all-out competition. Edelbrock engineers work with leading racers to produce the ultimate components for racing and results are competition ready cylinder heads right out of the box. Cylinder heads are compatible with OE valvetrain and pistons for bolt-on convenience.

Victor JR. 20 Degree 210cc

Note: High flowing 210cc intake ports and .130" raised 75cc exhaust ports

Equipped with springs for use in mechanical flat tapped and hydraulic roller camshaft apps. EDL77189 int. 2.05" exh. 1.60". ... 1052.99 ea

1082.99 ea





FDI 60660

Performer RPM Cylinder Head

Performer RPM complete heads are perfect for street performance, daily drivers, street rods and muscle cars. These cylinder heads deliver great throttle response and power from 1500-6500 RPM. Feature the highest quality intake, exhaust valves, and valve springs.

	p		
	289, 302 and 351W		
work with pistons	e valves are for use with stock pistons and high flow 2.02" in notched for valve clearance.		
Equipped with camshaft apps.	springs for use in mechanical flat tapped and hyd		ller
EDL60225	170cc int. 1.90" exh. 1.60"	979.99	
EDL60255	190cc int. 2.02" exh. 1.60"	1004.99	ca
Equipped with	springs for use in hydraulic flat tapped camshaft ap	ps.	
EDL60229	170cc int. 1.90" exh. 1.60"	944.99	
EDL60259	190cc int. 2.02" exh. 1.60"	967.99	ca
	351 Cleveland V8		
Note: Designed for	or 351C, 351M, 400M Ford engines.		
EDL61625	int. 2.05" exh. 1.60" hydraulic roller	1238.99	ca
EDL61629	int. 2.05" exh. 1.60" flat taped	1200.99	ca
	Ford FE V8		
	on heads for 1961-76 390, 427, 428 Ford engines. Intake val	we 2.09",	_
exhaust valve 1.6			
EDL60065	390-428 Cobra Jet hydraulic roller	908.99	
EDL60075	427 hydraulic roller	944.99	
EDL60069	390-428 Cobra Jet flat taped	873.99	
EDL60079	427 flat tapped	908.99	ca
	Ford 429-460 V8		
	gh-performance street and drag racing 1968-87 429-460 For	d engines.	
Intake valve 2.19	, exhaust valve 1.76".		
EDL60665	95cc hydraulic roller	1332.99	
EDL60675	75cc hydraulic roller	1332.99	
EDL60669	95cc flat tapped	1299.99	
EDL60679	75cc flat tapped	1299.99	ca

VISA



Performer Cylinder Head

Edelbrock Performer complete heads are 50 state emission legal and are designed to provide outstanding bolt-on performance for 1965-95 289, 302 and 351W engines. These heads provide great torque and horsepower up to 5500 RPM. The 190° intake valves are for use with stock pistons, high flow 2.02* intake valves are for use with pistons notched for valve clearance. Made in USA.

Note: Will not accept rail rockers, 289-302 V8's require head bolt bushing #9680 and either head bolt kit #8552 (7/16") or stock bolts.

289, 302 and 351W
EDL60329 int. 1.90" exh. 1.60" flat taped 1004.99 ea
5.0L and 5.8L
Note: Direct bolt-on heads for 1982-95 5.0L and 5.8L V8's, 1986 5.0L need pistons
notched for clearance. These heads accept 1982-95 5.0L V8 pedestal mount rocker arms and valvetrain
EDL60379 int. 1.90" exh. 1.60" flat taped 1004.99 ea
EDL60399 int. 2.02" exh. 1.60" flat taped
E-Series Cylinder Head — 289-351W
E-961.162 PÀIIIINEI. UGAN — 798-99 I M 🛛 🔻
E-series cylinder heads are ideal for a spec series racer or larger displacement engines. They feature larger runners for increased arithwn revised exbatust ports and larger diameter springs for higher fift camshafts. These heads also have 'Aa Cast' peak and matterian the tester's exbatust port location, making them compatible wild due to the series of the state of the series of the series of the series of the two peaks and the series of the series of the series of the series of the series of the series of the two competer at engine speeds of up to 5500 RPM. Capable of supporting more than 500 naturally appriated horespoore and even more in forced induction applications.
E-Series E-Street
Note: 1.90° intake valves are for use with stock pistons and high flow 2.02° intake valves work with pistons notched for valve clearance. Use with hydraulic flat tappet camshafts. .550° maximum lift, not compatible with hydraulic roller camshafts.
EDL5023 int. 1.90" exh. 1.60"
E-Series E-205
Equipped with springs for use in mechanical flat tapped and hydraulic roller
camshaft apps. EDL5027 int. 2.08" exh. 1.60"
Equipped with springs for use in hydraulic flat tapped camshaft apps. EDL5028 int. 2.08" exh. 1.60"



E-CNC Cylinder Heads 289-351W

For the ultimate performance this pair of E-CNC cylinder heads are the answer. Fully For the duffiate performance uns pair of e-cd types (jdeal for high-performance street CNC ported for maximum horsepower and torque, ideal for high-performance street and light duty racing applications. Heads feature 2.02° intake and 1.57° exhaust, 8 mm stem valves and are equipped with conical valve springs and steel retainers. for a lightweight and durable valvetrain combo.

Note: Maintains the OEM exhaust port location. Maximum lift: flat tappet, .600", roller lifter springs, .670"

E-CNC 185

Equipped with springs for use in mechanical flat tapped and hydraulic roller camshaft apps. EDL 79259 int. 2.02" exh. 1.57" 1323.99 ca







Your Choice of Four Convenient Sets to Meet Your Specific Needs!









B — Cam and Lifters Order the cam and lifter set to add a matched set of lifters to your camshaft.





C — Small Set Order the small set for cam and lifter set plus timing chain and vear.



D — Full Set Full set includes cam, lifters, timing chain and gear valve springs and retainers, valve locks, valve stem seals.

High Energy™ Cams for Your Daily Driver!

All High Energy²⁷ designs are totally streetable cams. They will produce 10 to 30% more power than a stock cam throughout the RPM range. Each cam has a particular RPM range in which it works best. By selecting the cam that best suits your driving needs, exceptional power increases can be expected. High Energy²⁷ Cams work great for everyday driving without the "bad" side effects normally found with other cams. High Energy³⁰ cams produce more power, are more efficient, and do not affect the engine's idle characteristics to the point of making your car undriveable. High Energy³⁰ Cams will not affect any vacuum or power accessories such as power brakes, air conditioning or steering.

Item #	Application	RPM Range	Adv. Dur.	Lift	A – Camshaft	B – Cam & Lifters	C – Small Set	D – Full Set
CC31115	289-302	800-4500	240°/248°	.416"	141.99 set	225.99 set	260.99 set	417.99 set
CC31215	289-302	800-4800	252°/252°	.433"	133.99 set	199.99 set	260.99 set	399.99 set
CC31216	289-302	1200-5200	260°/260°	.447"	126.99 set	220.99 set	260.99 set	366.99 set
CC31218	289-302	1500-5500	268°/268°	.456"	119.99 set	199.99 set	284.99 set	357.99 set
CC35218	351W	1500-5500	268°/268°	.456"	152.99 set	231.99 set	317.99 set	439.99 set
CC32221	351C-400	1500-5500	268°/268°	.494"	154.99 set	231.95 set	272.99 set	429.99 set



Extreme Energy Camshafts for Ford 4.6 2V & 5.0L

COMP CAMS Extreme Energy™ camshafts for 4.6L and 5.0L powered Mustang models. These cams very streetable but also right at home on the track. Their agressive lobe design will improve throttle response and top end power while actually increasing engine vacuum. Available in six specifically designed profiles to suit a range of street or race applications.

Note: *For 1999-up performance improvement heads. Pre-1999 (P.I.) heads require retainer to guide clearance modifications and COMP CAMS 26113 valve springs.

to guide clear	ance modifications	and COMP CAL	MS 26113 valve springs.			
	For 4.6L 2V Engines					
Item #	RPM Range	Adv. Dur.	Lift	Price		
CC102100	1200-5200	212°/218°	.500*/.500*	660.99 set		
CC102200	1600-5600	218°/224°	.500*/.500*	660.99 ea		
CC102300	2000-6000	208°/216°	.500*/.500*	660.99 ea		
CC102500*	1400-5400	216°/224°	.550*/.550*	660.99 ea		
CC102600*	1800-5800	224°/232°	.550*/.550*			
CC102700*	2200-6200	232°/240°	.550*/.550*	660.99 ea		
Valve Spring	gs for Pre-1999	PI Heads				
CC26113	1996-99			198.99 ea		
		For 5.0L E	ngines			
Item #	RPM Range	Adv. Dur.	Lift	Price		
CC35349	1500-5500	212°/218°	.512"1.512"	278.99 ea		
CC35351	1800-5800	218°/224°	.512"/.512"	287.99 ea		
CC35510	1300-5300	208°/216°	.533"/.544"	282.99 ea		
CC35514	1600-5600	216°/224°	.544"/.555"			
CC35518	2200-6200	224°/232°	.555"/.565"			
CC35522	2600-6500	232°/240°	.565"/.574"	274.99 ea		



Xtreme RPM Camshafts for Ford 4.6 4V Engines

COMP CAMS Xtreme RPM Series 4.6L 4V camshafts for 1996-04 Ford Mustang models. These cams feature an aggressive lobe design that produces better throttle response and increased horsepower at an extended RPM range. Available in four specifically designed profiles to suit a range of street or race applications. *Net*[®] "Require compater middigations and other performance improvements.

	Fo	r 4.6L 4V	Engines	
Item #	RPM Range	Adv. Dur.	Lift	Price
CC106060	1000-5000	235°/235°	.425"/.425"	1337.99 ea
CC106100	1200-5400	261°/257°	.425"/.425"	1502.99 ca
CC106160*	1500-6000	265°/265°	.425"/.425"	1337.99 ca
CC106200*	1800-6200	269°/265°	.425"/.425"	1337.99 ea

WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov TOLL FREE 800.854<u>.1280</u>



CAMS High Energy straight six performance valvetrain components will help to get your six cylinder running at optimum levels. All parts exceed original equipment in both quality and performance.

	3.99	
CC65235 170-200 economy cam 17	1.99	ca
CC65236 200-250 torque and power cam 17	4.99	ca
	2.99	
CC83512 170-250 solid lifters 11		
CC786512 170-200 pushrods	9.99	set



Nostalgia Plus Cam Replicate Original Ford Cams of the Era! 🔥

A modern take on famous factory Ford small block camshafts of the past. COMP CAMS Nostalgia Plus Cams™ are designed to combine the original sound and feel of the muscle car era with the power and drivability of a modern camshaft.

Mechanical Flat Tappet Nostalgia Plus Cam					
Item #	RPM Range	Adv. Dur.	Lift	Price	
CC31671	2200-6800	262°/269°	.478"/.475"	161.99 ea	
Hydraulic Flat Tappet Nostalgia Plus Cam					
Item #	RPM Range	Adv. Dur.	Lift	Price	
CC31670	2200-6400	266°/273°	.480"/.475"	151.99 ea	



Factory Muscle Cams Replicate Original Ford Cams of the Eral

Give your stocker a dose of factory muscle with a Muscle Car™ cam from COMP CAM. Designed to replicate the original Ford cams of the era, The Muscle Car Cams™ produce the power and performance your car missed out on. Known to Ford as part #C30Z-6250-C, this is the solid lifter cam found in the 271 factory HP 289 high-performance engines from 1965-68.

Item # Ford Part # RPM Range Adv. Dur. C30Z-6250-C CC31110 2200-6200 283°/261

VISA

Lift	Price		
8"/.475"	209.99	ca	

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

45



Performer RPM Camshaft Set

Designed for street high-performance applications, Performer RPM cams provide power from 1500 to 6500 RPM. These hydraulic lifter camshafts have more lift and duration than most street camshafts. With 10 to 12 inches of manifold vacuum at idle and are dyno-matched to Performer RPM manifolds for high RPM horsepower, while still maintaining acceptable low end torque. Hydraulic flat tappet lifters are included with each Performer RPM camshaft.

Emission Note: Engine Swap Part. This product is intended for use on engines that have been transplanted or swapped into an uncontrolled, race or off-road vehicles, or into a PPCV - Pre-Pollution Controlled Vehicle. This product is not legal for use on pollution controlled vehicles. PPCV - Pre-Pollution Controlled Vehicles Are Defined As: 1965 and Older, USA Manufactured, California Certified Vehicles. 1967 and Older, USA Manufactured, Federally Certified Vehicles.

Item #	Year	Application	Duration	Lift	Price
EDL7122	1964-85	289-302	224°/234°	.496*/.520*	378.99 set
EDL7182	1969-97	351W	234°/244°	.496*/.420*	377.99 set
EDL7168	1970-74	351C	234°/244°	.562"/.588"	
EDL7106	1967-76	390-428	296°/296°	.572"/.572"	
EDL7167	1968-97	429/460	234°/244°	.556"/.581"	373.99 set



Performer Plus Camshaft Set

Designed for optimum torque from the low end to mid-range, Performer Plus camshafts match with Performer manifolds for vehicles operating from off idle to 5500 RPM. Smoot idling cams for daily drivers, improvement in throttle response and torque. Camshaft sets include flat tappet lifters (unless noted), assembly lube, and instructions.

Emissions Note: For (PPCV) Pre-Pollution Controlled Vehicles Only: Legal for use on all which that were manufactured before emissions control regulations were imposed. Check your state law before ordering. PPCV – Pre-Pollution Controlled Vehicles Are Defined As: 1965 and Older. USA Manufactured. California Certified Vehicles.

1900 una Oraer, OSA manajactarea, Canjornia Cernjiea venicies.						
Item #	Year	Application	Duration	Lift	Price	
EDL2122	1964-84	289-302	204°/214°	.448"/.472"	256.99 set	
EDL2182	1969-97	351W	204°/214°	.448"/.472"		
EDL2172	1970-82	351M-400	204°/214°	.484"/.510"		
EDL2167	1968-97	429/460	194°/204°	.460"/.480"	318.99 set	

ENDINE <u>R</u>a COMPONENTS



COMPS

Engine Components



Made of 8740 chromoly forgings and heat treated to 180,000 psi. Tip ground flush for optimum adjuster seating. Includes 16 studs. Made in USA.

AR1007101	SB	7/16"-20	66.99 set
AR1347104	SB	3/8"-24	64.99 set

COMP



High Energy Pushrods

Heat treated 5/16" diameter pushrods with welded ball ends for small block applications through 2001. All sets include 16 nushrod

CC7831	1965-88	255-302	
CC7826	1985-01	5.0L (roller)	
CC7835	1969-78	351W	
CC7832	1969-84	351C	
CC7833	1965-72	390, 427, 428	
CC7834	1972-78	429, 460	31.99 set





Δ

PIISA

GOMPONENTS

c.

SENENE

Performance Hardware Set

ARP high-performance cam bolt sets. They feature oversized bolt head flanges and reduced socket head sizes for improved retention and ease of installation. Made in USA

196	5-73 V8 C	am Bolt Se	1
AR1541001	1965-68	260-302	5.99 set
AR1551001	1969-up	302-351W.	6.99 set
AR1541002	1970-73		6.99 set
AR1551002			5.99 set
AR1551001	1970-up		6.99 set
4.6L (Cam Spro	ocket Bolt S	et
These sets fea companion was Their precision promoting more 2V and 4V engi	ashers for rolled thre e consistent	even load dis ads prevent gal torque loading.	tribution. ling while Fits 4.6L
Note: *Will not fi	t 3V engines.		
AR2561002*	2001-04	M10	24.99 set
AR2561001*	1996-00	M12	23.99 set
These premium tolerances, heat consistent clam pointhead design AR1561002 AR1561001	grade studs treated, an ping force s n with a black 4.6 2V 4.6 3V	d thread rolled trength and dur oxide finish. Ma 28 piece 20 piece	ed to exact to ensure ability. 12 de in USA. 253.99 set 170.99 set
AR1561003	4.6 4V	50 piece 4	436.99 set

Roller Lifter Installation Set

Ford roller lifter installation set. This set contains the pieces necessary to install COMP CAM's complete line of roller cams in your non-roller block. Must be used with product #CC85116 roller lifters. Set includes: lifter guides, lifter retainer, and cam retainer bolts. CC351001 302, 351W, 351C. .. 48.99 set



Performance Replacement Lifters 🔥

COMP CAMS performance replacement lifters for Ford Mustang V8s. Available in sets of 16.

	W, 351C, 429, 460		
CC83216 CC83316	hydraulic flat tappet solid/mechanical	92.99 set 162.99 set	
5.01.	sond/meenamear	102.99 50	1
CC85116	hydraulic roller	212.99 set	¢
390, 427, 42			
CC83416	hydraulic flat tappet	83.99 set	
CC83516	solid/mechanical	141.99 set	
CC83716	solid/shell type	150.99 set	1




Ultra Gold Aluminum Roller Rocker Arms

COMP CAMS Ultra GoldTM CNC-machined extruded aluminum roller rocker arms. Designed specifically for high performance street and race engines. Their new and improved ARC design offers more strength without compromising on performance or weight. The rocker bodies have improved contouring for increased valve cover and spring clearance and for better lubrication.

289, 302-3.			
CC19043	3/8"	stud mount 1.6:1	
CC19044		stud mount 1.6:1	
CC19048		stud mount 1.7:1	
CC19049	7/16*	stud mount 1.7:1	444.99 set
Boss 302, 3 CC19045		29-460 stud mount 1.7:1	445.99 set
5.0L, 5.8L			
CC19052	5/16*	pedestal mount 1.6:1	501.99 set
CC19054	5/16"	pedestal mount 1.7:1	511.99 set



Edelbrock red roller rockers are manufactured from lightweight 7129 grade aluminum. The body is CNC-machined then micro polished and anodized for durability. The trunnion race roller pin and roller tip are centerless ground for smooth operation and performance. Thick walled adjusting nuts and 4140 steel poly locks are included. Set of 16. 3/8" 1.6.1 ratio EDI.77780 640.99 set





PROFORM aluminum roller rockers arms for Ford V8 engines. They feature full needle bearing trunnions, fulcrums, and roller tips to reduce wear and increase power. Set includes: 16 extruded aluminum roller rockers, poly locks, and hardware.

Ford Sm			
	3/8" stud	1.6 ratio	
66912	7/16" stud	1.6 ratio	171.99 set
302HO, 3	5.0L, 351W		
66876	5/16" pedestal	1.6/1.7 ratio	
66878	5/16" pedestal	1.7 ratio	
66879	5/16" pedestal	1.6 ratio	223.99 set
Boss 302	. 351C. 429-460		
66861C	5/16" stud	1.6:1 ratio	225.99 set



Maanum Steel Roller Rocker Arms 🔥

COMP CAMS Magnum stud mount roller rocker arms were designed with the serious performance enthusiast in mind. Roller tips reduce friction while the rigid 8620 chromoly steel design ensures superior ratio accuracy vielding more effective valve lift and more consistent power.

289, 302-3	351	
CC1431	3/8"	1.6:1 rail type
CC1442	3/8"	1.6:1 non-rail type
CC1450	7/16"	1.7:1 rail type



170.99 set

170.99 set

170.99 set

High Energy Aluminum Roller Rocker Arms

COMPCAMS High Energy™ die-cast aluminum roller rocker arms for Ford V8 applications. These rockers feature needle bearing fulcrums and roller tips to reduce friction. The rugged cast aluminum construction is designed to be stiffer and more durable than stock steel rockers with less overall weight.

289. 302-351

CC17043 SB 3/8" stud mount 1.6:1. 196.99 set CC17044 SB 7/16" stud mount 1.6:1 196.99 set Boss 302, 351C, 429-460

CC17045 BB 7/16" stud mount 1.7:1 210.99 set



High Energy Steel Rocker Arms

COMP CAMS High Energy[™] stamped steel rockers. These rockers are designed for higher than stock lift cams making them an excellent choice for rebuilds or camshaft ungrades


CC1231	SB	stud mount 1.6:1	180.99 set
CC1235	351W	pedestal mount 1.6:1	172.99 set
CC1232	351C	pedestal mount 1.7:1	154.99 set

488 ENGINE COMPONENTS



1986-93 Barometric Sensor Bracket

This is a stainless steel piece, polished to give a chrome appearance. Mounts the Barometric pressure sensor to the driver side of the vehicle. 1986-93 96L229 30.99 ca



-			
6008G**	1969-73	429	114.99 set
6008E	1967-70	390/427/428	79.99 set
6008E	1970-73	351C 4V	
6008E	1970-73	351C 2V	
6008F	1969-73	351W	
6008C*	1964-73	260/289/302	



1964-73 Head Gasket


This head gasket is designed to work equally well for daily drivers, muscle cars and street rods that use stock style gaskets.


Note: *Except Boss. **Except Boss/CJ OR SCJ.

VISA

6051A			
6051A			
6051B	1964-73	260/289/302	22.99 ca
6051D	1970-73	351C 2V	29.99 ca
6051D	1970-73	351C 4V	29.99 ca
6051E	1967-70	390/427/428	25.99 ca
6051E	1969-73	429	25.99 ea

C.O.D. PayPal





1964-85 Valve Cover Gaskets

High quality replacement valve cover gaskets. Note: *Excludes Boss.

Neoprene			
6584B*	1964-85	260/289/302/351W	14.99 pr
6584D	1969-73	351C/Boss 302	23.99 pr
6584F	1969-70	390/427/428	15.99 pr
6584H	1969-71	429/Boss 429/460	15.99 pr
Cork			
6584A	1964-73	170/200/250	9.99 ca
6584C*	1964-85	260/289/302/351W	12.99 pr
6584E	1969-73	351C/ Boss 302	21.99 pr
6584G	1969-70	390/427/428	12.99 pr
6584I	1969-73	429/Boss 429/460	17.99 pr

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Classic

1964-73 Exhaust Manifold Gasket

Reproduction exhaust gasket seals the metal to metal contact between the exhaust manifold and the cylinder head.

Note: *	Except Boss. *	*Except Boss/CJ OR SCJ.	

9426G	1964-73	170/200	11.99	ea
9426G	1969-73	250	11.99	ea
9426A*	1964-73	260/289/302	15.99	set
9426A	1969-73	351W	15.99	set
9426B	1970-73	351C 2V	17.99	set
9426C	1970-73	351C 4V	18.99	set
9426E	1967-70	390/427/428		
9426E**	1969-73	429		



1964-73 Intake Manifold Gasket Set

This set of intake manifold gaskets from a material comprised of cellulose and nitrate that provides excellent sealing and durability. The seals include a silicone beading pre-applied around each port for a tight, leakproof seal!

Notes & France Barry & France Barry CLOP SCI

1964-73			
1969-73	429	15.99	set
	1964-73 1969-73 1970-73 1970-73 1967-70 1969-73	1969-73 351W 1970-73 351C 2V 1970-73 351C 4V 1967-70 390/427/428	1969-73 351W



Phenolic Intake Manifold Spacers

BBK phenolic manifold spacers sets have proven to be a great way to improve performance gains 4-7 horsepower. CNC-machined from custom phenolic fiber material 3/8" thick to increase power by dramatically reducing the transfer of heat from lower to upper intake manifold. Spacers are also popular to increase manifold to valve cover clearance to accommodate bolt ons such as performance rocker arms and valve covers. Includes new longer bolts and gaskets.

Note: *Will	not fit RPM I
BBK1506	Cobra C

BBK1506	Cobra, GT-40 intakes	79.99	set
BBK1508	factory 5.0L intakes	79.99	
BBK1520*	Edelbrock Performer RPM only	79.99	
BBK1549	TFS intakes	79.99	
BBK1530	BBK SSI, SSI-R intakes	79.99	set



Oil Pans and Parts

AR1547904

AR1547902

Ail Pumn Driveshaft

ARP oil pump driveshafts for Ford small and big block engines. These shaft are made from ARP2000 alloy steel and heat treated to 220,000 psi. They feature a CNC milled Hex drive with the retaining washer nre-installed

AR1547904	289-302, Boss	
AR1547901	351W	22.99 ca
AR1547905	351C	23.99 ca
AR1547902	390-428 FE	
AR1547903	429-460	24.99 ca



These pumps feature the standard volume and pressure

for stock or mildly modified engines.

6A618F	1964-70	170/200	10.99 ea
6A618A	1964-95		6.99 ea
6A618B	1969-73	351W	8.99 ca
6A618C	1970-73	351C	13.99 ea
6A618D	1967-70		12.99 ea
6A618E	1969-71		13.99 ea



High-Performance Ail Pumn Rolt Set

ARP high-performance oil pump bolt sets. These sets are forged from high grade chromoly steel hardened to a nominal tensile strength of 180,000 psi. They feature wide underhand flanges and companion washers for even load distribution. Their precision rolled threads prevent galling while promoting more consistent torque loading. Made in USA.

A Diana Oil Damas Dala Cat

black oxide		
black oxide	12 point	12.99 set
stainless	Hex	12.99 set
stainless	12 point	12.99 set
kup Stud Set		
black oxide	Hex	10.99 set
	black oxide black oxide stainless	black oxide Hex black oxide 12 point stainless Hex stainless 12 point kup Stud Set





1965-73 Oil Pressure Sending Unit 🔥

This sending unit screws into block and activates the warning light when oil pressure drops. Wide variety of applications are available to fit your 1965-73 Mustang models.

Sending Units 9.99 ca 1965 6/8 cyl with lights...... 9.99 ea 1968-69 289, 302 - from 5/6/68 47.99 ea 9278A 9278B 427 9278D 27.99 ea 1968 9278D 1969-70 200, 250, 351 27.99 ca With Gauges 9278D 1965-66 6 and 8 cylinder 27.99 ea With Tach and Tripodometer 9 99 ea 9278A 9278A 1967-68 289 1967-68 302 - before 5/6/68 9.99 ca 47.99 ea 9278B 1967 200 9278B 1967-69 390 - from 4/10/67. 47.99 ea 9278B 1968-70 428CJ 47.99 ea 47.99 ea 9278B 1969-71 Boss 302..... 9278B 1969-70 351.. 47 99 ca With Tach 1970 6 and 8 cylinder..... 47.99 ca 9278B 9278D 1971-73 6 and 8 cylinder...... 27.99 ea Without Tach 9278B 1971-73 6 and 8 cylinder 47 99 ca Without Tach and Tripodometer 9278D 1967-69 289, 302. 9278D 1967-68 200, 390. 9278D 1967-68 200, 390. 9278D 1968-70 289, 302. 9278D 1968-70 289, 302. 9278D 1969-71 Boss 302. 27 99 ca 27.99 ea 27.99 ea 27 99 ca



1965-73 OFM Style Ail Pan

This is a great, direct replacement for an old or beat up stock oil pan.

Painted Ford Blue				
6675A		170, 200, 6 cyl	158.99 ca	
6675C-CM		260/289/302	67.99 ca	
6675G	1967-69	390	67.99 ca	
6675G	1968	428CJ	67.99 ca	
6675L	1967-73	351W	64.99 ca	
6675F	1970-73	351C/CJ/Boss	75.99 ea	
Unpainted				
7452X	1965-73	351W	49.99 ca	



1965-80 Chrome Ail Pan

Bright chrome-plating, includes plated drain plug. Front Sun

675D	1965-73	289, 302	70.99 ea
452	1965-73	351W	59.99 ea
675K	1965-73	390, 428	74.99 ea
675N	1970-80	351 C/CJ/Boss	79.99 ea

6

6



1965-73 Finned Aluminum Oil Pan

Chrome finned aluminum small block oil pan for 289 and 302 engines. Includes the mounting hardware. Gasket sold separately.

66751 1965-73 289/302 159.99 ca



1979-95 OEM Style Oil Pan

Replacement OEM style oil pan for 1979-95 Mustang 5.0L models. Features factory stamped steel construction and preinstalled provision to accept your factory low oil sensor. Oil pan is EPD coated for corrosion resistance or can painted the color of choice. A45010 1979-95 81.99 ea



1965-03 Street/Strin Oil Pan

Moroso Street/Strip oil pans are designed for simple bolt-on installation in production chassis. The "kicked out" or "deep" sumps provide increased oil capacity while maintaining sufficient ground and crankshaft clearance. They feature all steel construction with a clear zinc coating, sump oil retaining system (baffling), and a 1/2" NPT drain plug. Compatible with most starter/ flywheel combinations. Intended for performance street vehicles that see occasional track use.

Note: Gaskets handware and nickuns sold senarately

Street/Strip -			
MS20502	1965-73	289-302	336.99 ea
MS20507	1965-73	351W	368.99 ea
MS20506	1979-93	5.0	368.99 ea
MS20558	1970-73	351C	335.99 ea
MS20546	1996-03	4.6-5.4	394.99 ea
Street/Strip -			
MS20521	1979-93	5.0	322.99 ea
MS20520	1979-93	5.8	389.99 ea
MS20609	1967-70	352-428	391.99 ea
MS20620	1979-95	429-460	525.99 ea
Street/Strip -			
MS20557	1970-73	351C	181.99 ea
MS20606	1965-70	352-428	177.99 ea



Reproduction oil pan drain plug screw for 1965-73 N

6

rustang	mouels.		
730A	1965-73	magnetic	7.99 ea
730B	1965-73	blue	
730C	1965-73	chrome	2.99 ca

BLNANDAND C.

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

FEL-PRO

81F

Oil Dipsticks & Com n



MS24516

1964-95 Street/Strip Oil Pan Pickup

Moroso oil pump pickups for street/strip oil pans. Each pickup is engineered to fit a specific Moroso oil pan. They feature precision bent and heli arc welded steel tubing with a wire mesh steel screen welded to the pickup box.

Street/Strip - Kicked Out

MS24520	289-302	for 20502	
MS24507	351W	for 20507	
MS24517	5.0	for 20506	
MS24516	351C	for 20521	
MS24558	4.6-5.4	for 20558	
MS24609	390-428	for 20609	
MS24608	390-428	for 20607	
MS24509	390-428	for 20620	
MS24532	5.0	for 20520	111.99 ea



1964-03 Louvered Windage Tray

Moroso direct fit louvered windage tray for 1964-03 Ford engines. Their louvered design reduces windage horsepower loss and promotes quicker drain back for oil thrown from crankshaft at high RPM. Manufactured from 16 gauge steel, these sturdy trays will fit most Moroso pans but may require modification to fit other brands.

Street/Strip -	Kicked	Out

289-302/5.0	80.99 ca
351W/5.8	93.99 ca
351C/M	
4.6-5.4	94.99 ea
	351W/5.8 351C/M 390-428



1964-04 Oil Pump and Picku

These pumps feature the standard volume and pressure for stock or mildly modified engines.

	Oil Pumps			
8 Cylinde				
6600A	1964-95	260/289/302/5.0	41.99 ca	
6600B	1969-73	351W	52.99 ca	
6600C	1970-73	351C	53.99 ea	
6600D	1967-70	390/427/428	44.99 ea	
6600E	1969-71	429/Boss 429	47.99 ea	
6600E2	1970-71	429 CJ/SCJ	105.99 ea	
6600M	1996-04	4.6L SOHC	86.99 ea	
6600M1	1996-04	4.6L DOHC	122.99 ea	
6 Cylinde	r			
6600F	1964-70	170/200	55.99 ca	
6600F3	1969-73	250	79.99 ca	
6600N	1974-79	2.8L V6	67.99 ea	
6600F	1979-82	200	55.99 ea	
6600P	1994-95	3.8L	128.99 ea	
6600P1	1996-04	3.8L	120.99 ea	
	Pie	ckup Tubes		
6622F	1964-70	170/200	39.99 ca	
6622F1	1969-73	250	27.99 ca	
6622A	1964-73	260/289/302	15.99 ea	
6622A6	1975-78	302	33.99 ea	
6622A2	1979-90	302/5.0	32.99 ea	
6622A3	1990-95	302/5.0	33.99 ea	
6622B	1969-73	351W	26.99 ea	
6622C	1970-73	351C	25.99 ea	
6622D	1967-70	390/427/428	33.99 ea	
6622E	1969-71	429 (press-on)	29.99 ea	
6622E1	1969-71	429 (bolt-on)	34.99 ea	

VISA



1964-73 Oil Pan Gasket Set

Replace	ment oil pai	n gasket set for 1964-7	3 models.
6781A	1964-73	170/200/250	16.99 set
6781B	1965-73	260/289/302	21.99 set
6781C	1970-73	351C	
6781D	1969-73	351W	
6781E	1967-70	390/427/428	
6781F	1969-73	429	18.99 set



Race Quality Oil Pan Gasket

Moroso race quality 1 piece silicone oil pan gasket. These gaskets are specially engineered for each specific application. Manufactured from 100% silicone.

MS93160	289-302	smooth rails	53.99 ca
MS93161	289-302	dimpled rails	73.99 ca
MS93162	351W	smooth rails	50.99 ea
MS93163	351W	dimpled rails	79.99 ca
MS93166	429-460	smooth rails	
MS93167	429-460	dimpled rails	54.99 ca
MS93164	4.6-5.4	all	40.99 ca

TTTTT00000 **111111**000000 1111000000 1**1111**000000 **Oil Pan Fasteners**

USA

PayPal

ARP's premium grade pan bolts combine sealing efficiency with good looks. They are available in black oxide finished chromoly steel or rustproof stainless steel. Also, take your pick from conventional Hex bolt heads and a space saving 12 point design. Includes washers, Made in USA.

Oil Pan Bolt			
AR2541801	289-351W	Hex head	
AR2541802	289-351W	12 point	33.99 set
AR2541803	289-351W	Hex head	35.99 set
AR2541804	289-351W	12 point	36.99 set
AR2551801	390-428	Hex head	
AR2551802	390-428	12 point	34.99 set
Oil Pan Stud			
AR2541901	289-351W	Hex head	
AR2541902	289-351W	12 point	84.99 set
AR2541903	289-351W		
AR2541904	289-351W	12 point	93.99 set

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



A reproduction oil dipstick tube for 1964-70 models.

Painted			
6754B	1964-65	260	10.99 ca
6754B	1965	289 Hi-Po	10.99 ca
6754C	1965	289 (exc. Hi-Po)	10.99 ca
6754D	1966-67	289 (exc. Hi-Po)	10.99 ca
6754E	1968-69	289/302	10.99 ca
6754H	1969	351W	10.99 ca
6754K	1967-70	390/428	23.99 ca
Chrome			
6754KC	1967-70	390/428	25.99 ea
	1967-70 1964-65	390/428 260	25.99 ea 13.99 ea
6754KC 6754BC 6754CC	1964-65 1965	260 289	
6754KC 6754BC 6754CC 6754DC	1964-65 1965 1966-67	260 289 289	13.99 ea 13.99 ea 13.99 ea
6754KC 6754BC 6754CC	1964-65 1965	260 289	13.99 ea 13.99 ea
6754KC 6754BC 6754CC 6754DC	1964-65 1965 1966-67	260 289 289	13.99 ea 13.99 ea 13.99 ea



1964-67 Engine Oil Dipstick

Reproduction of the original style engine oil dipstick for various 1964-67 Mustang models. Don't confuse this dipstick with the generic versions that are similar. Dipstick tube sold separately.

	nless Hand 1964-67	lle 289/302	14.99 ea
With Blue 6750A		289/302	13.99 ea
Zinc-Plated Handle 6750S 1964-67 170/200 35.99 e			



1969-73 Chrome Dipstick and Tube

A sharp looking, bolt-on replacement style dipstick and tube with a bright chrome-plated finish. 6750N 1969-71 351W . 8.99 ca 6750F 1970-73 351C 9 99 ca





Dil System Components



1979-04 V8 Oil Cooler

Protect and enhance your Mustang with this Mishimoto oil cooler set. This set features a large 19 row oil cooler that mounts in the front bumper for maximum airflow and cooling efficiency. The Mishimoto Mustang oil cooler set can be installed in less than 2 hours and adds more than.5 quart to your total oil capacity. Includes mounting brackets, pre-assembled lines, fittings, oil sandwich plate, and installation hardware. For even better heat protection this set can include a 185 degrees F thermostat built into the sandwich plate which prevents the flow of oil into the cooler until the oil reaches the proper operating temperature. Available in silver or black finish

Note: Direct fit sets include mounting brackets designed specially for your Fox body.

	Dire	ct Fit	
	t-in Thermos		
		silver	
MM13051	1979-93	black	404.99 set
	n Thermostat		
MM13052			
MM13053	1979-93	black	463.99 set
	Univ	ersal	
	t-in Thermos		
		silver	
MM13069	1979-04	black	449.99 set
	n Thermostat		
MM13070		silver	
MM13071	1979-04	black	502.99 set



Fnaine Ail Cooler

Engine oil is designed to act as a coolant as well as a lubricant for your motor. If the engine oil is allowed to get too hot, horsepower drops, varnishes form, and the oil starts to break down, which can lead to premature engine wear. Flex-a-lite heavy-duty oil coolers can help prevent this by keeping oil temperatures down, helping to ensure longer-life to engines and components, and reduce the stress created by high-performance engine modifications. Also suitable as a heavy-duty transmission fluid cooler. Includes -8, -10, and -12 interchangeable AN fittings with o-rings.

Important: Depending on application and setup, additional httings or adapters may be required.

Note: Dimensions: width = 11° ; depth without fan = $1-3/4^{\circ}$, with fan = $4-1/4^{\circ}$; variable height, see height below in the line listings. *Dual 6-1/2" fans

Vithout Far	1		
L500007	2-3/4"	7 row	266.99 ea
		17 row	
		21 row	
L500028	10"	28 row	386.99 ea
Vith Fan In	cluded		
		21 row, w/6.5* fan	
L700032	11"	32 row, w/10" fan	579.99 ca
L700040*	14"	40 row, w/6.5" fans	701.99 ea



1979-04 Oil Catch Can

Protect your Mustang from potentially harmful oil blow-by with this oil catch can by Mishimoto. Internal baffles within the catch can trap the oil and moisture in the gasses coming from the PVC valve while recycling the gases back into your engine thus preventing sludge buildup. The 16 oz. catch can is made from aluminum and can be mounted virtually anywhere under your hood with the included hardware. Available in either black or carbon fiber finish MM13063 105.99 set

1979-04 black MM13064 1979-04 carbon fiber .. 134.99 set

Nil/Air Senarator



25051 round 17 oz. tank w/breather filter 89.99 set

25051

M\$85486

1987-04 Oil Separator Set

Moroso air-oil separator set for 1987-04 Ford Mustang GTs. Vehicles from the factory vent excess crankcase vapors and residual oil mist back into the intake manifold, causing detonation and oil deposits to form in the intake track Moroso's oil separators are plumbed into a vehicle's PCV system to capture these

gases, preventing them from re-entering the intake, increasing engine performance and efficiency. They feature billet aluminum bodies, heavy-duty brass fittings, a stainless steel mounting bracket and a billet aluminum mounting clamp for the body of the separator. The 2 piece body unscrews for easy draining.

Small Body			44
MS85660	1987-93	polished	211.99 set
MS85661	1987-93	black	221.99 set
Large Body			
MS85514	1979-93	polished	
MS85486	1996-04	nolished	205.99 set

1996-04 Oil Filter Relocation Adapter

Moroso oil filter adapter/bypass for Ford 4.61 and 5.41 engines. This anodized aluminum adapter replaces larger. engine mounted factory casting and provides easy plumbing of remote oil filters and coolers. The lower



port can be plugged for use with external, wet, or dry sump oil pumps. Included with the adapter is the mounting hardware, two -10AN to -12AN fittings for oil line plumbing, one -16AN fitting for water outlet to radiator and one -10AN plug. M\$22691 1996-04 46-54 194.00 an





1964-73 Reproduction Oil Filter

These reproduction oil filters will fit 6 or 8 cylinder cars. Feature authentic color and label design. Please note that the listings below are original applications, but all filters will fit any 1964-73 Mustang engine.

6731A	1964-66	gold	Rotunda	37.99 ea
6731D	1967-73	white	Autolite	37.99 ea
6731G	1967-73	white	Autolite	40.99 ca





🕬 Vintage Style Remote Oil Filter

Vintage style remote oil filters. Fluid lines can be run out the bottom or backside surfaces (plugs included for unused holes). Uses 3/8" NPT fittings (not included). Measures: 5-1/2" tall. 3-3/4" wide. once mounted sticks out 5-1/8". Includes Wix 51348 oil filter. Available in polished or satin finish. Made in USA

45700232	finned polished	294.99 ea
A5700233	finned satin	264.99 ea
45700234		294.99 ea
45700235	grooved satin	264.99 ea



Hard to reach oil filters will come off easily with this swivel handle oil filter wrench. Swivel tension is adjusted easily using the nut and bolt on the handle. Range 3-1/2" to 3-7/8". X 3082

×-C.

h

492

OIL SYSTEM PARTS

Oil and Filters



1964-04 Renlacement Oil Filter

K&N Performance Gold replacement oil filters. They feature an internal for to prevent collapse, an anti-drai back valve to eliminate dry starts, and a metal leaf spring to provide a positive seal and easy removal. The resin impregnated elements can trap contaminants as small as 10 to 20 microns while flowing up to 16 gallons per minute. Its over 550 psi hydrostatic burst strength exceeds the requirements of many high-performance engine builders and racing bodies. High-performance engines require high-performance filtration.

HP3001	1964-74	all	15.99 ca
HP3001	1975-77	302 long filter	15.99 ea
HP2004	1975-77	302 short filter	15.99 ea
HP2004	1978	all	15.99 ca
HP3001	1979	all	15.99 ca
HP2004	1980	5.0L V8	15.99 ca
HP2004	1981	2.3L L4	15.99 ca
HP3001	1981	3.3L L6	15.99 ca
HP3001	1981	4.2L V8	15.99 ca
HP2004	1981	5.0L V8	15.99 ca
HP3001	1982-83	all	15.99 ca
HP3001	1984-86	2.3L L4 carb	15.99 ca
HP2004	1984-86	2.3L L4 FI	15.99 ca
HP3001	1984	5.0L V8 FI	15.99 ca
HP2004	1984	5.0L V8 carb	15.99 ca
HP3001	1985-86	3.8L V6 FI	15.99 ca
HP3001	1985	5.0L V8 carb	15.99 ca
HP3002	1985	5.0L V8 FI	15.99 ca
HP3001	1986-93	all	15.99 ca
HP2009	1994-95	3.8L V6	15.99 ca
HP3001	1994-95	5.0L V8	15.99 ca
HP2004	1994-95	5.0L V8 SVT Cobra	15.99 ca
HP2009	1996-04	3.8L V6	15.99 ca
HP2010	1996-04	4.6L V8	15.99 ca
HP2010	2000	5.4L V8 SVT Cobra	15.99 ca
HP2009	2004	3.9L V6	15.99 ea

One Pour Boy Fits All These Containers!





Pour Boy All Purpose Filler Spout

Pour Boy all purpose filler spout takes the place of funnels. With its unique multiple thread design, Pour Boy fits a variety of containers from oil bottles to antifreeze, windshield washer fluid to gas treatments, all with an airtight seal! Flow of the fluid is easily controlled by simply bending the spout. No more mess No more fuss... and ... no more funnels! 3 per package. RM1003 7 00 1-14 3 niece

VISA



FilterMag's powerful rare earth magnets trap and hold wear inducing metal particles smaller than 40-microns down to 1-micron that the filter cannot stop. The super strong magnetic force holds FilterMag to the canister. Fits steel oil filter canisters from 2.9" to 5.5" in diameter. The heavy-duty/racing FilterMags have a larger curve surface designed for more demanding situations. Flat style FilterMags are also available for automatic transmission pans and differential covers.

- 1.90" Tall standard	64.99 ea
- 2.50" Tall standard	67.99 ca

HR Conventional High Performance Oil


From the leader in racing lubricants, now comes a lubricant designed specifically for high-performance engines. Joe Gibbs Driven HR Oils build on our original formula while adding critical additives to protect engines when they are not running. Our formula uses the same additive technology developed for the U.S. Military for storing and shipping. It protects against rust and corrosion so your engine is protected even when it's not running. It features higher levels of Zinc than regular passenger car oils to deliver proper anti-wear protection for older style pushrod and

flat-tappet engines. HR2006 10W30 quart..... HR2007 10W30

HR2107 15W50 case of 12 quarts 119.99	HR2006 HR2007 HR2106 HR2107	10W30 10W30 15W50 15W50	quart case of 12 quarts quart case of 12 quarts	119.99 9.99	cs ca
---------------------------------------	--------------------------------------	----------------------------------	--	----------------	----------

Hot Rod Vintage Car Oil

From the leader in racing lubricants, now comes a lubricant designed specifically for hot rods, street rods. and vintage cars. Joe Gibbs Driven Hot Rod Oil builds on the formulation that is used by thousands of racers while adding critical additives to protect engines. What can you do? Check your oil bottles for the API donut. If the oil you currently use carries an API donut, it probably lacks the amount and type of formulated anti-wear chemistry that historic or racing engines need. Designed specifically for older style historic car and hot rod engines, Joe Gibbs Driven Hot Rod Oil features high levels of zinc for wear protection as well as U.S.



WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov					
HRI	607	15W50	case of 12 quarts	154.99	cs
HRI	606	15W50	quart	12.99	ca
		10W30	case of 12 quarts	154.99	
			quart	12.99	

BR is used by Joe Gibbs Racing to break-in and dyno all their NASCAR Nextel Cup and Busch Series engines. This petroleum based oil provides superior break-in properties for flat-tappet engines. The special additive package promotes ring seal and provides maximum protection for cams and lifters during initial break-in. BR can also be used to break in roller cam engines, and as a general purpose dyno oil. Available in 5W30 or 15W50 weights

Rreak-In Ail

в

R

в



R1806	5W30	quart	9.99	
R1807 R106	5W30 15W50	case of 12 quarts quart	119.99 9.99	C!
R107	15W50	case of 12 quarts	119.99	с

Fnaine Break-In Ail

Engine builders have grown increasingly concerned that many modern motor oils do not provide adequate wear protection for new engines particularly those using flat tappet cams. Royal Purple has developed a new engine break-in oil formulated to allow optimal ring seal and protect rotating assembly components such as the camshaft and valvetrain from initial start up wear. Combines highly refined mineral oil. preferred for engine break-in



PURPLE

with advanced additives containing high levels of zinc and phosphorus to optimize protection in flat tappet and roller engines. Fully formulated and does not require the use of any other chemical additives. Royal Purple recommends using their highperformance motor oils after the engine is broken in for maximum engine performance. RP11487 10.99 ca quart. case of 12. 125.99 cs RP11407

Synthetic Ail

9.99 ca

DRIVEN

Royal Purple Motor Oil has unsurpassed oxidation stability that allows for extended oil drains and fewer oil changes. which saves you time and money and reduces the impact on the environment, Royal Purple's performance advantages come from a blend of synthetic oils plus Royal Purple's proprietary Synerlec technology. Royal Purple Motor Oil is compatible with other mineral and synthetic

nov.	
ed	101
es, rey	10110200
y	100
e tic	-

motor oils.			A
Ouarts			
RP01030	SAE30	quart	11.99 ea
RP01520	5W20	quart	9.99 ea
RP01530	5W30	quart	9.99 ea
RP01130	10W30	quart	9.99 ea
RP01140	10W40	quart	9.99 ea
RP01250	20W50	quart	9.99 ea
5 Quart Be	ottles		
RP51520	5W20	5 quarts	44.99 ca
RP51530	5W30	5 quarts	44.99 ca
RP51130	10W30	5 quarts 5 quarts 5 quarts	44.99 ca
Cases			
RP12030	SAE30	case of 12 quarts	129.99 cs
RP12520	5W20	case of 12 quarts	107.99 cs
RP54520	5W20	case of 4-5 quarts	188.99 cs
RP12530	5W30	case of 12 quarts	107.99 cs
RP54530	5W30	case of 4-5 quarts	188.99 cs
RP12130	10W30	case of 12 quarts	107.99 cs
RP54130	10W30	case of 4-5 quarts	188.99 cs
RP12140	10W40	case of 12 quarts	117.99 cs
RP12250	20W50	case of 12 quarts	107.99 cs



Ignition Products



MSD

Ford Covote 5.0L 2 Step Launch Master

The MSD 2 step launch master is best way to launch hard for Ford Coyote 5.0L engines. When activated the RPM will be held at a steady RPM and once the green light comes on, release the clutch and take off. The RPM is adjusted with two built-in rotary dials ranging from 1800-9900 RPM in 100 RPM increments. A handy LED shows when the launch rev limit is active. 8731 2011-17. 314 99 ca



9 Sten Launch Master

The MSD 2 step launch master is best way to launch hard for modular Ford 4.6/5.4L engines. When activated the RPM will be held at a steady RPM and once the een light comes on, release the clutch and take off. The RPM is adjusted with two built-in rotary dials ranging from 2000-11,900 RPM in 100 RPM increments. A handy LED shows when the launch rev limit is active. 8734 1999.on 302.99 ca



This 2 step rev control could be added to give you the ability to switch to a low RPM limit to use on the starting line. Features 2 easy-to-read rotary dials that let you set the launch RPM in 100 RPM increments. There is an activation wire that connects to the transbrake, a clutch switch or to the line lock to activate the low RPM limit. When that switch is released, the low RPM limit is turned off and the vehicle launches hard. For use with MSD Digital 6AL #6425 or 64253 only. 8732

all 138.99 ca MSE 1996-04 Digital RPM Switch

BLNANDAND

Н

C.

Z

Are you looking for an RPM switch that will turn a circuit on, then off at a different RPM? This switch will accept an input RPM signal from a coil negative terminal (for stock ignitions), a tach output from an ignition control, an ECU tach output or even a 5 Volt tach signal. Works on late model coil per cylinder or dual coil pack ignition systems. The RPM activation points are programmed by simply scrolling through the LED display to your d sired RPM amounts. Features two outputs and can be programmed from 200 RPM to 15,000 RPM in 100 RPM increments. No modules needed. Note: This switch can be used with an input voltage of

8060 1006.04 229.99 ca



GA/GAL Ignition Control

MSD's new Digital 6A is the base model of the capacitive discharge multiple spark 6 Series design atures the same footprint as the traditional 6A and 6AL, but with a lower profile for a sleek look. Like all MSD6 Series Ignitions, the 6A will work with virtually any vehicle as long as it has a 12-18 Volt electrical system. It can be triggered using breaker points, a magnetic pickup or the output of an electronic amplifier. All necessary parts and wiring instructions are included. Will work on 4, 6, and 8 cylinder engines. The new Digital 6AL shares the same proven circuitry of the Digital 6A with the addition of a built-in adjustable rev limiter with two top mounted rotary dials. The combination of powerful sparks with the safety of a rev control is what makes the Digital 6AL the most popular ignition control in the world.

6201	Digital 6A		291.99 ca
62013	Digital 6A	all black	291.99 ea
6425	Digital 6AL	all red	338.99 ca
64253	Digital 6AL	all black	338.99 ea



Features:

- Timing based on engine RPM and gear value · Advanced individual cylinder timing based
- on gear or time Five retard stages for nitrous
- · Four steps of RPM limits for burnout, spool, launch and over rev Output switch set on RPM, pressure or time
- · Shift light settings for each gear Ignition data acquisition accepts multiple runs
- · Crank trigger system highly recommended

Power Grid System

The Power Grid System is the next evolution of programmable ignition controls. The grid incorporates an efficient 32 bit micro-controller and an all new software program, called MSD View, and is USB compatible. The Power Grid Controller is the brains behind the entire system and can be used with any MSD ignition or the Pro Mag to provide advance ignition tuning capabilities. While it is compatible with all MSD boxes, the new Power Grid System Controller has been specially designed to mount to the Power Grid-7 ignition box sold separately. Includes: View software, wiring harness, micro-SD card and mounting hardware.

Note: To use any modules with the Power Grid Ignition System, (7720 and 7730), users MUST plug the modules into a 4 Connector CAN-Bus Hub (7740) to be attached to the Power Grid System Controller.

	rid Controllers		
77303	black	576.99	ca
Power G	rid-7 Ignition Controller		
7720	black	639.99	ca
	rid 4 Hub Connectors		
77403	black	105.99	ea

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Ford Modular Ignition Controller

When you retro-fit a Ford 4.6L or 5.4L (SOHC/ DOHC) with a carbureted intake manifold, you will need this controller to handle the ignition chores. The controller plugs into the coil packs and sensors of the engine for a direct installation. From a PC, using Pro-Data+ software, you can program a custom timing curve, a step retard, two step rev limiter and even a vacuum advance. A great system for street rods and retro muscle cars

Note: Does NOT control fuel.

6011 modular engines 584.99 ca



resistor. Available in 8200 chrome or red. Made in USA. rtant: The ballast is not necessary if an MSD 6 or 7 series ignition control is being used with the points distributor chrome 68 99 set 8200 Blaster 2 8203 Blaster 2 red 74.99 set

Ignition System Coil

If you are looking to upgrade your stock coil or want to complement performance of your MSD 6 Series Ignition, our Blaster coils are the right choice. The following Blaster coils share the same special windings and high oltage output as the other Blaster 2 coils, but do not include a ballast resistor. When you are using an MSD Ignition Control the ignition is responsible for



delivering the voltage to the coil so a ballast is not necessary. The Blaster 3 coil features an extra tall tower design to improve the coil wire attachment and spark isolation and is supplied with a 90 degree terminal and boot. Made in USA

202 223	Blaster 2 Blaster 3	

Noise Filter

If you experience radio se after installing the MSD Ignition, you ma need to install an MSD Noise Filter Electro Magnetic Interference (EMI) is occasionally



generated from the MSD power cables and can be easily eliminated by installing the Noise Filter on the heavy power supply wires coming from the MSD. It is recommended that the noise filter be used on installations with the MSD 7 and 8 Series Ignitions to prevent this interference. Includes noise filter cover 9920 MSD noise filter with cover 56 99 ca

Ignition Products





1986-93 Ignition Module for Ford TFI 🔺

Direct replacement ignition module for MSD Ford TFI or factory distributor.

83648 1986-93 67.99 ca



POLIC A Pro-Crimp Tool

The Pro-Crimp features interchangeable jaws allowing for a variety of different style crimps with one heavy-duty tool. The Pro-Crimp features a hardened steel frame with comfortable molded hand grips. The slick ratchet action provides secure, factory quality crimps every time. The Tool is supplied with precision crimping/stripping jaws for MSD spark plug wire terminals.

Pro-Crimp Tool

35051	-	115.99	ca
	ement Dies		
3506	amp pin terminal dies	45.99	
3507	amp lug terminal dies	45.99	
3508	plug wire terminal dies	39.99	
3509	weathertight terminal dies	59.99	
3510	Deutsch terminal dies	59.99	ca

MSD



8.5mm Super Conductor Coil Wire 🗥

If you're changing a coil or cap to a new design, you could find yourself searching for different terminals for the coil wire. MSD offers these two style coil wires to make the change easy. Also, remember that the coil wire sees 8 times the use of each plug wire so changing the coil wire as a maintenance through the race season is recommended. Made in USA.

Red

VISA

84049 84039	18" long straight for point style 18" long 90 degree HEI style	
Black	18" los e 00 de esse UEI etade	22.00

18" long 90 degree HEI style ... 22.99 ea

Soark Guard MSC

MSD's spark guard is a dielectric grease that solves many common ignition troubles. It stops voltage leaks, eases boot removal, prevents moisture buildup inside the spark plug wire boots, and even helps protect against radio noise (EMI). It also simplifies the installation of MSD universal spark plug wire sets. Spark guard vill not dry up or harden so it will retain its spark isolating capabilities indefinitely. 8804





2-in-1 Universal Wire Set USA

These universal spark plug wires sets are made from MSDs Super Conductor performance wire. Universal wire sets have only the spark plug boot and terminal installed. These boots and terminals are available in your choice of a 90 degree boot or a multi-angle boot. The distributor end boots and terminals are supplied, but not crimped on. Both sets include terminals for but not crimped on. Both sets include terminals for engines with either the early style (socket) and late style (HEI) distributor caps. The wires are extra long so they can be cut-to-fit any application. Each set includes a MSD Mini-Stripper crimper for easy installation. Available with wires in either black or red Made in USA

90 Degree Angle

ee Angle	
black	143.99 set
red	143.99 set
ngle	
black	143.99 set
red	143.99 set
	black red ngle black



1977-04 Super Conductor Wires

The MSD 8.5mm Super Conductor is the ultimate performance wire. Engineered with incredibly low resistance without electronic interference. Made with copper alloy conductor resulting in less than 50 Ohms per foot of wire. This ensures that the most energy possible makes it to the spark plug. This combination is encased in a heavy-duty sleeve that will withstand abrasion and high temperatures. Features dual crimp terminals, one for the sleeve of the wire and another separate crimp to grasp the conductor.

Black Wir			
31323	1977-93	302/351 HEI	131.99 set
A32203	1994-95	5.0L	94.99 set
Red Wires			
31329	1977-93	302/351 HEI	
32209	1994-95	5.0L	137.99 set
32219	1996-98	Cobra	
32289	1994-98	V6	
32999	1999-00	V6	107.99 set
32889	2001-04	V6	102.99 set



MSD tach adapters will correct the operation of most voltage triggered tachometers or fuel injection systems that do not work directly off the tach output terminal of the MSD ignition unit. If you are triggering an MSD Blaster, 5, 6, SCI, or 7 series ignition with its white wire or points terminal, you will need item #8910 or 8910E. For applications using green and violet wires for magnetic pickup input, use item #8920.

Important: *For use on non-current limiting ignitions, originally equipped with a ballast resistor. **For use on current limiting ignitions, not originally equipped with a ballast resistor.

8910*	points or amplifier		
3910E**	points or amplifier		
3920	magnetic pickup	92.99	ca



In performance applications such as off-road, racing, and marine applications, strong vibrations can be transmitted through the chassis to the MSD unit. To protect the MSD from excessive vibration, we recommend this vibration mount set





Digital Shift Light

MSD universal and easy to use programmable shift light. Can be installed with distributors, coil packs or on 1 cylinder engines up through 12 cylinders on stock ignitions or high power aftermarket systems. Programmable from 100-15,900 RPM down to 10 RPM increments and features six bright LEDs for easy to view anytime. Includes GMR pickup. 89631 all models 242.99 ea



These timing lights are designed and built for superior accuracy and ease of use. Solid state circuitry provides stable and accurate timing signals up to 8000 RPM. A battery powered version, accurate up to 5000 RPM, is also available. Each durable lightweight timing assembly has a super bright strobe that makes timing adjustments simple, even in direct sunlight. Both include a detachable inductive pickup for easy storage, 8990 standard timing light ... 228.99 ca 8991 304 99 ca battery powered timing light





Performance Ignition



When you start making serious power with your Mustang V8 EFL the factory distubutor shaft is one of the weak links of the engines. Upgrade to the Pro Billed distributor from MSD in bandle the extra power Features precision CNC-machined housing, sealed ball bearing, oversized steel shaft with QPC coating for friction reduction and cornosion resistance. Includes: can, notor, special gear and stock style trigger pickup to accept factory connectors for direct installation. Available for 50 and 58 EFH engines.

Note: Legal for use in all \$0 states

5.0L 8456 A84563 8455	1986-93 1986-93 1994-95	red
5.8L with	Module Nor	1-Roller Cam
8453	1969-70	456.99 ca
8453	1995	456.99 ca
8452	1969-70	456.99 ca
		el Gear/Factory Roller Cam
8452		456.99 ea
		/Steel Gear/Factory Roller Cam
8451	1995	



MSD "Ready-to-Run" Ford distributors are the perfect upgrade for bulk J DuraPark systems roancient breaker point models. These distributors and the distributors of the engine. Constant the engine of a drop til the engine. Constant the engine the angle and the engine. The engine of the engine (DQC) costing for fractions and corrosion resistance, powerful built-in module produces a 7.5 amp single spark through thig BRW vacuum advances housing is 5.78" smaller in diameter than stock. Ford distributors, advance plate and weights are fine blanced from chromoly state. J Includes cap and race torse with Control and CARB E.0. approved. BDI Brites and the state of the state of the state of the state of the state state of the state

52	289-302	red w/iron gear	554.99 ca
525	289-302	black w/iron gear	557.99 ea
521	289-302	red w/steel gear	608.99 ea
523	289-302	black w/steel gear	574.99 ea
8354	351W	red w/iron gear	554.99 ea
83541	351W	red w/steel gear	608.99 ea
8595	390-427	red w/iron gear	569.99 ea
8350	351C-460	red w/iron gear	569.99 ea
83501	351C-460	red w/steel gear	675.99 ea
83503	351C-460	black w/steel gear	586.99 ea



Ford 289-460 Pro Billet Distributor 🏼 🥖

MSD Ford 289-460 Pro Billet distributor features all the high-performance distributor experience into a special compact housing designed to be less obtrusive special compact housing designed to be less obtrusive 30% smaller in distorts. Includes billet housing is 35% smaller in distorts from distributors providing extra room in front of the engine. Includes billet housing is 35% smaller and distorter than stock from distributors with small diameter cap with HEI style terminals and race rotor, rylop ands ensures smootly operation of the advance weights, advance weight pins are staked and can be loced on for erank trigger systems, advance plate/weights blanked from chromody steel, polished steel shaft is QPC coated and guided by a staged precision relactor, CNC-machined billet aluminum housing/base. No CARB Exemption Order Number

Note: Will accept part #8441 Cap-A-Dapt and must be used with an MSD 6, 7, or 8 series ignition.

H

	289-302	natural	
A8578	351W	natural	413.99 ea
A85773	351C-460	natural	428.99 ea
Black Cap			
A85793	289-302	black	
85795	289-302	natural	405.99 ea
A85783	351W	black	428.99 ea
A8577	351C-460	black	413.99 ea



Sniper EFI HyperSpark distributor from Holley Performance: This high performance billed aluminum distributor features a unique "noise free" Hall Effect crank trigger with a welded shutter wheel for years of reliable, accurate service. Hall effect triggers provide a clean RPM signal required for FFI systems like the Sniper EFI. This distributor makes adding timing procedure. Includes wire reliance and a parented clear installation cap for an easy installation. 1965/301 – 70:298.307

565301	260-289-302	349.99 ca	а
565302	351W	349.99 ca	a
1565303	351C, 429-460	349.99 ea	a





Holey EFI Dual Sync distributor for small and hig blockFord engines. These high-quality "Phig and Phys distributors are constructed of CNC-machined billet adaminum and come with a hardness tedel distributor gear. They feature Hall Effect sensors for cam and cranshard position for sequential leuling operation. The precision machined shutter wheel ensures an accurate RPM-signal wellboyend 8000 RPM. Designed for simple "Phig and Play" installation with Holley EFI systems.

H565201	302	444.99 ca
H565202	351W	444.99 ea
H565210	351C/M-400M	428.99 ea
H565205	390-428 FE	444.99 ea



Unilite Ignition Distributor

Mallory Unilite mechanical advance distributors for Ford small and big block engines. They feature a fully adjustable mechanical advance, a 1 piece self-contained optical pickup and module, and a 3 wire hook up making it easy to run with a stock or performance coil. They include a quality cap rotor and advance curve springs.

755101	260-302	430.99 ea
755301	390-428	430.99 ca
755401	351W	430.99 ca
756701	351C/429-460	430.99 ea

83

83

A

A

AS

A8 A8

AS





Use with our Pertronix 8mm spark plug wires (available separately). Available with black caps only. Non-vacuum advance distributors are not legal for sale or use on pollution controlled motor vehicles.

Vacuum Advance

1212/R 12127S	260, 289, 302 260, 289, 302	female cap	253.99 ea 257.99 ea
Non-Vacu	um Advance		
12127Q	260, 289, 302	female cap	282.99 ea
12127P	260, 289, 302	male cap	311.99 ca



1979-84 HEI Street/Strip Distributor

Single piece reproduction High Energy Ignition distributors with caps for 1979-84 302/5.0L. Easy-toinstall and features internally positioned coil and module.

Note: Gear is not compatible with roller cams.					
89L196	Ford 289/302	red			
89L197	Ford 289/302	blue	139.99 ea		
89L198	Ford 289/302	black	140.99 ca		



1964-73 Dual Vacuum Remanufactured Distributor

Quality remanufactured distributors are available for ost 1964-73 models. Sold outright, no co

1964-67		
1964-69	289, 302	69.99 ca
1969-70	351W	190.99 ca
1969-73	429	98.99 ca
1970-73		
1971-73	302	108.99 ca
1971-73	351C, 429	153.99 ca
	1964-67 1964-69 1969-70 1969-70 1969-73 1970-73 1971-73 1971-73	1964-69 289, 302 1969-70 351 W 1969-70 429 1969-73 429 1970-73 302 1971-73 351

PayPal

VISA



High-Performance Coil

Replace your stock coil with an Accel highperformance coil for increased performance. longer life and maximum dependability. A variety of applications are available for breaker point and breakerless ignition.

	Ignition Coil	
42,000Vol	Coil-Breaker Point or Breake	rless Ignition
8140C	chrome	
8140	yellow	37.99 ea
45,000Vol	t Coil-Breaker Point or Breake	rless Ignition
140001	super coil	92.99 ea
45,000 Vo	lt Coil for Breakerless Ignitio	n
8145C	chrome	56.99 ca
8145	yellow	48.99 ea





boot with terminal and a wiring harness

Power Coil

The TSP power coil is capable of delivering a longer and hotter spark with up to 70% more spark energy than stock ignition coils. Its convenient design easily mounts to fire walls, core supports and fender wells It features an aluminum heat sink keeping it cooler for more efficient energy output at lower temperatures Coils have an HEI style output tower and are rated at 50 kV maximum voltage with 260 mA peak current with 0.35 Ohm primary resistance. Coils include installation hardware, a coil wire boot with terminal

A7700200 red coil 45.9	
A7700201 blue coil 45.9	19 ea
A7700202 black coil 45.9	19 ea





1986-95 Series & Box Harness

MSD 6 series box direct plug-in harnesses for 1986-95 Mustang 5.0L models. This harness plugs directly into your factory coil and harness, then the four color coded wires plug into the MSD 6 Series box. 8874 1986-95 5.0L .. 42.99 69



Δ

1979-85 Rallast Resistor

MSD 0.8 Ohm ballast resistor designed for 1979-85 Mustang models. Required when upgrading to MSD ignition coil when connected to a stock points style ignition system.

Note: Not necessary if an MSD 6 or 7-series ignition control is being used with the points distributor. 8214 1979-85. . 14.99 ca



1964-68 Reproduction Yellow Top Ignition Coil

An excellent reproduction of the original 12 Volt yellow top coil that Ford used on 1965-68 Mustang models. Easily installed in the factory location and will work on 1965-73 Mustang models 12029A 1964-68 39.99 ca



Mallory universal chrome street performance canister coil. These 12 Volt ignition coils feature an oil filled design and an arc resistant alkyd top for superior performance, insulation, and cooling. They are specifically designed to deliver optimum performance when used with Unilite, magnetic breakerless (MBI) distributors, points, and electronic conversion kits. 29219 12 Volt 60.99 ca



Performance Ignition



Enjoy extended plug life, increased mileage and more power are commonly experienced with this conversion. The 20 minute installation process. Everything fits neatly and completely under your stock distributor cap! 30-month manufacturer's warranty. Available for most 1965-73 Mustang models.

12171A	1965-67	6 cyl. w/thermactor	89.99 ea
12171A	1968-73	6 cyl	
12171B	1965-73	8 cyl. (single point)	
12171C	1965-73	8 cyl. (dual point)	87.99 ea
12171D	1965-73	8 cyl. (dual point)	97.99 ea
12171E	1966-67	6 cyl. w/o thermactor	
12171G	for Mallo	ry distributors	89.99 ea
12171F	for Accel	distributors	91.99 ea



The Ignitor II electronic ignition goes an extra step beyond for even more power and efficiency! It senses levels of current in the coil, and uses a powerful micro controller to adjust the dwell to maintain peak energy throughout the entire RPM range. As engine RPM and operating conditions change, dwell time is increased or decreased to provide more energy at higher RPM, reducing misfires while improving engine performance. Ignitor II develops nearly 4 times more available energy between 3000 and 5000 RPM and double the available plug voltage! The Ignitor II's higher RPM performance is maximized when used with the new Flame-Thrower II super low resistance (0.6 Ohms) 45 000 Volt coil but the system is compatible with any induction coil. It comes with a 30-month warranty and is emissions legal in all 50 states and Canada!

12171L 1964-73 V8 single point 108.99 ea

PERTRONIX Ignitur'III

Ignition how performance without the box. The Ignitor III is the most advanced points replacement set. It is literably an ignition box inside your distributor. It range and a REV limiter accurate to +-50 RRW which is set by you with an LED user feedback for rev Stimes more space than points. This imman more space for the set of the set of the set of the set of the limit of the set of the range, realizing more horsepower and better milleage. The limit of the set of the range, realizing misitres while improving engine performance. Feak current level is reached just prior to space for maximum energy without the heat buildap. Legal in all 50 states and Canada.

Note: Requires minor rewiring of circuit from ignition switch to distributor.

Single Point Distributor



High-Performance Coil

Complete your ignition upgrade with a Flame-Thrower high-performance coil. Best when used with the lgnitor Electronic lgnition Conversion, the Flame-Thrower high-performance coil its existing coil brackets for a clean. factory look. Enables larger plug gaps for greater fuel efficiency and more power. Available with either a chrome or black finish. Choose from a variety of voltages and primary resistance ratings.

40,000 Volt Coil - 1.5 and 3.0 Ohm

These Flame Thrower coils are compatible with breaker point ignition systems or vehicles equipped with the original Ignitor system. Choice of 6 or 8 cylinder.

Cnrome Oi	и ғшеа		
		3.0 Ohm	
PX40001	8 cyl	1.5 Ohm	39.99 ea
Black Oil I	Filled		
PX40511	6 cvl	3.0 Ohm	36.99 ca
PX40011	8 cyl	1.5 Ohm	39.99 ca
Black Epos	cy Filled		
PX40611	6 cvl	3.0 Ohm	47.99 ca
PX40111	8 cvl	1.5 Ohm	46.99 ca

Black Epoxy Filled	
PX45111 4, 6, or 8 cylinder	51.99 ca
45,000 Volt Coil - 0.32 (
The Flame-Thrower III coils are for use equipped with the Ignitor III system.	on vehicles
Chrome Oil Filled PX44001 8 cylinder	51 90 ca

1

PX44001	8 cylinder	51.99	¢
Black Oil			
PX44011	8 cylinder	41.99	c

WARNING: Cancer and Reproductive Harmwww.P65Warnings.ca.gov



Promaster Ignition Coil

Mallory Promaster Classic series ignition coils are designed to meet today's specifized ignition requirements. These coils feature a faster rise time and increased spark duration (compared to stock) to increase performance. They feature a glass-filled polyester case and oil filled construction to ensure a offer excellent with reference of the spectra of the secondary post, and brass contact terminals. Can be used on inductive and CD ignitions. Mounting bracket included.

30480	ProMaster S/S	73.99 ea

HV 60,000 Volt Coil

The Flame-Thrower HV (high voltage) coil have an E-Core design which is rated at a sizzling 60,000 Volts and operates with no degradation of energy throughout the temperature ranges. Made from 6063-



TS aluminum, it efficiently transfers heat to optimize energy output, and the housing is black anodized for increased corrosion resistance. Available in 3 different resistances for compatibility with most points and electronic ignition systems. Standard threaded connections and mounting hardware are included.

X60104	0.45 Ohm	80.99 ea
X60115		
X60130	3.0 Ohm	80.99 ea

HC 60,000 Volt Coil

The Flame-Thrower HC (high current) coils have an E-Core design which is rated at 60,000 Volts with an ultra low .32 primary resistance and has a high current design for a rapid charge rate. Made from 6063-T5 aluminum, it efficiently



Par le suite

transfers heat to optimize energy output. The housing is black and/ized for increased corosion resistance and has a precision machined male high tension terminal and brass primary terminals. It is compatible with lgnitor III and Ignitor III systems as threaded connections and mounting hardware are included. 7199 ca

MSD

Performance Ignition



The Mallory HyFire ignition box features a retro case filled with modern electronics that connect easily to points, amplifiers and magnetic pickup distributors. These capacitive discharge ignitions supply multiple sparks at low RPM's for a clean idle and quick throttle response. They will provide powerful spark through redline and have a built in adjustable rev limiter with easily adjustable rotary dials.

690	one step rev limiter	209.99 ca
695	Pro with two step rev limiter	390.99 ea



HyperSpark Ignition Coil

Sniper EFI HyperSpark ignition coil from Holley Performance. This coil features an innovative connector and integrated bracket for a secure connection and simplified mounting. Its powerful 135MJ of spark ensure complete combustion and improved performance. Like the rest of the HyperSpark line of ignition products, this coil is designed to be "Plug and Play" with Sniper EFI Systems. H556152 46 99 ca



Sniper EFI HyperSpark ignition box from Holley Performance. This box features a sealed and powder coated housing, and an external LED to verify 12V, cranking RPM, and low battery voltage. Its powerful 135MJ of spark ensure complete combustion and improved performance. Like the rest of the HyperSpark line of ignition products, this coil is designed to be "Plug and Play" with Sniper EFI Systems.

H556151 all V8 315.99 ca

PayPal

VISA



MSD Ford DIS 4 tower coil pack for 1996-98 Mustang 4.6L models with DOHC/SOHC engine. This coil has a unique turns ratio (83:1), lower primary resistance than factory coil to produces more output voltage. Note: CARB E.O. approved.

1995-98 4.6L DOHC/SOHC .. 105.99 ea 8241 MSD

Ford & Tower Coil Pack

Replacement ignition coil tower for 1994-04 Mustang V6 models. Mounts directly in place and accepts the factory or performance wires.


5528 1994-00 V6 120.99 cm 5520 2001-04 v6 133.99 ca



1986-95 TFI Performance Coil

MSD TFI ignition coil for 1986-95 Mustang 5.0L models. This coil has a unique turns ratio (85:1). lower primary resistance than factory coil, produces more output voltage and will work with stock ignition systems.

Note: CARB E.O. approved





1999-04 Blaster Coil On Plug Set

MSD Blaster 2 coil on plug set for 1999-04 Mustang models. Designed with factory style housing as a direct bolt-in replacement. The inside engineers patented winding design and materials to improve spark energy and voltage output. Available in red, black, or blue color.

GT 4.6L 2	V SOHC			
A82428		red		
A824283	1999-04	black		
A824285	1999-04	blue	269.99	set
Cobra/Ma	ch 1 4.6L 4	V DOHC		
A82448	1999-04	red		
	1999-04			



Chrome Coil Cover

Dress your engine up with this all chrome coil cover. Fits most early model coils. Includes cover and attaching bracket. For small block engines. 66120





Vintage Style Finned Coil Cover

Vintage style finned coil cover for your classic. Mounts with 1/4"-20 drive studs. Cast in aircraft grade A356 aluminum and polished to a high sheen. 45700219 01.00 set



Chrome Steel Coil Mounting Bracket 🔥

Steel mounting bracket used to mount ignition coil. Chrome-plated. 12044C 6.99 ea



89L078	1996-98	2V 4.6L	294.99	set
With Co	il On Plug Co	nnector		
89L082	2004-10	3V 4.6/5.4	185.99	set

AMERICA'S FIRST CHOICE IN AUTOMOTIVE RESTORATION

Ignition Wires



MISA. Ianition Set

Sets are available with 40,000 Volt black or chrome Pertronix coils. Sets include: 1 Ignitor electronic ignition conversion, 1 Flame-Thrower coil, and I Flame-Thrower spark plug wire kit.

Black Coi			
12172A	V8	single point	173.99 set
12172B	6 cyl	with thermactor	
12172C	6 cyl	w/o thermactor	179.99 set
Chrome C	oil		
12172D	V8	single point	182.99 set
12172E	6 cyl	with thermactor	179.99 set
12172F	6 cyl	w/o thermactor	184.99 set



High-perfor				
appears fac				
Manufactur	er's lifetim	e warranty	. Made in	USA.
PX706101				50.99 set
PX708105	1965-71	V8, 2V		55.99 set
708104	1967-71	V8, 4V		59.99 set
708104	1972-73	V8, all	7mm	59.99 set



COMPONENT

c.

500

Available i	in blue or	r black	tom ignition v , with straight 8 with Pertroni	or 90 degree
2259M	black	with	straight boot	57.99 set

500	GN	TION WIRES		
12259J 12259K	black blue	with 90 deg. boot with 90 deg. boot	60.99	set
12259N	blue	with straight boot		



1965-73 Soark Plug Wire Set

set set set set

set set set

Motorcraft plug wire sets for various Ford applications.

Nole: *Except 39	9.		
WR3802AR	1965-73	6 cylinder	
WR3800AR*	1965-67	all 8 cylinder	
WR3800AR	1970-72	302	
WR3812AR	1967	390	
WR3812AR	1968-69	all 8 cylinder	
WR3812AR	1970-72	351C/429	
WR3812AR	1973	351	49.99



Illtra 40 Custom Fit Wire Set

Moroso Ultra 40 custom fit wire set. This complete. ready-to-install set features 8.65mm diameter wire with 40 Ohms of resistance per foot and a Kevlar core for 40 Omits of resistance per loot and a Kevia Core to increased the tensile strength. They are a cost effective, street version of Moroso's race wire, with all the same features except for their ultra high heat sleeving. The wire for each cylinder is labeled making for a hassle free installation and tune-ups.

MS73675 MS73676 MS73673 MS73674	289-302 289-302 351W 429-460	HEI non-HEI HEI HEI	101.99 95.99 92.99 87.99	se se
W15/50/4	429-400	псі	07.99	se



id labels 891.349 2001-04 3 8L V6 75.99 set

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov





1964-71 Reproduction Ignition Wire Set

Accurately reproduced with authentic lettering on each wire, proper style molded boots and "coil" tag on distributor lead. The FoMoCo logo is correctly placed on the spark plug boots, which are made out of silicone rubber

Note: Do not clean wires with Armor All or other products that contain solvent. We recommend cleaning by using a very dilute soapy water solution on a damp cloth with very light pressure.

All			
12259A	1964-66	6 cylinder	44.99 set
12259L	1964-67	289 HiPo	58.99 set
12259C	1967	6 cylinder	43.99 set
12259P	1968-71	6 cylinder	44.99 set
12259S	1969-70	Boss 302	58.99 set
12259T	1969-71	351W	58.99 set
12259V	1970-71	351C	58.99 set
12259G	1970-71	429/429CJ	58.99 set
Without Sn	log		
12259B	1964-66	289	58.99 set
12259D	1967	289	58.99 set
12259E	1967	390/428	58.99 set
12259F	1968-71	289/302	58.99 set
12259Q	1968-69	390/428	58.99 set
With Smog			
12259BS	1964-66	289	58.99 set
12259DS	1967	289	58.99 set
12259ES	1967	390/428	58.99 set
12259FS	1968-71	289/302	58.99 set
12259R	1968-70	390/428/428CJ	58.99 set

TOLL FREE 800.854.1280



Ignition Wires

TAYLOR



USA

High Energy 8mm Ignition Wires

Restore performance and fuel economy with Taylor's High Energy series 8mm ignition wires. Suitable for both street and track applications, each set features heat resistant silicone jackets and boots with oil resistant insulation, double spring locking spark plug terminals and a resistor core to suppress radio interference. Made in USA. TP64658 1986-93 5.0L, 5.8L blue 135 degree boots 39.99 set



PIISA

TP51058

VISA

1989-93 5 OL

Spiro-Pro 8mm Ignition Wires

Taylor's Spiro-Pro ignition wire sets are designed to provided more fire power to the spark plugs thanks to the spiro wound stainless steel wires covered in a conductive fluorocarbon material. Suitable for both street and track applications, each set features heat resistant silicone jackets and boots with oil resistant insulation, double spring locking spark plug terminals and a resistor core to suppress radio interference. Additionally, the 100 percent silicone inner and outer jacket provides heat protection up to 600 degrees. Made in USA.

TP74258	1986-93	5.0L, 5.8L	red	135 degree boots	66.99 set
TP74658	1986-93	5.0L, 5.8L	blue	135 degree boots	63.99 set
TP74092	1994-95	GT, Cobra	black	135 degree boots	66.99 set



help suppress radio frequency interference. A 500 Ohm per foot resistance rating delivers greater spark energy, while improving power and fuel efficiency. Wires feature black silicone construction with a synthetic jacket to resist heat, oil, and abrasion. Matching black silicone boots protect against high exhaust temperatures, and double spring locking terminals make quick vibration proof connections. Made in USA. TP51055 1979-85 5.0L black 135 degree boots 44.99 set

black

135 degree boots

	•		•	TAYLOR
	TO A ADDITIONS		10.4 Additions	
	A97	0114R	A.	A970114B
-	N.S.S		1	
	N. Salar		A State	
USA	409 Series	Pro Race lo	unition Wires	٨

409 Series Pro Race Ignition Wires Taylor 409 Pro Race 10.4mm high-performance ignition wires are designed for street and track performance. Featuring tightly woven heat treated fiberglass braid over a 100% silicone Spiro-Pro ignition wire providing a 3 layer jacket these wires have a 102,000 Volt dielectric strength and thermal protection to 600 degrees. The spiral wound core with 350 Ohm resistance per foot has excellent EMI and RFI suppression making them perfect for extreme electronic ignition systems. Available in black, red, and blue with low profile silicone Pro Boot spark plug boots. Universal wire sets include both standard socket and HEI boots with the an propriate terminals Made in USA

A970113K	black	135 degree boots	118.99 set
A970113R	red	135 degree boots	
A970113B	blue	135 degree boots	147.99 set
A970114K	black	180 degree boots	
A970114R	red	180 degree boots	
A970114B	blue	180 degree boots	117.99 set



sour standard socket and their boots with the appropriate terminars	. Made III OSA.
A970102K black 135 degree boots	80.99 set
A970102R red 135 degree boots	80.99 set
A970102B blue 135 degree boots	80.99 set
A970103K black 180 degree boots	86.99 set
A970103R red 180 degree boots	
A970103B blue 180 degree boots	83.99 set

44.99 set



Ignition Wire Accessories maxasa ... 12297A



Ariginal Style Ignition Wire Sunnort 🔥

This block shaped ignition wire separator has spaces to hold 4 ignition wires, and attaches to the vertical steel support on 1965-95 stamped steel Ford valve covers. 12297A 1965-73 attaches to valve cover., 1.99 ea 12297B 1965-73 mounts to plug wires ... 2.29 ea 12297H 1975-95 attaches to valve cover., 1.99 ea



This set of spark plug wire separators is made from high grade plastic which helps insulate the plug wires and reduce shorts and crosstalk. Includes: two 4 wire separators, two 3 wire separators, and two 2 wire separators.


MN2417 3.99 set Soark Plug Wire Support and Separator Set

These high grade chrome-plated plastic support brackets attach to the valve cover bolts or studs to route the plug wires neatly from the distributor, over the valve covers, and to the plugs. Keeps wires away from hot underhood parts, insulates the plug wires, and reduces shorts and crosstalk. Includes: four chrome support brackets, two 3 wire separators, and four 2 wire separators, as shown above. MN2418 V8 8 99 set



0000

0000






Clamp Style Wire Separators

Organize your engine bay with Taylor clamp style wire separators manufactured from non-conductive type 6/6 nylon that won't melt, distort, fade, or crack. Sets include: two 4 wire separators, two 3 wire separators, and two 2 wire separators. Available in four different colors. Stainless steel hardware included

red	15.99 set
blue	14.99 set
red	15.99 set
blue	15.99 set
	Separators black red blue eparators black red blue red



Moroso's wire loom sets feature triple chrome-plated brackets with high temperature plastic separators keep plug wires away from exhaust manifolds, headers and prevents ignition crossfire. They will accommodate wires from 7-9mm in diameter and may be modified to fit wire up to 11mm or Moroso sleeved wire.

MS72130	7-9mm	blue	23.99 set
MS72131	7-9mm	red	
MS72133	7-9mm	black	



and eliminates unsightly wiring. Four independent channels can be activated using either power or ground. Each channel is capable of handling up to 20 amps of continuous current providing up to 80 amps of power. LED status indicators ensure proper wiring and operation of each channel. Built-in automatic over temp, short circuit and overload protection. Features mounting tabs that can be rotated 90 degrees to accommodate various mounting locations. Channels can be run in parallel for devices requiring more than 20 amn single channel rating

solenoids,	utrols electric fans, v auxiliary lighting, a that would norma	and any other elect	ctrical
7564	red		194.99 ca
75643	black		194 99 ca

×-

P.

NENE

Ignition Wire Accessories





Set Includes:

- Two 4 wire separators
- Two 3 wire separators · Four 2 wire separators

Sugar,

Pro-Clamp Spark Plug Wire Separators

The MSD Pro-Clamp will keep the plug wires in a tidy order and away from engine heat sources. Each separator features secure grooves for each wire and a top bracket snaps in place to sandwich the wires in place. Each base has a hole for a retaining screw if desired and a tab that will help hold it in position. Made in USA. 8843 29.99 set

Calibrated Ignition Tester

1



X2757 standard ignition tester 11.99 ea





Feeler gauge set consists of 31 blades, including a brass 0.010 blade for use on electronic ignitions. Precision blades ensures accurate measurement. Blades from 0.0015" to 0.035" (0.038mm to 0.889mm) are approximately 1/2" x 3-1/2". Y68100 9.99 set

VISA



Snark Plug Ganner

Gauges and gaps all types of spark plugs from 0.20" to .100* (.50mm to 2.53mm). Includes tapered edge for gauging spark plugs. Specially designed hole with flange adjusts side wire of plug without pressuring center electrode. 6 99 ca

Y67870



Spark Plug Hole Thread Chaser

Cleans and threads directly in the spark plug hole! Double ended for both 14mm and 18mm threads. Use with 13/16" spark plug socket. 8 99 m

Y20200





Soark Plug Terminal Pliers

Safely removes spark plug cables. Prevents damage to cables when replacing. The handles and jaws are coated with heavy plastic for a sure grip. X135 11.99 ca







Plug Wire Sleeves

Easy-to-install Cool It nonflammable plug wire sleeves can be used in any temperature environment from street which and a mark comparison of the second se the wire and boot cooler in a high temperature engine. Universal size fits most boots. Sleeves are available in packs of 4 or 6.

I Pack		
FT14262	black	
FT14261	red	
FT14263	blue	
FT14260	silver	33.99 set
S Pack		
TT14272	black	58.99 set
FT14271	red	
FT14273	blue	
FT14270	silver	58.99 set

6

47.00 cat

20 COMPONENTS

plug boots. Sold as a set of 8.

silver

TP2522

PayPal



Distributor Components

Motorcraft



1965-73 Copper Core Spark Plugs

Motorcraft quality, performance, and reliability are available in these spark plugs. Sold in a pack of 4. Copper plug material. Gap: .035. SP420A 1965-73 all 12.95 kit



1965-73 Iridium Soark Plug

Iridium is significantly stronger than any metal used in spark plugs today. It's also the hardest metal used which has allowed NGK engineers to design an ultra fine center electrode reducing the voltage requirement for spark. Sold individually

	351/351C/351H.O./427/428/429		
12405B	1965-73	11.99	ea



1994-97 V-Power Spark Plug

A quality, resistor type spark plug by NGK for your 1994-97 V6 Mustang models. Sold individually. 89L437 1994-97 3.8L V6..... 2.99 ca



1980-04 Iridium IX Plug

The ultimate in spark plug technology and performance. Iridium allows for an ultra fine center electrode which delivers superior ignitability and durability. This means outstanding acceleration, high fuel efficiency and longer spark plug life. Gain as much as 6HP from your Mustang with these plugs. Sold individually.

Note: These NGK plugs should be used on n supercharged or no nitrous vehicles. Normal heat range.

L382	1980-82	V8 4.2	8.99 ea
L380	1985-86	V6	
L380		5.0L V8 HO	
L382	1987-93	V8 5.0	
L382	1993-95	V8 5.0 HO	8.99 ea
L380	1993-95	V8 5.0 non-HO	8.99 ca
L380	1996-04	GT	
L380	1996-02	Cobra	8.99 ea
L380	1998-03	3.8 V6	
L380	2004		
L380	2004	Mach 1	8.99 ea



Chrome Distributor Clamp

Replacement style distributor hold down clamp, polished chrome 12270A





PUSA Distributor Studs

Premium grade studs, which are equipped with vibration resistant J-form threads, in your choice of black oxide finished chromoly or rustproof stainless steel. Select from conventional Hex or space saving 12 point nuts. Washers included. Made in USA.

AR1501702	black oxide	Hex head	6.99	
AR1501701	black oxide	12 point	10.99	
AR4501702	stainless	Hex head	10.99	
AR4501701	stainless	12 point	11.99	set



Preformed Distributor Vacuum Line 🔥

Accurately reproduced preformed steel vacuum lines for a variety of applications.

Note: "Exc	iudes mi-ro	L .		
12371A	1964-65	6 cyl	170 & 200	
12371B	1966-68	6 cyl	200	
12371*	1964-66	V8	260/289	12.99 ea





Duraspark II Wiring Harness

PAINLESS Performance replacement Ford Duraspark II ignition harness. Can also be used to upgrade a points style ignition to Duraspark system. It allows for the factory location of your module and coil. Fits factory Ford Duraspark II Iginition systems with blue module. 20912 85 00 aa

1987-93 Mustang 5.0 Ignition Tune-Up Set

DirectOEM replacements that exceed OEM specs. Work with any fuel injection, turbo chargers or aftermarket headers with no stereo noise. Increases power to the spark plug up to 400% over stock wires. Improves gas nileage and throttle response. Set includes: plug wires, brass cap, rotor, and all necessary hardware.

91L132 1987-93. 214.99 set

HOICE



1957-74 V8 Distributor Can

Reproduction distributor cap to fit all 1957-74 Ford V8 engines with breaker point ignition. Solid brass contacts make this high-performance distributor cap clearly superior to the standard caps that have aluminum contacts. When you are looking for a quality distributor cap that will last, this cap is a superb choice.

MDI 1957-74 8 cylinder ... 15.00 ca



1967-71 "Autolite" Distributor Can 🔥

Reproduction "Autolite" logo distributor cap, correct for 1967-71 Ford engines but will fit most early Ford V8s. Concourse correct with raised "Autolite" logo, a must for any show car. Exact copy and MCA approved. 8 cylinder .. MD2 1967-71 32.99 ca



TOLL FREE 800.854.1280

80 80

-

P. 80 89

80

80 89

80

80

89

89

504

Distributor Components



1964-95 Distributor Cap and Rotor 🔺

Genuine Motorcraft replacement distributor cap and rotor will help keep your Mustang's ignition system in top condition.

Note: *For breaker point ignition.

Distributo	r Caps		
DH6*	1964-73	8 cylinder	14.99 ea
DH367B	1977-84	6 cylinder	38.99 ca
DH434B	1984-86	6 cylinder	19.99 ca
DH390E	1983-86	2.3 turbo	16.99 ea
DH390E	1987-90	2.3	16.99 ea
91L108	1979-93	8 cylinder 5.0L	41.99 ea
91L105	1994-95	8 cylinder 5.0L	37.99 ea
Rotors			
DR5B	1964-73	8 cylinder	16.99 ea
DR379A	1979-85	6 cylinder	39.99 ca
DR375A	1984-90	4 cylinder	22.99 ea
DR375A	1984-86	6 cylinder	22.99 ea
91L112	1979-84	non-EEC 5.0L	9.99 ca
91L113	1985-95	EEC 5.0L	77.99 ea

Motorcraft



Ignition Point

Motorcraft distributor breaker points for pre-1974 Ford 8 and 6 cylinder engines with non-electronic ignitions. These precision made points meet or exceed rigid original equipment standards. They feature ventilated fixed points for cooler operation, tungsten contacts for um conductivity and minimum nitting

DP3 DP12-CM	1967-74	6 cylinder 8 cylinder	21.99 ea

Motorcraft

VISA



1964-73 Ignition Condenser

Motorcraft distributor condenser for pre-1974 Ford 8 and 6 cylinder engines with non-electronic ignitions. These precision made condensers meet or exceed rigid original equipment standards. They feature insulated, stranded copper leads with a crimped and soldered connector for maximum conductivity and a universal style mounting bracket for easy installation on a number of applications.

DC13A	1968-73	6 cylinder	16.99 ea
DC13A	1964-73	8 cylinder	16.99 ea

Cap and Premium polymer p ignition d rotors for models. T brass term feature a coated so	high dielectr olastic replaco istributor cap 1964-95 Mu The caps featu inals and the noise suppre- lid brass seer	ic ement stang rre all e rotors ssant	ABI24
where app			
Distribut			
AB124	1964-73	inline 6	17.99 ca
AB129	1965-73	V8	20.99 ca
AB423	1974	4 cylinder	10.99 ca
AB425	1974-79	V6	11.99 ca
AB150	1974-76	4 cylinder	16.99 ca
AB148	1975-76	V6	16.99 ca
AB153	1977-86	4 cylinder	11.99 ca
AB151	1977-84	V6	24.99 ca
AB168	1977-95	V8	19.99 ca
AB159	1984-86	V6	18.99 ca
Rotors			
AB105	1964-67	inline 6	9 99 ca
AB110	1965-73	inline 6	8.99 ca
AB311 AB311	1964-76	V8	7.99 ca
AB324	1904-70	4 cylinder	9.99 ca
AB330	1974-76	V6	9.99 ca
AB114	1975-76	4 cylinder	12.99 ca
AB116	1977-86	V6	3.99 ca
AB119	1977-83	4 cylinder	10.99 ca
AB118	1977-85	V6/inline 6	9 99 ca
AB117	1977-85	V8	10.99 ca
AB303	1983-85	V6/4 cylinder	3.99 ca
AB308	1984-90	V6/4 cylinder	15.99 ca
AB312	1984	V8	14 99 ca
AB307	1985-95	V8	13.99 ca





Standard Replacement Cap and Rotor 🔥

1964-95 Mustang standard replacement ignition caps and rotors. They are constructed of durable phenolic plastic or high grade polyester with aluminum inserts and stainless steel springs to resist corrosion and wear. Includes fasteners where applicable.

Distribute	r Caps		
AG124	1964-73	inline 6	10.99 ca
AG129	1964-73	V8	12.99 ea
AG423	1974	4 cylinder	8.99 ca
AG148	1975-76	V6	12.99 ea
AG153	1977-86	4 cylinder	9.99 ca
AG151	1977-84	V6/L6	13.99 ca
AG168	1977-95	V8	13.99 ea
AG169	1984-86	V6	24.99 ca
AG159	1983-90	4 cylinder	13.99 ca
Rotors			
AG110	1965-73	inline 6	3.99 ca
AG311	1964-76	V8	3.99 ca
AG324	1974	4 cylinder	7.99 ca
AG119	1977-83	4 cylinder	4.99 ca
AG118	1977-85	V6/inline 6	4.99 ca
AG117	1977-85	V8	4.99 ca
AG308	1984-90	V6/4 cylinder	6.99 ca
AG312	1984	V8	5.99 ca
AG307	1985-95	V8	5.99 ea



1964-74 Ignition Point

Replacement ignition points for 1964-74 Mustang models. These points come pre-aligned and preadjusted to save installation time and ensure proper switching. They have a lubricated felt pad that lubricates the cam lobes on the vehicles distributor to reduce wear on the rubbing block and extending the usable life of the part. Other features include tungsten contacts and copper alloy shunts. Sold individually.

Premium			
AB8081	1964-73	6 cylinder	5.99 ea
AB8183	1964-73	V8 single points	7.99 ea
AB4173	1974	4 & 6 cylinder	6.99 ea
Standard			
AG8081	1964-73	6 cylinder	11.99 ea
AG8183	1964-73	V8 single points	13.99 ea
AG4173	1974	4 & 6 cylinder	9.99 ea



moisture from getting to the distributor. 911.131 1979-93 86 99 ~

1964-73 Replacement Ignition Condenser

Replacement ignition condensers for 1964-73 Mustang models. The standard series condensers are designed to meet the original factory specifications. The premium series features fully spot welded connections heavyduty internals for longer life and greater dependability. Sold individually

Premium

Premiun			
AB75	1964-67	6 cylinder	8.99 ca
AB75	1970-71	SBF/BBF	
AB77	1964-73	SBF	7.99 ca
AB77	1967-71	FE	7.99 ea
Standard			
AG75	1964-67	6 cylinder	
AG75 AG75	1964-67 1970-71	SBF/BBF	6.99 ca
AG75	1964-67		



Replacement Ballast Resistor Wire 🔥

Replacement ballast resistor for all 1964-90 Mustang models. The standard series is designed to meet OE design specifications.

Note: For vehicles without transistorized ignition AG34 1964-90 standard - all 29.99 ca

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Starters







11002B - detail

1964-73 Remanufactured Starter Motor

Quality remanufactured starters for a wide variety of 1964-73 Mustang models. Replace your worn out starter with a quality remanufactured starters. Each premium quality starter undergoes a rigorous remanufacturing process to deliver the unsurpassed reliability. These starters are rebuilt to original specifications and will install and function as original. Replace your worn out starter with a quality unit built for the

	002C	1964-70	170/200	AT	
	002D	1964-70	170/200	MT	
11	002A	1964-73	260/289/302/351	AT	109.99 ea
	002B	1964-73	260/289/302/351	MT	
	002C	1967-73	390/427/428	AT or MT	
11	002A	1969-73	250	AT or MT	109.99 ea
11	002E	1969-71	429	AT or MT	80.99 ea



Powermaster's High Torque Retro starters are manufactured with the restoration enthusiast in mind. All retro starters are made to look like the factory units, with

the added benefits of today's technology. Making them stronger, faster, and more durable, and reliable. Each starter weighs 16.25 lbs and generates 95 ft lbs of torque.

	Small Block	
Natural Finish		
FM110156N	V8 all AT, MT with 157T flywheel, 3/4" depth	148.99 ea
FM110157N	V8 MT, with 164T flywheel, 3/8" depth	148.99 ea
Chrome Finish		
FM110156C	V8 all AT, MT with 157T flywheel, 3/4" depth	188.99 ca
FM110157C	V8 MT, with 164T flywheel, 3/8" depth	198.99 ea
	Big Block	
Natural Finish		
FM210101N	390-428 FE AT, MT with 184T flywheel	148.99 ea
FM210102N	429-460 AT, MT with 184T flywheel	148.99 ea
Chrome Finish		
FM210101C	390-428 FE AT, MT with 184T flywheel	197.99 ea
FM210102C	429-460 AT, MT with 184T flywheel	196.99 ea





COVERNASTED

PowerMAX Starter

Powermaster's PowerMAX starters are manufactured with the performance/ restoration enthusiast in mind. All PowerMAX starters are made to mimic original units, with a reduction to overall size. Making them more compact and powerful. Each starter weighs 8 lbs and generates 160 ft lbs of torque.

Natural Einich

sb V8 all AT, MT w/157T flywheel, 3/4" depth	143.99 ea
sb V8 MT, with 164T flywheel, 3/8" depth	135.99 ea
bb 429-460 AT, MT with 184T flywheel	144.99 ea
4.6L, 5.4L, 5.0L Covote	150.99 ca
2300CC, 2.3L.	145.99 ca
sb V8 all AT, MT w/157T flywheel, 3/4" depth	209.99 ea
sb V8 MT, with 164T flywheel, 3/8" depth	209.99 ea
bb 429-460 AT, MT with 184T flywheel	219.99 ea
4.6L, 5.4L, 5.0L Coyote	218.99 ea
2300CC, 2.3L	218.99 ca
	sb V8 MT, with 164T flywheel, 38* depth bb 429-460 AT, MT with 184T flywheel 4,6L, 54L, 50L Coyote



High Torque Starter

PROFORM high torque starters for Ford 221-351W and 460 engines. Features a 12V gear reduction motor with 40-50% more cranking power for higher compression engines. Constructed from 100% new components.

1.4 KW, 11:1	Compression		
66270	auto	176.99	ea
66271	manual	195.99	ea
2.0 KW, 15:1	Compression		
66275	auto	223.99	ea
66276	manual	223.99	ea

6

TOLL FREE 800.854.1280

Starters and Accessories



High-Performance Starter

MSD DynaForce Starters for small and big block Mustang and Ford models. They feature a 3.4 horsepower motor and a 4.4:1 reduction gear set capable of handling up to 18:1 compression. The compact housing is fully clockable for maximum clearance around most headers and oil pans. Available in your choice of MSD red or black powder coated finishes.

D-J Enist

A5090 A50901 A5092 A5093	289-351W 289-351W 351C, 429-460 390-428 FE	5-speed manual/automatic 4-speed manual	3/4" depth
Black Finish A50903 A509013 A50923 A50933	h 289-351W 289-351W 351C, 429-460 390-428 FE	5-speed manual/automatic 4-speed manual	3/4* depth 3/8* depth

Δ



1967-71 Starter Solenoid

Reproduction of the original starter solenoid "Autolite" relay switch designed for 1967-71 Mustangs and other Ford models. This OEM style replacement. These are all new, concourse quality relay switches (not rebuilt). Features authentic markings and logo. Black case only. Note: There are dozens of styles which were produced by several manufacturers. These parts represent the mos common style

11450C 1967-71 41.99 ca



VISA



Cahle Bracket with Grommet

Accurate sizing and plating make this a quick fix while keeping your vehicle looking its best. Functionally, this part prevents the starter cable from coming in contact with the exhaust manifold, preventing a short or melting the insulation.

14304A	1964-73		5.99 ca
14304A	1965-73	302/351W	5.99 ca
14304A	1965-73	390/428CJ	5.99 ca
14304B	1970-73	351C/429	6.99 ea



Reproduction starter solenoid mounting screws for 1985-93 Mustang models. Replaces rusted or missing screws on your 1985-93 model. Sold as a pair, each set features cadmium-plating for corrosion resistance and long life. 1.99 pr

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

941.021 1985-93



⚠

384.99 ca 440.99 ea 440.99 ca 446.99 ca 386.99 ea 445.99 ca 445.99 ca

448.99 ea

In today's high heat environment, starters take in a lot of damaging heat that destroys the windings of the starter and solenoid. To combat this problem, we offer a nonconductive strap-on heat shield with a highly reflective Mylar surface. The Starter Heat Shield will reflect over 90% of radiant heat, adding life to the starter and assuring reliable starts. The Starter Heat Shield is a universal set that fits all starters.

T1002	set with straps	30.99	set

Starter Bolt	Set 🛛 👝 🕮	and a
ARP polished s	tainless steel	
high-performan	nce starter bolt	10
set. Rated at 18	0,000 psi,	
many times stru		10
Grade 8 fastene		1.10
Made in USA.	USA	A
3/8" Two Bolt	Set	<u> </u>
	Hex	9.99 set
AR4503501	12 point	11.99 set
3/8" Three Bo	lt Set	
AR4503504	Hex	12.99 set
AR4503502	12 point	13.99 set
5/16" Three B	olt Set	
AR4503506	Hex	12.99 set
AR4503505	12 point	9.99 set

-0 14303C 143034 1964-69 Engine Ground Wire

alesse

Factory style reproduction engine firewall to engine ground wire

Note: *Excl	udes 390/428	CJ	
14303C	1964-67	all	6.99 ea
14303A*	1968-69		6.99 ca
14303B	1968-69	390/428CJ	11.99 ea





Remote Starter Solenoid

Allows you to position the starter solenoid any place you need to in order to make maintenance easier. Includes extra wire and connectors to do the job right. 30203 59.99 ca



STARTERS & PARTS

507

ENGINES &

COMPONENTS



Alternators



1965-04 Performance Alternator

These Powermaster alternators are manufactured from premium components and are designed to outlast and outperform OEM alternators. Feature correct amperage specification and original style mounting points. Available in natural with an OEM finish and a factory style case, or add some shine to your engine bay with a chrome-plated alternator which also includes chromed fian and features original style mounting points making an ideal OE style chrome upgrade. Or you may also choose a polished or black powder coated finish.

Natural Finish		
FM110149N	1965-86	1G - all
FM210149N	1965-93	3G - all
FM110150N	1987-93	2G - all
FM110151N	1994-95	3G - 3.8L, 5.0L
FM210151N	1994-95	3G - all
FM110151N	1996-00	3G - 3.8L
FM210151N	1996-00	3G - 3.8L
FM110155N	2001-04	6G - 3.8L, 3.9L
FM110152N	1996-98	3G - 4.6L SOHC
FM110153N	1996-03	4G - 4.6L DOHC & Bullitt
FM210153N	1996-03	4G - 4.6L DOHC & Bullitt
FM110154N	1999-04	6G - 4.6L SOHC exc Bullitt
FM210154N	1999-04	6G - 4.6L SOHC exc Bullitt
Chrome Finish		
FM110149C	1965-86	1G - all
FM210149C	1965-73	3G - all
FM110150C	1987-93	2G - all
FM110151C	1994-95	3G - 3.8L, 5.0L
FM210151C	1994-95	3G - all
FM110151C	1996-00	3G - 3.8L
FM210151C	1996-00	3G - 3.8L
FM110152C	1996-98	3G - 4.6L SOHC
FM110153C	1996-03	4G - 4.6L DOHC & Bullitt
FM210153C	1996-03	4G - 4.6L DOHC & Bullitt
FM110154C	1999-04	6G - 4.6L SOHC exc Bullitt
FM210154C	1999-04	6G - 4.6L SOHC exc Bullitt
Polished Finish		
FM110149P	1965-86	1G - all
FM210149P	1965-93	3G - all
FM110150P	1987-93	2G - all
FM110151P	1994-95	3G - 3.8L, 5.0L
FM210151P	1994-95	3G - all
FM110151P	1996-00	3G - 3.8L
FM210151P	1996-00	3G - 3.8L
FM110153P	1996-03	4G - 4.6L DOHC & Bullitt
FM210153P	1996-03	4G - 4.6L DOHC & Bullitt
FM110154P	1999-04	6G - 4.6L SOHC exc Bullitt
FM210154P	1999-04	6G - 4.6L SOHC exc Bullitt
Black Finish		
FM110149B	1965-86	1G - all
FM210149B	1965-93	3G - all
FM110151B	1987-93	2G - all
FM210151B	1994-95	3G - all
FM210151B	1996-00	3G - 3.8L
FM210153B	1996-03	4G - 4.6L DOHC & Bullitt
FM210154B	1999-04	6G - 4.6L SOHC exc Bullitt

75/55 amp	124 99 ca
75/55 amp	
200/130 amp	286.99 ea
85/60 amp	185.99 ea
140/100 amp	201.99 ea
200/130 amp	266.99 ea
140/100 amp	201.99 ea
200/130 amp	266.99 ea
140/100 amp	218.99 ea
140/100 amp	202.99 ea
140/100 amp	171.99 ea
200/130 amp	275.99 ea
120/85 amp.	218.99 ea
200/310 amp	305.99 ea

137.99 ea
345.99 ea
199.99 ea
274.99 ea
338.99 ea
274.99 ea
338.99 ea
269.99 ea
266.99 ea
337.99 ea
279.99 ea
377.99 ea

75/55 amp	139.99 ca
200/130 amp	343.99 ea
85/60 amp	193.99 ea
140/100 amp	263.99 ea
200/130 amp	389.99 ca
140/100 amp	263.99 ca
200/130 amp	389.99 ca
140/100 amp	266.99 ea
200/130 amp	333.99 ca
120/85 amp	279.99 ea
200/130 amp	374.99 ea

75/55 amp	134.99 ea
200/130 amp	301.99 ea
85/60 amp	185.99 ea
200/130 amp	312.99 ea
200/130 amp	312.99 ea
200/130 amp	300.99 ca
200/130 amp	340.99 ea

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov







FM0001P



PowerGen Alternator

Powermaster PowerGen alternators give your early Mustang the look if an original generator with the power and reliability of a modern alternator. Their 90 amps of peak output with 60 amps at idle are a vast improvement over the stock generator. They feature a Ford style swing mount design, easy one wire hook up. and include a 3/8" wide pulley. Available in 3 finishes d with or without an indic ator lamn ter

and with or without an induction manp terminar.				
FM0001B	black			
FM0001BT	black with terminal			
FM0001C		460.99 ea		
FM0001CT	chrome with terminal			
FM0001P	polished	391.99 ca		
FM0001PT	polished with terminal	406.99 ea		



1965-73 Remanufactured Alternator 🔥

These high-quality remanufactured components are available for most 1965-73 Mustang models. It fits and performs like the original. The components are gauged, sorted, tested and renewed to OE specs Sold outright, no cores required! 1-year manufacturer's warranty. 10346A 1965-73 single standard 99.99 ea 10346B 1965-73 dual standard..... 54.99 ea

Alternator Components



3G Alternator Wiring Harness

Painless Performance 3G alternator harness. The popular Ford 3G alternator conversion just got easier. This set includes both alternator connectors preinstalled, 8' of large 6 gauge charge wire, a weatherproof fuse holder with a heavy-duty 150 amp inline fuse, detailed instructions, and all weatherproof splices and ring terminals needed for a proper install.

30831 . 78.99 set



High Output Charge Wire with Boot

Painless Performance high output alternator charge wire and boot. Intended for use with alternators producing more than 65 amps, this add-on set provides heavier gauge wiring with connectors to complete the high output alternator installation process quickly, easily and safely.

A30700 52.99 set



Δ

PayPal

1965-73 Anodized Aluminum Alternator Pullev

1965-73 Mustang V8's. 3" diameter and available in black or silver. 10345A 51.99 ea 1965-73 silver



1965-69 Alternator Bracket Set OEM style brackets in black or bright chrome-plating.

Fits 1905-09, 289, 302, 351W.				
10145A 10145B	1965-69 1965-69			

VISA



1965-73 Alternator Mounting Hardware

Reproduction alternator mounting hardware set for 1965-73 Mustang models. Manufactured to factory specifications for original fit and finish. ÷ *c* .

11 Piece Set					
MHK280	1965-67	170/200 with AC	17.99 set		
8 Piece Se					
MHK42	1965-67	170/200 without AC	17.99 set		
7 Piece Se					
MHK285	1970	Boss 302 w/spacer	24.99 set		
MHK289	1966-67	390/428 w/o spacer	9.99 set		
MHK38	1966-67	390/428 with spacer	21.99 set		
6 Piece Se	ts				
MHK43	1968	200	17.99 set		
MHK37	1966-67	289 with spacer	20.99 set		
MHK36	1965	289 with spacer	20.99 set		
MHK69	1970-73	302/351W w/spacer	22.99 set		
MHK290	1968-70	390/428 w/o spacer	8.99 set		
MHK39	1968-70	390/428 with spacer	22.99 set		
MHK291	1969-70	Boss 429	37.99 set		
5 Piece Se					
MHK44	1969-70	200	22.99 set		
MHK45	1969	250	22.99 set		
MHK46	1970-73	250	22.99 set		
MHK281	1965-67	289 without spacer	8.99 set		
MHK40	1968-69	289/302 with spacer	20.99 set		
MHK286	1970-73	302/351W w/o spacer	11.99 set		
4 Piece Sets					
MHK283	1968-69	289/302 w/o spacer	8.99 set		
MHK288	1970-73	351C with spacer	19.99 set		
	3 Piece Sets				
MHK282	1966-67	289 with smog	10.99 set		
MHK284	1968-69	289/302 with smog	10.99 set		
MHK287	1970-73	351C without spacer	11.99 set		





Classic





1964-73 Voltage Regulator

The simple "Plug and Play" regulator will help up your overall voltage and provide more power when you turn-over your Mustang. This unit is a universal replacement style regulator that can be used on any 1964-73 Mustang models. Due to it's universal style, it will not look like your Mustang's original voltage regulator, but it will function as original.

Black Voltage Regulator

	10316F	1964	w/o AC, before 12/64			
	10316G	1965	w/AC, before 12/64			
	10316C	1965-67	w/o AC, FoMoCo	52.99	ca	
	10316H	1965-67	w/AC, from 12/64	52.99	ea	
Blue Voltage Regulator						
	10316A	1965-73	replacement	36.99	сa	
	10316J	1968-69	w/o AC, Autolite	52.99	ca	
	10316K	1968-69	with AC, Autolite	52.99	ca	
	10316L	1970	Autolite			
	10316M	1972	w/o AC, Motorcraft.	73.99	сa	
	10316N	1972	with AC, Motorcraft	52.99	сa	
	10316P	1973	w/o AC, Motorcraft.	52.99	ea	
	10316Q	1973	with AC, Motorcraft	52.99	ea	

1964-66 Voltage Regulator Screw and Generator Terminal Cap

Insulating cap for 1965-66 Mustang voltage regulator and 1964 generator terminals. 10316D 1964-66

Generator Splash Shield

A sharp reproduction of the hard to find molded rubber boot covering the generator on 1964 Mustang models. This item prevents dirt from getting to the brushes in the generator. Accurate in fit and appearance. 10170 1964



Λ

1.89 ca

ENGINES

<u>R</u>o