BRAKES

REAR END & SCSPENSION,

Power Steering Parts





1962-79 Renlacement Steering Pumn 🔥

- Remanufactured Units

If you're in the market to replace the worn out, damaged or missing original power steering pump in your 1962-79 Chevy II/Nova, choose from our comprehensive selection of replacement style power steering pumps. Thoroughly reconditioned, these pumps are carefully inspected and remanufactured to provide years of trouble-free service! Reservoirs for the 1961-74 pumps may differ in appearance than the original, but all pumps will fit and function like new.

NO CORE CHARGE REQUIRED!

ote: Cap, nut, and pulley are not included. *Refers to bolt

	th Reserve		
PS6084	1962-67	6 and 8 cylinder	67.99 ca
PS6086	1968	8 cylinder	79.99 ea
PS6182	1968-69	6 cylinder	75.99 ea
PS6000	1969-72	6 and 8 cylinder	79.99 ea
PS6001	1973-74	6 cylinder	67.99 ea
PS6000	1973-74	8 cylinder	79.99 ca
PS6800	1975-78	8 cyl w/2 mtg holes	70.99 ea
PS6803*		8 cyl w/1 mtg hole	59.99 ea
PS6801	1975-79	6 cyl. w/o air pump	55.99 ea

Pump w	ithout Res	ervoir	
96140		6 and 8 cylinder	
96140	1968	6 cylinder	115.99 ca
PS142	1968	8 cylinder	49.99 ca
PS840	1975-79	6 and 8 cylinder	78.99 ca

AUTHORIZED



1962-74 OE Style Power Steering Pump

Remanufactured Units

Thoroughly reconditioned, these pumps are carefully inspected, rebuilt and restored to OEM appearance and function! Reservoirs are original configuration for complete authenticity! Careful attention is paid to reservoir reconditioning to ensure an OE appearance. This is a good choice for restorations when an original looking reservoir is desired.

NO CORE CHARGE REQUIRED!

lote: Can nut and nulley are not included

4 and 6 C	ylinder		
NP6083	1962-67	all engines	142.99 ea
A6099	1968	all engines	109.99 ca
A6099	1969	6 cylinder	109.99 ca
P6120	1970-72	6 cylinder	109.99 ca
P6001	1973-74	6 cylinder	94.99 ca
8 Cylinde	r		
NP6083	1964-67	small block	142.99 ea
A6113	1968	8 cylinder	
A6151	1969	396	134.99 ca

1970-74 8 cylinder





1968-74 New Power Steering Pump 🔥

Brand New Units

Brand-new OER® Authorized power steering pur have been manufactured to meet the highest OEM standards of quality while maintaining an authentic original style appearance, so you get the best of both worlds. This brand new power steering pump features a reservoir in the correct original configuration, with the proper return fitting and clocking. This not only ensures authenticity, but makes installation quick and easy. Also included with each pump is the shaft nut and replacement style power steering cap. Because this unit is brand new, not rebuilt, there is no core charge to worry about. Available in your choice of black powder coated or chrome reservoirs.

NO CORE CHARGE REQUIRED!

Black Powde			
NP6113	1968	SB	159.99 ca
NP6154	1969	SB	159.99 ca
NP6151	1969	BB	159.99 ea
NP6000	1970-74	SB/BB	174.99 ca
Chrome			
A9500147	1968	SB	153.99 ca
A9500148	1969	SB	153.99 ea
A9500149	1969	BB	153.99 ea
A9500150	1970-74	SB/BB	153.99 ca





1962-74 Electric Power Steering Sets

EPAS power steering set for 1962-74 Chevrolet Nova models. This complete set includes a 60 amp electric motor unit, a pre-wired control module, and all the necessary hardware for installation. Features a built in potentiometer to adjust the amount of assistance according to driving conditions. EP2010 1962-68 1449.99 set EP2009 1969-74

V	WARNING:	Cancer and Reproductive	Harm



1968-72 Power Steering Reservoir Set

Reproduction reservoir sets with the o-rings, studs, bolts and fittings necessary to install the reservoir on your power steering pump. When appearance is a concern, these OE style reservoirs will complete your authentic restoration or dress-up your resto-mod or hot rod. Available in your choice of black powder coated finish or chrome finish.

Bla	ck Powder Coated Fini	sh
Small Block	Engines	
5692845	1968	47.99 ea
	1969	
7826736	1970-72	47.99 ea
Big Block E	Ingines	
7806439	1969	47.99 ea
7826736	1970-72	47.99 ea
	Chuama Einiah	

	Chrome Finish	
Small Block		
1253576	1968	39.99 ea
1253577	1969	
1253579	1970-72	39.99 ea
Big Block E		
1253578	1969	
1253579	1970-72	39.99 ea



Rillet Remote Reservoir

This billet aluminum power steering reservoir is

designed for March Performance pulley sets that use GM type 2 power steering pumps. Includes cap and billet aluminum mounting bracket. MP450 billet remote reservoir....... 199.99 ea





1970-77 Power Steering Pump Spacer Correct spacer which keeps the power steering pump

from making contact with the front support. 3967424 1970-77...

109 99 ca

1449 99 set

1253571





1962-79 Power Steering Pump 🔥 Reservoir Installation Set — Saginaw Pump

OER® power steering pump reservoir installation set for GM vehicles with a Saginaw power steering pump. These 11 piece sets include: mounting stud bolts, o-rings, and seals. Available with black or chrome mounting stud bolts. All components are also available separately.

Complete S	et		
1253570	1962-79	black	16.99 set
1253571	1962-79	chrome	18.99 set
Stud and B	olt Set		
1253573	1962-77	black	7.99 set
1253574	1962-77	chrome	9.99 set
O-Ring Sea	l Set		
1253575	1962-79	8 piece	10.99 set



1962-79 Power Steering Pump Rebuild Set OER® power steering pump rebuild set for 1962-79 Chevy II/Nova with a Saginaw power steering pump.

This set includes: Pressure fitting seal, pump body to cover seal, pump body to pressure plate seal, pump body to union seal, mounting stud to body seals (early and late designs), shaft bushing, shaft seal, and reservoir to pump body seal. 1253550 1962-79 14.99 set





1968 BB Power Steering Adjustor Bracket

Reproduction big block power steering bracket for 1968 big block Nova models. 3876788 1968 396 29 99 ca

ATTHORIZED

1964-68 SB Power Steering Pump Bracket Set

OER® Authorized chrome-plated universal power steering bracket set for various 1964-68 Chevy II/ Nova models with a V8 small block with a short water pump. Mounts pump on the driver side of the vehicle. Designed for mounting non-metric GM Saginaw power steering pumps. Hardware is included. Most short water pump applications use a crankshaft power steering pulley that bolts over the existing pulley. This should align with the power steering pump pulley.

153658 1964-68.



1964-72 Lower Steering Pump Bracket

Replace your cracked or missing power steering bracket

with this correct reproduction. This is the lower power steering pump cradle bracket that came on 1964-72 Nova models. Small Block

C411141	1964-67	with 327	39.99	
M2605	1969-72	w/small block	25.99	
Big Block				
C631461	1968	w/327/325HP	69.99	
K7422	1970	big block		
K7422	1971	V8 all	35.99	



1965-72 Power Steering Adjuster Bracket Correct power steering adjustor bracket for 1965-72 small block Nova models.

C581381 1965-67 SB exc. high-perf 39.99 ea 1965, 1968 1969-71 3005366 small block 26.99 ca 3050558 small block 31 99 ca 3959558 1972 31.99 ca

without CAC





ca

1969-76 SB Power Steering Pump Bracket Set This aluminum power steering bracket set is designed for 1969-76 small block Chevy engines with long

water pump. Mounts the power steering pump on the LH or driver side of the vehicle using original holes in the engine block. Will work on engines that have the alternator on the RH or passenger side of the vehicle. Includes bardware 153657 1969-76 long water pump...... 49.99 set





1962-72 Power Steering Bracket Sets Replacement power steering pump bracket sets for

1962-72 models. Each set includes brackets necessary to mount the power steering pump. Note: *This set is designed to clear 8" harmonic balancers. Great for small block conversions with short water pump.

1962-68 Small Block - Short Water Pump small block...... 49.99 set 1962-68 154219 1962-68 E278 bolt set 12.99 set 1969-78 Small Block - Long Water Pump

KW799 1969-72 small block.... 68 99 set 1969-72 Big Block - Long Water Pump K1020 1969 big block.. 74.99 set 14969 1970-72 big block 64.99 set



1962-79 Power Steering Pump Cap 🗥

Replace your damaged or missing power steering reservoir cap with a quality aftermarket or service replacement GM cap. These caps fit perfectly on original and reproduction power steering pump reservoirs.

7834183 1962-79 all-aftermarket...... G11677 1962-79 all-GM replacement.. 11.99 ea 1962-79 all-chrome cap cover 4.99 ea

1962-68 OEM Style PS Pump Cap Reproduction of the original power steering pump cap for 1962-68 Chevy II/Nova

models. This is not a factory service replacement or aftermarket cap, this is a reproduction of the OEM style cap with an exact metal design with the small ears, just like from the factory. Features the correct wording as original. 15130 1962-68



AUTHORIZED 1962-79 PS Pump Chrome Cap

Replace your damaged or missing power steering cap with this quality chrome aftermarket cap to dress-up our engine compartment. This cap is designed to fit most Saginaw power

steering pump reservoirs.

15431













WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

1962-79 POWER STEERING PARTS 90

BRAKES

m d REAR END SCBPENBION, FEERING,

Power Steering Parts





1964-70 Power Steering Pump Pulley

OER® standard groove power steering pump pulley for various 1964-70 Chevy II/Nova models without Special Hi-Performance deep groove pulleys. Each pulley is made from formed and machined steel. Features stamped GM #3770509, correct key way fit design, and finished in satin black.

Stamped with GM #3770509 and CE-GM-5-3/4" o.d. 3770509 1964-67 283, 327 50 00 ca 3770509 1968 327/325HP, 350 3770509 1969-70 307, 350 w/o AC 59 99 ea 59.99 ea 3770509 1969-70 396/350HP w/o AC., 59.99 ea Stamped with GM #3941105DD - 5-3/4" o.d.

Replacement Pulley without GM# - 5-47/64" o.d. 748688 1964-67 with 283ci, 327ci 39.99 ea 1968 327ci.325HP & 350 39.99 ea 1969-70 307ci, 350ci w/o AC 39.99 ea 748688 748688 748688 1969-70 396ci/350HP w/o AC 39.99 ea

3941105 1969-70 396/375HP.....



Saginaw Power Steering Pump Pulley

This aluminum single groove power steering pump pulley is designed to solve clearance issues between the fan and pulleys when adding V-belt accessories like power steering and AC to short water pump applications. This pulley fits all Saginaw keyway style pumps that accept bolt-on pulleys with a 5/8" diameter shaft. Fits small block and big block Chevrolet motors equipped with a short water pump.

ortant: Not for use on engines with a long water pump. RD600267 with Saginaw pumps .. 104 99 ca



1969-74 Power Steering Pump Pulley

GM power steering pump pulley for V8 with AC double groove factory replacement power steering pump pulley for 1969-74 V8 models. G8632 1969-74 V8 with AC 46.99 ea



Max EZ Power Steering Fluid

Max EZ is formulated with a blend of select synthetic base oils plus Royal Purple's proprietary Synerlec additive technology, which is proven to make equipment run cooler, smoother, longer, quieter and more efficiently. Max EZ can be mixed with conventional power steering fluids and has excellent seal compatibility.

RP01326 12 oz. bottle. RP12326 case of 12 - 12 oz. bottles... 64.99 cs



Power Steering Fluid

Get the race-winning experience of Joe Gibbs under your hood with Joe Gibbs power steering fluid. This specially formulated power steering fluid avoids foaming at high temperatures for superior cooling properties. 19.99 ea IG1306 case of 12 quarts. 215 99 cs IG1307





1962-72 Repro Power Steering Belt

Power steering belts may be an easy item to replace but when it comes to originality, not just any belt will do. These reproduction and officially licensed power steering belts include the correct markings offering an authentic replacement guaranteed to satisfy even the most discriminating restorer.

B652	1962	V8	31.99 ea
B657	1963	V8	
B663	1964	V8	31.99 ea
B670	1965	327	31.99 ea
B682	1966	V8 (without 350HP)	31.99 ea
B683	1966	327/350 (L79)	31.99 ea
B684	1967	V8	31.99 ea
B696	1968	base V8	31.99 ea
B697	1968	SB with HP (L48, L79)	31.99 ea
B698	1968	396	32.99 ea
B715	1969	307/350	31.99 ea
B716	1969	396 with 375HP	32.99 ea
B717	1969	396 w/325HP or 350HP	32.99 ea
B718	1969	396 with AC, AT	32.99 ea
B729	1970	small block	31.99 ea
B730	1970	396 without L78	32.99 ea
B731	1970	396/375HP	
B737	1971	V8	
B737	1972	V8	31.99 ea

1961-77 PS Pulley Nut AUTHORIZED

Reproduction power steering pulley washer and nut. This nut and washer set is needed to secure the power steering pulley to the pump. 1253504 1961-77 11 99 set

Chrome Power Steering Pulley Nut

This chrome-plated self-locking MARCH nut is designed for aluminum performance power steering pulleys It can also be used with OE and aftermarket pulleys on Saginaw power steering pumps with a 9/16"-18 threaded shaft.



Warning: Concerning Steering Pump Pulleys Stock replacement, aftermarket stamped steel or cast iron pulleys

are not designed to exceed 400 horsepower or 6000 RPM. Using reproduction pulleys on engines in excess of these limits may result in catastrophic disintegration of the pulley causing severe damage to the engine, cooling system, and body parts. Classic Industries⁸ assumes no liability for damages caused by improper usage of pulleys. Please be sure to install the pulley properly to avoid damages that could occur from improper installation or exceeding the recommended RPM limitations

MP645

Power Steering Parts



1962-79 Power Steering Hose

A leak in your power steering system can lead to a very serious and possibly dangerous situation. Leaking hoses can cause a loss of steering. Replace your worn out or cracked power steering hoses before big problems occur. The pressure hose connects from the ower steering pump to the control valve/gear inlet. The return hose connects from the control valve/gear outlet to the power steering pump.

	Pre	ssure Hoses	
6 Cylind			
NJG25	1962-67		129.99 pr
70230	1968-69		29.99 ea
70257	1970-74		14.99 ea
80132	1975-79	without air pump	22.99 ea
80133	1975-79	with air pump	19.99 ea
8 Cylind	er		
NJG37	1962-67		114.99 pr
70230	1968		29.99 ea
70248	1969		19.99 ea
70254	1970-72		22.99 ea
70270	1973-74		15.99 ea
70270	1975-76		15.99 ea
80116	1977-79		19.99 ea
	Re	turn Hoses	
6 Cylind	er		

		turn Hoses	
6 Cylina			
70551	1965-74	cut-to-fit	16.99 ea
70518	1976-77	cut-to-fit	12.99 ca
70629	1978-79	cut-to-fit	9.99 ea
8 Cylind			
70551	1965-72	cut-to-fit	16.99 ea
70551	1975-76	cut-to-fit	16.99 ea
70518	1977	cut-to-fit	12.99 ca
70551	1978-79	cut-to-fit	16.99 ca





1962-79 Braided Power Steering Hoses

These braided stainless steel power steering hose sets are designed for March Performance Pulley sets that use GM type 2 power steering pumps with a remote reservoir. Includes 3 hoses that connect the pump and reservoir to the steering box. Cut to desired length. Important: For March sets using GM type 2 steering

pumps only				
Rack and	Pinion Ste	ering		
MP3211	1962-79	Mustang II	258.99	set
MP3244	1962-79	Mustang	250.99	set
GM Steer	ing Box			
MP3222	1962-79	SAE inverted flare	259.99	set



1968-74 Power Steering Hose Set

This DSE power steering hose set includes fittings to convert your steering gear to 6-AN fittings. Highquality stainless steel hoses are Teflon lined to handle the high pressure demands of the steering gear. The hoses include pre-crimped stainless steel fittings to attach to the 6-AN fittings at the steering gear. Each set includes 30" hose length that can be routed and cut to length at the pump end. You will need to add a pressure fitting (D91801) for a GM type II pump to complete this hose set. These fittings are included; 9/16"-18 to 6-AN pressure fitting and 5/8"-18 to

0 / 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
D91302 D91801	1968-74 1968-74	hose set banjo fitting	194.99 38.99	
D91801	1908-74	banjo nung	30.99	ca



1962-67 Steering Control Valve Hoses These are quality reproduction lower power steering

hoses that connect from the control valve to the power cylinder. PS68 1962-67



1962-79 Power Steering Hose Clamps

Superb quality reproduction return clamps for all 1962-79 Chevy II/Nova models with power steering. 23C 1962-79... 3.99 рг



Made of steel wire, this reproduction retainer holds

the 2 power steering hoses together in the engine compartment and prevents hose damage. HC290 1968-75 6 99 ca



1968-72 Steering Box Hose Retainer 🗥

Reproduction of the high pressure hose retainer which is bolted to the steering box cap. 748601 1968-72



1962-67 Power Steering Hose Clamp 🗥

Correct reproduction power steering hose clamp found on 1962-67 Chevy II/Nova models. Bolts to the power steering hose bracket. C832781 1962-67 10 00 ea



1962-67 Power Steering Hose Bracket

This is a reproduction of the bracket that attaches the 2 power steering hoses to the inside of the left side frame rail. This steel bracket holds the hoses that run from the power steering pump to the power steering control valve, although the hoses are different for 6 cylinder and V8, this bracket will work on both applications. Includes all mounting hardware.

1962-67 31 99 69



1962-77 Power Steering Fitting 🔥

Many Saginaw power steering pumps with a female style fitting require an adapter in order to use the correct factory style hose. This fitting is 3/8" (5/8" x 18) male inverted x 3/8" (5/8" x 18) male S.A.E. flare 1253580 1962-77





1962-77 Power Steering Pumn Fitting

Power steering pump supply hose fitting. This fitting is necessary to mount the cover to the pump and the supply pressure hose.

Note: *Straight, inverted flare zinc coated steel, 5/8"-18 to -6AN. Fits most Saginaw pumps through 1977 including Saginaw P series.

1253572* 1962-77 for Saginaw .. 1964-77 all exc. Saginaw .. 24,99 ea

Power Steering Hose Stamp

During assembly, workers identified correct hoses for placement by the stamp marks on them. This stamp was an identification and date code used on power steering return hoses approximately every three inches. Get an original looking hose with the use of this stamp.

A8500127

A8700167

G-23 A 48500127 13,99 ea













G-23A stamp...

white ink stamp pad

90

TEERING, BUSPENSION, REAR END & BRAKES

Power Steering Parts





1968-79 Power Steering Gearbox 🔥

Remanufactured power steering gearbox features a 4 bolt cover and either a 13/16* or 3/4* input shaft. Available in quick, standard or slow lock-to-lock turning ratio. 1968-79 style steering gearboxes feature 7/16* female inverted flare pressure port, 3/8* female inverted flare return port.

P18502	1968-76	2-1/2 turns	
P18515	1968-76	3-3-1/2 turns	
P18503	1968-76	4-4-1/2 turns	224.99 ca
3/4" Input	Shaft		
	1977-79	2-1/2 turns	
P18507	1977-79	3-3-1/2 turns	169.99 ea

12/16" Immed Ch.-O.



1968-79 Quick Ratio Power Steering Box

Quick ratio power steering boxes are all-new. They fit 1968-79 Chevy II/Nova models with a quick 12.7:1 ratio and a firm modem steering feel, plus they will bold directly to the stock location and fit to the original power steering pitman arms. Power steering boxes include adapters, so you can use either o-ring or flare style hose connections.

Note: All p	ore-1977 vehicles #7818568.	will require a new	rag joint
800130	1968-79		445 99 ca



1962-79 Manual Steering Gearbox 🔥

OER® Authorized reproduction manual steering gearboxes for various 1962-79 Nova models. Each allnew gearbox is manufactured with brand new tooling to factory specifications.

Note: *Shippe	d oversize.		OS1
8270128A*	1962-66	16:1, 4 turns	249.99 ea
5696084	1968-69		229.99 ea
8270032A	1970-79	24:1, 6 turns	
8270032B	1970-79	16:1, 4 turns	229.99 ea



1968-79 500 Series Steering Gearbox

The 500 Series power steering conversion gearbox for 1968-79 Nova models is a key part of a modern, high-performance power steering system. These 14-1 ratio units provide superior control and feedback, and the steering response to the steering response to the steering response. The second steering response to the steering response. This generous is a great upgrade for manual steering power steering priman arm and 34%-30 mg joint and is a great upgrade for manual and power steering models, including those with the larger 605 power steering fing those with the larger 605 power steering models, including those with the larger 605 power steering models.

GB657004	1968-79	o-ring hoses	379.99 ea
GB50091	1979		15.99 pr
GB50730	1968-79	3/4" 30 rag joint	49.99 ca





1962-66 Steering Gearbox Conversion

Eliminate your leaky control valve and enhance the feel of your steering with this modern quick ratio power steering conversion for 1962-66 Chevy II/Nova models. This conversion kit features a remanufactured modern integral power steering gearbox which has been heavily modified for direct bolt-on installation in the Nova's factory mounting location and clear the stock steering linkage without interference or the need to modify the frame or shock tower. The integral power steering gearbox provides true modern power steering feel, feedback and a quick 16:1 ratio. For use with floor shift applications only, the factory column must be shortened to clear the power steering box. Models with factory power steering will require either a drag link adapter or a manual steering center link. For more direct bolt-on installation, we recommend ordering the steering column shaft with vibration isolator (part #990041) designed for this application.

Important: You may use a steering column with a column shift; you will have to eliminate all of the parts pertaining to the column shifter and would have to change to a floor shifter. This conversion is intended for use with a stock column.

Note: *These adaptors are for those who want to make their own. Adaptors are included with the hose set. Converts 16MM x 1.5 inverted flare fitting to a -6AN.

Converts 16MM x 1.5 inverted flare fitting to a -6AN.

Power Steering Gearbox Conversion

800117 must convert to floor shifter 494

800117 must convert to floor shifter..... 494.99 ea

Steering Column Shaft for Conversion
990041 with isolator 106.99 ea

Power Steering Hose Set for Conversion
925108 hose set w/gearbox adaptors.... 70.99 set
925121* fitting adaptors w/custom hoses 24.99 pr
Manual Drag Link Adaptor for Conversion
990005 rep. control valve on factory ps 103.99 ea

Power Steering Parts

1968-79 Steering Gear Mounting Bolt 🔥

Reproduction bolt used to mount the steering gear to the frame on most models. Will work on both power or manual steering boxes. This is a 7/16" bolt that is 4-5/8" long, 3 required.

14344 1968-79 7/16" - 14 x 4-5/8".. 3.99 ea












1962-67 Power Cylinder Mount Set 🔔 This is a reproduction of the mounts that attach the

power steering cylinder to the frame mount bracket. Set contains: 2 rubber bushings, 2 washers, 1 spacer, 1 lock nut, and 1 cotter pin. 1962-67.





1968-72 Power Steering Mounting Stud Correct replacement stud used for the power steering

or alternator mounting. One required per vehicle. 1256624 1968-72 big block ... 5 99 69



1968-79 Worm Bearing Adjuster 🔥

Exact replacement for original! Fits 1968-79 models with power steering.

G6103 1968-79 87 99 ca



1968-71 Steering Gear End Plug Seal Kit Correct seal kit used when replacing or working on

the steering gear end cover. The kit will help insure the steering gear is sealed tight to prevent leakage. For 1968-69 models with power steering, all 1970 eight cylinder models and 1971 six cylinder models. G6102 1968-71.



1962-67 PS Slave Cylinder

Reproduction power steering slave cylinder for 1962-67 Chevy II/Nova models. Manufactured to the exact specifications of the original to keep your power steering system functioning properly A0720 1962-67 143 99 ca

AUTHORIZED



1962-67 Power Steering Valve

Brand new reproduction power steering valve for 1962-67 Chevy II/Nova models. Manufactured to the specifications of the original to keep your power steering system functioning properly. These are replacement quality and everything is brand new. These are pressure tested for leaks and operation. A65750150 1962-67.... 224 99 69





1962 Control Valve Dust Seal and Retainer

A reproduction of the dust seal and dust seal retainer that fit over the stud of the power steering control valve as it attaches to the pitman arm. This seal will keep dust and debris out of the joint and will help to make the control valve last longer. The seal is made of OEM rubber and the retainer is made of stainless steel. Both items sold separately.

PS29 1962 seal PS06 1962 9 99 ca retainer



1968-76 Steering Coupling Joint 🔥

These replacement steering coupling joints connect the steering column box to the steering column. 1968-76 Steering Coupling Joint

7806391 1968-69 w/o power steering .. 39.99 ea 7828871 1969-76 w/power steering 31.99 ea 1967-79 Hardware without Power Steering 748612 1967-79 coupler bolt..... 6.99 ea

AUTHORIZED



Steering Coupler Hardware Set Convenient set of hardware for steering shaft couplers on many GM vehicles. Set includes: one 3/8"-24 Hex

nut and lock washer and one 5/16"-24 nut and lock washer. Also includes the 12 point coupler bolt that secures the steering coupler to the steering shaft. All components are Grade 8 quality. 748799 hardware set

AUTHORIZED



1977-79 Steering Coupling Joint These steering coupling joints are required to connect

the steering box to the steering column. 7826542 1977-79 w/power steering 32.99 ea



1968-79 Flexible Steering Coupler Set This steering column coupler commonly known as the

"rag joint" can be a weak link between the steering column and the steering gearbox. When the coupler becomes worn, it can lead to future problems with your steering system causing expensive repairs. 1968-79 C2553 . 13.99 set





1968-79 Pitman Shaft Lash Adjustor Nut

This pitman adjustor nut is manufactured in a 7/16"-20 measurement G70

72 72 72	1968-74 1976 1977-79	w/ps (exc. HD susp) w/ps (exc. 605 gear)	10.99 ea 10.99 ea 10.99 ea	





1968-79 Pitman Shaft Lock Washer 🔥 It's always wise to replace the bolts and washers when

replacing the pitman arm. Original pieces will rust or break off when being removed. Assure quality and safety by replacing the washer. Use when securing steering gear to pitman arm. G7075 1968-79 5.99 ea



Reproduction gearbox steering arm large nut and lock

washer set. This nut and washer mount the steering pitman arm to the manual or power steering gearbox. 1968-79 1253511 4 99 set













OTERNO,

io

Rack and Pinion Steering



1962-67 Rack and Pinion with Tilt Steering Column

FR3052

Rack and cradle are shown painted

illustration purposes only. Supplied in a black painted finish.

This unique new style of steering system utilizes the original inner and outer tie rod ends. This makes for simple installation and maintains original pivot positiona swell as turning radius. Nocutting, welding, or drilling to the chassis. It bolts into the existing steering box and diler arm holes. Available in power or quick ratio manual, they easily convert the steering box and followed to rock and prinon steering without properties of the properties of t

Important: Power steering pump brackets, hoses and column to dash clamp bracket are not included. Reuse of original column to dash clamp is required for installation, with some modification necessary. Power rack and pinion and cradle bracket are painted black, manual rack and pinion has a chrome finish. Must use 1968-69 Camaro outer tie med entry.

Note: Shipped double oversize.

 Power Steering

 Complete Set with Till Column

 FR3051
 1962-67
 paintable column
 2616.99 set

 FR3052
 1962-67
 polished column
 2844.99 set





1962-67 Power Steering Hoses

Braided stainless steel power steering hoses for Flaming River power rack and pinion steering systems on 1962-67 Chevy II/Nova models.



These rack and pinion systems are designed for 1962-74 Chevy JIN/50 amodels. 1962-67 works with small block engines while the 1968-74 will work with small block of high block Chevolete engines. The 1968-74 act, and pinion will work with the factory power secring 1902-67 sets include: a new pump, boxes, and remote reservoir. New steering arms are included and must be used on the power steering next. This system is not compatible with aftermarter syndise with steering and compatible with aftermarter syndise with steering new steering shall between the steering column and the rack and printin, sold separately.

Note: Factory exhaust manifolds are recommended on big block engines, as headers may cause interference with steering shaft. Shipped double oversize

8007702	1968-74	manual chrome	759.99 ca
8007701	1968-74	manual black	674.99 ca
8015402	1968-74	power chrome	1169.99 ea
8015401	1968-74	power black	944.99 ca
8009301	1962-67	manual black	1237.99 ea
8016501	1962-67	power black	
		pea aouvie oversize.	0.572



1968-74 Rack and Pinion

Steeroids rack and pinion sets were designed to make your 1908-74 Movs steer like a news ra! This set features uniquely designed adjustable tie rod ends specifically engineed to climinate bump steer -even on lowered ordiving on rough surfaces and provides a tighter and driving on rough surfaces and provides a tighter and more precise Feel. These boll- on rack and prinion conversion sets do not require cutting or drilling into your frame, crossmember or its supports. Steeroids your frame, crossmember or its supports. Steeroids prover steering pump. Available in power or manual sets. Instructions included.

Important: If using your old pump, flush and clean it thoroughly before installing the set.



1968-74 Rack and Pinion Hoses

When converting to a power rack and pinion steering system on your 1963-84 Mova, the power steering hoses stainless steel hose assemblies. These power steering hoses are engineered to work with the original factory style pump or a late model type 2 pump. 802860 1968-74 original style. 25.99 pt 502610 1968-74 late model type 2.112.99 pt



1962-74 Rack and Pinion Steering Shaft

A steering column adapter is required when using a factory column. Manual racks will work with either small block or big block engines.

Note: Factory exhaust manifolds are recommended on big block engines, as headers may cause interference with steering shaft.

Factory S	Steering Co	lumn Adapter	
802820	1968-74	adapter	62.99 ea
		iion Shafts	
805100	1962-67	SB factory column	292.99 ea
805101	1962-67	SB 1" double D	292.99 ea
805102	1962-67	SB 3/4" - 36 spline	292.99 ea
805070	1967-69	SB 3/4"-36 spline	179.99 ea
805490	1968-74	SB factory column	179.99 ea
805510	1968-74	SB 1" double-D	179.99 ea
805540	1968-74	BB factory column	269.99 ea
805550	1968-74		314.99 ea
805600	1968-74	BB 3/4"-36 spline	269.99 ea
		Pinion Shafts	
805570	1968-74	factory column	269.99 ea
805580	1968-74	1" double-D	269.99 ea



1968-74 3/4"-36 spline

260 00 00



Build Your Own Steering Hook Up 🔥

Build your own steering hook up for your aftermarket subframe with rack and pinion steering. Measure the shaft size and count the splines and distance between the stack and steering column; order accordingly. U-loints are offered in plain steel and polished staniless steel and also offered with vibration reducers. You have a choice of 3/4*-double-D shaft in plain or polished stainless steel and is cuti-o-lik

Important: Vibration reducers are used on the steering column end of the shaft.

ı	U-Joint - 3/4"-36 x 3/4" DD	
ı	SC1017 steel	
ı	123449 polished stainless steel	120.99 ea
ı	U-Joint, Flanged - Stainless Steel	
ı	K3128 rag joint flange x 3/4" DD.	119.99 ea
ı	U-Joint Vibration Reducer - Steel	
ı	34934 3/4"-36 x 3/4" DD	
ı	34943 1"-48 x 3/4" DD	109.99 ea

4943	1"-48 x 3/4" DD	109.99	ea
	ibration Reducer - Polished Sta		
64934	3/4"-36 x 3/4" DD	184.99	ea
64943	1"-48 x 3/4" DD	184.99	ea
hafts			
00410	2/4" DD = 10" -t=-1	22.00	

U

S



ES312NL		LH/RH, 3-1/2" long	19.99 ca
DS661	19622nd	LH/RH, 11" long	108.99 ca
ES675	1963-67	LH/RH	26.99 ea
ES381R	1968-74	LH/RH	19.99 ca
ES441R	1975-79	LH/RH	14.99 ea
	B – Ini	ner Tie Rod End	
ES312NL		LH/RH, 3-1/2" long	19.99 ea
ES323L	1963-67		17.99 ca
ES681N	1968-74	LH/RH	19.99 ca
ES442L	1975-79		14.99 ca
ES443L	75-79	RH	17.99 ea
	C - A	djusting Sleeve	
ES312S	1962	LH/RH, 6-11/16"	15.99 ea
ES2032S	1962	LH/RH, 4-1/4"	9.99 ca
ES2032S		LH/RH, all	9.99 ca
ES350S	1968-74	LH/RH	10.99 ca
ES2004S	1975-79	LH/RH	9.99 ca

A - Outer Tie Bod End

DS829	1975-79	1-1/6 diameter	44.99 ca
	F – Idle	er Arm Assembly	,
20173	1962		139.99 ea
20201	1963-67		159.99 ea
3989447	1968-74		26.99 ca
18753	1975-79		37.99 ea
	G – Id	ler Arm Bushing	
18619	1963-67	in idler arm	9.99 ca
	Н-	· Pitman Arm	
3909951	1963-67	manual steering	79.99 ca
18768	1968-74	manual steering	24.99 ca
3989445	1968-74	pwr strg 5-3/4" entr to entr	24.99 ca
18769	1968-74	nwr stre 5:1/4" entr to entr	34 99 ca

D - Center Drag Link

10172	1962-67	all	34.99 ca
10195	1968-74	all	22.99 ea
10268	1975-79	all	16.99 ea
	J-L	ower Ball Joints	
10173	1962-67	all	34.99 ea
10197	1968-74	all	19.99 ea
1027	1975-79	all	23.99 ea
K-	- Upper	Control Arm Bus	hings
12207	1962-67	4 required	10.99 ea
12162	1968-74	4 required	15.99 ca
12310	1975-79	1 pr req'd (forward)	11.99 pi
12235	1975-79	2 req'd (rearward)	9.99 ea
		Control Arm Bus	
	1962-67	4 req'd (replacement)	10.99 ea
12237	1968-72	2 req'd (rearward)	11.99 ea
12258	1968-72	2 req'd (forward)	12.99 ea
12258	1973-74	4 required	12.99 ca
12298	1975-79	2 req'd (rearward)	11.99 ca
12297	1975-79	2 req'd (forward)	9.99 ca
	M – U	pper Control Arm	s
N1440	1962-67	LH w/ball joint & bushings	139.99 ea
N1441	1962-67	RH w/ball joint & bushings	139.99 ca
153980	1968-74	W/joint, bushings, shaft	178.99 pi
	N – Lo	wer Control Arm	5
N1442	1964-67	LH w/joint, bushings, shaft	98.99 ca

I – Upper Ball Joints



N1443 1964-67 RH w/joint, bushings, shaft 98.99 ea

153981 1968-74 w/ball joint & bushings 189.99 pr

1962-67 Lower Ball Joint Rivets

Reproductions of the original rivets used to hold the ball joints into the control arm. Unlike the bolts used to hold current replacement units in place, these will offer an original appearance. 1256639 1962-67 set of 4 4.99 set



1962-79 Upper Ball Joint Rivets

Reproductions of the original rivets used to hold the ball joints into the control arm. Unlike the holts used to hold current replacement units in place, these will offer an original appearance. 1256640 1962-79 set of 6



1962-67 Manual Drag Link Adaptor 🔥

This manual drag link adaptor replaces the control valve on 1962-67 Chevy II/Nova models equipped with factory style power steering. This is the adaptor you need when converting factory power assist steering to modern power steering. 14703 1062 67

14175	1702 07	 	17.77 04
•	111		- M- - 0
-	:: 📥	a :	N45335

- · 4 Upper and Lower · 2 Outer Tie Rod Ends · 2 Upper Ball Joints Control Arm Bushings
- 2 Outer Sway Bar 2 Lower Ball Joints End I ink Kite

1962-74 Front End Rebuild Kit

This kit includes a comprehensive assortment of front end parts designed to renew worn out front suspension components. Restore your Nova's handling and reduce front tire wear. This is an essential kit when upgrading your Nova's suspension.

Important: Lower ball joint retainer cover not included. Note: *Early 1962 models with 3-1/2" outer tie rod ends. †Late 1962 models with 11" outer tie rod ends.

N45333† 1962 w/11" N45334 1963-67	2" outer tie rods 319.99 outer tie rods. 424.99 307.99 210.99	k
--------------------------------------	--	---







154103

1968-74 OE Type Suspension Components

OE quality, correct appearance reproduction suspension parts from Classic Suspensions. Features cast look plating, inhibiting corrosion, and ensuring a fresh cast look. Hardware included. Tie Ped Adjusting Slee

154101	1968-74	LH or RH	15.99	ea
Outer Tie H				
154102	1968-74	LH or RH	30.99	ea
Inner Tie R	Rod			
154103	1968-74	LH or RH	26.99	ca
Idler Arm				
154105	1968-74		69.99	ca
Upper Ball	Joint			
154106	1968-74	LH or RH	29.99	ca
Lower Ball				
154107	1968-74	LH or RH	29.99	ca

SP94019 SP94017





1968-79 Extended Length Ball Joint 🗥

Extended length OEM style ball joint for 1968-79

Nova models. These original style greaseable ball ioints feature extended length for improved camber

gain and increased control arm to frame clearance.





SP04010





90

BRAKES

m d 9 REAR SCSPENSION, BTEERING,

Steering/Suspension



1963-74 Billet Aluminum Tie Rod Sleeves

Looking for a custom look and appreciate the small details? CPP's 6061-T6 aluminum tie rod sleeves are available with your choice of brushed, black, or polished

minsii. merud	ico jaini nuito.	Solu in pans.		
C14640A	1963-67	brushed		pr
C14640B	1963-67	black	69.99	
C14640C	1963-67	polished	69.99	pr
C16350A	1968-74	brushed	69.99	pr
C16350B	1968-74	black	69.99	
C16350C	1968-74	polished	69.99	pr



Enhance the steering precision of your classic Nova with machined tie rod adjusting sleeves. These gloss black powder coated sleeves have machined wrench flats and include jam nuts for quick and easy toe adjustment. Sold in pairs.

H1607 1968-74 5/8" thread-black 81.99 pr H1612 1975-79 ... 81.99 pr



1969-70 Heavy-Duty Tie Rod Sleeves 🗥

Install these heavy-duty QA1 tie rod sleeves for a positive steering improvement in most GM vehicles. They are manufactured from solid steel Hex stock then zincplated for durable good looks and corrosion resistance. E5251 1969-70 5/8" x 4-7/8"...... 64.99 pr



1962-74 Rillet Tie Rod Adjusters

These billet tie rod adjusters are designed to be strong and easy to use. Large wrench flats on both ends provide an easy way to dial your suspension and steering to the perfect toe and bumpsteer settings and the anodized aluminum finish provides a great long-lasting appearance. Made in USA.

11259400 11169400			64.99 pr 69.99 pr
6		-	k

1964-70 Tie Rod Sleeve Rolts


STEERING/SUSPENSION

Factory correct tie rod sleeve bolts with TR head stamp as original. 1253529 1964-70 4 piece



1964-72 Tie Rod Fnd Dust Roots

Reproduction tie rod end dust boots with the part number stamped right on the boots.



Upgrade your tie rod end boots with these Polyurethane replacements. Long-lasting and durable, these boots are available in both red and black! 1069 70 black



Reproduction tie rod end and center link grease fittings. When restoring tie rod end fittings, these need to be replaced. 1253599 1964-79.. 2 99 set



1969-79 Polyurethane Ball Joint Boots Unlike conventional boots, these Polyurethane ball

joint boots are designed to never wear out. Each set includes 2 upper boots and 2 lower boots. 913125G 1969-74 black ... 8 99 set 913125R 1969-74 8.99 set 8.99 set 9131280 black 913128R 1975-79 8.99 set red



This fork set is designed to separate ball joints, tie

rods, pitman arms and other suspension items that are difficult to separate. Includes 5 piece set. Y41500 43 99 set



This pitman arm puller will make replacing the pitman arm easy. Specifically designed to pull pitman arms from most cars and trucks.



1963-67 Idler Arm Frame Bracket 🔥

This bracket will correctly mount your idler arm to your 1963-67 Chevy II/Nova frame. N250203 1963-67



0000000 00000000

1963-67 Idler Arm Bearing Set

This set converts your original idler arm bushings to smooth, long wearing ball bearings. This set includes: the shoulder bolt, bearings, upper and lower sleeves, rubber washers, cup retainers, steel washers, and cotter pins. The lower sleeves are manufactured with grease fittings to provide critical lube on the wear surfaces. 1963-67



1975-79 Steering Stabilizer

Steering stabilizer for 1975-79 Nova models. Includes: the stabilizer, brackets, clamps, screws, washers,

and grommets 16206 1975-79 64 99 69



1969-79 Polyurethane Bushing Sets 🔔

It doesn't take long before soft suspension rubber begins to deteriorate. Polyurethane is impervious to deterioration caused by oil, grease, and the elements, giving you firm, confident handling that lasts. These bushings are formulated and designed to reduce the noise, vibration, and harshness that other Polyurethane bushings may have and include "squeak proof" Super Grease. All of the dynamic bushings feature grooves to hold grease for superior performance. Available in black or red

Ball Joint Boots - Set of 4 PE191715R 1969-74 1975-79 PE191717R 1975-79

black 7 99 set red..... 7.99 set 7 99 set 7.99 set red Tie Rod Boots - Requires 2 4.99 pr black



1962-67 Disc Brake Spindle

Use these spindles when converting your 1962-67 drum brake car to factory single piston caliper disc brakes that were used on 1969-74 Nova models. Note: Requires SA01 five lug steering arms.



1962-72 2" Forged Drop Spindles 🔔

Lowers your vehicle 2" and allows the use of the stock steering arm and factory 11" single piston disc brakes. This is the only drop spindle on the market that is designed to work with 12" or 13" big brake sets without modifying the spindle.

Note: Factory caliper brackets requires minor modification and the dust shields will be eliminated. Will not work with drum brakes. Fits most 15" disc brake wheels that do not exceed a 4" backspace.

CP30103 1962-67 224.99 pr CP30100 1968-72 224.99 pr



1968-72 Billet Aluminum Spindles 🔔

These rigid and lightweight billet aluminum spindles and steering arms are direct replacement components for 1968-72 Chevy II/Nova models. Overall height of both upright versions is 1-1/2" taller than stock, resulting in more aggressive camber gain with increased cornering performance. Spindles feature a black anodized finish and heat treated, corrosion resistant, slotted flange nuts. Optional flange nuts for oversize stud lower ball joints are sold separately. For use with calipers that attach to OEM style disc brake locations. Note: Taller spindle height requires Chassisworks billet steering arms and tubular upper A-arms to properly position ball joint range of alignment. Minimum rim size is

15" to 18" diameter, depending upon width and brake kit. Spindles

K5754160	1968,70,72	stock height	
K5754162	1968-72	2" drop	885.99 pr
		Steering Arı	
Lightweigh	t, machined l	billet aluminu	m steering
		odized finish. V	
height and 2	2" drop spindle	es. Uses OEM	compatible

K5755628 1968-72 444 99 pr 5/8"-20 Flange Nuts

24 99 ca

For oversize stud lower ball joints.

outer tie rod

K7964527 1968-72



1968-74 Spindle Replacement spindles for drum and disc brakes for 1968-74 Nova models. Each spindle fits either the LH

or RH. Sold individually, 2 required. 109.99 ea K6152 1968-74 drum K6151 1968-74 disc.. 69.99 ea



1968-74 Improved Camber 2" Drop Spindle

These spindles raise the upper ball joint 1-1/2" for superior camber change! Machined from steel for strength. Use with Heidt's caliper brackets to allow for stock 11" rotors to 13" big brake setups. Important: Not for use with drum brakes or dual piston

stack hrake caliners HS013 1968-74 tall 2" drop spindles 424.99 pr



1968-74 C5 Upright Spindles These bolt on spindles for 1968-74 Nova models use

C5 bearing hubs with sealed bearing packs to eliminate spindle pin flex. The design maintains the drum brake offset while improving geometry to allow better camber change during suspension movement. Works with C5 brake components

CP30013 1968-74



1968-74 aStreet Front Suspension Chassisworks lower your stance without negatively affecting steering geometry or suspension travel. A special tall upright spindle improves negative camber

gain and cornering ability. These 2" drop spindles features a 2" taller upright to improve negative camber gain and cornering ability. Spindles are shipped in pairs with matte black finish K5711102 1968-74 tall spindle...

1968-74 2" Drop Spindles

Lower your 1968-74 Nova the right way with a pair of these factory style 2" drop spindles. Will only fit vehicles with original style factory disc brake setup. Note: Not for use with drum to disc brake conversion kits. Can be used on 1968 if using a single piston caliper, can not be used with factory 4 piston caliper. RS900119 1968-74 229.99 set



1969-74 2" Dron Disc Brake Snindles OER® Authorized 2" drop spindles will replace OE

single piston disc brake spindles. The stock steering arms bolt to the same location as on the stock spindle, maintaining the steering geometry. 153636 1969-74 ...



1962-67 5-Lug Conversion Steering Arms

The steering arm is attached to the steering knuckle and turns the knuckle and wheel for steering. These steering arms will replace the factory 4 lug arms when converting to 5 lug disc or drum brake spindles. 1962-67... 69 99 pr



1968-71 Steering Arms

These replacement steering arms are for vehicles with standard power steering or quick ratio power steering, and models with quick ratio manual steering. HC441 1968-71 104 99 n

BRAKES d 9

Nheel Bearings



1964-79 Front Bearing Kits

Quit searching for all the individual components you need when replacing your worn out wheel bearings and seals. Buy the kit and save time and money! Our wheel bearing kit has everything you need to service 1 wheel correctly the first time around. Includes: inner and outer Delco, or premium replacement wheel bearings with races, one replacement wheel seal, one replacement spindle washer, one replacement spindle nut, one cotter pin and a replacement grease cap. 1 kit services 1 wheel. 2 required per vehicle.

K9137	1964-74		29.99 kit
K9138	1975		29.99 kit
K9143	1975	Delco bearings	
K9139	1976-78		24.99 kit
K9144	1976-78	Delco bearings	57.99 kit
K9140	1979		26.99 kit

AUTHORIZED





1964-79 Spindle Nut, Dust Cap, Washer Set This convenient set includes dust caps, spindle nuts,

keved washers, and cotter pins in a set that does both sides of the vehicle. Each set includes two 3/4" x 20 with 1-1/16" Hex head spindle nuts, two plated 1/8"x 1-1/2" cotter pins, two 1-25/32" or 2-1/16" o.d. wheel bearing dust caps, and two keyed spindle washers. 1-25/32" caps 16.99 set 153642 1964-74 153643 1975-79 2-1/16" caps 16.99 set



1962-79 Front Wheel Bearing Grease Can

Replace your dented or missing grease caps with current production GM or replacement grease caps. Your wheel bearings will last much longer when covered and protected from moisture and road debris, while retaining the grease within the bearing hub. 2 required. WC52 1962-63 1-9/16" o.d.. 3 99 ca 2.99 ea 3.99 ea WC54 1964-74 1-25/32" o.d. . WC53 2-3/32" o.d.....



1-25/32" o.d. - GM

2-3/32" o.d. - GM... 15.99 ea

2.99 ca

1964-79 Spindle Nut and Cotter Pin Kit

Hex head spindle nut and plated 1/8" x 1-1/2" cotter pin for securing drum or rotor to spindle. Kit contains: one nut and one cotter pin. 2 required per vehicle. K9142 1964-79 3/4"-20 w/1-1/16" Hex 2 99 kit





1964-72 Front Wheel Bearing Cap

Reproduction wheel bearing cap for 1964-72 Nova models. Stamped steel cap includes the "button" like the factory original. Sold in pairs. 1-25/32" diameter. 3775190 1964-72...



1964-79 Steering Knuckle Spindle Washer

Replacement steering knuckle washer used between the outer bearing and the spindle nut. For all 1964-79

Nova models Note: 2 required per vehicle.

BW2 1964-79 .. 1 99 ca



1962-79 Front Outer Wheel Rearing 🔥

Delco or premium quality replacement outer wheel bearing for all 1962-79 Chevy II/Nova models. Replace your worn out original wheel bearings to maintain proper alignment and smooth rolling. Always check the bearings whenever removing the brake drum or rotor.

WB10	1962-63		9.99	ca
WB20	1964-78		7.99	
WB30	1979		9.99	
G8574	1964-78	Delco	11.99	
G8572	1979	Delco	25.99	ca



1962-79 Front Inner Wheel Bearing 🔥

Delco or premium quality replacement inner wheel bearing for use on all 1962-79 Chevy II/Nova models. Replace your worn out original wheel bearings to maintain proper alignment and smooth rolling. Always check the bearings whenever removing the brake drum or rotor

Note: 2 re	quired per veh	icle.	
WB4	1962-63		9.99 ca
WB60	1964-79		6.99 ea
G8228	1964-79	Delco	24.99 ca





1962-79 Front Wheel Rearing Seal 🗥

Prevent premature bearing or brake failure! Replace aging, cracked, or deteriorated wheel seals to keep wheel bearing grease where it belongs... lubricating your wheel bearings! Genuine Delco or replacement seals available for Chevy II/Nova models. Note: 2 required per vehicle

New!	000	0000	
G8231	1975-79	Delco	6.99 ea
8705	1964-79		3.99 ea
7537	1962-63		7.99 ea

0000

1964-72 Steering Nut Set This hardware set contains the steering nuts necessary to mount the spindle to the control arms, the tie rod ends to the center link and secure the steering arms. 20 piece ...



1253513 1964-72



.. 13.99 set

Hi-Temp Wheel Bearing Grease

When replacing or just repacking your wheel bearings, don't use ordinary grease. Protect those bearings with a high-quality, high temperature bearing grease. This is a very stable aluminized complex thickened grease used for the lubrication of wheel bearings, chassis ball joints and other bearing applications operating under severe conditions. This product assures high temperature protection from excessive heat generated by disc brakes. And... a special tool designed to pack the bearings so they stay where they belong. Works on most cars and trucks

SL3161 Y65250	bearing grease 14 oz. can universal bearing packer	
------------------	---	--





Bearing Race and Seal Driver

When it comes time to install bearing races, you'll find this tool to be an excellent way of saving time. Includes all you need to install or remove bearing races. Y12600 31 99 set



This tool is great for pulling oil or grease seals. Convenient tool that comes in handy when needed. Y56750

1975-79

WC54 1964-74

Control Arms



1968-74 Tubular Control Arms

Enhance the handling performance of your 1968-74 Chevy II/Nova with tubular control arms. These arms are not only stronger and lighter weight than factory arms, they also feature improved suspension geometry for enhanced handling performance. Sold as a pair 153630 1968-74 229.99 set 229.99 set 1968-74 153631



1968-74 Totally Tubular Control Arms

The lower arms feature helical stamped mounts welded around the entire perimeter to 1-1/2". 120" wall DOM (Drawn Over Mandrel) tubing to positively secure the coil springs. The upper control arms are pre-assembled on billet chromoly cross shafts and pivot sleeves with a unique design that secures both sides of the bushings for added safety. The pivot barrels are make from rugged 1-1/2*.188" wall DOM tubing. Ball joints are included. Available in black powder coating.

Note: Shipped	oversize.		2 OS1	
TCA6774B	1968-74	set of 4	729.99	St



1968-74 Tubular Control Arms

Hotchkis easy-to-install tubular upper and lower A-arms offer an improved camber curve, increased caster adjustment over stock, adjustable ride height shims, Polyurethane spring cups and more for ultimate performance. Smooth operating Delrin bushings allow these A-arms to move smoothly through their travel. Finished in gloss black powder coated and complete with ball joints, offset cross shafts, offset caster inserts. droop stops, ride height shims and Polyurethane spring cups, they are ready-to-install. H1107 1968-74 759.99 pr upper



1968-74 StrongArms

Finish off your suspension with these tubular control arms from ridetech! These arms are a precision engineered solution for ball joint binding, and frame clearance issues. These control arms are designed for use with either Shock Wave or ridetech coilover shocks. 11163699 1968-74 544.99 pr upper..... 11162899 1968-74 754 99 pr



ዀ 1968-79 Tuhular Control Arms A great performance upgrade for your front suspension.

Provides increased straight line stability, reduced wander, and quicker cornering response. They're ideal for drag racing, autocross/road racing and performance street. No modifications required, replaces stock upper control arms. Control arms have positive caster built into them so no need to require offset shafts. Upper arms reduce factory bump steer by cutting it in half (beneficial for drag, street, and road racing applications). Standard ball joints are used so they can be serviced anywhere. Shipped fully assembled with billet shafts, Del-A-Lum bushings, ball joints, and bump stops. Powder coated black. New alignment specifications are included. Can be used with lowered frame mounting holes. Will work with coilover kits Made in USA.

Upper

CTA71A	1975-79	506.99 p
Lower for S	tandard Coil Spri	ngs 679.99 p
CTA79L	1968-74	679.99 p
CTA71L	1975-79	720.99 p
Lower for I	Rolt-on Coilover Si	hocks
CTA79H	1968-74	654.99 p
CTA71H	1975-79	724.99 p
	-	HEIDT'S
-		HOLING BACCAL
1		
		HS3011
	2	

1968-79 Tubular Control Arms

These standard width upper and lower arms for all 1968-74 and 1975-79 models are state-of-the-art in both design and fabrication. The upper arms are 1-1/4" dia. tube, and the lowers are a full 1-1/2" dia. tube. They are narrowed 1" per side, pulling the tires in. The arms are black powder coated and supplied with factory ball joints. High-performance urethane bushings are standard. Upper arms include offset cross shafts for ease of alignment. These are full bolt-on arms, requiring no modifications to the frame

HS3011 HS3021	1968-74 1975-79		
	Stock Coil Spring and Shocks		
HS3111	1968-74	900.99	pr
HS3121	1975-79	968.99	pr
Lower for	Coilover Shocks		
HS3113	1968-74	880.99	pi
HS3123	1975-79	880.99	DI



添 1968-74 Upper & Lower A-Arms

Enhance your handling performance with BMR A-arms. Fabricated from heavy-duty 1-1/4" DOM (Drawn Over Mandrel) tubing. BMR's upper A-arms feature a billet, nickel-plated cross shaft and HD stainless bushing retainers. BMR uses high durometer, fluted externally greaseable Polyurethane bushings. The compact design provides additional header clearance and come pre-assembled with Polyurethane bump stops and upper ball joints. Lower A-arms feature sway b mounting provisions and work with all stock springs and shocks or with the popular QA1 Pro Coil kit.

Note. Flease and s	ијјах А јот теи, в јот ошск п	ummerione.
Upper A-Arms	968-74	420 00 pr
	Front Bump Stops	чээ.ээ рг
BX20001 1	968-74	469.99 pr
Lower A-Arms -	Rear Bump Stops	
BX20002 1	968-74	469.99 pr



添 1968-79 aStreet Control Arms

The gStreet line of front suspension components is an excellent choice for improving the performance and stance of your Nova. You can get the bolt-on gStreet control arms used on the complete subframe by Chris Alston for your stock subframe Chevy II or Nova. The gStreet lower control arms feature a true coilover style eve mount. To keep installation simple and maximize compatibility, control arms utilize the factory chassis mounts and bolts directly to stock or aftermarket spindles. These arms require the use of VariShock coilover shocks or ShockWave air suspension, and feature a gray hammered powder coat finish, a pivot ball lower mount and ball stud upper mount that bolts directly to the factory mounting location. The exclusive greaseable ball stud mount provides more positive control of the suspension while still allowing free pivoting movement.

Important: These arms require the use of VariShock

Upper Conti	rol Arms		
K570461	1968-74	599.99	pr
K570462	1975-79	609.99	рr
Lower Contr	rol Arms		
K570561	1968-74	721.99	DI
K570562	1975-79	721.99	рr











9 REAR **BUSPENSION**, BTEERING,

BRA

d

Control Arms



1968-74 Upper Control Arms

These QA1 performance control arms designed for street and racing feature powder coated tubular construction for increased strength and durability. Street arms include a replacement ball joint and Polyurethane pivot bushings, Pro-Touring arms include a low friction ball joint and Delrin pivot bushings. These provide the added performance needed for drag racing. Pro-Touring and intense street applications.

Street E52417	1968-74	440.00	
Pro-Touri		449.99	þı
F52317		540 00	nr



1968-79 Adjustable Upper Control Arm

Adjustable upper control arm for 1968-79 Nova models. This rugged control arm offers a wide range of adjustments to meet your exact needs. These arms provide quick and easy compensation for standard or lowered ride heights. Fine tune your handling and alignment while minimizing tire wear. Perfect for Pro-Touring builds, as well as track or street use. Sold as individual arms. Includes a flat midsize plate. adjustable sleeves, and OE style (minimal deflection) pivots, 2 required.

Note: For 1968-74 use with extended range ball joint SP94019, for 1975-79 use extended ball joint SP94017 or

with stock ball joint 1020s.				
SP94305	1968-74	LH or RH		
SP94340	1975-79	LH or RH		



1962-74 Unner Control Arm Shaft Set

Replacement upper control arm shaft set for 1962-74 Chevy II/Nova models. Includes: both cross shafts,

usinings,	wasners, and nardware.	
5281	1962-67	109.99 set
2159A	1069 74	52 00 cat



1974-79 Upper Control Arm Shaft Set

Classic Industries® offers this replacement control arm shaft set for 1974-79 Nova models. Includes the shaft, bushings, and washers for easy installation. 13200A 1974-79



1968-79 Lower Control Arms

These tubular lower control arms are a perfect fit for your 1968-79 Nova models. On 1968-74 Nova models, these arms lower the front end by 1" and add 1 degree positive caster for an aggressive, "Ready-to-Run" stance. On 1975-79 Nova models, they add 2.5 degree positive caster and may be configured for stock or lowered height. Ride height spacer plates (coilover mounts) are available separately.

Note: To complete your arm add an OEM style bump stop (#SP95339), not included. SP94374 1968-74 729.99 pt

31 94376	19/3-19		/	29.99 pt
	·I	7	1	$\eta A I$
		M	۷	1
	E52419	100	H	

1968-74 Lower Control Arms

These QA1 performance control arms designed for street and racing feature powder coated tubular construction for increased strength and durability. Street arms include a replacement ball joint and Polyurethane pivot bushings. Pro-Touring arms include a low friction ball joint and Delrin pivot bushings. These provide the added performance needed for drag racing, Pro-Touring and intense street applications.

E52419	1968-74	629.99	pı
Pro-Tourin E52319	g 1968-74	649.99	p





1970-72 Lower Control Arm Hardware

When replacing front lower control arm bushings we recommend replacing the hardware too. Fits front lower control arms (4 each required). Bolt - 1/2"-13 x 3-3/4"

9421430 1970-72 5 99 69 Locknut - 1/2"-13 x 3/4" Hex 9442939 1970-72... .99 ea



1970-75 A-Arm Shaft Bolts Reproduction serrated bolts used to attach the upper

A-arm shafts to the subframe Set of 4 Bolts and Attaching Nuts 749690 1970-75 19.99 set Attaching Nut Only 7/16"-14 Hex 99 ca



1962-79 Del-A-Lum Bushings/Offset Shafts

Del-A-Lum bushings are a direct replacement for rubber or Polyurethane control arm bushings. These bushings feature inner and outer thrust washers, inner rotating sleeve, and lube fittings. This unique design provides smooth performance without squeaks or bind. They will allow caster to be added without losing

proper camber settings. Del-A-Lum Bushings and Hardware
Upper Control Arm Bushings
GW 1039 1962-67 119.99 set GW1012 1968-74 122 99 set GW1015 1975-79 119 99 set Lower Control Arm Bushings GW0004 1962-67 GW1013 1968-74 146 99 set

GW1020 1975-79 146.99 set Control Arm Shafts Billet Standard Control Arm Shafts GW708 1962-67 w/OE/tubular arms 78 99 ca GW709 1968-74 w/OE/tubular arms 64 99 ca GW715 1975-79 w/OE/tubular arms 69.99 ea Billet Offset Control Arm Shafts GW702

GW705



1968-79 GM Replacement Bump Stop 🔥

OEM style conical bump stop for lower control arms, designed to replace worn original GM bump stops. SP95339 1968-79 .. 23.99 ca



1963-67 Cam Bolt Set

Replace your rusted or worn out alignment cams with this reproduction cam bolt set for 1963-67 Chevy II/ Nova models, 2 sets required per vehicle. 2643594 1963-67 2 required 9.99 set



1962-67 Alianment I ockout Set

These lockout plates eliminate the alignment cams and provide 13 different positions for the control arm. These plates are designed to resist slip to prevent lost alignment. Set includes lockout plates and hardware. C14637 1962-67

Control Arm Hardware



1962-67 Eccentric Loc-Out Set

Eliminate the factory eccentric on the lower control arm that is used for setting camber. Each plate has three holes drilled in it for different offsets. By flipping the plates you get 6 different positions for alignment. 1962-67



1962-67 Lower Eccentric Eliminator Set This set eliminates the lower control arm eccentrics and


will lock the lower control arms in place and changes the alignment procedure to a shim camber adjustment on the upper control arm. 40.99 set

N239 1962-67.....

-(33 (80) (80)	-00
Teel le	
	K45335

1962-74 Control Arm Bushing Kits 🔥

OER® control arm bushing and sway bar end link kits for various 1962-74 Chevy II/Nova models. Our convenient kit makes it easy to replace your front end bushings by ordering just one item number. Each kit includes upper and lower control arm bushings and sway bar end links and bushings. 1962-67 kit now includes new design "problem solver" lower control arm bushings that do not require bushing caps. N45337 1962-67... ... 107.99 kit K45335 1968-74. 82.99 kit



1962-79 Front End Control Arm Bushing Set

Each Polyurethane bushing set includes the bushings with outer metal shells for strength and durability. Manufactured to exact factory specifications, each set will add an incredibly solid feel to your suspension. Polyurethane bushings are somewhat more stiff then the original and offer a high-performance feel after installed.

Note: All 1962-67 sets include thrust washers. Please specify G – black or R – red when ordering. 1962-67 specify color .. 33160G 79.99 set 1968-74 94.99 set specify color

Lower Control Arm Bushing Can

Reproduction of the original control arm bushing cap designed for use on 1962-67 Chevy II/Nova front lower control arms. This cap is necessary for proper fitment when replacing the lower control arm bushings and rear strut rods that require a cap. Sold individually, 4 required per vehicle

348390 1962-67

Control Arm Polyurethane Bushing Sets

It doesn't take long before soft suspension rubber begins to deteriorate. Polyurethane is impervious to deterioration caused by oil, grease, and the elements, giving you firm, confident handling that lasts. These bushings are formulated and designed to reduce the noise, vibration, and harshness that other Polyurethane bushings may have and include "squeak proof" Super Grease. All of the dynamic bushings feature grooves to hold grease for superior performance. Available in black or red With 1.625" O.D. Lower

PE7214R	1975-79	red	84.99	
New!	4	ridet	ech	ŧ
	2	11		
A			1	
A	-	00-	-	

black.....

..... 84.99 set

PE7214G 1975-79

Bushing Installation/Removal Tool 🔥 Replacing OEM bushings and don't have a press?

No problem! This new tool allows you to remove and install bushings with simple hand tools. Includes all necessary hardware to remove upper and lower control arm bushings. 85000000 bushing tool 90 99 69

3939198 384220 1362014

1962-79 Control Arm Bumper Get your Nova suspension back where it belongs by replacing the control arm bumpers with quality OER

Upper Control Arm Bumpers 1962-67 3939198 14 99 ca 384220 1968-74 9.99 ca 1362014 1975-79 7 99 69 Lower Control Arm Bumpers 3928362 1968-72 lower..... 11.99 ea 10068783 1975-79 9.99 ca

lower

reproductions. 2 required per vehicle.

ENERCY



1968-79 Poly Control Arm Bumpers 🗥

Polyurethane control arm bumpers last-longer and perform better than OEM rubber stops. Cushions impact between suspension components preventing excessive damage. 1 pair upper and 1 pair lower required per vehicle.

	1975-79	black	9.99 pr
39102R	1975-79	red	9.99 pr
Lower Co.	ntrol Arm Bu		
99154G		black	
99154R	1968-72	red	21.99 pr
99150G	1975-79	black	18.99 pr
99150R	1975-79	red	18.99 pr





1962-67 Strut Rod Set These components are designed for the stock type 1962-67 Nova front end. This strut rod set is an inexpensive way to improve the original front end. This item uses spherical rod ends which eliminate strut rod deflection

yet increases rapid weight transfer. Strut bars are zincplated for corrosion resistance. Set includes all Grade 8 mounting hardware. 1962-67 329.99 set



1969-67 Strut Rod

	100	£ 07 Ott ut 110u	2.00
Keep the Nova mo		rol arm in alignment of	on 1962-67
3790247 N230	1962-67	strut rod w/nuts strut rod bushing set	84.99 ea 22.99 set











BRAKES d REAR END

Sway Bar Sets



1968-74 MUSCLEBar Swav Bar

RideTech MUSCLEBars are designed to greatly enhance the cornering performance of 1968-74 Nova models. This sway bar is developed on a running, driving vehicle to properly address fitment and performance issues. Includes: increased diameter sway bar, Polyurethane bushings, and high-performance end links all add up to a sway bar package that works correctly with lowered cars and aggressive driving. Made in USA

te: MUSCLEbars are designed for use on RideTech wer StrongArms. Shipped oversize.

Rear Sway 11169102	Bar – 4-Link Only 1968-74 3/4" dia. bar 524.99 set
	Etellivia
5	HW5718
5	# HW5703
.*m .	4000 70 0 D

1962-79 Swav Bars

Hellwig sway bars for 1962-79 Nova models. Manufactured using high-quality 4140 chromoly steel, each sway bar was developed for its specific application. Simple installation with basic hand tools. Each sway bar set includes proper urethane bushing and mounting hardware. Note: Some sets may require drilling. Shipped oversize

Front Sway Bar Sets


Tubular Sw				
HW55705				
HW55703	1975-79	1-5/8"	215.99	set
Solid Sway	Bars			
HW5718	1962-67	1-1/8"	160.99	set
HW5795				
HW5703	1975-79	1-5/16"	213.99	set
	Rear Sw	ay Bar Sets		
Tubular Sw	ay Bars			
HW55824	1968-79	3/4"	241.99	set
Solid Sway	Bars			
HW5818		3/4"		
HW5824	1968-79	3/4"	254.99	set



1968-74 Front Swav Bar Sleeve Brackets Reproduction of the correct front sway bar sleeve brackets for 1968-74 Nova models. Mounts the front sway bar to the frame, next to the sway bar bracket.

These sleeve brackets keep your front sway bar from moving and prevent noise. ant: You will need to reuse your old rubb

insulators or cut rubber strips to insulate the bracket. 14655 1968-74 17 99 pr



Front Sway Bars

1962-79 Front Swav Bar

Reproduction sway bars including sway bar bushings and mounting brackets as shown. Available for 1962-79 models. Replace your original sway bar with these new replacements and get your suspension back to original condition. Note: Shipped oversize.

FSB108	1962-67	1"	169.99 set
FSB136	1968-74	1"	
FSB599		1-1/8"	
FSB883	1975-79	1-1/8"	179.99 set
Rear Sway	Bars		
RSB916	1962-67	3/4"	151.99 set
RSB226	1968-79	3/4"	159.99 set
		A850	0300

1968-79 Factory Style Sway Bar 🔥

Factory style front sway bars for 1968-79 Chevy II/ nova models. Zinc-plated for corrosion resistance. Brackets, bushings, and hardware sold separately. Note: Shinned oversize

	ont Sway . 13/16"	silver zinc	
A8500303 1975-79 Fre	ont Sway	Bar	
A8500300 A8500301 1968-74 Re	1-1/4"		
A8500304		gold zinc	119.99 ca



1968-79 Front Sway Bar Sets

Looking for better cornering and reduced body roll? BMR sway bars are the answer. Made with cold formed steel to resist torsional fatigue better than conventional bars Features solid core construction. Includes: mounting hardware, end links, and Polyurethane bushings. Important: Please specify: A for red finish, B for

mertone finish. 1968-74 1.125" diameter.. 199.99 set 1975-79 1.25" diameter... 219.99 set BX20030



1968-79 gStreet Front and Rear Sway Bars

These gStreet sway bars are an option for gStreet front suspension systems or they can be fitted as an enhancement to your stock suspension. Made from heat treated alloy steel, these are some of the finest front sway bars for your Nova. Front sway bars include billet mounts. All bars feature a silver vein hammer tone powder coated finish and include black powder coated end links, Polyurethane bushings, and hardware. Note: Shipped oversize.

Front Anti-		4 16	
K570816	1968-74	1" 261.5	
K570821	1975-79	1-5/16" 349.9	9 set
	133	***	the prince
_		H2260	ر
9	11	68	ŷ

1968-79 Stahilizer Bar

Improve the handling and straight line performance of your classic with Hotchkis Sport Suspension stabilizer bar. Specifically tuned and tested for each application to offer a balanced feel. Hotchkis Sport Suspension stabilizer bars control body roll in the corners and allow you to put more power down in the straights. Featuring the latest, lightweight hollow tube design, this bar is finished in gloss black powder coated, and includes greaseable bushings, mounts, end links, and hardware. ortant: *Due to clearance issues, must also purchase idler arm part #18753.

Note: Shipp	oed oversize		C 0S1
H2207F	1968-74	front 1-1/8"	329.99 ea
H2260R	1968-74	rear 7/8"	431.99 ca
H2260C	1968-74	1-1/8" front & 7/8" rear	663.99 kit
H2236F*	1975-79		269.99 ea
H2235R	1975-79	rear 7/8"	
H2236C*	1975-79	front 1-3/8" & 7/8" rear	741.99 set
		-	



1968-79 Rear Swav Bar Mounting Bolt

Bolts are used to attach the sway bar to the anchor plate on 1968-79 Chevy II/Nova models. Replace the original rusted or missing mounting bolt with this quality OER® replacement. Nut included.

332671 1968-79 7/16"-20 x 1-5/16" .. 6.99 ea 481949 1974-79 7/16"-20 x 1-15/16" 6 99 ca

Swav Bar Components



1962-79 Front Sway Bar Bushing Set

Polyurethane replacement bushing set designed for Nova models with aftermarket sway bars. Includes: the sway bar end links, end link bushings, inner bar mounting bracket and bushings, and inner bracket mounting bolts. Some drilling may be required for installation of inner brackets.

Note: The front is designed for aftermarket I" sway bars.

Will not inst	all on origina	l 5/8" sway bars.	
R677250	1962-67	1" sway bar	67.99 set
R677252	1968-74	1" sway bar	62.99 set
R677253	1975-79	1-1/8" sway bar	67.99 set



This set is designed to replace your 1962-79 sway bar end link. Complete replacement set designed to eliminate sway bar end movement. Includes: 4 bushings, 1 bolt, 1 nut, 4 washers, and 1 spacer. 2 required per bar. 18060 1962-79 rubber 11 99 set



1962-79 Poly Sway Bar End Link Set 🔥

Classic Industries® offers early and late model Polyurethane sway bar end link sets. Includes: 3/8" diameter grade 5 bolt, nylon insert locknut, heavy-duty washers, high-performance grommets, and heavy wall

tubing spacers 98117G 1962-79 98117R 1962-79 22.99 set



🌦 1969-79 Swav Bar End Links

It doesn't take long before soft suspension rubber begins to deteriorate. Polyurethane is impervious to deterioration caused by oil, grease, and the elements, giving you firm, confident handling that lasts. These bushings are formulated and designed to reduce the noise, vibration, and harshness that other Polyurethane bushings may have and include "squeak proof" Super Grease. All of the dynamic bushings feature grooves

to hold grease	for superio	r performance.	
PE19406G	1969-79	3-1/2" black	. 17.99 :
PF19406R	1969-79	3-1/2" red	17 99

ENERGY

Adjustable Polyurethane End Links 🛽 🗥

These end links include 2 different height bushings which enable you to mix and match to obtain the optimal length. Each set number offers 1/2" of adjustability in 1/4" increments. Energy's Adjust-A-Link will accommodate lengths of 2-3/4" to 6-3/8" with no coverage gaps

Note: Please specify: (G) for black or (R) for red bushings when ordering

98162	2-3/4" - 3-1/4" (70mm-83mm)	22.99	set
8163	3-3/8" - 3-7/8" (86mm-99mm)	22.99	set
8164	4" - 4-1/2" (102mm-115mm)	22.99	set
8165	4-5/8" - 5-1/8" (117mm-130mm)	22.99	set
8166	5-1/4" - 5-3/4" (133mm-146mm)	22.99	set
8167	5-7/8" - 6-3/8" (133mm-146mm)	22.99	set
		1	

1968-69 Rear Sway Bar Bushing Set This Polyurethane replacement bushing set is designed to replace sway bar bushings for Chevy II/Nova models

with aftermarket sway bars. These sets include: the sway bar end links, end link bushings, inner bar mounting bracket and bushings, and inner bracket mounting bolts. Some drilling may be required for installation of inner brackets. Bushings are available in black

Note: Some drilling may be required for installation of R677254 1968-69 rear.... 64 99 set



1962-79 Poly Swav Bar Bushing Sets 🔥

High tech Polyurethane bushings designed for use in place of originals while giving a stiffer, tighter, and more superior ride. When changing sway bar bushings to Polyurethane bushings it is advisable to replace all your front end bushings with Polyurethane bushings.

rtant: Do not mix and match Polyurethane and OEM type bushings together. All bushings should either be rubber or Polyurethane. Mixing and matching could cause problems for your suspension and your bushings to wear out much faster.

95104	1962-79	5/8"		
95105	1962-79			
95106	1962-79			
95110	1962-79		20.99	
95112	1962-79		20.99	
95113	1962-79	1-1/4"	21.99	set







1962-79 Front Sway Bar Bushings 🔥

OER® sway bar to frame bushings for various 1962-79 Chevy II/Nova vehicles. These bushings are manufactured to original specifications from heavy-duty black EPDM rubber as original. Fits 11/16" Diameter Sway Bar

1962-69 LH and RH.. 19 99 pr HC84 Fits 1" Diameter Sway Bar 371773 1975-79 LH or RH. 7.99 ca







1970-79 Rear Swav Bar Bushings 🛕

These bushings are an Genuine GM replacement for your 1970-79 Nova with special suspension. For .420' to .460" rear sway bars.







1968-79 Front Sway Bar Brackets ⊿ OER® sway bar to frame brackets for various 1968-79 Chevy II/Nova models. These brackets are manufactured

from high grade steel to original specifications. LH and RH (pair).. 21.99 pr 383493 1968-69 1970-79 406997 LH or RH (each)... 12.99 ea





1970-79 Rear Swav Bar Bracket

OER® rear sway bar bracket for various 1970-79 Nova models. Manufactured from high grade steel to original specifications. Sold individually. 2 required. 3982300 1970-79 LH or RH 12.99 ca











BRAKES

REAR END & **BUSPENSION**,

306

Subframes



1968-74 Total Vehicle System (TVS) 🗥

These exciting TVS kits contain engineered and tuned components that work together as a complete suspension system to maximize your vehicle's handling. Avoid the poor ride quality and disappointing handling that often results from combining a hodge podge of mixed components from multiple manufacturers. Designed for the driving enthusiast who demands the ultimate in vehicle handling and performance without sacrificing ride comfort! Includes: sport coils, sport sway bars, heavy-duty tie rod sleeves, sport leaf springs and all necessary hardware.

rtant: The TVS will lower your Nova approximately 2" in front and 1-1/2" in rear

te: Shipped truck freight.

H80013 1968-74 small block 1378.99 kit H80012 1968-74 big block... 1377.99 kit

HOICE...







1968-72 OEM Style Subframe

Repairing the corroded or damaged subframe on your Nova used to mean hours or days of hard work. Now, you can simply replace it with a new complete reproduction subframe designed specifically for 1968-72 models. These reproduction subframes feature the correct contours, openings, and welds for an OEM appearance. In addition, these subframes have been internally reinforced in the lower crossmember, greatly improving strength and rigidity. Manufactured in heavy gauge steel. Available without a crossmember or with a TH400 transmission crossmember installed.

Note: Shipp	oed truck freight.	
Subframe	without Crossmember	Twel I regal
K44717	1968	1199.99 ca
K44718	1969-72	1199.99 ea
Subframe	with TH400 Transmission Cre	ssmember
K44726	1968	1239.99 ca
K44727	1969-72	1239 99 ca





1962-67 Mini Subframe Set

Improve stability and steering response and gain ground clearance for your 1962-67 Nova with these mini subframe sets. This mini subframe helps maintain proper alignment without the use of a lockout plate for a free motion in the lower control arm. The results are better ride quality. Because the bulky factory strut rods and strut rod mounts are replaced, this set adds only 2 lbs to the vehicle. The 1 piece crossmember ties both frame rails together by bolting into the factory strut rod mounting location. The lower control arms add a forward caster adjustment and utilize the original camber adjustments. For use with the factory and aftermarket sway bars up to 1* in diameter.

Important: For steering stops use C14636

Standard Set Standard sets include: tubular upper and lower control arms, simple, bolt-in 1/4" thick steel cross member with forward mounting, 4 alignment cam kits, Grade 8 hardware, low friction, long life bushings with premium upper and lower ball joints.

voic. Suit	ipea oversize			1001	
214631	1962-67	with	black arms	699.99	set
D	eluxe Se	t – w	ith Black A	rms	
	dds coil spr		nponents from t rubber spring p		
				422	

C14633 1962-67 999 99 64 stock height 999,99 set C14635 1962-67 1-1/2" drop w/CPP mini subframe

10 00 set

ENERGY

1962-67 Formula Five Preluhe

Energy Suspension Formula Five Prelube is a versatile waterproof non-melting grease containing PTFE. These forms a tough, durable, chemical resistant film of lubricant This lube also prevents metal-tometal contact even under severe shock loads. Only small amounts are required to properly lubricate bushings and metal components

911104

and to prevent corrosion. Use this when assembling your Polyurethane bushings to your suspension. Important: Only small amounts of this prelube are eded when assembling components.

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

8 oz tub 13 99 ca



MORRISON



1968-74 Wheel Dimensions: With a hub track width of 60-1/2", these are the rin sizes and backspacing dimensions that will work. The dimensions shown are using an unaltered inner wheel well. Max rim size: 10° with 7.14° backspacing, 9° rim with 6-1/4" backspacing, 8" rim with 5-1/4" backspacing, 7" rim with 4-1/4" backspacing.

8888||| 1111 8888 AM678110



AM325557



1968-74 GT-Sport Front Clip

Art Morrison's GT-Sport chassis are bolt in subframes that include specifically tuned suspension using C6 spindles with lowered steering arm mounts and 2" lower power rack and pinion steering, creating a lower center of gravity and improved handling. Big block, small block and LS series Chevy engines can be installed, as well as virtually any popular automatic or manual transmission thanks to a series of available mounts (sold separately). No cutting or welding is required making installation simple. Several accessories are available separately to make installation easier. More applications available on our website! tant: 17" or larger wheels required when using stock

C5 or C6 brakes. Some aftermarket brakes like Wilwoo require 18" or larger diameter wheels. Body mount bushings and brake lines not included. C6 hubs use 5 x 4-3/4" bolt pattern with 12mm x 1-1/2" studs. Subframe

- 6	ivaiiabie in ba	re steet onty.		
1	Note: No provi	sion for stock	/2 turns ItI) w clutch cross shaj hipped. Shipped t	t, or E-brake
1	With TH350 AM676904 AM676910	1968-74	small block big block	
1	With Richmo AM676904 AM676910	1968-74	small block big block	
1		ers for G	T-Sport Ch	
.5	Small Block	1968-74	hare	824 99 se

AM678101	1968-74	bare	824.99 set
AM678102	1968-74	coated	1234.99 set
LS1/LS6 with			
AM678103	1968-74	bare	824.99 set
AM678104	1968-74	coated	1234.99 set
Big Block/50	2 Standard	l Deck	
AM678105	1968-74	bare	824.99 set
AM678106	1968-74	coated	1234.99 set
Access	ories for	GT-Sport C	hassis

subframe body mount..... 154 99 cet AM325557 LS1/LS6 engine mounts .. 249.99 set AM676981 stainless steel brake line 299 99 set

15 99 set

Subframe Bushings

Provides the ultimate in nerformance and durability



ENERGY

SUSPENS
000000
000000
0000000

1968-74 Polyurethane Body Mount Bushing

Classic Industries® offers Polyurethane bushings for 1968-74 Chevy II/Nova models. These unique bushings are designed to never wear out as conventional bushings do. They are self-lubricating, never squeak, are weather resistant and are produced using the latest Polyurethane materials. Replace your original body mount bushings with these new Polyurethane style bushings and eliminate the problems often associated with soft or worn rubber body mounts. Will replace all 4 front subframe and 2 radiator support mounts. 34142G 1968-74 black 34142R 1968-74 red 96.99 set

	51	USPEN	51 (2)
		II	Ī
		Ш	0
		99	Φ.

ENERCY

1968-74 Polyurethane Rody Rushings 🔥

Stiffer body mount bushings will dramatically reduce body flex, and are recommended when installing subframe connectors. Hardware sold separately. 34143 1968-74 hardware set 42 99 set





Suner Grease



and keep your Polyurethane bushings quiet. This waterproof, high temperature, high pressure formula is ideal for use in grease guns. H3101 14 oz tube 41 99 ca

1968-79 Suhframe Rody Mount Rushing Kit

Replacing the original bushings with rubber reproductions is a sure fire way of maintaining originality and mounting the subframe exactly the way the factory intended. Each prepackaged kit contains all shouldered rubber bushings and biscuits including the radiator support bushings. Each body mount is produced using correct compression molded S.B.R. with steel sleeve inserts where required.

R893	1977-79	12 piece	69.99 k
R892	1975-76	12 piece	
K3034	1973-74	12 piece	
K3026	1970-72		58.99 k
K3025	1968-69	12 piece	54.99 k



1968-74 Subframe Body Mount Hardware Each set contains all the correct bolts, washers and nuts

used to mount the subframe body bushings. Replaces rusted, burred, stripped, or otherwise damaged originals. Excellent for use when replacing subframe bushings. Original style replacement set with Grade 5 hardware or a heavy-duty Grade 8 hardware set that features a black oxide finish

BK678	1968-74	Grade 8	31.00	c
K3027	1908-74	OER" Grade 5	21.99	S



1968-74 Subframe Mounting Nut and Cage

Broken subframe mounting nuts are no longer the huge problem they used to be. Classic offers this replacement nut and cage. Must be welded in as original. 2 required. C122 1968-74. 24.99 ca



1968-74 Subframe Body Mounting Plates

A complete set of subframe mounting plates will repair the crucial areas where the subframe bushings mount. After years of use, the original plates may become damaged beyond repair. These new plates must be welded to the subframe, and will secure the body and add stability to the original assembly. Includes: the rear subframe plates, middle subframe plates and the

core support plates. 17000 1968-74

Four metal plates in the correct gauge and hole size

to repair rusted, enlarged holes or thin tops of the four subframe to body mounting brackets. Important: Welding required.

KW696 1968-74

€ W O S O	1,00 ,4.		armon	TO STATE OF
000	9	0	8	000
9	9 7 7	9.9	012-109	

1968-74 Interloc Body Mount Bushings

Designed as a direct replacement for factory bushings. The self-locking, aluminum design eliminates frame to body slippage. Especially recommended if going with subframe connectors. Sets include four main body bushings, 1/2" drop sets also include two core support bushings.

Without		st Subframe Connecte		
C800	1968-74	stock height	133.99	set
C801	1968-74	1/2" drop	133.99	set
With GI		Subframe Connectors stock height	89.99	cat

Chassisworks

These billet machined aluminum subframe bushings

will greatly reduce the chassis flex of a subframe car. Recommended for use with weld-in subframe connectors to complete the installation for high-performance applications and custom subframes. Includes 4 subframe bushings and 2 radiator support bushings. K6816 1968-74 aluminum. 101 99 set



🛬 1968-74 Solid Body Mount Set

These solid body mounts offer a simple solution for eliminating the chassis flex that occurs between the body and subframe connection, this will improve vehicle handling response by increasing chassis rigidity. These mounts should be used when installing subframe connectors to maximize torsional rigidity These uniquely designed body mounts are CNC machined from billet aluminum and then hard coated not bright anodized. Unlike regular bright anodizing, the hard coating process resists corrosion that can occur between steel and aluminum surfaces. This set includes 2 core support mounts with stainless steel bevel washers and 4 body mounts with stainless steel bevel washers CNC-machined stainless steel bevel washers; available either 1/2 or stock height. A polished stainless steel

н	nanged body boit set is available separately.					
ı						
ı				168.99		
ı	D10803	1968-74	stainless steel bolt set	138.99	set	









90

BRAKES



TCI 1962-67 Coilover

Street IFS



Get a Lowered Look and Improve Handling for Your Nova with No Welding Needed! Total Cost Involved coilover Street IFS with coilover springs is a

complete subframe that features the front suspension clip with engine motor mounts and suspension brackets installed. A narrowed rail design will give 1-1/2" of space per side for wide tires. A vertical metal plate is now used for mounting the upper control arms. This design allows easy camber and ister adjustments via shims instead of alignment slots. This will keep your Nova in alignment for a longer time. Frame is engineered with U.S. steel. Made in USA. ortant: No welding necessary, Assembly is required, Rot


spindles, and brake units are assembled with bearings packed with high temp grease. Shown painted for illustration purposes only. Componen are supplied unfinished. Note: Shipped double oversize

steering and suspe subframe assembly

Coilover Street IFS Set Includes:

- Narrowed tubular upper A-arms
- Narrowed tubular lower A-arms · 2" drop spindles
- New manual rack and pinion gear
- Custom steel inner front fender panels
- Big bore calipers
 11 drilled and slotted zinc-plated rotors
- 1" anti-roll bar
- Black powder coated springs
- Painted coilover shocks Hood hinge brackets
- Upper and lower ball joints Greaseable urethane bushings Small block engine brackets





crossmember and subframe assembly

shocks

TCI 1962-67 Pro-Touring

IFS Subframe

Give Your Nova a Pro-Touring Look That Won't Rreak the Rankl

If you're looking to add distinctive Pro-Touring style to your Nova. These TCI subframes have a narrowed rail design which will tuck in the wheels, yielding an aggressive stance and tenacious cornering grip. They bolt on using factory bolt holes and will greatly improve handling on the street, strip, and autocross track. This assembly features the front suspension clip with engine mounts and suspension brackets installed. Also includes a full front suspension, and a high-performance braking package. These subframes are engineered with U.S. steel and proudly made in USA.

ortant: No welding necessary, Assembly is required, Rotors, spindles, and brake units are assembled with bearings packed with hi-temp grease. Shown painted but compon are supplied unfinished.

Vote: Shipped double oversize


Pro-Touring IFS Set Includes:

- · RideTech single adjustable shocks Black powder coated springs
- · Tubular upper and lower A-arms 2" drop spindles
- 1" anti-roll bar · Adjustable Heim 1-1/4" down bar tubes
- · 11" drilled and slotted zinc-plated rotors
- · Custom steel inner front fender panels New manual rack and pinion gear
 - · Greaseable urethane bushings
 - Big bore calipers Stainless brake lines
 - · Mounting hardware





Arm Suspension
A lowered stance and superior



The 1962-67 Chevy Nova torque arm assembly is engineered for street, autocross and road course applications and is ideal for enthusiasts who want modern, corner carving handling for their classic Nova. The set gives a lowered stance, greater rear axle control and dramatically improved handling. The set is bolt-on except for minor welding. Optional sway bar, rear end and transmission crossmember sold separately. Engineered with U.S. steel. Made in USA.

ortant: Some welding necessary. An installation tool is included for bracket po Shown painted for illustration purposes only, Supplied unfinished. Note: TCI housing comes with all brackets installed and heli-arced. Shipped double oversize

with coilover shocks



crossmember Product image shown with optional crossmember, complete rear end and anti-sway bar.

Extra Options

Anti-sway bar

Transmission crossmember

triple adjustable

coilover shock

Torque Arm Suspension Kit Includes:

- All American coilover shocks 1-3/4" subframe connectors
- · Floor reinforcing plates and hardware Adjustable pinion support tubes with rod ends
- Axle housing brackets with torque arm tabs
- 1-1/2" coilover crossmember with channel brackets Rear Suspension Set - Natural 1962-67

52951050

- adjustable panhard bar with LH & RH rod ends torque arm w/slider & reinforcing flanges 1-1/4" link bars with stainless adjustors
- Bolt- 1-3/4

" crossmember with drive shat	ft loop

2209.99 set

optional transmission

crossmemher

9 Tear end assembly with 11 druin brakes
S and the second

sinole adjustable

1962-67 52851051 with single adjustable coilover shocks 2509 99 kit 52851052 1962-67 with triple adjustable coilover shocks 3061 99 Lit 9" Rear End Assembly with 11" Drum Brakes with open gear . Transmission Crossmember 7297540 1962-67 unfinished

TCI 1962-67 Performance 4-Link Rear

Modernize Your Nova's Rear Suspension without Cutting or Welding Your Stock Floor

This 1962-67 Chevy II/Nova performance 4-Link rear assembly from TCI is designed as a true bolt-in system. The kit was designed to eliminate the poor handling characteristics that occur with stock leaf springs. Optional sway bar and transmission crossmember sold separately. Engineered with high-quality U.S. steel and proudly made in USA.

Important: No welding necessary. Assembly is required. Shown painted for illustration purposes only. Components are supplied unfinished. Note: Shipped double oversize

4-Link Rear Suspension Kit Includes

- Driveshaft Loop crossmember notched for 3" exhaust Subframe connectors
- . 1-1/4" adjustable link bars
- Greasable urethane bushing
- All American coilover shocks
- Powder coated springs
 - Adjustable nanhard bar
 - Bolt-in coilover crossmember
 - · Adjustable Pro-Street axle brackets
 - · Floor reinforcing plates and hardware

4-I ink with Coilover Shocks - Natural 52951020 1962-67 with coilover shocks. 2119.99 set 52851030 1962-67 with single adjustable coilover shocks 52851040 1962-67 with triple adjustable coilover shocks Sway Bar 42848560 1962-67 unfinished 42848561 1962-67 Transmission Crossmember

2359.99 kit 2071 99 kit 289.99 set 354.99 set 119.99 cs














DUSPENSION, TEERING,

m

Mustang II Style 1962-67 Bolt-On Subframe

A Lowered Look and Superior Handling for Your Chevy II/Nova in 3 Easy Steps!



Get The Mustang II Subframe you can give your 1962-67 Chevy II/Nova the lowered look and superior

handling the street rods have enjoyed for years. Install a Heidt's IFS with no welding. Simply unbolt your complete front clip and bolt in the Heidt's complete subframe. Install the firewall supports, bolt on the suspension components and you are all set. The stock radiator support also bolts right up. rtant: 15" wheel or larger required. Brake lines not included. Subframe and

components are supplied unpainted and unassembled. Note: Special order. Shipped overweight.

Subframe Set Includes:

- Crossmember/Subframe Assembly
 Shock absorbers
- Steel Tubular Control Arms
- 275-375 Spring Rates Available
- Rebuilt GM Metric Calipers
- Stock or 2" Drop Spindles Manual Rack and Pinion
- . Tie Rod Ends and Ball Joints 11" Iron Rotors with 5 on 4-3/4" BP
 All Mounting Hardware
 - and Bushings Firewall Supports

-				
	0		TY O O O HI	IIIII
	_	0	110000	H10030

Mustang II Subframe

Adapt Your OE Steering Column The steering column adaptor is specially designed to connect your factory steering column to the rack and pinion input shaft on Heidt's Mustang II style and Superide

II subframe assemblies. The set includes: a steering column bracket, steering column clamp, steering column bushing, new replacement steering column shaft (3/4"-36 splined end), Double-D shaft, 3/4"-36 spline rack adaptor, and all the necessary hardware

Manual S	teering		
H10110	1962-66	3/4"-36 splined rack adaptor	443.99 set
H10031	1967	3/4"-36 splined rack adaptor	443.99 set
Power Ste			
H10030	1962-66	3/4"-36 splined rack adaptor	443.99 set
H10111	1067	3/4" 36 colined rock adaptor	442 00 cat

Special Discounted Pricing on Upgrade Options, Only When Bundling with the Subframe!



Order Your Upgrades

H10125A 1962-67 for shock absorbers...

Do you want to add options to your order? Like 11", 12", or 13" Wilwood Disc brakes with drilled and slotted rotors, or billet coilover shocks with chrome springs' These add-on options are specifically for the Heidt's Mustang II Style subframe for the 1962-67 Nova. The pricing shown is an upcharge for the HS1301 Subframe/

1474.99 set

Suspension Package only and not for separate purchase. See the list below. Note: Upgrades are designed for Heidt's Mustang II subframe and are not available separately. Stainless Steel Control Arms

H10125C 1962-67 for collovers				
Wilwood Brakes				
World class builds call for high-performance brakes. Choose from 11" or 12 drilled and slotted rotors with 4 piston calipers, or go with 13" drilled and slotte				
drilled and slotted rotors with 4 piston calipers, or go with 13" drilled and slotte				
rotors with 6 piston calipers. Each brake set is available with your choice of black				
polished, or red calipers.				
Wilwood 11" Drilled/Slotted Rotors and 4 Piston Calipers				
H10032 1962-67 black 4 piston calipers				
H10033 1962-67 polished 4 piston calipers				
H10034 1962-67 red 4 piston calipers				
Wilwood 12" Drilled/Slotted Rotors and 4 Piston Calipers				
H10046 1962-67 black 4 piston calipers 1439.99 se				
H10047 1962-67 polished 4 piston calipers				
H10048 1962-67 red 4 piston calipers				
Wilwood 13" Drilled/Slotted Rotors and 6 Piston Calipers				
H10049 1962-67 black 6 piston calipers				
H10050 1962-67 polished 6 piston calipers				
H10051 1962-67 red 6 piston calipers				
Power Rack and Pinion				
H10114 1962-67 power rack and pinion				
Billet Coilover Shock Assemblies				
Trans. 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				

rates depen	ding on wh	at engine will be installed.	ce of spring
H10035A		375# spring rate – small block aluminum head	586.99 pr
H10035B		500# spring rate – small block iron head	586.99 pr

H10035C H10035D	1962-67 1962-67	600# spring rate – big block aluminum head 700# spring rate – big block iron head	586.99 pr 586.99 pr
		Inner Fender Panels	
IS325 IS326	1962-65 1966-67	inner fender panels	301.99 pr 301.99 pr
		Sway Bar Set	
IS060	1962-67	performance sway bar - 7/8" diameter	320.99 set
	St	ainless Steel Ball Joint Covers	

polished stainless steel hall joint covers

Ī

H10035C


Heidt's Superide II 1962-67 Bo

come in three levels to better fit your car's purpose and your budget! This is a bolt-on subframe with complete suspension and steering components. It bolts to the firewall in place of the original subframe with no welding! Simply unbolt your complete front clip and bolt in the Heidt's complete subframe. Install the firewall supports, bolt on the suspension components and you are all set. The

Important: Rear sump oil pan required. Minimum 15" wheels required with 11" rotors. Brake lines not included. Subframe and components are supplied unpainted

Note: All kits shipped overweight.

A Lowered Look and Superior Handling for Your Chevy II/Nova in 3 Easy Steps!



The Superide II Subframe

you can give your 1962-67 Chevy II/Nova the lowered look and superior handling the street rods have enjoyed for years. Install a Heidt's IFS with no welding. Simply unbolt your complete front clip and bolt in the Heidt's complete subframe. Install the firewall supports, bolt on the suspension components and you are all set. The stock radiator support also bolts right up.

Important: 15" wheel or larger required. Brake lines not included. Subframe and components are supplied unpainted and unassembled. Note: Special order. Shipped overweight.

Subframe Set Includes:

- Crossmember/Subframe Assembly
- Steel Tubular Control Arms
- 11" Iron Rotors with 5 on 4-3/4" BP
- Wilwood 4 Piston Calipers 400-550 Spring Rates Available
 Stock or 2" drop spindles
- Manual Rack and Pinion
 - Superide II Subframe
- · Single Adjustable Billet Coilovers
- Tie Rod Ends and Ball Joints
- All Mounting Hardware & Bushings
- Firewall Supports
 Standard or Narrow Sway Bar Inner Fender Panels

Steering Column The steering column adapter is specially designed to connect

column to the rack and pinion input shaft on Heidt's Mustang II style and Superide II subframe assemblies. The set includes: a steering column bracket, steering column clamp, steering column bushing, new replacement steering column shaft (3/4*-36 splined end), Double-D shaft, 3/4*-36 spline rack adaptor, and all the necessary hardware.

	Column to Steering Rack Adaptor Set				
Manual S	teering				
H10110	1962-66	3/4"-36 splined rack adaptor	443.99		
H10031	1967	3/4"-36 splined rack adaptor	443.99	set	
Power Ste	ering				
H10030	1962-66	3/4"-36 splined rack adaptor	443.99	set	
H10111	1967	3/4"-36 splined rack adaptor	443.99	set	
				-	

Special Discounted Pricing on Upgrade Options. Only When Bundling with the Subframe!

Order Your Upgrades Do you want to add options to your order? Like 11", 12" or 13" Wilwood Disc brakes with drilled and slotted rotors, or billet coilover shocks with chrome springs? These add-on options are specifically for the Heidt's Superide II subframe for the 1962-67 Nova. The pricing shown is an upcharge for the HS1305 Subframe/Suspension Package only and not for separate purchase. See the list below.

Note: Upgrades are designed for Heidt's Superide II subframe and are not available separately.

World class builds call for high-performance brakes. Choose from 11" or 12" drilled and slotted rotors with 4 piston calipers, or go with 13" drilled and slotted rotors with 6 piston calipers. Each brake set is available with your choice of black, polished, or red calipers. WELL THE P. W. LICE .

1	H10122B	1962-67	black 4 piston calipers	737.99	set
	H10122P	1962-67	polished 4 piston calipers	737.99	
1	H10122R	1962-67	red 4 piston calipers	737.99	set
1	Wilwood 12	" Drilled/	Slotted Rotors and 4 Piston Calipers		
1	H10123B	1962-67	black 4 piston calipers	850.99	set
	H10123P	1962-67	polished 4 piston calipers	850.99	
1	H10123R	1962-67	red 4 piston calipers	850.99	set
			Slotted Rotors and 6 Piston Calipers		
	H10124B	1962-67	black 6 piston calipers	2151.99	set
	H10124P	1962-67	polished 6 piston calipers		
1	H10124R	1962-67	red 6 piston calipers	2151.99	set
- 1			Power Rack and Pinion		

		Power Rack and Pinion	
H10114	1962-67	power rack and pinion	247.99 ea
Polished Billet Coilover Shock Assemblies			
Billet coile	over shocks	with powder coated springs include your choi	ce of spring

rates depending on what engine will be installed.

H10126A	1962-67	400# spring rate - small block aluminum head	107.99 pr
H10126B	1962-67	450# spring rate - small block iron head	107.99 pr
H10126C	1962-67	500# spring rate - big block aluminum head	107.99 pr
H10126D	1962-67	550# spring rate - big block iron head	107.99 pr
	Adj	ustable Firewall Support Tubes	
H10052		adjustable Firewall Support Tubes adjustable support tubes	166.99 pr
H10052	1962-67		166.99 pr











90

BRAKES

DUSPENSION,

Heidt's Pro-G 1962-67 Bolt-On Subframe

Get Pro-Touring performance handling that bolts on to your Nova! Heidt's Pro-G Suspension is based on a full front subframe with 56-3/8" track width. The final assembly provides true racing geometry for unbelievable cornering that will enhance your Nova!

Bolt-On Pro-Touring Performance for Your Chevy II/Nova in 3 Easy Steps!



Pro-G Subframe

Heidt's Pro-G subframe starts with a basic package to make your car sit lower and hug curves tightly. Control arms, rack and pinion, drop spindles, and disc brakes combine to allow quicker stops and more precise driving.

mportant: 16" or larger wheels required. Brake lines not included. Subframe and components are supplied unpainted and unassembled.

Note: Special order. Shipped truck freight.

- Set Includes:
- Motor Stands for Small Block/LS Wilwood 11" Smooth Rotors
- Wilwood 4 Piston Black Calipers Firewall Supports
- Tubular Control Arms 2" Drop Spindles
- · Powder Coated Coilover Springs Adjustable Coilover Shocks 400-600 Spring Rates Available
- Power Rack and Pinion
- Wheel Bearings and Seals
- Tie Rod Ends and Ball Joints Heidt's Pro-G Subframe

Heidt's Pro-G base subframe 6382.99 set

Adapt Your OE Steering Column The Pro-G subframe package is designed to work with most popular aftermarket steering columns. However, Heidt's offers a convenient kit to adapt the rack and

pinion on the Pro-G subframe to work with your factory column. Connect your factory steering column to the rack and pinion on Heidt's Pro-G subframe. Includes: steering column bracket, clamp, and bushing as well as new replacement steering column shaft (3/4"-36 splined end), DD shaft, DD input shaft rack adapter, and installation hardware HS37307 1962-67 "DD" input shaft rack adaptor.

Special Discounted Pricing on Upgrade Options. Only When Bundling with the Subframe!







Order Your Upgrades

These optional add-ons let you build your Pro-G subframe to meet the specific needs of your Nova build. Upgrade your control arms, sway bars, and brakes for ultimate handling performance!

Note: Upgrades are designed for Heidt's Pro-G subframe and are not available separately

Polished Stainless Steel Control Arms Heidt's TIG welded tubular control arms provide strength and stability with the shine of polished stainless steel. HS37103 1962-67 with factory geometry 2600 00 set Sway Bar

Need a front sway bar? Choose from two options, a factory style 1" sway bar or the 1-1/4" splined sway bar for more performance driving. 1962-67 factory style, 1" diam..... 1962-67 splined, 1-1/4" diam..... HS37112

Wilwood Brakes World class builds call for high-performance brakes. Choose from 11 and slotted rotors with 4 piston calipers, or go with 13" drilled and slotted rotors with 6 piston calipers. Each brake kit is available with your choice of black, red, or polished calipers.

Important: Add two letter color code suffix when ordering. DB=black, DR=red and DP=polished.

11" Drilled/Slotted Rotors HS37221 1962-67 4 piston calipers..... 416 99 ca 12" Drilled/Slotted Rotors 1962-67 4 piston calipers. 13" Drilled/Slotted Rotors

HS37223 1962-67 6 piston calipers 2008 99 69 Inner Fender Panels 584.99 pr H10127 1966-67 584 99 pr inner fender nanels

HS37403

Suspension Components



1962-67 Flexible Brake Lines

These flexible DOT approved, stainless steel covered brake lines with Teflon lining are specifically designed to accommodate Wilwood calipers and the tall 2" drop spindles on the Heidt's subframe assembly. Set includes: -3AN line frame side fittings and caliper adaptors with seal washers.

2207056 1962-67 65 99 set



H10030



The steering column adaptor is specially designed to connect your factory steering column to the rack and pinion input shaft on Heidt's Mustang II style and Superide II subframe assemblies. The set includes: a steering column bracket, steering column clamp, steering column bushing, new replacement steering column shaft and all the necessary hardware.

3/4" 36 spline ... 443.99 set 3/4" double-D... 443.99 set H10031 1967



purposes only, supplied unfinished.

1962-66

H10030

1968-74 Transmission Crossmember 🔥

This transmission crossmember provides maximum adjustability to fit nearly any engine/transmission combination. The Heidt's subframe has mounting rails welded to the frame assembly to make installation a snan


H10004 1968-74 127.99 ca



1962-67 Mustang II Style Sway Bar Set

Add a stabilizer bar to your 1962-67 Chevy II/Nova when you are using the Mustang II style crossmember and independent front suspension. Adaptor brackets are required to mount the sway bar end links to the tubular A-arms.

HS060 1962-67 7/8" sway bar.... 320.99 set 41.99 pr HS012 1962-67 bracket



1962-67 4-Link Rear Subframe

Your Chevy II/Nova will handle like it's on rails with this high performance rear 4-Link subframe from Heidt's. Fully welded one piece subframe connectors stiffen the body, while tunable rear 4-Links adjust to provide the best traction. A panhard bar ensures full street drivability. Subframe is equipped with one piece subframe connectors, top crossmember, unfinished steel panhard bar with axle bracket, black coilover shocks and springs, and unfinished steel 4-Links with axle brackets. Also available is an adjustable transmission mount crossmember that allows you to easily install any transmission from a Powerglide to a Richmond 6-speed.

Note: Shipped	d overweight.		A
HS1001 HS1001B HS1003	1962-67 1962-67 1962-67		
1131003	1702 07	tunimistori mount crossinatori	104.55 64



- · All Chassis and Axle Brackets
- Adjustable 4-Link Mounts Upper Coilover Crossmember
- Panhard Bar

- · Billet Coilover Adjustable Shocks
- Polished Billet Coilover Adjustable Shocks Bare 9" Ford Axle Housing
- · 9" Ford Axle Housing and Axles

1968-74 4-Link Coilover Rear Suspension

If you're seeking better handling and more power handling capabilities from your 1968-74 Nova, then check out the newest 4-Link coilover rear suspension from Heidt's. This high-performance suspension bolts directly in place with no floor modifications. All chassis and axle brackets are included, along with the upper coilover crossmember, panhard bar, single adjustable billet shocks with chrome coilover springs and adjustable 4-Link mounts that allow precise fine-tuning of the suspension. The 4-Link system can be outfitted with a choice of 2 shock setups, a Ford 9" axle housing with a 60-1/2" track width, and a choice of 28 or 31 spline axles with 5 x 4-3/4" bolt circle. See below for available options.

ortant: Welding is required to attach brackets to the axle housing when using an owner supplied housing

Note: Shipped overweight.		_
4-Link Coilover Suspension		_
H307103 1968-74 with bille	et adjustable shocks	2013.99 kit
4-Link with Bare 9" Ford Axle Ho.	using	
H307203 1968-74 with bille	et adjustable shocks	2989.99 kit
4-Link with 9" Ford Axle Housing	and 31 Spline Axles	











m ď 2 REAR

Detroit Speed & Engineering Subframe & Suspension



The Subframe is Complete Including the Following Components:

- · Tubular upper and lower control arms
- · Coilover shocks and springs
- · Power rack and pinion steering · Splined sway bar

· C6 Corvette steering knuckles with hubs Information Regarding Wheel Fitment:

Note: Special order must be prepaid. Shipped truck freight

 17" wheels – up to 10" wide • 18" and 19" wheels - up to 10" wide

Bolt pattern 5 on 4-3/4", Stud Size M12 x 1.5. 17" wheels require a minimum inside diameter of 16.250". Some brake applications will not work with 17" wheels. Flush mount valve stems also be required on wheels with a behind center valve stem local will not fit on 1968 Nova models



for small or big blocks.

1968-74 Hydroformed Subframe

Detroit Speed and Engineering's all-new front subframe is a bolt-in replacement for the original stock subframe. Utilizing DSE's industry exclusive hydroformed frame rails and unique suspension geometry, it improves ride quality and handling. Hydroformed frame rails offer strength, stiffness, precise quality and repeatability. Both the main and secondary crossmembers are stamped for structural rigidity. DSE's front subframe can accommodate a 10" wide wheel package with up to 335-series tires without modifying the inner wheel wells, but you must check the fender lip for turning clearance. You can use any C6 Corvette brake package from stock to aftermarket, DSE subframes will accommodate small block, big block, LS1, LS2, and LS7 engines as direct bolt-ins. Brake hoses will need to be custom made because they will require a metric fitting on one end but a standard fitting on the other. portant: The subframe and parts are sold in bare metal, uncoated and not assembled. If the powder coated option is purchased, assembly is included. The assembled subframe is finished in satin black. Upper and lower control arms, and sway bar arms are gloss black. 1968-72 use stock frame and engine mounts; 1973-74 use 1968-72 [trame and engine mounts

		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	444	
		Subframe in Bare Metal		
Small Block	k or LS Eng	ines		
D32001	1968-74	450 lb/in spring rate	7899.99	set
Big Block I				
D32002	1968-74	525 lb/in spring rate	7899.99	set
Subfran	ne with B	lack Powder Coated and Assembl	y Optic	n
Small Block	k or LS Eng	ines		
D32004	1968-74	450 lb/in spring rate	8399.99	set
Big Block I				
D32005	1968-74	525 lb/in spring rate	8399.99	set





1968-74 LS Engine Mount Set These engine mount sets are for use with the 1968-74 Detroit Speed and Engineering

subframe. The LS engine mount bracket set enables easy, no hassle installation of an LS engine into the DSE hydroformed subframe. This set locates the engine in the proper location, provides the correct method of adapting the 3 bolt engine mounts to the 4 bolt LS engine mounts and requires no fabrication.

1968-74 LS engine





1962-67 Chevy II Front Frame

Detroit Speed's front frame is a bolt-in replacement for the stock subframe. It improves handling and ride quality by utilizing DSE's unique suspension geometry. The bay bars feature rigid integral hood hinge mounting and are hidden when used with DSE's Chevy II Inner Fenders package to allow up to a 9" wide wheel without modification. SBC and LS engines have been designed as a direct bolt-in to this frame. Each set includes: tubular control arms, coilover shocks/springs, power rack and pinion, splined sway bar, and C6 Corvette uprights. The frame is sold in bare metal, uncoated and unassembled. If the powder coated option is purchased, assembly is included.

Note: Specia	l order, must b	e prepaid. Shipped truck freight.		
Subframe l	Unassembled	in Bare Metal	Start London	
D32031	1962-65	small block or LS	6599.99 s	c
D32033	1966-67	small block or LS	6599.99 s	c
Subframe A	Assembled ar	nd Powder Coated		
D32032	1962-65	small block or LS	7899.99 s	×
D32034	1966-67	small block or LS	7899.99 s	c
				-





1962-74 Subframe Connectors

These weld-in subframe connectors are fabricated from 2" x 3" x 0.095" wall rectangular tubing for 1962-67 Nova or 2" x 3" x 0.120" wall rectangular tubing for 1968-74 Nova. These connectors are barely visible from underneath the vehicle. The rear of the connector is tapered to attach to the rear frame rails and has a laser cut slot that conforms to the rear seat floor pan. The connectors are bent and TIG welded in a fixture for accuracy and repeatability. These do not interfere with seat attachment hardware, installation or removal of the rear leaf spring pocket, and the molded factory carpet will fit over the connectors. Includes: laser cut brackets, templates, pictures and detailed instructions for installation.

pte: If not installing the 1962-67 Chevy II OUADRALink™ you will need to purchase

	Subframe Connectors	
10104	1962-67	214.99 pr
10102	1968-74	244.95 set
	Torque Box	
hese 1962	2-67 Chevy II torque box assemblies are for use with Detroit Spec	ed subframe
nnectors	D10104 when not installing a OUADR ALink® suspension. S	old in pairs

1968-74 Leaf Spring Offset Shackles

These billet aluminum offset shackles are designed to relocate the rear leaf springs inboard to accommodate larger rear tires. They relocate the rear leaf spring inboard to accommodate 335 tires (with a section of 13.5") on a F-Body. The shackle offset is 1-3/4". Use along with other Mini-Tub components to complete your project. Set includes: 4 offset shackles and Grade 8 fasteners. This shackle is designed for maximum suspension travel. Made in USA



Note: The stock fuel tank will need to be narrowed or use DSE's narrowed stainless steel fuel tank when relocating the rear leaf springs. D40901 1968-74



Detroit Speed & Engineering Rear Suspension



The Mini-Tub Set Includes:

- Extra Wide, Deep Tubs
- Upper Shock Crossmember Upper Shock Mounts
- Offset Shackles
- Heavy-Duty Leaf Springs
- Adjustable Leaf Spring Pads I nwer Shock Plates
- Heavy-Duty U-Bolts
- Detailed Installation Video CD Temnlates

1968-74 Mini-Tuh Set

Now you can run all the tire you need, and drop the rear for the "Pro-Touring" look on your 1968-74 Chevy II/Nova with this complete Mini-Tub package. This set is designed to fit tires up to 315mm wide and wheels up to 11" wide without any clearance problems. Installation is a snap with the installation video CD that is provided. The American-made, multi-leaf, 175 lb/in. rate springs are tested to meet exacting specifications and matched to ensure a level stance available in either a 2" or 3" drop configuration.

Important: The installation of these components requires extensive modifications and welding skills. The rear frame rails will need to be notched and boxed to clear the offset shackles and leaf springs. A narrower than stock gas tank is required with these repositioned shackles and leaf springs. Requires 3* axle tube for installation of spring pads. Shocks sold separately.

ote: Special order, must be prepaid. D41207 1968-74 " dron 1968-74



3" drop

These AFCO rear shocks are essential for 1968-74 Chevy II/Nova models that have been mini tubbed. The mono-tube, high pressure gas shocks have a 1/2" bearing mount on each end, and are rebound adjustable. The Mini-Tub set is designed around this shock for proper mount height, as well as jounce and rebound travel. D41301 1968-74 LH and RH.



1968-74 Deen Tubs

Note: Shipped double oversize.

1968-74

D40402

Detroit Speed's exclusive Deep Tubs are inner wheel housings designed to accommodate wide tire and wheel packages. They are engineered for an excellent fit and allows you to maintain a "stock" look. Much wider than the stock wheel housings, allowing for tires as wide as 335mm and wheels as wide as 12" Deep Tubs are stamped from 18 gauge steel here in the USA. They will significantly reduce the number of hours required for a Mini-Tub project. Included is a CD containing printable templates and a full instructional video that guides you through the install process from start to finish





1962-74 QUADRALink Rear Suspension

Upgrade from original leaf spring suspension with DSE's Quadralink rear suspension. The DSE "Swivel-LinkTM" allows the suspension to fully articulate with smooth solid motion an no binding. The Swivel-Link design utilizes tuned, high durometer rubber bushings (instead of Heim joints or squeaky urethane bushings) and the long upper links provide great pinion and U-joint angle control. Utilizes a panhard rod that provides precise and effective rear axle lateral location during hard cornering. The panhard rod is adjustable as ride height changes for roll center control

Important: *Axle brackets require a 3" axle tube. Moser 12 bolt or Ford 9" axle assemblies are a good choice for this setup and are available in this catalog.

te: Special order, must be prepaid. Shipped double oversize D41707 1962-67 3353 99 set D41704* 1968-74 2755 99 set



439.99 pr

1968-74 Mini-Tuh Fuel Tank Set

These stainless steel, narrowed, 17 gallon fuel tanks are designed specifically for use with our Mini-Tub set. These are a direct bolt-in replacement using the original mounting location, and the stainless steel fuel tank straps are provided. All carbureted tanks have a 1/2" NPT fuel pickup fitting compatible with either -8 AN or -10 AN fuel line. The fuel injection tanks are supplied with Walbro electric in-tank pumps that deliver plenty of fuel for your late model injected engine. All tanks are baffled and pressure tested Important: A universal 5 bolt single wire 0-90 Ohm fuel

sending unit is required and is available separately.

Carburete	d		- OS2
D80107	1968-72		986.99 set
D80110	1973-74		1206.99 set
Fuel Injec	tion		
D80109	1968-72	LS1	1426.99 set
D80112	1973-74	LS1	1646.99 set

ധിധയി





14092190

SUSPENSION,

END

90

BRAKES

Brakes for DSF Ouadralink Rear Axle Assemblies Classic Industries® and Wilwood have put together

disc brake sets that will compliment Detroit Speed's QUADRAlink rear axle assembles. Match your front W6AR big brake set with the W4AR 4 piston caliper set. The calipers and rotors match perfectly to create the look and performance of a well built Pro-Touring car. The Superlite 4R 4 piston caliper set will match your front Superlite 6 set to complete the overall styling and performance that makes your vehicle stand out Note: Special order, must be prepaid. Shipped overweight.

W4AH	Big Brake Hear S	ets	
14" Drilled/Slot	ted Rotor		
14010948D	black	2019.99	se
14010948DR	red	2019.99	sc
Superlite	4R Big Brake Rea	ır Sets	
13" Drilled/Slot	ted Rotor		
	black		
1409219DR	red	1744.99	se

D41208









1819.99 set

1819.99 set





Ridetech Suspension Systems



ridetech


Looking to add some performance to your suspension? Ridetech has what you need!





- · Direct replacement for factory suspension
- · Radical improvement to ride quality and handling performance
- · Dual rate front coil springs offer ride quality and crisp handling · Delrin front control arm bushings eliminate movement and static
- friction in front suspension
- · Composite rear leaf springs save 70 lbs of unsprung weight! · Delrin leaf spring bushings regain lateral stability missing with rubber or poly bushings
- . Tall ball joints improve OEM camber curve for a more stable feel through the corners
- · Larger front and rear sway bar minimizes body roll
- · Delrin sway bar bushings eliminate movement and static friction
- in the sway bar to improve ride quality and handling performance · RideTech HQ series rebound adjustable shocks offer the ultimate
- in ride quality and handling performance
- · Staggered rear shocks eliminate wheel hop; upper mounts are reinforced for extra strength

1968-74 StreetGrin



ortant: Recommend the RideTech Bushing Installation/Removal tool - 85000009 for ose who do not have a press to remove and install bushings. 11265010

1968-74 2599.99 set small block 11265110 1968-74 2599 99 set big block



Upgrades:

- · Spindles Taller for camber gain and a raised spindle pin to lower vour vehicle 2".
- Steering Arms Corrects bumpsteer and allows for 10" wide wheel with 5.75" backspacing.
- Drag Link Bracket Bolts onto OEM unit to relocate the inner tie rod end to minimize bumpsteer.
- · Tie Rod Assemblies Integrate with your new steering arms and center link to provide a true bolt-on steering system.

1968-74 TruTurn Steering System

This TruTurn system resolves several issues with early Nova front suspension geometry. With this set, bumpsteer is virtually eliminated, steering arm interference is corrected to allow wider tires, and the wheels lean into turns, rather than away. If your front suspension already uses RideTech drop spindles, the TruTurn Upgrade Set includes the remaining components to correct the issues of the factory design. Made in USA

ste: 10" wide tis ire modification of the inner wheelhouse and outer fender lip. Not for use with OEM or other aftermarket spindles. Complete TruTurn Steering System

11169500 1968-74 Upgrade Set Without Spindles 1968-74

1968-74 4-Link Suspension

Experience crisp, controlled ride quality and confident performance driving with this 4-Link suspension from Ridetech! This system attaches directly to your vehicle's OEM leaf spring mounts with no cutting or fabrication, just 4 small tabs to weld to the axle for your upper bars. The ride height of will be lowered approximately 2" and the ride quality and performance is dramatically improved. Use with ShockWave or RideTech coilover shocks (sold separately).

Note: 4 small tabs must be welded. Professional installati not included. Shipped oversize. 1968-74 AB20801



the RideTech StreetGRIP!

ridetech = Air Suspension Systems



Airpod 4 Way Compressor/Controller Systems

Looking for a "Plug and Play" compressor system? The airpod is a completely integrated system with 4 bolt mounting, four plumbing connections, and 3 wiring connections. The lightweight package features a corrosion proof aluminum tank single or dual compressors under a sleek molded cover. The airpod with the RidePRO e3 system is a basic pressure based system that includes a controller and air pressure sensors. The LevelPRO is a more advanced air suspension control system and includes a controller, air pressure sensors, and ride height sensors.

Note: Shipped overweight.	_	
AirPod with 3 Gallon Tank and Single Compressor		
APD4000 RidePRO	2319.99	k
AirPod with 5 Gallon Tank and Dual Compressors		

APD4100 RidePRO



RidePRO 4 Wav Compressor/Controller System

Looking for an analog solution to your air suspension system? Skip the computers and use this manual RidePRO set! Includes: one compressor, one 3 gallon tank, analog control panel, 4 way solenoids, wiring harness, air hose, and fittings. This set will raise and lower your vehicle in approximately 3-5 seconds. Note: Shinned overweight

30154000 RidePRO





Ridenro X Air Suspension Level Control System

Adjust vehicle height at the push of a button while maintaining balanced air springs. RidePro-X tunes air suspension for proper handling and world-class ride quality by way of sophisticated pressure and height algorithms. Each time your turn the ignition key, RidePro-X self-adjusts to ride height and compensates for changes in load. Whether you are driving alone to work or on your way to a show with a car or truck load of friends, RidePro-X will calculate proper air spring rate and balance, then work diligently in the background to maintain proper spring pressures and vehicle height. Most enthusiasts will utilize the included 3-position Power Port Module. Sleek and stealthy, the Power Port Module simply plugs into your car or truck's 12V power port (cigarette lighter) and talks to the ECM via RF. Includes: ECU, 3 preset controller, smartphone control module, air pressure sensors, wiring harnesses, and instructions.







Ridepro X Leveling Airpod Compressor System

5 gallon Airpod with Ridepro X control system, Includes: Ridepro X control system, aluminum 5 gallon tank, Thomas compressor Ridepro valves, 1/4" airlines and fittings. The Airpod offers a completely integrated air compressor system that eliminates hours of installation time. 30414100 5 gallon tank



Rideoro X Levelina Compressor System

3 or 5 gallon compressor system with Ridepro X controller. Includes: Ridepro X control system, aluminum 3 or 5 gallon tank, Thomas compressor, Ridepro valves, 1/4" airlines, and fittings. 20424000 3 gallon tank 1800.99 set

30418000











30431400

5 gallon tank

1300 99 set

Suspension Sets

1968-74 Three Stage **Steering and Suspension Sets**

Included in all the preconfigured sets:

- Steernids Rack and Pinion Conversion Kit for Power Steering
- Performance 1.5" Drop Rear Leaf Spring Kit
- Performance Front and Rear Swav Bars
- All Necessary Hardware, Fasteners (Grade 8), Brackets and **Detailed Installation Instructions**

These preconfigured Stage Steering and Suspension sets for 1968-74 Nova models take the guess work out of improving your suspension. The foundation of these suspension packages a complete front coilover conversion and rear Suspension Upgrade and the legendary Steeroids Rack and Pinion Conversion kit. The front coilover conversion allows either factory or aftermarket control arms, featuring fully adjustable ride height. The included Steeroids Power Steering Rack and Pinion conversion kits are lighter weight and much quicker ratio – saving up to 25 lbs when compared to the stock steering system. Make your classic X-Body handle like never before. These sets will reuse the existing power steering pump. Designed for ease of installation, these kits are entirely bolt-on with no welding, cutting or drilling required. Installs with hand tools. Proudly made in the USA. Note: Shipped in multiple boxes. Shipped oversize.



Each Increasing Series Level Offers Improved Performance!



Front College Conversion Kit with Double Adjustable Shocks

Performance Double Adjustable Rear Shocks



Includes everything in the Cruiser Series plus loner/Lower Control Arms. Front and Rear 13" wood Disc Brake Conversion Kits



Includes everything in the Nemesis Series alus Frant & Rear Berserker Active Shock Management System

Coilover Shocks





1968-79 Pro Coilover Sets

QAI Pro coilover sets are engineered from the ground up to offer unmatched performance over stock suspension setups for. Pro coilover systems utilize adjustable and non-adjustable coilover shocks and springs, designed specifically for replacing the factory shocks and springs. This combination offers ride height adjustment variable position valving adjustment (where applicable) for performance not found in other sets.

	1968-74 Pro Coilover Sets 1975-79 Pro Coilover Sets						
Single Ad	justable			Single Ad	liustable		
GMP01	1968-74	250 lb	585.99 set	GMP29	1975-79	250 lb	545.99 set
GMP02	1968-74	300 lb	585.99 set	GMP30	1975-79	300 lb	545.99 set
GMP14	1968-74	350 lb	545.99 set	GMP35	1975-79	350 lb	545.99 set
GMP03	1968-74	400 lb	545.99 set	GMP32	1975-79	400 lb	545.99 set
GMP13	1968-74	450 lb	545.99 set	GMP31	1975-79	450 lb	545.99 set
GMP04	1968-74	500 lb	545.99 set	GMP33	1975-79	500 lb	545.99 set
GMP05	1968-74	550 lb	545.99 set	GMP34	1975-79	550 lb	545.99 set
	Single Adju:			R Series S	Single Adjus		
GMP06	1968-74	250 lb	605.99 set	GMP36	1975-79	250 lb	605.99 set
GMP08	1968-74	300 lb	605.99 set	GMP37	1975-79	300 lb	605.99 set
GMP09	1968-74	350 lb	605.99 set	GMP38	1975-79	350 lb	605.99 set
GMP10	1968-74	400 lb	605.99 set	GMP39	1975-79	400 lb	605.99 set
GMP11	1968-74	450 lb	605.99 set	GMP40	1975-79	450 lb	605.99 set
GMP12	1968-74	500 lb	605.99 set	GMP41	1975-79	500 lb	605.99 set
GMP15	1968-74	550 lb	605.99 set	GMP42	1975-79	550 lb	605.99 set
Double A	djustable			Double A	diustable		
GMP16	1968-74	250 lb	705.99 set	GMP43	1975-79	250 lb	705.99 set
GMP17	1968-74	300 lb	705.99 set	GMP44	1975-79	300 lb	705.99 set
GMP18	1968-74	350 lb	705.99 set	GMP45	1975-79	350 lb	705.99 set
GMP19	1968-74	400 lb	705.99 set	GMP46	1975-79	400 lb	705.99 set
GMP20	1968-74	450 lb	705.99 set	GMP47	1975-79	450 lb	705.99 set
GMP21	1968-74	500 lb	705.99 set	GMP48	1975-79	500 lb	705.99 set
GMP22	1968-74	550 lb	705.99 set	GMP49	1975-79	550 lb	705.99 set
	uble Adjuste			MOD Do	uble Adjusta	ıble	
GMP57	1968-74	250 lb	1525.99 ea	GMP50	1975-79	250 lb	1525.99 ca
GMP58	1968-74	300 lb		GMP51	1975-79	300 lb	1525.99 ea
GMP59	1968-74	350 lb		GMP52	1975-79	350 lb	1525.99 ea
GMP60	1968-74	400 lb		GMP53	1975-79	400 lb	
GMP61	1968-74	450 lb		GMP54	1975-79	450 lb	1525.99 ea
GMP62	1968-74	500 lb		GMP55	1975-79	500 lb	1525.99 ea
GMP63	1968-74	550 lb	1525.99 ea	GMP56	1975-79	550 lb	1525 99 ca

1968-71 Coilover System News



This coilover package includes everything you need to completely upgrade your suspension. The package contains front upper and lower control arms, tall spindles, front MuscleBar, a rear 4-Link, and 4 single adjustable coilovers for every corner of your vehicle. Buying a complete suspension system takes all of the guesswork out when upgrading your suspension. This is a tested system to assure the improved handling of your Nova. Made in USA. Note: Shipped double oversize.

Includes:

- Ridetech Tall Spindles · HQ Series Coilovers Upper StrongArms Lower StrongArms
- Front MuscleBar 4-Link Rear Suspension



ridetech 🚖







1962-74 Coilover Shocks Get control of your RideTech suspension with the

right set of coilover shocks. Ride Tech offers 4 different series of coilover shocks for the StrongArm and the Bolt-On 4-Link suspension systems. All coilovers are rebuildable and include springs.

HQ - Handling Quality The HQ series coilover shocks feature adjustment knobs to dial in the rebound force of the shock to meet your needs.

StrongArm 11163510 1968-74 single adjustable.. 779.99 pr 4-Link 11166510 1962-74 single adjustable., 729.99 p

TQ - Track Quality The triple adjustable TQ series remote reservoir shocks allow rebound adjustment and dual stage (high speed

and low speed) compression adjustment. StrongArm 11163511 1968-74 triple adjustable 1959.99 pr 4-Link 11166511 1962-74 triple adjustable 1909.99 pr

Coil Spring Adjustment Wrend A spanner wrench is used to adjust or tighten the coil retainer on the RideTech coilovers, which allows you to adjust the preload of the coil spring. 85000000 1962-74 wrench













5194.99 set



Shock Absorbers



1962-79 Non-Adjustable Rolt-In Shocks

Engineered to be the ultimate direct replacement shock absorber. Features an all aluminum design for minimum weight, urethane bushings, and individually dynotested and calibrated to assure uniform performance. Threaded stem mount is designed to fit into the upper mount, while the open crossbar and pin mount are manufactured with larger urethane bushings, improving load distribution and extending bushing life. "Deflective Disk Valving" in the pistons eliminates spring fatigue. Rebuildable if necessary. Available adjustable factory preset valving for street

		s. Made in USA. S	
14045425	1968-79	front	259.99 pr
14049715	1962-67	rear	289.99 pr
14069715	1968-79	rear	279.99 pr



1962-79 GR-2 Gas Shock

KYB's GR-2 series is specially designed to deliver a smooth, comfortable ride. A patented check valve minimizes foaming and aeration to make sure the ride stavs smooth, even under rough conditions. For that new car ride, purchase a set of GR-2 series shocks. Note: *Must use KY107 adapter to install.

KY343127	1968-79		27.99	ea
Rear Shocks				
KY343135*	1962-67		24.99	ca
KY343132	1968-73	exc. H.D. susp	26.99	ca
KY343157	1968-73	with H.D. susp	21.99	ca
KY343132	1974-79		26.99	ca
Rear Shock A	dapter			
KV107		1 required	0.00	cat



1962-79 Monroe Gas Shock

Get the best shocks available for your Chevy II/Nova from Classic Industries®! We feature low prices and fast delivery. We stock more Monroe shocks for your early or late model Nova than any other muscle carparts supplier! Choose from the standard shocks, gas shocks or our high-performance shocks! We stock them all!

3027	1962-67	front			
5804	1968-74	front		29.99	ea
5506	1968-74	front	gas cushioned	31.99	ea
5840	1975-79	front		40.99	ea
5818	1962-67	rear		41.99	ea
5931	1968-72	rear	mono-leaf	25.99	ea
5802	1968-72	rear	multi-leaf		
5802	1973	rear	w/stabilizer bar	26.99	ea
5021	1072 70	reer	n11	25.00	e n



1962-79 Lakewood Drag Shock

Lakewood drag shocks feature state-of-the-art 10 stage valve design which provides excellent starting line reaction and stable high speed operation, superio to any other shock on the market today. These shocks feature multiple valve stages, as the vehicles speed increases, the characteristics of the shock change. All Lakewood drag shocks will mount in the stock locations without modification.

90/10 Series Front - Race Only Will let the front end rise quickly to provide as much weight transfer as possible to the rear wheels on initial launch

Important: These shocks are not designed for street use 70/30 Series Front or Rear - Street & Strip

Used for overall improved handling on the strip or when quick front end lift is not needed. Works best on medium to high horsepower vehicles with wide tires and low to medium horsepower vehicles with slicks. 50/50 Series Rear - Street & Strip

Used to properly load the rear wheels and prevent over reaction and wheel hop. This shock is the best overall

choice for vehicles that are driven both on the street and the strip. Use with leaf or coil springs.

			-	-0-
LW40310	1968-79	rear 70	V30 Series	76.99 ea
LW40300	1968-79		V50 Series	
LW40120	1968-79	front 7	0/30 Series	76.99 ca
LW40100	1968-79		0/10 Series	
LW40301	1962-67		V50 Series	
LW40104	1962-67		0/10 Series	



Features.

- · Large piston mono-tube design for superior oil
- control increases ride quality 1/2" hardened shaft is precision ground and
- straightened to a .001" tolerance Billet end cap with integrated Teflon debris wiper prevents seal damage
- · Oversized rod guide improves piston rod stability Wear resistant cathode anodized mono-tube bore
- Composite gas separator cup ensures proper nitrogen/oil separation

1962-79 HO Series Mono-Tube Shock

These smooth body aluminum Q-Series shock absorbers with their robust mono-tube design are a durable, direct replacement performance upgrade for nearly any Nova build. Backed by a 1,000,001 mile Ride Tech warranty. HQ Series shocks offer 20 settings of rebound adjustment for drivers to tune ride quality and handling quality to their specific taste. Switch between cruising in comfort or stiffen your suspension for spirited driving.

Front Snoc			
22169851	1962-67	2 required	
22149846	1968-79	2 required	184.99 ca
Rear Shock	s		
22189845	1962-67	2 required	184.99 ca
22189874	1968-79	2 required	184.99 ca



1963-74 Shock Absorbers Of all your suspension components, nothing works harder than your shock absorbers, making it critical you pick the right ones for your vehicle. Bilstein gas

pressure shock absorbers are the least expensive, fastest way to dramatically improve the ride, handling and control of your vehicle. Plus, with Bilstein's lifetime warranty, you may never have to purchase shock absorbers again. BN2070

BN460929		rear w/multi-leaf	
New!	9	8 00	\
		00	V
			_4

1968-74 Performance Shock Absorbers Koni front and rear shocks for 1968-74 Chevy II/

Nova models. Koni dampers are available in Classic for vintage applications and STR.T non-adjustable for street driven vehicles. These high-quality shocks posses excellent road handling properties with an exceptional level of comfort for performance applications. Each strut is backed by Koni with a limited lifetime manufacturer's warranty. Sold individually and in kits. Kits consist of 2 shocks and 2 struts, quad shocks are available as a separate kit.

Front Struts 1968-74 Classic (red)...... 107.99 ea 80401087 80501046 1968-74 STR.T (orange).. 53.99 ea Rear Shocks Classic (red).... ... 121.99 ea 80501047 1968-74 STR.T (orange).. Front and Rear Kit

Classic (red)...... 412.99 kit 1968-74 KN469 1968-74 Classic (red)..... 218.99 kit



1968-74 Original Style Spiral Shock

Correct reproduction spiral front shocks for 1968-74 Chevy II/Nova models. These shocks are just what you'll need to complete an authentic restoration. Note: Mounting hardware not included. *OE #3192419. **OE #3192477.

SH1064AA 1968-74 w/o markings.... 49.99 ea E344* 1968-74 standard & SS ... 144.99 ea E345** 1968-74 w/F41 HD susp 144.99 ea



1968-79 Front Shock Mounting Hardware

Many aftermarket shocks may not include the correct rubber bushings and plated washers needed for correct installation. We now offer this comprehensive set designed to replace the original mounting hardware and bring your 1968-79 models back to OE condition. 1968-79

Shock Absorbers



KG4515



1968-79 Gas-a-Just Shock

KYB's Gas-a-Just shocks are designed to deliver maximum driving control and performance. Gas-a-Just's higher gas pressure keeps tires glued to the road while its high strength, mono-tube configuration provides extra rugged durability and fade free performance. For a high-performance ride purchase a set of Gas-a-Just Shocks.

KG4515			41 99	ca
Rear Shoo				
KG5506	1968-73	exc. H.D. susp	34.99	ca
KG5504	1968-73	with H.D. susp	37.99	ca
KG5506	1974-79			



CF Series Front 90-10 Shocks

Calvert Racing Suspensions offers a shock specifically designed for maximum weight transfer. Built with the softest rate on rebound on the market today, allowing the front end of your race car to come up as easy as oossible! Dual stage valving on compression allows the car to settle on the top end. Due to a slightly larger diameter shock body, some slight trimming or clearancing may be required on the lower control arm. Sold in pairs Note: *Needs slight grinding to fit per vendor. Not for

CF45103 1962-67 Chevy II...... 148.99 pr CF43093* 1968-78 Nova...... 117.99 pr



CR Series 9 Wav Adiustable — Rear Shocks The Calvert Racing 9 way adjustable twin tube CR series rear shocks provide the best all around

performance and maximum consistency you need. Features heavy-duty industrial steel body design for durability. Shocks can be set for street driving or with

	the strip. Sol	d in pairs.	vemere em
CR42133	1962-67	Chevy II	237.99 pr
CP 22150	1069 79	Moun	227 00 pr



1968-69 Shock Absorber Plastic Can Finally, a quality reproduction shock cap for 1968-69 Nova models. This cap covers the nut and threads in

your Nova's trunk and under the hood. 1069 60

pair 4 piece kit... 23 99 kit R132 1968-69





AME Adjustable Spanner Wrench

All-important tools for adjusting coilover shocks and struts. Feature rubberized handles for non-slip convenience. This special adjustable spanner wrench fits virtually all applications. AM401100 35 99 69



Adiustable Coilover Spanner Wrench 🔥

Spanner wrench, fully adjustable - Universal with any hook groove style coilover shock. Fully Adjustable for various size lock nuts and retainers. Steel frame construction with comfort grip rubber handle. Made



1968-79 Thrust Bearings and Spanner Wrench Adjusting spanner wrench and replacement adjustor

QA1 shoc		TOT 2 SHOEKS HIE HY	unuoic ioi
HS9010	1968-79	thrust bearings	29.99 set
HS9001	1968-79	snanner wrench	19 99 nr



Hala

1968-79 Lower Shock Mounting Bolt

OER® rear lower shock mounting bolt for 1968-79 Chevy II/Nova models. Installs the shock absorber to the lower spring mounting plate. For use with multileaf spring lower mounting plates only. Includes lock washer and nut.

748600 1968-79 I H or RH





1962-67 Shock Towers

If you're looking for an easy way to dress-up the engine compartment of your 1962-67 Chevy II/Nova model. check out these front shock towers. They're easy to install and feature a bright chrome or black finish. 64.99 pr N12500 1962-67 chrome N3591 1962-67 black ... 40 00 ca



1968-74 Rear Shock Tower Support Panel

Reproduction rear shock tower support panel for all 1968-74 Chevy II/Nova models. These stamped steel panels mount between the rear frame rails and the trunk pan and come EDP coated.

16115 1968-74 IΗ 46.99 ea 16116 1968-74 RH 46 99 ca



1962-67 Shock Tower Mounting Bolt

Install your front shock towers properly. We now offer correctshock tower mounting bolts for 1962-67 Chevy II/ Nova models. Sold individually. Use as required. 1962-67 shock tower bolt 1.49 ea











HEEKING.

m d 9 REAR

Springs/Suspension



1962-79 Coil Sarings Coil springs are manufactured to the correct tension

ratios that were installed originally. CS6080 1962-67 6 cyl. and V8 standard 74.99 pr

CS6308 CS6312 CS6314 CS5370 CS6312 CS5604 CS5276 CS5278	1968-70 1968-70 1971-73 1974 1974 1975-79 1975-79	V8 350, 396 V8 350, 307 V8 with AC V8 without AC	75.99 84.99 94.99 75.99 94.99 87.99	PPPP
CS6308	1968-70	all exc. 350, 396	89 99	'n
		V8 350, 396	75.99	'n
			84.99	D
CS5370	1974	V8 with AC	94.99	'n
CS6312		V8 without AC	75.99	ρ.
		6 cylinder	94.99	ρ.
CS5276	1975-79	V8 without AC	87.99	ρ.
CS5278	1975-79	V8 with AC	97.99	p



1968-74 Pro Springs

Pro springs offer immediate handling enhancement and give your muscle car an aggressive stance! Front springs provide approximately a 1.3" drop. Highquality construction and design ensures springs will retain optimum rates for unsurpassed performance. Springs are epoxy coated with a diamond black color and have a lifetime warranty. If you're using these springs with tubular lower arms, and need to fine-tune your ride height, use ride height spacers.

SP94393 1968-74 184.99 pr



1962-79 Front Coil Spring Insulator 🔥

Molded rubber coil spring insulators that mount between the coil springs and the frame. These insulators will keep the springs from riding on the frame metal to metal and will give you a better ride. Coil spring insulators were not original on all vehicles. Measures: 5-5/16* o.d., 3-3/4* i.d., 1/4* thick. ote: These insulators will increase ride height equal to

the thickness of the insulc W1006 1962-79 2 required...... 12.99 ea

1968-79 3/8" Coil Spring Spacer

Reproduction 3/8" coil spring spacer for 1968-79 models. This was used by GM on the production line between the lower ontrol arm and the spring to adjust the front end at ride height. 14927 1968-79





1962-67 Front Coil Spring Upper Seat

Reproduction front coil upper spring seat for 1962-67 Nova models. Replace your damaged or rusted upper spring seat to keep the spring seated correctly. N3592 1962-67



1962-67 Front Coil Suring Perch Assembly

Reproduction of the original front coil spring perch bracket assembly designed for 1962-67 Chevy II/Nova models. Each assembly is manufactured to replicate the original in appearance and functionality. Sold in pairs. N2322 1962-67 74 99 nr



🌅 1968-74 Suhframe Connectors

Subframe connectors stiffen the unibody and are completely bolt-on, with no cutting or floor modifications required. Attach to front subframe and rear spring mounts, or 4-Link brackets when used with

Heidt's 4-Link rear suspension. H10037 1968-74 w/factory subframe 267.99 pr H10039 1968-74 w/Heidt's subframe 267.99 pr



🌦 1962-74 Suhframe Connectors

Subframe connectors are used for high-performance street and racing applications. It is no secret that tying the car together with subframes not only stiffens the chassis but improves vehicle response. Sets include 2 stock height interloc body mounts, add C809 for complete set.

C917	1962-67	coupe	180.99 set
C903	1968-74		267.99 set
			-



Traction Rar Rubber Snubbers

Replace your worn out or missing traction bar rubber snubbers with these quality units manufactured by Lakewood traction bars. LW20530 for LW21606 20.99 pr



🌦 1962-78 Traction Bar System

Developed by Super Stock winner John Calvert, these traction bars are the answer to "hooking up" high horsepower with your leaf spring suspension vehicle. This simple bolt-on set requires no welding or modification of the stock suspension. CalTracs redirect spring wrap-up force into the front pivot points, transferring weight to the rear of the vehicle. Your vehicle will launch harder with greatly improved 60 foot times, while maintaining correct pinion angle.
Opposing threads on the transfer link make pre-load adjustments simple. Low profiles are designed for lowered street driven vehicles and give an additional 1.5* of ground clearance with full pre-load adjustability. Finished in black powder coated, CalTracs are approved by major sanctioning bodies like the NHRA, NMCA

14469	1968-78	low profile	368.99 set
14468	1968-78	standard	
14467	1962-67	low profile	
14466	1962-67		368.99 set
	pped oversize.		O\$1
and the			



1962-79 Traction Bars

These rugged suspension bars are designed for leaf spring suspensions and can be used for street or strip. Traction is greatly increased, wheel hop is eliminated. and the rubber snubbers provide a better ride. Adding these bars is the simplest way to increase traction on vour pavement stomping Nova!

Important: Not for use with mono-leaf spring: Note: Shipped oversize. 199.99 pr LW21606 1962-79 black



Universal Traction Rans Designed to fit most leaf springs, these bars strengthen

rear suspension and reduce wheel hop. They are constructed from heavy gauge rectangular steel and

LW20475

					tra strength.
Rubber is include		ers, U-b	olts, and	installati	ion hardware
LW2047		chrome			83.85 pr
LW2047	75	yellow	28"	long	85.99 pr

Rear Suspension

CALVERT RACING Products



aluminum bushing in front eye



polyurethane bushing in rear eye



1962-78 Split Leaf Mono Spring

New from Calvert Racing, these revolutionary split leaf springs allow you to have both the proper spring rate and the desired ride height for your high horsepower hotrod. The split mono-leaf is designed to work with Calvert Racings CalTrac traction bar system. They overlap 12" at the high stress area of the spring, emulating a parabolic type spring. Aluminum bushings in the front eyes and polyurethane in the rear eyes remove slop and help control the spring's motion. You'll also find them substantially lighter than your stock springs. Calvert springs are manufactured to exacting standards and were used by the last 5 World Champions in Stock Eliminator.

Important: Some fabrication will be necessary for installation. Requires steel blocks to replace the 2 upper and 2 lower rubber leaf spring pads.

Note: Shippe	d double oversize.	_	
1" Lowered	l Ride Height	087	
144701	1962-67	438.99 t	
144711	1968-78	438.99	2
Stock Ride	Height		
144702	1962-67	438.99 I	
144712	1968-78	438.99	2
1" Raised I	Ride Height		
144703	1962-67	438.99 [1

Replace the sagging leaf springs on your Nova with high-quality reproductions.

Manufactured exclusively for Classic Industries®!



1962-79 Rear Leaf Springs

These reproduction rear leaf springs are designed for an exact, direct replacement of the originals. We offer mono-leaf (single leaf), and multi-leaf (3 leaf, 4 leaf, or 5 leaf) springs. All springs include the front spring

eye bushings, unless noted.

Note: Shipped double oversize Spring Rate 96 lbs (HB1002 Bushing Required) R1.15 1962-67 mono-leaf....... 521.99 pr Spring Rate 95 lbs (HB1002 Bushing Required) RL16 1962-67 3 leaf..... 559.99 pr Spring Rate 125 lbs RI.10 1968-79 mono-leaf...... 449.99 pr Spring Rate 126 lbs RL12 299,99 pr 1968-79 4 leaf





1968-74 Sport Lowering Springs 🔔

When you install these springs you'll not only improve the looks of your classic, but the handling too! These sport springs will lower your 1968-74 Nova 2" in front and from 1-1/2" to 3" in rear from the original factory ride height and provide a firm but not harsh ride. The coil springs are precision wound from the highest quality steel and powder coated dark gray. The leaf spring sets include: springs, heavy-duty shackles, Grade 8 hardware, U-bolts, spring pads, and bushings.

Note: Leaf	springs snippea tripie oversize.	2 USS
	Front Lowering Spring	s
	ock Coil Springs	
H1907	1968-74	209.99 pt
Big Block	c Coil Springs	
	1968-74	209.99 pt
	Rear Lowering Springs	3
1-1/2" Lo	wered Sport Leaf	
H2407	1968-74	529.99 sc
3" Lower	ed Sport Leaf	
H2413C	1968-74	591 99 sc



1968-74 Mono- to Multi-Leaf Conversion

Convert your mono-leaf rear suspension to a multi-leaf configuration. This complete conversion set includes: U-bolts, steel locating pad, aluminum spacers, washers, and nuts D04110 1968-74 104.99 set





1962-74 g-Bar Rear Suspension System

The g-Bar rear suspension system dramatically improves ride quality and performance over the stock leaf spring suspension. Four individual arms precisely position the rear axle, better defining the axle's correct path of travel. A panhard bar is not required with this style of suspension, meaning that you can easily change spring rates without altering suspension geometry or allowing changes in pinion angle and lateral movement. In turn, this means that lighter spring rates can be used to improve ride quality without causing leaf spring wrap-up, a common source of wheel hop. A combination of premium urethane and high durometer rubber bushings creates controlled ride quality that inspires confidence under performance driving conditions and during high-performance maneuvers. The g-Bar system includes VariShock QuickSet 1 single adjustment coilover shocks with spring rates compatible with your Nova's rear weight. VariShock features 16 position valve adjustment within a specifically designed range from soft to harsh. This system is for anyone who wants a nice ride but also

Note: Shippe	d overweight.	A
K580011	1962-67	2019.99 set
K580061	1968-74	1984 99 set












OTEERING, SUSPENSION,

BRAKES

40, BUSPENSION, REAR END & BRAKE

Rear Suspension



1968-79 Leaf Spring Installation Set

Classic Industries* offers a complete rear spring installation set for mono-leaf or multi-leaf springs. Sets come complete with rear shackle sets, F-bolts, U-bolts, upper and lower spring pats, spring set bolts, the set of the set

R360	1968-79	mono-leaf	99.99	set
R361	1968-79	multi-leaf	99.99	
R363	1968-79	multi-leaf – 4 U-bolts	99.99	



1962-79 Leaf Spring Shackle Set OER® leaf spring rear shackle sets for various 196279 Nova/Chevy II models. Manufactured to factory

		set includes 4 black EPI	
bushing	s, 2 stamped	steel side plates, 2 sha	ckle bolts
and 2 lo	ck nuts.		
K544	1962-69	2 required	29.99 ea
K550	1970-79	2 required	47 99 ca



1968-79 Heavy-Duty Shackle Set

Reduces wheel hop in acceleration, prevents shudder under braking and delivers greater handling control. Great for vehicles with high-performance tires and horsepower upgrades.

Note: Front spring eye bushings not included.

32137G 32137R 32135G 32135R	1968-74 1968-74 1968-79 1968-79	black red black red	mono-leaf mono-leaf multi-leaf multi-leaf	95.99 set 95.99 set
--------------------------------------	--	------------------------------	--	------------------------









NER





1968-79 Rear Leaf Spring Anchor Plates

OER® rear leaf spring and shock mounting plates for various 1968-79 Chevy II/Nova models. Manufactured in quality stamped steel in the correct factory configuration. Black EDP coated for rust prevention. Available for models equipped with mono-leaf or multi-leaf springs.

muni-icai	springs.		
Mono Lea E371	af - OER [®] 1968-73	LH or RH	36.99 ea
Mono Lea	af, Origina	ıl Style − OER®	
3934865 3934866	1968-74 1968-74	LHRH	39.99 ea 39.99 ea
Multi Lea	f, Service	Replacement	
E362	1968-74	LH or RH	34.99 ea
		ctory Sway Bar	
		LH	
330264	1968-79	RH	49.99 ca



For use with multi-rear leaf springs. Necessary when changing mono-leaf to multi-leaf. 2 pair required. RL7 1968-74 6-3/4" x 3-1/4" 19.99 pr RL7A 1968-74 7-1/8" x 3-1/2" 24.99 pr



Leaf Spring U-Bolts



1968-74 Rear Axle Leaf Spring Perches

Reproduction rear axle housing leaf spring perches for 1968-74 Nova models. Weld to the rear axle tube and provide a secure mounting location for the rear leaf springs. Available for mono-leaf or multi-leaf. E3477 1968-74 mono-leaf 69.99 pr E3478 1968-74 multi-leaf 69.99 pr



Axle Tube Perches

These mono-leaf spring perches provide positive location for your Calvert mono-leaf springs. Available for 3" or 3" da "At wate tube diameters. The large flat mating surface and drilled to fit pin hole eliminate the factory rubber bushings for a secure mount. Use them to adjust pinion angle by welding them on at the proper angle.

4472 4474	3" 3-1/4"	

14476

Pinion Wedges

Rear Suspension





R653 - multi-leaf pad set



1962-79 Rear Leaf Spring Pads

Replace your rear leaf spring upper or lower pads when installing a new rear leaf spring! These original quality pads are manufactured to specifically fit the applications listed below. Each pad is used to insulate the area between the rear leaf spring and the axle tube mounting plate. 2 upper and 2 lower pads are required per vehicle. Note: When converting mono to multi-leaf applications it

will be necessary to install RL8 spring pads Pad Sets

R652 R653	1962-74 1968-79	mono-leaf multi-leaf		
Individa RLSA	1962-67	2	8.99	_
RL8C	1962-67	mono-upper – 2 req mono-lower – 2 req	9.99	ea
RL8	1968-79	multi-leaf - 4 req	7.99	ea



1962-67 Leaf Spring Front Eve Bolt 🔥

Reproduction washer and bolt for 1962-67 rear leaf springs. For use with mono- or multi-leaf springs. N248 1962-67 LH or RH 9 99 kit



1968-79 Leaf Spring Front Eye Bolts

OER® leaf spring front eye bolts for various 1968-79 Nova models. These bolts attach the leaf spring to the front leaf spring mounting bracket. Sold in pairs, includes nuts. 1/2"-20 x 5" 274318 1968-79 14 99 nr



1962-79 Polyurethane Leaf Spring Pads

Longer-lasting performance Polyurethane pads for use when upgrading the rear suspension and spring assembly. Replace those original crushed rubber pads. 4 piece set.

36113G 1962-74 black mono-leaf 26.99 sc 36113R 1962-74 red mono-leaf 26.99 sc 36112G 1962-79 black multi-leaf 30.99 sc multi-leaf 30.99 sc	4				MB.	
	36113R	1962-74	red	mono-leaf	26.99 s	se
	36112G	1962-79	black	multi-leaf	30.99 s	se



1962-79 Leaf Spring Rear Shackle Bushing Be sure to replace the leaf spring shackle bushings

whenever you are replacing rear leaf springs. Available separately from the set!

R396 499473 R397	1962-69 1962-69 1970-79 1970-79	8 piece set 8 required 8 piece set	6.99 ca
res and	194		in Case



1968-72 Multi-Leaf Spring Rebuild Clamp Set

Specialty clamp set for all high-performance multi-leaf springs. Set includes metal straps, clamps, rivet pins, and black silencers. Set is used to repair OEM original leaf springs for high-performance Nova models. For use with original springs only. 1069 72

K0098	1968-72	5 leaf	
	-		



1968-79 Leaf Spring Bracket Nut & Bolt

Nut and holt that holds the front eye bracket onto the frame. These will fit all Nova models from 1968-79. A slight cosmetic difference will be noticeable in 1968-74 Nova models but will fit and function correctly.

378276	1968-79	nut - 6 required	2.79 e	
K3613	1968-79	kit of 6 nuts	12.99 k	it
3791510	1968-79	bolt - 6 required	1.99 c	a
K3614	1968-79	kit of 6 bolts	10.99 k	it



1962-79 Leaf Spring Front Eye Bushing

Reproduction bushings located on the forward eye of the rear leaf spring. These bushings are a commonly forgotten replacement part that is required when

properly	rebuilding the	rear suspension.	
HB1002	1962-67	2 pair required	8.99 pr
B298	1968-79	2 required	19.99 ca



1962-79 Polyurethane Leaf Spring Bushing These replacement polyurethane rear leaf spring

bushing sets include: a 4 piece front eye bushing set with sleeves and 8 rear shackle bushings. We offer the bushings in black or red for a modern high-

32122G	1962-67	black	mono-leaf	81.99	set
32122R	1962-67	red	mono-leaf		
32101G	1968-74	black	mono-leaf		
32101R	1968-74	red	mono-leaf		
32103G	1968-79	black	multi-leaf		
32103R	1968-79	red	multi-leaf	77.99	set





1968-74 Hyper-Flex Bushing Sets Replacing bushings just got easier, especially if you're

replacing all the bushings on your Nova. These sets contain the major suspension bushing components required for a complete job. Mixing standard rubber bushings with Polyurethane bushings is not recommended, so, if you are going to replace any of the suspension bushings, then replace them all.

Note: 1968-74 sets do not include sway bar bushings due to the various bar sizes. Subframe mounting hardware is included. These items are available separately.

Mono-Lea				
318119	1968-74	black	300.99	set
318119R	1968-74	red	300.99	set
Subframe !	Mount Hard	lware		
34143	1968-74		42 99	cet











SUSPENSION,

可以可

90

BRAKES

Performance Rear Ends



- Heavy-Duty 1/2" Bearing Cap Allen Bolts
 New Housing Ends Welded to Heavy-Wall Tubing
- · OE Style C-Clip or Pressed Bearing Axles
- · 30 or 33 Spline Axles
- 1310 or 1350 Series Pinion Yoke Eston or Detroit Truetrac Differential
- Pro/Street Gears from 3 08 to 5 38.

3

m

d

ø

REAR

1962-76 Complete 12 Bolt Axle Assembly

Moser Engineering offers the best aftermarket 12 bolt on the market. The 12 bolt housings are newly cast nodular iron housing units that are direct replacements for leaf spring General Motors OE applications. The extremely durable housing units have giant caps utilizing 1/2" Allen bolts, and include perches. You have a choice of axles with pressed on ball bearings, or OE style C-clip axles. The units can be set up to work with many OE GM brake setups. Utilizing new housing ends adds to the simplicity and ease of installation, which is unparalleled in the industry. The complete package includes a Moser 12 bolt housing, custom alloy axles with ball bearings, studs and retainer plates, or C-clip axles. Also includes a posi-unit, Pro Street gears, 1310 or 1350 series pinion yoke, chrome or Performance differential cover, and assembly. Brakes are not included. When ordering pressed bearing axles with a posi unit, you have the option of 30 spline axles or upgrade to our 33 spline axles, which carry a 10-year replacement warranty. However, if you are ordering the package with C-clip axles you can only order 30 spline axles.

te: Special order, must be prepaid. Shipped truck freight.

With C-Clip Axles, 1310 Series Yoke, and Chrome Differential Cover with Eaton Posi, 30 spline only... M12100 1962-76 2249.99 ea with Truetrac differential, 30 spline only .. 2239.99 ea M12101 1962-76 With C-Clip Axles, 1350 Series Yoke, and Chrome Differential Cover

M12102 1962-76 with Eaton Posi, 30 spline only...... 1962-76 M12103 with Truetrac differential, 30 spline only .. 2329.99 ea With C-Clip Axles, 1310 Series Yoke, and Performance Differential Cover with Eaton Posi, 30 spline only... M12104 1962

M12105 1962-76 with Truetrac differential, 30 spline only.. 2399,99 ea With C-Clip Axles, 1350 Series Yoke, and Performance Differential Cover M12106 with Eaton Posi, 30 spline only... 2449.99 ca 1962-76 M12107 with Truetrac differential, 30 spline only .. 2444.99 ea With Pressed Bearing Axles, 1310 Series Yoke, and Chrome Differential Cover

with Eaton Posi, 30 spline... M12109 1962-76 with Truetrac differential, 30 spline ... 2429.99 ca 2499.99 ea M12110 1962-76 with Truetrac differential, 33 spline .. 1962-76 with Eaton Limited-Slip Posi, 33 spline ... 2489.99 ea M12111 With Pressed Bearing Axles, 1350 Series Yoke, and Chrome Differential Cover M12112 1962-76 with Eaton Posi, 30 spline 2479 99 ca

M12113 1962-76 with Truetrac differential, 30 spline ... 2479 99 ca M12114 1962-76 with Truetrac differential, 33 spline ... 2579.99 ea M12115 1962-76 with Eaton Limited-Slip Posi, 33 spline ... 2499,99 ea With Pressed Bearing Axles, 1310 Series Yoke, and Performance Cover M12116 with Eaton Posi, 30 spline... 2560 00 co 1962-76 with Truetrac differential, 30 spline 2569.99 ea M12117

with Eaton Limited-Slip Posi, 33 spline ... 2599.99 ea M12119 1962-76 With Pressed Bearing Axles, 1350 Series Yoke, and Performance Cover with Eaton Posi, 30 spline...... with Truetrac differential, 30 spline M12120 1962-76 1962-76 2604 99 ca M12121 2589.99 ea

with Truetrac differential, 33 spline ...

1962-76 with Truetrac differential, 33 spline 2699.99 ca 1962-76 with Eaton Limited-Slip Posi, 33 spline ... 2649 99 ca



1962-76 Twelve Bolt Housing and Axle Package

If you're not looking for a 12 bolt and feel like tackling your own differential setup, try the housing and axle package. The package includes a Moser newly cast nodula iron housing, custom alloy axles (30 or 33 spline), ball bearings, heavy-duty retainer plates and 7/16" or 1/2" wheel studs.

Note: Special order, must be prepaid. Shipped truck freight. 30 Spline Axles with C-Clips 1224 99 ca M12163 1962-67 M12164 1968-76 1224 99 co 30 Spline Axles with Pressed Bearings 1962-67 M12125 1968-76 1379.99 ea



Universal Driveshaft Safety Loop

Required and approved by all major racing sanctioning bodies. This universal driveshaft safety loop is fully adjustable to hit most vehicles. The 4 piece design is manufactured from 1/4* thick, 2* wide mild steel, bright zinc-plated and comes with all necessary hardware.

LW18000 all models zinc-plated.



1962-79 Driveshaft II-Joint

If you have annoying vibrations and noise, you may need to replace your driveshaft universal joints. Restore smooth operation of your drivetrain with high-quality replacement U-Joints, complete with clips or snap rings for installation. Greaseable joints include the grease fitting. 2 required per vehicle.

front or rear with inside snap rings... with outside snap rings... 369 front or rear 7.99 ea



1962-75 U-Joint U-Bolt Kit

Replace faulty U-joint bolts with these reproduction bolts. 1-3/16" center to center stud with a 5/16" - 18 thread. R6046 1962-75 4 piece 12 99 kit



Handy Packer Bearing Packer

The Handy Packer works on bearings up to 3-1/2" o.d. To pack a bearing, place the bearing on the piston. Press down on the cap until the old grease is forced out and the new grease shows on top of

the bearing with less mess.

M12118

1962-76

Y34550

2639.99 ca

Rear Axle Components





All 3rd Members Include:

- Nodular Iron "Sportsman" Gear Case with 3.062" Caps
- Nodular Iron Big Bearing Pinion Support
 Nodular Iron 1330 Series Short Yoke
- Nodular Iron Traction Lock, Trutrac, or
- Detroit Locker New Ring and Pinion in These Ratios:
 3.00, 3.25, 3.50, 3.70, 3.89, 4.11, or 4.30
- . Timken Bearings and Performance Oil Seals Professionally Setup, Ready-to-Install

9-Plus 31 Soline 3rd Members

These are built and ready-to-install in your 9" rear end. Choices of carriers are: Traction Lock, TrueTrac. and Detroit Locker.

Important: For ratio choices add a letter to the end of the part number. Ratios are: A = 3.00, B = 3.25, C = 3.50, D = 3.70. E = 3.89, F = 4.11. G = 4.30.

Traction Lock Traction Lock is the same as Posi Traction or limited-

slip. It uses heavy plate style clutches to help your traction and put power to the ground. CE931

31 spline 1641 99 ca TrueTrac

The Detroit True Trac is a helical gear style performance differential that maximizes wheel traction and enhances driving and handling characteristics. The TrueTrac operates as a standard or open differential under normal driving conditions, allowing one wheel to spin faster or slower as necessary. Operation of the TrueTrac is smooth, quiet and automatic. The unit will engage without any driver knowledge or action required. It also has no wearable parts and requires no maintenance, meaning less time in the garage and more on the road. CE932 31 spline 1715 99 ca

Detroit Locker Detroit Locker is a 100% automatic locking differential that provides ultimate traction for mild to extreme vehicle applications. During straight line driving, the Detroit Locker captures 100% of available torque and sends it equally to both wheels. In turns and maneuvers. the internal components unlock to allow one wheel to spin faster or slower as necessary (free wheel). When the vehicle returns to a straight line driving path, the components re-engage and provide power to both wheel ends. Parts are maintenance free

Note: Tires will chirp when making turns as the locker unlocks and locks

31 spline 1741 99 ca



9" Housing and Axle Set

These housings are designed and built to go into your muscle car with a minimal amount of effort. It is setup with the Aftermarket Brake Configuration Standard which is: 2-1/2" brake space with late model big Ford housing ends, and a 2.80 center hole in the drum or rotor. Axles include 5 x 4-3/4" bolt pattern with installed 7/16" wheel studs 1/4" thick heavyduty bearing retainer plates, and tapered Timken Set 20 wheel bearings pressed on. Set includes the Currie "9-Plus" Housing (3" x .188 wall tubing) with brackets and 31 spline performance axle kit These are made from USA steel in the USA.

Note: Shinned double overeire A7592311 1968-72 mono-leaf..... 1329.99 set A7592312 1968-72 multi-leaf 1329 99 set

POWERTRAX



Positive Locking Differential

The Lock Right system offers a revolutionary design that is exceptionally rugged and yet ingeniously simple! Just replace the existing spider gears with a pair of Lock Right driver and coupler gears in your existing stock. open differential assembly. Installs in 1-2 hours. No extra modification or setup since the ring and pinion gears are unaffected and no special tools, calibration equipment or fixtures are needed! Made in USA.

ortant: Not for use with Posi Traction or Limited-Slip differentials, use in stock, open differentials only.

1964-71 GM 10 Bolt LR1940 8.2" ring gear, 28 spline axle.. 443.99 ea

1964-71 GM 12 Bolt LR1910 8.875" ring gear, 30 spline axle 372.99 ea 1972-75 GM 10 Bolt

LR1920 8.5" ring gear, 28 spline axle.. 367.99 ea



High-Performance Limited-Slip Differential

Auburn Gear's high-performance series limited-slip differentials outperform standard OEM differentials delivering more traction and faster engagement for controlled power transfer and lightning fast reaction to changing load conditions. Superior performance is achieved through an innovative cone clutch design which transfers more power to the high traction wheel for quick acceleration and tight cornering. Compatible with ABS and electronic controls. Differentials are C-lock axle. Made in USA.

8.2"/8.4" 10 Bolt - 17 Spline Axle, 3 Series Case 5420100 1962-64 3.70 & down 487.99 487 99 ca 8-7/8" 12 Bolt - 30 Spline Axle, 4 Series Case 5420104 1965-72 4.10 & up... 400 00 an 8-7/8" 12 Bolt - 30 Spline Axle, 3 Series Case 5420106 1965-72 3 07-3 73 379 99 ~

Auburn Gear



1968–79 FCTFD Max The ECTED Max is a revolutionary traction technology

product that switches between limited-slip and locker mode on the fly. When "off," the ECTED Max functions as a performance limited-slip differential. When current is sent to an electromagnetic coil on a non-rotational bearing cap bolts, pulling a pilot cone into engagement with the differential case, ultimately compressing the clutch pack and creating locker solid axle assembly. ECTED gives you the advantage at the drag strip and on twisty tracks, all in 1 package. Note: The bearing sets include: 2 Timken cones and 2 Timken cups

Electric Locker

8.

45003	1971-79	10 bolt - 8-1/2"	761.99 ea	
45008	1968-72	12 bolts w/30T	761.99 ea	
45010	1968-72	12 bolts w/30T	732.99 ea	
earing	Sets			
85003	75 1971-79	10 bolt - 8-1/2"	11.99 ea	
85003	74 1968-72	12 bolt	24.99 set	

A8500374 1968-72 12 bolt.





🚞 Dura Grip° Posi Traction Units

Yukon Dura Grip posi traction units are based on the race proven four spring clutch style design that has been used by GM for years. Dura Grip posi tractions are assembled with heavy-duty 4320 chromoly spider gears and composite clutches for reduced chatter, and they are fully rebuildable. Note: *Requires bearing set UR852885.

8.2". 28 Spline

R822838	3.08 and up ratios	599.99	ea
5", 28 Spline R852873* R8753090	2.76 and up ratios 3.08-3.90 ratios	599.99 554.99	

Posi Traction Differential Fill Plug Reproduction differential fill plug for

vehicles equipped with either a 10 bolt or 12 bolt posi traction differential, 3/4"-16 or 1"-20 plugs. 14315

14316 3/4 18.99 ca 14316 1" 18.99 ca

Goodwrench Rear Axle Lubricant Additive Get the additive that was specially

formulated by General Motors and protect your differential with the best quality additive on the market! GM limited-slip differential lubricant additive specially formulated for use with limited-slip or positraction rear axles. This additive is a must to eliminate overheating and possible damage to the friction plates. Keeps metal surfaces free from sludge and varnish. Protects seals from carbon deposits. G7103 4 oz bottle



HEEKING.

REAR

END

90

BRAKES













m ď ۵ REAR DESPENSION,

Rear Axie Components



Rear Axle 11" Drum Brake Set

This brake set will fit Currie rear axle housings or any other housing that has 2-1/2" brake space, late model big Ford housing ends, and an axle register of 2.800°. Includes 100% new content, semi-gloss black powder coated backing plates with hardware installed

including shoes, and drums. 5 x 4-1/2" and 5 x 4-3/4" Bolt Pattern CE600514



Rear Axle 11" Rotor Disc Brake Set with Parking Brake

This disc brake set includes black powder coated backing plates and caliper brackets, with the drum style parking brake, hardware installed, calipers loaded with pads, and mounting bolts. For use on Currie rear axle housings and housings with 2-1/2" brake space, late model big Ford housing ends, and an axle register of 2.800". All parts are 100% new. 5 x 4-3/4" Bolt Pattern CF601252

574 99 set

1964-79 Axle Shaft Lock Genuine replacement locks for 1964-79

models with .150 horseshoe 2 required. G6045 1964-79 4.99 ea AEDelco





Genuine GM 7.625" diameter replacement plug which is removed when draining or filling the differential oil. G7128 1967-69 3 99 ca

MOSER

Moser offers forged steel street axles for 10 and 12 bolt Chevrolet rear ends These axles are non-tapered, with hardened bearing seats and machined C-clip grooves to fit OE applications. Note: Special order, must be prepaid. 10 Bolt, 28-1/8" Long, 28 Spline M12147 1962-67 274.99 pr

12 Bolt, 28-7/16" Long, 30 Spline M12148 1962-67 274.99 pr 10 Bolt, 29-1/2" Long, 28 Spline M12131 1968-76 274.99 pr 10 Bolt, 29-1/2" Long, 30 Spline M12132 1968-76 274.99 pr 12 Bolt, 29-1/2" Long, 30 Spline M12133 1968-76..... ... 274.99 pr



1962-79 Rear Axle Bearing Seal

Prevent premature bearing or brake failure! Replace aging, cracked or deteriorated rear axle seals to keep gear oil and grease in the axle tube where it belongs.

Note: 2 req	uired per vehicle.	
W8293	1962-63	
W8660	1964-79	4.99 ea



1964-79 Rear Axle Rearing

Prevent costly damage by replacing rear axle bearings before they seize! Premium replacement rear axle bearing for 1964-79 Chevy II/Nova models. Always check the bearings and seals whenever removing the rear drums for signs of wear. Note: 2 required per vehicle.

W507 1964-79 17.99 ea G8230 1964-79 GM 16.99 ea

1964-79 Rear Axle Repair Bearing

Sealed repair bearing that will replace the rear axle bearing on your Chevy II/Nova



Note: 2 required per vehicle. This should be considered a temporary fix until you can replace a damaged axle. W1563 1964-79... 10 00 00



M12141

These improved C-Clip Eliminators replace factory C-clip axle retention and provide a safety hub with sealed, presson bearings with an extra internal seal to prevent leakage. These are required when replacing factory C-clip axles with Moser Custom Alloy Axles and are available for stock, factory type axles. Sold in pairs.

10 and 12 Bolt C-Clin Eliminators

Chevrolet Axle Housing w/Factory Axles & 1.400" Bearing Seat 169,99 pr M12141

w/Moser Axles & 1.533" Bearing Seat M12142 .. 169.99 pr



1962-79 Rear Axle I.D. Tag 🔥 Genuine i.d. tag which is installed on

1962-79 Chevy II/Nova models indicating the correct lubrication requirement. 6.99 ea G7125 1962-79



Rear End Posi Traction Tag 🔥

Reproduction of the posi traction tag used on 12 bolt posi traction differentials. This tag mounts with the fill plug and warns to "Use Posi Traction Diff Lubricant Only" Available for use with either 3/4" or 1" pipe thread plugs. 14406 3/4" 11.99 ca 11.99 ca



1962-67 Rear Axle Bumper 🗥 Replacement rear axle bumper which

attaches to the body and keeps the rear axle from bottoming out. 14214 1962-67 2 required 8.99 ea

1973-79 Rear Axle Bumper Mass Reproduction of the rear axle bumper

which attaches to the body and prevents the rear axle from bottoming out Manufactured from correct hard rubber with molded in mounting stud. 483746 1973-79 2 req., 21.99 ea



2.99 ca

Rear Axle/Transmission Ventilator OER® reproduction of the ventilator used by GM on a multitude of applications. Uses include the rear axle

ousing, automatic transmissions, front transfer case on 4 x 4 models, and fuel tank evaporator cannisters that have a 3/8" hole for a ventilator. 7/16" Diameter - GM G6028 1972-79... 8 99 00 3/8" Diameter - OER® 1962-71.....



1962-67 Rear Axle Pinion Rumner

Don't let your Chevy II/Nova differential housing slam into the underbody under hard acceleration. Quality molded rubber pinion bumper to replace your missing or worn out original. Installs directly over the pinion end of the differential. N27016 1962-67



1968-75 Rear Axle Pinion Rumner

Reproduction rear axle pinion bumper for 1968-75 models. Mounts to the end of the pinion near the voke. 3923564 1968-75..... 16.99 ca



Aftermarket replacement available for 10 bolt and 12 bolt models. The shim set includes the correct size shims for 10 bolt or 12 bolt applications

GM10SK 10 bolt 8-1/2" 17.99 set GM12SK 12 bolt 8-7/8" 9 99 set



1968-71 Pinion Shaft Bearing Shims 12 Roll

G6049 1968-71 021-026 17 99 set G6050 1968-71 .027-.032 21.99 set





Pinion Gear Crush Sleeves 🔥

Your choice of Genuine GM 8-1/2" 10 bolt sleeves or 8-7/8" 12 bolt sleeves 10 bolt 8-1/2" ... 1.99 ea 8-7/8" 4 99 ca G7172 12 holt



10 Bolt Ring & Pinion Set 🔥

Replace your worn out ring and pinion gears with new replacements. 10 bolt set includes: 8-1/2" ring and pinion, all carrier and pinion bearings, seals, differential gasket, pinion shim kit, ring gear bolt, crush sleeve, pinion nut.

Note: Classic Industries® recommends professional installation. All ring and pinion sets are nonreturnable with no warranty implied.

GM10273MKT 2.73:1 278.99 set GM10411MKT 4.11 ratio 251.99 set



12 Bolt Ring and Pinion Sets

Includes 12 bolt, 8-7/8" ring gear and pinion includes ring and pinion only (not a set). For a complete assembly also purchase 12 bolt ring and pinion shim set, 12 bolt bearing set and 12 bolt installation set listed below.

ote: Classic Industries® recom professional installation. All ring and pinion sets are non-returnable with no

warranty impuea.		
G888342MK	3.42:1	284.99 se
G888373MK	3.73:1	256.99 se
G888411MK	4.11:1	256.99 se
G888456MK	4.56:1	319.99 se
G888488MK	4.88:1	319.99 se



Bearing Sets for 10 and 12 Bolt A set designed to replace the bearings

on Nova models. Includes: the gasket, washers, nuts, and other assorted items for a complete replacement. 75.99 set R10CR 10 bolt.. R12CR 12 bolt.. 76.99 set



12 Bolt Ring and Pinion Installation Set

Replacement set includes 12 bolt gasket and installation washers, etc. For use with 12 bolt design. GG088100 12 bolt





1962-79 Diff Covers and Gaskets

Reproduction differential covers for 1962-79 models.

Differential Covers Reproduction Chrom. T4786 1962-79 10 bolt .. 24.99 ea T4787 1962-79 12 Bolt.. 24.99 ea Reproduction OE Style KW577 1966-79 12 Bolt.. 39.99 ea

Rear End Cover Gaskets 1962-79 10 bolt .. 4.99 ea 1966-79 12 bolt .. 6.99 ea

(P)mosen



Performance Differential Cover

Strengthen your 10 or 12 bolt Chevrolet rear with a Moser Performance Cover. These 356-T6 aluminum covers are designed to reduce gear deflection to increase ring and pinion gear life as well as improve the appearance of your vehicle. The whole cover weighs only 6 lbs and includes all bolts, washers, and gaskets needed.

M12143 M12144	with 7.5" w/8.5", 8.2"	164.99 ea 164.99 ea
12 Bolt		
M12145	car axle 7110	164.99 ca



Aluminum Differential Cover 🔨

B&M cast aluminum rear end cover was designed to strengthen the rear end by preventing case distortion. Constructed of A356.0-T6 aluminum, this rugged unit also dissipates heat much faster than the stock factory unit to prolong the life of your ring and pinion gears. Features an engraved B&M logo, added fluid capacity for better cooling, magnetic drain plug for catching ferrous metal particles, and complete hardware.

Note: *12 bolt.		
A9800120*	8.875" ring gear	220.99
Δ9800121**	8.2°/8.5° rine over	225 99 c

Main Cao Stud Set 🕙 mosen Reduce unwanted O movement inside

OC the rear end and increase strength with a highquality main cap stud set with 4 nuts and 4 washers

10 Bolt and 12 Bolt Chevrolet 44 99 set M12146 4 piece..

Chrome Rear End Cover Bolt Set Special plated bolts to complete the

installation of your chrome rear end cover. Fits both 10 or 12 bolt covers. T9278 12 piece13.99 set



Chrome Rear End Cover Bolt Set Original style Hex head chrome-plated

bolts in your choice of polished chrome or polished stainless steel. These bolts are very high-quality reproductions in dazzling bright polished finish. Available for both 10 bolt and 12 bolt applications. Set of 12. 10

Α

Α

12

A

A

K126B	stainless	41.99	set
<i>Bolt</i> K126A	chrome	24.99	set
K125A K125B	chromestainless		

Garber-Worser Green



This dress-up differential cover holt set features popular Chevrolet logos

stamped directly onto the head of the chrome-plated bolts. Perfect for stock or chrome covers. Note: Must specify logo suffix: C-Flames, D-Bow Tie, E-SS, F-RS, G-350, H-454. 5/16"-18 x 1/2" Rolte

56459C	10 bolt 12 bolt	24.99 set
5/1	6"-18 x 3/4" B	olts
Chrome		
	10 bolt	
56476C	12 bolt	24.99 set
Stainless .		
	10 bolt	
56476S	12 holt	24 99 set

000 999

Stainless Diff Chrome Cover Bolt Set

Special stainless steel bolts to complete the installation of your chrome rear end cover. Fits both 10 bolt and 12 bolt applications. AR43732 12 piece 21.99 set



Differential Cover Bolt These factory style bolts attach the

differential cover to the differential on models with 10 bolt and 12 bolt rear ends. Features correct original head markings. 14328 5/16" x 1" ...



Differential Cover FilterMag 🧥 FilterMag's powerful rare earth magnets

trap and hold metal particles smaller than 40-microns down to 1-micron. The magnetic force holds FilterMag to steel covers, is reusable, and will extend the life of your oil. FilterMags are also available for engine oil filters and steel automatic transmission pans. FDM101 2.0" x 1.25"..... 31.99 ca

Synthetic Gear Oil Used by Joe Gibbs Racing

in every rear end differential and transmission gear box. This fully synthetic, unique SAE 75W-110 gear oil reduces operating temperatures by up to 15 degrees compared to other brand gear oils. IG630 quart IG631



HEEKING.

BUSPENSION,

REAR

END

90

BRAKES

Max-Gear Gear Oil """FORPLE

Max-Gear is an ultra tough automotive gear oil. designed to maximize power and provide protection to heavily loaded gears. Gears run smoother, quieter, cooler and longer without overhauls Max-Gear combines the highest quality synthetic oils with Royal Purple's proprietary Sy additive technology. All

viscosities are formulated with hypoid friction modifiers necessary for use in clutch or cone type differentials. No

additional ac	lditives are neces	ssary.
Ouarts		<u> </u>
RP01300	75W90	18.99 ca
RP01301	75W140	21.99 ca
Case of 12	Quarts	
RP12300	75W90	
RP12301	75W140	248.99 cs













IG617

REAR

D N DEELE

6264CBK

Disc Brake Conversion Sets

600 00 cet

Save Time with our No Hassle Assembled Brake Sets!

Busted knuckles and missing bolts are a thing of the past with CPP's new, pre-assembled brake conversion sets. With just a few tools, you can bolt on disc brake performance!



1962-67 Disc Brake Conversion Sei

5 lug

1962-67 Chevrolet Chevy II/Nova 5 lug zero offset disc brake setup ready to bolt-on to your factory ball joints and tie rod ends! Sets come pre-assembled, greased and ready to go. Unlike other sets that move the front wheel position out 5/8" per side, these sets remain at the stock drum track width allowing for the most amount of fender clearance available. It takes an extreme amount of effort to stop four wheel drum brake vehicles especially in rainy conditions. This disc brake conversion will drastically reduce the braking effort needed to stop your vehicle quickly and safely in all weather and road conditions. tant: Will not fit 4 lug Chevy II/Nova models.

te: Shipped overweight. 1962-64

6566CBK 67CBK	1965-66 1967	5 lug	699.00 set 699.99 set
			500
	1000		7-7-
-	Po		ص (
T.	4		
1 4			-
1	_46		
0	No.	9999	-
9	0	CENTER OF	19 19

1968-74 Pre-Assembled Brake Conversion Set Now you can bolt on brake performance with ease! Each set includes: fully assembled

front disc brakes, including the spindle, hub, rotor, brackets, calipers, and pads. In addition, for sets with brake master and booster, the 11* booster, master cylinder, proportioning valve, and bracketry and lines are fully assembled so you can simply bolt it to your firewall! 2" drop sets include 2" drop spindles. sportant: Moves wheels out 7/16" from drum brake offset.

Me: Shinned overweight Complete 4 Wheel Disc Brake Sets with Master/Booster

Stock Heigh	II.		
BK2027	1968-74	plain rotors, rubber hoses	
BK2027D	1968-74	drilled/slotted rotors, stainless steel hoses	1449.99 set
	Front Dis	c Brake Sets with Master/Booste	·
Stock Heigh	t		
BK03	1968-74	plain rotors, rubber hoses	799.99 set
BK03D	1968-74	drilled/slotted rotors, stainless steel hoses	924.99 set
2" Drop Set			
BK2034	1968-74	plain rotors, rubber hoses	799.99 set
BK2034D	1968-74	drilled/slotted rotors, stainless steel hoses	969.99 set

Front Disc Brake Sets without Master/Booster 2" Drop Sets BK2037 1968-74 plain rotors, rubber hoses... 499,99 set 1968-74 BK2037D drilled/slotted rotors, stainless steel hoses 599 99 set





1968-74 Basic 4 Wheel Disc Brake Conversion Set

Upgrade to 4 wheel power disc brakes and retain a stock ride height with this conversion! This set includes all the basics, including 10-1/2" rotors, loaded calipers, caliper mount brackets, front spindles, front dust shields, 11" booster, proportioning valve and bracket, master cylinder, brake hoses, front bearings and seals, and hardware.

Important: Moves wheels out 7/16" from drum brake offset. Note: Shipped double oversize BK2031 1968-74

1968-74

BK2031D

plain rotors, rubber hoses .. 1000 00 set drilled rotors, stainless steel hoses... 1269.99 set



1968-74 Rear Disc Brake Conversion Set

Replace the original rear drums in your Nova with disc brakes! These rear end disc brake wheel sets are designed to bolt directly to 10 or 12 bolt rear ends and include 11" rotors, loaded calipers with built-in emergency brake, emergency brake cable, brake lines, axle hard lines, 10 and 12 bolt gaskets, and all mounting hardware. Available with plain or drilled rotors.

drilled rotors, stainless steel hoses

Important: Some modification may be required when used with C-clip elim Note: Shipped overweight. RB1012 1968-74 plain rotors, rubber hoses. 1968-74

599.99 set

749 99 set

RB1012D

Disc Brake Conversion Sets



1968-74 Stock Spindle Disc Brake Conversion Set

Improve the stopping power of your vehicle while retaining your vehicle's stock ride height! Moves the wheels our 7/16" and works with most 15" disc brake wheels. Includes: disc brake bracket set, 11" rotors, loaded calipers, spindles, dust shields, bearings, seals, dust caps, spindle nuts, hoses, and all mounting hardware.

Choose from sets with or without steering arms or power brake kit, which includes proportioning valve, master cylinder, and a 9" or 11" power brake booster. Important: Factory steering arms may need to be drilled from 7/16" to 1/2".

Note: Shipped	overweight.		▲
	Basic	Disc Brake Conversion Sets	
BK2035 BK2035D	1968-74 1968-74	plain rotors, rubber hoses drilled rotors, stainless steel hoses	
Dis	sc Brake C	onversion Sets with Steering Ari	ns
BK2036	1968-74	plain rotors, rubber hoses	
BK2036D	1968-74	drilled rotors, stainless steel hoses	
		nversion Sets with Power Brake	Kit
	er Brake Boo.		
BK2032	1968-74	plain rotors, rubber hoses	
BK2032D	1968-74	drilled rotors, stainless steel hoses	679.99 set
With 11" Po	wer Brake Bo	oster	
BK2033	1968-74	plain rotors, rubber hoses	609.99 set
BK2033D	1968-74	drilled rotors, stainless steel hoses	670 00 set



1968-74 12" Rotor Drop Spindle Sets Want big brake performance in a drop spindle set without using large wheels? This

Want big brake performance in a drop spindle set without using large wheels? This set works with 15" disc brake wheels and provides a 2" drop to maintain the original steering geometry. Includes: drop spindles, 12" one piece rotors, loaded calipers,

bearings, sea	ls, brake hose	es, and mounting hardware.	
Important: Mc	wes wheels out	7/16" from drum brake offset. Maximum backspac	e 4-3/8".
Note: Shipped	overweight.		A
BK2038	1968-74	plain rotors, rubber hoses	419.99 set
BK2038D	1968-74	drilled rotors, stainless steel hoses	534.99 set



1968-74 C5 Upright Wheel Brake Set — 13" Rotors

Get the braking performance of a modern Corvette in your classic Noval This set maintains the dumb back offstea and features bolt on synileds that allow better camber change during suspension movement. The use of C5 bearing bub assemblies with their sealed bearing packs virtually eliminate spindle pin flex. These sets include: spindles, 13" slotted and drilled rotors, loaded calipers, sealed bearing packs, and mounting hardware. Choose from black or red calipers.

Important: 1968-74 Nova set uses original or CPP replacement steering arms. C5 hubs use 12 x 1.5 metric lug nuts.

Note: Shipped o	verweight.		
Black Caliper		_	
BB4016B	1968-74	649.99	set
Red Calipers BB4016R	1968-74	649.99	set



1968-74 Big Brake Conversion Set

This hig brake system uses twin \$2mm piston calipers to grah massive cross drilled and gas slotted rotors to provide a \$0\% increase in stopping over the popular CS caliper. Front sets are compatible with stock disc brake spindles and include 13" rotors, calipers, hooses, bearings, seals, mounting brackets, and hardware. Rear sets include 12" rotors, calipers, mounting brackets, hoses, wheel studs, hard lines, E-brake calbes, and hardware. The 4 wheel set includes a 4 wheel disc manual/power master cylinder and proportioning valve. Calipers are available with a black rust inhibitive coating or powder coated red.

Important: Requires 17" or larger disc brake wheels. SOS sets contain zero offset front

brake sets.				
Note: Shipped	overweight.		_	
Front Only			_	
BB4013	1968-74	black	789.99	
BB4013R	1968-74	red	859.99	set
Rear Only				
BB4015	1968-74	black	669.99	set
BB4015R	1968-74	red	759.99	set
Front and Re	ar			
BB4004	1968-74	black	1499.99	set
BB4004R	1968-74	red	1609.99	set













Electronic Disc Brake Conversion Sets

Sleek billet al. master cylinder

provides for a better appearance and high performance braking

Remote Electric Hydraulic Pump Provides Power

- Eliminates the Bulky Original Booster Gain valuable clearance in the firewall area by doing away with the unsightly, inefficient vacuum power booster. Sleek billet aluminum master cylinder takes it's place for a better appearance and performance.
- Increases Braking Pressure and Performance This electronic system consistently provides 1400-2500 psi of braking pressure at the wheel, is selfcontained and runs on brake fluid. Perfect upgrade for engines with low vacuum due to performance cam.
- True Bolt-on Requires No Vacuum Replaces your OEM brake master cylinder as a direct bolt on (no drilling required). Adjustable pedal rod to allow for correct pedal height.











Electric High Power Master Cylinder

Is the big cam in your Nova causing a lack of braking, or do you have valve cover clearance issues? Classic Industries has the answer—the most innovative system on the market today. This is a bolt-on solution that replaces your OEM brake booster/ master cylinder with a compact billet aluminum master cylinder that does not rely on vacuum for power assist, and a remotely mounted power supply. The fully selfcontained unit allows the master cylinder to provide between 1400 and 2500 psi. Measures: 8" long and 3-1/2" wide. PB 10569 all 1374 99 set



1962-74 Electronic Disc Brake Systems

Looking for a disc brake upgrade for your 1962-63 Chevy II/Nova or a big brake system for your 1964-74 Chevy II/Nova? Classic Industries® has the answer. These solutions from ABS Power Brake are true bolt-ons and mount to your OEM brake spindles (some require 16" or larger wheels). The 1962-63 set provides an OBM size disc brake upgrade. The 1964-74 set features either 12" or 13" cross drilled and slotted rotors. The complete system includes all needed brackets and an ABS Power Brake Electric High Power Master cylinder (EHPM - provides braking capacity for cars with big cams, and additional valve cover clearance).

PB64745	1964-74	12" front and 12" rear		
PB68741	1968-74	13" front and 12" rear	3678.99 set	
Front Only				
PB62632	1962-63	4 lug – OEM size rotors		
PB62635	1962-63	5 lug – OEM size rotors		
PB64746	1964-74	12" front	2154.99 set	
PB68742	1968-74	13" front	3254 99 set	





1967-74 Zero Offset Disc Brake System

Is the big cam in your Chevy II/Nova causing a lack of braking, or do you have valve cover clearance issues? Classic Industries has the answer. This is a true bolt-on solution from ABS Power Brake - mounts to your OEM brake spindles and works with 14" OEM style wheels. This set features 10-3/4" cross drilled and slotted rotors. Included with the system are all brackets needed, plus the Electric

High Power master cylinder.					
PB64742	1967-74	front and rear - with EHPM	2984.99 set		
PB64743	1967-74	front disc set - with EHPM	2154 99 set		

Chevy II/Nova Disc Brake **Conversion Sets**

1962-74 True Bolt-On Disc Brake Conversion Sets

No Need for Front End Alignment True bolt-on front disc brake conversion set

eliminates the need for front end alignment due to spindle change.

Easier and Quicker to Install

Because these sets bolt-on your existing OEM spindles, installation time is greatly reduced.

■ Greater Flexibility in Wheel Options Sets for 1962-63 models are available with stock

4 lug configuration or you may upgrade to 5 lug. Later model sets have a variety of rotor sizes available for use with stock 14" diameter OE style wheels or for larger diameter custom wheels of your choice.



1962-63 Front Disc Brake System with Booster

Looking for a bolt on front disc brake solution for your 1962-63 Chevy II/Nova? Classic Industries® has the answer. This is a true bolt-on solution from ABS Power Brake bolts to your OEM spindles. Included with the system: are all brackets needed. a new power brake booster, master cylinder, and proportioning valve so you can select the correct combination (disc/drum or disc/disc). Available as a 4 lug system (uses 14" wheel), or as an upgrade to the Chevy 5 x 4-3/4" pattern. PB62631 1962-63 4 lug

drilled/slotted



1964-74 Front Bolt-On Disc Brake System

Looking for a disc brake upgrade for the front of your 1964-74 Chevy II/Nova that will bolt to your OEM spindles? Classic Industries* has the answer. This is a true bolt on solution from ABS Power Brake. Available either with 10-3/4" rotors (works with 14" OEM style wheels), 12" rotors (required 16" or larger wheels) or 13" rotors (requires 18" or larger wheels). Rotors are cross drilled and slotted. Included with

the system are an brackets needed.					
PB64744	1964-74	10-3/4" rotors	637.99 set		
PB64747	1964-74	12" rotors	802.99 set		
PB68743	1968-74	13" rotors	1207 99 set		

10 and 12 Bolt Rear Disc Brake Conversion Sets

Simple Install

Conversion set comes with calipers, rotors, mounting brackets, parking brake cables and all required hardware for installation.

More Flexibility in Wheel Options

Upgrade for 1962-74 models providing for a modern disc brake system in the back while allowing the use of OEM size wheels. Later model sets offer 12" big brake upgrade for the rear.



1962-74 Ten and Twelve Bolt Rear Set Looking for a rear disc brake upgrade for your classic Chevy II/Nova? Classic Industries® has the answer. Available either with 10-1/2" OEM size rotors (works

with OEM size wheels), or as a big brake upgrade with 12" rotors (requires 16" or larger wheels). This is a true bolt on solution from ABS Power Brake mounts to your OEM differential housing. Included with the system: are all required brackets, calipers, parking brake cables and all necessary hardware. 1962-74 1962-74 10-1/2" cross drilled/slotted rotors PB10122 764.99 set 12" cross drilled/slotted rotors

PB62633

PB62634

PR62636

1962-63 4 lug

1962-63 5 lug plain.













PB64741

1034.99 set

944.99 set

m ď 2 REAR

lisc Brake /ilwood Sets







1962-79 Forged Pro Series Front Brake Set Wilwood disc brake sets for 1962-79 models. Each set features rotors, caliners, pads, and all hardware necessary to mount them onto stock spindles. Available with plain or

drilled and slotted rotors and red or black calipers. Set features 1/2" - 20 wheel studs. Notes: Shipped overweight. Forged Dynalite Pro Series - 4 Piston plain or drilled and slotted rotors, forged billet Dynalite 4 piston

calipers, and low dust, low noise brake pads for big brake stopping power. Provides plenty of clearance for popular 15" wheels. These sets can be used with manual or power assisted master cylinders.

sportant: May fit some 14" wheels, check wheel clearance diagram in installation instructions before purchase at www.wilwood.com. Must use 1964 or later spindle on 1962

ind 1963 models.			-		
Disc or Drum S					
14010996B	1962-74	plain rotors	848.99		
14010996BD	1962-74	drilled rotors	948.99		
14010996DR	1962-74	drilled rotors - red caliper	948.99	set	
Disc Spindle Or	ılv				
14011007B	1975-78	plain rotors	848.99	set	
14011007BD	1975-78	drilled rotors	948.99		
14011008B	1979	plain rotors	848.99		
14011008BD	1979	drilled rotors	948.99	set	
Forged DynaPro 6 Series — 6 Piston					

Includes: 12.19* diameter rotors for non-ABS spindles, DynaPro 6 piston forged billet calipers with stainless steel pistons and low dust, low noise brake pads for big brake stopping power These sets can be used with either manual or power assisted master cylinders.

		els, check wheel clearance diagram in install ww.wilwood.com, Must use 1964 or later spir	
Disc or Drum S			A
14010510	1962-74	plain rotors	1061.99 set
14010510D	1962-74	drilled rotors	1161.99 set
14010510DR	1962-74	drilled rotors - red caliper	1161.99 set
14010510R	1962-74	plain rotors - red caliper	1061.99 set
Disc Spindle Or			
14010738	1975-78	plain rotors	
14010738D	1975-78	drilled rotors	1154.99 set
14010738DR	1975-78	drilled rotors - red caliner	1154 99 set



1962-78 Six Piston Big Front Brake Set

Wilwood big disc brake sets for 1962-78 models. Each set features rotors, calipers. pads, and all hardware necessary to mount them onto stock spindles. Available with slotted or drilled and slotted rotors and red or black calipers. Set features 1/2" - 20 wheel stude

Forged Narrow Superlite 6 Series - 6 Piston

Includes: 13" or 14" rotors for non-ABS spindles, billet calipers with 6 pistons and low dust, low noise brake pads for superior stopping power. Minimum wheel diameter: 17".

Important: Some sets may require modifications to the original spindle. Must use 1964 or later spindle on 1962 and 1963 models. Note: Shipped overweight.

Disc or Drum S	pindle		_
1409803	1962-74	13" slotted rotors	1759.99 set
1409803D	1962-74	13" drilled rotors	1859.99 set
1409803DR	1962-74	13" drilled rotors - red caliper	1859.99 set
1409804	1962-74	14" slotted rotors	1897.99 set
1409804D	1962-74	14" drilled rotors	1997.99 set
1409804DR	1962-74	14" drilled rotors - red caliper	1997.99 set
Disc Spindle Or	ıly		
14010485	1975-78	13" slotted rotors	1759.99 set
14010485D	1975-78	13" drilled rotors	1859.99 set
14010485DR	1975-78	13" drilled rotors - red caliper	1859.99 set
14010486	1975-78	14" slotted rotors	1897.99 set
14010486D	1975-78	14" drilled rotors	
14010486DR	1975-78	14" drilled rotors - red caliper	1997.99 set
	ΛE	206 Series - 6 Piston	

Includes: 14" rotors, 11" tall calipers with 6 pistons, 5 bolt, triple bridge and low dust, low noise brake pads for superior stopping power Minimum wheel diameter: 17 Important: Must use 1964 or later spindle on 1962 and 1963 models

Note: Shipped overw	eight.		_
Disc or Drum Spi	ndle		
14010920	1962-74	slotted rotor	2084.99 set
14010920D	1962-74	drilled rotors	2181.99 set
14010920DR	1962-74	drilled rotors - red caliper	2181.99 set

AERO4 Big Rear Brake Set

AERO4 Big Rear brake sets offer the perfect match for a AERO6 front set. The AERO4 calipers feature the same 5 bolt, triple bridge body design as the front 6 piston caliper, with smaller pistons to balance the vehicle's braking. The 14" rotors are slightly thinner than the fronts to reduce rotating mass, while providing more than adequate cooling for the rear brakes. For the ultimate in style and performance look no further than Wilwood's state-of-the-art AERO4 rear big brake sets to compliment Wilwood's AERO6 front big brake sets. Important: Will not fit models with staggered shocks.



14010943DR

Note: Shipped overweight. Slotted Rotors 14010943 10/12 bolt with C-clips 2.81" offset... 1010 00 set Drilled Rotors 14010943D 10/12 bolt with C-clips 2.81" offset 2019.99 set

10/12 bolt with C-clips 2.81" offset, red calipers .. 2019.99 set

14010943DR





assembled

Forged Pro Series Rear Brake w/Parking Brake Set

These FDL Pro-Series Rear Disc sets provides a complete solution for rear axles that require a parking brake. Forged billet Dynalite 4 piston calipers, 12.19" one piece drum/rotors, and high friction pads provide optimized and balanced braking for all types of custom performance street/strip and show machines. The neatly hidden internal shoe system provides a clean installation with superior static holding power for parking. Set features 1/2" - 20 wheel studs.

Forged Dynalite Pro Series - 4 Piston Includes: 12.19" one piece rotors with internal parking brake drum, forged billet

4 piston calipers, high friction pads and brackets, and hardware. Important: May fit some 15" wheels, check wheel clearance diagram in installation

instructions before purchase at www.wilwood.com

Notes. Snippea or	erweigm.		_		
10/12 Bolt with					
1407141		plain rotors	812.99 set		
1407141D		drilled rotors	912.99 set		
1407141DR	2.81" offset	drilled rotors - red caliper	912.99 set		
10/12 Bolt Spec	ial				
1407578		plain rotors	842.99 set		
1407578D		drilled rotors			
1407578DR	2.81" offset	drilled rotors - red caliper	942.99 set		
Forged Narrow Superlite 4R Big Brakes – 4 Piston					
		with internal parking brake drum, i			

4 niston caliners BP-10 compound brake pads and brackets, and hardware Notes: Shipped overweight.

2.81" offset	drilled rotors - red calipers	1744.99 set
cial, 3.15" Torino	Bearing Ends	
2.81" offset	drilled rotors - red calipers	1744.99 set
	2.81° offset 2.81° offset 2.81° offset 2.81° offset 2.81° offset 2.81° offset 2.81° offset	2.81 offset slotted rotors

BP-10 Brake Pads

Wilwood's BP-10 exhibits the high temperature friction characteristics of a semi-metallic based race compound with the low temperature response,

lust levels.		4	
508850K	Dynalite type 7112	51.99 set	
508855K	Superlite 6 type 7416	81.99 set	
509488K	AÉRO6 /AÉRO4 type 6617		
5010006K	DynaPro 6 type 6712	99.99 set	
509020V	1060 70 front type D52	65 00 cat	

Know Your Rear End! — Deciphering the Chevy 12 Bolt



12 BOLT

CHEVY





AXLE FLANGE

CROSS-SECTION

€mosen







Moser Compatible Wilwood Disc Brakes

Classic Industries[®] has worked with Wilwood to design brake sets to work with the Moser 12 bolt axle assemblies that are sold through Classic Industries[®]. These will be setup with the correct offset and center register (the diameter of the center flange of the axle where the rotor is installed). Sets include: either Forged Dynalite brakes (black or red caliners) and 12" rotors (standard or drilled and slotted) or Superlite 4R Big Brake 13th rotors (standard or drilled) and (black or red calipers) and have parking brakes. Offset is 2.81" except for 1409315-D-DR which have a 2.75" offset and all have 2.78" center register. Important: 1409215-D-DR are not designed for use with staggered shocks, factory shock

st be moved inboard to clear caliner

	r. Shipped overweight.	◬
M	oser Rear Axle Part #M12100-M12107	
Dynalite - Black		
1409315	12" HP rotor	842.99
1409315D	12" SRP rotor	942.99
Dynalite - Red (Caliper	
1409315DR	Caliper 2" SRP rotor	942.99

Superlite – Black Caliper				
	13 ^f GT rotor			
14010908D	13" SRP rotor	1744.99	set	
Superlite - Red Co	uliper			
14010908DR	13" SRP rotor	1744.99	set	
	ser Rear Axle Part #M12108-M12123		- 1	
Dynalite - Black (
	12" HP rotor	842.99		
14010918D	12" SRP rotor	942.99	set	
Dynalite - Red Ca	liper			
14010918DR	12" SRP rotor	942.99	set	
Superlite - Black				
	13 ⁸ GT rotor			
	13" SRP rotor	1744.99	set	
Superlite - Red Caliper				
1409215DR	13" SRP rotor	1744.99	set	











set

set

942.99 set







Wilwood's brake line fittings are manufactured to high-quality standards and are available in various sizes and configurations.

Otalulas.	Otaal Dualded Flaulines	
2200628	adapter, 3/8-24 female IF to 1/8-27 NPT male, 4 pc set	9.99 se
2206890	frame fitting, 10 mm-1.0 bubble flare to-3 male	
2206413	frame fitting, 10 mm-1.0 inverted flare to-3 male	9.99 ca
2206457	frame fitting, 7/16-24 inverted flare to-3 male	9.99 ca
22013124	frame fitting, 3/8-24 inverted flare to-3 male	9.99 ca
22013125	caliper fitting, 90 degree-3 male to 1/8-27 NPT male	9.99 ca
2206412	caliper fitting, 45 degree-3 male to 1/8-27 NPT male	9.99 ca
2206956	caliper fitting, straight-3 male to 1/8-27 NPT male	9.99 ca

Stainless Steel Braided Flexlines Wilwood's stainless steel braided

flexline sets are available in 3 styles. These premium grade flexline sets are for application specific brake sets or universal applications. Application Specific Flexline Sets 2207056 1962-79 front....

Universal Flexline Sets

2206471

2206746

2206856



14" flexline set with 10 mm-1.0 chassis fitting 18" flexline set with 10 mm-1.0 chassis fitting HIGH-PERF BRAKE SETS











END OF

Disc Brake Conversions

Braking Performance without Breaking Your Budget? Better Get The Right Stuff!

1968-74 Four Wheel Disc Brake Conversion

Upgrade all four wheels with disc brakes in one convenient set! Choose from standard set with plain rotors and rubber hoses or a performance setup with cross drilled/slotted rotors, braided stainless steel flex lines and black powder coated calipers. A dress-up set is also available as an upgrade to the performance set, adding a chrome master cylinder and chrome booster on power brake systems. Note: *Booster only included in power brake sets. Shipped overweight.





Standard Sets Include:

- Master Cylinder
- Plain 11" Rotors
- Cast Iron Plain Caliners and Pads 2.85" Front Single Piston Rubber Flex Hoses

Performance Set Adds:

Manual Brakes

RS900139

RS900142

RS900140

RS900143

RS900141

RS900144 Power Brakes RS900113

RS900116

RS900114

Drilled/Slotted 11" Rotors Cast Iron Black Calipers and Pads

> 1968-74 1968-74

> 1968-74

1968-74

1968-74

1968-74

1968-74

1968-74

Braided Stainless Flex Hoses

Dress-Un Set Adds:

Drilled/Slotted 11" Rotors Cast Iron Black Caliners and Pads

Handwane and Lines

Power Rooster

Braided Stainless Flex Hoses

15" Minimum Wheel Diameter

Chrome Master Cylinder Chrome Power Rooster*

es	y om ome i over perent	_
1968-74	standard	952.99 set
1968-74	standard with 2" drop spindle	1012.99 set
1968-74	performance	1190.99 set
1968-69	performance with 2" drop spindle	1250.99 set

performance with 2° drop spindle	1230.99	set
dress-up	1245.99	set
dress-up	1300.99	set
standard	1032.99	set
standard with 2" drop spindle	1087.99	
performance	1269.99	
performance with 2" drop spindle	1324.99	
dress-up.	1349.99	
dress-up with 2" drop spindle		

1968-74 Nova Basic Front Disc Brake Conversion

This is a basic front brake upgrade (does not include master cylinder/booster). Each conversion set includes rotors, calipers, lines, etc. Available as a standard setup, or performance

setup with cross drilled/slotted rotors, black calipers, and stainless flexlines Note: Shipped overweight.

RS900145 1968-74 standard RS900146 1968-74 performance



471.99 set 595.99 set

1968-74 Nova Front Disc Brake Conversion

Improve stopping power and revitalize your Nova with these comprehensive disc brake systems Virtually everything you'll need is included: calipers, rotors, brake hoses, master cylinder, proportioning valve, brake booster, and more. Available in manual or power configuration, with your choice of standard, performance, or dress-up packages. Note: Shipped overweight.

R \$900105

RS900106



		Ivianuai Drakes		
Stock Spindl				
RS900127	1968-74	standard	570.99	set
RS900128	1968-74	performance		
RS900129	1968-74	dress-up	749.99	set
2" Drop Spir	ıdle			
RS900130	1968-74	standard		
RS900131	1968-74	performance	744.99	set
RS900132	1968-74	dress-up	793.99	set
		Power Brakes	1	
Stock Spindl				
RS900101	1968-74	standard		
RS900102	1968-74	performance	773.99	set
RS900103	1968-74	dress-up	858.99	set
2" Drop Spir	ıdle			
RS900104	1968-74	standard	694 99	set



1968-74

1968-74



performance. dress-up



\$18.00 set

903.99 set

1968-74 Nova Rear Disc Brake Conversion

Looking to convert your classic Nova to rear disc brakes? Rear disc brake conversion sets for 1968-74 Nova models with 10 bolt or 12 bolt rear axles.

With 11" Plain or Drilled Rotors These sets include: 11" rotors, cast iron 1 piston fully loaded calipers, caliper mounting brackets, rotors, flex hoses, hardware, and a pair of rear cables. Available without the parking brake and cables. With Parking Brake

	With	12" Cross Drilled Rotors	
RS900125D	1968-74	10 and 12 bolt slotted/drilled rotors	427.99 set
RS900125	1968-74	10 and 12 bolt standard rotors	
Without Parki	ng Brake/Ca	bles	
RS900121D	1968-74	10 and 12 bolt slotted/drilled rotors	566.99 set
RS900121	1968-74	10 and 12 bolt standard rotors	

Includes: caliper mounting brackets, loaded single piston cast iron calipers with integrated parking brake, ceramic brake pads, 12° cross drilled and slotted zinc plated rotors, braided stainless flex hoses, hardware, and a pair of stainless steel rear cables. Available with black or red powder coated caliners. R \$900149G 1968-74 10 and 12 bolt black caliper 710 00 set R S900149R 1968-74 10 and 12 holt red caling

Baer Brakes are known for exceptional braking performance and outstanding quality. Offering many upgrade and conversion brake sets that far exceed OE equipment performance. Baer Brakes have several sets available to choose from for your specific Nova/Chevy II models, SS4+, Track 4, Pro+, Extreme+, stock GM 10/12 bolt rear end SS4 with a variety of performance levels to fit your driving conditions and requirements. Baer Brakes also offers rear disc brake sets with the same quality and performance as the front. Baer rear systems include a unique billet backing plate that not only act as a caliper mount, but also houses the banksia (1 piece) park shoe setup. Note: Shipped overweight.



1975-79 Brake Front Disc Set

Important: *Brake system has no track width change over stock. Drop spindles might change track width, 4301467 requires stock spindles to be modified. Note: R=red. B=black. S=silver. Photo for illustration

purposes only, set contents may vary. Additional parts may be needed for installation.

This set features the S4 four piston calipers, 11

2 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included. Note: 15" minimum wheel size for 11" rotor. Uses common 4 piston pad (#DR1).

Includes Modified Stock Spindles 1975-79 1695.99 set 4301461

	Hub/No Spindle	
4301467	1975-79	1295.99 set
	Tuesda 4	

This set features the T4 four piston calipers, 13 l piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included. Note: 17º minimum wheel size Uses Camaro 4th ven front pads (#D0749)

Includes Modified Stock Spindles 4301397 1975-79 2195.99 set Includes Modified 2" Drop Spindles 4301398* 1975-79. 2594 99 set

This set features the 6P six piston calipers, 13" or 14" 2 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included. Note: 17" minimum wheel size for 13" rotor, 18" minimum wheel size for 14" rotor. Uses Corvette C5/C6

front paas (#				
	odified Stock			
4301342	1975-79	13"	2845.99	set
4301343	1975-79	14"	2895.99	set
Includes M	odified 2" D	rop Spindle		
4301413*	1975-79	13"	3245.99	set
4301414*	1975-79	14"	3295.99	set
	Ext	reme+		

This set features the 6S six piston forged monoblocked calipers, 14" 2 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs with spindles, mounting brackets, and hardware included Note: 18" minimum wheel size. Uses common race

pad (#D1247) Includes Modified Stock Spindle

4301091 1975-79 4195.99 set Includes Modified 2" Drop Spindle 4595 99 set



75		
	4302376R	

1968-74 Brake Rear Disc Set Note: R=Red, B=Black, S=Silver. Photo for illustration

Additional parts may be needed for installation This set features the S4 four piston calipers, 12" I piece slot, drill, zinc-plated rotors, stainless steel brake hoses, HERRING

CSPENSIO

REAR

E E

90

BRAKES

park brake assembly with cables, mounting brackets, and hardware included. Note: 15" minimum wheel size. Uses common 4 piston pad (#DR1)

10/12 Bolt Rear with C-Clips 1305 00 set 4302326 1968-74.

This set features the S4 four piston calipers, 13" 2 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included.

Note: 17" minimum wheel size. Use common 4 piston nad (#DR1)

10/12 Bolt Rear with C-Clips

4302327 1968-74 This set features the 6P six piston calipers, 13" or

14" 2 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included.

Note: 18" minimum wheel size for 14" rotor, 17" minimum wheel size for 13" rotor. Uses Corvette CS/C6 front pads.

10/12 Bolt Rear with C-Clips 4302350 1968-74 2445.99 set

4302351 1968-74 2495.99 set Extreme+ This set features the 6S six piston forged mono-blocked

calipers, 14" 2 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, park brake assembly with cables, mounting brackets, and hardware included. Note: 18" minimum wheel size. Uses common race nad (#D1247)

10/12 Bolt Rear with C-Clips 3795 99 set 4302376 1968-74



1968-74 Brake Front Disc Set nt: *Design to be used with stock GM disc/dri

spindles. Also fits DSE, Heidt's, Fatman, Ridetech and LH custom drop spindles. 4301432 and 4301336 widens track 200" a side on stock drum brakes

Note: R=red R=black S=silver Photo for illustration purposes only, set contents may vary. Additional parts may be needed for installation.

SS4+

This set features the S4 four piston calipers, 11 drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs mounting brackets and hardware included. 11" 2 piece rotor SS4+.

Note: 15" minimum wheel size for 11" rotor, 17" minim wheel size for 13" rotor. Uses common 4 piston pad (#DR1). Stock Spindles

4301432* 1968-74...

Track 4 This set features the T4 four piston calipers, 13" 1 piece slot drill zinc-plated rotors stainless steel brake hoses fully assembled aluminum hubs, mounting brackets, and hardware included.

Note: 17" minimum wheel size. Uses Camaro 4th gen. front nade (#D0749)

Stock Spindles 4301381* 1968-74.

Pro+ This set features the 6P six piston calipers, 13 2 piece slot, drill, zinc-plated rotors, stainless steel brake hoses, fully assembled aluminum hubs, mounting

brackets, and hardware included. Note: 17" minimum wheel size for 13" rotor, 18" minimum wheel size for 14" rotor. Uses Corvette C5/C6

front pads (#D0731). Stock Spindles - Rotor with Hub 1968-74 13" 2445.99 set 14" 2445.99 set 4301337* 1968-74

C5/C6 Based Spindles (e.g. DSE, RS, Morrison) -Rotor No Hub 4301352 1968-74 14"...... 2095.99 set

Speedtech/CPP Spindles - Rotor No Hub 4301518 1968-79 14"...... 2095.99 set Extreme+

This set features the 6S six piston forged mono-blocked calipers, 14" 2 piece slot, drill, zinc-plated rotors. stainless steel brake hoses, fully assembled aluminum hubs, mounting brackets, and hardware included. Note: 18" minimum wheel size. Uses common race

nad (#D1247) Stock Spindles - Rotor with Hub 4301083* 1968-74 14"...... 3795.99 set

C5/C6 Based Spindles (e.g. DSE, RS, Morrison) -Rotor No Hub 4301171 1968-74 3395 99 set








1795.99 set





d 9 REAR SCBPENBION,

BRAKES

Power Boosters & Master Cylinders



1962-67 Brake Booster/Master Combo

1962-67 Chevy II/Nova power brake booster sets mount in the factory location using the correct firewall mounting holes. These sets greatly increase your stopping performance while making it easier on the to disc brakes and come completely assembled, ready to install. Designed to work with the factory Nova

BB2C6267C	1962-67	disc/drum	399.99 set
BB4C6267C	1962-67	disc/disc	399 99 set



1962-74 Disc Brake Master Cylinder/Booster/Prop Valve Combinations

These high-quality 9" or 11" power booster, new master cylinder (and proportioning valve on disc brake applications) mounts to the stock location on

your firewall creating a super look. Note: *Does not include proportioning valve. 9" booster will provide clearance for either a small block or big block engine

9" Boost			
PB802* PB801	1962-67 1962-67	drum/drum disc/drum	
11" Boos PB803	ters 1968-74	disc/drum	299.99 ea



1962-74 Chrome Brake Booster/ Master Cylinder/Proportioning Valve Combo Reproduction brake booster/master cylinder/

proportioning valve combinations mounts up close to the firewall for added valve cover clearance and improved pedal ratio for full use of master cylinder travel, which means a higher, firmer and safer pedal. Vehicles with Front Disc and Rear Drum Brakes PR 805 1962-67 9" booster.... 409.99 ea 185315171 1968-74 8" booster.... 307.99 ea 11" booster... 550.00 as DD 907 1069 74

Vehicles with					
PB806	1962-67	9*	booster	409.99	ca
J85315672	1968-74	8*	booster	307.99	ca
PB808	1968-74	11	" booster	619.99	ca

BRAKE COMPONENTS



1968-74 Power Brake Master/Booster

Are your power brakes short on power? Upgrade to a double diaphragm power brake booster set and increase pressure for faster braking. The 8" dual diaphragm booster is a Bendix design and offers 1400 psi. The 9 dual diaphragm booster is a Delco design and offers 1600 psi. Includes: double diaphragm booster, dual master cylinder, proportioning valve and brackets. Available with cadmium- or chrome-plating for disc/

druin or disc	disc brake	systems. Made ir	USA.	
		Plated Booste	er	
8" Double I	Diaphragm 1	Booster		
		disc/drum		
PB79951	1968-74	disc/disc	427.99	set
9" Double I	Diaphragm I	Booster		
PB79661	1968-74	disc/drum		
PB79651	1968-74	disc/disc	412.99	set
•	hrome-P	lated Booste	7	
8" Double I	Diaphragm 1	Booster		-
8" Double I PB79962	Diaphragm 1 1968-74	Booster disc/drum	664.99	
8" Double I PB79962	Diaphragm 1 1968-74	Booster	664.99	
8" Double I PB79962 PB79952 9" Double I	Diaphragm 1 1968-74 1968-74 Diaphragm 1	Booster disc/drum disc/disc Booster	664.99 664.99	set
8" Double I PB79962 PB79952 9" Double I PB79662	Diaphragm 1 1968-74 1968-74 Diaphragm 1 1968-74	disc/drum disc/disc Booster disc/drum	664.99 664.99	set
8" Double I PB79962 PB79952 9" Double I	Diaphragm 1 1968-74 1968-74 Diaphragm 1 1968-74	disc/drum disc/disc Booster disc/drum	664.99 664.99	set

1968-74 Master Cylinder/Booster Combo

worn out? Replace Brake booster it with a new integral combination master cylinder and brake booster for cars with front discs and rear drum brakes. Available with 9" or 11" booster. The 11" set

includes combo valve. Both master cylinders have 1.125" bore. GF902109

GF902100 1968-74 9" booster .. 149.99 ea 11" booster 238.99 ea 1968-74



1968-74 Brake Booster/Master Combo

This new Black Out power brake conversion for the 1968-74 Chevy II/Nova's consists of Booster and Wilwood master cylinder and Black Out adjustable proportioning valve 1968-74



587 99 set

Master Cylinder/Booster Combo 🔥

Brand new booster and master cylinder specifically built with the disc brake conversion in mind. The combination unit is ready-to-install and is perfect for tight fitting applications. The booster is finished in an anodized gold and the master cylinder is in raw cast color A28142 A28141 7" booster 100 00 ca 199 99 ca

21330

1962-67 Chrome Booster/Master Cylinder

Polished chrome combination 9" master cylinder and power boosters are just what you need to dress-up your igine compartment. Each combo is assembled in the S. and vacuum tested to insure reliability. Fits disc/ disc, disc/drum, and drum/drum applications with 1' or 1-1/8" bore sizes. 100% new not rebuilt!

1962-67 w/2018N master cyl.. 425.99 ea 1962-67 w/2020N master cyl.. 425.99 ea 1962-67 w/2071N master cv1 425.99 ea



1962-79 Combo Valve Set

This combination valve set provides proper front to rear balance. Includes plastic style system failure warning

light switch. Custom bracket and prebent lines mount the valve under the master cylinder. 1962-79 disc/drum brakes .. 99.99 set

1962-79 301351 disc/disc brakes 99.99 set



1967-74 Brake Combo Valves

If you need a new disc brake metering valve or want the more updated look of a brake combination valve in your 1967-70 Nova, or need a replacement for 1971-74, these carefully machined reproduction brass combination valves are the perfect replacement solution. Will fit and function for all 1967-74 models with either factory disc/drum, disc/drum or disc/disc brake conversions. Available as a valve only or as a set including: valve, bracket and hardware or as a set including: valve, bracket, hardware, and lines.

Combination Valve Set w/disc/drum brakes 71.99 set 1967-74 PV72K 1967-74 w/disc/disc brakes 71 99 set Combination Valve Set with Lines

391350 1967-74 disc/drum brakes ... 99.99 set 391351 1967-74 disc/disc brakes 99.99 set Combination Valve Only 1967-74 w/disc/drum brakes 44.99 ea

1967-74 w/disc/disc brakes 82.99 ea Mounting Bracket Only PVB71 1967-74 mounting bracket .. 9.99 ea

Mounting Bracket with Correctly - Bent Lines 19.99 set 1967-74 I.H mount PV02 1967-74 24 99 set RH mount

BBC6874WB

Master Cylinders



1962-79 Chrome Master Cylinder 🔥

Each chrome master cylinder is designed for use on 1967-79 models and 1962-66 disc brake conversions Choose from 3 different dimensions listed below. 100% new not rebuilt!

1" Bore for Manual Disc Brakes 2018N stock, 9/16" and 1/2" LH ports.. 144.99 ea 2020N custom, 3/8" ports on both sides 144.99 ea

1-1/8" Bore for Power Disc Brakes 2071N stock 9/16" & 1/2" LH ports 144 99 69











1962-79 Drum Brake Master Cylinder

Replacement brake master cylinders for 1962-79 Chevy II/Nova models. Available for models with manual or power brakes.

1962-74		rake Master C	ylinders		
MC36242 MC36006 MC36233A MC36239	1962-66 1962-66 1967-74	7/8" bore	69.99 ea 48.99 ea 111.99 ea 59.99 ea		
1968-79 Disc Brake Master Cylinders Manual Brakes – Front Disc					
			linders		



1968-69 Brake Master Cylinder

A fine reproduction of the original master cylinder used on 1968-69 models with power front disc and rear drum brakes. This master cylinder is correct in every way and features the GM casting numbers on the cylinder. Features outlet port located bleeder valves as well. A must for any purist! Casting #5468309. E358 1968-69 power disc/drum 64.99 ea





Remaster Master Cylinder

Baer Brakes introduces the Remaster master cylinder. The Remaster is a direct replacement for GM bolt patterns. Left or right hand port configurations and compact design to make fitment easier. Master cylinders are available in these bore sizes: 15/16" for manual, 1" for power, 1-1/8" for hydroboost brakes. Provides the best balance between pressure and volume for great braking performance with reasonable brake pedal effort. A mount is machined into the bottom of the master cylinder for a Baer billet bracket/adjustable proportioning valve (sold separately). 15/16" Rore Manual Brakes

99.99 ca

20.99 ea

99.99 ea

11.99 ca

3.99 ca

6801264LP	left port - polished	474.99 c	
6801264RP	right port - polished	475.99 c	
6801262LP	left port - gray anodized	394.99 c	a
6801262RP	right port - gray anodized	394.99 c	a
6801272LP	left port - black anodized	394.99 c	a
6801272RP	right port - black anodized	394.99 c	a
1" Bore Pow	er Brakes		
6801213LP	left port - polished	475.99 c	a
6801213RP	right port - polished	475.99 c	
6801238LP	left port - gray anodized	394.99 c	a
6801238RP	right port - gray anodized	394.99 c	a
6801273LP	left port - black anodized	394.99 c	
6801273RP	right port - black anodized	394.99 c	a
1 1/8" Bore I	Hydroboost		
6801268LP	left port – polished	475.99 c	
6801268RP	right port - polished	475.99 c	a
6801266LP	left port - gray anodized	394.99 c	
6801266RP	right port - gray anodized	394.99 c	a
6801274LP	left port - black anodized	394.99 c	
6801274RP	right port - black anodized	394.99 c	a
Proportionin	g Valve and Bracket		
6801242	polished	29.99 c	a
6801243	polished	109.99 c	a
6801244	gray anodized	20.99 c	a



Disc Brake Master Cylinders

These tandem chamber master cylinders are configured for four wheel disc brakes, featuring a slotted mounting flange that bolts directly to the brake booster, firewall or Morrison's frame mount brakes. Features fluid outlets on both sides of the cylinder to simplify plumbing in any mount location. Available in a natural finish, a bright finish, or Wilwood's exclusive black E-coat. Important: DOT 3 or 4 brake fluid recommended. Not for use with DOT 5 silicone fluid.

1-1/8" Bore for Power Assisted Brakes

2608556	natural finish	219.99	c
2608556P	bright finish	263.99	ea
2608556BK	black finish		
I" Bore for Mar	ual Brakes		
2608555	natural finish	219.99	ea
2608555P	bright finish	263.99	ea
2608555BK	black finish	263.99	ea
7/8" Bore for M	anual Brakes		
2609439	natural finish	219.99	ea
2609439P	bright finish	263.99	ea
2609439BK	black finish	263.99	ea
			_







Disc Brake Master Cylinder

This dual master cylinder and proportioning valve assembly keep brake proportioning adjustments uncomplicated. Designed for manual and power front disc/rear drum and four wheel disc brake applications. Available in natural finish, bright finish or Wilwood's exclusive black E-coat. rtant: DOT 3 or 4 brake fluid recommended. Not for

use with DOT 5 silicone fluid.					
1-1/8" Bore for Power Assisted Brakes					
26113270	natural finish	342.99 ea			
26113270P	bright finish	381.99 ea			
26113270BK	black finish	381.99 ea			
1" Bore for Man					
26113269	natural finish	342.99 ea			
26113269P	bright finish	381.99 ea			
26113269BK	black finish	381.99 ea			
7/8" Bore for Manual Brakes					
26113271	natural finish				
26113271P	bright finish	381.99 ea			
26113271BK	black finish	381.99 ea			

MC39018 MC36317 MC36306

MC36280A 1968



Power Brakes - Front Disc





bore, deep



94 99 ca

6801245

6801275

6801276

6150089

6150090



gray anodized.. black anodized

master cyl top cover gasket.

master cylinder cap gasket.

15/16" Bore for Manual Brakes

26113626

26113626P

26113626BK

342.99 ea

ď REAR END

808

Brake Booster Components

1962-67 Chrome Power **Brake Booster**

Beautiful, highly polished chrome-plated for 1962-67 models. These single diaphragm, 9" power brake boosters will replace your existing booster and offer years of satisfactory and dependable service. 100% new not rebuilt!

2233N 1962-67 9" booster...... 293.99 ea

1968-79 Remanufactured Brake Booster
Having trouble with your power brakes? You may need to replace your power brake
booster. Our remanufactured brake boosters carry a manufacturers limited lifetime
warranty. No exchange required. Note: The listings below are for the power brake booster only and do not
include the master cylinder assembly (sold D8003 separately). Boosters are not currently available in

D80030	1968	with power drum	112.99 ea
D80030	1968	disc brakes	112.99 ca
D80031	1969	with power drum	91.99 ca
D80031	1969	disc brakes	91.99 ca
D80031	1970-74	with power drum	91.99 ca
D80031	1970-74	disc brakes	91.99 ca
D80031	1975-79	with power drum	91.99 ca
D80031	1975-79	disc brakes	91.99 ca

1968-74 Delco-Moraine Brake Booster

Classic Industries® offers this beautiful reproduction. Made in the USA, available in both 9" or 11" and has the correct Delco-Moraine stamping on the face and gold cad-plating. Readyto-install, this power brake booster includes a vacuum fitting, boot, and pushrods. 1968-74

1968-74



PR09 PB011

189 99 ca





1968-74 Hydro-Boost Power Brake Set Hydro Boost hydraulic brake assist power booster erates up to 1800 psi of pressure to the brake

ı	calipers. Does no your engine. Fin equivalent to a 7'	ot take aw ewall and	ay or need va valve cover of	cuum from
	HBC6874WB HBC6874WP	1968-74 1968-74	black bright	

PB10804

AUTHORIZED



Universal Power Brake Boosters 🥠

Universal replacement power brake boosters for a variety of car or truck models. Perfect choice when space is at a premium or custom applications. Will require adjustable pedal rod and correct clevis for your application. Sold separately. Available in various sizes and finishes. 7" Single Diaphragm

zinc....

PB1080B	black	51.99 ca
PB1080C	chrome	84.99 ea
7" Dual Diap	hragm	
PB1081A	zinc	79.99 ea
PB1081B	black	89.99 ea
PB1081C	chrome	104.99 ea
8" Single Dia		
PB1082A	zinc	69.99 ea
PB1082B	black	118.99 ea
PB1082C	chrome	84.99 ea
8" Dual Diap		
PB1083A	zinc	74.99 ea
PB1083B	black	73.99 ea
PB1083C	chrome	104.99 ea
8" Bendix Sty	le Dual Diaphragm	
PB1084A	zinc	118.99 ea
PB1084B	black	159.99 ea
PB1084C	chrome	134.99 ea
9" Slim Singl		
PB1085A	zinc	69.99 ea
PB1085B	black	99.99 ea
PB1085C	chrome	109.99 ea
GM Style 9" :	Single Diaphragm	
PB1086A	zinc	91.99 ea
PB1086B	black	139.99 ea
PB1086C	chrome	104.99 ea
GM Style 11"	Single Diaphragm	
PB1088A	zinc	99.99 ea
PB1088B	black	109.99 ea
PB1088C	chrome	144.99 ea

1967-79 Power Brake Booster Check Valve Reproduction power brake booster check valve for

1967-79 Nova models with power brakes. Each check valve includes correct grommet. KW529 1967-79. 14.99 ea



1962-79 Electronic Vacuum Pump Set

Your vehicle power brake booster requires 16 inches of vacuum. Sometimes, big cammed or supercharged engines don't create enough vacuum to operate the booster, which makes braking harder. This pump set provides your booster with the needed vacuum for your brakes to function.

OE specifications.





Delco-Moraine Brake Booster Components

Reproduction 1962-74 Nova Delco-Moraine power brake booster components. Each part is designed to

Check Valve and Grommet Set Includes the check valve and rubber grommet MP500800 1962-74 9" or 11" booster 14.99 set

Rear Pushrod Boot Located at the rear of the booster, the boot is used to protect the pushrod and rear of the booster from harmful elements. Fits Delco-Moraine brake boosters. PB100100 1962-67 with 9" booster 17.99 ea PB100100 1968-74 with 11" booster 17.99 ea

Booster Refresher Set Includes: the front master cylinder seal, check valve and grommet, tail stock silencer, rear boot, and rear boot silencer. Fits Delco-Moraine brake boosters. PB100101 1962-74 9" or 11" booster 46.99 set Booster Repair Set

Reproduction brake booster repair set. Each set includes the necessary components to bring your booster back to factory specifications. Fits Delco-Moraine brake boosters. 9" Booster Repair Set PB100102 1962-67 with 9" hooster 129 99 set

11" Booster Repair Set PB100103 1968-74 with 11" booster 129 99 set

1968-74 Hydro Boost 😹 Hose Set @por Hydro boost conversion

ose set is designed to fit the GM Saginaw power steering pump with inverted flare pressure fitting. It also fits the GM 605, 800 and 600 Series power steering gearbox.



HBHK00FS 1968-74 stainless steel ... 296.99 set HBHK00FR 1968-74 rubber 244.99 set

1969-74 Power Brake Booster Brackets These brackets are designed for adding

an aftermarket master cylinder booster combination, to mount the booster to the firewall. These are direct holt-on brackets that can be

used with most aftermarket brake boosters 153649A

AUTHORIZED 1 1969-74 23.99 pr zinc .. 153640D 1060.74 chrome 26.99 pr 1969-74 BBK001S stainless steel ... 33.99 pr

Roll Control

5671510

Used primarily in drag racing to provide positive locking action to the front wheels of race cars In tests, the Hurst Roll Control has proved a 1/100,000 of a second release time and vibration tests have seen up to 30 G's applied without mechanical failure Roll



Control installation set is sold separately. 1745000 Hurst Roll Control...... 147.99 set installation

56 99 set

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

1062.70

VP28146

Proportioning Valves



Adiustable Proportioning Valve

The next generation adjustable proportioning valve from Wilwood combines the latest refinements in manufacturing processes and materials to deliver precise pressure metering and unyielding strength from its compact and lightweight, forged billet design. Precision proportioning from 100 to 1000 psi. At full release, valve is capable of up to 57% reduction in line pressure. The new, smaller body accommodates easy mounting in a variety of locations in conjunction with two .25° diameter holes on 1.00° centers. Along with standard 1/8" NPT inlet and outlet ports and two 1/8" NPT to 3/8-24 inverted flare brake line adapters included with each valve makes installation simple. 2608419 46 99 ca





- Rotary adjustment to regulate pressure
 Five 3/8" ports
- Two Front ports One Rear port
- Two Ports feed master cylinder
- Five 3/8"-24 brake line fittings
- · Brake light sensor wiring pigtail

Universal Adjustable Combination Valve

Universal adjustable brake combination valve. Features a rotary adjustment to regulate brake pressure. Includes 5 stainless steel fittings for 3/8" brake line, brake light switch, wiring pigtail, and residual valves where applicable.

Note: *With residual valves	
-----------------------------	--

PB1109	valve only	69.99	ea
PB1110*	with drum/drum	94.99	
PB1112*		94.99	
DD1112s			





Universal Proportion Valve Block

Universal proportion valve and distribution block all in one. Features a rotary adjustment to regulate rear brake pressure and help maintain correct brake bias between front and rear. Distribution block connects to master cylinder and distributes brake fluid to all 4 wheels. Includes five stainless steel fittings for 3/16" brake line, brake light switch, and wiring pigtail. 69.99 ea PB1107 without lines & bracket... PB1108 with pre-bent lines & bracket 114.99 ea



26013784 Residual Pressure Valve

ധ്വധയർ

A 2 pound valve is used in disc brake systems where the master cylinder is mounted below the horizontal plane of the calipers and fluid drain back occurs from gravity and vibration, thereby causing excessive caliper piston retraction and a longer brake pedal stroke. A 10 pound valve is used with drum brake vehicles to compensate for return spring tension in the drums. Fittings are included. *17-1--

26013783 with fittings	21.99
10 Pound Valve - Red	
26013784 with fittings	21 99



1971-79 Proportioning Valve Bracket Reproduction proportioning valve bracket for use on

1971-79 models when converting from drum to disc brakes to mount the valve into the correct location, and can also be used on 1970 models converting from a three piece valve to a 1971 one piece valve RE005

1971-79..



Universal Brake Proportioning Valve Bottom Mount Brackets

Universal fit proportioning valve/combination valve mounting brackets mount the combination valves either to the frame or directly under the master cylinder, providing access to lines and fittings. Each stamped steel bracket is chrome-plated or zinc-plated for superior corrosion resistance.

3652A	zinc	11.99
3652B	chrome	16.99

15

AUTHORIZED

ca



Universal Brake **Proportioning Valve LH Mount Bracket**

Universal fit bracket to mount the proportioning valve on the LH side of the master cylinder towards the driver side fender. Will fit most aftermarket 7-11"

hardware is	provided.	Mounting
153653A 153653B	zinc-plated	



Proportioning Valve Bleed Tool

Proportioning valve bleed tool for all non-adjustable GM style proportioning or combination valves. Designed to replace the warning light switch during the brake bleeding process to lock the low pressure shut valve and allow fast and easy brake system bleeding. all GM style valves













BRAKES REAR END & BPENBION,

Replacement Brake Parts



T9332E

E338

79334

K0075

17.99 ca

14 99 ca

6.99 ca

1962-79 Master Cylinder Cover

Reproduction master cylinder covers for 1962-79 Chevy II/Nova models. Features chrome-plating or gold cadmium finish as indicated. Note: *Cover only

Single for 3" x 5-5/8"

Single for 4-7/8" x 2-3/8

1967-70 disc brakes....

1962-79 with bail .

1967-70 with bail ..

1970-79 with bail



1964-66 Brake Master Cylinder Cap 🔥 Reproduction brake master cap for 1964-66 Nova

models. Manufactured to original specifications featuring gold cadmium-plating and correct stamped instructions.

A8500403 1964-66......



1968-74 Brake Master Cylinder Can 🔥

Reproduction brake master cylinder cap for 1968-74 Nova models. Manufactured to original specifications featuring gold cadmium-plating and correct stamped instructions.

A8500402 1968-74



4-7/8" x 2-3/8" Master Cylinder Cover

Reproduction chrome master cylinder cover for dual line, single clip, 4-4/8" x 2-3/8" with power or manual. Includes retainer as shown.

D141227 16 99 ca



1967-69 Master Cylinder Cover Bails

These ar	e reproduction	ons of the master cylin	nder cover
		master cylinders fron	
		every way and will	
		fic casting numbers	ending in
either 30	19 or 346.		
14296	1967-68	cast #346	21.99 pr
14295	1969	cast #309	14 99 pr





1967-69 Master Cylinder Diaphragm 🗥

Reproduction master cylinder cover diaphragm for 1967-69 Chevy II/Nova models with Delco Moraine style 3" x 5-3/4" master cylinder covers. DR42071 1967-69 with disc brakes.... 7.99 ea



1967-70 Single Bail Drum Brake Master Cylinder Diaphragm/Gasket 🛕

OER® Authorized rubber diaphragm/gasket for various 1967-70 Chevy II/Nova models with single bail master cylinder covers. Fits many drum brake master cylinders that require a 2-3/8" x 4-7/8" single bail lid. T3041B 1967-70 3.49 ca



1973-79 Master Cylinder Cover Diaphragm

This master cylinder cover diaphragm is for 1973-79 Nova models with Delco Moraine master cylinders. . 4.99 ca T3042B 1973-79 ..



1962-74 Master Cylinder Rebuild Rebuild sets for drum or disc brake master cylinders for 1962-74 Chevy II/Nova models. Available for models with manual or power brakes.

Drum with Manual Brakes								
Vehicles	Vehicles w/o Metallic Brake Shoe Linings - 1" Bore							
MK234	1962-64	all	19.99 set					
MK234	1965-66	exc. Bendix cylinder	19.99 set					
	Drum w	ith Power Brakes	5					
Vehicles w/o Metallic Brake Shoe Linings - 1" Bore								
MK234	1962-64	replacement cyl. only	19.99 set					

MK234 MK234 1965-66 Moraine brakes...... 19.99 set 1968-74 1-1/8" hore MK501 26 99 set

Chrome-Plated

Chrome-Plated

Chrome-Plated

D141225

T9332B Gold Cadmium E338

19101

1967-75 manual drum 21.99 ea Dual for 3" x 5-3/4"

1967-79 with bails...... 5.99 ea

Replacement Brake Parts



1968-70 Big Block Power Brake Tube

Reproduction steel tube which inserts between the intake manifold vacuum fitting and the power brake hooster hose

K0125 1968-69 big block...... 34.99 ea K0126 1970 big block...... 19.99 ea





1967-70 Power Brake Inlet Manifold Fitting

Correct fitting for all 1967-70 models with power brakes. 3/8"-18 (pipe thread) with a single 3/8" nipple. G5179 1967-70 8 99 00









Remote Fluid Reservoir These attractively designed fluid reservoirs blend

well with traditional or contemporary engine compartments. Fluid lines can be run out of the back or bottom of reservoirs 1/8" NPT (plugs included for unused holes). Expertly machined in the USA from premium aluminum materials. Available in polished or eatin finishes

Dual Reservoir - 3-1/4" x 4-1/4" x 2-1/4"							
A5700236	finned	polished	218.99	ca			
Dual Reserv							
		polished					
A5700238	smooth	satin	178.99	ca			
Triple Reser	voir - 3-1/2	5" x 6" x 2"					
A5700239	smooth	polished	268.99	ca			
A5700240	smooth	satin	238.99	ca			



1970-74 Brake Booster Hose Rracket

Reproduction brake booster hose bracket for 1970-74 models with power brakes. Attaches to the valve cover. Produced using stamped steel for an original appearance. K0130 1970-74... 19.99 ca



Reproduction thick walled rubber hose including 2 black pinch clamps, check valve and grommet. This hose fits between the intake manifold tube and the power brake booster. K0131 1968-72 big block 11" 19.99 set





1967-69 Master Cylinder Pushrod Set This set will come in handy when rebuilding your

master cylinder and power booster on your power brake system. This set includes: the plastic sleeve, two push pins (one for a shallow bore piston, one for a deep bore piston), and the attaching clevis.



1967-79 Manual Brake Conversion Pushrod

Special heavy-duty pushrod converts cars equipped with power brakes to manual brakes. Uses present master cylinder. Must have deep bore in piston 398721 1967-79



1962-67 Master Cylinder Firewall Plug

Reproduction of the plug that mounts to the firewall in the opening under a manual brake master cylinder. N3000 1962-67 with manual brakes.... 9.99 ea



1967-74 Distribution Block Set This reproduction 1967-74 distribution block set bolts

below the master cylinder. If there is ever a loss of pressure in either the front or the rear brake systems then the distribution block seals off the non-functioning end and activates the brake warning lamp on the dash Set includes the distribution block, mounting bolt, and mounting bracket. RE109 1967-69 front disc or drum 75.99 set

front drum only.... 84.99 ea



1962-79 Hydraulic Brake Switch

This low pressure hydraulic brake pressure switch has a much longer life than previous models available anywhere. This unit fits most vehicles and requires -50 pounds pressure, instead of stock units that need 60-120 pounds pressure to engage. Standard 1/8" pipe thread (9/16"-18). This switch is DOT compliant and is compatible with silicone-based brake fluid. TE900650 1962-79 31 99 69



Brake Warning Switch Socket and Wire

This socket and wire pigtail is spliced into your wire harness to provide the proper connector when using a combination valve with a plastic warning switch housing on 1977 and earlier vehicles that were originally equipped with a metal housing switch. PV1530 8 99 69



1967-69 Brake Pressure Regulator Valve Reproduction rear brake pressure regulator valve for

1967-69 models equipped with factory air conditioning, big block models or models with a factory 12 bolt axle This brass valve features the correct mounting bracket and controls the hydraulic pressure to the rear brakes to evenly distribute front to rear braking force to keep the vehicle's heavy front end level under hard braking RE104D 1967-69 54 99 ca

1969-71 Rrake Check Valve Reproduction of the original style

hold-off brake check valve designed for use with 1969-71 Nova models with rear drum brake systems. This valve mounts on the side of the master cylinder. The proportioning valve goes in line with the front to the rear brake line. Will replace the old or worn out original valve exactly. Includes mounting bracket. 1969-71 disc/drum



59 99 ca



1967-70 Rrake Hold-Off Valve

Replacement and original reproduction hold-off valves for 1967-70 Chevy II/Nova models with front disc and rear drum brake systems. Includes mounting bracket. 1967-68 RE114 disc/drum..... .. 84.99 ca RE106 1969 disc/drum.... 84.99 ca REI15 1970 disc/drum 84 99 ca









RE1104



1970-74

HEERING,

Brake Line Sets



· Available in stainless steel or original material.

1962-65

1966-67

1969-73

1974

mono-leaf..

multi-leaf..

BRAKE LINE SETS

- · All lines have the correct color coded fittings.
- · Each line is machine double flared for a safe, no leak fit.

76.99 ea 69 99 ca

76.99 ca

76.99 ca

76.99 ea

76.99 ca

76.99 ea 76.99 ca

88 99 ca

88.99 ca

88.99 ca

88.99 ca

88.99 ca 88.99 ca

88 99 ca

88 99 ca

88.99 set

- · All lines are clearly labeled for your convenience. Spiral wire gravel guard where required as original.
- All lines have been pre-bent for easy installation.

Reproduction brake lines for your early model Nova are now available in OEM material for a stock look or stainless steel material which offers a longer life span and custom look! Each set includes all the necessary components from the distribution block/proportioning valve forward. We keep a large inventory on hand for quick delivery! Note: Some brake line sets are shipped oversize. 1962-77 Front Brake Line Sets

Original Material				Stainless Steel				
4 Piece XKT6201 XKT6202 XKT6501	1962-64 1962-64 1965-66	manual drum power drum manual drum	60.99 set 60.99 set		4 Piece XKT6201S XKT6202S	1962-64 1962-64	manual drum power drum	81.99 se 81.99 se
XKT6502 FKT67DC FKT6703 FKT6701 XKT6907 FKT6903	1965-66 1968-74 1968 1968 1969-73 1969-73	power drum disc conversion power drum manual drum manual drum power drum	60.00 set 60.99 set 64.99 set 64.99 set 64.99 set 64.99 set 64.99 set		XKT6501S XKT6502S FKT67DCS FKT6703S FKT6701S XKT6907S FKT6903S	1965-66 1965-66 1968-74 1968 1968 1969-73 1969-73	manual drum power drum disc conversion power drum manual drum manual drum power drum	81.99 se 81.99 se 97.99 se 97.99 se 97.99 se 97.99 se 97.99 se
XKT7201 XKT7601 5 Piece FKT6707	1971-74 1976-77	power disc power disc	64.99 set 64.99 set 64.99 set		XKT7201S XKT7601S 5 Piece	1971-74 1976-77	power disc power disc	97.99 se 97.99 se
FKT6705 XKT6905 XKT7501	1968 1969 1975	manual disc power disc power disc	64.99 set 64.99 set 64.99 set		FKT6707S FKT6705S XKT6905S XKT7501S	1968 1968 1969 1975	power disc power disc power disc	97.99 se 97.99 se 97.99 se 97.99 se
6 Piece XKT62DC XKT67DC XKT6701	1962-66 1967 1967	disc conversion disc conversion manual drum	59.99 set 59.99 set 71.99 set		6 Piece XKT62DCS XKT67DCS XKT6701S	1962-66 1967 1967	disc conversion disc conversion manual drum	88.99 se 88.99 se 104.99 se
7 Piece XKT6703 XKT7001	1967 1970	manual disc power disc	64.99 set		7 Piece XKT6703S XKT7001S	1967 1970	manual disc power disc	

eel
disc conv
lise conv
t L79
nversion
er
drum
er
drum
disc
disc
er
disc
er
1

962-75	Rear	Axle	Brake	Line
		1 1		-

	Stain	less Steel	
XRA6202S	1962-65		38.99 pt
XRA6602S	1966-67		38,99 pr
FRA6802S	1968	mono-leaf	38.99 pr
FRA6805S	1968	multi-leaf	38.99 pr
XRA6902S	1969-73		38.99 pr
XRA7402S	1974		38.99 pr
XRA7502S	1975		38.99 pr

Chassisworks 1968-74 Flexible Brake Lines

These braided steel flexible brake lines are designed to work with the Wilwood calipers on the Chris Alston subframe. Frame side fitting is 3/16" inverted flare. K 6320 1968-74 flexlines.... 109.99 pr



1967-79 Stainless Steel Brake Line Sets

Increased stopping power, better pedal feel, and improved safety are some of the qualities you can expect with stainless steel brake lines. Eliminate "mushy brake" feel caused by rubber lines that swell under pedal pressure. These quality brake lines are subjected to a 9 step quality assurance testing process including pressure testing each line up to 3000 psi. All lines are DOT certified and T.U.V. (Germany)

approved.	Sets include	3 lines.	
C12285	1967-68	with front disc	109.99 set
C12246	1969-72	with front disc	
C12267	1973	with front disc	109.99 set
C12268	1974-75	all	109.99 set
C12269	1976	all	109.99 set
212214	1977-78	all	109.99 set
C12250	1979	all	109.99 ea



1967-68 Front Disc Caliper Inlet Lines

Reproduction front disc brake caliper inlet lines which are used on all 1967-68 models with disc brakes. These inlet lines are manufactured with the correct flare nut fittings and feature the original armor spring shielding. Available in original material or stainless steel for longer durability.

Note: Includes 3/8" x 1/2" left and 3/8" x 7/16" right. XFC6701 1967-68 original material 19.99 pr XFC6701S 1967-68 stainless steel 26.99 pr





Correct shield required for hydraulic brake tube. 1/4" o.d. pipe shield. For use on all models.

26.99 pr

26.99 pr

26.99 pr 26.99 pr

26.99 pr

XRA6602

FRA6802 1968

FRA6805 1968

Replacement Brake Parts



Rrake Line Hose Rolts

Specially the calipe	drilled bolt that secures the bra r. Includes 2 bolts and 4 washers	ke line to (gaskets).
393706	7/16"-20	12.99 set
393705	10mm	11.99 set



These brackets and clips will mount rubber or stainless steel lines to the suspension or frame. Bolt-on or weld-

on for easy	installation.		
393737		9.99	St





Fuel and Brake Line Clins

Correct clip for attaching fuel and brake lines to the frames. These clips are accept one 3/8" and one 1/4 steel fuel line or one steel brake line. Bolt hole is 3/8". bolt not included. Sold as a set of 7 or as each. K0094 1969-81 set of 7...... 17.99 set 2.99 ea each.....



K22163 1969-81







1962-74 Rrake Line Clins

Correct clips required to connect the steel brake lines to the frame on various GM models. Sold individually. Note: *Front 5/16" x 3/4". **Rear 3/16" to 3/8" pipe. ... 1.99 ca G5177** 1962-64 1253541 1968-71 2.99 ca BC110*



1962-79 Hydraulic Brake Flex Hose 🔥

These high-quality replacement brake hoses are just what is need to complete your brake system. All hoses are made to meet or exceed SAEJ1401 and FMVSS 106 standards

Front Brake Flex Hoses BH32070 1962-66 LH or RH drum 7.99 ea

BH36618	1967	LH or RH drum	19.99 ea
BH36525	1968-74	LH or RH drum	13.99 ca
BH36579	1968	LH or RH disc	9.99 ca
BH36672	1969-72	LH or RH disc	9.99 ca
BH36712	1973-75	LH disc	15.99 ca
BH36711	1973-75	RH disc	19.99 ea
BH36773	1976	LH or RH disc	9.99 ca
BH36646	1977-78	LH or RH disc	9.99 ca
BH36845	1979	LH or RH disc	9.99 ca
Rear Brake	Flex Hoses		
BH36611	1962-65		7.99 ca
BH36553	1966-67		9.99 ca
BH36581	1968		11.99 ea
BH36586	1969-72		14.99 ca
BH36689	1973		11.99 ca
BH36765	1974-75		9.99 ca
BH36689	1976		11.99 ca
BH36767	1977-79		9.99 ca



1962-79 Hydraulic Brake Flex Hoses Reproduction brake flex hoses for 1962-79 Chevy II/

Nova models. Produced with the original style fittings and are plated in the correct gold cadmium finish.
These hoses are extra durable and produced using DOT approved brake fluid resistant ribbed hoses. Also includes the correct flex hose clip attached directly to the hose. Front Brake Flex Hoses

FH02	1968-73	drum brake	11.99	ea
FH03	1969-72	disc brake	11.99	ea
FH08	1977-78		14.99	
FH09	1979		11.99	ea
Rear Br	ake Flex Hos	ies		
FH32	1962-66		15.99	ea
FH04	1967		11.99	
FH05	1968		11.99	ea
FH06	1969-72		14.99	ea
FH12	1974-75		17.99	ea
FH13	1977-79		21.99	ea



1967-68 Front Brake Hose Brackets

Front brake hose to subframe bracket set, fits disc or drum brakes. Brackets mount on the side of the subframe. HC113 1967-68 pair..



1962-68 Rear Brake Hose Tee Fitting 🧥

Reproduction rear brake hose fitting. This brass tee fitting can be used on all 1962-68 rear brake hoses with a 7/16*-20 thread size. 1962-68





1969-74 Disc Brake Hose Frame Bracket Set

Reproduction of the original disc brake hose to upper frame edge mounting brackets. This unique 3 piece bracket set was originally used on vehicles with factory installed disc brakes, and includes 2 bushings and 1 bolt to mount the tube clip. Excellent for converting drum brake vehicles to disc brakes for a factory appearance. 1969-74 6 piece



Metal Line Clamps

This new line fastening system will keep your metal lines secure and look great while doing it! Once fastened down with the included hardware, your lines will snap in and out of these clamps for a clean and simple installation. Available in 6 piece sets or in a 56 piece shop assortment. Clamps are made from high strength copolymer acetal plastic and are heat resistant to 180 degrees F. Note: *The 56 piece includes: eighteen 3/16" clamps, ten 1/4"

clamps, eighteen	3/8" clamps, ten 1/2" clamps, ar	id hardwi	are.
6 Piece Sets			
A9700111	3/16"	17.99	se
A9700112	1/4"	18.99	se
A9700113	3/8"	20.99	
A9700114	1/2"	24.99	se
56 Piece Set			
A9700115*		189.99	se



Reproduction of the original clip used to mount the brake cable to the rear section of the underbody frame rails. This clip is located on the inside of the frame rail. Sold individually. 3875092















90

BTEERING, SUSPENSION, REAR END &

Parking Brake Components









1962-79 Parking Brake Cable Replace your worn out parking brake cable. Each cable

will install as original.					
1962-67					
NJG38	1962-67	OE style frt and rr	176.99 kit		
M95719	1962-67	rear cable	34.99 ca		
M95720	1962-67	front cable	34.99 ca		
1968-74					
A750800	1968-74	cables only	106.99 kit		
A750801	1968-74	complete kit	130.99 kit		
A750700	1968-74	front cable	34.99 ca		
3923531	1968-74	intermediate	12.99 ca		
1253455	1968-74	rear cable 2 req	29.99 ca		
1975-79					
A750850	1975-79	cables only	182.99 kit		
A750851	1975-79	complete kit	169.99 kit		
A750750	1975-79	front cable	54.99 ca		
1253461	1975-79	intermediate	14.99 ca		
A750752	1975-79	rear cable 2 req	34.99 ca		



Parking Brake Cable

These cables will complete the installation of your Wilwood parking brake set. These cable sets are compatible with all of Wilwood's internal drum parking brake sets including the Dynalite, Superlite, and W4AR sets. This cable will connect Wilwood's parking brake mechanism to your vehicle's OE equalizer assembly The cables are simple to install and adjust, and the cable housing's black finish disappears under the vehicle for a clean looking undercarriage.



Under Dash Parking Brake Cables

Lokar connector cables are designed to mount directly to the under dash, foot operated brake and connect with Lokar universal rear brake cables. These cut-tofit 6' long cables are available with either a black or stainless steel housing.

EC8001B	black housing	

		EC80



Lokar universal rear brake cables are designed to work with the Lokar under dash foot operated brake cables. The outer housing is designed with a specially extruded liner for extended life of the cable, and the stainless cable resists moisture. Features adjustable cable lock and clevis and come complete with two 8' cut-to-fit housings, cables, cable bracket, and spacers. Available with either a black or stainless steel housing. EC80 stainless steel housing..... 238 99 69 EC80B black housing 166 99 ca



F-STOPP® Push Button Parking Brake

The E-Stopp® is the perfect E-brake for stock or custom vehicles. It not only frees up room on the chassis and in the cab but doubles as an anti-theft device when the button is hidden. It works with any kind of brake system that can accept an E-brake cable. Includes the actuator, the control box with switch and wire connectors. It replaces hand, pedal or lever brake and mounts conveniently under the vehicle's carriage. The E-Stopp® attaches directly to your current E-brake cable and has a micro-computer that regulates the proper amount of pressure to your braking system - it will only pull up to 600 lbs before its locked down. The detachable head button allows for an easy install and for visual and audible recognition. For safety, the brake is inoperable while the ignition is on. It can be hooked up to the parking brake warning light. Made in USA.

Recommendation: If your brake cables are old, we recommend purchasing Lokar's Universal Rear Parking Brake Cables. You have a choice of a black housing BC80B or a Stainless Steel Housing BC80. It will make the

installation ea			
A9507801	standard set	479.99	se
A9507807	replacement controller	135.99	ea
A9507808	replacement actuator	349.99	ea



1968-79 Park Brake Cable Retainer 🔥

Correct retainer used to hold the park brake cable in place 3875092 1968-79 1.99 ca



1968-79 Parking Brake Rod Grommet

OER® reproduction grommet is necessary to keep your park brake release rod from rattling. 3045502 1968-79 4 99 ca





1962-74 Park Brake Adiustment Nuts

Parking brake cable adjustment nuts for Nova models. Replacement for the right rear cable nuts. A9500106 1962-74. 1.99 pr





1968-74 Park Brake Cable Retainer Clin Reproduction of the park brake cable retainer clip for

1968-74 Chevy II/Nova models. Replace that broken or missing clip that retains the park brake cable to the park brake lever. 14651 1968-74

Parking Brake Components



1967-79 Rear Park Brake Cable Connector

Reproduction connector used to join the center and rear section of the park brake cable. This cable connector was originally installed on all 1967-79 Chevy II/Nova models regardless of the length of the cable.



1968-74 Brake Cahle Guide

Reproduction of the original park brake cable guide designed for use with 1968-74 Chevy II/Nova models. Manufactured in stamped steel to specific factory dimensions. 3892744 1968-74





1967-79 Parking Brake Cable Equalizer

Reproduction of the original parking brake cable equalizer designed for use on various 1967-79 Chevy II/ Nova models. Each equalizer is manufactured in stamped steel and treated for rust resistance. 1967-79... 6256437 8.50 ca



1964-79 Park Brake Guide Bar Springs Reproduction park brake guide bar springs for Nova

models. These are the green springs for the park brake guide bar. 7.99 pr A9500101 1964-79...



1964-79 Rear Parking Brake Levers 🔥

Reproduction rear parking brake lever for models with 9-1/2" rear drums. This is the lever that gets pulled by the parking brake cable and holds the shoes to the drum. Sold as a pair. 1964-79 RF650 9-1/2" rear drums .. 39.99 pr



1962-67 Park Brake Handle

Reproduction park brake handle for 1962-67 Chevy II/ Nova models. This is a superb quality reproduction. 3877513 1962-67...







1968-79 Parking Brake Release Handle

Reproduction parking brake release handles for 1968-79 Nova models. The OER® reproduction is manufactured to OEM specifications and features the correct lettering for an exact replacement. Choose between the OER® reproduction, the GM service replacement part, or the chrome reproduction handle. All handles will install on your original shaft and feature the words "BRAKE RELEASE" as pictured. Note: *Not cosmetically correct.

3893179 1968-79 black OER® 8. G6550* 1968-79 black GM 10.	
--	--



1968-73 Rear Shock Plate Park Brake Cable Mounting Bracket 🔨

Reproduction parking brake cable mounting bracket for Nova models with factory installed multi-leaf rear springs. Excellent when converting from mono-leaf to multi-leaf springs. 1968-73 2 required



1964-72 Nova Chassis Bolt Set A complete chassis hardware set complete with all

the necessary hardware to install virtually all chassis components. Each set includes individually packaged hardware for easy identification. Includes: hardware for transmission crossmember, transmission mount, steering, front and rear suspension components, engine mounts, gas tank, drum or disc brake components and engine to frame mounts. Made in USA. Note: Quantity and components in sets will vary depending

	Dr	um Brakes		
	vith Small B	lock		
N4000	1964-65		284.99	
N4001	1966		299.99	se
N4002	1967		299.99	
N4004	1968	mono-leaf	299.99	SC
N4005	1968	multi-leaf	299.99	SC
N4009	1969	mono-leaf	299.99	SC
N4010	1969	multi-leaf	329.99	SC
N4014	1970	mono-leaf	284.99	SC
N4015	1970	multi-leaf	334.99	SC
N4019	1971-72	mono-leaf	284.99	SC
N4020	1971-72	multi-leaf	299.99	SC
	Di	sc Brakes		

	Di	sc Brakes		
Models				
N4011		mono-leaf	329.99	set
N4012		multi-leaf	349.99	set
N4016				
N4017	1970	multi-leaf	334.99	set
N4021		mono-leaf	309.99	set
N4022	1971-72	multi-leaf	329.99	set
Models	with Big Blo	ck		
N4008	1968	multi-leaf	319.99	set
N4013	1969	multi-leaf	339.99	set
N4018	1970	multi-leaf	329.99	set
	N4003 N4006 N4007 N4001 N4012 N4016 N4017 N4022 Models N4008 N4013	Models with Small B N4003 1967 N4006 1968 N4007 1968 N4011 1969 N4012 1969 N4016 1970 N4017 1970 N4021 1971-72 N4022 1971-72 Models with Big Blo N4008 1968 N4018 1968 N4018 1968	N4006 1968 mono-leaf N4007 1968 multi-leaf N4001 1969 mono-leaf N4011 1969 mono-leaf N4011 1969 multi-leaf N4017 1970 multi-leaf N4017 1970 multi-leaf N4017 1971-72 mono-leaf N4022 1971-72 multi-leaf N4028 1968 multi-leaf N4008 1968 multi-leaf N4018 1969 multi-leaf N4018 N4018	Models with Small Black











REAR

Replacement Brake Parts



1969-79 Brake Rotor

Replacement brake rotors feature machined nonfriction surfaces for better balancing, creating a cleaner, more finished looking rotor that dissipates heat effectively to provide better stopping power, especially in repeated stopping situations. Each rotor features a double disc ground finish to virtually eliminate run out thickness variations, producing a non-directional finish for better pad and rotor break-in. The 1969-70 rotors were originally a two piece design, now replaced with a 1 piece design.

	/ / /		
CB2091A	1979	40.99	ca
CB2099A	1970-78		
CB2097A	1969-74		
Front Rotors			



1969-79 Drilled/Slotted Rotor

Performance wheels and tires are best complemented with direct replacement drilled and slotted rotors. Rotors resist cracking under stress, prevent glazing of the pads, add bite, and improve wet and dry braking performance. Every rotor is produced from a high-quality casting and finished in a durable corrosion resistant coating. Specify L for left or R for right.

Front Rotors			
CB2097D	1969-74	89.99	ca
CB2099D	1975-78	89.99	ca
CB2091D	1979	92.99	ca



C



1967-74 Performance Brake Rotors

These drilled and slotted brake rotors offer great stopping power at an reasonable price. Designed for maximum pad bite and to minimize brake fade, these rotors are CNC precision cross drilled, mill slotted and silver zinc coated. Non-directional crosshatched for better break-in. Meets SAE J431 specifications. Sold in pairs R\$5200 1967-74 front 142.99 pr

rear

1967-68 Four Piston Caliner Rotor

Originally equipped with a two piece rotor, the 1967-68 model 4 piston calipers require a special rotor that hasn't been available for a long time. This all new reproduction will do the same job that the original two piece units. You can continue to use your original 4 piston calipers with these special rotors.

For use with 1967-68 models with disc brake Hub outside diameter measures 6-1/2". 64.99 ca



Rrake Rotors

These brake rotors provide great stopping power at a reasonable price. These stock style rotors are CNC precision machined and non-directional crosshatched for better break-in, Meets SAE J431 specifications, Sold individually. Fits left or right,

RS5100 1969-74... 43 00 ca

1969-79 Sintted Rotor

Direct replacement rotors are 1 piece, slotted discs for your factory brake system. They offer improved cooling as well as a signature "short slot" design which wipes away the debris of used friction material that otherwise accumulates between the

rotor and pad, keeping fresh pad material exposed to the rotor and reducing pad glazing. The edges sweeping the pad slightly increase the effective coefficient of friction, or "bite", amplifying brake system response. By providing an escape path for water, slotted rotors can also improve initial brake response under wet conditions. Choose from standard high-performance slotted or cryo high-performance slotted rotors. Specify L for left or R for right.

,		4
Standard	d High-Performance S	Slotted
ront Rotors		
B2097B	1969-74	89.99 ea
	1975-78	
B2091B	1979	84.99 ca
Cryo F	High-Performance Slo	otted
ront Rotors		
B2097C	1969-74	133.99 ea
R2000C	1975-78	114 99 ca



1969-79 Brake Pad Retainer Spring 🔥

Recommended replacement whenever rebuilding brakes. For 1969-79 disc brakes. 2 required. Clip on type. H5404

ATTHORIZED



1967-74 Front Disc Brake Backing Plate

Reproduction front backing plates for 1967-68 models with 4 piston or 1969-74 models with single piston front disc brakes and rear drum brakes. Sold in pairs. 1967-68 KW416 .. 34.99 pr four piston.. K1445 1969-74 single piston.. 34.99 pr





1975-79 Front Disc Brake Backing Plate

Reproduction front disc brake backing plates for 1975-79 models with single piston front disc brakes and rear drum brakes BP4023 1075 70 24.99 ea 24.99 ea 1975-79 BP4024 RH

authorized



1969-74 Disc Brake Backing Plates for 2" Drop Spindles

OER® Authorized front disc brake backing plates for use with 2" drop spindles. Fits most GM A, F, & X-Body applications using drop spindles. Note: Use with disc brake spindles #153636.

153644 1969-74



1975-79 Disc Brake Backing Plate Gasket

Correct gasket for 1975-79 models. The gasket inserts between the steering knuckle and backing plate. Helps eliminate noise and road debris. 1975-79 G5181

107 99 pr

Replacement Brake Parts



1969-79 Ceramic Front Disc Brake Pads

These ceramic disc brake pads are an exclusive blend of ingredients that provides the quietest and cleanest brake capabilities while delivering increased stopping power and the highest level of safety. Designed for today's drivers who want ultra quiet braking, ultra low dusting on their wheels, and exceptional durability. CB2299C 1969-79. 44 99 set



1969-79 Premium Brake Pads

These premium brake pads are manufactured usin the same positive molding process utilized by OE suppliers. Positive molding uses extreme pressure to compress the friction material and bond it to the backing plate. This process assures consistent friction material density throughout the pad, resulting in even wear and performance characteristics throughout the life of the brake pad. These are available in 3 specialized formulas suited for varied applications and driving styles. Semi-metallic, extended wear and ceramic. CB2299A 1969-79 semi-metallic 36.99 set CB2299E 1969-79 extended wear.... 30,99 set



1967-68 Replacement Front Brake Pads

Standard replacement low dust, semi-metallic brake pads for Chevrolet vehicles. Exceptional quality. value, noise reduction, and stopping power. Utilizing worldwide manufacturing sources makes these pads high-quality replacements while maintaining value. Available for most Chevrolet vehicles. Brake pads comply to current brake friction material legislation. Four Piston Caliper CB2294A 1967-68 semi-metallic .. 25.99 set



1969-79 Street Performance Brake Pads

Street Performance brake pads are engineered to meet the demands of high-performance driving while maintaining the refinement and comfort expected in everyday driving conditions. These brake pads combine the benefits of premium street brake pads with aggressive friction formulas suitable for track day and autocross use. CB2299F 1969-79 1 piston caliper.... 44.99 set





1969-79 Front Disc Brake Caliper

These calipers are built to be consistent with Federal Safety Standards for quality, performance and safety. We provide our loaded calipers with organic disc brake

)
RC4123	1978-79	RH	74.99 e
RC4124	1978-79	LH	74.99 e
RC4327	1977	RH	69.99 e
RC4328	1977	LH	69.99 e
RC4059	1975-76	RH	89.99 e
RC4060	1975-76	LH	89.99 e
RC4043	1969-74	RH	
RC4044	1969-74	LH	
		ang performance	



1968-79 Two Piston Brake Caliner

Direct bolt-on replacement for all 1968-79 Nova models originally equipped with the big single piston D52 pad calipers. Built to mount in the stock location with stock dimension rotors, using regular OE type or aftermarket compound replacement brake pads and fitment anywhere OE calipers were used. Forged billet aluminum caliper body reduces weight. Stainless steel pistons with high temperature bore seals minimize heat transfer and provide maximum durability. Features a 2.00" bore for 1.00" disc width.

Important: Sold individually. Will work with any factory

12010937 12010937BK 12010937RD 22011372		186.99 186.99 186.99 76.99	ea ea
--	--	-------------------------------------	----------





1969-79 Front Caliner Set

Wilwood's D52 Front Caliper set is a direct bolton 2 piston replacement for the factory original single calipers on 1969-79 Nova models. Forged billet aluminum bodies, stainless steel pistons, and competition style high temperature seals put an end to the rust, bore pitting, and seal failures that plague the OE caliper design. Vehicles 1978 and up (with M10-1.5 banjo bolts) will require new brake lines.

Note: For use on vehicles with 1.04" wide(thick) x max 12.19" diameter rotors. Requires flex hose set 22011371. Black Anodized

14011291	1969-79	419.99	S
Black Powder (
14011291BK	1969-79	419.99	Si
Red Powder Co			

1969-79 Front Caliper Repair Set

Rebuild your brake caliper and be sure that you have adequate stopping power when you need it. Produced using materials that meet or exceed OF specifications, each set contains the necessary items to bring your caliners back to factors specifications. This



single piston caliper repair set fits 1969-79 Nova with OEM style single piston front calipers. Set repairs 1 caliper and includes: a new caliper piston, piston boot, piston seal, brake pad retainer spring, 2 caliper bolts, 2 caliper bolts guides, 4 caliper bolt o-rings, and a bleeder screw

PB100105 1969-79 single piston ... 32.99 set



1969-77 Brake Caliner Hose Bolt 🔥

Reproduction of the front disc caliper hose bolt for 1969-77 models with single piston calipers. 1969-77

6 99 ca



1969-79 Front Caliner Rebuild Set 🔥 This caliper rebuild set is an exact match to the design

of your vehicle's original equipment. Includes 1 boot and I seal necessary to repair a leaking caliper. One set required per caliper. CB2567 1969-79 2-15/16".



303704

BUSPENSION,

REAR

90

BRAKES

1969-74 Caliner Mounting Brackets & Bolts

Reproduction standard style, single piston disc brake caliper brackets for 1969-74 models. Bolts sold separately. 1969-74 E330 brackets...... 74.99 pr 393704 1969-74 14.99 pt



1969-79 Front Caliner Mounting Bolts

Cadmium-plated bolts that mount the calipers to the caliper mounting bracket. Sold in pairs. E226 1969-79.

CB2299C 1969-79 ceramic.









44 99 set





D91001

DPS85010 1969-79

BRAKES REAR END &

Replacement Brake Parts



1969-79 Front Caliner Bushing O-Ring

Delco replacement o-ring bushing which the caliper bolt goes through when installed. For 1969-79 single piston disc brake models. 4 each required. D9402 1969-79 outboard..... 2.99 ca inboard..

1969-79



6.99 ca

1969-79 Steel Brake Caliner Piston 🔥

Rebuilding your disc brake calipers? Don't forget to replace the pistons! Moisture is drawn in as brake system cools, causing hidden problems that can only be eliminated with a complete caliper rebuild. For this reason, we recommend replacing the piston along with rubber parts when doing a caliper rebuild. Sold individually. 2 required.



CR2023

steel 13.99 ea



1964-79 Brake Drum These brake drums provide all the features and benefits of original equipment components. These vehicle

specific premium drums provide consistent quality, strength, performance and reduced noise. Note: Not for use with metallic linings. If you are replacing

an aluminum drum with a cast iron drum, you must replace

With 9-1/2" x 2-1/2" Brakes, Non-Finned	l Drum	
CB2021 1964-68	32.99	ca
With 9-1/2" x 2-1/2" Brakes, Finned Dru	m	
CB2503 1964-74	33.99	ca

With 9-1/2" x 2" Brakes 1964-74 40.99 ca With 9-1/2" x 2" Brakes, Cast Iron Drum

Police Ontion Rear Drum Brake Assembly!



1964-79 11" Rear Drum Brake Assembly

Now you can get the performance of rear disc brakes at the fraction of the cost with this new GM rear drum brake system once available only as a police car option. This is an easy, do-it-yourself set that uses your original power booster and master cylinder. Preassembled on backing plates with heavy-duty 11" x 2" finned drums and high-performance Kevlar ceramic shoes. Installation is simple since everything is preassembled. Just remove your old drum components and bolt these on. The larger finned drums along with the special Kevlar ceramic shoes will make a tremendous difference in your braking performance. 5 x 4-3/4" bolt pattern.

Note: Fits 10 or 12 bolt rear axles. Requires 15" or larger wheel with 5 x 4-3/4" bolt pattern. 391700 1964-79.... 570 99 set





1964-75 9-1/2" Rear **Drum Brake Backing Plate**

Reproduction rear brake backing plates for 1964-75 models with 9-1/2" brakes. Stamped to exact factory specifications, including correct gauge metal. RE107 1964-75 LH and RH 119.99 pr



1968-74 9-1/2" Rear Drum Brake Assembly

This is an easy, do-it-yourself set that uses your original power booster and master cylinder. All new components are pre-assembled onto backing plates with heavy-duty 9-1/2" finned drums and high-performance shoes. Installation is simple, just remove your old drum components and bolt it on.

Note: Fits both 10 or 12 bolt rear ends, Requires 15" or larger wheel with 5 x 4-3/4" bolt pattern. With Splash Shields

DE649 1069.74 424.00 cat Without Splash Shields 1968-74 394 99 set RF647



Features and Benefits:

- Lighter weight that make stops quicker.
- Modern metallurgy speeds up heat dissipation while using the OE cooling fin design. Reduced friction buildup on drum liner surface decreases brake fade and potential damage
- · Aluminum composition resists corrosion and prevents rust from forming.

1964-79 Aluminum Rear Brake Drums

These aluminum brake drums are brand new units designed to outperform traditional OE cast iron brake drums. Since aluminum is a lighter material than cast iron, these brake drums provide better fuel economy as well as shorter stopping distances. These aluminum brake drums guarantee reliable performance for years to come. These replace the optional aluminum brake drums. Sold in pairs.

Important: Not for use with metallic linings. If you are replacing a cast iron drum with an aluminum drum, you must replace them in pairs.

CB18201 1964-79 2-3/4" hub hole ... 234.99 pr



1962-74 Drum Brake Shoes



20 00 set

29 99 set

overall premium performance for everyday driving conditions 100% Ashestos-free formulas Available in bonded styles

Front with 9-1/2" x 2-1/4" Brakes CB2009B 1962-63

Front with 9-1/2" x 2-1/2" Brakes CB2037B 1964-74

Rear with 9-1/2" x 1-3/4" Brakes CB2010B 21 99 set

Replacement Brake Parts







1962-79 Drum Brake Wheel Cylinder 🔥

Wheel cylinders that match the design of your vehicle's original equipment for 1962-79 Chevy II/Nova models. They are built for long service life and feature the highest quality components for resistance to heat, corrosion and leakage. These wheel cylinders deliver consistent, safe and reliable performance.

Front Cylinders

WC36009	1962-63	1"	LH	19.99 ea
WC36010	1962-63	1"	RH	19.99 ea
WC37022	1964-67	1-1/16"	LH	19.99 ca
WC37023	1964-67	1-1/16"	RH	19.99 ca
WC37019	1968-74	1-1/8"	LH	7.99 ca
WC37020	1968-74	1-1/8"	RH	7.99 ea
Rear Cylind	ers			
WC36011	1962-63	7/8"	LH	19.99 ca
WC36012	1962-63	7/8"	RH	19.99 ca
WC37024	1964-74	7/8"	LH	7.99 ca
WC37024	1964-74	7/8"	RH	7.99 ca
WC37021	1975-79	15/16"	LH	11.99 ea
WC37021	1975-79	15/16"	RH	11.99 ea



1962-79 Wheel Cylinder Rebuild Set 🗥


Wheel cylinder rebuild sets are an exact match to the design of your vehicle's original equipment. One set required per cylinder.

Front Cyl	inders		
WK386	1962-63	1"	4.99 set
WK422	1964-67	1-1/16"	7.99 set
Rear Cyli	nders		
WK249	1962-63	7/8"	
WK418	1964-74	7/8"	5.99 set
WK423	1075.70	15/16"	4 90 cet



1964-79 Brake Shoe Guide Plate 🔥

Correct replacement brake shoe guide plate for all Novas not equipped with disc brakes. 2-15/16" o.l. x 7/64" thick. Sold individually.



1965 Brake Shoe Adjusting Screw Spring

Original retractor spring for use with 1965 Nova models. Sold individually. G6097 1965 3.99 ca



1963-75 Brake Shoe Adjusting Lever Spring

Front and rear return spring for 1963-75 Nova models without disc brakes and metallic linings. 7-1/2" coils 1-1/2" free length (red). Sold individually. 1963-75 5 99 00



1962-79 Brake Adjusting Hole Cover 📤 This is the plug that prevents dirt, water and other

elements from entering through the brake adjusting hole in the backing plate. For use on all 1962-79 models. Sold individually. G5194 1962-79

1964-78 Drum Brake Adiuster

This kit includes the brake shoe adjustment sprocket, brake shoe upper retainer and the adjustment plate. Excellent for use when replacing brake shoes. H2532 1964-78 LH front or rear .. 11.99 ea H2533 1964-78 RH front or rear 11 99 ea









1967-79 Brake Hardware Sets

Rebuilding or replacing your brakes doesn't have to be a painful experience. Completely replace worn-out or missing springs and bring your brakes back to proper working condition. Rear sets for 9-1/2" x

drum b	rakes.			
Complete	Axle Sets			
12319	1967-78	rear drum	21.99	set
	1969	rear drum w/o Z28		
12320	1979	rear drum	21.99	set

c

Drum Brake Spring Sets H7103 1967-78 w/o metallic shoe. 6.99 set Brake Shoe Retaining Pin Set H40192 1967-79 per axle 5 99 set













H40192

ERING, BUSPENSION, REAR END & BRAKE

352

Brake Tools



Brake System Power Bleeder

Bleed your hydraulic brake system like the prox with his high capacity brake bleeder system. This is a simple, one person operation with no external power source needed. Includes a precision pressure gauge for safe operation and you can flush the entire hydraulic system without requently refilling the reservoir. This unit features a large reservoir that holds up to reservoir with gauge, hoose, fittings, instructions as well as two adapters that will fit most master cylinders from 1947-91.

14227 bleeder w/universal adapters 85.99 ea



Mityvac Brake Bleeder



One Man Brake Bleeder Loosen the bleeder screw and fill with brake fluid.

Pump the brakes until the hose is free of bubbles. Everything is included to quickly bleed brakes with no mess. Plastic bottle collects discharged fluids. Complete instructions included. Y19200 8.99 set



Rrake Rieeder Wrench



Rieeder Screw Dust Cans





1962-79 Brake Bleeder Valve A Bleeder valves should be replaced whenever rebuilding



Brake Spring Removal Tool

Two to choose from. The standard tool will remove springs that are set over a post. The heavy-duty will remove springs installed through a hole.



Speed up star wheel adjusting on drum brakes by simply inserting the tool through the slot in drum backing plate. A different angle at each end adapts to many various models.

Y50700
3.99 ea



Brake Spring Pliers



Brake Cylinder Hone

Hones drum brake wheel cylinders and disc brake calipers from 13/16" to 2-3/4" in diameter. Sleeve makes insertion in cylinder easy and protects stones when not in use. Use with variable speed drill.



Brake Cylinder Hone

Special abrasive pads polish the cylinder without cutting. Controlled pressure, three abrasives, and flexible driver give good stability and speed. Stones are 1" long. Range 1-1/2" to 3-1/8".

Y10400 hone 14 99 ea

Y10490 set of replacement abrasives.... 5.99 set

Brake Pad Spreader This unique tool makes

changing disc brake pads easy. The tool compresses the disc brake piston for easy installation of pads. Y24400



Brake Tools



Speedy Brake Pad Spreader

The pistol grip ratcheting action and the fast acting plunger compress disc brake pistons in seconds. This makes brake pad replacement a snap. Y24300

single piston pad spreader 39.99 ea dual piston pad spreader 45.99 ea Y25750





These pliers can be used on many domestic vehicles

with an emergency brake cables at the rear wheels. Works on drum brake and disc applications, quick and easily pushes the emergency brake cable out the spring/connector for service or replacement. Y44210 17 99 ca

20.99 ca



Double Flaring Tool Set If your brake or fuel lines need to be flared, this is the

right tool for you. This set allows the user to make single or double SAE flares to exact dimensions. Great item to keep in your tool box.

Y31310 39 99 set



Tubing Bender These tools make bends easy without the tube

collapsing. Tube benders can be used for bending copper or steel tubing such as brake, fuel, transmission cooler or power steering lines. I hand bender for small lines or slight bends in larger lines. 2 hand bender for easy bends in larger lines X2189 3/16", 1/4", 5/16", and 3/8" 31,99 ea

5/16" and 3/8" lines...... V025700 44 99 ca



Brake Fluid Wilwood offers two grades of high-performance brake fluid. Hi-Temp^o 570 for severe heat. EXP 600

Plus for extreme performance under the high heat of professional motor sports. Always add new fluid to a clean system 2908478 EXP 600, 6-16.9 oz bottles ... 129.99 cs

2902210 Hi-Tempo 570, 6-12 oz bottles 72.99 cs



High-Performance Brake Fluid

StopTech High-Performance DOT 4 brake fluid is compatible with modern ABS stability systems. It mixes with all DOT 3 and 4 products, and optimized resist boiling under severe temperatures. Choose from street or racing formulations. Sold in durable 500ML metal containers

Note: This brake fluid should not be mixed with mineral oil systems CB2560 street formula 14 99 ca racing formula.

NOT 5 Silicone Brake Fluid

Wilwood FIVE is a high-performance silicone brake fluid that features a non-hygroscopic blend that blocks the absorption of moisture from the air, preventing internal brake system corrosion. FIVE is paint friendly and will not harm finishes should a spill or leak occur. It is a fully DOT 5 compliant fluid meeting or exceeding FMVSS 116 and MIL-PRF-46176B-DOT specifications, and can be used in any vehicle that requires DOT 5 broke fluid



29011084

Brake And Parts Cleaner

This powerful Brake And Parts cleaner quickly cuts through grease and grime, but it does not leave an oily film. This fast drying formula gets the job done while using less spray compared to watered down cleaners. Non-chlorinated. IG1210

14 oz can IG1211 case of 12 - 14 oz. cans.



Hydraulic Assembly Fluid

Use this hydraulic brake assembly fluid to keep brake seals and o-ring properly lubricated when assembling wheel cylinders, calipers, master cylinders, and other hydraulic components. Compatible with all DOT 3 and DOT 4 brake fluids

Important: Not for use with mineral CB2568 8 oz bottle





HEEZING,

BUSPENSION,

REAR F



Brake Caliper/Brake Drum Paint System Available in 11 colors, this system is the most complete

brake caliper paint set available with brush-on application, high gloss finish, and the heat resistance of up to 950 degrees F! Includes: two component paint system, caliper cleaner, brush and mixing stick. Seals and protects from oils and corrosion. Choose from red, yellow, blue, silver, black, purple, green, white, gold, orange, or pink. Contains enough paint for 4 large calipers or 2 brake drums. G22160 specify color.











CB2566



24 99 ca

Rally Wheel Kits

Buy the Kit and Save!

Save big when replacing your wheels with a Rally Wheel kit from Classic Industries®. We offer a wide selection of kits including same size or mixed sizes. Each kit includes a complete set of four Rally wheels, wheel caps, trim rings, and lug nuts. We've listed the

year model information for those who are restoring their vehicles back to factory specs. However, these kits will fit any Nova with a 5 lug, 4-3/4" bolt pattern.

1967-68 Standard Rally Wheel Kit

These 1967-68 standard Rally wheel kits include center cap ornaments of the type originally used on Nova models without disc brakes. The ornaments feature the wording "Chevrolet Motor Division" encircling a Bow Tie

1967-68 14" x 6" Rally Wheel Kit

- 14" x 6" Rally Wheels 14" x 6" Trim Rings
- Center Cap Bases 4
- Standard Ornaments **Ornament Screws** 20 Wheel Lua Nuts

RWK01

BRAKES

d

REAR END

BUSPENSION,



1967-68 14" x 7" Rally Wheel Kit

- 14" x 7" Rally Wheels 14" x 7" Trim Rings
- Center Cap Bases Standard Ornaments
- Ornament Screws 20 Wheel Lug Nuts



RWK02 1967-68 15" x 7" Rally Wheel Kit

- 15" x 7" Rally Wheels
- 15" x 7" Trim Bings Center Cap Bases Standard Ornaments
- Ornament Screws Wheel Lug Nuts RWK03



1967-68 15" x 8" Rally Wheel Kit

- 15" x 8" Rally Wheels 15" x 8" Trim Rings
- Center Cap Bases Standard Ornaments 16
- **Ornament Screws** Wheel Lug Nuts RWK04



1967-68 15" x 7" and 15" x 8" Mixed Size Rally Wheel Kit

15" x 7" Rally Wheels (front) 15" x 8" Rally Wheels (rear) 15" x 7" Trim Rings

- 15" x 8" Trim Rings
- Center Cap Bases Standard Ornaments 20
 - **Ornament Screws** Wheel Lug Nuts

989 1

1967-68 Disc Brake Rally Wheel Cap

1967-68 Disc Brake Rally Kit

These 1967-68 kits include center cap ornaments of the type originally used on Nova models with disc brakes The ornaments feature the wording "Chevrolet Motor Division" and "Disc Brakes" encircling the Bow Tie.

1967-68 14" x 6" Rally Wheel Kit

- 14" x 6" Rally Wheels
- 14" x 6" Trim Bings

1967-68 Standard Rally Wheel Cap

- Center Cap Bases Standard Ornaments 16 Ornament Screws
- 20 Wheel Lug Nuts RWK 19

RWK20

20



1967-68 14" x 7" Rally Wheel Kit

- 14" x 7" Rally Wheels 14" x 7" Trim Rings Center Cap Bases
- Standard Ornaments 16 **Ornament Screws** 20 Wheel Lug Nuts



1967-68 15" x 7" Rally Wheel Kit

- 15" x 7" Rally Wheels 15" x 7" Trim Rings
- Center Cap Bases Standard Ornaments
- Ornament Screws Wheel Lug Nuts RWK21

1967-68 Disc Brake Rally Kit

1967-68 15" x 8" Rally Wheel Kit This 1967-68 kit includes center cap ornaments of the

type originally used on Nova models with disc brakes. The ornaments feature the wording "Chevrolet Motor Division" and "Disc Brakes" encircling the Bow Tie.

- 15" x 8" Rally Wheels 15" x 8" Trim Rings
- Center Cap Bases
- Standard Ornaments 16 Ornament Screws
- 20 Wheel Lug Nuts RWK22



1967-68 15" x 7" and 15" x 8" Mixed Size Rally Wheel Kit

This 1967-68 kit includes center cap ornaments of the type originally used on Nova models with disc brakes. The ornaments feature the wording "Chevrolet Motor Division" and "Disc Brakes" encircling the Bow Tie.

- 15" x 7" Rally Wheels (front)
- 15" x 8" Rally Wheels (rear) Center Cap Ornaments Rally Wheel Center Caps
- 5" x 7" Trim Rings 5" x 8" Trim Rings Wheel Lug Nuts
 - Ornament Screws
- 16 RWK18



Rally Wheel Kits

Buy the Kit and Save! 🔥

Save big when replacing vour wheels with a Rally Wheel kit from Classic Industries® We offer a wide selection of kits including same size or mixed sizes. Each kit includes a complete set of four Rally wheels, wheel caps, trim rings, and lug nuts. We've listed the year model information for those who are restoring their vehicles back to factory specs. However, these kits will fit









Λ 20 Lug Nuts

RWK31



1969-70 Chevrolet Motor Division Center Cap

1969-70 15" x 8" Rally Wheel Kit

1969-70 15" x 7" and 15" x 8"

Mixed Size Rally Wheel Kit

15" x 8" Rally Wheels Rally Wheel Hubcaps

15" x 8" Trim Rings

1969-70 Rally Wheel Kits

These 1969-70 Rally wheel kits feature a plain hubcap. 1969-70 14" x 6" Rally Wheel Kit

- 14" x 6" Rally Wheels Rally Wheel Hubcaps
- 14" x 6" Trim Rings
- 20 Wheel Lug Nuts plain caps .

1969-70 14" x 7" Rally Wheel Kit

- 14" x 7" Rally Wheels Rally Wheel Hubcaps
- 14" x 7" Trim Rings 20 Wheel Lug Nuts
- RWK27 plain caps

1969-70 15" x 7" Rally Wheel Kit

- 15" x 7" Rally Wheels Rally Wheel Hubcaps 15" x 7" Trim Rings 4
- Lug Nuts 20 RWK29





15" x 7" Rally Wheels (front) 15" x 7" Trim Bings 15" x 8" Trim Rings

15" x 8" Rally Wheels (rear) Rally Wheel Hubcaps

1969-70 Rally Wheel Kits The 1969-70 center caps feature the wording

"Chevrolet Motor Division 1969-70 14" x 6" Rally Wheel Kit

14" x 6" Rally Wheels

- Chevrolet Motor Division Center Cap 14" x 6" Trim Rings
- Wheel Lug Nuts RWK05 637 99 kit

1969-70 14" x 7" Rally Wheel Kit

- 14" x 7" Rally Wheels Chevrolet Motor Division Center Cap
- 14" x 7" Trim Rings Wheel Lug Nuts 20 RWK06 626 99 kit

1969-70 15" x 7" Rally Wheel Kit

- 15" x 7" Rally Wheels Chevrolet Motor Division Center Cap
- 15" x 7" Trim Rings 20 Wheel Lug Nuts

RWK07

RWK14

1969-70 15" x 8" Rally Wheel Kit

- 15" x 8" Rally Wheels Chevrolet Motor Division Center Cap 15" x 8" Trim Rings
- 20 Wheel Lug Nuts

1969-70 15" x 7" and 15" x 8" Mixed Size Rally Wheel Kit

- 15" x 7" Rally Wheels (front) 15" x 8" Rally Wheels (rear)
- Chevrolet Motor Division Center Cap
- 15" x 7" Trim Rings 15" x 8" Trim Rings 20 Wheel Lug Nuts











OTERNO,

SCOPENSION,

REAR

MND

90

BRAKES

S CYL REAR **BUSPENSION**,

Rally Wheels

D D





Reproduction Painted Rally Wheels wheel comes beautifully finished in original silver (powder coated) color. These

Replace a rusty, pitted or missing wheel with a new reproduction Rally wheel. Each

reproduction wheels come in 5 x 4-3/4" bolt pattern and are available in a variety of sizes to fit your specific needs. Center caps and trim rings are sold separately. Note: Shipped oversize.

Item #	Size	Bolt Pattern	Offset	Bksp	Price
DK14X6	14" x 6"	5 x 4-3/4"	6 mm	3-3/4"	94.99 ea
DK14X7	14" x 7"	5 x 4-3/4"	0 mm	3-3/4"	91.99 ea
DK14X8B	14" x 8"	5 x 4-3/4"	-19 mm	3-3/4"	104.99 ea
DK15X6	15" x 6"	5 x 4-3/4"	7 mm	3-3/4"	94.99 ea
DK15X7	15" x 7"	5 x 4-3/4"	6 mm	4-1/4"	129.99 ea
DK15X8A	15" x 8"	5 x 4-3/4"	-6 mm	4-1/4"	131.99 ea
DK15X8B	15" x 8"	5 x 4-3/4"	-19 mm	3-3/4"	101.99 ea
DK15X10	15" x 10"	5 x 4-3/4"	-32 mm	4-1/4"	179.99 ea

Reproduction Painted Rally Wheels — Buy a Set of Four & Save SS! Save when purchasing a complete set of 4 Rally wheels! Each set is beautifully

finished in Argent silver powder coated. Wheel trim rings and caps sold separately. Note: All wheel sets must be prepaid including shipping, approximately 35 lbs per

wheel. Shipped oversize.					
Item #	Size	Bolt Pattern	Offset	Bksp	Price
R14X6S	14" x 6"	5 x 4-3/4"	6 mm	3-3/4"	359.99 set
R14X7S	14" x 7"	5 x 4-3/4"	0 mm	3-3/4"	299.99 set
R14X8S	14" x 8"	5 x 4-3/4"	-19 mm	3-3/4"	398.99 set
R15X6S	15" x 6"	5 x 4-3/4"	7 mm	3-3/4"	299,99 set
R15X7S	15" x 7"	5 x 4-3/4"	6 mm	4-1/4"	395.99 set
R15X8AS	15" x 8"	5 x 4-3/4"	-6 mm	4-1/4"	411.99 set

R15X8B	15" x 8"	5 x 4-3/4"	-19 mm	3-3/4"	387.99 set
R15X8AS	15" x 8"	5 x 4-3/4"	-6 mm	4-1/4"	
R15X7S	15" x 7"	5 x 4-3/4"	6 mm	4-1/4"	
R15X6S	15" x 6"	5 x 4-3/4"	7 mm		
R14X8S	14" x 8"	5 x 4-3/4"	-19 mm		
R14X7S	14" x 7"	5 x 4-3/4"	0 mm		

â	**	-	ia	-	-	-	- San		-	_	_	0	
7	Ţ	7	7	7	T	7	7	100	~	~	5	~	
í		T	×	-		To the	-		-	-	K64	011	
"				1							1407	011	

Lug Nut and Lock Set These specially designed McGard® nut and lock kits are made to last a lifetime. Guaranteed to out shine the competition long after others have rusted away. Each

nut is identified by size directly on the head, chrome-plated and case hardened completely through. The thread strength meets or exceeds OEM specifications.

K64000	1/2"-20 thread	13/16" Hex	chrome	53.99 set
K64010	1/2"-20 thread	3/4" Hex	chrome	64.99 set
K64011	7/16"-20 thread	3/4" Hex	chrome	64.99 set



1971-78 Rally Wheel Hubcan

1971-78

Reproduction of the original Rally wheel center hubcap designed for use on various 1971-78 Nova models. This hubcap was installed on models originally equipped with Rally Wheels. Manufactured in injection molded ABS featuring a bright chrome finish. Features a bright chrome and silver finish with a Bow Tie in the center of the cap. Includes an inner steel retainer for installation. Sold individually.



WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov





Rally Wheels in Brilliant Chrome!

Upgrade your vehicle's stock appearance with a beautiful set of chrome reproduction Rally wheels. These reproduction wheels come in 5 x 4-3/4" bolt pattern and are available in a variety of sizes to fit your specific needs. Each wheel includes an aftermarket style police center cap. For a more authentic Chevrolet Rally wheel appearance, use our Chevrolet rally wheel caps and trim rings sold separately. Note: Shinned overrise

Item #	Size	Bolt Pattern	Offset	Bksp	Price
OK14X6C	14" x 6"	5 x 4-3/4"	+6mm	3-3/4"	149.99 ca
OK14X7C	14" x 7"	5 x 4-3/4"	0mm	3-3/4"	
OK14X8BC	14" x 8"	5 x 4-3/4"	-19mm	3-3/4"	
OK15X7C	15" x 7"	5 x 4-3/4"	6mm	4-1/4"	
OK15X8AC	15" x 8"	5 x 4-3/4"	-6mm		189.99 ca
OK16X7C	16" x 7"	5 x 4-3/4"	0mm	4"	172.99 ea

Reproduction Chrome Rally Wheels — Buy a Set of Four & Save \$\$!

Save when purchasing a complete set of 4 Rally wheels! Each set is beautifully finished in polished chrome. Each wheel includes an aftermarket style moon center cap. For a more authentic Chevrolet Rally wheel appearance, use our Chevrolet Rally wheel caps and trim rings sold separately.

Note: Free shipping does not apply to wheel sets. All wheel sets must be prepaid

Item #	Size	Bolt Pattern	Offset	Bksp	Price
R14X6C	14" x 6"	5 x 4-3/4"	+6mm	3-3/4"	569.99 set
R14X7C	14" x 7"	5 x 4-3/4"	0mm	3-7/8"	549.99 set
R15X7C	15" x 7"	5 x 4-3/4"	6mm	4-1/4"	595.99 set
R15X8AC	15" x 8"	5 x 4-3/4"	-6mm	4-1/4"	591.99 set



1971-79 Wheel Stud

Original style wheel studs for all 1971-79 Nova models with front disc brakes. Used to hold the wheel onto the axle. Sold individually. A14 9 ca

228	1971-79	7/16"-20 x 1-1/4"	 3.49











Logo Valve Stem Caps

Valve stem logo caps are a perfect way to add that finishing touch to your wheels. The highly detailed, full color logos are fade proof and waterproof for years of trouble-free use

E5030724		15.99	
E5030725		15.99	set
E5030727	gold Bow Tie logo	15.99	set
E5030720	SS logo	15.99	set

Rally Wheel Center Caps













WK1012 - detail WK1013 - detail

WK1012

set of 4

individual

individual derby cap (set of 4)

set of 4.....

indivdual

set of 4

Plain Short Derby Cap
WK 1012A individual

Rally Wheel Center Caps

Custom Application Center Caps 1968-77 Chevrolet Motor Division with Bow Tie

1968-77 Style without Lettering - Chrome Plastic



Baby Moon Center Caps

Baby moon style center cap made exclusively for smoothie wheels. Available individually or in a 4 piece set. For Rally Wheels WK1008 chrome - baby moon...... 14.99 ea WR1008 chrome - baby moon...... 53.99 set For Smoothie Wheels chrome - baby moon cap 14.99 ea



WR1009

WK1013

170 00 set

49 99 ca

19 99 ca

71 99 set

31.99 ea

34 99 ca

121.99 set

113 99 set



chrome - baby moon cap 53.99 set

Police Style Wheel Center Caps

Police style hubcap. Available in chrome or stainless steel. Sold individually or in a set of 4.

Note: *Will no	ot fit Rally wheels.		
	with Bow Tie		
	chrome	24.99	
	chrome	89.99	
	stainless	29.99	
WR1000S	stainless	107.99	se
Rally Wheel			
WK1002C	chrome	19.99	
WR1002C	chrome	71.99	se
WK1002S	stainless	24.99	ea
WR1002S	stainless	89.99	se
Smoothie W			
WK1003C*	chrome smoothie wheel cap	19.99	
WR1003C*	chrome wheel cap set	71.99	se





Although these caps are not original for your classic vehicle, they are a great way to dress-up your Rally wheels. Available in chrome or stainless steel. Sold ndividually or in a 4 piece set

Indivdual			
WK1018CL	chrome – LH		
WK1018CR	chrome - RH	39.99	ea
WK1018SL	stainless - LH	34.99	ea
WK1018SR	stainless - RH	34.99	ea
Set of 4			
WRI018C	chrome	144.99	SC
WR1018S	stainless	107 99	SC

WKIOIAS







WR1012

WK1012

WK1013

WR1013

WR1012A

WR1012NL

Plain Tall Derby Cap WK1012NL





Disc Brake Rally Wheel Center Caps 🔥

WK10120

OER® Authorized Rally wheel center caps for various GM models. These high-quality center caps no various GM models. These high-quality center caps are manufactured to factory specifications. These center caps fit 1967-77 style Rally wheels. Each cap includes the chrome dish with the ornament attached that has the words Chevrolet Motor Division. GM offered Rally wheels as an option on many GM passenger cars from 1968-81 but Rally wheels are commonly used on a variety of additional year models

	yle with Chrome-Plated Bo						
WR1014C	set of 4	89.99 set					
WK1014C	individual	24.99 ea					
Disc Brake Style with Polished Stainless Base							
WR1014S	set of 4	107.99 set					
WK1014S	individual	29.99 ea					
Chevrolet Mo							
WK10120	individual	49.99 ea					
General Moto	General Motors Corporation						
WK10121	individual	53 99 ca					



Rally Wheel Center Cap Components

OER® Authorized Rally wheel center cap components for various 1967 models. Manufactured to factory specifications for an original fit and appearance. Contra Con Champlet Mater Divisi

3908762	1967	individual	22.99	ca	
PR126	1967	set of 4	71.99	set	
Center Cap	- Chevrolet	Motor Division-Di	sc Bra	kes	
3901715	1967	individual	25.99	ca	
PR125	1967	set of 4	82.99	set	
Center Cap	Ornament to	o Base Screws			
		individual			
R306	1967-78	16 piece set	14.99	set	
Center Cap Base - Stainless					
WC3		individual			
WC5	1967	4 piece set	53.99	set	











Rally Wheel Trim Rings





Rounded Edge Style Stainless Steel Wheel Trim Rings 🔥

OER® Authorized Rally wheel trim rings for various GM models. These high-quality wheel trim rings are manufactured in polished stainless steel and feature a rounded over edge design similar in appearance to the original 1968-82 15" x 8" style GM trimrings. Multiple original 1906-0213 Ao styre Grant magazine pro-sizes available making it easy to match front and rear design when using different size wheels from front to back. Sold individually or in 4 piece sets. 14" x 6", 1-1/2" Deep (also fits 14" x 7")

TERMO

	set of 4		
TK3000	individual	21.99	ca
15" x 6",1-1	1/2" Deep (also fits 15" x 5" &	15" x	7"
TR3015	set of 4		
TK3015	individual	24.99	ca
15" x 7" WI	ieels, 2-1/4" Deep		
TR3125	set of 4	97.99	set
TK3125	individual	26.99	ca
15" x 8", 3"	Deep (also fits 15" x 10")		
9796696	set of 4	94.99	set
97966961	individual	24.99	ca
16" x 7", 16	5" x 8", 1-1/2" Deep		
TR3016	set of 4	89.99	set
TK3016	individual	24.99	ca



to withstand hammers, chisels, and wrenches. Narrow groove key patterns and specially coded keys provide maximum security. No moving parts to damage or

orrode.	Set of four.		
C24011	1962-79	7/16" - 20 thread	17.99 set
70006	1962-79	lock caps - chrome	4.99 set
70005	1962-79	lock caps - black	3.49 set



Reproduction Bow Tie Trim Ring Set 🗥

Reproduction stainless steel Bow Tie trim rings for Rally wheels. Each trim ring features 4 Bow Ties stamped on each ring. Sold in sets of 4. TF500068 15" x 7" 109.99 set TF500069 15" x 8" 121.99 set



Reproduction Chrome Round Lip Trim Ring

Excellent quality reproduction wheel trim rings. Classic Industriesth offers Rally wheel trim rings at a greatly reduced price. Get a stylish look with these reproduction trim rings. Sold individually or in a 4 piece set. Note: *OE wheel only.

	ndividual Trim Rings	
1-1/2" Deep TK3005	14" x 6", 14" x 7"	21.99 ca
TK3007*	15" x 5", 15" x 6", 15" x 7"	21.99 ca
3" Deep TK3009*	15" x 8", 15" x 10"	21.99 ea
	Trim Ring Sets	
1-1/2" Deep		
TR3005	14" x 6", 14" x 7"	89.99 set
TR3007°	15" x 5", 15" x 6", 15" x 7"	69.99 set
3" Deep - OE	Wheel Only	
TR3009	15" x 8" 15" x 10"	69 99 set



1967-79 Stainless Rally Wheel Trim Ring

Genuine GM trim rings for Rally wheels. Each ring is produced with bright chrome finish. Due to changes in Federal Safety Regulations, attachment clips may vary in location from original stock trim rings but does not effect appearance once installed.

Important: Not for use on SS, Turbine, 5-spoke Rally wheels or Poly Cast wheels. GM offered Rally Wheels as an option nger cars from 1968-81 but may fit other years. 1967-79 14" x 7" - 2. 24" offset 152.99 ea



Squared Edge Style Stainless Steel Wheel Trim Rings

OER® Authorized Rally wheel trim rings for various GM models. These high-quality Rally wheel trim rings are manufactured in polished stainless steel and feature a squared step edge design similar in appearance to the original 1967-77 style GM trim rings. These deep style trim rings give the wheel a wider look with the ring filling more area near the wheel center section. x 7" also available in chrome. Sold individually

or in 4 piece sets. Stainless Steel - 14" x 7", 2-7/8" Deep set of 4... 94.99 set 5459101 individual 24 99 ca Stainless Steel - 15" x 7", 2-3/8" Deep 3901708 set of 4.... 94.99 set 39017081 individual 24.99 ca Chrome - 14 x 7", 2-1/4" Deep A9591010 set of 4... 94 99 set



Rally Wheel Lug Nut Sets Classic Industries® offers a lug nut set for your Rally

wheels. A perfect set to purchase if your lug nuts are stripped, worn out or rusted. All sets include: 20 lug nuts, 4 valve stems, 4 wheel locks and a key. 7/16" - 20 thread...... 1/2"-20 thread WK1 39 99 set WK2

R4406

YENKO'

Wheels & Accessories







Yenko Style/Rally II Wheels and Accessories

Reproduction Pontiac Rally II wheels originally installed on various Yenko models Provides a nostalgic custom look on your Nova. All Rally II wheels can be installed with either drum brakes or disc brakes. Powder coated finish. Important: Center cap, trim rings, and lug nuts are available separately.

Item#	Size	Bolt Pattern	Offset	Bksa	Price
WV410	15" x 7"	5 x 4-3/4"	0 mm	4"	183.99 ea
WV415	15" x 8"	5 x 4-3/4"	0 mm	4"	177 99 es
WV416	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	
WV417	15" x 10"	5 x 4-3/4"	0 mm	5"	216.99 ea
		Trim	Rings		
		ctions of the or	iginal whee	el trim rings. Get the	same OEN
look with th	nese great repr	oductions. So	ld in sets of	four.	
K9796696E	2 15" v 7"	2-1/2" deen			194 99 sc

K3923626R 15" x 8" 3" deep 194.99 set

eproduction of the famous Rally II chrome center wheel cap designed for use on Yenko models equipped with Chevrolet Rally II wheels. Each center cap is designed to replicate the original Yenko design including the letter "Y" in red on a black background. Sold individually. 4 required per vehicle. YC105 Yenko "Y" logo... 34.99 ca





17" Yenko Style/Rally II Wheel

Wheels feature a gunmetal gray powder coating with machined edges. Accepts original style center caps (sold separately). Important: Not compatible with factory lug nuts. Use #716201 for lug nuts Note: Shipped overweight.

		- Individu	s —	
Item #	Size	Bolt Pattern	Offset	Bksp
PW1784	17" x 8"	5 x 4-3/4"	0 mm	4-1

PW1795	17" x 9"	5 x 4-3/4"	0 mm	5"	256.99 ea
		Se	t of 4 —		
Item #	Size	Bolt Pattern	Offset	Bksp	Price
R4432	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	935.99 set
R4433	17" x 9"	5 x 4-3/4"	0 mm	5"	935.99 set
Chrome A	corn Lug Nut	s			
716201	7/16" x 20	set of 5			12.99 set





Bow Tie Center Cap Emblem Available in Black, Silver and Gold!





N980171

K151767

16" GTA Style Alloy Wheel

Each cast aluminum GTA style aluminum wheel features a machine finished outer lip and gold or black gloss spokes as original. Originally installed on 1987-92 Trans Am GTA models but will also fit Chevy II/Nova models for a custom look. Accepts original style center caps and lug nuts, sold separately. Important: Low profile tires may be required for clearance on early model applications

Individual Wheels

Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
10104410	16" x 8"	5 x 4-3/4"	0 mm	4-3/8"	black	157.99 ea
10104406	16" x 8"	5 x 4-3/4"	0 mm	4-3/8"	gold	157.99 ea
		s	et of 4		-	_
Item #	Size	Bolt Pattern	Offset	Bksp		Price
R4410	16" x 8"	5 x 4-3/4"	0 mm	4-3/8"	black	539,99 set
R4406	16" x 8"	5 x 4-3/4"	0 mm	4-3/8"	gold	539.99 set
	16"	GTA Style	Wheel A	Accesso	ries	
		GTA style allog specific 2-1/8				

and lug nut caps. Note: *Add color code suffix when ordering emblems, available in black (BK), silver (SV), or gold (GD)

Wheel Cent	ter Caps wit	hout Emblem	
10097582	chrome		
10097583	black	zero offset	24.99 ca
Wheel Cent	ter Cap Eml	blems - 2-1/8"	
K151767	Bow Tie	specify color	14.99 ca
Lug Nuts -	7/16" - 20 1	Thread	
N980171	gold	each	1.99 ea
N980172	gold	set of 20	36.99 set
Lug Nut Co	ıp.		
10028614	black	each	3.99 ea
R5124	black	set of 20	48.99 set
748679	silver	each	2.99 ea
R5141	silver	set of 20	59.99 set
748680	gray	each	2.99 ea
R5142	gray	set of 20	59.99 set
748677	chrome	each	2.99 ea
R5140	chrome	set of 20	59 99 set















Wheels & Accessories









IROC-Z Style 16" x 8" Wheel

Reproduction 16" x 8" aluminum IROC-Z style wheels. These wheels were originally installed on 1985-87 Camaro IROC-Z models but will add a custom look to any Chevy II/Nova.

Individual Wheels

Item #	Size	Bolt Pattern	Offset	Bksp		Price
14089081	16" x 8"	5 x 4-3/4"	0 mm	4-1/4"	front	
14089082	16" x 8"	5 x 4-3/4"	0 mm	5-1/8"	rear	199.99 ea
	5	Set of 4 - 4	-1/4" Ba	ckspaci	ng ——	
Item #	Size	Bolt Pattern	Offset	Bksp		Price
R4424	16" x 8"	5 x 4-3/4"	0 mm	4-1/4"	front/rear	719.99 set
	Set	of 4 - Two	4-1/4"	& Two 5	-1/8"	
Daniel B	Ol	Ball Ballana	0//	Disas		Dolon.

361 01 4 - 1100 4-174 & 1100 3-170							
Item #	Size	Bolt Pattern	Offset	Bksp		Price	1
R4425	16" x 8"	5 x 4-3/4"	0 mm	5-1/8"	rear	719.99 sc	et
Wheel Cen	ter Caps						
14080273	IROC-Z -	- gold				12.99 ea	
14066938	IROC-Z -	silver				12.99 ea	â
							-







IROC-Z 18" and 20" Oversize Replica Wheel

OER® oversized replica 18 and 20 inch 1985-87 style IROC-Z wheels. This one piece, alloy wheel is available with a machined finished face and gloss black accents or chrome-plated. Each wheel includes a center cap.

mportant: OE center caps do not fit these wheels. Each wheel includes a center cap. Center cap emblems are sold separately.

Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
PR148881	18" x 8"	5 x 4-3/4"	0 mm	4-1/2*	gloss blk	175.99 ea
PR148882	18" x 8"	5 x 4-3/4"	0 mm	4-1/2*	chrome	246.99 ea
PR148281	20" x 8"	5 x 4-3/4"	0 mm	4-1/2"	gloss blk	217.99 ea
PR 148282	20" x 8"	5 x 4-3/4"	0 mm	4-1/2*	chrome	286 99 ea







NE:

Aluminum Wheel

Reproduction aluminum wheels that were originally installed on 1980-81 Camaro models but will add a custom look to any Chevy II/Nova. This handsome wheel is perfect for any vehicle running 14" tire size

- Individual Wheels -

Item #	Size	Bolt Pattern	Offset	Bksp	Price
14022116	14" x 7"	5 x 4-3/4"	0 mm	4-1/4"	189.99 ca
14039021	15" x 7"	5 x 4-3/4"	0 mm	4-1/4"	
			Set of 4		
Item #	Size	Bolt Pattern	Offset	Bksp	Price
R4421	14" x 7"	5 x 4-3/4"	0 mm	4-1/4"	
R4422	15" x 7"	5 x 4-3/4"	0 mm	4-1/4"	683.99 set
Wheel Hub 14012631					9.99 ea
Wheel Hub	Cap Inser	t, 2-1/4" O.D.			
14066944	"Ĉhevrole	et"			8.99 ca







N :: 9

15" 5-Spoke Steel Wheel

If you're looking for a custom look for your Nova, check out these reproduction Chevrolet 5-spoke steel wheels originally found on 1970-81 Camaro Z28 models. Center caps and trim rings sold separately. Note: Shipped overweight.

Item #	Size	Bolt Pattern	Offset	Bksp		Price
983045 13045	15" x 7" 15" x 7"	5 x 4-3/4" 5 x 4-3/4"	0 mm 0 mm	4-1/4" 4-1/4"	individual set of 4	
						077



15" x 7" 5 x 4-3/4

15" x 7" 5 x 4-3/4"





15" x 7" N90 Cast Aluminum Wheel

Reproduction of the N90 aluminum wheel. Sold individually or in a set of 4. Note: Shipped overweight. 0 mm 0 mm

R4423 WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov

R

individual. 189.99 ca

set of 4 683 99 set

te: Shinned overwei

Wheel Accessories



1967 Original Style Hubcaps

Reproduction hubcaps for models with 14" standard steel wheels and drum brakes. Replace your missing, damaged, or discolored hubcaps with these quality reproductions. Sold as a set of 4. F220 1967 set of 4 304 00 cet

Trim Ring for 14" 5-Spoke SS Wheel Reproduction trim ring for 14" "SS" 5-spoke

wheels. This ring was used exclusively for this wheel only. These wheels were optional on SS models only. 14" stainless, 2-15/16" deep, step lip, for 14" x 7" wheels. Set of 4 Trim Rings

A26100 14" x



Trim Ring for 15" 5-Spoke Steel Wheels

This special trim ring was designed for the 15" x 7" Chevrolet 5-spoke steel wheel. Unlike the conventional Rally wheel trim ring, this special type ring will only fit the 5-spoke design. Once installed, only a small portion

of this trim ring will actually be visible. R1235 set of 4... .. 214.99 set



AUTHORIZED



High Crown Chrome Lug Nut Set

OER® Authorized correct reproduction of the original early design 7/16* high crown acorn lug nuts used with all 1967-81 Pontiac Rally I wheels, Rally II or Honeycomb wheels. The design of the nut has been improved for longevity. Rather than having a chrome or stainless steel cap as originally designed, this nut is solid in design to prevent splitting or damaging the nut when using an impact wrench to tighten lugs. DK79 1962-79 set of 20 50 00 set













Center Caps and Trim Rings for 15" 5-Snoke Steel Wheels If you are looking for the best quality and most authentic

looking reproduction center caps and trim rings for the Chevrolet 15* 5-spoke steel wheel, look no further. OER® reproductions for the 5-spoke steel wheels are available individually, a set of 4 center caps, or a set which includes trim rings and center caps. 9 ca

881223	1962-79	set of 4	89 99	
881226	1962-79	with trim rings		











Center Caps and Emblems for N90 Wheels OER® reproduction hubcaps and center cap inserts

for N90 aluminum wheels. Chevy Bow Tie inserts are available in your choice of black, silver, or gold. Note: *Add color code suffix when ordering, for black (BK), silver (SV), or sold (GD).

Wheel Cente				
10154284	black	individual		
	black	set of 4		
10154284C	chrome	individual	14.99	ca
R407	chrome	set of 4	56.99	set
Wheel Cente	r Cap Emb	lems - 2-1/8"		
K151767*	Bow Tie	specify color	14.99	ca





1/4" Billet Aluminum Wheel Spacer 🔥

These 1/4" wheel spacers provide additional clearance for the installation of wide aftermarket wheels. CNCmachined from billet aluminum for strength and durability. Sold individually. Note: Longer wheel studs are recommended with wheel

enacer installation K151791 1/4" spacer. 14 99 ca









Wheel Center Cap Retainer Set Replacement plastic wheel center cap retainer set for

various cast alloy wheels. These retainers are used to attach the center wheel ornament/cap to the wheel. Dimensions 1-1/4" tall, 1-3/4" up top, 2" bottom. Sold in set of 4. Mounting screws sold separately. 251710 set of 4 retainers .. set of 10 screws 1/2" long 3 99 set





Hex Style Wheel Center Can

OER® alloy wheel 2 piece center cap is manufactured using high-quality chrome-plated injection molded ABS plastic with a stamped steel retainer. Duplicates the cap that was originally installed on American Racing wheels of the 1960's and 70's including the 200S Daisy wheel, T70, and T70R 5-spoke alloy wheel, may fit other aluminum wheels that have a 2-1/2" center bore. Cap will accept a 1-3/4" emblem. K 676













Wheel Covers

1962-63 Wire Wheel Cover Spinner 🔥

Reproduction wire wheel cover spinners for 1962-63 Nova models with wire wheels. Features a triple chrome-plated finish. Sold in sets of four. Note: These can be installed on Rally cap A9500661.

1962-63... JA9345





1962-63 Wire Wheel Cover Spinner 🔥

Reproduction wire wheel covers spinners for 1962-63 Nova models equipped with wire wheels. Sold in sets of four. Made in USA.

te: These can be installed on Rally cap A9500661. CM2195A 1962-63



BRAKES

d

2

REAR

BUSPENSION,

1967 SS Wheel Cover Spinner

Reproduction wheel cover spinners installed on 1967 SS Nova models. This reproduction is proudly manufactured in the USA and includes retainers.

ote: Not for use with G7812 hubcap. CM2481 1967 4 piece. 309 99 set





Yenko® Wheel Ornament Decal

This is a pressure sensitive adhesive insert for Yenko® models with Torque-Thrust wheels. YC106 Yenko® 4 required ..



1969-70 SS Wheel Ornament Retainer

The chrome SS ornaments can't be installed without these retainers. Can be used to install GM original ornaments or our reproductions. A26098 1969-70 reproduction 6.99 ca

2567	1969-70	repro - set of 4	27.99	set
7829	1969-70	GM		

A26098 395677 426007



1969 SS Wheel Ornament Components

Reproduction SS wheel ornaments for 1969 Super Sport models. Ornaments include inserts. Can be used to install original GM ornaments or reproductions.

Chrome v		
A26097	1969	individual 17.99 ea
R2566	1969	set of 4 82.99 set
		Inserts – SS
		individual 4.99 ea
13946	1969	set of 4 21.99 set
		Retainers (without Hardware)
A26098		repro – individual 6.99 ea
G7829		GM – individual 22.99 ea
R2567	1969	repro - set of 4 27.99 set
		ts, Retainers, and Hardware
153570	1969	repro - set of 4 59.99 set
		s, Retainers, Hdwr, and SS Inserts
881136	1969	repro - set of 4 89.99 set



Restoration

1969 SS Wheel Ornament Insert

Reproduction of the center hubcap insert for 1969 Nova Super Sport models. Features the correct black color with a white and silver trim SS logo as original. O.D. 1-3/4". 3956772 1969. 4 99 69



1969-70 SS 396 Wheel Center Can Emblem This is a replacement center cap emblem that fits the

1969-70 SS wheel chrome ornament. Make a change to your wheels with this beautifully embossed SS 396 logo. Emblem measures 1-3/4" diameter. Note: Sold in sets of 4 only. 13937 1969-70 SS 396 - set of 4 15 99 set







This is a replacement center cap emblem that fits the 1969-70 SS wheel chrome ornament. Emblem measures 1-3/4" diameter. Note: Sold in sets of 4 only

1969-70 SS 454 - set of 4 15.99 set 13938



 \sim

1971 Finned Wheel Cover Emblem

Reproduction finned emblem installed on 1971 Nova models. This reproduction is manufactured in the USA. Sold individually. CM5953 1971 27.99 ea



1971-79 Rally Wheel Insert Bezel

Insert used with all 1971-79 Nova Rally Wheels. For all 14" x 6", 14" x 7", and 15" x 7" Rally Wheels. Six required per wheel. 474361 1071.70 individual 16.99 ea 1971-79 319.99 set 24 piece ...



1969-70 SS Wheel Paint Masking Set

This unique set offers Nova owners the opportunity to do the restoration on their SS style wheels without the expense of going to a professional. This easy to use set includes 25 paint masks (enough to do 5-spokes per wheel).

WMK2 1969-70 14" wheels...... 14.99 set WMK3 1969-70 15" wheels 19 99 set

Wheel Covers





Chrome Polara Style Wheel Covers 🗥

These chrome Polara style hubcaps provide classic 1950's styling with their chrome die-cast centers with white inserts. Sold in sets of 4. Available only in 15". 15" wheel covers .. 297.99 set CP500341









243 99 set

Chrome Lancer Wheel Covers

These chrome Lancer hubcaps provide classic 1950's styling with their chrome die-cast centers and black powder coated inserts. Sold in sets of 4. Available in 14" or 15"

CP50032A CP50032B

14" wheel covers 15" wheel covers ... 243 99 set









Rally Wheel Cap with Bullet Center 🔥

Looking for something a little different for your Rally wheels? Try these polished stainless steel Rally caps with bullet centers! Fits original Rally wheels and aftermarket Rally wheels. Sold in a set of 4. CP500170 Rally wheel caps 142.99 set



Chrome Vintage Curb Feelers

Forget running your beautiful wheels into the curb with these vintage coil style curb feelers! Universal fit. Sold as a pair. Get the valve stem cap adapters to use valve stem caps on your curb feelers! CP500173 C2512 vintage style curb feelers ... 14.99 pr universal curb feelers 13 99 nr



5 Lug Spider Caps

These spider caps centers are just the thing to make your 5 lug steel wheels stand out. Die-cast and chrome-plated for a show quality appearance. Includes mounting hardware. Fits most steel wheels. Sold in sets of 4. CP500342 5 on 4-3/4" 5 on 5"..... 5 on 5-1/2" CP500171 191.99 set 191.99 set CP500172









Spider Wheel Covers These Spider wheel covers provide classic 1950's styling to dress-up your classic vehicle. Sold in sets of

4. Choose from an black/white or all white checkered design around the edges. Available in 14" or 15". 14" Covers CP50014A white checkered 319.99 set 15" Covers white checkered 319.99 set





Chrome Starburst Wheel Covers

	ke your classic ride stand or sets of 4.	
CP50028A CP50028B	14" covers	





Chrome Single Bar Wheel Covers

These chrome single bar wheel covers provide classic 1950's styling with their chrome die-cast centers. Sold

	vailable in 14" or 15".	
	14" smooth	
	15" bar/bullet	
CP50033A	14" bar only	85.99 sc
CP50033B	15" bar only	
	14" bar/bullet	
CP50035B	15" bar/bullet	102.99 se
		-







These chrome fiesta hubcaps provide classic 1950's

styling with their chrome die-cast centers and white checkerboard pattern. Sold in sets of 4. Available in 14" or 15". CP50016A CP50016B 15" wheel covers..... 108.99 set





Chrome Cross Bar Wheel Covers

These chrome cross bar hubcaps provide classic 1950's styling with their chrome die-cast centers and white inserts. Sold in sets of 4. Available in 14" or 15" CP50030A 15" wheel covers CP50030B 265 99 set











USPENSION,

REAR END

90 BRAKES

BRAKES END & REAR **BUSPENSION**, EERING,

A26100

Original Style Wheels

Ite

A8

A8







1969-70 Chevrolet SS Style Wheel

Reproduction style SS wheels found on various applications in the GM line as an option.

Available in popular sizes to fit your needs in the OE style finishes. Center caps, retainers. trim rings, and lug nuts sold separately below. Item # Size Bolt Pattern Offset Riven

WV418	14" x 7"	5 x 4-3/4"	0 mm	4-3/8"	177.99	ca
WV419	15" x 7"	5 x 4-3/4"	0 mm	4-3/8"	179.99	ea
WV420	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	187 99	ca
WV421	15" x 8"	5 x 4-3/4"	0 mm	5*	186.99	ca
		Co	mponen	its		
Center Car	s with Emb	lems				_
A26097	1969-70	SS			17.99	ca
R2566	1969-70	SS - 4 piece	·		82.99	set
Center Car	Retainers					
A26098	1969-70	reproductio	n		6.99	ca
G7829	1969-70	GM			22.99	
R2567	1969-70	reproductio	n – 4 piece	5	27.99	set
Center Car	Emblems .					
13937	1969-70	SS 396 - 4	piece		15.99	set
13938	1969-70	SS 454 - 4	piece		15.99	set
Lug Nuts						
13944	1969-70	acorn lug ni	at		2.79	ca
881229	1969-70	set of 20			39.99	set
Trim Pinge						



1969-70 14" x 6" - 4 piece



99.99 set

495500111

Magnum 500 Allov Wheel The Legendary Magnum 500 alloy wheel is the ultimate expression of the nostalgic muscle car attitude. This iconic design is enhanced with precision aluminum allo

construction and CNC-machined details for a show winning look. These wheels feature a gloss black and machined finish that is clear coated for a long-lasting durable shine. Center caps and lug nuts sold separately. Note: *For rear wheel only. Will not clear most front suspensions

Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
A95507570	15" x 7"	5 x 4-3/4"	0 mm	4-1/2"	gloss blk	170.99 ea
A95508570*	15" x 8"	5 x 4-3/4"	0 mm	4-3/4"	gloss blk	179.99 ea
A95608570	16" X 8"	5 x 4-3/4"	0 mm	4-1/2"	gloss blk	179.99 ea

Legendary Wheel Company center caps are die-cast with precision for a perfect fit and a show quality finish. Each emblem is its own work of art with unparalleled detail and correct accent colors. This Super Sport center cap is modeled after the original caps equipped on 1969-70 GM A-Body vehicles. They utilize an easy-to-install mounting system designed to work exclusively on Legendary wheels that

eliminates the risk of caps getting loose or being stolen. Sold individually. A95500110 SS chrome center cap

Lug Nuts	
Lug nut for these wheels are chrome E/T Conical, 7/17" - 20, 3/4" Hex	head. Sold
individually or a set of 20. Includes rubber valve stems.	
A95500111 7/16"-20 13/16" Hex head E/T conical	1.99 ea
A 95500112 installation kit 7/16"-20 with valve stems	40.99 set

1968-74 Factory Style

Stamped Steel Wheel

Factory style replacement stamped steel wheel features gloss black powder coating with OE style dimples for "dog dish" hubcap, and dimples by the valve stem. Perfect for a classic sleeper look!

Important: Rally hubcaps will not fit these wheels Note: For 14" x 6" and 14" x 7" use TK3000 trim rings



ijor is x	use IRS12.	rum ring.				
em #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
500504 500505 500506	14" x 6" 14" x 7" 15" x 7"	5 x 4-3/4" 5 x 4-3/4" 5 x 4-3/4"	0 mm 0 mm 0 mm	4-1/2" 4-3/4" 4-3/4"	gloss blk gloss blk gloss blk	99.99 ca









cap included

Cast Aluminum Rally Style Wheel

The Rally is a clean, traditional hot rod wheel design. This 1 piece cast aluminum design offers better durability and weight savings over traditional steel alternatives. Features a silver powder coated face with a machined lip and 5 x 5" dual lug patterns. Fits most modern brake upgrades while accommodating to original equipment backspacing. Includes economy plastic derby center cap. Wheels also accepts alternative design caps. Sold separately.

Important: Do not use chrome aftermarket style lug nuts, they will not clear the center cap. Note: Shipped overweight.

A9507840	15" x 7"	5 x 4-3/4"	0 mm	5"				
A9507860	17" x 8"	5 x 4-3/4"	0 mm					
A9507960	17" x 9"	5 x 4-3/4"	0 mm	5*				
A9507970	18" x 8"	5 x 4-3/4"	0 mm	5"	224.99	ca		
	Wheel Sets							
	15" x 7"							
A9507851	17"	two 17" x 8'	and two	17" x 9"				
A9507850	17" x 8"							
A9507953	17" x 9"	four 17" x 9	"		899.99	set		
		Co	mponer	nts				

A9507953	17" x 9"	four 17" x 9"	899.99	set
		Components		
Lug Nuts				
WL700101			.99	
WL700105	7/16" x 20	set of 5	3.99	set
WL700120	7/16" x 20	set of 20	17.99	set
Center Cap:	s Sets			
WR1013	set of 4	tall derby plastic cap (economy)	71.99	set
748671	set of 4	disc brake plastic dish Rally caps	199.99	set
				_

Cast Aluminum SS Style Wheel

Get the classic look of the steel SS road wheel from various GM models as a lightweight polished alloy! This wheel features a highly polished 5-spoke face and rim with contrasting black painted center. Includes a center cap without insert

Important: 17" wheels not compatible with factory lug nut. will need to use #716201 lug nuts

Note: 15" wheel caps accept 1-3/4" diameter inserts. mended Polished lug nuts 13944 reco Item # Size Bolt Pattern Offset Bks



251784	
P	Pri
7"	194
5"	189

9500651 9500652 51784	15" x 8" 15" x 10" 17"x 8"	5 x 4-3/4" 5 x 4-3/4" 5 x 4-3/4"	0 mm 0 mm 0 mm	4.65" 4-1/2"	256.99	ea			
51785	17"x 9"	5 x 4-3/4"	0 mm	5"	256.99	ca			
	Wheel Sets								
4451	15" x 8"	set of 4			699.99	set			
4452	15" x 10"				683.99				
4439	17"x 8"				935.99				
4440	17"x 9"	set of 4			935.99	set			
Acorn Style Lug Nuts									
16201	7/16*-20	5 piece			12.99	set			

R4 R4

Original Style Wheels

17" Cast Aluminum 5-Spoke Wheel

17" cast aluminum version of the 5-spoke wheels originally available on 1970-81 Z28 models. Choose from gunmetal powder coating or polished with machined edges. Accepts original style center caps (sold separately).

Important: Not compatible with factory lug nuts Use #716201 lug nuts on these wheels. Note: *Wheel sets include four wheels. Polished wheel can be painted. Shipped overweight



251780	A 🕰
Finish	Price
gunmetal	256.99 ea
gunmetal	935.99 set
gunmetal	256.99 ea

251780	17" x 8"	5 x 4-3/4"	0 mm	4-1/4"	gunmetal		
R4441*	17" x 8"	5 x 4-3/4"	0 mm	4-1/4"	gunmetal		
251782	17" x 9"	5 x 4-3/4"	0 mm	5"	gunmetal	256.99 ea	
R4443*	17" x 9"	5 x 4-3/4"	0 mm	5"	gunmetal	935.99 set	
Acorn Style Lug Nuts							
716201	7/16"-20	5 piece				12.99 set	

17" Cast Aluminum N90 Wheel 17" cast aluminum version of the N90

wheels originally installed on 1980-81 Z28 and 1986-88 Monte Carlo models. Wheels feature silver powder coating with machined edges and accept original style center caps (sold separately).

Important: Not compatible with factory lug nuts. Use #716201 lug nuts on these wheels Note: *Wheel kit includes four wheels. Shipped overweight.



Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
N901784	17" x 8"	5 x 4-3/4"	0 mm	4-1/4"	silver	256.99 ea
R4445°	17" x 8"	5 x 4-3/4"	0 mm	4-1/4"	silver	935.99 kit
		Acorn S	Style Lu	g Nuts		
716201	7/16"-20	5 piece				12.99 set

Mean!



The Glen Wheel

This aluminum The Glen wheel puts you back in the day of the Trans Am era, Pony car racing! These wheels are currently used in the Australian Trans Am Series and have shown not only their beauty but their strength and durability. These are a high-quality gravity cast aluminum and processed to the T6 specification. The wheel is over 1 pound lighter than the original The Glen wheel and 15% stronger in the spokes and core than the original. It is powder coated The Glen gray with a clear powder coated finish. Wheel has a diamond finished outside edge. Includes cap. Lug nuts are sold separately.

Item #	Size	Bolt Pattern	Offset	Bksp		Price	
TA8157240	15" x 7"	5 x 4-3/4"	0 mm	4"		214.99	ca
TA8158245	15" x 8"	5 x 4-3/4"	0 mm	4-1/2		264.99	ca
		L	ug Nuts				
WK555	7/16"-20	x 1.88* bulge	ed with 3/4	" head	set of 5		
WK55		x 1.88" bulge			set of 20	39.99	
WK56	1/2*-20 >	1.88" bulged	l with 3/4"	head	set of 20	39.99	set



Classic 100 Wheel

This Classic 100 wheel from Rev Wheels give you a classic look with today's modern manufacturing, machining, and materials. The Classic 100 design is available with anthracite, polished, or chrome finish. Available in 15", 16", 17", 18", and 20" diameters. Includes the center cap. Lug nuts sold separately.

Note: Shipped	overweight.					A
Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
RV56610A	15" x 6"	5 x 4-3/4"	0 mm	3-1/2"	anthracite	122.99
RV56610P	15" x 6"	5 x 4-3/4"	0 mm	3-1/2"	polished	146.99
RV56610C	15" x 6"	5 x 4-3/4"	0 mm	3-1/2"	chrome	196.99
RV57610A	15" x 7"	5 x 4-3/4"	0 mm	4"	anthracite	126.99
RV57610P	15" x 7"	5 x 4-3/4"	0 mm	4"	polished	139.99
RV57610C	15" x 7"	5 x 4-3/4"	0 mm	4"	chrome	200.99
RV58610A	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	anthracite	133.99
RV58610P	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	polished	141.99
RV58610C	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	chrome	201.99
RV77610P	17" x 7"	5 x 4-3/4"	0 mm	4"	polished	167.99
RV77610A	17" x 7"	5 x 4-3/4"	0 mm	4"	anthracite	143.99
RV77610C	17" x 7"	5 x 4-3/4"	0 mm	4"	chrome	234.99
RV78610A	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	anthracite	145.99
RV78610P	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	polished	175.99
RV78610C	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	chrome	237.99
RV79610A	17" x 9"	5 x 4-3/4"	0 mm	5"	anthracite	156.99
RV79610P	17" x 9"	5 x 4-3/4"	0 mm	5"	polished	181.99
RV79610C	17" x 9"	5 x 4-3/4"	0 mm	5"	chrome	246.99
RV88610A	18" x 8"	5 x 4-3/4"	0 mm	4-1/2"	anthracite	185.99
RV88610P	18" x 8"	5 x 4-3/4"	0 mm	4-1/2"	polished	197.99
RV88610C	18" x 8"	5 x 4-3/4"	0 mm	4-1/2"	chrome	271.99
RV89610A	18" x 9"	5 x 4-3/4"	0 mm	4-1/2"	anthracite	187.99
RV88610P	18" x 9"	5 x 4-3/4"	0 mm	5"	polished	200.99
RV89610C	18" x 9"	5 x 4-3/4"	0 mm	5*	chrome	275.99
RV28610A	20" x 8"	5 x 4-3/4"	0 mm	4-1/2"	anthracite	225.99
RV28610C	20" x 8"	5 x 4-3/4"	0 mm	4-1/2"	chrome	319.99
RV295610A	20" x 9.5"	5 x 4-3/4"	0 mm	5-1/4"	anthracite	243.99
RV295610C	20" x 9.5"	5 x 4-3/4"	0 mm	5-1/4"	chrome	332.99

Superlite Wheel

The Superlite race wheel puts you back in the heart of the Trans Am Era, Pony car racing! These are a gravity cast, high-quality aluminium which is then heat and aged treated to T6 specification. The Australian engineered and designed Superlite is over 1

WK 56

pound lighter than the original Minilite and has been re-engineered to strengthen the core of the

spokes, along with the center. After machining, the wheels are given a silver and clear powder coated The signature finish on the lip is machined by a diamond tip then

brought to a high polish. Includes cap. Lug nuts sold separately.

1/2"-20 x 1.88" bulged with 3/4" head

Item #	Size	Bolt Pattern	Uttset	Bicsp	Price		
TA9158240	15" x 8"	5 x 4-3/4"	0 mm	4"			
TA9158245	15" x 8"	5 x 4-3/4"	0 mm		263.99 ea		
TA9150245	15" x 10"	5 x 4-3/4"	0 mm		263.99 ea		
TA9150250	15" x 10"	5 x 4-3/4"	0 mm	5"			
TA9178245	17" x 8"	5 x 4-3/4"	0 mm		279.99 ea		
TA91795250	17" x 9-1/2"	5 x 4-3/4"	0 mm	5-1/2"	357.99 ea		
Lug Nuts							

WK55 includes sixteen 7/16"-20 x 1.88" bulged with 3/4" head lug nuts, wheel lock set, and valve stems. WK56 includes sixteen 1/2"-20 x 1.88" bulged with 3/4' head lug nuts, wheel lock set, and valve stems. 7/16"-20 x 1.88" bulged with 3/4" head 7/16"-20 x 1.88" bulged with 3/4" head WK555 0 00 set set of 5 WK55 set of 20 ... 39.99 set











set of 20

WK555

G. SUSPENSION, REAR END & BRAKES

Rocket Racing Wheels





"Booster" Wheel

Get ready to blast off with the Rocket Racing Wheels "Booster" [This I piece wheels purpose built to deliver classic inspired sayle and performance for the finest meele cars, Pro-Fouring and street machines at a reasonable price. Designed specifically for the offsets of flor those and muscle cars, cach Booster is precision-cartelled from 6 and the offsets of the roots and muscle cars, cach Booster is precision-cartelled from 6 and machine with a wintage style aluminum or ing center cap. Available with painted gray center and machined outer lin, in 10d Lorone, in Hypershof frisish cutting edge alloys, the strictest quality standards and a gorgeous classic design. Continued the Booster is used to get you push you into the stratophyler at the next car show.

Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
RB177425G	17" x 7"	5 x 4-3/4"	0 mm	4-1/4"	gray	179.99 ea
RB177425S	17" x 7"	5 x 4-3/4"	0 mm	4-1/4"		194.99 ea
RB177425C	17" x 7"	5 x 4-3/4"	0 mm	4-1/4"	chrome	294.99 ea
RB177425T	17" x 7"	5 x 4-3/4"	0 mm	4-1/4"	Hypershot	194.99 ea
RB178450G	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	gray	184.99 ea
RB178450S	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	silver	199.99 ea
RB178450C	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	chrome	299.99 ea
RB178450T	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	Hypershot	199.99 ea
RB187450G	18" x 7"	5 x 4-3/4"	0 mm	4-1/2"	gray	209.99 ea
RB187450S	18" x 7"	5 x 4-3/4"	0 mm	4-1/2"	silver	224.99 ea
RB187450C	18" x 7"	5 x 4-3/4"	0 mm	4-1/2"	chrome	
RB187450T	18" x 7"	5 x 4-3/4"	0 mm	4-1/2"	Hypershot	224.99 ea
RB188475G	18" x 8"	5 x 4-3/4"	0 mm	4-3/4"	gray	219.99 ea
RB188475S	18" x 8"	5 x 4-3/4"	0 mm	4-3/4"	silver	229.99 ea
RB188475C	18" x 8"	5 x 4-3/4"	0 mm	4-3/4"	chrome	319.99 ea
RB188475T	18" x 8"	5 x 4-3/4"	0 mm	4-3/4"	Hypershot	229.99 ea
RB189525G	18" x 9"	5 x 4-3/4"	0 mm	5-1/4"	gray	224.99 ea
RB189525S	18" x 9"	5 x 4-3/4"	0 mm	5-1/4"	silver	234.99 ea
RB189525C	18" x 9"	5 x 4-3/4"	0 mm	5-1/4"	chrome	
RB189525T	18" x 9"	5 x 4-3/4"	0 mm	5-1/4"	Hypershot	
RB208525G	20" x 8.5"	5 x 4-3/4"	0 mm	5-1/4"	gray	289.99 ea
RB208525S	20" x 8.5"	5 x 4-3/4"	0 mm	5-1/4"	silver	299.99 ea
RB208525C	20" x 8.5"	5 x 4-3/4"	0 mm	5-1/4	chrome	374.99 ea
RB208525T	20" x 8.5"	5 x 4-3/4"	0 mm	5-1/4"	Hypershot	299.99 ea





"Launcher" Wheel

Blast down the strip with the Rocket "Launcher" This is a front rumer 10-spote agree wheel The 1995 and 1906's vasthe Golden Ageo Olmpg Racing, the 10- and 12-spote Gasser front rumers could be found on everything from "nun-what-young" roadsers to full blown and supercharged Alteréds and Gassers. Back when, the 15' 3.4' size fronts were only available as spindle mounts on straight axles. The Rocket "Launcher" preserves the original nostalgic Gasser design and perfects it with a much safer 5 lug holt-on design. The Rocket Launcher is precision-crafted, designed and its tested to meter or exceed U.S. DOT Requirements and SAE Standards.

Transfer with gray painted center and machined up, runy possible of 715 cast .							
Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price	
RL154225G			0 mm	2-1/4"	gray polished	214.99 ea	
RL154225P	15" x 4.25"	5 x 4-3/4"	0 mm	2-1/4"	polished	244.99 ea	
DI 154225 A	161 - 4 261	E - 4 2/4"	0	2 1/47	11A - C	214.00	







"laniter" Wheel

At the dawn of the hot rod age, a handful of gear heads in hopped up roadsters resteaded across Southern California day lake bots in a quest for speed and glory. Back in the glory days of vintage racing, these style 5 window kidney bean wheels could be found from the striphsters to the sait flats. Those lake bots eventually became test sites for top secret rocket planes that set world speed records. Now you can be compared to the strip of the style that stander all all with the Rocket and the strip of the s

Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
RG156350G	15" x 6"	5 x 4-3/4"	0 mm	3-1/2"	gray	
RG156350P	15" x 6"	5 x 4-3/4"	0 mm	3-1/2"	polished	229.99 ea
	15" x 6"	5 x 4-3/4"	0 mm	3-1/2"	"As Cast"	209.99 ea
	15" x 7"	5 x 4-3/4"	0 mm	4-1/4"	gray	
RG157425P		5 x 4-3/4"	0 mm	4-1/4"	polished	
RG157425A		5 x 4-3/4"	0 mm	4-1/4"	"As Cast"	209.99 ea
RG158375G	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	gray	
RG158375P	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	polished	
RG158375A	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	"As Cast"	219.99 ea







"Injector" Wheel

As soon as Rocket released the Launcher Series: "front runner" wheels, Rocket was overwhelmed by embussia demand for hardcore traditional hort of wheel that could be matched with the Launcher for the perfect staggered combo. Rocket's Scientists accepted the challenge and created this wheel to revive this classic design from drag racing's golden age. Reminiscent of the testosterone pumping Fuelie wheels of the 1990's absolutely complete the big and title combo look. Rocket Injector wheels are sculpted to perfection and hold true to the greatest era of Detroit automotive performance. Available fully posibled or in its natural "As Cast" finish.

Size	Bolt Pattern	Offset	Bksp	Finish	Price	
15" x 4.5"	5 x 4-3/4"	0 mm	2-1/4"	"As Cast"	224.99 ea	
		0 mm	2-1/4"			
15" x 8"	5 x 4-3/4"	0 mm	3-3/4"	"As Cast"	234.99 ea	
15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	"As Cast"	234.99 ea	
15" x 8"	5 x 4-3/4"	0 mm	3-3/4"			
15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	polished	259.99 ea	
15" x 10"	5 x 4-3/4"	0 mm	3"	"As Cast"	244.99 ea	
15" x 10"	5 x 4-3/4"	0 mm	3-3/4"			
15" x 10"	5 x 4-3/4"	0 mm	3"	polished	269.99 ea	
15" x 10"	5 x 4-3/4"	0 mm	3-3/4"	polished	269.99 ea	
	15" x 4.5" 15" x 4.5" 15" x 8" 15" x 8" 15" x 8" 15" x 8" 15" x 10" 15" x 10" 15" x 10"	15" x 4.5" 5 x 4-3/4" 15" x 8." 5 x 4-3/4" 15" x 8" 5 x 4-3/4" 15" x 10" 5 x 4-3/4" 15" x 10" 5 x 4-3/4" 15" x 10" 5 x 4-3/4"	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15" x 4.5" 5 x 4.3/4" 0 mm 2.1/4" 15" x 4.5" 5 x 4.3/4" 0 mm 2.1/4" 15" x 8" 5 x 4.3/4" 0 mm 3.5/4" 15" x 8" 5 x 4.3/4" 0 mm 4.1/2" 15" x 8" 5 x 4.3/4" 0 mm 3.5/4" 15" x 8" 5 x 4.3/4" 0 mm 4.1/2" 15" x 10" 5 x 4.3/4" 0 mm 3.5/4" 15" x 10" 5 x 4.3/4" 0 mm 3.3/4" 15" x 10" 5 x 4.3/4" 0 mm 3.3/4"	15" x 4.5" 5 x 4.34" 0 mm 2-144" "\sc Csst" 5" x 4.5" 5 x 4.34" 0 mm 2-144" 15" x 8" 5 x 4.34" 0 mm 3-344" \sc \text{\tert{\text{\tert{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tex}	15 x 45 5 x 4-344

Rocket Racing Wheels





RS157425A "Strike" Wheels

Fire first with the Rocket Strike! Rocket's Scientists have done it again and brought this great looking classic single rib style 5-spoke wheel from the 60's into the 21st century! The Strike offers timeless traditional styling that's sure to compliment any hot rod or muscle car, whether you're planning to cruise Van Nuys boulevard or hit the drag strip. Precision-crafted from A356 aluminum and topped off with a vintage style aluminum o-ring center cap, the Rocket Strike creates an awesome vintage drag look. Available fully polished for a boulevard cruiser look or "As Cast" with a machined outer lip for a more hard core drag look.

Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
RS156325P	15" x 4.5"	5 x 4-3/4"	0 mm	2-1/4"	polished	244.99 ea
RS156325A		5 x 4-3/4"	0 mm	3-1/4"	"As Cast"	
RS157425A		5 x 4-3/4"	0 mm	4-1/2"	"As Cast"	
RS158400A	15" x 8"	5 x 4-3/4"	0 mm	4"	"As Cast"	234.99 ea
	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	"As Cast"	234.99 ea
RS157425P	15" x 8"	5 x 4-3/4"	0 mm	3-3/4"	polished	
RS158400P	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	polished	254.99 ea
RS158450P	15" x 10"	5 x 4-3/4"	0 mm	3"	polished	254.99 ea







RS157425P

Replacement Dome Wheel Center Cap

"Rocket Racing Wheels" vintage style o-ring center caps are constructed of cast aluminum and perfectly match the Rocket Racing Wheel Booster, Fuel, Igniter, Velocity, and Launcher series. These are replacements for the stock wheel center caps and are available in polished or chrome finish. RR2002C

1967-92 34.99 ea chrome 1967-92 RR2002F polished 29.99 ea

0-100 PSI Digital Tire Pressure Gauge

PROFORM's programmable, accurate Digital Tire Pressure Gauge measures from 0-100 psi in increments of .01 psi on a backlit LCD screen. When you remove the gauge from the valve stem in NORMAL mode, the gauge will slowly count back to zero. In PEAK mode, the reading will display after removal. Features unit conversion (psi, bars and kg/ cm2), automatic OFF, and dual air bleed buttons to allow controlled pressure release. Instructions included.





Rocket

"Fuel" Wheels

Get timeless styling with the precision-crafted Rocket "Fuel" wheel. Manufactured from A356 aluminum, the "Fuel" wheel provides a traditional hot rod look topped off with a vintage style aluminum oil ring center cap. Choose from painted gray centers with machined lip, fully polished, or chrome.

Item #	Size	Bolt Pattern	Offset	Bksp	Finish	Price
RF566135G	15" x 6"	5 x 4-3/4"	0 mm	3-1/2"	gray	134.99 ea
RF566135P	15" x 6"	5 x 4-3/4"	0 mm	3-1/2"	polished	164.99 ea
RF566135C	15" x 6"	5 x 4-3/4"	0 mm	3-1/2"	chrome	239.99 ea
RF576142G	15" x 7"	5 x 4-3/4"	0 mm	4-1/4"	gray	139.99 ea
RF576142P	15" x 7"	5 x 4-3/4"	0 mm	4-1/4"	polished	169.99 ea
RF576142C	15" x 7"	5 x 4-3/4"	0 mm	4-1/4"	chrome	239.99 ea
RF586145G	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	gray	144.99 ea
RF586145P	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	polished	174.99 ea
RF586145C	15" x 8"	5 x 4-3/4"	0 mm	4-1/2"	chrome	244.99 ea
RF776142G	17" x 7"	5 x 4-3/4"	0 mm	4-1/4"	gray	179.99 ea
RF776142P	17" x 7"	5 x 4-3/4"	0 mm	4-1/4"	polished	214.99 ea
RF776142C	17" x 7"	5 x 4-3/4"	0 mm	4-1/4"	chrome	294.99 ea
RF786145G	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	gray	184.99 ea
RF786145P	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	polished	219.99 ea
RF786145C	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	chrome	299.99 ea





RR2000P - profile view





Knockoff Wheel Center Caps

Rocket vintage style Knockoff fits on all on all NEW Rocket Racing Wheels from the Rocket Fuel, Booster, Igniter, Launcher, Velocity, Strike, and Injector Series wheels and are just the thing to finish off your set of Rocket wheels. Choose from polished or chrome finishes according to your wheel finish. For muscle car applications that run staggered wheels, order a pair of flat and a pair of deep angle spinners. Modern muscle booster high offset wheels and wheels 15° x 6° or narrower should run flat angle spinners

Chrome RR2000C RR2001C	1967-92 1967-92	flat angle spinnersdeep angle spinners	
Polished RR2000P RR2001P	1967-92 1967-92	flat angle spinnersdeep angle spinners	











<u> VlassicWheels</u>

Classic Wheels

S/S Super Sport Wheel The Cragar S/S wheel was first introduced in 1964. By 1974 the Cragar S/S had become

one of the most popular wheels of the muscle car era Because it was chrome-plated rather than polished aluminum, it held its shine and was easier to keep clean. Instead of requiring time consuming polishing the Cragar S/S was ready to show with a simple hosing off and wiping down. Available in a variety of sizes and



car enthusiasts who prefer a custom look, but wish to keep their vehicle "period correct". Chrome aluminum center cap is included with each wheel. Lug nuts sold separately.

Item #	Size	Bolt Pattern	Offset	Bksp	Price
61614	14" x 6"	5 x 4.5", 4.75", 5"	-3 mm	3-3/8"	271.99 ea
61714	14" x 7"	5 x 4.5", 4.75", 5"	3 mm	4-1/8"	251.99 ea
61615	15" x 6"	5 x 4.5", 4.75", 5"	-3 mm	3-3/8"	279.99 ea
61715	15" x 7"	5 x 4.5", 4.75", 5"	3 mm	4-1/8"	277.99 ea
61815	15" x 8"	5 x 4.5", 4.75", 5"	-6 mm	4-1/4"	289.99 ea
61015	15" x 10"	5 x 4.5", 4.75", 5"	-32 mm	4-1/4"	
617734	17" x 7"	5 x 4-3/4"	-6 mm	3-3/4"	449.99 ea
617834	17" x 8"	5 x 4-3/4"	-25 mm	3-1/2"	449.99 ea
617834P	17" x 8"	5 x 4-3/4"	0 mm	4-1/2"	
617934	17" x 9"	5 x 4-3/4"	-13 mm	4-1/2"	
617934P	17" x 9"	5 x 4-3/4"	13 mm	5-1/2"	439.99 ca

0000	991	999	999	9 9
			999	
			000	
1111 8	00	00	000	000
				WK26

Mag Lug Nut Sets for 14" and 15" Cragar S/S 61 Series Wheels

Lug nut sets WK25-WK26 include: 20 SS mag lug nuts, 20 center drilled and 20 offset drilled Cragar mag washers, 1 lock set and 4 valve stems. Lug nut set WK28 includes: 20 SS duplex size mag lug nuts, 20 duplex center drilled Cragar mag washers and 4 valve stems. For all 14" and 15" Cragar S/S wheels.

WK25 WK26 WK28	7/16" SS mag lugs	39.99 set	



Acorn Lug Nut Sets for 17" Cragar S/S 61 Series Wheels 🗥

Lug nut sets WK55-WK57 include: 20 bulged acorn lug nuts, 1 lock set, and 4 valve stems. Designed to mount all 17" Cragar \$/\$ wheels. WK55 7/16* bulged acom lugs ... 39.99 set

1/2" bulged acom lugs

CLASSIC WHEELS

32 Series Kevstone Klassics

By the mid 1960's, aftermarket wheel swaps were commonplace among car enthusiasts. One of the most widely chosen aftermarket wheels available during the muscle car era was the Cragar Keystone Klassic, Popular for their composite design. the chrome-plating on the Keystone Klassics made them much easier to clean than aluminum or mag wheels because they required no polishing. Cleaning them was a breeze by just hosing them down and wiping them off. These

wheels are now back in vogue with muscle car enthusiasts who prefer a custom look, but wish to keep their car

"period correct". Chrome aluminum center cap is included with each wheel, Lug

Note: Shinned overweight 15" x 8" 5 x 4.5", 4.75", 5" 319.99 ea 225900 -16 mm 2 7/9" Mag Lug Nut Set for 32 Series Keystone Classic Wheels Lug nut sets WK38-WK40 include: 20 SS mag lug nuts, 20 center drilled and 20 offset drilled Keystone mag washers, 1 lock set, and 4 valve stems. 7/16" SS mag lugs.. WK38 WK39 1/2" SS mag lugs..... 12mm x 1.5 SS mag lugs ... 39.99 set 39 99 set WK40

Smoothie Wheel

nuts sold separately.

The ultimate nostalgic wheel, the chrome smoothie provides a look like no other. It is often used with whitewalls and baby moons. A chrome moon center cap is included with each wheel, but with a little ingenuity, this wheel can provide many different looks for your vehicle. Available in a variety of different sizes. Lug nuts sold separately.



item #	Size	Bolt Pattern	Offset	Bksp	Price
3134605P	14" x 6"	5 x 4.5", 4.75"	7 mm	3-3/4"	129.99 ea
3134705	14" x 7"	5 x 4.5", 4.75"	0 mm	4"	129.99 ea
3135605P	15" x 6"	5 x 4.5", 4.75"	7 mm	3-3/4"	
3135653P	15" x 6"	5 x 5", 5.5"	7 mm	3-3/4"	
3135705P	15" x 7"	5 x 4.5", 4.75"	3 mm	4-1/8"	134.99 ea
3135753P	15" x 7"	5 x 5", 5.5"	3 mm	4-1/8"	134.99 ca
3135805	15" x 8"	5 x 4.5", 4.75"	-15 mm	4-1/4"	144.99 ca
3135853	15" x 8"	5 x 5", 5.5"	-15 mm	4-1/4"	
3135105	15" x 10"	5 x 4.5", 4.75"	-38 mm	4-1/4"	159.99 ea
3135153	15" x 10"	5 x 5", 5.5"	-38 mm	4-1/4"	169.99 ea



Lug Nut Sets for Smoothie Wheels Classic Industries® offers a lug set kit for your smoothie wheels. A perfect set to

purchase if your lug nuts are stripped, worn out or rusted. All sets include: 16 lug nuts, 4 valve stems, 4 wheel locks and a key. WK1 7/16"-20 thread .. 30 00 set WK2 1/2"-20 thread ... 39.99 set WK3 12mm x 1.5 thread 39 99 set

39 99 set

390 Street Pro

The style of the Cragar Street Pro is reminiscent of the Halibrand Sprint which was made famous on the circle track cars of the 60's. The similarities stop there. however. Unlike the Halibrand which was made of magnesium and required constant polishing to retain its shine, the Cragar street pro is manufactured of a chrome-plated steel rim with a chrome-plated aluminum center. They clean up easily and retain their shine with a simple hosing off and wiping down. The price of original 60's era Halibrands has been



pushed up by collectors and the new Halibrand wheels are also very pricey. So, if you'd like the look of a legend at about 1/4 of the price, the Cragar Street Pro is definitely the way to go. Chrome aluminum center cap is included with each wheel. Lug nuts sold separately.

Item #	Size	Bolt Pattern	Offset	Bksp	Price
3905605	15" x 6"	5 x 4-1/2", 4-3/4"	-28 mm	2-5/8"	334.99 ea
3905705	15" x 7"	5 x 4-1/2", 4-3/4"	-12 mm	3-1/2"	334.99 ea
3905805	15" x 8"	5 x 4-1/2", 4-3/4"	-6 mm	4-1/4"	339.99 ea
3905105	15" x 10"	5 x 4-1/2", 4-3/4"	-32 mm	4-1/4"	344.99 ea
3907805P	17" x 8"	5 x 4-1/2", 4-3/4"	-6 mm	4-1/4"	
3907857P	17" x 8"	5 x 5"	-6 mm	4-1/4"	229.99 ea
3907905	17" x 9"	5 x 4-1/2", 4-3/4"	-12 mm	4-1/2"	431.99 ea
3907905P	17" x 9"	5 x 4-1/2", 4-3/4"	6 mm	5-1/4"	431.99 ea



Lug Nut Sets for 390 Street Pro Wheels

All lug n	ut sets listed below include: 20 OE flanged lug nuts, 1 lock set, and	
4 valve st	ems.	
WK12	7/16" OE flanged lugs	ı
WK13	1/2" OE flanged lugs	



	Replacement Center Cap and Spinners	_	î
Replace you your Cragar	r missing or damaged center cap with an original Cragar cap of wheels with a new set of Cragar spinner caps.	or dress-i	ıŗ
Spinner (Pa 090952	ckage of 2) for SS wheel (with Cragar SS logo)	64.99 p	or
390SK 9090	tr Center Cap (Each) for Street Pro wheel (with base and spinner) for SS wheel (with Cragar SS logo)		a
KC0271	for Keystone Klassic wheel	24.99 e	a

<u>American</u> Legend





American Legend Streeter Aluminum Wheel

Looking for a wheel upgrade for your classic ride? Look no further. American Legend Streeter is one of the best looking and fitting muscle car wheels available and have that deep lip look of modern wheels, for your classic. Polished center.

Item #	Size	Bolt Pattern	Offset	Bksp	Price
AW177542	17" x 7"	5 x 4 3/4"	+6 mm	4-1/4"	184.99 ea
AW177552	17" x 7"	5 x 5"	+6 mm	4-1/4"	175.99 ea
AW178542	17" x 8"	5 x 4 3/4"	0 mm	4-1/2"	184.99 ea
AW187542	18" x 7"	5 x 4 3/4"	+6 mm	4-1/4"	204.99 ea
AW187552	18" x 7"	5 x 5"	+6 mm	4-1/4"	194.99 ea
AW188542	18" x 8"	5 x 4 3/4"	0 mm	4-1/2"	209.99 ea
AW188552	18" x 8"	5 x 5"	0 mm	4-1/2"	209.99 ea
AW208542	20" x 8.5"	5 x 4 3/4"	+12 mm	5-1/4"	269.99 ea
AW208552	20" x 8.5"	5 x 5"	+12 mm	5-1/4"	249.99 ea



piston style





bullet shell





spike style

Custom Valve Stem Caps

Looking for something to set your wheels apart from the rest? Looking to add a personal touch to your curb feelers? Look no further than custom valve stem caps. Choose the design that suits your style. Sold as a set of 4.

Choose the de.	ion time suits	jour stjie
Dice Style Cap	s	
CP50018A	red	3.99 set
CP50018B	white	4.99 set
CP50018C	black	3.99 set
CP50018D	blue	4.99 set
Skull Style wit	h Red Eves	
CP50019B	chrome	6.99 set
8 Ball Style		
CP50020A	black	3.99 set
CP50020B	chrome	7.99 set
Deluxe "Sware	ovski" Diamo	nd Style
CP50022A	blue	19.99 set
CP50022B	green	19.99 set
CP50022C	purple	18.99 set

Deluxe "Swar		
CP50022D	clear	18.99 set
CP50022E	red	
CP50022F	amber	19.99 set
Piston Style		
CP50023A	chrome	13.99 set
Bullet Head S	tyle	
CP500242	-	5.99 set
Bullet Shell St	yle	
CP50057		4.99 set
Spike Style		
CP50056	chrome	7.99 set











390SK

BRAKES REAR BTEERING, BUSPENSION,

American Racing Wheels

Tora-Thrust D

American Racina

This classic design from American Racin Wheels burst on the scene way back in 1965 and became the most famous custom wheel of all time. The one piece, alloy, 5-spoke design is a timeless classic. Get a true nostalgic look when adding a set of these precision machined beauties. Center cap included.



					T 🙇 🗘
Item #	Size	Bolt Pattern	Offset	Bksp	Price
TT4661	14" x 6"	5 x 4-3/4"	-2 mm	3-3/8"	105.99 ea
TT5461	15" x 4-1/2"	5 x 4-3/4"	-15 mm	2-1/8"	117.99 ea
TT5661	15" x 6"	5 x 4-3/4"	+4 mm	3-5/8"	118.99 ea
TT5761	15" x 7"	5 x 4-3/4"	-6 mm	3-3/4"	123.99 ea
TT5773	15" x 7"	5 x 5"	-6 mm	3-3/4"	123.99 ea
TT5861	15" x 8-1/2"	5 x 4-3/4"	-24 mm	3-3/4"	139.99 ea
TT5873	15" x 8-1/2"	5 x 5"	-24 mm	3-3/4"	
TT5161	15" x 10"	5 x 4-3/4"	-44 mm	3-3/4"	148.99 ea
TT5173	15" x 10"	5 x 5"	-44 mm	3-3/4"	148.99 ea
TT6861	16" x 8"	5 x 4-3/4"	-12 mm	4"	146.99 ea

T.T.O Alloy Wheels

American Racing

This original straight spoke version of the Torq-Thrust is an icon of vintage and muscle cars throughout America. The TTO was originally offered in 1956 and quickly became the most sought after design of its time. Includes center cap.



Item #	Size	Bolt Pattern	Offset	Bksp	Price
TTO5765	15" x 7"	5 x 4-3/4"	-6 mm	3-3/4"	142.99 ea
TTO58561	15" x 8-1/2"	5 x 4-3/4"	-24 mm	3-3/4"	139.99 ea
TTO58573	15" x 8-1/2"	5 x 5*	-24 mm	3-3/4"	139.99 ea

Torque Thrust II Polished Allov

American Racina

A classic 5-spoke design with a modern flair. This handsome 2 piece alloy wheel comes fully polished and features a spoke design that is more tapered, creating a wider viewing area to unveil the disc brake stopping power behind your Chevy. Many sizes to choose from. Includes center cap.

AMERICAN RACING



Item #	Size	Bolt Pattern	Offset	Bksp	Price
TT24665	14" x 6"	5 x 4-3/4"	-2 mm	3-3/8"	144.99 ea
TT24761	14" x 7"	5 x 4-3/4"	0 mm	4"	130.99 ea
TT25661	15" x 6"	5 x 4-3/4"	-2 mm	3-3/8" 2	262.99 ea
TT25761	15" x 7"	5 x 4-3/4"	-5 mm	3-3/4"	142.99 ea
TT25773	15" x 7"	5 x 5"	-5 mm	3-3/4" 2	272.99 ea
TT25861	15" x 8"	5 x 4-3/4"	-18 mm	3-3/4"	
TT25873	15" x 8"	5 x 5"	-18 mm	3-3/4"	144.99 ea
TT25161	15" x 10"	5 x 4-3/4"	-44 mm	3-3/4"	
TT26761	16" x 7"	5 x 4-3/4"	0 mm	4"	
TT26773	16" x 7"	5 x 5"	0 mm	4"	
TT26861	16" x 8"	5 x 4-3/4"	-11 mm	4" 3	
TT26873	16" x 8"	5 x 5"	-11 mm	4"	
TT27761	17" x 7"	5 x 4-3/4"	0 mm	4" 3	
TT27773	17" x 7"	5 x 5"	0 mm	4" 3	
TT27861	17" x 8"	5 x 4-3/4"	-11 mm	4" 3	
TT27863	17" x 8"	5 x 4-3/4"	+8 mm	4-3/4"	
TT27873	17" x 8"	5 x 5"	-11 mm	4"	324.99 ea

American Racing

Tora-Thrust D Chrome This classic design from American

Racing Wheels, burst on the scene way back in 1965 and became the most famous custom wheel of all time. The one piece, 5-spoke design is a timeless classic. Get a true nostalgic look when adding a set of these precision machined beauties. Inc



75661C 15" x 6" 5 x 4-3/4" +4 mm 3-5/8" 75861C 15" x 8-1/2" 5 x 4-3/4" -24 mm 3-3/4" 76861C 16" x 8" 5 x 4-3/4" -12 mm 4"	196 99 c
	212.99 ea
0801C 10° X 8° 5 X 4-3/4° -12 mm 4°	234.99 ea

TT





Authorized American Racing Center Cap

Now from American Racing! The most popular custom wheels for classic muscle vehicles are now available with logo center caps or spinners.

	Caps				
CC511	Torq Thrust Polished Short	23.99			
CC512	Torq Thrust II Polished Plain, includes screws				
CC513	Salt Flat Special Polished	23.99			
CC514	Torq Thrust Chrome Plastic Cap, includes screws	19.99			
CC515	Torq Thrust chrome embossed logo				
CC516	Torq Thrust chrome bullet	37.99			
CC502	Carlisle Tri-Bar Spinner	140.99	ca		
	Install Set				

Screw set includes four 8/32* stainless steel flush-mount hardware and an Allen wrench installation tool. Four sets required per vehicle. CC517 4 screws and Allen wrench 7.99 set



Don't Forget the Wheel Hardware! Classic Industries® now offers a lug nut set for your American Racing wheels. A

perfe	t set to purchase when mounting new American Racing wheels to you en your current lug nuts are stripped, worn out or missing. All sets	ır vehi	cle
	nuts, 4 valve stems, 4 wheel locks, and a key.	meru	uc.
WK	7/16"-20 thread	9.99	set
WK:	1/2"-20 thread	9.99	set
WE	12mm v 1.5 thread 2	00 00	cat

American Racing Wheels

Allov Salt Flat Special

This 2 piece wheel will give your vehicle a vintage look reminiscent of the old Halibrand "kidney bean" wheels that first gained popularity with racers in the 1960's. Available in many different sizes. This wheel's center is painted in a magnesium gray with a polished outer rim. Includes center cap.

Note: Special order, must be prepaid.

Item SF56 SF576 SF586 SF516 SF776 SF78



					A 4
#	Size	Bolt Pattern	Offset	Bksp	Price
61	15" x 6"	5 x 4-3/4"	-2 mm	3-1/4"	394.00 ea
61	15" x 7"	5 x 4-3/4"	-5 mm	3-3/4"	399.99 ea
61	15" x 8"	5 x 4-3/4"	-18 mm	3-3/4"	466.99 ea
61	15" x 10"	5 x 4-3/4"	-44 mm	3-3/4"	403.99 ea
61	17" x 7"	5 x 4-3/4"	0 mm	4"	485.99 ea
61	17" x 8"	5 x 4-3/4"	-12 mm	4"	404.99 ea

Allov Salt Flat Special Polished

This 2 piece wheel will give your vehicle a vintage look reminiscent of the old Halibrand 'kidney bean" wheels that first gained popularity with racers in the 1960's. Available in many different sizes. This wheel's center is polished with a polished outer rim. Includes center cap

Note: Special order, must be prepaid.



Item #	Size	Bolt Pattern	Offset	Bksp	Price
SF5661P	15" x 6"	5 x 4-3/4"	-2 mm	3-1/4"	354.99 ea
SF5761P	15" x 7"	5 x 4-3/4"	-5 mm	3-3/4"	359.99 ea
SF5773P	15" x 7"	5 x 5"	-5 mm	3-3/4"	359.99 ea
SF5861P	15" x 8"	5 x 4-3/4"	-18 mm	3-3/4"	489.99 ea
SF5161P	15" x 10"	5 x 4-3/4"	-44 mm	3-3/4"	384.99 ea
SF7761P	17" x 7"	5 x 4-3/4"	0 mm	4"	404.99 ea
SF7861P	17" x 8"	5 x 4-3/4"	-12 mm	4"	409.99 ea

Classic 2005 — Daisy Wheel

One of the most popular wheels ever made by American Racing Equipment was the 200S, also known as the "Daisy Wheel' These wheels were originally cast at a foundry in Portland, Oregon until the late 1970's. The Daisy Wheel is a great alternative to the more common Torque Thrust wheel. Includes center cap. Note: Special order, must be prepaid.



Item #	Size	Bolt Pattern	Offset	Bksp	Price
TS5861	15" x 8"	5 x 4-3/4"	-12 mm	4"	428.99 ca
TS5873	15" x 8"	5 x 5"	-12 mm	4"	441.99 ea
TS5161	15" x 10"	5 x 4-3/4"	-38 mm	4"	420.99 ea
TS7761	17" x 7"	5 x 4-3/4"	0 mm	4"	444.99 ea
TS7861	17" x 8"	5 x 4-3/4"	-12 mm	4"	448.99 ea
TS7863	17" x 8"	5 x 4-3/4"	+14 mm	5"	448.99 ea
TS7873	17" x 8"	5 x 5"	0 mm	4-1/2"	448.99 ea

Classic 200S Polished Daisy

One of the most popular wheels ever made by American Racing Equipment was the 200S, also known as the "Daisy Wheel". These wheels were originally cast at a foundry in Portland, Oregon until the late 1970's. The Daisy Wheel is a great alternative to the more common Torque Thrust wheel. Includes center cap. Polished Alloy.

vote:	Speciai	oraer,	must	De	prepata.



Item #	Size	Bolt Pattern	Offset	Bksp	Price
TS5773P	15" x 7"	5 x 5"	-5 mm	3-3/4"	395.99 ea
TS5861P	15" x 8"	5 x 4-3/4"	-12 mm	4"	
TS5161P	15" x 10"	5 x 4-3/4"	-38 mm	4"	
TS7761P	17" x 7"	5 x 4-3/4"	0 mm	4"	
TS7861P	17" x 8"	5 x 4-3/4"	-12 mm	4"	
TS7863P	17" x 8"	5 x 4-3/4"	+14 mm	5"	
TS7873P	17" x 8"	5 x 5"	0 mm	4-1/2"	414.99 ca

American Racina

American

The Hopster Polished Allov

If you like the stylish look on your vehicle you simply must purchase a set of the Hopster wheel. These wheels will give any vehicle a retro look, and not to mention all the heads that will be turning as you roll on by in style. Includes center cap.



Item #	Size	Bolt Pattern	Offset	Bksp	Price
TH5661	15" x 6"	5 x 4-3/4"	-2mm	3-1/4"	271.99 ca
TH5761	15" x 7"	5 x 4-3/4"	-5mm	3-3/4"	274.99 ca
TH5861	15" x 8"	5 x 4-3/4"	-18mm	3-3/4"	
TH6761	16" x 7"	5 x 4-3/4"	0mm	4"	
TH7761	17" x 7"	5 x 4-3/4"	0mm	4"	
TH7861	17" x 8"	5 x 4-3/4"	-11mm	4"	
TH7863	17" x 8"	5 x 4-3/4"	+8mm	4-3/4"	
TH7873	17" x 8"	5 x 5"	-11mm	4"	316.99 ca

The Outlaw

In the 1980's the modular wheel became the hot ticket on any late 70's or 80's muscle car. The wheels were called modular because they consisted of three elements... an aluminum wheel center (in various styles), an inner rim and an outer rim. The combination of thes "modules" allowed for an unlimited range of possibilities when it came to wheel specifications. The true modulars, however, where a bit pricey for the average Joe. This soon led to an influx of modular copies and 1 piece wheels built with a modular look. This modular style wheel

is manufactured by American Racing. It is a 1 piece machined alloy wheel with a modular look. It comes clear coated and includes center cap. It's a good choice if you're looking for a period correct wheel design at a great price.













BRAKES

Reproduction Tires



Radial Oval Tires

Firestone Wide Oval Radial tire a product that will bridge the gap between authentic bias ply tires and modern radials. The raised white letter version, seen here, features correct sidewall markings, even down to the correct size of the letters.

C54880	FR70-14	raised white letter	
C55280	GR70-14	raised white letter	287.99 ea
C62490	FR70-15	raised white letter	301.99 ea
C62510	FR70-15	raised white letter	362.99 ea
C62680	GR70-15	raised white letter	320.99 ea
C54890	FR70-14	red line	268.99 ea
C55290	FR70-14	red line	
C62500	FR70-14	red line	
C62690	GR70-15	red line	320.99 ea



Classic Red Line Radial Tire

Classic Industries® is pleased to offer these reproduction style red line radial tires designed to give the appearance of an original tire. Each tire is new and offers a great way to retain originality. Poly/steel construction offers strength.

te: Wheel not included Tires must be prepaid

Shipped oversize.			- OS1
P20575R14R	radial	205/75-14	261.99 ea



m

ď



Classic Whitewall Radial Tire Classic Industries® now offers reproduction whitewall

radial tires designed to give the appearance of an original tire. Each tire is new and offers a great way

to retain originanty.										
Note: Wheel not included. Tires are special order and must be prepaid. Shipped overweight.										
P20575R14W	radial	205/75-14	261.99 ea							
P22575R14W	radial	225/75-14								
P22575R15W	radial	225/75-15	238.99 ea							

PHOICE...





Firestone Wide Oval Tires are Back!

These tires are manufactured from the original molds to bring you the highest quality muscle car tire available. Each tire features a 2 + 2 construction (2-ply polyester and 2-ply fiberglass). Available in Raised White Lettering, featuring the words Firestone and Wide "O" Oval, Red Lines or pinstripe whitewall. er must be prepaid. Shipped oversize

	musi be prepun	а. этррен очетыл.					0.01
Part #	Tire Size	Description	Tread Width	Cross Sect	Outer Dia.		Price
T54640	D70 x 14"	raised white letter	6.21"	7.85*	25.32"		231.99 ea
T54650	D70 x 14"	pinstripe	6.21"	7.85*	25.32"		231.99 ea
T54670	E70 x 14"	raised white letter	6.38"	8.05*	25.76"		233.99 ea
T54680	E70 x 14"	pinstripe	6.38"	8.05"	25.76"		233.99 ea
T54850	F70 x 14"	raised white letter	6.67*	8.30*	26.24"		236.99 ea
T54860	F70 x 14"	pinstripe	6.67*	8.30*	26.24"		236.99 ea
T55250	G70 x 14"	raised white letter	6.92*	8.75*	26.82"		253.99 ea
T55260	G70 x 14"	pinstripe	6.92*	8.75*	26.82"		253.99 ea
T62530	E70 x 15"	raised white letter	6.00*	8.30*	26.60"	Sport car 200	364.99 ea
T62450	F70 x 15"	raised white letter	6.71"	8.35"	26.94"		267.99 ea
T62460	F70 x 15*	pinstripe	6.71*	8.35*	26.94"		267.99 ea
T62510	G70 x 15"	raised white letter	6.50*	8.50*	27.50"		362.99 ea
T62520	G70 x 15"	pinstripe	6.50*	8.50*	27.50"		234.99 ea
T62480	F60 x 15"	raised white letter	8.75*	9.20*	25.94"		321.99 ea
T54690	E70 x 14"	red line (wide track)	6.38"	8.05*	25.76"		233.99 ea
T54870	F70 x 14"	red line (wide track)	6.67*	8.30*	26.24"		236.99 ea
T55270	G70 x 14"	red line (wide track)	6.92*	8.75*	26.82"		253.99 ea
T54660	D70 x 14"	red line (wide track)		7.85*	25.32"		231.99 ea
T62470	F70 x 15*	red line (wide track)	6.71*	8.35*	26.94"		267.99 ea
T62500	G70 x 15"	red line (wide track)	6.50"	8.50*	27.50"		409 99 ca

Get Goodyear Quality with a Nostalgic Appearance!

Perfect for your Camaro!

The Goodvear® name means quality and dependability!

Increase the value of your project while maintaining originality

These Goodyear tires are produced with exact specifications offering the highest quality while maintaining complete originality! Now you can own the original Polyglas Goodyear tires, and because they are made from the same molds as the originals, you can count on the quality. Perfect for classic wheel types such as Rally wheels!

Important: QW-1 Speedway Wide Tread. at he amount of Chinas days

Note. Tires musi b		4 100 71		
Part #	Tire Size	Style	Description	Price
GYE7014		raised white letter		249.99 ea
GYF7014		raised white letter	2/2 Polyglas	269.99 ea
GYE7015W	E70 x 15*	raised white letter	QW-1 4 Ply Poly	359.99 ca
GYF7015		raised white letter	2/2 Polyglas	290.99 ea
GYF6015		raised white letter	2/2 Polyglas GT	
GYG6015	G60 x 15"	raised white letter	2/2 Polyglas GT	339.99 ea
GYG7015	G70 x 15"	raised white letter		299.99 ea
GYE7014R		.350 red line		
GYF7014R	F70 x 14"	.350 red line	Custom Wide Tread 2/2 Polyglas	275.99 ea
GYF7014WR	F70 x 14"	.350 red line		269.99 ea
GYG7014R	G70 x 14"	.350 red line	Custom Wide Tread 2/2 Polyglas	
GYF7015R	F70 x 15"	.350 red line	Custom Wide Tread 2/2 Polyglas	301.99 ea
GYF7015WR	F70 x 15"	.350 red line	QW-1 4 Ply Poly	309.99 ea
GYG7015R	G70 x 15"	.350 red line	2/2 Polyglas GT	379.99 ea











Tire & Wheel Combos Bolt them on and go! What could be easier?

When you buy a tire and wheel package from us, you can rest assured that you are getting the best. These complete sets include 4 tires of your choice, Chevrolet Rally Wheels, tall "Derby" style Rally center caps, trim rings and valve stems... fully mounted and balanced! Your tire and wheel package will be mounted and balanced by a professional with the latest state of the art Hunter balancing equipment. For maximum ride quality, our Hunter SmartWeight balancing system analyzes the entire assembly for non-conformity issues and the result is improved ride quality.

Complete Sets Include 4 Tires, Chevrolet Rally Wheels, Tall "Derby" Style Rally

- Trim Rings and Chrome Valve Stems.
- Hand Mounted and Computer Balanced to Precise Quality Control Standards for a Guaranteed True and Round Assembly.
- Scratchless Mounting, No Need to Worry About a Scratched Rim.
- Lug Centric Balancing for the Best Balance and Truest Ride.
- Static Balanced with the Unsightly Weights on the Inside of the Combo.



performance and wear. You'll also receive FREE nitrogen inflation that will give your

combo longer life and better performance. Your combo will arrive to your front door ready to simply bolt on your vehicle so you can go for a drive. What could be easier?

Important: Choose tire size and brand from below

Note: Tire sets must be prepaid. Shipped overweight.

REGoodrich T/A PWI

W/	EN VO	NITROG	AND BALANCE EN INFLATION CHASE OGETHER	
Т	OVER	A \$100	VALUE	

Part #	Tire Size	Brand	Wheel Size	Trim Ring	Quantity	Price
CC3001	F70 x 14"	Firestone Wide Oval Red line	14" x 7" Chevrolet Rally	14" x 7" trim ring	set of 4	1694.99 set
CC3002	F70 x 14"	Firestone Wide Oval RWL	14" x 7" Chevrolet Rally	14" x 7" trim ring	set of 4	1694.99 set
CC3003	P215/70R14	BFG Silvertown Radial Red line	14" x 7" Chevrolet Rally	14" x 7" trim ring	set of 4	1219.99 set
CC3004	P215/70R15	BFG Silvertown Radial Red line	15" x 7" Chevrolet Rally	15" x 7" trim ring	set of 4	1819.99 set
CC3005	P215/70R15	BFG T/A Radial RWL	15" x 7" Chevrolet Rally	15" x 7" trim ring	set of 4	1279.99 set

RFKoodrich Silvertown Radial

Classic Industries® offers these reproduction BFGoodrich Radial T/A tires for various classic American cars. Each tire is manufactured to original specifications, is S-Speed rated and U.S. DOT approved for use on all U.S. highways. With its grippy all-season tread design and original style raised white letters, these tires will give both authenticity and safety to your classic car.

- 14 and 15 inch rim diameters available
- 70 series available
- S-Speed rated (112 MPH)
- All season tread
- High tech tread design
- Backed by our life of the tread warranty U.S. DOT – approved for all U.S.
- highways
- ECE approved meets or exceeds all requirements for the European



Classic Industries® offers these reproduction BFGoodrich Radial T/A tires for various classic American cars. Each tire is manufactured to original specifications, is S-Speed rated and U.S. DOT approved for use on all U.S. highways. With its grippy all-season tread design and original style raised white letters, these tires will give both authenticity and safety to your classic car.

- Made in the USA
- 14 and 15 inch rim diameters
- S-Speed rated (112 MPH)
- U.S. DOT approved for all U.S. highways
- ECE approved meets or exceeds all requirements within the
 - European community 🖊 All season tread design



lire Size	Description	Gross Sec.	Iread	Price
P20570R14T	5.0"-7.0"	8.2"	25.4"	. 131.99 ea
P21560R14T	6.0"-7.5"	8.7"	24.2"	. 135.99 ea
P21570R14T	5.5"-7.0"	8.7"	25.9*	
P22560R14T	6.0"-8.0"	9.0"	24.7"	. 121.99 ea
P22570R14T	6.0"-7.5"	9.0"	26.5"	. 137.99 ea
P23560R14T	6.5"-8.5"	9.5"	25.1"	. 142.99 ea
P24560R14T	7.0"-8.5"	9.8"	25.6"	. 157.99 ea
P19560R15T	5.5"-7.0"	7.9"	24.2"	. 124.99 ea
P20560R15T	5.5"-7.5"	8.2"	24.7"	. 123.99 ea
P21560R15T	6.0"-7.5"	8.7"	25.2"	
P21565R15T	6.0"-7.5"	8.7"	26.0*	
P21570R15T	5.5"-7.0"	8.7"	26.9*	
P22560R15T	6.0"-8.0"	9.0"	25.6"	
P22570R15T	6.0"-7.5"	9.0"	27.4"	. 144.99 ea
P23560R15T	6.5"-8.5"	9.5"	26.1"	. 153.99 ea
P23570R15T	6.0"-8.0"	9.5"	28.0"	
P24560R15T	7.0"-8.5"	9.8"	26.6"	
P25560R15T	7.0"-9.0"	10.2*	27.1"	. 164.99 ca

Note: Wheel not included. Tires must be prepaid. Shipped oversize

Tire Size	Description	Construction	Tread	Section	Diameter	Price	
P20570R14RL	3/8" - red line	Poly/Steel	5.80*	8.00"	26.10*	251.99	ea
P21570R14RL	3/8" - red line	Poly/Steel	6.40*	8.70"	25.90*	256.99	ea
P22570R14RL		Poly/Steel				261.99	
P21570R15RL	3/8" - red line	Poly/Steel	6.40*	8.70"	26.90*	256.99	ca
P22570R15RL	3/8" - red line	Poly/Steel	6.70*	9.00"	27.40*	261.99	ea
P23570R15RL		Poly/Steel				277.99	
P21570R14WL	3/8" - white line	Poly/Steel	6.40*	8.70"	25.90*	256.99	ca
P21570R15WL	3/8" - white line	Poly/Steel	6.40*	8.70"	26.90*	277.99	ea
P22570R15WI	3/8" - white line	Poly/Steel	6.70*	9.00"	27.40*	305 99	00











