SECTION



# Radiators

# U U







Copper/Brass **Construction** 





CRD1314S

CRD1324S

#### MADEIN

#### 1962-79 Restoration Radiator

OER® Authorized radiators install exactly like original. Each radiator is equipped with a new tank and core. Not rebuilt! Features original style mounting brackets attached and installs as original to the radiator support. The fan shroud must be replaced if your are installing a radiator for air conditioned models on a vehicle which did not include factory air. This helps to maintain a correct fit and sufficient air flow to the engine. All radiators include a 6-month limited warranty. Made in USA.

No Exchange Required! No Core Charge! Important: Fan shrouds, fan shroud brackets, radiator petcock, radiator cap and shroud mounting clips are available separately. Due to dimensional differences, fan shrouds are mounting clips are available separately. Due to amensiona agreences, you may not interchangeable between air conditioned models and non-air conditioned models. Manual Transmission AC=Air Conditioning. AT=Automatic Transmission, MT=Manual Transmission, AC=Air Conditioning.

Note: These are all-metal replacements for original plastic tank composite

GW radiators. Snipped oversize.								
			1962	2-70				
1962-70 – 4 0	1962-70 – 4 Cylinder 153							
CRD1123A	1962-70	AT	3 row	15" x 18-1/2" x 2"	593.99 ea			
CRD1123S	1962-70	MT	3 row	15" x 18-1/2" x 2"	556.99 ea			
1962-67 – L6	194/230							
CRD1133A	1962-65	AT	3 row	14-1/8" x 18-1/2" x 2"	593.99 ea			
CRD1133S	1962-65	MT	3 row	14-1/8" x 18-1/2" x 2"	556.99 ea			
CRD1143A	1963-65	AT	3 row	15-5/8" x 23" x 2"	607.99 ea			
CRD1143S	1963-65	MT	3 row	15-5/8" x 23" x 2"	570.99 ea			
CRD1343A	1966-67	AΤ	3 row	15-5/8" x 23" x 2"	603.99 ea			
CRD1343S	1966-67	MT	3 row	15-5/8" x 23" x 2"	566.99 ea			
			1964	-65				
1964-65 – 8 0	Cylinder – P	asseng	er Side In	nlet				
CRD1153A	1964-65	AT	3 row	15-1/2" x 23-1/2" x 2"	608.99 ea			
CRD1153S	1964-65	MT	3 row	15-1/2" x 23-1/2" x 2"	572.99 ea			
CRD1154A	1964-65	AΤ	4 row	15-1/2" x 23-1/2" x 2-5/8"	693.99 ea			
CRD1154S	1964-65	MT	4 row	15-1/2" x 23-1/2" x 2-5/8"	657.99 ea			
CRD1163A	1964-65	AΤ	3 row	15-1/2" x 25-1/2" x 2"	608.99 ea			
CRD1163S	1964-65	MT	3 row	15-1/2" x 25-1/2" x 2"	572.99 ea			
CDD1164A	1064 65	ΛT	1 row	15 1/2" + 25 1/2" + 2 5/9"	603 00 00			

CRD1154S	1964-65	MT	4 row	15-1/2" x 23-1/2" x 2-5/8"	657.99 ea				
CRD1163A	1964-65	AΤ	3 row	15-1/2" x 25-1/2" x 2"	608.99 ea				
CRD1163S	1964-65	MT	3 row	15-1/2" x 25-1/2" x 2"	572.99 ea				
CRD1164A	1964-65	AΤ	4 row	15-1/2" x 25-1/2" x 2-5/8"	693.99 ea				
CRD1164S	1964-65	MT	4 row	15-1/2" x 25-1/2" x 2-5/8"	657.99 ea				
1964-65 – 8 Cylinder – Driver Side Inlet									
CRD1313A	1964-65	AΤ	3 row	15-1/2" x 23-1/2" x 2"	608.99 ea				
CRD1313S	1964-65	MT	3 row	15-1/2" x 23-1/2" x 2"	572.99 ea				
CRD1314A	1964-65	AT	4 row	15-1/2" x 23-1/2" x 2-5/8"	693.99 ea				
CRD1314S	1964-65	MT	4 row	15-1/2" x 23-1/2" x 2-5/8"	657.99 ea				
CRD1323A	1964-65	AΤ	3 row	15-1/2" x 23-1/2" x 2"	608.99 ea				
CRD1323S	1964-65	MT	3 row	15-1/2" x 23-1/2" x 2"	572.99 ea				
CRD1324A	1964-65	AΤ	4 row	15-1/2" x 23-1/2" x 2-5/8"	693.99 ea				
CRD1324S	1964-65	MT	4 row	15-1/2" x 23-1/2" x 2-5/8"	657.99 ea				
CRD1334A	1964-65	AΤ	4 row	15-1/2" x 25-3/8" x 2-5/8"	719.99 ea				
CRD1334S	1964-65	MT	4 row	15-1/2" x 25-3/8" x 2-5/8"	682.99 ea				

CREDISSIS	1701 05	1111	11011	13 1/2 X 23 3/6 X 2 3/6	002.)) eu				
1966-67									
1966-67 – V8	1966-67 – V8 with Side Facing Mounting Brackets								
CRD1313A	1966-67	AT	3 row	15-1/2" x 23-1/2" x 2"	608.99 ea				
CRD1313S	1966-67	MT	3 row	15-1/2" x 23-1/2" x 2"	572.99 ea				
CRD1314A	1966-67	AΤ	4 row	15-1/2" x 23-1/2" x 2-5/8"	693.99 ea				
CRD1314S	1966-67	MT	4 row	15-1/2" x 23-1/2" x 2-5/8"	657.99 ea				
1966-67 – V8	with Recess	sed Sid	le Mounti	ng Brackets					
CRD1323A	1966-67	AΤ	3 row	15-1/2" x 23-1/2" x 2" (250HP)	608.99 ea				
CRD1323S	1966-67	MT	3 row	15-1/2" x 23-1/2" x 2" (250HP)	572.99 ea				
CRD1324A	1966-67	AΤ	4 row	15-1/2" x 23-1/2" x 2-5/8"	693.99 ea				
CRD1324S	1966-67	MT	4 row	15-1/2" x 23-1/2" x 2-5/8"	657.99 ea				
CRD1334A	1966-67	AT	4 row	15-1/2" x 25-3/8" x 2-5/8"	719.99 ea				

4 row


			1968	8-79	
1968-71 – Sm	all Block				
CRD3313A	1968-71	AT	3 row	17" x 20-3/4" x 2"	593 99 ea
CRD3313S	1968-71	MT	3 row	17" x 20-3/4" x 2"	
CRD3314A	1968-71	AT	4 row	17" x 20-3/4" x 2-5/8"	667.99 ea
CRD3314S	1968-71	MT	4 row	17" x 20-3/4" x 2-5/8"	631.99 ea
1968-71 – Big	Block with	Brack	xets		
CRD1423A	1968-71	AT	3 row	17" x 23" x 2"	618.99 ea
CRD1423S	1968-71	MT	3 row	17" x 23" x 2" 17" x 23" x 2"	581.99 ea
CRD16764A	1968-71	AΤ	4 row	17" x 23" x 2-5/8"	752.99 ea
CRD16764S	1968-71	MT	4 row	17" x 23" x 2-5/8"	721.99 ea
1968-71 – Big	Block with	out Br	ackets		
CRD1444A	1968-71	AΤ	4 row	17" x 23" x 2-5/8"	706.99 ea
CRD1444S	1968-71	MT	4 row	17" x 23" x 2-5/8"	669.99 ea
1972-79 – Sm	all Block				
CRD1013A	1972-74	AT	3 row	17" x 23" x 2"	618.99 ea
CRD1013S	1972-74	MT	3 row	17" x 23" x 2"	581.99 ea
CRD1014A	1972-74	AΤ	4 row	17" x 23" x 2-5/8"	
CRD1014S	1972-74	MT	4 row	17" x 23" x 2-5/8"	669.99 ea
CRD3593A	1972-79	AΤ	3 row	17" x 20-3/4" x 2"	593.99 ea
CRD3593S	1972-79	MT	3 row	17" x 20-3/4" x 2"	556.99 ea
CRD3594A	1972-79	AΤ	4 row	17" x 20-3/4" x 2-5/8"	
CRD3594S	1972-79	MT	4 row	17" x 20-3/4" x 2-5/8"	
CRD4153A	1972-79	AΤ	3 row	17" x 26-1/4" x 2"	
CRD4153S	1972-79	MT	3 row	17" x 26-1/4" x 2"	621.99 ea
CRD4154A	1972-79	AΤ	4 row	17" x 26-1/4" x 2-5/8"	
CRD4154S	1972-79	MT	4 row	17" x 26-1/4" x 2-5/8"	694.99 ea
1972-79 – 6 C					
CRD3593A	1972-79	AΤ	3 row	17" x 20-3/4" x 2"	
CRD3593S	1972-79	MT	3 row	17" x 20-3/4" x 2"	
CRD3594A	1972-79	AΤ	4 row	17" x 20-3/4" x 2-5/8"	
CRD3594S	1972-79	MT	4 row	17" x 20-3/4" x 2-5/8"	
CRD4153A	1972-79	AΤ	3 row	17" x 26-1/4" x 2"	
CRD4153S	1972-79	MT	3 row	17" x 26-1/4" x 2"	
CRD4154A	1972-79	ΑT	4 row	17" x 26-1/4" x 2-5/8"	
CRD4154S	1972-79	MT	4 row	17" x 26-1/4" x 2-5/8"	694.99 ea

#### 1962-79 Aluminum Radiator

Improve the cooling capacity of your engine with Cold-Case performance radiators for 1962-79 Nova models. Feature an all

CC46116 aluminum construction that is good at dissipating heat and saving energy, with 2 oversized cooling rows, and polished stamped tanks. All Cold-Case radiators are 100% TIG welded, pressure tested,

CC46131 and includes OE style fittings for both automatic and manual applications. All radiators manufactured by Cold Case are guaranteed to be free from material and workmanship defects for the life of your installation. Does not include the cap, sold separate.









15-1/2" x 25-3/8" x 2-5/8" 682.99 ea

MT

1966-67

CRD1334S

\*Northern

# Radiators

#### 1962-79 Nova Aluminum Radiator

Constructed of 100% aluminum, these racing radiators are built using no epoxy for trouble-free service. Aluminum radiators have shown to be 15% more efficient than factory copper brass type radiators. This radiator fits in the factory mounting location with predrilled brackets for easy installation. The factory fan shroud can be reused without modifications while the inlet and outlet are in the stock locations so the factory style radiator hoses can be used. As with most radiators,




automatics are available with a built-in transmission cooler with the correct dimensions to use the factory transmission lines.

Important: 1962-67 crossflow radiators require modifications to mount. Transmission cooler lines must be rerouted and factory fan shroud will not fit.

Note: *SB. **SB/BE	3. †With automat	ic transmission. Shipped oversize.	
Satin Finish			ausi 🗘
AR80280N*	1962-67	vertical flow	699.99 ea
AR80280N1†*	1962-67	vertical flow	783.99 ea
AR80281N*	1962-67	crossflow	629.99 ea
AR80281N1**	1962-67	crossflow	734.99 ea

AR80280N1†*	1962-67	vertical flow	783.99 ea
AR80281N*	1962-67	crossflow	629.99 ea
AR80281N1**	1962-67	crossflow	734.99 ea
AR80283N**	1973-74	23" core	
AR80283N1†**	1973-74	23" core	734.99 ea
AR80254N**	1975-79	26-1/4"	629.99 ea
AR80254N1†**	1975-79	26-1/4"	
Polished Finish			
Polished Finish AR80286N1†*	1962-67	vertical flow	844.99 ea
	1962-67 1962-67	vertical flowcrossflow double pass	
AR80286N1†*			734.99 ea
AR80286N1†* AR80287NLS	1962-67	crossflow double pass	734.99 ea 844.99 ea
AR80286N1†* AR80287NLS AR80288N1†*	1962-67 1968-72	crossflow double pass	734.99 ea 844.99 ea 774.99 ea
AR80286N1†* AR80287NLS AR80288N1†* AR80289N**	1962-67 1968-72 1973-74	crossflow double pass	734.99 ea 844.99 ea 774.99 ea 844.99 ea





#### 1962-79 Polished Aluminum Performance Radiator

Keep your engine cool with one of these polished high-performance aluminum radiators. Manufactured from TIG welded aircraft grade aluminum with brazed aluminum cores and billet filler necks, each radiator offers high capacity cooling with louvered fins and 3/8" spacing between core tubes. Designed for direct fit installation. Radiator cap is included.

Important: All radiators have built in automatic transmission coolers and can be used in both automatic and manual transmission applications.

Note: Shipped	oversize.
---------------	-----------

Note: Shipped	oversize.		
Two Row Ra	diators		<b>OS1</b>
A7600102	1962-65	16" x 23-3/4" x 1-3/4" core	229.99 ea
A7600103	1966-67	15-1/4" x 22" x 1-3/4" core (V8 conversion)	229.99 ea
A7600104	1968-79	17" x 20-3/4" x 1-3/4" core	229.99 ea
A7600105	1975-79	17" x 26-1/4" x 1-3/4" core	229.99 ea
Three Row R	Radiators		
A7600106	1962-65	16" x 23-3/4" x 2" core	284.99 ea
A7600107	1962-65	15-1/2" x 24" x 2" core	284.99 ea
A7600108	1962-67	14-1/8" x 18-1/8" x 2" core (6 cyl only)	284.99 ea
A7600109	1966-67	15-1/4" x 22" x 2" core (V8 conversion)	284.99 ea
A7600110	1968-79	17" x 20-3/4" x 2" core	284.99 ea
A7600111	1973-74	17" x 23" x 2" core	284.99 ea
A7600112	1975-79	17" x 26-1/4" x 2" core	284.99 ea
Four Row Ro	adiators		
A7600115	1962-65	16" x 23-1/4" x 2-3/4"	341.99 ea
A7600113	1968-79	17" x 20-3/4" x 2-3/4" core	361.99 ea
A7600114	1975-79	17" x 26-1/4" x 2-3/4" core	361.99 ea



- Bolt-in Installation
- 60% Lighter Than Copper/Brass
  Up to 75% More Cooling Capacity
- Fully Welded Construction
- Heavy-Duty, Die-Stamped Tanks
- Extra Thick Hose Connections
- Billet Filler Neck
- 7 Plate Alum. Transmission Cooler

#### 1962-79 Aluminum Muscle Car Radiator



Upgrade your cooling system with a high-performance bolt-in radiator from Northern! Manufactured with race proven technology, these radiators feature a two row, 1" core tube design for maximum cooling efficiency. Northern fan and shroud assemblies are also available for a matched cooling system.

Important: Dimensions listed include the radiator, tanks and brackets.

#### Note: Shipped oversize

Automatic	Transmissio	n	<b>(*0</b> \$1
CR5178	1962-65	all	24-1/2" x 20-3/8" x 3-1/4" 474.99 ea
CR5028	1968-79	all	25-3/8" x 18-5/8" x 2-1/4" 291.99 ea
CR5027	1975-79	all	30-3/4" x 18-5/8" x 2-1/4" 356.99 ea
Manual Ti	ransmission		
CR5178	1962-65	all	24-1/2" x 20-3/8" x 3-1/4" 474.99 ea
CR5057	1968-79	all	25-3/8" x 18-5/8" x 2-1/4" 314.99 ea
CR5056	1975-79	all	30-3/4" x 18-5/8" x 2-1/4" 319.99 ea







BC82009

These all-aluminum radiators are up to 40% lighter than traditional copper/brass radiators and feature high-quality aluminum welds to enhance the appearance of your vehicle. Complete module cooling systems that include an aluminum radiator, aluminum radiator cap, electric fans with black shroud, aluminum vented coolant recovery tank, aluminum fan mounting brackets, electric fan wiring harness, and all necessary installation hardware. Available in a beautiful polished finish or a raw, non-polished finish. Dimensions listed below are the core size of the radiator.

ote:	Special	shipping	charges	apply.	Shipped	overweig	ht.	

Note: Specia	u snipping c	narges appiy.	Snippea overweigni.	Wif
			Polished	
Automatic	Transmiss	sion		
BC83012	1962-67	22" x 18"	small block crossflow conversion	1499.99 set
BC83019	1968-79	22" x 18"	small block, cradle mount	1499.99 set
BC83009	1968-79	22" x 18"	small block, flange mount	1499.99 set
BC83184	1968-79	24" x 19"	big block	1699.99 set
Manual Tr	ansmissio	n		
BC81012	1962-67	22" x 18"	small block crossflow conversion	1499.99 set
BC81019	1968-79	22" x 18"	small block, cradle mount	1499.99 set
BC81009	1968-79	22" x 18"	small block, flange mount	1499.99 set
BC81184	1968-79	24" x 19"	big block	1499.99 set
		٨	lon-Polished	
Automatic	Transmiss	sion		
BC82012	1962-67	22" x 18"	small block crossflow conversion	1299.99 set
BC82019	1968-79	22" x 18"	small block, cradle mount	1299.99 set
BC82009	1968-79	22" x 18"	small block, flange mount	1299.99 set
BC82184	1968-79	24" x 19"	big block	1499.99 set
Manual Tr	ansmissio	n		
Manual Tr BC80012	ansmissio 1962-67	<i>n</i> 22" x 18"	small block crossflow conversion	1199.99 set
			small block crossflow conversion small block, cradle mount	1199.99 set 1199.99 set
BC80012	1962-67	22" x 18"	small block, cradle mount	1199.99 set
BC80012 BC80019	1962-67 1968-79	22" x 18" 22" x 18"		1199.99 set















# Radiators



# 1962-79 Aluminum Radiator

Griffin's Exact Fit line of performance radiators feature OE fitment, OE style tanks, and mounting provisions for all factory equipment. They offer all the required mounting tabs and brackets to ensure seamless installation without special tools. You get maximum cooling performance by the use of two rows of Griffin exclusive MegaCool 1-1/4" tubing. Constructed of the best AA3003 aluminum, backed by a 2-year warranty, and no special coolant requirements, a Griffin Exact Fit radiator will give you the cooling performance you need.

۰	Exa	ct	Fit	Ra	dia	tors	;
I	H In	let		otta	om.	RH	6

Top	LH Inlet–	Bottom RH C	Outlet
25.74" x 15	" x 2.63" (	Core	<u> </u>
600055	1962-67	MT	958.99 ea
670055	1962-67	AT	1042.99 ea
20.75" x 18	.63" x 2.68	" Core	
		MT	
670186	1968-74	AT	1042.99 ea
23" x 18.63	" x 2.68" (	Core	
600187	1968-74	MT	958.99 ea
670187	1968-74	AT	1042.99 ea
26.38" x 18	.63" x 2.68		
600007G	1968-79	MT	958.99 ea
670007	1968-79	AT	1042.99 ea





# 🐃 1968-79 Aluminum Radiator

Griffin's Performance Fit line of radiators delivers superior performance at an affordable price. They feature 2 rows of Griffin's exclusive MegaCool 1-1/4" induction welded tubing capable of cooling extreme horsepower. Do it yourself style mounting brackets are included for fitment with minimal modifications. Made in the USA and backed by a 2-year warranty, this radiator will give you the cooling performance you need.

-	Pe	rfo	rma	nce	Fit	Rac	liate	ors	•
7	an l	1	Inla	t_B	itto	m B	HC	1111	Ž.

26" x 18"	x 2.68" Co.	re		
870019	1968-79	AT	405.99	ea



#### Universal Slim-Fit Radiator System

PROFORM has completely rethought how the radiator, fan, thermostat, and shroud can come together seamlessly to create a unified radiator system that is under 4" thick, looks and works great, and is preassembled right out-of-the-box, ready for a custom fit into your muscle car or sport truck. With revolutionary engineering we flipped the motor around so instead of hanging on the outside, it's integrated directly into a uniquely designed core made with state-of-the-art brazing technology (with no meaningful cooling compromise). The core itself is a hybrid combination of traditional dual 1" tubes, and full core width extruded tubes. Combine this with a high-performance fan blade inserted into a smooth aluminum shroud, the result is the industry's thinnest, most streamlined look. Every PROFORM Slim-Fit Radiator includes a shroud, electric fan with adjustable thermostat, wiring harness, and radiator cap.

#### Manual Transmission 6958017 17" x 17"

6958017	17" x 17"	LH in, RH out 749.99 ea
6959017	17" x 17"	RH in, LH out 749.99 ea
6958019	19" x 17"	LH in, RH out 749.99 ea
6959019	19" x 17"	RH in, LH out 749.99 ea
6958021	21" x 17"	LH in, RH out 749.99 ea
6959021	21" x 17"	RH in, LH out 749.99 ea
6958023	23" x 17"	LH in, RH out 749.99 ea
6959023	23" x 17"	RH in, LH out 749.99 ea
6958026	26" x 17"	LH in, RH out 749.99 ea
6959026	26" x 17"	RH in, LH out 749.99 ea



# 1973-74 Small Block Economy Radiator

Keep your vehicle cool without breaking the bank! These direct fit, affordably priced radiators are built with high-quality materials for dependable cooling. Fits automatic or manual transmissions.

Note: Shipped oversize.

17" x 23" x	1-1/4"			- OS1
A7600122	1973	307	1 row	175.99 ea
A7600122	1973-74	350	1 row	175.99 ea



### 1962-79 Temperature Sending Unit

The temperature sending unit screws into the side of the cylinder block or on the intake manifold and allows the temperature gauge or warning light to function properly. If your temperature gauge is not functioning properly, replacing the sending unit is an inexpensive fix.

With Factory Gauges							
1 Pin Ter	1 Pin Terminal						
748691	1963-65	all	23.99 ea				
748691	1969-78	all	23.99 ea				
TU4	1968	all	15.99 ea				
1513462	1969-71	all	23.99 ea				
6400759	1979	all	23.99 ea				
1 Blade T	<i>Terminal</i>						
TS71T	1979	all	8.99 ea				
8993107	1979	all	25.99 ea				
2 Blade Terminal							
TU49	1972-74	all	16.99 ea				
	Without Factory Gauges						

Without Factory Gauges							
1 Blade	1 Blade Terminal						
TU46	1968-69	all	16.99 ea				
TU44	1978-79	250-D, metal temp	15.99 ea				
2 Blade	2 Blade Terminal						
TU47	1970-72	V8, 82B-260M	17.99 ea				
TU42	1962-72	V8, 82B-232	17.99 ea				



#### 1962-79 Radiator Petcock



This reproduction petcock is manufactured to install on original or reproduction replacement radiators. Features the correct fluted end for originality.

K0085 1962-79 reproduction...... 5.99 ea

**&**Griffin

# Radiator Compone



#### Radiator Drain Petcock and Hose

Reproduction radiator drain petcock with hose for Chevy II/Nova models. This petcock is available with 6" of rubber drain hose included. It is manufactured to install on original or reproduction replacement radiators.

TF600166 petcock and hose..... 14.99 ea



#### 1968-79 Radiator Retainer Pad

Reproduction radiator retainer pad for 1968-79 Chevy II/ Nova models. Keeps the radiator in place and safe from loosening while cushioning and protecting the metals from wear due to rubbing together or vibration. Sold individually. Measures approximately 3-3/4" in overall length, with a cutout area that measures approximately 2.44" in length for the radiator tank to sit into.

371189 1968-79 3 row...... 7.99 ea



#### MADEIN 1969-79 Radiator Isolators

Prothane radiator support bushings will help mount your radiator securely in the engine compartment. These high-quality polyurethane bushings not only outperform even new OE rubber bushings, but they also last much longer and are less prone to deteriorate. 4 piece set is available for vehicles with small or big

block engines Small Block

Siliali Block				
3.887" Lengt	h, 2.657" C	hannel Length		
PE71711G	1969-79	black	18.99 se	
PE71711R	1969-79	red	18.99 se	
	Big	Block		
4.188" Lengt	h, 3.407" C	hannel Length		
PE71712G	1969-70	black	18.99 se	
PE71712R	1969-70	red	18.99 se	
New!				




### Radiator and AC Mounting Well Nut

Replacement well nuts used on various GM vehicles. 1/4"-20, fits 1/2" hole. Neoprene with captive brass nut. A13010K 2 piece...... 2.99 pr



#### **Radiator Rubber Mounting Pads**



Z16516	6-1/2" x 1"	8.99 pr
Z21230	6" x 1-3/4"	5.99 pr

than one pair.



#### Radiator Mounting Brackets

Universal aluminum radiator mounting set. Requires mounting pads (sold separately). Includes 2 upper brackets and 2 lower brackets.

Note: See part #Z21230 for rubber pads.

Z21260 



# Radiator & AC Mounting Shoulder Bolts

Correct replacement shoulder bolts used on various GM vehicles. Zinc-plated with shoulder.

1/4"-20 x 13/16"..... 2.99 pr



# 1968-72 BB Radiator Mounting Set 🗥

Reproduction big block radiator mounting hardware set. Includes 2 well nuts and 4 bolts as pictured. For 1968-72 Chevy II/Nova big block models with radiators that feature side mounting brackets.

W14R 1968-72...... 3.99 set





# 1969-70 Reproduction Radiator Tags

Reproduction radiator tags will add the finishing touch to your perfect restoration. The 1969-70 Nova models originally included these tags on the radiator. Impress any car show judge by having the correct tag.

Models	with 396, 3 Rd	w Tank & Stra	ight Hose Neck
HC101			44.99 ea
HC100	1969-70	(UO) AT	59.99 ea



#### 1962-74 Aluminium Radiator Filler Panels

Dress-up your engine bay with these custom aluminium upper radiator filler panels! These durable show panels direct the air that normally escapes over the core support straight into the radiator to improve cooling. Available in your choice of black anodized, natural, or polished finishes with or without an etched logo.

Note: Specify logo suffix on etched panels when ordering.

1962	-67 Filler	Panels with Logo
Black Anod	ized	
UC3001B	1963-64	all 153.99 pr
UC3003B	1965	all 151.99 pr
UC3014B	1966	all 151.99 pr
UC3007B	1967	all 153.99 pr
Natural Alu	minum	
UC3010N	1962	all 151.99 pr
UC3001N	1963-64	all 151.99 pr
UC3007N	1967	all 151.99 pr
Polished Ala	uminum	
UC3010P	1962	all 173.99 pr
UC3001P	1963-64	all 173.99 pr
UC3003P	1965	all 173.99 pr
UC3014P	1966	all 175.99 pr
UC3007P	1967	all 173.99 pr









C - Row Tie D - Chevrolet E - Chevrolet

71 55	C Down	with Bow Tie	- Cherrote
4000			
1968	5-74 Filler	Panels with	Logo
Black Anod	lized		
AC3005B	1968-72	with AC	151.99 pr
UC3005B	1968-72	without AC	151.99 pr
AC3012B	1973-74	with AC	151.99 pr
UC3012B	1973-74	without AC	152.99 pr
Natural Alu	ıminum		
AC3005N	1968-72	with AC	153.99 pr
UC3005N	1968-72	without AC	151.99 pr
AC3012N	1973-74	with AC	151.99 pr
UC3012N	1973-74	without AC	152.99 pr
Polished Al	uminum		
AC3005P	1968-72	with AC	173.99 pr
UC3005P	1968-72	without AC	
AC3012P	1973-74	with AC	173.99 pr
UC3012P	1973-74	without AC	
1962-7	74 Filler P	anels withou	t Logo

1962-74	4 Filler Pa	anels withou	t Logo
Black Anodi	zed		
UC3011B	1962	all	121.99 pr
UC3002B	1963-64	all	119.99 pr
UC3004B	1965	all	121.99 pr
UC3015B	1966	all	119.99 pr
UC3008B	1967	all	119.99 pr
AC3006B	1968-72	with AC	121.99 pr
UC3006B	1968-72	without AC	119.99 pr
AC3013B	1973-74	with AC	120.99 pr
UC3013B	1973-74	without AC	121.99 pr
Natural Alui	minum		
UC3002N	1963-64	all	121.99 pr
UC3004N	1965	all	119.99 pr
UC3008N	1967	all	121.99 pr
AC3006N	1968-72	with AC	119.99 pr
UC3006N	1968-72	without AC	119.99 pr
AC3013N	1973-74	with AC	119.99 pr
Polished Alu	minum		
UC3011P	1962	all	138.99 pr
UC3002P	1963-64	all	138.99 pr
UC3004P	1965	all	138.99 pr
UC3015P	1966	all	138.99 pr
UC3008P	1967	all	139.99 pr
AC3006P	1968-72	with AC	139.99 pr
UC3006P	1968-72	without AC	138.99 pr

1973-74

RADIATOR PARTS

AC3013F















138.99 ni

with AC .....



# Radiator Compone











# 1962-64 RC-6 Radiator Cap

These hard-to-find, authentic radiator caps are marked with the OEM stamping for exact original reproduction. Manufactured for reliable 13 lb service.

1962-64 except AC ...... 46.99 ea















Aftermarket replacement cap for the radiator on your 1963-79 Nova models. Service replacement cap that may be cosmetically different than the original but will fit and function properly. These caps are equipped with or without a pressure release lever.

With Level	r		
ST10329	1963-64	w/o AC or HD rad	7.99 ea
ST10330	1963-64	with AC or HD rad	7.99 ea
ST10330	1965-76	all	7.99 ea
ST10331	1977-79	all	7.99 ea
Without L	ever		
ST10229	1963-64	w/o AC or HD rad	5.99 ea
ST10230	1963-64	with AC or HD rad	5.99 ea
ST10230	1965-76	all	5.99 ea
ST10231	1977-79	all	6.99 ea



# 1977-79 Radiator Cap

Genuine GM service replacement radiator cap. This radiator cap will replace your original and give your engine bay a factory fresh appearance. 1977-79 .....











# Thermocap Radiator Cap

Thermocap combines a high-quality pressurized radiator cap with a thermometer element, allowing you to know when it's safe to open your radiator without any guess work. Easy-to-read temperature gauge in Celsius and Fahrenheit

MR2470B	blue	13 lbs	47.99	ea
MR2470R	red	13 lbs	48.99	ea
MR2471B	blue	16 lbs	46.99	ea
MR2471S	silver	16 lbs	47.99	ea
MR2471R	red	16 lbs	60.99	ea



#### **Custom Radiator Cap** WADEIN

Vintage style radiator caps to finish off your radiator. Tops are cast in A356 aircraft grade aluminum and polished to show quality shine. The internal cap is a Stant 16 psi rated radiator cap. Supplied as a two part assembly for allow proper alignment. Made in USA.

A5700246	finned style	72.99 ea
A5700247	aero style	
A5700248	sprocket style	79.99 ea





TF600175 TF600176



### Radiator Cap

Be Cool billet radiator caps rated at 13 lbs are recommended for all Be Cool radiators. The billet caps feature the Be Cool logo and are available in a round or octagon style and polished or natural finish. Also available is a machined aluminum Sure-Grip radiator cap with a Be Cool embossed emblem.

Round Billet (	Caps		
TF600175	polished finish	59.99	ea
TF600178	natural finish	49.99	ea
Octagonal Bil	let Caps		
TF600176	polished finish	59.99	ea
TF600179	natural finish	49.99	ea
Machined Sur	e-Grip Caps		
TF600177	polished finish	69.99	ea
	natural finish		

# 1962-67 OE Style Radiator Cap Hollow Rivet

Authentic reproduction radiator cap designed for the enthusiast who wants total originality in a reproduction cap. Features the correct cap rating along with all the correct markings as original. Long discontinued, the current GM replacement and other reproduction caps do not accurately represent the original cap. One of the features that sets OER's reproduction cap apart is the correct divot in the brass rivet in the center of the cap, just like the original. OER's reproduction is an exact replica of the original featuring correct markings as well as an accurate cosmetic appearance of the rivet in the center of the cap.

1962-64 w/AC, HD radiator 36.99 ea 3886273 1965-67 36.99 ea



## 1962-73 OE Style Radiator Cap

Authentic reproduction radiator cap for the enthusiast who demands total originality. Features the correct cap rating along with all factory markings, as original. Long discontinued, the current service replacement does not accurately represent the original cap. This reproduction is an authentic representation of the original.

1962-64 861050 w/AC, HD radiator .. 39.99 ea 1965-72 861050 861050 1973



### 1964-73 Radiator Can

ACDelco service replacement RC 15 radiator cap. Fits small block and big block applications.

G7134 1964-73 Delco ...... 14.99 ea

### **Billet Aluminum Radiator Cap**

Billet aluminum radiator cap for Chevy II/Nova models to provide a unique custom look. Rated at a 16 lb pressure rating.



T6017 16 lb rating ...... 35.99 ea

#### Radiato mbone



#### 1973-74 Nova Radiator Overflow Jar

This is a correct reproduction of the GM radiator overflow jar for 1973-74 Nova models. Manufactured from high grade plastic, this jar features the correct FULL HOT/FULL COLD lines, GM part number and mounting tabs as original. Includes the lower mounting clip.

Note: Overflow jar cap can be purchased separately #340194. 1973-74 344387 overflow jar ...... 49.99 ea



#### 1975-79 Nova Radiator Overflow Jar

Reproduction radiator overflow jar for fitment on 1975-79 Nova models. Utilizing correct blow form method, each jar is manufactured in correct clear plastic material and features correct lettering with fluid level markings as original. Includes mounting clips and screws.

551448 1975-79 overflow jar...... 34.99 ea



### Recovery Tank

It is very important to choose the right recovery tank to complement your cooling system. This proper size billet coolant recovery tank is recommended and also environmentally safer than an overflow tank.

D C 7 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
BC71003 polished finish 159.99 ea	
BC70003 natural finish 149.99 ea	





# **Radiator Overflow Tank**

These beautiful polished stainless steel radiator overflow tanks will give your engine compartment a clean, custom look. They are available in various sizes and feature a twist-on cap and mounting hardware.

50721	2" x 13"	35.99 ea
50731	2" x 15"	34.99 ea
50741	2" x 17"	35.99 ea
50751	2" x 19"	46.99 ea
50761	3" x 10"	39.99 ea
50781	3" x 16"	44 99 ea



#### Finned Aluminum Overflow Tank

Finish off your cooling system with this vintage style overflow tank. Made from cast aluminum and polished to a show quality finish. Tank holds 24 ounces and measures 13-3/4" tall with a 2-3/4" diameter. Features 1/4"-20 threaded mounting rib and tapped for a 1/4" NDT into fitting. NPT inlet fitting.

Note: Requires two 1/4"-20 bolts, are not included. A5700218 ...... 349.99 ea



#### Finned Aluminum Overflow Tank



This 13" cast aluminum finned tank is an excellent upgrade to your overflow system. Tank includes a cap. A9600248 silver ...... 80.99 set A9600249 black ...... 80.99 set



#### **Aluminum Overflow Tank**



Upgrade your plastic overflow tank with Mishimoto's universal 1 quart coolant overflow tank. Tank is constructed from durable 3mm thick aluminum, featuring stunning precision TIG welds. In addition, this overflow tank includes a sight tube, which provides an accurate look at your fluid level. This sight tube is removable and can be installed on either end of the tank, which is helpful when installing in a cramped engine compartment.

	black	62.99 ea
	polished	
	red	
MM13082	blue	62.99 ea



### Aluminum Coolant Reservoir Tank 🔥

Whether you want to finish off the look of a tucked engine bay, or you just want to replace the dull, stock plastic tank, the aluminum coolant reservoir tank is the perfect solution. Offered as a comprehensive set, complete with a mounting bracket, hardware, and reinforced hose.

MM13083	black	92.99	set
MM13084	polished	92.99	set
MM13085	red	92.99	set



#### Radiator Overflow Canister



When your radiator fluid gets too hot, it will blow through your overflow spout and all over your engine bay unless you have an overflow canister for this exact situation. PROFORM's new overflow canisters are anodized billet aluminum with brass fittings to give your engine bay a nice clean look. Canister measures 6-3/4" x 3".

69527	black anodized	100.99	ea
69528	natural anodized	105.99	ea





#### 1974-79 Radiator Overflow Jar Cap

OER® radiator overflow jar caps for 1974-79 Nova models. Manufactured from injection molded ABS plastic to factory specifications and features the correct words "ENGINE COOLANT ONLY" on the cap.

Cap without 371978	Strap Retainer 1974-75	8.99	ea
<b>Clear Cap</b> w 340194	<i>vith 2 Hose Outlets</i> 1975-79	9.99	ea

# 1968-79 Radiator Overflow Hose Retainer

Reproduction radiator overflow hose retainer clip for 1968-79 Nova models. Manufactured to factory specifications in spring steel replicating the original appearance and design. Mounts on the passenger side tank and holds the overflow hose in place.

14300 1968-79 stamped "AD" ...... 10.99 ea



### 1962-69 Radiator Overflow Hose

This is a correct replacement hose which is used for the radiator overflow. It is produced with 3/8" OE style thin walled hose as original. Features correct 3 rib design. Measures 3' in length. Cut-to-fit.

B0056 1962-69 3/8" i.d. x 36"...... 4.99 ea

# AUTHORIZED New! 1975-79 Radiator Overflow Hose

Service replacement radiator overflow hose for 1975-79 Nova models. Can also be used for other applications where a thin walled 3/8" i.d. coolant hose is required.

This has a maximum pressure of 50 psi and a temperature range of -40 degrees F to 257 degrees F. Includes 2 spring clamps.

1975-79 3/8" i.d. x 30" ....... 3.99 ea RH65101




















# nrouds



#### 1962-67 Fan Shroud 8 Cylinder

Replace your cracked or missing fan shroud with this quality OER® reproduction.

3878892 1962-67 8 cylinder ...... 129.99 ea





# 1968-70 Big Block Fan Shroud



Replace your cracked or missing fan shroud with these quality OER® reproductions.

3945789 ..... 89.99 ea 1968 OFR® 3947619 1969-70 OER® Premier .... 89.99 ea



### 1969-72 Small Block Fan Shroud

Replace your cracked or missing fan shroud with this quality OER® reproduction. For 1969-72 Nova models with small block engines.

3938613B 1969-72..... 159.99 ea

FAN SHROUDS



#### 1962-79 Universal Fan Shroud



20.00 00

Each shroud will fit all small block and big block radiators. All mounting hardware is included for installation or purchase separately. Simply remove your original fan shroud and replace it with this shroud. Will replace all plastic and OEM shrouds and are available in both chrome or EDP black finishes.

3"	Wide	20"	Diameter	Shrouds
T9	453	19	62-79	chrome fir

19433	1902-79	chrome misi	30.99 ea
T9451	1962-79	EDP black finish	43.99 ea
5-1/2" W	ide 20" Dia	meter Shrouds	
T9454	1962-79	chrome finish	31.99 ea
Hardwai	re		
T9455	1962-79		4.99 set



# 1968-70 Support to Fan Shroud Seal 🗘

Reproduction seal installed between the radiator support and the fan shroud. Mounting clips are included.

1968-70 big block..... 11.99 ea



#### 1968-70 Lower Fan Shroud Clip



Correct reproduction lower fan shroud clip that attaches to the lower RH side of the fan shroud and radiator. Designed to hold the fan shroud to the radiator. For all models originally equipped with factory Harrison radiators.

big block ...... 19.99 ea 3899881 1968-70



#### 1968-79 Fan Shroud Mounting Clips 🗥



These clips are installed on the bottom ends of the shroud. Provisions are molded into the shroud allowing attachment of the shroud to the radiator. 2 required.

K10100	1968-79	shallow clip	1.29 ea
3899880	1968-79	deep clip	1.99 ea



#### 1969-70 Big Block Fan Shroud Fastener

Correct clip used to attach the fan shroud to the radiator support on 1969-70 Nova models with a 396 engine. 1969-70 ...... 1.29 ea







#### 1968-70 Big Block Fan Shroud Bracket

Reproduction fan shroud bracket used exclusively with big block engines and factory installed radiators on 1968-70 models.

3947621 1968-70...... 12.99 ea









740026



#### **Fan Shroud Set**



Northern do-it-yourself fan shroud sets are an excellent way to get a custom fitted fan shroud for your radiator and engine driven fan! Designed to fit exactly on Northern radiators (where specified), as well as most stock or aftermarket radiators. Manufactured from .063" lightweight aircraft aluminum. Made in USA.

Part#	Height	Width	Depth	Application
Z40020	19-5/16"	16-3/4"	2-1/2"	universal
Z40021	19-5/16"	20-1/2"	2-1/2"	universal 84.99 set
Z40022	19-5/16"	22"	2-1/2"	universal
Z40025	17-7/8"	15-1/8"	2-1/2"	universal 84.99 set
Z40027	16"	22-1/4"	2-1/2"	universal
Z40028	16"	26-1/4"	2-1/2"	universal 84.99 set
Z40029	18-5/8"	15"	2-3/8"	universal
Z40030	18-1/2"	21-1/2"	2-7/8"	universal 84.99 set
Z40031	18-3/8"	22"	2-5/8"	universal
Z40032	16"	21-1/8"	2-1/2"	universal 84.99 set
Z40033	25-1/8"	15"	2-1/2"	universal 84.99 set
Z40036	22-7/8"	16-1/4"	2-5/16"	universal
Z40023	19-5/16"	25-3/4"	2-1/2"	CR5027, CR5026 84.99 set
Z40034	18"	20-1/2"	2-1/2"	CR5028 84.99 set

#### Radiato Compone



# "Liquid Chill" Engine Coolant and Additive

Mishimoto's Liquid Chill is a universal, synthetic coolant that will provide premium cooling and protection for your vehicle. Liquid Chill protects from boil over to 265 degrees F and from freezing down to -26 degrees F, inhibits corrosion, and reduces operating temps. Made with propylene glycol base and unique poly organic additives to allow for extended life of 2+ years or 250,000 miles before needing service in gasoline applications. One gallon jugs are available in full strength formula or 50/50 blend. For up to 30 degrees F cooler over just coolant alone, the universal Liquid Chill additive is available in 4 oz. bottles.

MM13065	full strength coolant	75.99 ea
MM13066	50/50 mix coolant	48.99 ea
MM13067	additive	18.99 ea

#### J-B Weld Cold Weld MADEIN

J-B Weld is a great alternative to welding, soldering and brazing. This two part system is mixed at a ratio of 1:1, it forms a permanent bond and can be shaped, tapped, filed, sanded, painted and drilled after curing. Cold weld will bond to most clean and dry surfaces and sets in 1-2 hours and will fully cure in 16-24 hours. Waterproof, petroleum, chemical, and acid resistant when fully cured. Nontoxic and temperature resistant up to 600 degrees F. Cure color is dark gray. Made in USA.



JB8265	2 x 1 oz. tubes	9.99 ea
JB8280	2 x 5 oz. tubes	15.99 ea

#### **Super Coolant**

Purple Ice is a high-performance, synthetic, radiator coolant additive. It reduces engine heat by reducing the surface tension of the radiator fluids for improved heat transfer. Purple Ice fosters optimum coolant flow by helping to prevent formation of scale deposits in the radiator. Purple Ice is recommended for any water/glycol pressurized cooling system, including those using the traditional green silicate based glycols or the newer OAT or HOAT based glycols.

	<i>U</i> ,	
RP01600	12 oz. bottle	10.99 ea
RP12600	case of 12 - 12 oz. bottle	es 131.99 cs

# **Coolant System Protector** Impurities in well water can cause

rust and corrosion inside the radiator, water pump, and cylinder heads. Over time, this can lead to a loss of cooling efficiency. Joe Gibbs Driven Coolant System Protector stops the adverse effect of hard water to help prevent cooling system damage. IG1330 12 oz. bottle





#### Universal Conlant Filter

Prevent dangerous clogs in your cooling system with this in-line coolant filter. Featuring heavy-duty solid brass construction, this filter is installed in line to prevent dirt and debris from entering and causing damage.

RF002 for heater hose	47.99	set
-----------------------	-------	-----



#### **Gano Coolant Filter**

Available in high temperature clear plastic or heavyduty machined brass style. Aircraft style hose clamps and instructions included. A must for any liquid cooled vehicle.

GF2	clear	fits 1-5/8" i.d. hose	59.99 ea
GF3	brass	fits 1-1/4" i.d. hose	64.99 ea
GF4	brass	fits 1-5/8" i.d. hose	64.99 ea



# Universal Hose Adapter Set

AutoMeter coolant hose adapter sets for mounting gauge senders or probes directly into your heater or radiator hose. Ideal for vehicles with limited access to water passage ports on the engine. They are manufactured from solid brass or aluminum with male hose barb ends for an easy and secure installation.

AM2280	5/8" brass	
AM2281	3/4" brass	52.99 set
AM2282	1-1/4" aluminum	59.99 set
AM2283	1-1/2" aluminum	61.99 set





CLASSIC

# LSX Coolant Temperature Sender

This sender allows the use of a Classic Instruments temperature gauges in vehicles equipped with an LS series engine.

SN12MM LSX temperature sender.... 36.99 ea





#### 1968-74 Heater Hose Retaining Clip 🔥

Correct replacement heater hose brackets and clamps to safely secure the hoses.

377	0259	1968-74	fenderwell clip	6.99 ea
382	5416	1968-74	alt bracket clamp	4.99 ea
K55	56	1968-74	2 piece set	9.99 set

#### **OTT** AUTHORIZED



#### Universal Heater Hose Bracket



Reproduction 2-1/4" heater hose bracket for Nova models. This hose bracket is designed to secure two heater hoses to the alternator bracket to prevent damage of the hoses and keep the engine compartment neat and tidy in appearance.

3825416X universal metal loop...... 4.99 ea



#### Stainless Steel Heater Hose Bracket 🔨



Stainless steel version of the heater hose bracket that mounts to the top alternator bracket and keeps the two heater hoses together.

14280	angled tab	24.99 ea
1010439	straight tab	24.99 ea



#### Stainless Heater Hose Bracket



This is a universal clamp which holds the two heater hoses to the inner fender well. This is a stainless steel clamp that replaces the black push-in style clamp for a beautiful upgrade to your engine compartment.

13970 universal ...... 29.99 ea



#### **Hose Clamp Pliers**



This handy tool removes and installs spring tension hose clamps used on heater and radiator hoses. Adjustable tips screw in and out to fit clamps of all sizes. Ratcheting lock mechanism holds the clamp in an open position for easy removal and installation. Tips can be switched to accommodate different applications. Offset jaws allow access in hard to reach areas.

Y17100 hose clamp pliers...... 32.99 ea

RADIATOR COMPONENTS

















#### Radiato eater



#### 1964-74 Reproduction Radiator Hose

Reproduction upper and lower radiator hoses for 1964-74 Chevy II/Nova models. Features GM part number. Note: \*Except SS and HD cooling.

Troit. Date	cpi bb ana i	iib cooms.	
	Uppe	r Radiator Hose	
Small Blo	ock		
3790407	1964-65	283, 327 w/o AC	22.99 ea
3850687	1964-65	283 with AC	29.99 ea
3754915*	1964-66	V8 with AC	19.99 ea
3882883	1966-67	283, 327 with AC	27.99 ea
3886073	1966-67	283, 327 w/o AC	21.99 ea
3892682	1966-67	L-79 327 w/o AC	21.99 ea
3882885	1966-67	L-79 327 with AC	29.99 ea
3923229	1968	327-350	21.99 ea
3956662	1969-74	350	19.99 ea
Big Block			
	1069.70	206	21.00.00

3909866	1968-70	396	21.99	ea
	Lower	Radiator Hose		
Small Blo	ck			
3790408	1964-67	283 or 327 w/o AC	22.99	ea
3881856	1966-67	L-79 327	21.99	ea
		327-350		
3959490	1969-74	350	21.99	ea
Big Block				
3947809	1969-70	396	21.99	ea



#### 1964-79 Molded Radiator Hose

Molded hoses feature the correct bends for a tailored fit

	6 <b>C</b> y	linder Models	
Upper Ho	se		
MĤ1	1964	molded	20.99 ea
MH42	1965-67	cut-to-fit	8.99 ea
MH082	1968-69	cut-to-fit	15.99 ea
MH082	1970-74	w/o AC, cut-to-fit	15.99 ea
MH053	1974	w/AC w/o AP	21.99 ea
MH053	1975-79	w/o AC, cut-to-fit	21.99 ea
MH114	1976	w/AC, HD w/o ps	22.99 ea
MH114	1977-79	w/AC, HD w/AP	22.99 ea
Lower Ho	se		
MH035	1977-79	molded	22.99 ea
MH60391	1968-73	cut-to-fit	46.99 ea
MH60391	1974	cut-to-fit	46.99 ea
MH132	1975-76	molded	9.99 ea
	2.0		
	8 Cy	linder Models	
Upper Ho		linder Models	
Upper Ho MH090		w/o AC, cut-to-fit	15.99 ea
	se		15.99 ea 15.99 ea
MH090	ose 1964-65	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit	15.99 ea 22.99 ea
MH090 MH090 MH092 MH092	1964-65 1964-65 1965 1965	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit	15.99 ea 22.99 ea 22.99 ea
MH090 MH090 MH092 MH092 MH092	1964-65 1964-65 1965 1965 1966	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/o AC LH, cut-to-fit	15.99 ea 22.99 ea 22.99 ea 22.99 ea
MH090 MH090 MH092 MH092 MH092 MH092	1964-65 1964-65 1965 1965 1966 1966	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/o AC LH, cut-to-fit w/AP, cut-to-fit	15.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea
MH090 MH090 MH092 MH092 MH092 MH092 MH092	1964-65 1964-65 1965 1965 1966 1966 1967	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/o AC LH, cut-to-fit w/AP, cut-to-fit w/AC, cut-to-fit	15.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea
MH090 MH090 MH092 MH092 MH092 MH092 MH092 MH050	1964-65 1964-65 1965 1965 1966 1966 1967 1968-72	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/AC LH, cut-to-fit w/AP, cut-to-fit w/AC, cut-to-fitsmall block w/o AC	15.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 14.99 ea
MH090 MH090 MH092 MH092 MH092 MH092 MH092 MH050 MH050	1964-65 1964-65 1965 1965 1966 1966 1967 1968-72 1973-76	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/o AC LH, cut-to-fit w/AP, cut-to-fit w/AC, cut-to-fit small block w/o AC w/o AC, cut-to-fit	15.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 14.99 ea
MH090 MH090 MH092 MH092 MH092 MH092 MH092 MH050 MH050 MH050	1964-65 1964-65 1965 1965 1966 1966 1967 1968-72 1973-76	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/o AC LH, cut-to-fit w/AP, cut-to-fit w/AC, cut-to-fit w/o AC, cut-to-fit w/AC, cut-to-fit	15.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 14.99 ea 14.99 ea 28.99 ea
MH090 MH090 MH092 MH092 MH092 MH092 MH092 MH050 MH050 MH050 MH077	1964-65 1964-65 1965 1965 1966 1966 1967 1968-72 1973-76 1973-76	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/o AC LH, cut-to-fit w/AP, cut-to-fit w/AC, cut-to-fit small block w/o AC w/o AC, cut-to-fit w/AC, cut-to-fit w/AC, cut-to-fit w/o AC, 305	15.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 14.99 ea 14.99 ea 16.99 ea
MH090 MH090 MH092 MH092 MH092 MH092 MH092 MH050 MH050 MH050 MH060 MH077 MH060	1964-65 1964-65 1965 1965 1966 1966 1967 1968-72 1973-76 1973-76 1977-78	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/AC LH, cut-to-fit w/AP, cut-to-fit w/AC, cut-to-fit small block w/o AC w/o AC, cut-to-fit w/AC, cut-to-fit w/AC, cut-to-fit w/o AC, 305 w/AC, 305	15.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 14.99 ea 14.99 ea 16.99 ea 28.99 ea
MH090 MH090 MH092 MH092 MH092 MH092 MH092 MH050 MH050 MH050 MH077	1964-65 1964-65 1965 1965 1966 1966 1967 1968-72 1973-76 1973-76	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/o AC LH, cut-to-fit w/AP, cut-to-fit w/AC, cut-to-fit small block w/o AC w/o AC, cut-to-fit w/AC, cut-to-fit w/AC, cut-to-fit w/o AC, 305	15.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 14.99 ea 14.99 ea 16.99 ea 28.99 ea 28.99 ea
MH090 MH090 MH092 MH092 MH092 MH092 MH050 MH050 MH050 MH060 MH077 MH060 MH060	1964-65 1964-65 1965 1965 1966 1966 1967 1968-72 1973-76 1977-78 1977-79	w/o AC, cut-to-fit w/dlr AC, cut-to-fit w/HD 327, cut-to-fit w/AC 327, cut-to-fit w/AC 327, cut-to-fit w/AC, cut-to-fit w/AP, cut-to-fit w/AC, cut-to-fit w/AC, cut-to-fit w/AC, cut-to-fit w/AC, cut-to-fit w/AC, cut-to-fit w/AC, 305 350	15.99 ea 22.99 ea 22.99 ea 22.99 ea 22.99 ea 14.99 ea 14.99 ea 16.99 ea 28.99 ea 28.99 ea



#### HF1111

#### Flexible Radiator Hose

Hose features a unique design that allows it to conform to a variety of bends and curves without kinking or collapsing. A variety of sizes are available.

HF1323	1-3/4" x 23-1/2"	9.99 ea
HF1319	1-3/4" x 18-13/16"	
HF1316	1-3/4" x 16-5/16"	27.99 ea
HF1214	1-1/2" x 30"	18.99 ea
HF1225	1-1/2" x 25"	21.99 ea
HF1223	1-1/2" x 23" x 1-3/4"	23.99 ea
HF12228	1-1/2" x 22-7/8" 90° end	11.99 ea
HF1222	1-1/2" x 22"	22.99 ea
HF12205	1-1/2" x 20-1/2"	10.99 ea
HF1220	1-1/2" x 19-13/16"	19.99 ea
HF1318	1-1/2" x 19-1/2" x 1-3/4"	20.99 ea
HF1217	1-1/2" x 17-1/16"	9.99 ea
HF1317	1-1/2" x 16-5/16" x 1-3/4"	21.99 ea
HF1212	1-1/2" x 12-3/16"	9.99 ea
HF1211	1-1/2" x 10-11/16"	9.99 ea
HF1208	1-1/2" x 7-9/16"	5.99 ea
HF1123	1-1/4" x 23"	13.99 ea
HF1119	1-1/4" x 19-9/16" x 1-1/2"	19.99 ea
HF1111	1-1/4" x 11"	11.99 ea
HF1107	1-1/4" x 7-3/8"	5.99 ea



### Silicone Engine Coolant Plumbing Set

Build your own custom silicon radiator hose system or add onto the basic set (Z71051) with these components! Coolant tubes are available in aluminized steel and stainless. Mandrel bent tubes feature beaded ends for a positive seal with the available high-quality reinforced black silicone hoses. Hoses and tubes are available in 1-1/4" to 1-3/4" diameters.

1 1/1 10	1 3/1 Giameters.		
	Radiator H	lose Set	
Z71051	1-1/2" plumbing s	set	89.99 set
	Individual Co	mponents	
Aluminiz	ed Steel Coolant T	Tubes	
Z71000	1-1/4" x 4" x 6"	90° bend	39.99 ea
Z71001	1-1/2" x 4" x 6"	90° bend	39.99 ea
Z71002	1-3/4" x 4" x 6"	90° bend	39.99 ea
Z71003	1-1/4" x 4" x 6"	75° bend	39.99 ea
Z71004	1-1/2" x 4" x 6"	75° bend	39.99 ea
Z71005	1-3/4" x 4" x 6"	75° bend	39.99 ea
Z71006	1-1/4" x 4" x 6"	45° bend	39.99 ea
Z71007	1-1/2" x 4" x 6"	45° bend	39.99 ea
Z71008	1-3/4" x 4" x 6"	45° bend	39.99 ea
Stainless	Steel Coolant Tub	es	
Z71001	1-1/2" x 4" x 4"	90° bend	39.99 ea
Z71002	1-3/4" x 4" x 4"	90° bend	39.99 ea
Z71005	1-3/4" x 4" x 6"	75° bend	39.99 ea
Z71007	1-1/2" x 4" x 4"	45° bend	39.99 ea
Z71008	1-3/4" x 4" x 6"	45° bend	39.99 ea
Reinforce	ed Black Silicone I	Hoses	
Z71031	1-1/4" x 5" x 5"	90° bend	29.99 ea
Z71032	1-1/2" x 5" x 5"	90° bend	29.99 ea
Z71033	1-3/4" x 5" x 5"	90° bend	29.99 ea
Z71028	1-1/4" x 4" x 4"	45° bend	29.99 ea
Z71029	1-1/2" x 4" x 4"	45° bend	29.99 ea
Z71030	1-3/4" x 4" x 4"	45° bend	29.99 ea
Z71025	1-1/4" x 6"	straight hose	19.99 ea
Z71026	1-1/2" x 6"	straight hose	19.99 ea
Z71027	1-3/4" x 6"	straight hose	24.99 ea
Step Up/I	Down Hose Conne	ector	
Z71035	1-1/4" to 1-1/2" x	8"	29.99 ea
Z71036	1-1/2" to 1-3/4" x	8"	29.99 ea



#### Flexible Hose Set



Ideal replacements for worn or rotted radiator and heater hoses. Non-corrosive stainless steel construction conforms to tight bends and holds shape indefinitely. Rated for high temperatures and high pressure, these ultimate radiator hose sets come complete with: I length of stainless tubing, 2 rubber sleeves, 4 reducer inserts, 4 stainless steel hose clamps, and 2 chrome or polished aluminum end covers. Heater hose sets include: 2 (44") hoses, 4 sleeves, 4 reducers, 8 hose clamps and 4 polished or chrome end caps. Easily cuts to custom lengths, these high-quality sets will enhance any engine compartment. Choose from polished aluminum or chrome finished ends.

Note: 48" radiator hose set have double quantity of end caps, sleeves, reducers, and clamps.

res, receive	ers, and etamps.		
· Hose S	ets		
12"	polished	32.99	set
12"			set
24"	polished	45.99	set
24"	chrome	46.99	set
36"	polished	55.99	
36"	chrome	54.99	
48"	chrome	86.99	set
Iose Set	s		
44"	polished	65.99	set
44"	chrome	67.99	set
	* Hose S 12" 12" 24" 24" 36" 36" 48" 48" Hose Set 44"	Hose Sets   12"   polished	12"     polished     32.99       12"     chrome     35.99       24"     polished     45.99       24"     chrome     46.99       36"     polished     55.99       36"     chrome     54.99       48"     polished     85.99       48"     chrome     86.99       Hose Sets       44"     polished     65.99



#### 1962-79 Heater Hoses



Reproduction heater hoses are available in both required lengths. These hoses can be used for nearly all applications from 1962-79.

Note: C1A, K0057, YE5210, and YE5215 may be used with small block or big block applications.

Heater H	oses – Repr	roduction	
C1A K0057	1962-79	with GM markings with ribbed hose	29.99 set
	oses – Repi		40.33 801
C1		SB – set	22.99 set
	1968-72	BB – set	21.99 set
YE5210	1962-79	5/8" x 5 feet	4.99 ea
YE5215	1962-79	3/4" x 5 feet	8 99 ea







# Radiator Hose Reducer Bushing



These are designed for custom applications to allow the use of a larger i.d. radiator hose with smaller inlets and outlets on radiators, water pumps and thermostat housings. Simply insert them into the hose before installation.

X1231	2" i.d. to 1-3/4" i.d	14.99 ea
X1232	1-3/4" i.d. to 1-5/8" i.d	10.99 ea
X1233	1-3/4" i.d. to 1-1/2" i.d	14.99 ea

MH106

MH106

MH117

MH005

MH005

MH068

MH068

Lower Hose

1969

1970

1968

1969

1970-74

1970-74

cut to fit ...... 16.99 ea

cut to fit ..... 24.99 ea

w/o AC, cut-to-fit..... 24.99 ea

small block, molded 22.99 ea

22.99 ea

w/AC, cut-to-fit ......





#### Radiator Hose Adapter Set

Set includes 3 adapters and 2 hose clamps. Includes: one 1-1/4" reducer, one 1-1/2" reducer, one 1-3/4" reducer, and two stainless hose clamps.

S7317	adapter set	7.99 set
-------	-------------	----------



### **Notchead Soft Line Clamps**



This new line fastening system will keep your soft lines (heater hose, battery cables, AN lines, etc.) secure and look great while doing it! Once fastened down with the included hardware, your lines will snap in and out of these clamps for a clean and simple installation. Sets include 6 high strength copolymer acetal plastic clamps and installation hardware. Heat resistant to 180 degrees F.

1/2" Heater I	Hose	
A9700116	and #6 AC line	23.99 set
5/8" Heater	Hose	
A9700117	and #8 AC line	25.99 set
3/4" Heater	Hose	
A9700118	and #10 AC line	27.99 set



## **Universal Billet Hose Ends**


Billet aluminum hose clamp ends from Billet Specialties. Clean alternative to plain hose clamps or loud anodized colors. They are available for both braided and rubber hose and in most popular sizes.



Heater Ho	se		,0,,123
B67425	5/8"	rubber	20.99 ea
B67525	5/8"	braided	20.99 ea
B67625	3/4"	rubber	20.99 ea
B67725	3/4"	braided	20.99 ea
Radiator I	Tose		
B67825	1-1/2"	rubber	31.99 ea
B67925	1-3/4"	rubber	31.99 ea

### **Heat Shrink Hose Clamp**

This new advanced heat sensitive thermoplastic clamps that seals better in all conditions and temperature extremes. Easy-to-install with an ordinary heat gun.



5.99 ea 5.99 ea 5.99 ea A9600217 15/16"... A9600218 5.99 ea A9600219 5/8" 1-1/16"... 15/16' A9600220 1-1/16 1-3/16"... 5.99 ea 1-1/2" ... 1-1/2" ... A9600221 7/8" 1-3/16" 5.99 ea A9600222 1-3/16 7.99 ea 1-3/4" ... 7.99 ea A9600223 1-1/2!1-3/4" 1-1/2" 8.99 ea A9600224 2"...... 2-1/4" ... 1-3/4' 8.99 ea A9600225 2-1/2" 8.99 ea A9600226



#### Radiator Hose Clamp



Authentic original looking, period correct, double wire hose clamp. For that last OEM detail in the engine compartment to give your engine a genuine appearance.

154128	2" to 1-3/4"	7.99 ea
156202	2-1/4" to 2"	7.99 ea
156212	2-1/2" to 2-1/4"	7.99 ea



# **Hose Clamp Set**



Correct Corbin style pinch clamps and Wittek tower style hose clamps used on 1958-72 GM vehicles. Tower clamps feature: WITTEK MFG. CO. CHICAGO, U.S.A. stamped on each clamp. Sets will also work on 1973 and newer vehicles.

R085677	1964-72	25.99	set
R085678	1964-72	32.99	set



### Corbin Wire Ring Hose Clamp

Correct style Corbin pinch clamp used on various GM vehicles. Most commonly used on 1955-68 vehicles.

AU5354	5/16" i.d. hose	2.99 ea
AU5356	3/8" i.d. hose	1.99 ea
5355	5/8" i.d. hose	2.69 ea
AU5357	3/4" i.d. hose	1.99 ea
A17086	13/16"	1.99 ea
A5358	15/16"	1.99 ea
0852	1-1/2" i.d. hose	2.99 ea
A16603	1-7/8"	1.99 ea
0853	1-3/4" i.d. hose	1.99 ea
A16604	2"	1.99 ea



#### Tower Hose Clamp



Correct style Wittek style tower clamp used on various GM vehicles. Features WITTEK MFG. CO. CHICAGO, U.S.A. stamped on each clamp.

0857	1-1/16"	5/8" hose	3.99 ea
0858	1-3/16"	3/4" hose	3.99 ea
0855	2-1/16"	upper	4.99 ea
0856	2-1/4"	lower	3.99 ea
0854	2-5/16"	lower	4.99 ea



#### Flat Band Side Screw Hose Clamps



Correct style side screw clamp used on various GM vehicles. Most commonly used on 1958-72 vehicles on water pump bypass hoses.

154221	5/8"	4.99 pr
154222	3/4"	5.99 ea



### **Worm Gear Side Screw Hose Clamp**



Replacement style stainless steel side screw hose clamps used on various GM vehicles. High-quality clamp with extra strength construction. Durable 200 series stainless steel 1/2" band and screw housing. One piece screw housing is interlocked onto band for extra strength. Cadmium-plated.

332010	#10, range: 1/2"-1-1/8"	
332012	#12, range: 1/2"-1-1/4"	1.99 ea
332024	#24, range: 1"–2"	1.99 ea
332028	#28, range: 1-5/16"-2-1/4"	2.49 ea
332032	#32, range: 1-9/16"-2-1/2"	2.49 ea
332040	#40, range: 1-3/4"-3"	2.99 ea



# Side Screw T-Bolt Hose Clamp



Replacement stainless steel heavy-duty T-bolt hose clamps. High-quality clamp with extra strength construction. 3/4" band and bolt housing.

332752	#28, range: 1-3/4"-2"	4.99 ea
332753	#32, range: 1-7/8"-2-3/16"	4.99 ea
332755	#40, range: 2-1/8"-2-7/16"	6.99 ea

HOSE CLAMPS













3947772



# Cooling Fans



# 1962-68 Fan Blade

A reproduction fan blade for all 1962-68 V8 and 6 cylinder engines. Measures 17-1/2" in diameter and is an exact replacement of your missing or damaged original.

B1017 1962-68 all 6 cylinder and V8 42.99 ea


#### **AUTHORIZED**



#### 



Economy and service replacement fan blades for 1968-79 models with an 18" diameter 7 blade fan. 1968-70 6 cylinder with AC... 65.99 ea K193 1968 K193 K193 1969 K193 1970-71 K193 1976



### 1968-70 Engine Cooling Fan Blade

This is the first truly correct reproduction date coded 1968-70 fan blade for Nova models. This 18" diameter, 7 blade, clutch style fan has the correct part number (3947772) and date code (E69) stamped on it. A must for the serious restorer!

51808	1968-69	M68	119.99 ea
51802	1969-70	A69	119.99 ea
51809	1969-70	B69	119.99 ea
51803	1969-70	C69	119.99 ea
51811	1969-70	D69	119.99 ea
51804	1969-70	E69	119.99 ea
51805	1969-70	G69	119.99 ea
51806	1969-70	J69	119.99 ea
51807	1969-70	M69	129.99 ea



#### 1967-70 Non-Dated Coded Fan



Reproduction fan blade for 1967-70 Chevy II/Nova models. These fan blades are manufactured in stamped steel to the original OE configuration. 18" diameter blades feature either 5 or 7 blades and used with a clutch style fan on a short water pump.

51800	1967-68	5 blade	100.99 ea
51801	1969-70	7 blade	119.99 ea


#### **AUTHORIZED**



# 1973-79 19-1/2" — 7 Blade Fan Blade

OER® Authorized reproduction fan blade which was installed as original equipment on various GM models with 19-1/2" diameter, 7 blade fan.

1973-79...... 74.99 ea



### 1969-70 Engine Cooling Fan Blade

Reproduction fan blade for 1969-70 Nova models with big block 396 engine. This 5 blade fan was originally used on 1969-70 Yenko and COPO models and features the factory correct rivet design and stamped "W" marking as original. Genuine GM part #3939001.

Note: Uses a 1" spacer, available separately is required for installation.

15118	1969-70	5 blade fan	234.99 ea
14265	1969-70	1" fan spacer	26.99 ea



#### Stainless Steel Flex Fan



Flex-a-lite fan blades are designed to flex or flatten out as the RPM's climb, helping to reduce engine drag for better performance and improved fuel economy. Fan features a premium, high tech silver coating that won't degrade or lose its luster in the harsh environment of an engine compartment. Available in standard or reverse rotation along with 4 different diameters and 6 blades.

Important: Must be used with a Flex-a-lite spacer or warranty will be voided. Fans features 5/8" pilot hole with a 1-3/4" to 2-1/2" slotted bolt pattern.

	1				
Standard Rotation - 6 Blades					
FL2016	16" diameter	68.99 ea			
FL2017	17" diameter	70.99 ea			
FL2018	18" diameter	71.99 ea			
FL1309	19" diameter	75.99 ea			
Reverse Rot	tation – 6 Blades				
FL2217	17" diameter	82.99 ea			
FL2218	18" diameter	83.99 ea			

#### Rigid Race Fan PERALE Derale high-performance replacement fans feature durable construction with excellent balance and are rated for up to 8000 RPM. Manufactured with a universal heavy-duty steel hub with a 5/8" pilot hole. Available with riveted steel or aluminum blades.

rivaniaon	e with fiveted steel of didiffind	m oraco.
Note: Not	for use with a fan clutch.	A
Steel Blo	ide Standard Rotation	<u> </u>
17313	13"	58.99 ea
17315	15"	58.99 ea
17317	17"	58.99 ea
17318	18"	58.99 ea
17319	19"	58.99 ea
17320	20"	58.99 ea
Aluminu	ım Blade Standard Rotation	
17513	13"	62.99 ea
17515	15"	62.99 ea
17517	17"	62.99 ea
17518	18"	62.99 ea
Steel Blo	ide Reverse Rotation	
17417	17"	58.99 ea
17418	18"	58.99 ea
17419	19"	58.99 ea
17420	20"	



amacuve	black powder coat illisii.	
17117	17"	57.99 ea
17118	18"	57.99 ea
17119	19"	57.99 ea
17120	20"	57.99 ea

# COOL





#### 1969-79 GM Fan Spacer

Correct reproduction fan spacers for 1969-79 models without a fan clutch. Locator pilot measure 5/8" in diameter. Bolt spacing is 1-1/4" center to center. Order according to length needed for your application.

14265	1969-79	1" spacer	26.99 ea
3927794	1969-79	1-1/2" spacer	21.99 ea
3927794B	1969-79	2" spacer	19.99 ea
3927793	1969-79	2-9/32" spacer	39.99 ea





31520 - detail views



#### Specifications:

MADE IN USA

- Male pilot diameter: 5/8'
- Female pilot diameter: 5/8"
- Flange bolt spacing: 1-3/4" 2-1/4"

#### Aluminum Fan Spacer



This universal fan spacer is constructed from quality aluminum and features a clear anodized finish. Fits most domestic 5/8" pilot water pumps. Includes mounting hardware. Made in USA.

Important: Fan should have a minimum clearance of 3/4' from the radiator, belts, hoses, or pulleys.

1/2"	15.99 ea
1"	15.99 ea
1-1/2"	15.99 ea
1-3/4"	16.99 ea
2"	16.99 ea
2-1/4"	18.99 ea
2-1/2"	19.99 ea
	1/2" 1" 1-1/2" 1-3/4" 2-1/4" 2-1/2"



### Fan Spacers



This is a correct silver replacement fan spacer for various applications

various appir	· · · · · · · · · · · · · · · · · · ·		
1/2" Spacer FL14544	silver	22.99	ea
1" Spacer FL14548	silver	22.99	ea
2" Spacer FL14556	silver	25.99	ea



# **Rubber Electric Fan Spacers**



Rubber spacers are used with Champion Series electric fans for proper spacing from the radiator.

MF112 5.9	99	S	e
-----------	----	---	---



#### **Fan Spacer Bolt Set**

56456SE




Popular Chevrolet logos are stamped directly onto the head of the bolts, and are available in decorative chrome-plated or polished stainless steel versions.

Note: Must specify logo suffix: D – Bow Tie, E – SS, G –

56456CD	chrome	short 1-3/4" long	13.99 set
56457C	chrome	extended 2-3/4" long	16.99 set
56456S	stainless	short 1-3/4" long	11.99 set



### **Universal Trinary Switch**



11076	4 wire female	41.99 ea
11086	4 wire male	41.99 ea



# 1965-79 OEM Style Fan Clutch



Reproduction of the application specific, factory style fan clutch designed for 1965-79 Chevrolet models. Each fan clutch is designed to replicate the original in design, appearance, and fitment.

#### 6" Clutch Diameter

Fan clutch specifications: 2-1/2" shaft (mounting plate to edge of clutch), 1-3/4" water pump bolt spacing, and 3" fan bolt spacing.

916141 1965-68

6" Clutch Diameter Fan clutch specifications: 2-3/4" shaft (mounting plate to edge of clutch), 2-1/8" water pump bolt spacing, and 3-1/4" fan bolt spacing.

939899 1969-75

#### 7-1/4" Clutch Diameter

Fan clutch specifications: 2-3/4" shaft (mounting plate to edge of clutch), 2-1/8" water pump bolt spacing, and 3-1/4" fan bolt spacing.

342754 1969-79 high-performance .. 129.99 ea



# 1965-79 Fan Clutch to Water Pump Stud

Correct stud which allows the fan clutch to attach to the water pump. For vehicles that require a 2" stud.





### 1965-79 Fan to Fan Clutch Bolts



Reproduction bolts used to attach the fan to the fan clutch on 1965-79 Nova 6 and 8 cylinder models. Unlike other counterfeit reproduction, these replicate the original bolts with the correct markings. Bolts are sold in sets of 4 and include lock washers.

1256621 1965-79 fan to clutch bolt .... 8.99 set



#### 1965-79 Fan Clutch to Water Pump Studs

Reproduction study used to attach the fan clutch to the water pump on 1965-79 Nova 6 and 8 cylinder models. Each reproduction stud set includes: four 5/16" double thread pitched studs with four lock washers and nuts.

1965-79 1256622 fan clutch stud..... 12.99 set

COOLING FAN PARTS













#### Classic Post & Accession


# **Cooling Fans**



### Electric Dual Fan & Shroud Powerpack

Get complete control of your engine temperature! Derale Performance has combined their high performing shrouded powerpack with the ultimate fan controller. Using high output electric fans incorporated into an engineered shroud, this powerpack can conquer even the most difficult cooling conditions. The dual 12" high output electric fans are some of the most proven and reliable fans in our line-up and are specifically designed to thrive on thick, tight fin radiator cores. Offering a total of 4000 Cfm. Now add the digital PWM fan controller with built-in soft start technology. The controller utilizes Pulse Width Modulation to constantly adjust electric fan speeds from 0-100%, maintaining the optimal engine operating temperature. Features a laser cut, powder coated steel shroud measuring 26" wide by 18" top to bottom and is only 4" in overall depth.

Duá	al 12" Fans – Steel Shroud	
7°41 D 1	DIVIACO ( 11 (#16707)	




# HO 2-Speed Electric Fan Set

Derale's most compact version of the high output single RAD fan series, this fan is a self-shrouded, symmetrical design with four molded mounting points. Motivated by a 2-speed ,265 watt Bosch motor driving 11 patented skewed blades, each includes a patented ratchet mounting system for a professional installation. Can be used as a pusher or puller fan by simply flipping brackets without changing direction of the unit.

11 Skewed Blades – Overall Depth: 2
-------------------------------------

16214

16212	12"	1450/1000 cfm	157.99 ea
16214	14"	2100/1500 cfm	162.99 ea
16217	17"	2400/1800 cfm	178.99 ea




#### **HO Extreme Electric Fan Assembly**

Derale Performance High Output Extreme electric fan sets. These fans are Derale's most powerful single speed units and provide a low profile for limited space applications. Using a sealed IP68 certified (waterproof and dustproof) motor that lasts up to 3 times longer than normal electric fan motors, this puller fan is designed to provide maximum performance at high static pressure loads. Mounting kit and installation instructions included.

10 Straig	tht B	lades, Puller		
16108	8"	366 cfm	2" deep	104.99 ea
5 Paddle	Blac	les, Puller		
16119	9"	755 cfm	3-3/4" deep	155.99 ea
16920	11"	1380 cfm	4" deep	167.99 ea
10 Curve	d Bl	ades, Puller		
16109	9"	625 cfm	2" deep	104.99 ea
16110	10"	825 cfm	2-1/16" deep	104.99 ea
16112	12"	1328 cfm	2-7/16" deep	122.99 ea
16114	14"	1864 cfm	3-7/16" deep	167.99 ea
16116	16"	2024 cfm	3-7/16" deep	167.99 ea
7 Curved	l Bla	des, Puller		
16136	16"	1018 cfm	3-3/4" deen	178 99 ea



#### New!







# 12" Electric Engine Cooling Fan Kit

Thermostatically controlled, it only operates when forced airflow is required (such as when idling, during stop and go traffic, pulling a load, driving up a grade, etc.). Can be mounted either in front or in back of the radiator. Kit includes: one 12" fan, thermostat fan control, and all mounting hardware (nothing else to buy).

Note: Requires 5-1/4" clearance between radiator and water pump shaft (or belt driven fan). For extreme use, add a second fan (fan control will operate up to 2 electric fans).

EF6504	electric fan kit	99.99 kit
3640	12" fan only	61.99 ea
3647	fan control only	39.99 ea





# High-Performance Electric Fan

These reversible fans help prevent overheating in stopand-go traffic, designed to fit the most popular cars and trucks, increases gas mileage, improves engine performance, frees the water pump pulley for more RPM, installs in minutes with simple hand tools, 10", 12", 14", and 16" fans are (mount in front or back of radiator). Ultra thin design to fit cramped locations. Reinforced glass filled polypropylene blade and plastic housing for minimized weight. Nylon tie mounting kit included. Nominal fan size is based upon approximate overall assembly diameter. Your choice between a

straight or S-blade.				
	Strai	ght Bl	ade	
10" x 2-1/2				
67010	3000 RPM	7 amp	1000 cfm	39.99 ea
12" x 2-1/2				
67012	3000 RPM	7 amp	1200 cfm	44.99 ea
14" x 4"				
67014	2500 RPM	8 amp	1650 cfm	53.99 ea
16" x 4"				
67016	2000 RPM	9 amp	2100 cfm	54.99 ea
	S.	Blade		
10" x 2-1/2				
67011	3000 RPM	7 amp	1000 cfm	42.99 ea
12" x 2-1/2	2"			
67013	3000 RPM	7 amp	1200 cfm	47.99 ea
14" x 4"				
67018	2500 RPM	8 amp	1650 cfm	56.99 ea
16" x 4"				
67027	2000 RPM	9 amp	2100 cfm	64.99 ea

# Cooling





#### High-Performance Electric Fan




Your stock fan robs your engine of up to 15 or more horsepower! Replace it with a rugged, quieter than straight blade, universal fit S-blade fan equipped with an adjustable 160-240 F degree thermostat. Bolts to your radiator supports using sturdy brackets. With a heavy-duty motor, and 15" diameter, this unit pulls up to 2,800 cfm of air. Amp draw: 14 amps. Mounting hardware and wiring included.

67029 18" x 16-1/8" x 4-1/4"..... 180.99 ea

### \*Northern



40088



# Fan Shroud and Electric Fan Assembly

High-quality fan shrouds and electric fans setups are available to make a complete cooling module set. These are electric fans that include an aluminum fan shroud designed to fit the Northern aluminum radiators. Assemblies include all mounting hardware and wire

leads. Sw	itch not included.		
	rith Single 16" Fan for CR5028 and CR5057	309.99	ea
	rith Dual 10" Fans		
40088	for CR5028 and CR5057	334.99	ea
Shroud w	rith Dual 11" Fans		
Z40015	for CR5133	334.99	ea
Shroud w	rith Dual 12" Fans		
40004	for CR5026, CR5055, CR5065	354.99	ea
40006	for CR5027, CR5056, CR5062	354.99	ea
40006	for 205216	354.99	ea
Dual Fan	Wire Harnesses		
40080	harness with relay	54.99	ea
41032	harness w/relay & temp switch	119.99	ea
Temperat	ure Switch		



#### Svclone Electric Fan



The amazing Flex-a-lite Syclone electric fan is the most efficient S-Blade fan blade on the market! This quiet fan mounts to the core and can be used to push or pull air through the radiator. The higher torque (17 amp) motor produces 2500 cfm of air flow, making these fans strong enough to replace your belt driven fan and fan clutch to gain more horsepower and torque. The sweep style blades squeeze out the maximum air flow possible. 16-5/8" x 15-3/4" x 4" mount. Universal mounting brackets are included.

FL398 16" fan...... 153.99 ea



# Black Magic S-Blade



If your vehicle is still running the factory engine driven fan, you're losing vital horsepower and not even getting the full cooling effect you should! By replacing your engine driven fan with an efficient electric unit, you can reduce unneeded drag on your engine to free up horsepower and improve your fuel economy. An engine driven fan can cost up to 17 HP to operate! This universal fit Flex-a-lite electric fan features computer engineered blades that are extremely quiet and efficient, and moves 3000 cfm of air to provide consistent cooling, regardless of engine RPM. Ring fans like this provide better blade support for impact resistance. This electric fan fits vehicles with 16" or wider radiator cores, and requires a mounting surface of 18" x 16" x 4-1/4" for an easy, bolt-in installation. Universal mounting brackets are included.



#### **Fan Switch**



SPAL replacement temperature fan switch. Manufactured from stainless steel, hermetically sealed and feature a 3/8" NPT. Operating switch range 35 degrees F to 480 degrees F and max current/voltage and grounded case only


Jamp, J2	v DC and grounded case only.	
SP2066	on 185°/off at 165°	44.99 ea
SP2067	on 195°/off at 175°	55.99 ea







#### Improves Horsepower, Extends Water Pump Life and Cools Faster! 🔔



Single Fan - Mounted in Front of Radiator

FL114 14" 14-3/4" x 14" x 3-1/4"..... 117.99 ea FL116 16" 16-1/2" x 16" x 3-1/4"..... 119.99 ea

Dual Fan - Mounted Behind Radiator FL210 12" 15-1/2" x 26-1/4"x 2-5/8" 419.99 ea





### S-Blade Electric Fan



These quiet fans mount to the core and can be used to push or pull air through the radiator. The high torque motor makes these fans strong enough to replace your belt driven fan and fan clutch. The sweep style blades squeeze out the maximum air flow possible.

12-5/8" x 11-3/4" x 2-5/8" Mount FL392 12" fan 7.7 amp, 925 cfm... 112.99 ea 14-1/2" x 13-7/8" x 3-3/4" Mount FL394 14" fan 9.2 amp, 1530 cfm 114.99 ea

16-5/8" x 15-3/4" x 4" Mount 13.5 amp, 1980 cfm 136.99 ea 16" fan

COOLING FANS





Z18346 temp switch.....









64.99 ea



#### Cooling Fans





# High-Performance Dual Electric Fan 🔥

SPAL electric fans are manufactured for the most demanding cooling systems. Fans feature fully sealed waterproof/dustproof electrical motors to ensure maximum performance and durability. SPAL dual fan configurations combine efficiency and style by incorporating two high performance fans into a complete, custom made fan shroud.

#### **Dual Puller Fans with Shroud** Curved Blade - 25.83" x 17.32" x 4.02"



### **Small Electric Fan**

SPAL electric fans are manufactured for the most demanding cooling systems. These compact fans are perfect for remote oil coolers and other tight spaces. SPAL fans feature slide-in mounting flanges, fully sealed electrical motors and are designed to be mounted in various ways with many universal brackets, straps, and shrouds. Available in various sizes to best fit your application.

Puller Fan			
SP2002	4"	124cfm	67.99 ea
SP2004	5.2"	133cfm	67.99 ea
SP2007	6-1/2"	325cfm	88.99 ea
SP2009	7-1/2"	437cfm	88.99 ea
SP2010	7-1/2"	437cfm	67.99 ea
Pusher Fan	ı		
SP2003	4"	124cfm	67.99 ea
SP2005	5.2"	133cfm	67.99 ea
SP2008	6-1/2"	325cfm	88.99 ea




#### High-Performance Electric Fan

SPAL electric fans are manufactured for the most demanding cooling systems. Fans feature slide-in mounting flanges, and fully sealed waterproof electrical motors that are fully tested and individually balanced during the production process to ensure maximum performance and durability. SPAL fans are designed to be mounted in various ways and will mount with many universal brackets, straps, and shrouds.

Note: \*High output fans require special wiring and upgraded electrical system to handle the additional current draw.

eiceirieai s	ysiem i	o nanate ine adattionat curren	ı araw.
Н	P Pu	ller Fans – 3.45" De	pth
Race Fan	- Cur	ved Blade	
SP2055*	16"	2467 cfm, 10 blade	214.99 ea
SP2070	16"	1/4" mounting seal	16.99 ea
High Out	nut –	Curved Blade	
SP2021*	11"	1604 cfm, 5 blade	207.99 ea
SP2030*	12"	1870 cfm, 7 blade	230.99 ea
SP2056*	16"	1953 cfm, 7 blade	223.99 ea
HP – Cui	ved R	*	
SP2031	13"	1451 cfm, 10 blade	172.99 ea
SP2041	13"	1777 cfm, 10 blade	172.99 ea
SP2049	14"	1864 cfm, 10 blade	172.99 ea
SP2057	16"	1918 cfm, 7 blade	188.99 ea
SP2060	16"	2024 cfm, 10 blade	172.99 ea
HP – Pad	ldle R		
SP2011	9"	755 cfm, 5 blade	168.99 ea
SP2015	10"	1081 cfm, 5 blade	168.99 ea
SP2033	12"	1640 cfm, 5 blade	158.99 ea
	Pus	sher Fans – 3.45" De	
HE	Pus	sher Fans – 3.45" De	epth
HP – Cur SP2032	P Pus rved B 12"	<b>Sher Fans – 3.45" De</b> Blade 1381 cfm, 10 blade	2 <b>pth</b> 172.99 ea
HP – Cur SP2032 Medi	P Pus rved B 12" um F	sher Fans – 3.45" De Blade 1381 cfm, 10 blade Profile Pusher Fans	2 <b>pth</b> 172.99 ea
HP – Cun SP2032 Medi MP – Cun	P Pus rved B 12" um F	sher Fans – 3.45" De clade 1381 cfm, 10 blade Profile Pusher Fans Blade	172.99 ea - <b>2.44</b> "
HP – Cur SP2032 Medi MP – Cur SP2037	P Pus rved B 12" um F rved B 12"	sher Fans – 3.45" De clade 1381 cfm, 10 blade Profile Pusher Fans Blade 1266 cfm	172.99 ea - <b>2.44</b> "
HP – Cun SP2032 Medi MP – Cun	P Pus rved B 12" um F rved B 12"	sher Fans – 3.45" De slade 1381 cfm, 10 blade Profile Pusher Fans Blade 1266 cfm	172.99 ea - <b>2.44</b> " 108.99 ea
HP – Cur SP2032 Medi MP – Cur SP2037 MP – Str SP2024	P Pus "ved B 12" um F rved B 12" aight I 11"	sher Fans – 3.45" De slade 1381 cfm, 10 blade Profile Pusher Fans Blade 1266 cfm Blade 932 cfm	172.99 ea - 2.44"  108.99 ea 103.99 ea
HP – Cur SP2032 Medi MP – Cur SP2037 MP – Str. SP2024 SP2035	P Pus rved B 12" um F rved B 12" aight 1 11" 12"	Sher Fans – 3.45" De Slade 1381 cfm, 10 blade Profile Pusher Fans Slade 1266 cfm Blade 932 cfm	172.99 ea -2.44" 108.99 ea 103.99 ea 103.99 ea
HP – Cur SP2032 Medi MP – Cur SP2037 MP – Str SP2024	P Pus rved B 12" um F rved B 12" aight 1 11" 12"	Sher Fans – 3.45" De Slade 1381 cfm, 10 blade Profile Pusher Fans Blade 1266 cfm Blade 932 cfm 1310 cfm	172.99 ea - 2.44"  108.99 ea 103.99 ea
HP – Cui SP2032 Medi MP – Cui SP2037 MP – Stri SP2024 SP2035 SP2051 SP2062	P Pus 12" um F rved E 12" aight 1 11" 12" 14" 16"	Sher Fans – 3.45" De Slade 1381 cfm, 10 blade Profile Pusher Fans Blade 1266 cfm 81ade 932 cfm 1097 cfm 1310 cfm	172.99 ea -2.44" 108.99 ea 103.99 ea 103.99 ea 106.99 ea 108.99 ea
HP – Cui SP2032 Medi MP – Cui SP2037 MP – Stri SP2024 SP2035 SP2051 SP2062	P Pus rved B 12" um F rved E 12" aight 1 12" 14" 16"	Sher Fans – 3.45" De stade 1381 cfm, 10 blade Profile Pusher Fans Blade 1266 cfm Blade 932 cfm 1097 cfm 1310 cfm 1469 cfm	172.99 ea -2.44" 108.99 ea 103.99 ea 103.99 ea 106.99 ea 108.99 ea
HP – Cur SP2032 Medi MP – Cur SP2037 MP – Str SP2024 SP2035 SP2051 SP2062 Medi	P Pus rved B 12" um F rved E 12" aight 1 12" 14" 16"	Sher Fans – 3.45" De stade 1381 cfm, 10 blade Profile Pusher Fans Blade 1266 cfm Blade 932 cfm 1097 cfm 1310 cfm 1469 cfm	172.99 ea -2.44" 108.99 ea 103.99 ea 103.99 ea 106.99 ea 108.99 ea
HP – Cur SP2032 Medi MP – Cur SP2037 MP – Str SP2024 SP2035 SP2051 SP2062 Medi HP – Str SP2036	P Pus rved B 12" um F rved E 12" aight 1 11" 14" 16" um F aight 1 12"	Sher Fans – 3.45" Declade 1381 cfm, 10 blade Profile Pusher Fans Blade 1266 cfm 1097 cfm 1310 cfm 1469 cfm Profile Pusher Fans Blade 1009 cfm	172.99 ea - 2.44" 108.99 ea 103.99 ea 106.99 ea 108.99 ea - 2.44" 108.99 ea
HP – Cur SP2032 Medi MP – Cur SP2037 MP – Str SP2024 SP2035 SP2051 SP2062 Medi HP – Str SP2036	P Pus rved B 12" um F rved E 12" aight 1 12" 14" 16" um F aight 1 12" w Pr	Sher Fans – 3.45" De stade 1381 cfm, 10 blade Profile Pusher Fans Blade 1266 cfm 1097 cfm 1310 cfm 1469 cfm Profile Pusher Fans Blade 1009 cfm	172.99 ea - 2.44" 108.99 ea 103.99 ea 106.99 ea 108.99 ea - 2.44" 108.99 ea



#### Champion Series Low Profile Performance Fan

These Champion Series performance fans are the lowest profile of high and medium performance fans on the market. Quiet, reversible S-blade design gives you the choice of using it as a puller or a pusher fan. Manufactured from glass filled nylon. Includes: powerful sealed motor, four 90 degree mounting feet, mating locking pigtail, and rubber spacers. Recommended wire harness, temperature switch, and

adjustable thermostat sold separately.				
High-Per	formar	nce Fans – 3.19" Deep		
MF122	12"	1565 cfm, 225 watt 169.99 ea		
MF142	14"	2135 cfm, 225 watt 174.99 ea		
MF163	16"	2170 cfm, 225 watt 184.99 ea		
Medium	Perfori	nance Fan – 2.48" Deep		
MF123	12"	1155 cfm, 130 watt 141.99 ea		
Medium .	Perfori	nance Fans – 2.87" Deep		
Medium MF146		nance Fans – 2.87" Deep 1555 cfm, 160 watt 148.99 ea		





# **Challenger Series Performance Fan**

These Challenger Series performance fans are economical, yet versatile enough for high-performance or daily drivers. Quiet, reversible S-blade design will operate as a puller or a pusher fan. Manufactured from glass filled nylon. Includes: four 90 degree mounting feet, mating locking pigtail, and rubber spacers. Recommended wire harness, temperature switch, and adjustable thermostat sold separately.

13" High-Performance Fan MF136 1560 cfm, 160 watt, 3.82" deep 117.99 ea 16" High-Performance Fans 950 cfm, 160 watt, 3.87" deep 123.99 ea MF107 2200 cfm, 225 watt, 4.35" deep 130.99 ea

SP2040

SP2013

SP2038

SP2045

SP2053

SP2064

12"

12"

13"

14"

16"

LP - Straight Blade

909 cfm.....

543 cfm.....

867 cfm.....

962 cfm.....

1038 cfm.....

1074 cfm.....

93.99 ea

74.99 ea

80.99 ea

92.99 ea

92.99 ea

92.99 ea

# Cooling





# Brushless Electric Fan Powerpacks 🔨

Derale Brushless Powerpacks provide the best Performance when it comes to cooling performance for your engine. Derale's NEW, high-performing brushless fans with integrated fan controller, combined with their high-performing shrouds is a combination that just can't be beat. These units feature a fully welded aluminum shroud measuring only 2-13/16" in depth and combined with the installed electric fan, the overall thickness is only 3-1/2". The dual 12", brushless electric fans are some of the most proven and reliable fans in our line-up and are specifically designed to thrive on thick, tight fin radiator cores. Offering a total of 4400 cfm. Don't forget they also have the built-in PWM Fan Controller with soft start technology. The controller utilizes Pulse Width Modulation to constantly adjust electric fan speeds from 0-100% to maintain temperature. This allows electric fans to operate at the percentage needed, instead of 100% all the time. This results in extra longevity, increasing component life and eliminating amperage spikes.

E	Brushle	ess Dual 12" Fai	ns
26" x 18"			
67942185	185°F	2200/2200 cfm	1499.99 set
67942195	195°F	2200/2200 cfm	1499.99 set
67942215	215°F	2200/2200 cfm	1499.99 set
26" x 17-1/	/8"		
67926185	185°F	2200/2200 cfm	1499.99 set
67926195	195°F	2200/2200 cfm	1499.99 set
67926215	215°F	2200/2200 cfm	1499.99 set
28-1/8" x 1	7"		
67938185	185°F	2200/2200 cfm	1499.99 set
67938195	195°F	2200/2200 cfm	1499.99 set
67938215	215°F	2200/2200 cfm	1499.99 set
E	Brushle	ss Single 17" F	an
21" x 17-1/	/8"		
67923185	185°F	2800 cfm	1149.99 set
67923195	195°F	2800 cfm	1149.99 set
67923215	215°F	2800 cfm	1149.99 set
22-1/4" x 1	7-5/8"		
67922185	185°F	2800 cfm	1149.99 set
CE000105	40.505	• • • • •	111000



### Electric Dual Fan & Shroud Powerpack

This Derale Dual High Output RAD Fan Powerpack assembly is part of the HO aluminum shrouded fan series that is designed with the application in mind. Based on some of the most common radiator core sizes sold today, this unit features an aluminum shroud and is only 4" in overall depth to offer an adjustable yet precision fit. The natural, non-finished aluminum shroud gives the user the freedom to polish, anodize, paint, or simply leave it raw to create a truly custom look for an affordable price. The dual 12" high output electric fans are some of the most proven and reliable fans in our line-up. Offering a total of 4000 cfm, this dual electric fan assembly generates the most realworld airflow in the smallest package on the market. Now add the digital PWM Fan Controller with builtin soft start technology. The controller utilizes Pulse Width Modulation to constantly adjust electric fan speeds from 0-100%, maintaining the optimal engine operating temperature.

#### With Derale PWM Controller

	With Derale PWM Controlle	r —
Du	al 12" Fans – Aluminum Shr	oud
High O	utput 300 Watt Motors – 4000 cfm	
66825	25-5/8" x 15-1/8" 7	
66826	25-5/8" x 17-1/8" 7	
66836	26-3/8" x 16" 7	
66837	27" x 18" 7	13.99 ea
66838	28-1/4" x 17" 7	
66842	26" x 18" 7:	
	al 11" Fans – Aluminum Shr	oud
	utput 225 Watt Motors – 3750 cfm	-1.00
66830	22-1/2" x 19"	
66831		71.99 ea
66833 66835	24" x 17"	71.99 ea
		1.99 ea
	- Without PWM Controller	
	- Without PWM Controller al 12" Fans – Aluminum Shr	oud
<b>D</b> u High O	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm	
<b>D</b> ul <b>High O</b> 16825	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	61.99 ea
<b>Du</b> <b>High 0</b> 16825 16826	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	61.99 ea 61.99 ea
<b>Du</b> <b>High O</b> 16825 16826 16836	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	61.99 ea 61.99 ea 61.99 ea
High O 16825 16826 16836 16837	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8" 40 25-5/8" x 17-1/8" 40 26-3/8" x 16" 40 27" x 18" 40	61.99 ea 61.99 ea 61.99 ea 61.99 ea
High O 16825 16826 16836 16837 16838	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	51.99 ea 51.99 ea 51.99 ea 51.99 ea 51.99 ea
High O 16825 16826 16836 16837 16838 16842	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	61.99 ea 61.99 ea 61.99 ea 61.99 ea 61.99 ea
High O 16825 16826 16836 16837 16838 16842	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	61.99 ea 61.99 ea 61.99 ea 61.99 ea 61.99 ea
High O 16825 16826 16836 16837 16838 16842 Du High O	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	51.99 ea 51.99 ea 51.99 ea 51.99 ea 61.99 ea 61.99 ea
High O 16825 16826 16836 16837 16838 16842 Du High O 16830	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	61.99 ea 61.99 ea 61.99 ea 61.99 ea 61.99 ea <b>oud</b>
High O 16825 16826 16836 16837 16838 16842 Dui High O 16830 16831	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	61.99 ea 61.99 ea 61.99 ea 61.99 ea 61.99 ea 61.99 ea 61.99 ea
High O 16825 16826 16836 16837 16838 16842 Du High O 16830	al 12" Fans – Aluminum Shr utput 300 Watt Motors – 4000 cfm 25-5/8" x 15-1/8"	61.99 ea 61.99 ea 61.99 ea 61.99 ea 61.99 ea 61.99 ea 61.99 ea





#### Electric Single Fan & Shroud Powerpack

This Derale High Output Single RAD fan powerpack is part of the HO aluminum shrouded fan series designed with popular applications in mind. This assembly measures only 3" thick overall to offer an adjustable yet precision fit. The raw aluminum shroud gives the user the freedom to polish, anodize, paint, or simply leave it natural to create a truly custom look for an affordable price. The 17" high output two-speed fan is one of the best in our line-up offering 2400 cfm when on high to create the most airflow possible in a compact size. Now add the digital PWM Fan Controller with built-in soft start technology. The controller utilizes Pulse Width Modulation to constantly adjust electric fan speeds from 0-100%, maintaining the optimal engine operating temperature.

#### With Derale PWM Controller -Single 17" Fan – Aluminum Shroud

HO 2-Speed 265 Watt Motors - 2400/1800 cfm

	pecu 205 mun monors — 2700	
66818	18" x 18"	524.99 ea
66819	18-3/4" x 17-5/8"	524.99 ea
	20-3/4" x 17-5/8"	
	22-1/4" x 17-5/8"	
	21" x 16-3/4"	
66828		
Sin	gle 14" Fan – Aluminu	m Shroud
HO 2-S	peed 265 Watt Motors – 2100	0/1500 cfm
66820		524.99 ea
66827	23-7/16" x 15-7/16"	524.99 ea
	- Without PWM Contro	oller ——
Sin	gle 17" Fan – Aluminu	m Shroud
HO 2-S	peed 265 Watt Motors - 2400	0/1800 cfm
16816	16-3/4" x 17-5/8"	272.99 ea
16818	18" x 18" 18-3/4" x 17-5/8"	272.99 ea
16819	18-3/4" x 17-5/8"	272.99 ea
1/021	20 2/4" 17 5/0"	
10821	20-3/4" x 17-5/8"	272.99 ea
	20-3/4" x 17-5/8" 22-1/4" x 17-5/8"	
16822	22-1/4" x 17-5/8" 21" x 16-3/4"	283.99 ea
16822 16823 16828	22-1/4" x 17-5/8" 21" x 16-3/4" 24" x 17"	283.99 ea 283.99 ea 283.99 ea
16822 16823 16828	22-1/4" x 17-5/8" 21" x 16-3/4"	283.99 ea 283.99 ea 283.99 ea
16822 16823 16828 Sin HO 2-S	22-1/4" x 17-5/8"	283.99 ea 283.99 ea 283.99 ea <b>m Shroud</b> 0/1500 cfm
16822 16823 16828 Sin HO 2-S 16817	22-1/4" x 17-5/8"	283.99 ea 283.99 ea 283.99 ea <b>m Shroud</b> 0/1500 cfm 272.99 ea
16822 16823 16828 Sin HO 2-S 16817	22-1/4" x 17-5/8"	283.99 ea 283.99 ea 283.99 ea <b>m Shroud</b> 0/1500 cfm 272.99 ea 272.99 ea

67922195



195°F





2800 cfm..... 1149.99 set

2800 cfm...... 1149.99 set









# **Cooling Fan Components**



# 16" Fan Mounting Gasket

SPAL fan gasket is a specifically designed rubber gasket for use exclusively with the 16" fan line. The gasket

Note: Will not fit SP2056 and SP2057.

SP2070 16"..... 16.99 ea

provides an additional 1/4" clearance from the cooler

core and is ideal for mounting our pusher style fans.



# **Cooling System Zinc Anode**

Used in heavy-duty and marine applications to protect the cooling systems and its many components from damage due to electrolysis or coolant additive failure/breakdown. The introduction of the zinc anode will protect your cooling system from galvanic action as it "eats" the zinc rather than your cooling system. To be installed in the radiator as a replacement for the drain petcock in radiators that are equipped with a 1/4" NPT hole or any 1/4" NPT hole that is available in the cooling system.

FL32060 ...... 15.99 ea



### Fan Temperature Sending Unit

The temperature sending unit screws into the side of the cylinder head or on the intake manifold to operate the Champion or Challenger Series fans.

MF108 185° for carbureted engines..... 25.99 ea MF109 195° for fuel injection engines 25.99 ea



# Temperature Sending Wire Cloth Insulator

This 3/16" i.d., 5/16" o.d. replacement cloth insulator, keeps your temperature sender harness well insulated from engine heat. Sold per foot. 2-3 feet required per vehicle.

K0163 ...... 2.49 ft



### Temperature Sending Unit Wiring Set 🗘


Reproduction wiring which extends from the front light harness to the temperature sending unit. Includes correct 24" insulator cover and 30" green wire with bullet, blade, or button type terminals included.



#### Universal Fan Mounting Bracket

SPAL universal fan mounting bracket. It can be used with most aftermarket and OEM radiator types. It is adjustable and features a black powder coated finish. Includes 1 metal strap bracket and 1 plastic foot. Requires 4 for proper installation.

SP2072 ...... 2.99 ea



# **Universal Fan Mounting Rod**

SPAL universal mounting rod brackets attach directly to the fan shroud. Manufactured from lightweight steel and plastic. Includes mounting clip. 4 required for proper installation.

SP2071 ...... 5.99 ea



#### **Plastic Mounting Bracket**

SPAL plastic fan mounting foot bracket. Four mounting brackets are required to complete proper installation. Sold individually. Available in either flat or raised design.

 SP2073
 flat
 .99 ea

 SP2074
 raised
 .99 ea



#### **Billet Aluminum Fan Brackets**

Use this premium billet aluminum bracket set to mount your 14" or 16" Champion or Challenger Series fan. The set features 4 adjustable side angle brackets that attach to the side flange of the radiator. Mounting hardware is included.

MF105 billet aluminum fan brackets.. 58.99 set



### Universal Fan Bracket Strip Set

This bracket set is used to mount your Champion or Challenger Series fan. Install the fan's 90 degree mounting feet (included with fan) to these four 7-1/4" long strips for solid support. Mounting hardware is included.

MF104 universal fan bracket strips .... 24.99 set



# **Electric Fan or Oil Cooler Mounting Set**

These sturdy nylon electric fan and transmission cooler installation set includes 4 plastic rods, 4 retaining clips, and 4 foam mounting pads to provide a solid trouble-free and installation-friendly method of securing an electric fan, transmission or engine oil cooler to any vehicle.

13001 4 rods with retainers...... 6.99 set



#### Adjustable Fan Temperature Sensor 🗘

Turn your electric fan on at whatever your desired temperature is with this adjustable temperature sensor. Sensor adjusts from 180-240 degrees F and helps prevent overheating in performance vehicles when driving at low speeds or when idling for long periods.

346932 180-240 degrees F ...... 109.99 ea



#### Fan Harness Set

SPAL wiring harness sets are a must-have when installing an electric fan. Designed to safely integrate with OEM wiring harness. Feature a waterproof 40 amp relay, stainless steel switch with optional switched override capability along with printed wires which aid in installation. Thermo switch, fuse holder, connectors 1/2" adapter, and instructions are included.

 SP2068
 185 degrees
 harness ......
 118.99 set

 SP2069
 195 degrees
 harness ......
 125.99 set



### **Electric Fan Wiring Harness**

Dual fan wiring harness with the proper gauge and color coordinated wire, temperature sending unit, waterproof 40 amp relays and 30 amp fuse with holder. Includes installation guide and detailed diagrams. Can be used on any positive or negative 12 Volt DC vehicle with no modifications.





# Cooling



# Dual Fan Wire Harness with Relay 🔥

When installing an electric engine cooling fan, a wire harness with a relay is required. This dual fan wire harness with relay will allow safe control of 2 fans while using either an on-off switch or an adjustable temperature sensor. Switch and sensor not included.

40080 wire harness with relay ...... 54.99 ea



#### Dual Fan — Dual Activation Fan Relay Set

The dual activation cooling fan relay set by Painless Performance is exactly what you need to run dual fans off of a thermostatic switch and when your AC is on. Installation takes just a few minutes and your cooling fan will come on when the engine reaches the preset temperature of the thermostatic switch or when the AC is turned on. Set includes: three 40 amp relays with mounting bases, one fuse holder with 70 amp fuse, pre-terminated and printed wire harness, and your choice of thermostatic switch on/off temperatures (thread size: 3/8"-18 NPT), 1/2" NPT to 3/8"NPT adapter, mounting hardware and insulated terminals and detailed instructions.

30116	on 200°F, off 185°F	131.99 set
30117	on 185°F, off 175°F	121.99 set
30118	on 205°E off 190°F	154 99 set



### Electric Fan Relav

Designed as inexpensive protection for your electric fan. Provides constant voltage, protects from voltage and amperage spikes. Choose from the regular fan relay or the weatherproof relay which are for the harsh weather conditions, these relays provide complete protection from the elements and ensure reliable and dependable performance. These sets utilize heavyduty waterproof relays, weatherproof circuit breaker covers and extreme condition weatherproof shrinkable crimp-on terminals.

30101	standard	28.99	set
30130	weatherproof	39.99	set
30127	weatherproof w/205° switch	83.99	set
30128	weatherproof w/195°/185° switch	68.99	set
30129	weatherproof w/185°/175° switch	61.99	set



# **Electric Fan Relay with Thermostat**

The Fan-Thom II includes a threaded thermostat that screws into the engine block or manifold for a professional installation. Thermostat thread size:

3/0 10111	11 11111115.		
Electric Far	ı Relay		
30102	195° on/185° off	51.99	set
P30103	185° on/175° off	45.99	set
n 1	. TO		

Replacement Thermostats 195° on/185° off..... 30.99 ea 30110 185° on/175° off..... 29.99 ea



# Universal Electric Fan Relay Wiring Kit

Lock down superior cooling and eliminate bothersome noise and vibration with a Champion Cooling electric fan relay kit. Featuring heavy-duty, 1 piece construction with a permanent magnet motor and computer balanced, reversible swept blades, this top-of-the-line kit enables you to run your fan as a puller or pusher. 1-vear warranty.

CCFKRL with thermostatic switch..... 89.99 ea



### **Electric Fan Relay Wiring Kit**

Cold Case electric fan wiring kit for single or dual electric cooling fans. Includes thermostatic switch that turns on the fan(s) at 190 degrees F and turns them off at 170 degrees F. Operates single or dual fan setups. Includes: 12' wiring, thermostatic switch, weather resistant relay, and fan pigtail connectors.

CC46179 with thermostatic switch..... 99.99 ea



# Single Fan Pigtail Connector


Single male fan pigtail connector for Northern or SPAL single fans. Required when not using Northern relay harness.

Note: This same pigtail is included on Northern relay harnesses. Use part #40080 for Northern relay harness.

740079 pigtail connector...... 9.99 ea



#### **PCM Controlled Fan Relay Set**



weatherproof 35 amp ........... 46.99 set

#### **Delayed Cooling System Shutdown**

Timed cooling system shutdown features adjustable relays that keep power to the cooling fan and electric water pump (if equipped) when the key is shut off. This reduces the block temperature as much as possible without the risk of killing the battery. This is a timed circuit and does not use a thermostat or other fan control to operate.

TF900632 



# **Cooling Fan Shutdown**

This cooling fan shutdown set shuts down your electric cooling fan above 50-60 MPH to improve engine cooling by preventing the electric fan from fighting airflow through the radiator at highway speeds. The unit is adjustable and may be overridden by using the supplied dash mounted toggle switch. This set is designed to be used with the supplied signal generator which must be installed into the speedometer cable.

TF900627 shutdown ...... 214.99 set



#### Thermo Switch — Screw-In

Wire your dual electric fan/shroud assembly the easy way with this dual shroud wiring harness with relay and sender specifically designed dual electric fan setups. This wiring harness and relay kit will protect your vehicle's electrical system from the added draw of dual electric fans and proper gauge wiring ensures a stable electrical connection. The temperature switch activates "on" at 185 degrees F and shuts off when the temperature drops to 165 degrees F.

40078 185° on/165° off...... 114.99 ea

















#### Cooling System



#### Multi-Fan Controller with Soft Start Technology

Now add the Derale Performance digital PWM Fan Controller with built-in soft start technology. The controller utilizes Pulse Width Modulation to constantly adjust electric fan speeds from 0-100%, maintaining the optimal engine operating temperature. This multi-fan controller has a built-in AC Over-ride circuit and is designed to control as many 12 Volt brushed electric fans as desired, up to 70 amps combined. Even better, installation and calibration is a snap. It simply wires in-between your vehicle's battery and electric fans.

digital PWM controller ...... 251.99 ea



#### Variable Speed Fan Controller

Turns your electric fan on and off at your desired temperature. The control is right where it belongs, in your hands Fans turn on at 60 percent power and fan speed increases as the temperature rises. You can easily adjust the activation temperature between approximately 160-240 degrees F. The fan controller includes a 1/8" NPT thread-in temperature sensor with bushing adapter. It features variable fan speed and a 40 amp rating. It works on 12 Volt systems only. with temp sending unit ....... 153.99 ea

### Electric Fan Controller

Includes a 70 amp relay and will work with your existing water temperature gauge, operating from the temperature sending unit already installed. A dedicated sending unit can be



installed for applications without a water temperature gauge. Operating range of 150-250 degrees F and features fully programmable "fan on" and "fan off" temperature functions to suit any application. This also gives you the capability to leave the electric fan operating after the engine has been shut down for a user adjustable period of time. High-quality LED readout displays current temperature readings.

Important: Must use second relay, either part #DD2701 30 amp relay or DD2702 70 amp relay for dual fan or 2-speed

jan operation.		^
Electric Fan	Controller	<u>_!</u>
DD2700	with 70 amp relay	156.99 ea
DD2800BT	w/70 amp relay – Bluetooth	156.99 ea
Relays for Di	ual Fans	
DD2701	30 amp relay	12.99 ea
DD2702	70 amp relay	
Dedicated Te	mperature Sensors	
DD2703	1/8" NPT sensor	17.99 ea
DD2704	3/8" NPT sensor	17.99 ea
DD2705	1/2" NPT sensor	17 99 ea



### Adjustable Electric Fan Controller

This Derale high amperage fan controller breaks new ground in the industry of electric fan controllers. A bulletproof design, 35 amp per fan amperage rating, adjustability from 150-240 degrees F, and a die-cast bright finish aluminum cover. It's capable of controlling two separate 35 amp fans at different turn-on temperatures, with only a single probe. The first electric fan will be activated at the temperature set by the user followed by the second electric fan when the temperature becomes 10 degrees F warmer. Each electric fan will turn off at 10 degrees F below its turn-on temperature. Includes: wiring harness, fusible link, all necessary electrical connectors, and push-in style radiator probe.

Single Ele	ectric Fan Controller	
16778	push-in probe	115.99 ea
16779	push-in probe	115.99 ea

Dual Electric Fan Controller 16789



#### Electric Fan Controller

Turn your electric fan into a thermostat controlled fan! PROFORM's premium adjustable fan controller make this easy! The thread-in probe can be installed directly into the water jacket of the intake manifold, engine block, or cylinder head. The push-in probe can be installed between the fins of the radiator. Fan activation is adjustable between 150 and 240 degrees F. This fan controller is recommended for race and street applications.

69598	thread-in probe sensor	50.99 ea
69599	push-in probe sensor	48.99 ea



#### **Fan Controller Set**

The Mishimoto fan controller set is applicable to any 12V electric fan and includes all necessary components for installation. Features adjustable activation from 150 to 240 degrees F and deactivates once temperatures are reduced by 10 degrees F. This controller includes a built-in AC override feature and is designed for use with 1–2 electric fans drawing a combined 25 amps or less. probe style ...... 77.99 set

#### "Ice Box" Cooling Fan Control

Available as a dual fan/ 2-speed fan control unit. The sensor is simply tightened under an intake or water pump bolt. It can then be adjusted to your exact preference for on and off temperature. It is equipped with an AC Request system to turn the cooling fan on whenever the AC Compressor engages (this feature does

not have to be used). The dual fan control can operate two fans at different temperatures or a single 2-speed fan at different temperatures. Each unit has a fully adjustable operating range of 140-230 degrees.

Note: With Walker 2-speed fans.

TF900635 dual control...... 179.99 ea



#### **Electric Fan Controllers**

These sets are designed to operate Champion or Challenger Series electric fans. Includes: a heavy gauge wire harness, relay, weatherproof fuse, and electrical connectors.

#### Fixed Switch Fan Controllers

with 185 degree temp. sender 78.99 set with 195 degree temp. sender 78.99 set MF103

Adjustable Switch Fan Controllers

with adj. temperature switch.. 78.99 set MF110 adjustable switch only........... 25.99 set



### Adjustable Electric Fan Thermostat Set

These sets are designed to allow a wide range of temperature adjustments for your electric fan. The adjustment knob may be used to set a precise temperature desired for fan activation. The mounting bracket is made of brushed stainless steel for good looks and durability. The complete set includes the thermostat with bracket, a 30 amp relay, a 30 amp circuit breaker for overall protection, wiring, terminals, and mounting hardware.

#### Specs on Adjustable Fan Thermostat:

Temp range - 32 degrees to 248 degrees F Accuracy: +/- 7.3 degrees F

Differential: 7.3 degrees +/- 3.6 degrees F Important: Temperature refers to the temp of the capillary tube, not the coolant temp.

30104	with relay	91.99 set
30112	without relay	55.99 set





# V-Beit Style Beits



# 1962-79 V-Belt Style Fan Belt



Make sure your belts are in top condition before starting off on your next road trip. Belts are inexpensive, yet they are an often overlooked component of a restoration or daily driver... that is until something goes wrong. Don't risk the life and longevity of your engine for the sake of a few bucks. Replace your weathered belts before you are stranded due to overheating, dead battery, etc. Better yet, buy a new set to install and keep a spare set just in case you should have a broken belt while on the road with your classic vehicle.

		6	Cylinder	
YE15555	1962	55-1/2"	fan with dealer AC	9.99 ea
YE15543	1962	54-3/10"	fan with factory AC	9.99 ea
YE15500	1962	55"	ps without AC	9.99 ea
YE15490	1962	49"	ps with AC	6.99 ea
YE15390	1962	39"	fan and 62A alt	6.99 ea
YE15410	1962	41"	fan and 42A, 52A alt	6.99 ea
YE15405	1962	40-1/2"	fan and generator without AC	6.99 ea
YE15543	1962	54-3/10"	fan and generator with AC	9.99 ea
YE15555	1963	55-1/2"	fan and AC	9.99 ea
YE15500	1963	50"	ps	9.99 ea
YE15415	1963	41-1/2"	fan and alt without AC	6.99 ea
YE13400	1963	40"	fan and alt with AC	6.99 ea
YE15500	1964	50"	fan and ps	9.99 ea
YE15395	1964	39-1/2"	fan and alt with ps, without AC	6.99 ea
YE15395	1964-65 1964-65	39-1/2" 38"	fan and 62 amp alt without AC	6.99 ea 6.99 ea
YE15380 YE15375	1964-65	36 37-1/2"	fan and 62 amp alt with AC	6.99 ea
YE15373	1964-67	37-172 39"	fan and alt with AC	6.99 ea
YE15543	1964-67	54-3/10"	fan and AC	9.99 ea
YE15500	1965	50"	fan and ps without AC	9.99 ea
YE15495	1965	49-1/2"	fan and ps with AC	
YE15370	1966	37"	fan and alt with AC	6.99 ea
YE15500	1966	50"	fan and ps	9.99 ea
YE13300	1966	30"	fan and AP with PS	6.99 ea
YE15500	1966-67	50"	fan and AP without PS	9.99 ea
YE15375	1967	37-1/2"	fan and alt with AC	6.99 ea
YE15495	1967	49-1/2"	fan and PS without AC	22.99 ea
YE15500	1967	50"	fan and PS with AC	9.99 ea
YE13300	1967	30"	ps to AP	6.99 ea
YE15390	1968	39"	fan and alt	6.99 ea
YE15315	1968	31-1/2"	alt with ps or AP with AC	6.99 ea
YE15375	1968	37-1/2"	fan and alt with dealer AC	6.99 ea
YE15495	1968	49-1/2"	fan, alt, and ps	
YE13310	1968	31"	ps and AP	6.99 ea
YE15500	1968	50"	fan and APfan, alt, ps with dealer AC	9.99 ea
YE15490 YE15549	1968 1968	49" 54-9/10"	factory AC	6.99 ea 9.99 ea
YE15543	1968	54-3/10"	dealer AC	9.99 ea
YE15390	1969	39"	fan and alt without AC	6.99 ea
YE13385	1969	38-1/2"	fan and 61 amp alt without AC	6.99 ea
YE15380	1969	38"	fan and 61 amp alt with AC	6.99 ea
YE15495	1969	49-1/2"	fan, alt and ps	
YE15500	1969	50"	fan, alt and AP	9.99 ea
YE15330	1969	33"	ps and AP	6.99 ea
YE13385	1969	38-1/2"	fan & alt, w/o ps or AP, with AC	6.99 ea
YE15375	1969	37-1/2"	fan and alt with dealer AC	6.99 ea
YE13310	1969	31"	alt with ps or AP and AC	6.99 ea
YE13310	1969	31"	alt with dealer AC	6.99 ea
YE15490	1969	49"	fan, alt, and ps with dealer AC	6.99 ea
YE15543	1969	54-3/10"	fan and factory AC	9.99 ea
YE15530	1969	53"	fan and dealer AC	9.99 ea
YE15495	1969	49-1/2"	fan, alt and AP with AC	
YE15375	1970	37-1/2"	fan and alt, without AC	6.99 ea
YE15485	1970	48-1/2"	fan, alt, and ps without AC	6.99 ea
YE15375 YE15485	1971 1971	37-1/2" 48-1/2"	fan and altfan, alt and ps	6.99 ea 6.99 ea
YE15375	1971	37-1/2"	AC	6.99 ea
YE15375	1971	37-1/2" 37-1/2"	fan and alt without AC	6.99 ea
YE15485	1972-74	48-1/2"	fan, alt and ps without AC	6.99 ea
YE15515	1972	51-1/2"	fan and AP without AC	
YE15485	1973-74	48-1/2"	fan and PS without AC	6.99 ea
YE15515	1973	51-1/2"	fan and AP without AC – early	
YE15375	1973-74	37-1/2"	fan and AP without AC – late	6.99 ea
YE13310	1974	31"	alt with AC	6.99 ea

YE15500	1974	50"	fan, alt, and ps with AC	9.99 ea
YE13310	1974	31"	ps to AP with AC	
YE15543	1974	54-3/10"	fan and AC	9.99 ea
YE15490	1975	49"	fan, ps, and AP without AC	6.99 ea
YE15535	1975	53-1/2"	fan and AC	22.99 ea
YE15505	1975	50-1/2"	fan and AP without ps, with AC	9.99 ea
YE15490	1975-76	49"	fan and ps without AP	6.99 ea
YE15573	1975-76	57-3/10"	fan, ps, and AP with AC	9.99 ea
YE15380	1975-78	38"	fan to AP without AC	6.99 ea
YE15375	1975-79	37-1/2"	fan and alt	6.99 ea
YE15543	1976	54-3/10"	fan and AC	9.99 ea
YE15573	1977-78	57-3/10"	fan, ps and AP	9.99 ea
YE15515	1977-78	51-1/2"	fan and AC	22.99 ea
YE15505	1977-79	50-1/2"	fan and AP without ps	9.99 ea
YE15485	1977-79	48-1/2"	fan and ps	6.99 ea
YE15525	1979	52-1/2"	fan and AC	22.99 ea
YE15573	1979	57-3/10"	fan and AP – Calif. only	9.99 ea
		8	Cylinder	
Small Block				
YE15549	1964	54-9/10"	fan and 62 amp alt with AC	9.99 ea
YE15573	1964	57-3/10"	with factory AC	
YE15580	1964	58"	with dealer AC	9.99 ea
VE15560	1064 65	56"	fan and 62 amp alt without AC	0.00 00

	YE15543	1976	54-3/10"	fan and AC	9.99 ea
	YE15573	1977-78	57-3/10"	fan, ps and AP	9.99 ea
	YE15515	1977-78	51-1/2"	fan and AC	22.99 ea
	YE15505 YE15485	1977-79 1977-79	50-1/2" 48-1/2"	fan and AP without ps	9.99 ea 6.99 ea
	YE15525	1977-79	52-1/2"	fan and psfan and AC	
	YE15573	1979	57-3/10"	fan and AP – Calif. only	9.99 ea
				Cylinder	
	Small Block				
	YE15549	1964	54-9/10"	fan and 62 amp alt with AC	9.99 ea
	YE15573	1964	57-3/10"	with factory AC	9.99 ea
	YE15580	1964	58"	with dealer AC	9.99 ea
	YE15560 YE15543	1964-65 1964-66	56" 54-3/10"	fan and 62 amp alt without AC fan and alt without AC	9.99 ea 9.99 ea
	YE15530	1964-66	54"	fan and alt with AC	9.99 ea
	YE15350	1964-67	35"	ps	6.99 ea
	YE15549	1965	54-9/10"	fan & 62 amp alt with AC – 283	9.99 ea
	YE15555	1965	55-1/2"	fan & 62 amp alt with AC – 327	9.99 ea
	YE15580	1965-66	58"	fan and AC	9.99 ea
	YE15360 YE13320	1966 1966	36" 32"	PS with 327 Hi Performance	6.99 ea 6.99 ea
	YE15330	1966	33"	fan and AP with AC – 283 fan and AP with AC – 327	6.99 ea
	YE15490	1966-67	49"	fan and AP without AC	6.99 ea
	YE15530	1967	53"	fan and alt	9.99 ea
	YE15330	1967	33"	fan to AP with AC	6.99 ea
	YE15573	1967-68	57-3/10	fan and AC	9.99 ea
	YE15500	1968	50"	fan and AP without AC	9.99 ea
	YE13310 YE15360	1968 1968	31" 36"	fan and AP with ACps – 350	6.99 ea 6.99 ea
	YE15350	1968	35"	ps – 307, 327	6.99 ea
	YE15535	1968	53-1/2	fan and alt	
	YE15445	1969	44-1/2"	fan and 42 amp alt	6.99 ea
	YE15475	1969	47-1/2"	fan, 42 amp alt, and AP w/o AC	
	YE15480	1969	48"	fan, 42 amp alt, and AP with AC	6.99 ea
	YE15470 YE15475	1969 1969	47" 47-1/2"	fan, 63 amp alt, and AP w/o AC	6.99 ea
	YE15360	1969	36"	fan, 63 amp alt, and AP with AC	6.99 ea
	YE15543	1969	54-3/10"	fan, ps and AC	9.99 ea
	YE15435	1969-70	43-1/2"	fan and 63 amp alt without AC	6.99 ea
	YE15440	1969-70	44"	fan and 63 amp alt with AC	6.99 ea
	YE15543	1969-70	54-3/10"	AC	9.99 ea
	YE15360	1970	36" 46"	ps without AP	6.99 ea 6.99 ea
	YE15460 YE15350	1970 1970	35"	fan, alt, and AP without ACps with AP, without AC	6.99 ea
	YE15445	1970-71	44-1/2"	fan and alt	6.99 ea
	YE15555	1971	55-1/2"	dealer AC	9.99 ea
	YE15543	1971-72	54-3/10"	factory AC	9.99 ea
	YE15360	1971-74	36"	ps	6.99 ea
	YE15549 YE15475	1972 1972	54-9/10"	AC and psfan, alt, and AP	9.99 ea
	YE15445	1972-73	47-1/2" 44-1/2"	fan and alt without AP	6.99 ea
	YE15470	1973	47"	fan, alt, and AP without AC	6.99 ea
١	YE15480	1973	48"	fan, alt, and AP with AC	6.99 ea
١	YE15543	1973-79	54-3/10"	AC	9.99 ea
	YE15445	1974	44-1/2"	fan and alt	
١	YE15475 YE15445	1974 1975	47-1/2" 44-1/2"	fan, alt, and AP fan and 2V alt	22.99 ea 6.99 ea
	YE15470	1975	47"	fan, 4V alt, and AP without AC	6.99 ea
	YE15480	1975	48"	fan, 4V alt, and AP with AC	6.99 ea
	YE15360	1975-78	36"	ps	6.99 ea
	YE15445	1976-79	44-1/2"	fan and alt	6.99 ea
١	YE15470 VE15480	1976-79	47" 48"	fan, alt, and AP with AC	6.99 ea 6.99 ea
١	YE15480 YE15420	1976-79 1977-78	48" 42"	fan, alt, and AP with ACfan and ps	
١	YE15370	1979	37"	ps without AC	6.99 ea
١	YE15430	1979	43"	fan and ps with AC	6.99 ea
١	396 6.5L			-	
١	YE15495	1969	49-1/2"	fan, alt, and AP without AC	22.99 ea
١	YE15490	1969	49"	fan, 63 amp alt & AP without AC	6.99 ea
١	YE15475	1969	47-1/2"	fan, alt, & AP w/o AC – 375 HP	
١	YE15445 YE15475	1970 1970	44-1/2" 47-1/2"	fan and alt – 350 HP fan, alt, and AP – 375 HP	6.99 ea
١	YE15410	1970	41"	ps – 350 HP	6.99 ea
	YE15405	1970	40-1/2"	ps – 375 HP	6.99 ea















# **High Flow Water**

# These Super Cooling Water Pumps are Available in 3 Popular Finishes: Cast, Polished, or Black.







#### 1964-79 Performance Water Pump



These "super cooling" pumps are computer designed to deliver more flow at a higher velocity. They're the ideal choice to prevent overheating in any performance vehicle. Precision cast powdered metal impellers have extra large vanes for the maximum flow rate possible, ensuring adequate pressure and volume even at lower engine speeds. They feature a 5/8" pilot shaft. Choose from 3 popular finishes.

Small Block Water Pum

		oman block water rumps		
Short Style	Water Pump	S		
E8810	1964-68	cast	323.99 ea	
E8820	1964-68	polished	460.99 ea	
E88103	1964-68	black	374.99 ea	
Long Style	Water Pumps	S		
E8811		cast	307.99 ea	
E8821	1969-79	polished	411.99 ea	
E88113	1969-79	black	347.99 ea	
		Big Block Water Pumps		
Short Style Water Pumps				
E88503	1968	black	402.99 ea	
Long Style Water Pumps				
E88513	1969-72	black	409.99 ea	

#### **AUTHORIZED**



# 1964-68 High Volume Small Block Short Water Pump



High-performance, high volume aluminum water pump features balanced distribution and improved efficiency with close tolerance impellers that increase coolant flow over stock pumps. This increases the pressure within the block to help prevent hot spots and steam pockets, as well as improves coolant flow through the radiator. When used with a non-restrictive, high flow thermostat (sold separately) this pump to work to its highest capability. Available in natural aluminum, polished aluminum, or chrome.

153654N	1964-68	aluminum	86.99 ea
153654P	1964-68	polished	100.99 ea
153654C	1964-68	chrome	114.99 ea



#### 1962-79 Cast Iron High Flow Water Pump



For over 20 years, Stewart Components has focused on the development and production of high-performance water pumps, resulting in innovations like special high strength castings, larger flow passages, more efficient impellers, and stronger bearings. Every pump is designed to exacting tolerances for reliable, long-term performance, offering maximum flow with minimum power consumption. These pumps deliver up to 180 gpm (gallons per minute) of coolant flow at 8000 RPM, yet consume just 2.26 horsepower at 4000 RPM! Each Stewart pump is hand assembled and tested at 10,000 RPM.

#### Stage 1 Cast Iron Water Pumps

These Stage 1 pumps use brand new, original equipment iron castings are internally engineered for performance and reliability. These water pumps feature a 3/4" heavyduty bearing. Available for V-belt or serpentine belt systems.

, ,		1				
Small Block	- Clockwise	Rotation				
WP12103	1964-68	5.625" tall, 5/8" shaft	114.99 ea			
WP12203	1964-68	5.625" tall, 3/4" shaft	122.99 ea			
WP13113	1969-79	6.932" tall, 5/8" shaft	114.99 ea			
Big Block -	Big Block - Clockwise Rotation					
WP11104	1968	5.750" tall, 5/8" shaft	129.99 ea			
WP11113	1969-72	7.287" tall, 5/8" shaft	126.99 ea			
Big Block -	Counter Cloc	kwise Rotation				
		5.750" tall, 5/8" shaft	129.99 ea			

#### Stage 2 Aluminum Water Pumps

These Stage 2 pumps use brand new, 356-T6 heat treated aluminum castings that are precision machined to be compatible with stock lines and brackets. These water pumps feature a 3/4" heavy-duty bearing. Available for V-belt or serpentine belt systems.

Important: These small block water pumps require the use of a high flow, modified thermostat due to the elimination of the factory bypass holes in the Stage 2 pumps. See listings below for available temperatures.

Small Block -	– Clockwise R	Cotation	
WP22103	1964-68	5.625" tall, 5/8" shaft	185.99 ea
WP22203	1964-68	5.625" tall, 3/4" shaft	185.99 ea
WP23113	1969-79	6.932" tall, 5/8" shaft	191.99 ea
Big Block - C	Clockwise Rot	ation	
WP21104	1968	5.750" tall, 5/8" shaft	209.99 ea
WP21113	1969-72	7.287" tall, 5/8" shaft	214.99 ea
Big Block - C	Counter Clock	twise Rotation	
WP21105	1968	5.750" tall, 5/8" shaft	209.99 ea
		nostats for Stage 2 Small Block Pumps	
WP300	1962-79	160 degrees F	42.99 ea
WP301	1962-79	180 degrees F	42.99 ea
WP302	1962-79	195 degrees F	42.99 ea

#### **AUTHORIZED**






#### 1964-79 Small Block Water Pump





Aluminum short water pump for 1964-79 small block models features a new casting with quality bearings and excellent sealing. Available in natural aluminum, polished

Snort water	Pump		
153656N	1964-68	aluminum	82.99 ea
153656P		polished	97.99 ea
153656C	1964-68	chrome	111.99 ea
Long Water 153655N	Pump		
153655N	1969-79	aluminum	89.99 ea
153655P	1969-79	polished	105.99 ea
153655C	1969-79	chrome	119.99 ea











# 1962-79 New OE Style Water Pump 🗘

With these new water pumps, the tedious search for a correct remanufactured pump is over. Each water pump is made to OE specifications with quality bearings, seals, and brand new precision machined housings.

4 Cylinder	Water Pun	пр						
55140	1962-70	153 all	22.99 ea					
6 Cylinder	6 Cylinder Water Pumps							
55341	1962-67	194 all	42.99 ea					
55140	1964-65	230 all	22.99 ea					
55140	1967-68	230 without AC	22.99 ea					
55140	1967-70	250 without AC	22.99 ea					
55140	1971-75	250 all	22.99 ea					
55112	1976-79	250 all	24.99 ea					
Small Bloc	k Water Pi	ımps						
5511167	1964-68		52.99 ea					
55113	1972-76		45.99 ea					
55115	1977-79		44.99 ea					
Big Block	Water Pum	p						
55146	1968	•	69.99 ea					



#### 1964-79 Water Pump

These high-performance, high volume water pumps feature close tolerance impellers with balanced distribution and improved efficiency that increase coolant flow up to 30% over stock pumps. This increases the pressure within the block to help prevent hot spots and steam pockets, as well as improves coolant flow through the radiator. Use in conjunction with a non-contribution kink flow thermoster to enable the pump. restrictive, high flow thermostat to enable the pump to work to its highest capability. High-quality steel casings, heavy-duty bearings, and large diameter shafts make these pumps the top of the line in performance water pumps. Direct factory replacements equipped with all hose connections and bosses.

Small Block Water Pumps						
16200	1964-68	short	119.99 ea			
16210	1969-76	long	129.99 ea			
16212		long				
<b>Big Block Water Pump</b> 16225 1969-79 long 159.99 ea						
16225	1969-79	long	159.99 ea			



# 1964-68 Date Coded Water Pump

Remanufactured water pumps are available for the discriminating restorer who is looking for a pump to correctly match the engine build date. To order, call us with your engine assembly date and we will provide you with a pump that is correct within all judging standards for that particular date.

Important: \*Engine assembly dates except July 1966 through March 1967 dates. \*\*Engine assembly dates between July 1966 through March 1967 dates only.

Note: Special order, must be prepaid. Non-returnable. Please be sure you are ordering correct part before placing

K2005	1964	283/327	180.99 ea
K2006	1966-67	327 L-79	280.99 ea
K2009C*	1968	396/427	310.99 ea
K2009A**	1968	427	350.99 ea
K2007	1968	307/350	180.99 ea



### 1964-79 Mechanical Water Pump

PROFORM's new high flow small block mechanical water pumps feature heavy-duty ball bearings for 40 percent more coolant flow giving you real performance value for your dollar. Aluminum construction reduces front end weight.

comstruc	mon reduce	o mont end	Weight.	
68244	1964-68	polished	SB	122.99 ea
67264	1969-79	polished	SB	121.99 ea
67265	1969-79	satin	SB	97 99 ea



#### Water Pump Bypass Hose Clamp

Correct style flat band side screw hose clamps used on the water pump bypass hose on various GM vehicles. 1965-72 3/4" ...... 5.99 ea







# 1965-72 Water Pump Bypass Hose Set

This set will replace your worn out, thinning or deteriorating original hose with a correct replacement hose. This set includes a precut and preformed hose and the 2 tower clamps.

Small Block

0059A	1965-68	with 327 and 350	18.99 set
Big Bloc	k		
0059	1968	with short pump	17.99 set
K0060	1969-72	with long pump	12.99 set



# 1964-68 Water Pump Rebuild Set

These components are required when trying to rebuild an original water pump designed for 1964-68 models. WPK402 283, 327..... 124.99 set 1964-68 WPK401 348,409..... 129.99 set 1962-64

















# Electric



### **Electric Water Pump**

Eliminates unnecessary weight and impeller-drag experienced at high RPM, pumps up to 35+ gallons of water per minute, and delivers the cooling that can make the difference between a win and second place! Durable, but lightweight die-cast aluminum, epoxy powder coated for corrosion resistance in the color of your choice. Race or street. Draws 6 amps. Mounting hardware and fitting for water pump is included.

Sm	all Block Water Pump	os			
Without Red	Bow Tie				
66225B	blue	192.99 ea			
66225BK	black	186.99 ea			
66225CR	chrome	229.99 ea			
66225P	polished	210.99 ea			
66225R	red	186.99 ea			
With Red Bo					
D141653	blue	219.99 ea			
D141651	black	219.99 ea			
D141650	chrome	279.99 ea			
D141654	polished	249.99 ea			
D141652	red	219.99 ea			
Big Block Water Pumps					
Without Red	Bow Tie				
68230B	blue	200.99 ea			
68230BK	black	200.99 ea			
(00000					



- 30 amp relay
- 30 amp circuit breaker
- Relay base with wire harness
- Terminals
- Mounting hardware

#### WADEIN **Electric Water Pump Relay**

This relay harnesses provides maximum battery voltage to maximize cooling efficiency and to protect the main electrical system from damaging amperage overloads. Made in USA.

50106 standard ...... 25.99 ea





#### Set Includes:

- 30 amp heavy duty weatherproof relay
- Weatherproof relay base with wire harness
- 30 amp circuit breaker with weatherproof cover Extreme condition heat shrinkable
- crimp-on terminals
- Mounting hardware

#### Electric Water Pump Relay

This relay harnesses set provides maximum battery voltage to maximize cooling efficiency and to protect the main electrical system from damaging amperage overloads. This weatherproof water pump relay harness is perfect for harsh weather conditions. The relay harness provides complete protection from the elements and ensures reliable and dependable performance. This kit utilizes heavy-duty waterproof relays, weatherproof circuit breakers covers and extreme condition weatherproof shrinkable crimpon terminals.

30132 weatherproof ...... 39.99 ea




#### 1962-79 Gilmer Belt Drive Set



These Gilmer drive sets for small block street/strip engines are machined from billet aluminum and prevent slippage and belt throwing at high RPM. Designed to work with factory alternator brackets. Set includes: crank pulley, water pump pulley, alternator pulley, and a 1-1/2" wide belt.

Note: Not for vehicles with power steering or AC.

87101 283-400 w/short water pump ... 234.99 set 283-400 w/long water pump .... 246.99 set



#### **Electric Water Pump Parts**



Classic Industries® offers replacement service parts for the electric water pump. Each service part will replace the original component precisely.

For MR4333/MR4433 Electric Water Pumps MR4394

MR4396

For 4433 Electric Water Pump MR4393



### 1964-79 Water Pump to Block Gasket

Replacement water pump to block gasket for early small block engines. Sold individually. 2 required per vehicle.

small block ...... 2.99 ea G8337 1964-79



#### 1964-79 Water Pump Gasket



High-quality Fel-Pro replacement water pump gaskets for various 1964-79 Chevrolet engines. Built to exceed all original equipment specifications.

Note: \*2 required per vehicle.

5152*	1964-79	small block	2.59	ea
30060*	1968-72	big block	1.99	ea

68230C

68230P

68230R

D141673

D141674

D141671

D141672

With Red Bow Tie

polished...... 258.99 ea

red...... 206.99 ea

blue 239 99 ea

red...... 239.99 ea

# ardwa




### 1964-86 Water Pump Backing Plate Gasket

High-quality Fel-Pro replacement water pump backing plate gasket for various 1964-86 Chevrolet engines. Built to exceed all original equipment specifications.

13032FP	1964-86	small block	2.99 ea
11725	1968-72	big block	2.99 ea



### Water Pump Bolt Set



56468SD

up bolt sets. The Chevrolet Bow Tie, SS, or 350 logo is stamped directly onto the head of the bolts. They are available in decorative chrome-plated or polished stainless steel versions. What better way to make a statement than with these unique bolts?

Note: Must specify logo suffix: D - Bow Tie, E - SS logo, G - 350.

<b>Chrome</b> 56468CD 56467C		small blocksmall block	
<b>Stainless S</b> 56468SD 56467SD	1964-68	small blocksmall block	





### 1964-68 Water Pump Bolt

Reproduction bolt used to attach the water pump to the engine block lower RH bolt SB 3/8"-16 x 2-11/16" Manufactured utilizing the correct head markings and length.

1256615 1964-68 "TR" mark ...... 4.99 ea





### 1964-68 Water Pump Bolt

Reproduction bolt used to attach the water pump to the engine block. Zinc-plate 3/8"-16 x 1-3/4".

1964-68 "TR" mark ..... 1256616









# 1962-79 Water Pump Mounting Set 🔥

Correct replacement bolts used to mount the water pump to the engine block. Be sure to order the correct bolt for your year and model.

Note: *Features correct TR headmark on bolt head.					
	Sn	nall Block			
Short Wate	r Pump Be	olt Sets			
AK136A	1962-68	chrome	11.99 set		
AK136B	1962-68	stainless	31.99 set		
K0178*	1964-68	OE	14.99 set		
1256617*	1964-68	OE with AC	13.99 set		
1256618*	1964-68	OE w/o AC or AIR	12.99 set		
Long Water	r Pump Bo	olt Sets			
AK135A	1969-79	chrome	11.99 set		
AK135B	1969-79	stainless	29.99 set		
AR13322	1969-79	black - Hex head	14.99 set		
AR13321	1969-79	black – 12 point	15.99 set		
AR43322	1969-79	stainless – Hex head	24.99 set		
AR43321	1969-79	stainless - 12 point	30.99 set		
Big Block					
Short Water Pump Bolt Sets					
AK136A	1968	chrome	11.99 set		
AK136B	1968	stainless	31.99 set		

AR43321	1969-79	stainless – 12 point	30.99	set
	В	ig Block		
Short Wate				
AK136A	1968	chrome	11.99	set
AK136B	1968	stainless	31.99	set
K0177*	1968	OE	14.99	set
Long Wate	r Pump Bo	olt Sets		
AK135A	1969-72	chrome	11.99	set
AK135B	1969-72	stainless	29.99	set
K0179*	1969-72	OE	11.99	set
AR13322	1969-72	black - Hex head	14.99	set
AR13321	1969-72	black - 12 point	15.99	set
AR43322	1969-72	stainless – Ĥex head	24.99	set



### 1966-68 Water Pump Mounting Bolt 🗥

Correct GM replacement bolts used to mount the water pump to the engine block. Be sure to order the correct bolt for your year and model.

Note: \*With AC. \*\*Without AC.

Without St	ud		
G8339*	1966-67	V8 lower hole (RH)	6.99 ea
With Stud			
G8341**	1966-67	SB AIR RH upper	7.99 ea
G8341**	1967-68	396,427 RH upper	7.99 ea
G8751	1967-68	396, 427	5.99 ea



# **Stainless Steel Heater Hose Fittings**



These corrosion resistant stainless steel fittings can be threaded into the water pump and intake manifold to provide heater hose attachment points.

For 5/8" I.D. Hose

two 1-3/4" long ...... 26.99 pr PF1006







# 1967-72 Water Pump Hose Outlet Fittings

Reproduction fittings which screw into water pump. These fittings are for heater hoses attachments.

K0149A	1967-68	small block	19.99 pr
K0150	1969-72	small block	
K0150	1968-72	big block	19.99 pr





K0151



1966-72 Water Pump Bypass Hose Fitting

Reproduction bypass hose fittings which fit into the water pump and intake manifold. Press-in type is for 1968-69 press-in style intake manifolds.

K0151	1966-72	slotted	19.99 pr
3921915	1968-69	press-in	8.99 ea














AR43321



stainless – 12 point 30.99 set

1969-72

T9605B



# ier











This is a reproduction water pump pulley for 1962-68 Chevy II/Nova models. This single groove pulley measures 7-1/8" in diameter and fits various 1962-68 4 cylinder, 6 cylinder, and V8 models without AC.

1962-68...... 39.99 ea 14769

T9605B

T9823B







T9604B

T9815B


T9600B





- Bolt pattern: across is 2-1/8"
- Bolt pattern: side by side is 1-9/16"
  Measures 2" deep
- 5-3/4" outside diameter
- Replaces original GM part #3947824

#### 1969-74 Water Pump Pullev









Reproduction water pump pulley reinforcement plate. This piece is required for correct pulley alignment, and features zinc-plated for rust prevention. Replaces GM #3720616.

153584 1964-68 ...... 7.99 ea






- 6-1/4" outside diameter
- 1-7/8" depth
- For use on models without air conditioning
- Single groove pulley

### 1970 Water Pump Pulley





3995631, 6-1/4" ...... 39.99 ea 1970





- Deep Single Groove Pulley
- Fits 1970 with 302
- Also Fits 1970-71 small/big block special high output models

#### 1970-71 Water Pump Pulley



Reproduction of the factory water pump pulley for 1970-71 Nova models. This single groove pulley measures approximately 6-1/4" in diameter. Authentic reproduction features the #3976060AP stamped on pulley. Single groove.

14320 1970-71 3976060, 6-1/4" .... 59.99 ea







#### Application Summary:

- 307ci, 350ci, 250HP or 300HP
  396ci 325HP, 350HP

#### 1970 Water Pump Pulley




Reproduction factory long water pump pulley for 1970 Nova big block engine models. This is a single groove pulley that measures approximately 6-1/4" in diameter. For models with or without air conditioning. Shallow single groove design. GM number stamped on pulley is 3976059AO.

14543 1970 3976059, 6-1/4" ...... 39.99 ea

# Warning: concerning water pump pulleys

Stock replacement, aftermarket stamped steel or cast iron pulleys are not designed to exceed 400 horsepower or 6000 RPM. Using reproduction pulleys on engines in excess of these limits may result in catastrophic disintegration of the pulley causing severe damage to the engine, cooling system and body parts. Classic Industries® assumes no liability for damages caused by improper usage of pulleys. Please be sure to install the pulley properly to avoid damages that could occur from improper installation or exceeding the recommended RPM limitations.



6-3/8" Diameter

1964-79 Black Water Pump Pulley

Black single or double groove steel water pump pulley for 1964-79 small block or big blocks with long or

short water pumps. Pulley features machined steel

6-1/4" Diameter

2 groove .....

1 groove ...... 35.99 ea

construction with a durable black finish.

Small Block with Long Water Pump

Big Block with Long Water Pump

1969-79

1969-79

1969-72











### 1964-79 Water Pump Pulley



Aluminum 6-3/4" water pump pulley will dress-up your small block or big block engine. 1964-68 Chevy vehicles used a short water pump and 1969-79 use a long water pump.

	1 1		
	8 Small Block Short Wate	er Pui	np
Satin Alui		46.00	
R9478A	single groove		
R9479A	double groove	48.99	ea
Black Alu		46.00	
R9478B	single groove		
R9479B	double groove	97.99	ea
Chrome A		(1.00	
R9478C	single groove	61.99	ea
Polished A		~ ~ · · ·	
R9479P	double groove		
	9 Small Block Long Wate	r Pur	np
Satin Alui		40.00	
R9482A	single groove	48.99	
R9483A	double groove	53.99	ea
Black Alu		~4 O ^	
R9482B	single groove	51.99	ea
Chrome A			
R9482C	single groove		
R9483C	double groove	80.99	ea
Polished A		~ . o .	
R9482P	single groove		
	Big Block Short Water I	ump	
Satin Alui		42.00	
R8840A	single groove	43.99	
R8842A	double groove	39.99	ea
Black Alu	minum	12.00	
R8840B	single groove	43.99	
R8842B	double groove	/9.99	ea
Chrome A		50.00	
R8840C	single groove		
R8842C	double groove	/4.99	ea
Polished A		42.00	
R8840P	single groove		
R8842P	double groove		
	72 Big Block Long Water	Pum	p
	minum	60.00	
R8844A	triple groove	68.99	ea
	triple groove		



# 1964-79 Chrome Water Pump Pulley

T9601

Reproduction chrome small block or big block pulley

with folis	g of short wa	ter pump.	
	6-1/	4" Diameter	
Small Bi	lock with Lo	ng Water Pump	
T9605	1969-79	2 groove	34.99 ea
T9604	1969-79	1 groove	
Big Bloc	k with Long	Water Pump	
T9723	1969-72	2 groove	46.99 ea
	6-3/	/8" Diameter	
Big Bloc	k with Shor	t Water Pump	
T9815	1967-68	2 groove	39.99 ea
	6.4	l" Diameter	
Small Bi	lock with Sh	ort Water Pump	
T9601	1964-68	2 groove	47.99 ea
	7.1	" Diameter	
Small Bi	lock with Sh	ort Water Pump	
T9600	1964-68	1 groove	34.99 ea
		0.0	



# 1969-72 Big Block Water Pump Pulley

Reproduction two groove pulley chrome water pump big block pulley for V8 with long water pump. Double groove at 6.3" o.d.







#### Water Neck Bolt Set



Dress-up your engine bay with these premium water neck bolt sets. Popular Chevrolet logos are stamped directly onto the head of the bolts, and are available in decorative chrome-plated or polished stainless steel versions. Compliment this set of stylish bolts with matching water pump bolts.

Note: Please add logo suffix code when ordering C-F lames, D-B ow Tie, E-SS, G-350. \*One long and one short bolt.

56470C 19	62-79 chrome.	6.99 set
56471C* 19	62-79 chrome.	6.99 set
56470S 19	62-79 stainless	steel 5.99 set



#### MADEIN

T9600

#### Water Neck Bolts



Dress your Nova by installing your water neck with these high luster chrome water neck bolts. Your choice of chrome or polished stainless.

AK133A	chrome with 45 degree angle	9.99 set
AK133B	stainless with 45 degree angle	19.99 set
AK134A	chrome with 90 degree angle	6.99 set
AK134B	stainless with 90 degree angle	10.99 set



### 1968-74 Water Outlet Attaching Stud 🗘



Originally found on 1968-74 327 and 350 engines. After years of use, the attachment stud on the water outlet can corrode or break off. Simply replace the stud by threading it into your intake manifold. 3/8"-16 threading on both ends.

1256606	1968-74	 7.99 ea
1230000	1700-74	 1.55 Ca



### 1966-73 Water Outlet Mounting Bolts 🔥




Correct original style water outlet attachment bolts featuring "TR" head marks. Includes one 3/8"-16 x 2-1/8" bolt, and one 3/8"-16 x 1-1/8" bolt with "TR"

1256605	1966-73	7.99 pr
---------	---------	---------

### Thermostat Housing Bolt Set





AR43742



bolts: two 1" b	oolts and one 2" bolt.	
Black Oxide		
AR13741	12 point	9.99 set
AR13742	Hex head	9.99 set
Stainless		
AR43741	12 point	6.99 set

WATER PUMP PULLEYS

Hex head .....



R8844P

Polished Aluminum





triple groove.....





54.99 ea



T9723

1969-72 ...... 46.99 ea

7.99 set



# ater Necks



### 1964-79 Replacement Water Neck 🔥

Replacement water neck/thermostat housing for use with 1964-79 Chevy II/Nova models.

Replacement				
6 Cylinder				
154821	1964-67	194, 230, 250	15.99 ea	
154846	1968-73	230, 250	20.99 ea	
V8				
154820	1964-65	with gasket	14.99 ea	
154823	1966-73	with gasket	11.99 ea	
154842	1974-79	1 thermo hole	9.99 ea	
154899	1976-79	2 thermo holes	11.99 ea	

#### Correct OE Style Reproduction

Reproduction water neck/thermostat housings. Features the OE part number. A definite must for the restorer who demands perfection. Gasket included.

3827369 1966-68 L79 Style ...... 110.99 ea 3877660 1966-73 V8.....



#### 1964-65 V8 OE Water Neck

Correct reproduction cast aluminum thermostat housing, features #3837223 located on the mounting flange as original. Includes gasket.

1964-65 V8..... 105.99 ea



#### 1964-75 V8 Chrome Water Outlet

Chrome water outlet designed for 1964-75 Chevrolet models. Each chrome water outlet includes o-ring or gasket for easy installation. Replacement o-ring available separately.

T9228	1964-65	with o-ring	15.99 ea
T9229	1966-75	with o-ring	16.99 ea
T4789B	1966-75	with gasket	14.99 ea
66610	1966-75	replacement o-ring	.99 ea



#### 1964-79 Powder Coated Water Neck

These are "O" ring style water necks powder coated in Chevy orange. Keep that original look and color on your fresh engine with a new powder coated water neck. Available for early, late or late with a hole.

Early Chev			
T9928P	1964-65	without hole	66.99 ea
Late Chevy			
T9929P	1966-73	without hole	59.99 ea
T9930P	1974-79	with hole	60.99 ea




## **Swivel Water Neck**

Swivel water necks rotate 360 degrees and are great for applications where the upper radiator hose is routed different than stock applications. These water necks are available in polished aluminum, chrome-plated aluminum or precision CNC-machined stainless steel and with necks at various angles. They will fit most small block and big block engines.

Polished			
6015	1966-79	15 degree	22.99 ea
6003	1966-79	45 degree	21.99 ea
6009	1966-79	90 degree	22.99 ea
Chrome			
6015C	1966-79	15 degree	26.99 ea
6003C	1966-79	45 degree	26.99 ea
6009C	1966-79	90 degree	



#### 1964-79 Water Neck O-Ring



1964-79 66610 replacement o-ring ..



#### **Chrome Water Outlet**



Chrome straight-up water outlet designed for 1964-79 custom applications. Each chrome water outlet comes complete with gasket and bolts for fast installation. T4987 small block or big block............ 13.99 ea



# 1974-79 SB Water Outlet



Original style replacement water outlet designed for 1974-79 small block engines. Each water outlet is triple chrome-plated. Includes o-ring and chrome screws.

T9468 1974-79 small block ...... 17.99 ea



#### **Water Outlet Restrictors**




If coolant travels too fast, it doesn't absorb enough heat inside the engine or properly cool down as it passes through the radiator. That's why it is still important to restrict coolant flow in applications where a thermostat isn't desired. These restrictors come in a set of three with a 5/8", 3/4", and 1" hole to allow adjustment for optimum cooling. Each 2-1/8" plate is made from anodized aluminum and fits under the water outlet in place of the thermostat.

263440 restrictor plates ...... 17.99 set

# mos







### 1962-79 Billet Aluminum Thermostat Housing

Billet Specialties thermostat housings are precision machined from 6061-T6 billet aluminum and feature a polished or black anodized finish. With this housing no gaskets are needed since the housing seals with an o-ring. Housing fits 1-1/2" i.d. hoses and swivels for proper hose alignment. Stainless steel hardware included.

A7600100 1962-79 polish 45 degree 97.99 ea A7600101 1962-79 black 45 degree 102.99 ea





#### MADEIN

#### **Billet Aluminum LS Thermostat Housing**

Billet Specialties aluminum thermostat housings for Chevy LS with 1-1/2" radiator hose. These water necks are precision machined from 6061-T6 billet aluminum to accommodate LS style thermostats and seals. Available in straight or 15 degree swivel designs and in polished or black anodized finishes. Made in USA.

Note: Will not fit early water pumps 1997-03 that have a 1 piece thermostat housing. (thermostat is locked into housing with aluminum tabs on each side) The hole diameter in the pump is 2.052" (2-1/16"). Installing this housing on an older style pump will result in leaks.

		1	
B90134	polished	straight	52.99 ea
B90134B	black	straight	58.99 ea
B90334	polished	15 degree	97.99 ea
B90334B	black	15 degree	102.99 ea



#### **Radiator Thermostat**

Choose the thermostat that you need depending on your particular climate or engine requirements.

G7137 G7138	160 degrees	
13175 G7140	180 degrees	4.99 ea



# **High Performance Thermostat**

Edelbrock thermostats are designed to ensure consistent cooling in high-performance applications. Features a brass and copper valve assembly with a stainless a brias and expert wave assumpt with a statiless steel body for durability. These 160 and 180 degrees F thermostats are a bolt-on replacement that measure 2.087" and 2-1/8" diameter.

E8603	160 degrees	21.99 ea
E8604	180 degrees	



### **High-Performance Thermostat**

These high-performance thermostats are designed to resist variations in coolant pressure, opening and closing only at the correct temperatures, regardless of engine RPM. Thermostats are made from brass and copper with a high grade steel frame for years of worry free operation.

•		
43631	160 degree	26.99 ea
43641	180 degree	26.99 ea



#### 1962-79 Thermostat Gasket



Avoid water leaks which can compromise your cooling system. Re-seal your water neck with this replacement die-cut gasket. Correct thermostat gasket for all 6 and 8 cylinder models from 1962-79.

6 Cylinder Lower Housing to Block Gasket					
G3723	1963-79	6 cylinder	8.99 ea		
Thermostat Housing Gasket					

G7141 1962-79 all..... 4.99 ea



#### 1962-79 Silicone Thermostat Gasket

This revolutionary gasket uses an aluminum gasket body with a silicone bead around crucial areas to seal irregularities between the intake manifold and thermostat housing.

1962-79 all...... 31.99 ea



# 1962-79 "Perma Dry" Thermostat Gasket

High-quality Fel-Pro Perma-Dry Plus molded rubber with rigid core thermostat housing gasket for various 1962-79 GM engines. Unsurpassed quality you can trust.

1962-79 35562T all...... 10.99 ea



#### 1962-79 Thermostat Spacer



Moroso thermostat spacers make fixing fitment issues a snap. The billet aluminum 1" spacer raises the thermostat and has two 3/8" NPT female ports for plumbing water lines to cylinder heads.

63433M 1962-79 billet aluminum..... 44.99 ea
















# Heater Co

#### **AUTHORIZED**



### 1962-79 Copper/Brass Heater Core 🗘

Original style replacement heater core installed on all small and big block Nova models. Replaces original exactly and mounts inside heater box assembly. Install your new heater core using a reproduction heater box seal kit, available separately.

Small Block and 6 Cylinder

Note: \*Without AC

1962-67

3153164 3153164*	7-3/4" x 6-1/2" x 2-1/2" 129.99 ea 7-3/4" x 6-1/2" x 2-1/2" 129.99 ea
1968	7 37 1 10 112 112 1111 1111 125.55 64
3009917	9-1/2" x 6-3/8" x 2-1/2" 139.99 ea
3013319*	9-1/2" x 6-1/2" x 2-1/2" 149.99 ea
<b>1969-74</b> 3018489	8-13/16" x 5-9/16" x 1-5/8" 134.99 ea
1968-79	
3011432*	9-1/2" x 6" x 2" 104.99 ea
	Big Block
1968-70	
3018864*	9-1/2" x 6-1/16" x 2" 169.99 ea

# 1967-79 Heater Core Mounting Clip 🗥

Made from spring steel like original. Keep your heater core from rattling around inside your heater box.

	C	•	
A9600106	1967-79	small block	28.99 pr
A9600107	1967-69	big block	40.99 pr





#### 1962-79 Aluminum Heater Core

Replacement heater core installed on all small and big block Nova models. Replaces original exactly and mounts inside heater box assembly. Install your new heater core using a reproduction heater box seal kit, available separately.

Note: \*Without AC.

7-3/4" x 6-3/8" x 2" 43.99 ea 9-1/2" x 6-3/8" x 2" 46.99 ea 9-1/2" x 6-3/8" x 2" 43.99 ea H7020 1962-67 H2299 1969-75 H2247\* 1968-79



### 1970-79 Heater Core Mounting Straps

Correct reproduction of the steel mounting straps designed to mount the heater core. A perfect replacement for the unsightly original equipment style mounting straps. Sold as a pair. Includes mounting screws.

748575 1970-79...... 19.99 pr




#### 1968-72 Heater Control Valve

Reproduction heater valve assemblies used to control water to the heater core. These valves are for 1968-72

AP4604	1968	with AC	26.99 ea
AP4610	1969-70	all	28.99 ea
H1944	1971-72	with AC	27.99 ea

#### 1978-79 Nova New! **Heater Control Valve**





18495A 1978-79 plastic..... 12.99 ea

# 1969 Heater Control Valve Mounting Rivets

Replacement heater control valve mounting rivets for Nova models. Attaches control valve to fender well as original. Made in USA.

A9600169 1969..... 1.99 pr



#### 1968-72 Heater Core Seal



1968-72 Nova heater delete firewall seal used for big block powered Novas when the heater core is removed and no air conditioning unit is installed. Reproduction dense rubber foam to fit into the empty firewall hole. 3906094 1968-72 w/o A/C or heater .... 19.99 ea



#### 1968-79 Heater Core to Firewall Seal 🗥



Reproduction heater core tubes to firewall seal for 1968-79 Chevy II/Nova models. Manufactured to factory specifications for a proper fit and function.

3889484	1968-79	with AC	19.99 ea
153585	1968-79	without AC	15.99 ea



# 

#### 1969-79 Heater Core to Firewall Seal 🗥



Reproduction heater core tubes to firewall seal for 1969-79 Nova models. Manufactured to factory specifications for a proper fit and function.

153585 1969-79 without AC ..... 15.99 ea





#### 1968-72 Heater Core Tube Seal Retainer

Reproduction heater core tube seal retainer for 1968-72 big block models without AC. This die-stamped plate fits directly onto the heater box assembly and holds the tube seal in place.

T54315 1968-72 big block w/o AC .. 10.99 ea



#### 1967-69 AC Tube Foam Seal



Reproduction air conditioning box, heater core tube seal. Installs around the heater core tubes at face of box. A9600168 1967-69 ...... 6.99 ea





#### 1968-79 Heater Core Pipe Grommet 🔥



Reproduction rubber grommet for air conditioned vehicles to seal and support the heater core outlet tubes to the evaporator core case.

3885184	1968-71	14.99 ea
3885184	1974-79	14.99 ea

# Heater Components

#### **AUTHORIZED**



#### 1969-72 Inner Heater Case Assembly 🔨

Reproduction of the heater case assembly originally installed on 1969-72 Nova models. The heater case assembly houses the heater core and distributes hot air to the interior or defroster ducts.

C2360 1969-72 without AC.....



#### 1968-74 Firewall Heater Delete Plate 🗥

The firewall fill plate is an excellent way to smooth your firewall when installing an aftermarket AC system. This panel smooths the passenger side firewall while retaining the stock cowl-to-firewall seam. The weld-in panel is made of 18 gauge steel and is hammer formed along the edges. Comes complete with installation instructions.

D10901 1968-74...... 99.99 ea



#### 1968-74 Heater Delete Plate



Reproduction heater delete plate for 1968-74 Chevy II/ Nova models. Manufactured from stamped steel with correct mounting holes. EDP coated for rust prevention. 1968-74 ...... 67.99 ea 748838



#### 1968-79 Heater Delete and Firewall Plate

Reproduction heater delete and firewall plate for 1968-79 Chevy II/Nova models. Manufactured in stamped steel replicating the original in every detail. These are the original rare factory block off plates for the firewall heater assembly and blower motor openings. These plates allow you to block off the hole in the firewall resulting from the removal of the heater assembly. Made in USA.

KW808	1968-79	without AC	99.99 set
KW899	1968-79	with AC	99.99 set

#### 1968-72 Heater Delete Plate Hardware

Reproduction heater delete plate mounting set for Nova models. This 9 piece screw set features the correctly plated black oxide screws. Made in USA.

1968-72 ..... 6.99 set A9600140



#### 1968-79 Chrome Heater Box



Dress-up your engine bay with a reproduction black or chrome heater box assembly. Available for 1968-79 small block and 1968-72 big block Nova models without air conditioning.

Small Blo	ock	C	
	1968-79	black finish	32.99 ea
17197	1968-79	chrome finish	79.99 ea
Big Block	΄τ		
AL303	1968-72	black finish	49.99 ea
17198	1968-72	chrome finish	80.99 ea



# 1969-79 Heater Box Seal Set



Replace your heater box seals with precision die-cut neoprene seals that restore original heating and sealing efficiency. Complete set includes: core to box seal, main duct flap door, intermediate plenum flap door, and core outlet tube seals. All seals are die-cut for exact replacement.

Note: Not for use on vehicles with AC.

K932	1969-79	small block	27.99 set
K932	1969-72	big block	27.99 set



#### 1968-72 Heater Box Resistor Screws

Reproduction heater box resistor screws for Nova models. Made in USA.

A9600138 1968-72



#### 1968-72 Heater Box Cover Mounting Set

Reproduction heater box cover mounting set for Nova models. Correct nuts (without sealant) and screws with attached serrated washer, as original. Apply body sealant to nuts prior to installation. Made in USA.

#### A9600137 1968-72 ...... 7.99 set

#### **Metal Vacuum Actuator**


Leaky or clogged vacuum actuators lead to inefficient climate control operation. Classic Industries® has your choice of either single or dual port depending on your needs. AP8905



dual port ...... 64.99 ea



#### 1967-79 Heater Box Wire Retainer 🔥



E321	1967-68	large	 3.99 ea
E322	1969-79	small	 3.99 ea



#### 1969-79 Heater Box Control Cable Clip

Reproduction heater box control cable clip for 1969-79 Nova models without air conditioning. Manufactured in quality stamped steel and heat treated for durability and strength. Replaces original GM part #3895957.

A9600142 1969-79..... 16.99 ea



#### 1968-72 Heater Duct



This is a reproduction of the heater ducting for 1968-72 Nova models that are equipped with a center console. This is a split duct that bolts under the dash and directs the heat to both the driver and passenger sides and away from the center console

13955 1968-72 without AC...... 135.99 ea



#### 1968-74 Lower Deflector Duct



Aftermarket design lower deflector duct for 1968-74 Chevy II/Nova. Each deflector duct is designed to be a functional replacement (not a technically correct reproduction). This lower deflector duct mounts to the heater box and deflects air around the center console or 8-track player.

Note: Not for use on models with bench seats, or nonconsole vehicles

F12328 1968-74 without AC..... 69.99 ea

HEATER COMPONENTS
















#### leater Componen





# 1965-79 Heating & AC Blower Motor 📤

Replace your original blower motor with new highquality replacements. These motors renew the output of your heater or air conditioning to your desired level.

<i><b>1otor</b></i>	with	Fan
		400

E235	1965-68	without AC	57.99 ea
B17092	1969-74	without AC	69.99 ea
E235	1975-79	without AC	57.99 ea

#### 1978-79 Heater Blower Motor

Heater blower motor for 1978-79 Nova models. Manufactured to meet GM quality control standards to ensure long life and quality performance. Replaces OE #52498869, or Delco #15-8531. Vented style with 11/16" vent hole and 3.625" wheel height. Fan included.



	_		
M1847	1978-79	Delco	87.99 ea
35334F	1978-79	4 Seasons	38.99 ea

# 1967-72 Blower Motor Mounting Screws

Reproduction of the screws needed to mount the blower motor to the firewall on models without air conditioning. Secures the blower motor to the metal heater box. Sold as a 5 piece set.

without AC..... 3.49 set 1253551 1967-72





# 1962-79 Heating Blower Motor Fan 🔥

Replace your inoperable or worn out blower motor fan in your 1962-79 Nova with or without AC.

Fan Only			
19953	1962-77	without AC	25.99 ea
2761	1978-79	without AC	18.99 ea
2761	1977	7/8" hole w/AC	18.99 ea
2761	1978-79	with AC	18.99 ea

### **AUTHORIZED** New!

### 1962-79 Blower Motor Resistor Pigtails

OER® Authorized blower motor resistor wire harness/pigtails for 1962-79 Chevy II/Nova models. Can be used on other models as a service replacement (wire color may differ from original).



for 3 prong terminal 12.99 ea



#### 1962-79 Blower Motor Resistor

Genuine GM and reproduction heater blower motor resistors for both air conditioned and non-air conditioned models listed below.

With Air Conditioning				
GM Resis	tors			
G6106	1973-79	with AC	43.99 ea	
Reproduc	tion Resistor 1968	S		
3929055	1968	with AC	18.99 ea	
3942651	1969-72	with AC	21.99 ea	
6262652	1973-79	with AC	17.99 ea	
Without Air Conditioning				

Keproauci	ion Kesisiors		
3798317	1962-68	before 12/25/68	26.99 ea
3929052	1968-79	after 12/25/68	14.99 ea

#### 1964-70 Blower Motor Resistor

Blower motor resistor for 1964-70 Chevy II/Nova models with factory AC. This resistor is wired between the blower motor and blower switch and allows the blower fan speed to be controlled.



with AC ...... 30.99 ea A8600104 1964-70

New



### **OE Style Relay and Resistor Screws**

Reproduction heater box blower motor resistor and relay mounting screws for various GM models with screw-on style resistors. Also used to mount the blower motor relays on most 1961-79 GM models. Black phosphate as original. Sold as a pair.

A9600138 #10-16 x 5/8" .....





# 1962-79 Blower Motor Resistor Screw Set


Reproduction blower motor resistor mounting screws for 1962-79 Chevy II/Nova models. Features the correct size original style Hex head screws with the correct black phosphate and oil finish and "D" headmarks. G4616K 1962-79 2 piece..... 2.99 set



these OE quality reproductions.



# 1962-79 Blower Relay



Reproduc	tion			
19808	1962-68	4 terminal	19.99 ea	ı
19808	1969	w/auto temp control	19.99 ea	ì
19811	1969	w/o auto temp control	18.99 ea	ì
19811	1970-75	w/auto temp control	18.99 ea	ì
19811	1973-75	w/o auto temp control	18.99 ea	ì
1115858	1975-77	with AC	28.99 ea	ì
19812	1976	5 blade	17.99 ea	ì
ACDelco				
19808	1962-69	Chevy II	19.99 ea	ı
D158168	1977-79	Nova	21.99 ea	ì

# 1962-79 Blower Motor Relay Pigtail



Wiring is often overlooked as being the cause of a malfunctioning relay. Replace the corroded blower motor pigtail in your 1962-79 Chevy II/Nova model with a reproduction and restore your blower motor back to full working order.

1962-79 .....



#### 1969-74 Heater/AC Blower Switch



Replace the original non-working fan switch with a reproduction.

Note: This switch mounts to the heater control panel behind the dash panel.

3929093 1969-74 with AC ...... 31.99 ea



#### 1969-79 Heater Fan Switch

Reproduction switch fits all 1969-79 Nova models. Replaces original switch exactly.

3929094	1969-74	with AC	38.99 ea
3967939	1969-79	without AC	34.99 ea



376



#### leate Compone



#### 1975-79 Heater Diverter Valve Link Connector

OER® reproduction heater diverter valve link connector for 1975-79 Nova models. Air conditioning valve link connector links the heater diverter unit to the valve link. Fits models with factory AC.

3018715 1975-79 with AC ...... 8.99 ea



#### 1962-65 Heater Motor to Firewall Seal Set

Includes a complete set of gaskets used to seal the heater motor to the firewall. Be sure your vehicle is free from any damage caused by leakage and replace the original firewall seal. This will help prevent water, salt, or other elements from entering the interior through the area surrounding the heater motor. Made in USA. K40441 1962-65...... 15.99 set



## 1968-79 Defroster Vent Assembly

Reproduction defroster vent assembly for 1968-79 Chevy II/Nova models. After many years of use, the defroster vent unit will become brittle and possibly crack, especially in cold weather. Replacing the vent assembly will once again allow the air flow to be directed upward to the window making your vehicle safe to drive in cold or rainy conditions by keeping the windshield free from frost. Each vent assembly is manufactured in injection molded ABS to the correct factory configuration.

3925711	1968	149.99 ea
3973729	1969-79	149.99 ea



### Plastic Replacement Defroster Duct Hose

Flexible replacement hoses designed to install under the dash for the defroster, heater and fresh air systems. Ideal for applications where originality is not required. All these hoses measure 72" in length and is available in various diameters, trim as required.

13910	2"	19.99 ea
13911	2-1/4"	22.99 ea
13912	2-1/2"	18.99 ea
13913	2-3/4"	19.99 ea
13914	3"	19.99 ea
9156C	3-1/4"	64.99 ea
13918	4"	39.99 ea



#### OE Cloth Style Defroster/Heater Duct Hose

Reproduction cloth style defroster/air duct hose. Use to replace old deteriorated cloth duct hoses. Can be used with factory and aftermarket A/C, heat, and defrost systems. Sold in 72" long sections, trim to fit.

9149C	1-1/2" i.d	40.99 ea
9150C	1-3/4" i.d	42.99 ea
9151C	2" i.d	46.99 ea
9152C	2-1/4" i.d	40.99 ea
9153C	2-1/2" i.d	52.99 ea
9154C	2-3/4" i.d	55.99 ea
9155C2	3" i.d	59.99 ea
9156C	3-1/4" i.d	64.99 ea




### 1969-74 Heater Control with Cables 🔨

A complete pre-assembled heater control unit ready to install. This superb reproduction will replace heater control assembly for 1969-74 Nova models. Features original style faceplate with correct lettering. Each heater control assembly is designed to replace the original exactly. Includes correctly assembled bracketry, switches, faceplate, cables, and all components found on the original assembly.

Note: Service replacements for 1971-74 models.

356199C 1969-74 w/o AC w/cables 319.99 ea 6273372C 1969-74 w/AC w/cables... 329.99 ea



### 1969-74 Heater Control Cable Set

OER® reproduction heater control cable sets include cables for control panel operation on 1969-74 Nova models with or without air conditioning.

K572	1969-74	without AC	46.99 set
K573	1969-74	with AC	46.99 set



#### 1965 Air Flow Control Cable

Reproduction air flow control cable with original style black knob for 1965 Chevy II/Nova models. Keeping your air flow ducts operational is what this cable is all about. Replacement air flow control cable with original style black knob. For models without air conditioning.

8756278 1965 LH ...... 42.99 ea




#### 1970-76 Heater Control Levers



You can now replace those broken levers on your heater control unit. These are a quality reproduction of the levers for the heater controls in 1970-76 Nova models.

1970-76 ...... 44.99 set



#### 1969-79 Heater Control Switch Knob Set

Commonly missing knobs that install on heater control assembly levers. For 1969-79 Nova models. Available in chrome or black. Includes set of 4 knobs.

K408	1969-79	chrome	11.99 set
K409	1969-79	black	9.99 set



#### 1965-72 Vent Pull Knobs



Correct reproduction lower side vent knobs. These knobs are available in black or chrome.

CM4561 1965-66 black - pair ..... 20.99 pr CM4560 1968-72 chrome – set of 4 30.99 set



# 1969-79 Heater Control Lens Clip Set

Heater control lens clip set for Nova models. The spring clip for installing heater control lens. Sold as a set of 3. with AC ...... 4.99 set without AC ...... 4.99 set A9600117 1969-74 1969-79 A9600117

**HEATER COMPONENTS** 


















# leater/












#### 1969-74 Nova Heater/AC Control Lens

OER® heater control lenses for 1969-74 Nova and other GM X-Body models. Manufactured using injection molded clear acrylic with precision screened lettering for correct appearance. Available for models with or without air conditioning. 1969-72 lenses feature the correct "DE-ICE" lettering and 1973-74 lenses feature the correct "DEF" lettering for the defroster lever.

Original Applications				
		Black Paper Backing		
	1969-70			
3946918	1969-70	without AC 17.99 ea		
White Lette	ering with B	Black Paper Backing		
3984658	1971-72	with AC 17.99 ea		
3984609	1971-72	without AC 17.99 ea		
6273379	1973-74	with AC 17.99 ea		
6273378	1973-74	without AC 17.99 ea		
	Custom	Applications		
		Vhite Paper Backing		
	1969-74			
K597W	1969-74	without AC 17.99 ea		



### 1969-74 Heater Control Lens Backing

High-quality reproduction of the heater control lens backing plate. Designed for 1969-74 Nova models.

0 1	_		
N2341	1969-74	without AC	6.99 ea
N2342	1969-74	with AC	6.99 ea



#### 1969-79 AC Air Distributor Duct Vent

Reproduction AC air distributor duct vent for 1969-79 Nova models. Reproduced in black ABS plastic as original.

-		
A9600150	1969-79	49 99 ea

# 3939632

#### 1969-79 Outlet Assembly

3963790

Reproduction duct and vent assemblies outlet for Nova models. Assembled with the vent bezel and vent

deflector fo	r easy instal	lation.	or arra vori
Vent Assem 3939632		RH without AC	89.99 ea
Deflector O	0nly 1969-79	2 required	21 00 ea

RH ..... 24.99 ea

Deflector Bezel Only

1969-72

14942



### 1969-74 Center Dash Air Outlet Deflector

Reproduction center dash air deflector vents for 1969-74 Nova models with factory AC. Each vent is designed to replace broken or worn original vents. Designed just like original with curved front edge and manufactured in black with chrome trim. Sold as a pair. 1 pair required per vehicle.

748615 1969-74...... 29.99 pr



### 1969-72 Center AC Outlet

Reproduction center dash air conditioning vent for 1969-72 Nova models. Each center vent is manufactured in quality injection molded ABS plastic ensuring a quality appearance and fit. Features the correct grain on the housing and the duct ventilation open and shut control lever. This unit fits directly in the center of the dash where for models that included factory air conditioning. Measures 8" x 3-1/8" face. Sold individually. 1 required per vehicle.

3937166 1969-72..... 89.99 ea



#### Universal Standard Dash Louver



This through-dash louver has a 2-1/2" duct hose inlet and a 2.70" bezel diameter. Louver is chrome or black with a choice of black or chrome bezel. Louver requires a 2-1/2" round hole. Sold individually.

49153 chrome louver ch	lack bezel 15.99 ea hrome bezel 15.99 ea lack bezel 15.99 ea
------------------------	--------------------------------------------------------------------



#### Universal Air Vent Swivel Ball Louver

The ProLine<sup>TM</sup> Streamline round louver features an injection molded inner ball and a black anodized or polished aluminum bezel with a 2-7/8" diameter. A 2-1/2" hose adapter is included.

490541	black	66.99 ea
49054VUO	black and polished	66.99 ea







#### Universal Under Dash Ball Louver



Under dash louver pod with black and chrome louver for 2-1/2" hose. Includes an under dash louver pod and a chrome ball louver with black bezel.

universal..... 49054VUL







#### Universal Under Dash Louver



Vintage Air under dash rectangle louver black with accents for 2-1/2" hose. Sold individually.

R49050 universal ...... 19.99 ea



# Condi

# **Keep Your Nova**



# with Vintage Air Gen-IV "Fly-by-Wire" "No Cable/Vacuum Hose" AC Systems

The Gen-IV systems feature all electronic controls requiring no cables, capillary tube or vacuum connections. They are truly "fly-by-wire" systems that use separate heating and cooling coils for superior performance. The internal air control doors are servo operated to provide infinite dash, floor, and defrost blending.







961296

# Gen-IV SureFit Climate Control Kits Include:

- Evaporator/Heater/Defroster Assembly
- Electronic Heater Control Conversion
- All Ducts and Vents
- Super Flow Condenser
- Sanden Compressor
- Compressor Mounting Brackets
- All Hoses, Lines, Brackets, and Hardware
- Stamped Steel Fresh Air Cover
- Complete Set of Instructions

# 1962-74 Gen-5™ Surefit Climate Control System

Vintage Air Gen 5 SureFit complete air conditioning kit for 1962-74 Chevy II and Nova models. This comprehensive kit features fully electronic fly-by-wire controls, high capacity plate and fin cooling coil, brass parallel flow heater coil, and an evaporator assembly that mounts completely behind the stock dash. These kits are designed to install with minimal drilling fabrication.

Important: R134A refrigerant only. Some installations may require additional engine pulleys not included with kits. V-belts not included.

Note: Shipped overweight.

Complete (	Conversion	Kits	WT
961296	1962-65	with or without factory air	2199.99 kit
961307	1966-67	with or without factory air	2199.99 kit
961308	1968	without factory air	2414.99 kit
964308	1968	with factory air	2414.99 kit
961309	1969-72	without factory air	2199.99 kit
964309	1969-72	with factory air	2199.99 kit
961310	1973-74	without factory air	2199.99 kit
964310	1973-74	with factory air	2199.99 kit



#### Gen 5 SureFit Climate Control Kits Include:

- Evaporator/Heater/Defroster Assembly
- Electronic Heater Control Conversion
- All Ducts and Vents
- Super Flow Condenser
- All Hoses, Lines, Brackets,
  - and Hardware
- Dryer
- Stamped Steel Fresh Air Cover
- Complete Set of Instructions

#### 1962-74 SureFit Climate Control Kit for Serpentine Drive



Important: Refrigerant is not included.

Note: Special order.

#### Gen-IV Electronic SureFit Climate Control Kit for Serpentine Belt Drive

861296 861307 861308	1962-65 1966-67 1968	without factory air	1896.99 kit
864308 861309 864309 861310 864310	1968 1969-72 1969-72 1973-74 1973-74	with factory air	.2146.99 kit 1896.99 kit 1896.99 kit 1896.99 kit



# Gen 5 SureFit Evaporator Kits Include:

- Evaporator unit and mounting brackets
- Electronic Cable Converters
- Louvers (where required), duct hose, hardware, wiring harness and installation instructions

#### 1962-74 Sure Fit Climate Control Evaporator Kit



Vintage Air Gen 5 SureFit evaporator kit for 1962-74 Chevy II/Nova models. This kit includes a Gen-IV evaporator, mounting brackets, duct hoses, wiring harness, cable converters or new dash control panel, appropriate hardware and a step-by-step instruction manual. These kits are designed to install with minimal drilling and fabrication.

Important: Refrigerant is not included.

Note: Specia	ıl order. Shipped	d oversize	OS1
561296	1962-65	with or without factory air	1339.99 kit
561307	1966-67	with or without factory air	1339.99 kit
561308	1968	without factory air	1589.99 kit
564308	1968	with factory air	1589.99 kit
561309	1969-74	without factory air	1339.99 kit
564309	1969-74	with factory air	1339.99 kit















#### Condi mn



### Reduced Barrier Hose Kit

Reduced barrier hoses have the same i.d. as standard barrier AC hoses. However, the wall thickness of a reduced barrier hose is thinner which creates a smaller o.d. hose. This allows for a cleaner look that takes less space and can make tighter bends than standard barrier AC hose. Vintage Air reduced barrier hose kits are available with finished hoses for the stock configuration or open-ended hoses for modified configurations. Kits include: hoses, beadlock fittings, o-rings, and mounting hardware.

Standard	Hoses		
526774	1962-67	184.99	kit
526768	1968	184.99	kit
526770	1969-72	184.99	kit
526772	1973-74	184.99	kit
Modified .	Hoses		
526775	1962-67	184.99	kit
526769	1968	184.99	kit
526771	1969-72	184.99	kit
526773	1973-74	184.99	kit





### 1962-70 AC Hose Clamp

Genuine hose clamp designed to hold the air conditioning hoses in place.

3909030 1962-70 Freon hose clamps .. 3.99 ea



#### 1968 AC Hose Grommet

Reproduction AC hose grommet for 1968 models. The AC hose grommet is located on the RH front fender well and insulates the AC hoses from the condenser to the engine compartment. Manufactured in rubber material including a steel spine just like original.

3899737 1968...... 27.99 ea



#### 1962-77 AC Ground Wire

Correct AC ground wires for your 1962-77 Chevy II/

	-		
AC Relay NV21725	1962-65	all	19.99 ea
AC Compress	sor		
NV36248	1962	all	19.99 ea
36254	1963	6 cylinder	19.99 ea
1645	1964-67	6 cylinder	
CF21845	1964-67	V8	
CA12975	1968-72	all	
AC and Heat	er Blower Mo	otor	
CH76183	1977	Nova	23.99 ea



#### 1962-63 Clutch Switch

Relay protected clutch switch assembly replaces GM factory clutch switch #3148220. The original switch typically overheats, burns contacts, and melts it's plastic housing due to excessive amperage draw. Our replacement features a relay protected clutch switch assembly which plugs directly into the factory wiring harness.

AP0531 1962-63 ...... 124.99 ea



# **Tinary Switch with Fan Control**

Vintage Air trinary switch kit for beadlock crimp hoses. Vintage Air trinary switches feature low and high pressure compressor clutch cut off functions plus an electric fan engagement signal at 254 psi. The low pressure cut-off of these trinary switches is 30 psi and the high pressure cut off is 406 psi. Get three functions in one with Vintage Air trinary switch kit.

24678V with fan control ...... 62.99 ea



#### 1968-79 AC Delete Cover



This item allows you to remove your existing air conditioning unit while maintaining the heater functions. Designed to mount to the firewall where the stock AC evaporator is normally located. This cover will allow for more space for large valve covers and headers as well as big block engines while allowing you to keep the factory heater unit intact. Available in gel coated fiberglass or ABS plastic with predrilled blower motor and mounting holes.

14442	1968-74	fiberglass	159.99 ea
14650	1968-79	ABS plastic	119.99 ea



#### 1963-79 Vacuum Canister



This vacuum reservoir accumulates pressure from the intake manifold for the vacuum ÂC and heater selection switch. Replace your old cracked vacuum ball and restore proper function to your AC system with this high-quality vacuum canister.

AP7330	1963-71	with AC	29.99 ea
AP7330	1974-79	with AC	29.99 ea







# Chrome Dress-Up AC Service Caps 🗥




Add more chrome to your engine compartment by replacing those missing or plain black R134AAC charge port service caps with these chrome dress-up caps.

AP0625 R134A ...... 4.99 pr

# **AC Hose Bubble** Crimper

When you need to fabricate specially sized hoses, this easy to use bubble crimping set gets the job done at home with professional results Includes: the crimper, crimping dies for #6 (3/8"), #8 (1/2"), #10 (5/8"), #12 (3/4") fittings and an easy



storage plastic carrying case. K2469







# r Conditioning



#### 1962-79 Aluminum AC Compressor

This is a 10 cylinder "bolt-in" direct replacement for the GM Fridgidare/Harrison A6 compressor. This the GM Fridgidare/Harrison A6 compressor. This new design is specifically engineered to fit the A6 mounting brackets and AC hose assemblies. This highly efficient compressor offers a smoother, quieter operation, creating less vibration and engine drag, increased fuel mileage, improved engine and cooling system performance. The aluminum body is 52% lighter than the original A6. Designed to accept both superheat and high pressure safety switches. This compressor is supplied with a single groove clutch and has a 210cc displacement. Compressor is pre-oiled and compatible with R12 or R134a. Fits 1962-79 Chevy II/ Nova models with the A6 Compressor. Includes hardware and instructions.

AP2201 1962-79 with single pulley .. 398.99 ea



# 1971-79 Air Conditioning Compressor

If your non-functioning air conditioning has you hot under the collar, Classic Industries® may have the answer. These remanufactured compressors will put the cool back in your Nova models.

#### Models with Axial Compressor

Non-Switch Type					
57089	1971-72	5" pulley	327.99	ea	
	rheat Switc <mark>l</mark>				
57098	1973-74	5.125" pulley	432.99	ea	
With High Pressure Switch					

1978-79





5.125" pulley .... 370.99 ea

# 1977-79 Air Conditioning Compressor 🗘

Remanufactured replacement R4 air conditioning compressor for 1977-79 Nova models. This compressor includes a single V-groove clutch/pulley. Unit is designed to fit and perform exactly like the factory part and exceeds OEM parts technical specifications. 1613W1 1977-78 with clutch...... 225.99 ea with clutch...... 252.99 ea 1612W1



**NEW ASSEMBLIES** NOT REBUILT

AC4510C

AC4514N





# Sanden Style AC Compressor

OER® Authorized Sanden style air conditioning compressors. New, not rebuilt. The SD508 and SD507  $\,$ are the most popular aftermarket compressors on the market. These replacement type compressors are available in 4 quality finishes with a double V-groove or 6, 7, or 8 groove serpentine clutch pulley. Can be used with either R12 or R134a refrigerants.

Natural			
AC4510N	SD508	2 groove	189.99 ea
AC9560N	SD508	6 rib	159.99 ea
AC4514N	SD508	7 rib	189.99 ea
AC6698N	SD508	8 rib	189.99 ea
AC5104N	SD507	2 groove	189.99 ea
Chrome		•	
AC4510C	SD508	2 groove	199.99 ea
AC9560C	SD508	6 rib	199.99 ea
AC4514C	SD508	7 rib	199.99 ea
AC6698C	SD508	8 rib	199.99 ea
AC5104C	SD507	2 groove	199.99 ea
Black		C	
AC4510B	SD508	2 groove	189.99 ea
AC9560B	SD508	6 rib	179.99 ea
AC4514B	SD508	7 rib	189.99 ea
AC6698B	SD508	8 rib	199.99 ea
AC5104B	SD507	2 groove	189.99 ea
Polished		_	
AC4510P	SD508	2 groove	199.99 ea
AC9560P	SD508	6 rib	199.99 ea
AC4514P	SD508	7 rib	199.99 ea
AC6698P	SD508	8 rib	199.99 ea
AC5104P	SD507	2 groove	199.99 ea



### Sanden Style "Peanut" AC Compressor

New, not rebuilt, Sanden SD706/SD7B10 "Peanut" style air conditioning compressors. The compact SD7B10 is becoming one of the most popular compressors for original equipment manufacturers or aftermarket. SD706s rob less horsepower resulting in improved fuel economy and increased performance. They feature a modern rotary internals that reduces noise and vibration. Their extremely compact design is half the weight and bulk of most OE units. With mounting ears on the front and rear and on both sides, these compressors are very easily adapted to most engines.

N) h	-		
AC7178P	SD7B10	8 rib	199.99 ea
AC7176P	SD7B10	6 rib	199.99 ea
AC7170P	SD7B10	2 groove	199.99 ea
Polished			
AC7178B	SD7B10	8 rib	179.99 ea
AC7176B	SD7B10	6 rib	179.99 ea
AC7170B	SD7B10	2 groove	179.99 ea
Black			
AC7178C	SD7B10	8 rib	199.99 ea
AC7176C	SD7B10	6 rib	199.99 ea
AC7170C	SD7B10	2 groove	
Chrome			
AC7178N	SD7B10	8 rib	179.99 ea
AC7176N	SD7B10	6 rib	
AC7170N	SD7B10	2 groove	
Natural			
υ			





# Sanden SD 709 AC Compressor

Vintage Air standard finish Sanden SD 709 air conditioning compressor with 7 groove serpentine belt pulley. The SD 709 compressor is compatible with any Vintage Air system and fits all Vintage Air brackets. It pumps 9.5 cubic inches per revolution with a maximum 6000 sustained RPM range

04709 natural finish...... 244.99 ea

















# **Air Conditioning Parts**



### Universal "Peanut" Compressor Discharge Adapter Fitting

Reproduction o-ring adapter fitting for Sanden/Sankyo style SD7B10 "Peanut" compact AC compressors. This aluminum adapter will bolt directly to the suction inlet flange, converting it to -10AN male thread.

R045010 universal SD-7B10/7176....... 39.99 ea

#### Sanden AC Compressor Manifold

Custom AC compressor manifold for March Performance Pulley sets with 7176 compressors. It reroutes the compressor lines downward where they are less visible and less vulnerable to exhaust



heat. Manifolds are available unfinished or with a polished, chrome, or black finish.

MP4181	polished	169.99 ea
MP4182	chrome	149.99 ea
MP4183	black	132.99 ea



### Universal Compressor Block Fittings 🗥

This TiteFit compressor block fitting, or manifold designed for Vintage Air Front Runner drive systems with Sanden SD7 style compressor.

342310	standard finish	74.99 ea	ı
342311	polished finish	114.99 ea	ı





### **AC Compressor O-Ring Seal**

Replacement o-ring or evaporator core housing seal for various GM models. This o-ring for the housing seal measures 5-1/64" x 9/64" thick. Sold individually or in a pair.

24619	individual	1.99 ea
FS24619	pair	2.99 pr





### 1969-70 BB Compressor Spacer

Reproduction rear AC compressor spacer for 1969-70 Nova models with a big block engine. This spacer mounts as original between the compressor and the rear compressor mounting bracket.

		_	
C1041	1969-70	hig block	8 99 es



#### AC Compressor Seal Washers

This Vintage Air seal washer set is made of highquality materials to ensure long-lasting performance, keeping you cool for years to come, while you cruise in your classic ride. If you're running a GM compressor that does not have o-ring grooves, then this Vintage Air seal washer set will do the trick for your Vintage Air system.

33600VUI without o-ring grooves...... 9.99 set



#### Flange Pad Seal Washer Set



# 1964-75 AC Compressor Belt

Correct replacement belts for the 1st and 2nd generation Nova models are available.

433761	1964-67	6 cylinder 22.99 ea
433757	1969	6 cylinder 22.99 ea
YE15543	1968-72	V8 without 396 9.99 ea
433768	1972	V8 with 396 22.99 ea
433764	1974	V8 350 22.99 ea
433757	1975	6 cylinder 22.99 ea



# 1965-76 Chevy II/Nova Six Cylinder Compressor Brackets 🔥

This compressor bracket set is designed to accept Sanden compressors on all in-line 6 cylinder Chevrolet models. Mounts on LH side with alternator or generator, all models without power steering.

40106S 1965-76...... 109.99 set



#### 1968 AC Compressor Mounting Bracket

Reproduction front AC compressor bracket for 1968 Chevy II/Nova models with 396 big block engine. This is the lower front bracket that mounts to the lower support brace.

3872785 1968 big block...... 68.99 ea



#### 1968 SB Compressor Bracket




This set is designed to allow replacement small block AC brackets for 1968 Nova models equipped with an A6 compressor. Includes brackets and hardware.

Bracket Set			
AP199R	1968	SB	229.99 set
Front Bracke	ets		
AP199RA	1968	brace	75.99 ea
AP199RB	1968	bracket	53.99 ea
Compressor.	Brackets		
AP199RD	1968	bracket	16.99 ea
AP199RE	1968	rear shim	4.99 ea
Lower Suppo	ort Brack	tets	
AP199RĈ	1968	SB	86.99 ea
Bracket Mou	nting H	ardware	
AP199RF	1968	SB	20.99 set



### 1969-70 BB Compressor Bracket



Mounts t	o Compresso	or
		front 39.99 ea
14548	1969-70	rear 19.99 ea
Mounts t	o Engine	
14544	1969-70	rear 42.99 ea
14256	1969-70	low rear 44.99 ea
15239	1969-70	front 69 99 ea

# Conditioni



### 1969-79 SB Compressor Bracket

Replacement bracket for 1969-79 small block Nova models. Not for big block models. This is the front bracket.

1969-79	front	24.99 ea
Exhaust Ma 1969-76	nifold SB	39.99 ea



# 1969-70 Rear Compressor Bracket

Reproduction rear air conditioning compressor bracket for 1969-70 Chevrolet full size small block 307, 350, 400 models with air conditioning. Manufactured in quality stamped steel to factory specifications. This bracket mounts the rear of the compressor to the intake manifold for rear adjustment of the compressor.

1969-70 small block...... 39.99 ea



# 1969-79 AC Compressor Bracket Set

Chevrolet small block AC compressor bracket set. Designed for low hood clearance applications. Will fit Chevrolet cylinder heads without bolt holes. Bolts to water pump and exhaust manifold for models with long water pump and headers. Bolts to the LH side.

151110 1969-79...... 119.99 set



# 1971-72 Front Compressor Bracket

Correct reproduction of the cast iron upper air conditioning bracket for big block engines from 1971-72

14278 



#### 1968 Compressor Mounting Brace

Reproduction AC compressor mounting brace used to keep the air conditioning compressor supported in the correct position. Attach to the compressor brackets.

C818051 C989272	1968 1968	frontrear	
<b>Big Block</b> C66821 C727201	1968 1968	frontrear	



# 1968-72 Compressor Mounting Stud

Correct replacement stud used to mount the AC compressor on all 1968-72 big block engines. 2 required per vehicle. Sold as a pair.

1256625 1968-72 BB ...... 16.99 pr



#### **AC Relocation Bracket**

This steel air conditioning bracket relocates the air conditioning compressor to the left of the engine. Designed to allow clearance for headers in specific pre-1979 small block Chevy applications.

7608 1955-79 ...... 36.99 ea



#### 1970-77 AC Bracket

This air conditioning bracket is manufactured with high-quality stamped 3/16" triple chrome-plated steel. It is designed for mounting long style axial air conditioning compressors on Chevy small block engines up to 1977. The bracket will fit with both headers and stock exhaust manifolds. When installed with headers 1" header bolts must be used.

SB..... 7.99 ea T9513 1970-77



#### 1968-69 Condenser Brackets

Reproduction bracket used to mount the air conditioning condenser to the radiator support. For all 1968-69 small block or big blocks with AC. Includes LH and RH bracket.

1968-69 ...... 27.99 pr



#### 1967-74 AC Condenser



Reproduction condensers are available for your early or late model Chevy II/Nova. If your Nova was originally equipped with air conditioning and you just can't seem to get that cold air you once enjoyed, the original condenser may not be working at peak performance.

1967-68	all	289.99	ea
1969	Nova	289.99	ea
1970-73	all	289.99	ea
1974	V8	289.99	ea
	1969 1970-73	1969 Nova 1970-73 all	1969 Nova







### SuperFlow AC Condenser



Horizontal SuperFlow condenser with brackets 14" x 22" x .83". Perfect for late model cars with more grill area. Uses #8 o-ring fitting on top and #6 fitting on bottom.

03262 





#### **SuperFlow AC Condenser**



Vintage Air SuperFlow horizontal parallel flow air conditioning condenser kit with brackets. This 14"x 25"x .83" condenser is perfect for late model vehicles with more grill area. Uses #8 o-ring fitting on top and #6 fitting on bottom.

universal...... 183.99 ea R037035





#### **AC Condenser Check Valve Clip**



Replacement clip designed to support the check valve. For 1972 Nova models.

K26629 1972.....

















# Conditio





# 1968-79 AC Evaporator Core

Reproduction air conditioning evaporator core for 1968-79 Chevy II/Nova models. This core is located inside the suitcase assembly on the outer section of the firewall.

AP6175	1968-73	SB	219.99 ea
AP6176	1969-70	BB	219.99 ea
54433	1977-79	all	84.99 ea



### **Universal Evaporator Kit**

The Gen 5 is Vintage Air's most powerful and intelligent climate control system. The Gen 5 uses an exclusive fully electronic microprocessor control system that eliminates cables or vacuum connections. Separate high capacity copper parallel flow heat coil and aluminum plate and fin cooling coils provide outstanding performance and instant temperature adjustments.

performance and instant temperature adjustments.			
675100	Gen 5	Magnum	1049.99 ea
675200	Gen 5	Super Magnum	1099.99 ea





### 1977-79 Thermostatic Evaporator Switch

Quality reproduction thermostatic evaporator switch for 1977-79 Nova models.

3039429 1977-79......23.99 ea

**ACDelco** 



# 1976-79 Evaporator Core Orifice Tube

ACDelco replacement evaporator core expansion orifice tube for your Nova. This item is used to atomize the Freon in your vehicles AC system.

1976-79 G2753 with AC..... 11.99 ea



### 1968-72 Evaporator Case Drain Hose

OER® reproduction evaporator case drain hose that attaches to the bottom portion of the evaporator core outlet case. For all 1968-72 Chevy II/Nova models originally equipped with air conditioning. Original drain hoses are commonly damaged or missing.

3148473 1968-72...... 9.99 ea



### 1968-74 Evaporator Tube Clamp

Replacement clamp designed to support the evaporator tube outlet. For use with various applications from 1968-74.

G9794	1968	5.99 ea
G9794	1971-72	5.99 ea
G9794	1974	5.99 ea



# 1968-72 Evaporator Box Seals

Reproduction evaporator box tube top and bottom seals for Nova models. Made in USA.

AP0250 1968-72 ...... 5.99 set



#### MADE IN USA 1968-72 Box Cover Hardware Set 🗥

Reproduction AC box cover hardware set for Nova models. This set includes the bolts and palnuts required to install the evaporator cover and inner box to the firewall. Made in USA.



# 1968-73 Evaporator Core Outlet Case

Quality reproduction of the inner half of the air conditioning outlet case core box. A commonly broken item due to the replacement of an engine or the installation of headers. If your Nova was originally equipped with AC, you can almost count on the fact that your case assembly is either missing or damaged. Be sure to check the original for cracks or damage when replacing or repairing your air conditioning system. This item is more commonly known as the air conditioning suitcase assembly.

Note: Outer half currently not available

K330	1969-73	SB	129.99 ea
K329	1968-72	BB	129.99 ea



#### 1962-73 AC Receiver/Dryer



These updated receiver/dryers feature a new desiccant compatible with all refrigerants for 1962-73 Chevy II/ Nova models.

Aluminum	Receiver/Dryer
1.00011	1000

AP0014	1962-63	76.99 ea
AP0015	1964-67	72.99 ea
AP0011	1968-73	72.99 ea



gm



#### 1962-79 AC Receiver/Dryer



Standard economy air conditioner dryer for 1962-69 Chevy II/Nova models. Equipped with a threaded port for trinary or binary switch installation. Comes sealed and pre-charged with nitrogen.

07321	1962-79	trinary/binary switch	36.99 ea
07322	1962-79	binary switch	47.99 ea
07323	1962-79	trinary switch	71.99 ea



#### 1968-74 AC Receiver/Dryer



Replacement receiver dryer assembly. This assembly removes moisture from refrigerant received from the condenser, storing the refrigerant until required by the evaporator

3046236 1968-74..... 15.99 ea



A9600158 1968-72...... 13.99 set



# Conditioning



#### 1967-69 AC Receiver Brackets



Reproduction 1967-69 receiver/dryer mounting brackets. OE style reproduction manufactured to exact factory specifications.

HC75	1967	53.99 pr
HC76	1968-69	44.99 pr



#### 1974-76 VIR Eliminator Assembly



Converts AC system to an accumulator orifice, cycling clutch system as found on later model vehicles. Eliminates the troublesome VIR, with it's sticking POA and TXV valves. Reduces desiccant breakdown and rust in the steel casing, enhanced by excessive heat from the exhaust manifold. Compatible with all automotive refrigerants.

AP3600 1974-76..... 147.99 ea



### Extended Length Hose Kit w/o Dryer 🗥

Vintage Air standard refrigeration line kit features barrier type refrigerant line for use with HFC-134a or R-12 refrigerants. Includes adequate hose to connect a complete system, all o-ring fittings, and crimp ferrules. 547001 without Dryer ...... 157.99 ea



### 1969 Liquid Bleed Valve Core



Original style liquid bleed valve core for 1969 models with factory AC.

G9791 1969... ...... 8.99 ea



# Extended Length Hose Kit with Dryer 📤

All Vintage Air hose kits use barrier type refrigerant hose for use with HFC-134a and R-12 refrigerants. Includes adequate hose length to connect most universal systems dryer and mounting clamps 14 assorted o-ring fittings and refrigerant oil. Includes 135 degree compressor fittings with service ports and firewall bulkhead fittings. Also includes 10' of #6 barrier hose 6' of #8 barrier hose and 9' of #10 barrier hose.

with dryer...... 168.99 ea



#### 1962-74 Expansion Valve



Genuine replacement of the thermostatic expansion valve. Required on all models originally equipped with factory AC. This valve regulates the supply of refrigerant to the evaporator. This product is a GM service replacement part and may differ cosmetically from the originally installed item.

	2		
38622	1962-73	all	17.99 ea
38622	1974	6 cvl	17.99 ea



## 1966-73 POA Update Set



Eliminate the aggravation of a non-functioning AC system due to a stuck piston in the POA valve. This set will eliminate the POA valve entirely by converting it to a pressure activated clutch cycling system. Includes: POA eliminator tube, pressure switch, wiring harness, and detailed instructions.

AP2551	R-12	114.99 set
AP2551A	R-134a	114.99 set



### 1968-72 AC POA Valve Fitting



Replacement large AC POA valve fitting for Nova models. Made in USA.

A9600164 1968-72 ...... 72.99 ea



#### 1962-66 S.T.V. Valve Conversion Set 🔥



Eliminate sticky pistons and leaky diaphragms with this new S.T.V. valve. Replaces original with the more reliable cycling clutch system equal to the newest GM vehicles and improves performance with new refrigerants.

1962-66 includes sealant ... 76.99 set



#### 1964-72 R-12 to R-134a Set



This set provides the necessary components (except receiver/dryer) to convert your R-12 AC system to use R-134a refrigerant. Includes: an o-ring kit, 12 oz. Ester oil, service port adapters, service warning label. Receiver/dryer must be ordered separately.

Retro-Fit Set	•		
	1967-72	29.99	set
O-Ring Set -	All Refrigerants		
	1964-72	8 99	set



# 1962-63 Muffler Assembly



Help reduce vibration and excess noise in the AC system with this high-quality OE spec compressor muffler assembly.

AP0432M 1962-63..... 107.99 ea



#### MADEIN USA 1969 Manifold Assembly



Replacement AC manifold assembly with muffler for Nova models. Made in USA.

A9600176 1969..... 149.99 ea













