Replacement Fuel Tanks authoriz

These reproduction fuel tanks are manufactured to factory specifications from stamped steel and are available in a variety of finishes to suit your build. Basic zinc coated steel tanks are a great value, offering strong corrosion resistance at a reasonable price. Ni-terne steel tanks provide an OE quality appearance for discerning restorers. For show quality builds, stainless steel tanks offer superior corrosion resistance with a spectacular polished finish.



Zinc Coated Fuel Tanks **

- Quality Replacement Tank Standard Corrosion Resistance
- Manufactured to Factory Specifications



Ni-Terne Steel Fuel Tanks

- OE Quality Reproduction Tank
- Exceptional Corrosion Resistance
- Manufactured to Factory Specifications



Stainless Steel Fuel Tanks 🔺 🖈 🖈 🖈

- · Show Quality Replacement Tank Superior Corrosion Resistance
- Stainless Steel Polished Finish

FUEL TANKS

Manufactured to Factory Specifications







1962-79 Chevy II/Nova Fuel Tanks 🔔

Correct reproduction fuel tanks for 1962-79 Chevy II/ Nova hardtop, coupe, and sedan models. Manufactured from stamped steel to factory specifications. 1962-69 sixteen gallon, 1970-72 eighteen gallon, 1973-79 twenty-one gallon. Each tank comes complete with lock ring and o-ring seal.

Note: Shipped double oversize

| Zinc Coated Steel | | | | | | |
|-------------------|---------|-------------|-----------|--|--|--|
| FT2000A | 1962-67 | | 119.99 ea | | | |
| FT2001A | 1968-69 | | 119.99 ca | | | |
| FT2002A | 1970 | without EEC | 149.99 ca | | | |
| FT2004A | 1970 | with EEC | 129.99 ea | | | |
| FT2008A | 1971-72 | without EEC | 149.99 ca | | | |
| FT2005A | 1971-72 | with EEC | 134.99 ea | | | |
| FT2006A | 1973-74 | | 139.99 ea | | | |
| FT2007A | 1975-79 | | 136.99 ea | | | |
| Ni-Terne Stee | l | | | | | |
| FT2000B | 1962-67 | | 179.99 ea | | | |
| FT2001B | 1968-69 | | 221.99 ea | | | |
| FT2002B | 1970 | without EEC | 221.99 ea | | | |
| FT2004B | 1970 | | 221.99 ca | | | |
| FT2008B | 1971-72 | without EEC | 221.99 ea | | | |
| FT2005B | 1971-72 | with EEC | 219.99 ea | | | |
| FT2006B | 1973-74 | | 189.99 ca | | | |
| FT2007B | 1975-79 | | 179.99 ea | | | |
| Stainless Steel | ! | | | | | |
| FT2000C | 1962-67 | | 341.99 ea | | | |
| FT2001C | 1968-69 | | 341.99 ca | | | |
| FT2002C | 1970 | | 341.99 ca | | | |
| FT2004C | 1970 | with EEC | 341.99 ca | | | |
| FT2008C | 1971-72 | without EEC | | | | |
| FT2005C | 1971-72 | with EEC | 341 99 ca | | | |





1962-72 Stainless Steel **Fuel Injection Fuel Tank**

Each tank is hand formed from 304 grade Stainless Steel and TIG welded. All tanks feature a unique baffle system to control fuel tank slosh. Each tank has baffles running front to rear, side to side, and surrounding the fuel pickups to eliminate fuel starvation during acceleration and hard braking. All fittings and mounting flanges for fuel sending units and fuel pumps are CNC-machined from 304 Stainless steel stock to a thickness of 3/8" to ensure a proper seal. All tanks include an installed fuel pump and stainless steel mounting straps with hardware. All tanks have a brushed finish for easy up keep.

Important: Fuel sending unit is not included with tank A 0-90 Ohm sending unit is required and available separately or any standard universal 5 screw mount 90 Ohm sender (AutoMeter, Stewart Warner etc.)

| Tank with | Fuel Pump | € 0S2 |
|-----------|------------------------------|------------|
| 14435 | 1962-67 | 1309.99 ea |
| 14436 | 1968-72 | 1349.99 ea |
| | Fuel Sending Unit 1962-65 | 34.99 ea |
| | Fuel Sending Unit 1966-72 | 34.99 ea |

a



1962-72 Fuel Tank

These tanks bring modern fuel system technology to your classic muscle car. By placing the fuel pump inside the tank, hot fuel issues such as vapor lock and cavitation are eliminated. We have all heard the horror stories of hot rodders being stuck on the side of the road with a fuel system or an engine that stumbles under braking, acceleration or hard cornering. These are issues related to fuel pump location, plumbing, and lack of proper baffling. You can now have an in-tank fuel pump that is properly vented and submerged in fuel at all times. These new reproduction steel tanks feature a durable silver powder coat finish. In addition, they feature an internally baffled system with an intank performance fuel pump capable of supporting up to 1000 HP. Deep sump tanks include new fuel tank straps. Choose the bypass regulator that best serves your vehicle application below.

| Stock Capac | шy | | | |
|-------------|---------|-----------|--------|----|
| A7718327 | 1962-65 | 16 gallon | 835.99 | ea |
| A7718331 | 1966-67 | 16 gallon | 835.99 | ea |
| 1" Deeper T | han OEM | | | |
| A7718330 | 1968-69 | 21 gallon | 869.99 | ea |
| A7718333 | 1970 | 21 gallon | 869.99 | ea |
| A7718332 | 1971-72 | 21 gallon | 869 99 | cs |

Carl Commi

Replacement Fuel Tanks



Features/Renefits:

- Tanks are coated galvanized steel then powder coated silver for total corrosion protection
- 255 lob fuel nume with hanger assembly gives you the fuel you need with in-tank quietness. Tank holds 20 gallons of fuel. Sender has NPT Supply and Return line ports for easy fuel line connection and a barbed vent fitting
- NPT Supply and Return line ports for easy fuel line connection and a barbed vent fitting

Fuel level sender included with the correct Ohm range for your factory gauges

- Fuel pump and sender are recessed in the tank to provide an easy installation with no modification to your car
- EFI style tank baffling includes a large 4.3 liter internal fuel tray to prevent fuel numo starvation
- Fits and looks like an OE tank when installed Complete bolt in solution for your FFI conversion
- Complete EFI Fuel Tank Solution in One Box!

EFI Conversion Fuel Tanks with Fuel Pump

Holley and Sniper are here to help you to complete your EFI swap with new EFI conversion fuel tanks. Each tank is a direct fit for your application no modifications necessary. The kit includes: the tank, a 255 lph fuel pump, internal baffling, a correct Ohm range fuel level sender, and the filler neck. The tank is powder coated for corrosion resistance and great looks. These tank kits are a complete solution for your EFI project!

| Note: Shipped | double oversiz | r. | | £ 037 |
|----------------------|--------------------|----------------------------------|------------------------|------------------------|
| A9719112 A9719113 | 1962-65 1966-67 | standard style standard style | 16 gallon 16 gallon | 619.99 ea 619.99 ea |
| A9719114 | 1968-69 | standard style | 20 gallon | 619.99 ea |
| A9719115 A9719116 | 1970 1971-72 | standard style standard style | 20 gallon 20 gallon | 619.99 ea 619.99 ea |
| | | | | 070 |



Universal Gas Tank Anti-Squeak Set

Universal style anti squeak cushions are designed to install between the gas tank and the gas tank straps. Cushions are 38" long and include anti-pop pad for the top of the gas tank. Comes complete as a 5 piece set. This universal style fuel tank anti-squeak kit will fit most 1959-88 General Motors vehicles with fuel tanks under the trunk. Minor modifications may be required.

Note: The molded rubber straps are for fuel tanks straps that are a maximum width of 1" C67808 universal 5 piece. 19 99 set



Universal fuel tank anti-squeak inserts. Inserts between the gas tank and the mounting straps to eliminate any noise from tank movement and vibration which may occur. Felts measure 36" x 1-3/4" and are flat with no edges. Highly recommended when replacing your fuel tank or mounting straps. Cut-to-fit.

UK915 universal 3 piece.



Reproduction Gas Tank Anti-Squeak Set

Reproduction gas tank anti-squeek set includes precision die-cut 1/2" sponge neoprene tank to floor cushion and 2 strap to tank inserts. Each sponge is inserted between the gas tank and the mounting straps. These sponges will eliminate any tank movement which may occur. Highly recommended when replacing your gas tank or mounting straps.

| reproduction | 5 piece | 19.99 |
|--------------|--------------|----------------------|
| | | |
| - | | |
| | | FT1102A |
| | | 7 |
| The same | | FT1103A |
| The same of | | |
| | 7- | FT2100B |
| 13 | | 12100 |
| 1 | | FT1102B |
| | reproduction | reproduction 5 piece |

1962-79 Fuel Tank Mounting Straps

Reproduction fuel tank mounting straps for 1962-79 models produced using heavyduty preformed steel for an original appearance or long-lasting stainless steel for

| OE Materia | I | |
|---------------|---------|----------|
| FT2100A | 1962-67 | 29,99 pr |
| FT2101A | 1968-72 | 29.99 pr |
| FT1102A | 1973-75 | 29.99 pr |
| FT1103A | 1976-79 | 29.99 pr |
| Stainless Sta | rel | |
| FT2100B | 1962-67 | 46.99 pr |
| FT2101B | 1968-72 | 43.99 pr |
| FT1102B | 1973-75 | 46.99 pr |
| FT1103B | 1976-79 | 39.99 pr |



1976-79 Tank Strap Hardware

Reproduction fuel tank strap hardware set for 1976-79 Nova models. This set is recommended when replacing fuel tank straps. 153351 1976-79



Strap Mounting Bolt Set

It's easy to replace your fuel tank straps with fuel tank strap carriage bolts, nuts and washers. This set is recommended when replacing fuel tank straps. K561 1968-72 10 piece 6.99













Fuel Tank Accessories



1962-67 Fuel Tank Filler Neck

A reproduction of the fuel tank filler neck for 1962-67 Chevy II/Nova models. If your gas cap is loose, the filler neck could be worn out. Features the correct bends and also has the vapor recovery line attached.

| Includes ga | isket. | | |
|-------------|---------|-------|----|
| H22662 | 1962-64 | | |
| H22665 | 1965-67 | 77.99 | ca |



1962-67 Fuel Filler Neck to Body Gasket

This is a reproduction gasket for 1962-67 Chevy II/ Nova models. Installs between the gas tank filler neck and the body. Made in USA.

K40602 1962-67 3.59 ca





1968-79 Rear Fuel Tank Filler Door 🔥 Original style reproduction of the original rear license

plate bracket designed for use on various 1968-79 Nova models. Manufactured in stamped steel to factory specifications for an authentic appearance. The door features a spring action hinge that allows access to the gas cap. License plate screws and insert

nuts available separately. 344330 1968-79 24 99 ca B1019 24.99 ca



1973-74 Fuel Door Rubber Bumpers 🔥

Reproduction of the original license plate/fuel door stoppers used for the rear license bracket. These are OE type reproductions manufactured to exact OE specifications. Sold in pairs. 9/16" diameter, 13/16" tall. 3937590 1973-74 4 99 pr



1968-70 Gas Tank Vent Valve

Reproduction plastic gas tank vent valve that mounts on the frame rail. A cotton ball was originally installed at the factory to keep dirt from entering the gas tank (not included). One vapor line comes off of gas tank

and goes to this valve 14987 1968-70.....



1962-79 Fuel Tank Sending Unit Screen

Correct replacement fuel tank float strainer used to help keep contaminants in the fuel from entering into the fuel lines. This will keep dirt and other elements from clogging or entering the carburetor. This part attaches directly to the fuel tank sending unit. K404 1962-79 5/16".. 11.99 ea





Gold Standard Fuel Tank Sealer Set 🔥

Our 3 step fuel tank sealer set contains almost everything you might need to seal a tank of up to 25 gallons. The Gold Standard Tank Sealer is specifically formulated to stop rust and corrosion by forming a tough, fuel impervious coating while simultaneously sealing small pinholes and weld seams. The prep products are formulated to extend storage times by leaving a zinc phosphate film that prevents rust until you have a chance to seal the tank with the sealer. Complete set and individual items available.

3 Step Fuel Tank Sealer Set Buy our fuel tank sealer set and save! Each fuel tank

sealer set includes: 2 quarts of Klean (a water based, heavy-duty, cleaner/degreaser), 1 quart RustBlast (a powerful rust remover/metal etch), 1 quart Gold Standard Tank Sealer, gloves, instructions, and a stir stick

| KB53000 | prep/sealer set | 69.99 | set |
|-------------|-------------------|--------|-----|
| | Refill Components | | |
| KBS Klean - | - Degreaser | | |
| KB2400 | one quart | 12.99 | ca |
| KB2500 | one gallon | 22.99 | ca |
| KBS RustBl | ast Rust Remover | | |
| KB3400 | one quart | 16.99 | ca |
| KB3500 | one gallon | 30.99 | ca |
| KBS Fuel To | ank Sealer | | |
| KB5400 | one quart | 42.99 | ca |
| KB5500 | one gallon | 114.99 | ca |

Driven Carh Defender 🗳

Driven Carb Defender Fuel Additive has been formulated to protect against harmful ethanol deposits and corrosion in fuel and the induction system. Special inhibitors resist expensive damage and reduced performance from moisture accumulation from modern ethanol blended gasoline. This additive controls combustion chamber residue, cleaning and protecting fuel system and intake tract surfaces to keep carburetors functioning properly. Carb Defender is ideal for everyday drivers or classics that spend time in storage between cruises and special events. One bottle treats up to 25 gallons of ethanol blended fuel.

IG1340 4.5 oz. bottle. 9 99 ca case of 6 - 4.5 oz. bottles 53.99 cs

Fuel System Cleaner



RP11722 20 oz. can. 15 99 es RP11723 case of 6 - 20 oz. cans 86 99 cs

Nefender+Rooster Fuel Additive

Raises the octane in unleaded fuels, reduces valve seat wear and protects against the corrosion deposits common with today's gasoline. Like Driven Carb Defender and Injector Defender Fuel Additives, this product features corrosion inhibitors that control combustion chamber residue, as well as clean and preserve surfaces of the fuel system. By cleaning and controlling combustion chamber and intake valve deposits. Defender + Booster Fuel Additive protects against detonation and improves fuel economy. The additive is ideal for all carbureted and fuel injection vehicles, including motorcycles

and marine engines. Each 10 ounce bottle treats up to 25 gallons of gasoline, and regular use has been proven to lower emissions IG1342

10 oz bottle 9 99 ca 53.99 cs IG1344 case of 6 - 10 oz

.I-R Weld Gas Tank and Radiator Repair





Q: EXHAUST

Fuel Caps



1962-67 OE Style Gas Cap

Correct reproduction gas caps for all 1962-67 X-Body vehicles. One of the most commonly overlooked details in a restoration. Don't settle for a generic replacement which may not fit correctly, these OE style reproductions are manufactured to exact dimensions and will fit exactly as original. Available in chrome or black (paint to match)

| Chrome-Plated | | | | | | |
|------------------------|---------|-------------------|----------|--|--|--|
| N244 | 1962-64 | non-locking | 34.99 ca | | | |
| K908 | 1965-67 | non-locking | | | | |
| CH185 | 1965-67 | locking w/Bow Tie | 63.99 ea | | | |
| Black (Paint to Match) | | | | | | |
| N253 | 1962-64 | non-locking | | | | |
| N255 | 1965-67 | non-locking | 29.99 ea | | | |





1962-79 Replacement Non-Locking Fuel Cap

Replace your original broken or missing gas cap with this service replacement fuel cap. These caps are manufactured to correct specifications. May differ from the original in appearance, but will fit and function correctly. These are non-locking, vented caps. Correct replacement gas caps for 1962-79 Chevy II/ Nova models.

| ST10819 | 1975-79 | vented | 8.99 | ca |
|---------|---------|----------------------|-------|----|
| ST10817 | 1975-79 | non-vented | 7.99 | |
| ST10807 | 1971-74 | non-vented | 6.99 | |
| ST10806 | 1970 | with EEC | | |
| ST10646 | 1968-70 | w/o EEC, for OE tank | 7.99 | |
| ST10624 | 1962-64 | | 10.99 | |
| G6954 | | without EEC – GM | | |





1962-79 Replacement Locking Fuel Cap

Keep thieves and vandals out of your fuel tank. Replace your old, damaged, or missing fuel cap with a new replacement locking fuel cap. Each cap includes 2 keys. Correct replacement gas caps for 1962-79

| | ST10483 | 1962-64 | | 15.99 | |
|--|---------|---------|--------------------|-------|----|
| | ST10492 | 1968-69 | | 12.99 | ea |
| | ST10583 | 1970 | Calif. models only | 11.99 | e |
| | ST10571 | 1971-74 | | 16.99 | e: |
| | ST10591 | 1975-79 | non-vented | 11.99 | e |
| | ST10501 | 1075 70 | vantad | 12.00 | |

Correct raised lettering in the correct locations, "ANTI SURGE" on top as original

1968-70 Vented Gas Can OER® reproduction of the 1970 GM vented gas cap or GM service replacement for 1968-69 models.

Manufactured to factory specifications to reproduce the original shape and finish, the reproduction cap features correct markings and lettering. This highquality reproduction of the hard to find original is produced with the restorer in mind. 1968-70 without EEC 24.99 ea 3931449

ridetech =



1962-79 Rillet Fuel Filler Assembly 🔥 These billet fuel filler assemblies will add a custom

look to any 1962-79 Nova. Made from machined aluminum they offer OEM quality sealing and no modification installation. Assemblies include: billet filler neck, custom billet locking cap with two keys, all necessary hoses, vent tube, clamps, and fasteners. Assemblies are available for direct fit and universal applications in both clear and black anodized finishes. An optional vent kit is also available for applications where venting is required. Note: Universal assemblies do not include hoses or clamps.

Direct Fit

| 81000039 | 1966-67 | clear anodized | 249.99 | ¢ |
|-------------|---------|----------------|--------|---|
| 81000040 | 1966-67 | black anodized | 259.99 | 4 |
| Universal F | | | | |
| 81000034 | 1962-79 | clear anodized | 209.99 | ¢ |
| 81000036 | 1962-79 | black anodized | 219.99 | 4 |
| 81000038 | 1962-79 | vent kit | 9.99 | 4 |
| | | | | |





Gas Cap w/Polished Finned Top

Gas caps are usually just a way to cover the fuel filler hole. Why not make a statement with this gas cap and polished custom finned top. The U.S. made casting is of A-356 aluminum alloy and polished to a show quality finish. Each gas cap and top is shipped as two parts so that you can align the fins properly during installation. Features a non-vented gas cap. Polished top is cast in the U.S.A. Note: We recommend the use of metal to metal adhesive for

A9706305 1962-64 non-vented 64 99 ca









1964-81 GM Fuel Hose Stamps

These stamps were used to identify hose size and placement. 1/4" hose was used for fuel return hose, placement. 1/4" hose was used for main fuel lines 5/16" and 3/8" was used for main fuel lines A8700160 1964-81 GM 1/4 stamp..... 13.99 ea A8700161 1964-81 GM 5/16 stamp.... 13.99 ea 1964-81 GM 3/8 stamp..... 13.99 ea

A8700162 This stamp was used by hose supplier SWAN on all rubber fuel hose that connected the main fuel line to the fuel sending unit and fuel pump.

A8700159 1967-79 SWAN GAS stamp 16.99 ea

This stamp was used to identify fuel hoses and was stamped about every inch. A8700193 1967-79 GAS stamp.

These stamps were used to identify emissions hose


size and placement. A8700163 1970-81 EVAP 1/4 stamp .. 13.99 ea A8700163 1970-81 EVAP 5/16 stamp 13.99 ea A8700165 1970-81 EVAP 3/8 stamp 13.99 ea This stamp were used to identify hose on GM vehicles with an in trunk fuel filler neck vapor system

A8700166 1965-70 VAPOR..... 13.99 ea These inspection stamps were placed on fuel tanks

to show they had passed pressure safety testing and quality inspections. Includes red ink. A8700157 1967-72 Inspector 3 stamp 39.99 ea A8700157 1967-72 Inspector 3 stamp 39.99 ea A8700158 1968-72 20 insp ok stamp... 39.99 ea

Hose Marking Ink Pad This pre-inked ink pad is

the correct frost white ink for marking hoses. The slow drying water based ink makes mistakes easy to



16 99 ca

Color Box

Fuel Tank and Muffler Stencils

The steel sheets used to produce fuel tanks and mufflers featured manufacturer name and date code markings These stencils make it possible to correctly mark

Fuel Tank or Muffler A870 A87 A870

1972

A8700156







A8700149 mufflers and fuel tanks for an ac-

| curate rest | oration. |
|-------------|-----------|
| | <u> 1</u> |
| teel | 20.99 ea |
| teel | |
| teel | 20.99 ea |
| teel | |
| taal | 20.99 69 |

| | A8700141 | 1968 | Armco Steel | 20.99 | |
|---|-----------|------|------------------|-------|----|
| 1 | 48700142 | 1969 | Armco Steel | 20.99 | |
| 1 | 48700143 | 1970 | Armco Steel | 20.99 | |
| | A8700144 | 1971 | Armco Steel | 20.99 | ea |
| | 48700145 | 1972 | Armco Steel | 20.99 | ea |
| 1 | 48700146 | 1968 | Pittsburgh Steel | 19.99 | ea |
| 1 | 48700147 | 1969 | Pittsburgh Steel | | |
| 1 | 48700148 | 1970 | Pittsburgh Steel | 19.99 | ea |
| | 48700149 | 1971 | Pittsburgh Steel | 19.99 | ea |
| I | 48700150 | 1972 | Pittsburgh Steel | 19.99 | ea |
| 1 | Fuel Tank | | | | |
| 1 | A8700151 | 1967 | USS Steel | 20.99 | ea |
| 1 | A8700152 | 1968 | USS Steel | 20.99 | ea |
| 1 | A8700153 | 1969 | USS Steel | 20.99 | ea |
| 1 | A8700154 | 1970 | USS Steel | 20.99 | ea |
| 1 | A8700155 | 1971 | USS Steel | 20.99 | ea |
| | | | | | |











Sending Units & Accessories







1962-79 Fuel Tank Sending Units

| 6426499 | 1966-67 | 5/16" line | 49.99 ca |
|------------|--------------|------------------|----------|
| 6426500 | 1966-67 | 3/8" line | 54.99 ea |
| Chevy II/N | ova – All Mo | dels | |
| 6428844 | 1968-72 | 5/16" line | 54.99 ea |
| | | 3/8" line | |
| 6428322 | 1969-72 | 3/8" with return | 54.99 ea |
| K4041 | 1973-75 | 3/8" line | 49.99 ca |
| | | | |

1976-79 3/8" line 49.99 ea

1976-79 3/8" with return 59 99 ea

New! Holley

1968-72 EFI Fuel Pump/Sender Modules

Holley 255 Jph OEM stylein-tank fuel pump-conversion modules are designed as a direct rehacement for the factory pickups and sending mits in 1968-72 Chey III Novameds. These modules will intall exactly like the factory assembly with no modifications required. This system is hands down the simplest way to convert after the factory assembly with no modifications. They are internally regulated to \$8 ps in all capable of supporting engines up to 550 borsepower.

| 1908-72 | 380.99 ca |
|---------|-----------|
| | CA21772 |
| | 1900-12 |

1968-75 Fuel Tank Sender Harness 🔥



Universal Fuel Tank Sending Units 🔥

CYSOA

Universal style fuel tank sending units for steel or adminiming stanks. These senders feature the standard 5 bott used by GM and most aftermarket manufacturers. Float, screen and seal included. They will work on all 6-24 Volt system with positive or negative grounds. Easily adjustable to fit tanks from 6° to 24° deep. CX5041 1947-64 0-30 Ohm. 34.99 ea CX5042 1965-up 0-90 Ohm. 34.99 ea



Fuel Sending Unit Float



1962-79 Sending Unit Locking Ring 🛕

Correct replacement locking ring which connects the fuel tank sending unit to the fuel tank. This locking ring replaces the original which are commonly destroyed when they are being removed. This ring helps to seal the sending unit gasket to the tank.

3774937 1962-79 lock ring...... 2.99 ea



1962-79 Fuel Tank Sending Unit Gasket

Correct replacement gasket which is used between the sending unit and the locking ring. Available for 1962-79 Chevy II/Nova models.

3825206 1962-79 gasket 2.50 ea



1962-79 Chevy II/Nova Fuel Tank Sending Unit Installation Set Correct reproduction fuel tank sending unit installation

sets for 1962-79 Chevy II/Nova models. FT5031 1962-79 lock ring/gasket...... 4.99 set



1962-79 Fuel Tank Sender Lock Ring Tool This handy tool is used to remove the fuel tank sending

H12136

Fuel Pumps



1962-79 Replacement Fuel Pump 🔥

Classic Industries® offers replacement fuel pumps for early and late Chevy II/Nova models. Choose from a wide range of fuel pumps specifically designed for each year and engine size. Some fuel pumps may differ slightly in appearance from original, but will fit and function correctly, offering years of satisfactory service.

| Note. | *1966 | without | smog. | **1966 | with | smog. | |
|-------|-------|---------|-------|--------|------|-------|--|
| | | | | | | | |

| | O Millioni 20 | nog. 1500 min smog. | |
|----------|---------------|-----------------------|----------|
| Inline 4 | | | |
| M3530* | 1962-66 | | 70.99 ca |
| M4503** | 1966-69 | 153/2.5 | 24.99 ca |
| Inline 6 | | | |
| M3530* | 1962-66 | 194/3.2 | 70.99 ca |
| M4503** | 1966-67 | 194/3.2 | 24.99 ca |
| M3530* | 1964-66 | 230/3.8 | 70.99 ca |
| M4503** | 1966-70 | 230/3.8 | 24.99 ca |
| M4503 | 1967-75 | 250/4.1-D | 24.99 ca |
| M6738 | 1976-79 | 250/4.1-D | 21.99 ca |
| V8 | | | |
| M6624 | 1975 | 262/4.3-G | 16.99 ca |
| M4712 | 1964-66 | 283/4.6, 1966 2 bbl., | 23.99 ca |
| M3120 | 1966 | 283/4.6, 4 barrel | 46.99 ca |
| M4513 | 1967 | 283/4.6 | 21.99 ca |
| M6624 | 1976-79 | 305/5.0-Q,U | 16.99 ca |
| M6624 | 1976-79 | 305/5.0-G | 16.99 ca |
| M4513 | 1968-72 | 307/5.0-F | 21.99 ca |
| M3120 | 1965-66 | 327/5.4 | 46.99 ca |
| M4513 | 1967 | 327/5.4 early 1967 | 21.99 ca |
| M4685 | 1967-68 | 327/5.4 late 1967 | 16.99 ca |
| M4685 | 1968 | 350/5.7 | 16.99 ca |
| M6624 | 1969-71 | 350/5.7 | 16.99 ca |
| M6624 | 1972-75 | 350/5.7-H,J, 2 bbl | 16.99 ca |
| M6624 | 1972-75 | 350/5.7-K,L, 2 bbl | 16.99 ca |
| M6626 | 1972-76 | 350/5.7-H,K, 4 bbl | 16.99 ca |
| M6626 | 1972-76 | 350/5.7-L, 4 barrel | 16.99 ca |
| M6624 | 1977-79 | 350/5.7-L, w/o AC | 16.99 ea |
| M6624 | 1977-79 | 350/5.7-L w/AC, MT | 16.99 ea |
| M6626 | 1977-79 | 350/5.7-L w/AC, AT | 16.99 ea |
| M4530 | 1968-70 | 396/6.5 325HP | 19.99 ca |
| M4530 | 1968-70 | 396/6.5 350HP | 19.99 ca |
| M4530 | 1968-70 | 396/6.5 375HP | 19.99 ca |



Performer RPM 110 GPH Fuel Pumn 🔥

Designed for all Edelbrock carburetors used in Performer or Performer RPM applications. These high-performance street fuel pumps feature a high-quality three stage polished finish. The unique valve design improves flow quantity and quality, and will support engines up to 600 HP. High volume, 3/8" NPT inlet and outlet surpasses the capacity of conventional models. Produces 6 psi and does not require a regulator. For gasoline only. Clockable lower housing can be rotated

| - 1 | or pest inic | woutiet anginnent. | |
|-----|--------------|--------------------|-----------|
| E | 31721 | small block | 140.99 ea |
| ı | 71722 | big block | 140.00 |



1964-70 Remanufactured Fuel Pump

These hard to find fuel pumps are just what your Nova needs. Featuring original housings with the AC logo, factory correct markings and crimped inlet/outlet base, these are remanufactured with new components and will fit, appear install and function like original. These fuel pumps also meet or exceed factory specifications. Note: *Without return line. **With return line. †After February 1970

| 6942 | 1964-66 | 283 | 195.99 ca |
|----------|---------|----------------------|-----------|
| GH3008 | 1965-66 | 327/300HP | 309.99 ca |
| 40394 | 1966 | 327/350/L-79 Hi-Po | 441.99 ca |
| 40503 | 1967 | 327/350 7/66 - 2/67 | 186.99 ea |
| 40524 | 1967 | 327/350 after 2/67 | 224.99 ca |
| 40470 | 1967 | 396/350HP (L-34) | 244.99 ca |
| 40470 | 1967 | 396/375HP (L-78) | 244.99 ca |
| 40524 | 1968 | 327, 350 | 224.99 ca |
| 40468 | 1968 | 396/325HP (L35) | 239.99 ca |
| 40470 | 1968 | 396 (L-34) pre-11/67 | |
| 40470 | 1968 | 396 (L-78) pre-11/67 | 244.99 ca |
| 40568 | 1968-69 | 396 (L-35) | 252.99 ea |
| 40669 | 1969 | 350 | 231.99 ea |
| 40727 | 1969 | 396/375HP (L-78) | 233.99 ea |
| 40725 | 1970 | 350 | 239.99 ca |
| 40727* | 1970 | 396/350HP (L34) | 233.99 ea |
| 40727** | 1970 | 396/375HP (L-78) | 233.99 ea |
| 40768*** | 1970 | 396 (L-34) | 279.99 ca |
| 40768*** | 1970 | 396 (L-78) | 279.99 ea |

Holley

1964-79 Chrome Fuel Pump

Replace your original fuel pump with a genuine Holley triple chrome-plated fuel pump. Each high volume mechanical fuel pump flows 60 gallons per hour @ 7-1/2 psi. Features include an adjustable lower housing allowing 360 degree rotation of fuel inlet-outlet fittings for custom installations. Applications to fit 1964-79 small block and 1968-72 big block engines.

| | 1964 | 1-79 | Fue | l Pu | mp | | |
|------------|--------------|------|--------|--------|-------|---------|-----|
| For 283, 3 | 302, 307, | 327, | 350 | small | block | engines | . A |
| nigh-quali | ity triple o | hron | ie-pl: | ated p | ump. | | |
| 12834 | 1964-79 | | | | | 103.99 | ca |

1968-72 Fuel Pump For 396, 427, 454 big block engines. A high-quality triple chrome-plated pump. 1968-72 103 99 69



Correct fuel pump pushrod for all small block and big block engines. 3704817 1964-79



In-Tank Fuel Pump Retrofit Kit

Holley 450 lph universal in-tank return less retrofit fuel module. Use this module to convert to an in-tank EFI fuel system with no welding or fabrication. Installs in any fuel tank from 7" to 12" deep. Includes a low profile die-cast pump hanger bracket to control pump vibration low profile and an integrated fuel pump capable of supporting up to 875 EFI or 1100 carb HP. This is the easiest way to convert your vehicle to an intank EFI fuel system, ideal for Terminator EFI, Sniper EFI, MSD Atomic EFI or any TBI of EFI conversion.

| Module Kit | with Return | | |
|------------|----------------|--------|-----|
| H12136 | 255 lph | 478.99 | set |
| H12136L | 450 lph | 596.99 | set |
| Module Kit | without Return | | |
| H12158 | 255 lph | 537.99 | set |
| H12158L | 450 lph | 654.99 | set |



Bow Tie Fuel Pump Block Off Plate 🔥

The Bow Tie never goes out of style and neither do these official Chevrolet chrome block off plates. Covers the hole on engine where fuel pump normally goes when using an electric fuel pump. Available for big blocks and small blocks. Includes a non-asbestos gasket. small block..... 15.99 ea D141211 big block... 15 99 ca



Mounting Plate



1962-79 Fuel Pump Mounting Plate 🛕

This plate is used to cover the large access area for the fuel pump pushrod, and provides a mounting surface for the fuel pump on V8 small block engines. Features 1 pump arm opening and 4 mounting holes. Some modification may be necessary for correct installation.

G6990 1964-79 all V8 small block... Pump to Plate Gasket G6993 1962-79 small or big block













uel Pump Components



1964-79 Fuel Pump Mounting Bolts 🔥

Reproductions of the correct mounting bolts used to hold the fuel pump to the engine block. Each bolt listed

| is confect i | or the appn | cations noted. | |
|--------------|-------------|--------------------|---------|
| 1256636 | 1964-66 | 283, 327 | 5.99 pr |
| 1256637 | 1964-79 | 305, 307, 327, 350 | 6.99 pr |
| 1256638 | 1968-72 | 396 | 5.99 pr |



Fuel Pump Bolt Sets

If you want to really dress your engine, then take a look at these polished stainless steel or polished chrome fuel pump bolts. These are the original style Hex head bolts for all small block or big block Nova fuel pumps. Includes a complete set for installation of one fuel pump. AK116A polished chrome... 9.99 set AK116B polished stainless . 17.99 set



Fuel Pump Bolt Set

Make sure that mechanical fuel pumps stay properly aligned by using ARP's durable black oxide finished chromoly or rustproof stainless bolts (both materials are rated at 170,000 psi and considerably stronger than Grade 8 hardware). Your choice of either conventional Hex heads or 12 point head. Washers are included.

| AR13162 | black oxide | Hex head | 8.99 | se |
|---------|-------------|----------|-------|----|
| AR13161 | black oxide | 12 point | 8.99 | |
| AR43162 | stainless | Hex head | 9.99 | |
| AR43161 | stainless | 12 point | 10.99 | |



1978-79 Fuel Pumn Rolt Sets

Dress-up your Nova with these one of a kind dress-up bolt sets. The Chevrolet Bow Tie, SS, or flames logo is stamped directly onto the head of the bolts. They are available in decorative chrome-plated or polished stainless steel versions. What better way to make a

| statement than with these unique bons: | | | | |
|--|---------|----|--------------------------|---|
| Note: Specify logo suffix: C-Flames, D-Bow Tie, E-SS logo. | | | | |
| 56460C | 1978-79 | SB | chrome 9.99 set | 1 |
| 56460\$ | 1978-79 | SB | stainless steel 4 90 set | |



1954-81 Plastic Fuel Filter Assembly

Replacement fuel filter set for various models. This set includes: filter, 2 pieces of rubber hose, and 4 clamps. Used to mount an inline filter in factory hard fuel lines.



1964-65 Glass Rowl Fuel Filter

Reproduction fuel filter for 1964-65 Chevrolet Nova models. Replaces the original glass bowl in-line fuel filter assembly. Replacement filter elements and reproduction glass bowls are also available. Glass bows feature original style AC markings. Filter Assembly

GF48 with high performance 327 .. 31.99 ea Replacement Parts filter element with gasket 7.99 ea glass fuel bowl with gasket ... 20.99 ea

TF700600



Vintage Style Fuel Filter

Vintage style fuel filters for your car or truck. Includes a washable stainless mesh filter. Compact in size, the bowl is 2.4" in diameter, height and width are 4-1/4". and projection from surface is 3". Available in right to left (as facing), or left to right fuel flow. Inlet and outlet ports utilize ORB/AN-6 fittings to reduce the bulk of hose connections. Available in polished and satin finishes. Hardware not included. Made in USA.

| Right to Left 1 | Fuel Flow | |
|-----------------|-----------------|-----------|
| A5700220 | finned polish | 198.99 ea |
| A5700222 | finned satin | 178.99 ea |
| A5700224 | grooved polish | 198.99 ea |
| A5700226 | grooved satin | 178.99 ea |
| A5700228 | smooth polished | 188.99 ea |
| A5700230 | smooth satin | 168.99 ea |
| Left to Right | Fuel Flow | |
| A5700221 | finned polish | 198.99 ea |
| A5700223 | finned satin | 178.99 ea |
| A5700225 | grooved polish | 198.99 ca |
| A5700227 | grooved satin | 178.99 ea |
| A5700229 | smooth polished | 188.99 ca |
| A5700231 | smooth satin | 168.99 ca |





Fuel Filters and Mounts

Billet Specialties aluminum in-line fuel filters for carbureted applications. This compact 4-1/2" x 1-3/8" design is available with smooth and ribbed housing ith a 3/8" barb or -6AN fittin

| B42320 3/ | 8" inlet and outlet | 38 99 ca |
|-----------|---------------------|----------|
| | | 38.99 ea |
| B42520 m | ounting bracket | 20.99 ea |



1969 Fuel Filter Rracket

Reproduction fuel filter bracket for all big block 1969 models with quadrajet carburetor. Produced from original material electroplate and galvanized. K0112 19 99 ca





1969-72 Replacement Fuel Filter 🔥

Replace the dirty or clogged fuel filter on your classic vehicle with one of our AC Delco or aftermarket filters. We carry a variety of filters to meet your specific needs.

| Note: *With b | ronze element. | | |
|---------------|-------------------------------|-------|----|
| 1969-71 | | | |
| W33044 | for carb fuel inlet | 4.99 | ca |
| 1969-72 In- | Line - Reproduction | | |
| FF6901 | with 3 lines | 59.99 | ca |
| Chrome In- | Line Fuel Filters - Disposabl | | |
| T9177 | | | |
| T9212 | 5/16" inlet and outlet | 4.99 | ca |
| Glass In-Li | ne Fuel Filters - Disposable | | |
| T9245 | | 8.99 | ca |
| T9247 | 5/16" inlet and outlet | 8.99 | ca |
| Chrome In- | Line Fuel Filters | | |
| T9407* | 3/8" inlet and outlet | 8.99 | ca |



| Replacement spring which fits the Rochester carburetor | | | | |
|---|---------|-------------|---------|--|
| body and keeps the fuel filter in the fuel line. Will fit the | | | | |
| 1966-71 two barrel and 1966-79 four barrel carburetors. | | | | |
| JT16001 | 1966-71 | two barrel | 1.99 ea | |
| IT16001 | 1966-79 | four barrel | 1 00 ea | |

Fuel Pump Components

CPC6502

1963-65 Pump to Carb Line


Correct reproduction fuel pump carb lines for 1963-65 six cylinder, and 1965 283 two barrel models. OFM Material 1963-65 6 cylinder...... 19.99 ea XPC6301 283 two barrel .. 19.99 ea CPC6502 1965

| Stainless Ste XPC6301S CPC6502S | 6 cylinder 283 two barrel | |
|---------------------------------------|------------------------------|--|
| | | |

RPC660


1966 Pump to Carb Lines Correct reproduction fuel pump carb lines for all 1966

283 two barrel models. OEM Material 1966 283 two barrel 19 99 ea RPC6602 Stainless Steel



1966-67 | 79 Pumn to Carb Line 🔥

Correct reproduction fuel pump carb line for 1966-67 1.79 models




1968 Pumn to Carh Lines

Reproduction fuel pump to carb lines and Y-block for 1968 396-375 HP models with Holley 4 barrel carbs.

| OEM Mater FPC6775 | ial 1968 | 8-5/8" on centers | 52.99 se |
|---------------------------|-------------|-------------------|----------|
| Stainless Ste FPC6775S | el 1968 | 8-5/8" on centers | 62.99 se |
| | | | |

1968-70 Pump to Carb Line Correct reproduction fuel pump carb lines for 1968-70

Nova 6 cylinder 1 barrel models. OEM Material XPC6801 1968-70..... ... 19.99 ca Stainless Steel XPC6801S 26 99 ca



1967-75 Fuel Pump to Carburetor Line

These lines are the correct size line with original bends making installation easier. You can choose from the original style material or our upgraded stainless

| steel mater | n1 | 1.0 | |
|-------------|---------|---|-----------|
| | | | |
| OEM Mate | | **** | |
| FPC6701 | 1967-68 | 230 6 cyl, 5/16" | 19.99 ea |
| FPC6702 | 1967 | 327/210HP, to 4/67 | 19.99 ea |
| FPC6703 | 1967-68 | 327/210HP, from 4/67 | 19.99 ea |
| FPC6705 | | 327/275HP, 5/16" | 19.99 ea |
| FPC6707 | | 327/275HP, 3/8" | 19.99 ea |
| FPC6705 | 1967-68 | 350/295HP, 5/16" | 19.99 ea |
| FPC6707 | | 350/295HP, 3/8" | 19.99 ea |
| FPC6709 | 1967-68 | 396/325HP, 3/8" | 19.99 ea |
| FPC6902 | 1969 | 307, 327 2 bbl, 5/16" 350 2 barrel, 3/8" | 19.99 ea |
| FPC6901 | 1969 | 350 2 barrel, 3/8" | 19.99 ea |
| FPC6905 | 1969 | 350/255 or 300HP | 32.99 set |
| FPC6903 | 1969 | 396/325-350HP, 4 bbl | 32.99 set |
| FPC6975 | 1969 | 396/3/5HP, 4 barrel | 52.99 set |
| CPC7007 | | 396/375 HP | 64.99 set |
| FPC7001 | | 350/300HP | 19.99 ea |
| CPC7101 | | 402 four barre | |
| CPC7102 | | 350/270 HP 4 barrel | |
| XPC7206 | | 250 six cylinder | |
| FPC7502 | 1975 | 350/300 HP | 19.99 ea |
| Stainless S | teel | | |
| FPC6701S | 1967 | 230 6 cyl, 5/16" 327/210HP, to 4/67 | 27.99 ea |
| FPC6702S | 1967 | 327/210HP, to 4/67 | 26.99 ea |
| FPC6703S | 1967-68 | 327/210HP, from 4/67 | 26.99 ea |
| FPC6705S | 1967-68 | 327/275HP, 5/16" | 26.99 ea |
| FPC6707S | 1967-68 | 327/275HP, 3/8" | 26.99 ea |
| FPC6705S | 1967-68 | 327/275HP, 3/8" 350/295HP, 5/16" 350/295HP, 3/8" 396/325HP, 3/8" | 26.99 ea |
| FPC6707S | 1967-68 | 350/295HP, 3/8" | 26.99 ea |
| FPC6709S | 1967-68 | 396/325HP, 3/8" | 26.99 ea |
| FPC6902S | 1969 | 307, 327 2 bbl, 5/16" | 26.99 ea |
| FPC6901S | 1969 | 350 2 bbl, 3/8" | 26.99 ea |
| FPC6905S | 1969 | 350/255 or 300HP | 43.99 set |
| FPC6903S | 1969 | 396/325-350HP, 4 bbl 396/375HP, 4 bbl | 43.99 set |
| FPC6975S | 1969 | 396/375HP, 4 bbl | 62.99 set |
| CPC7007S | 1970 | 396/375 HP | 75.99 set |
| FPC7001S | 1970-72 | 350/300HP | |
| CPC7101S | 1971-72 | 402 four barrel | 26.99 ea |
| | | 350/270 HP 4 barrel | |
| XPC7206S | 1972 | 250 six cylinder | 26.99 ea |



Correct replacement fuel hose for all models equipped with 4 barrel carburetors. For models with or without vapor return line. Includes correct size hose with mounting clamps. K0061 without return.



with return...

K0096





8.99 set

Fuel & Vacuum Pinch Hose Clamps 🔥

Correct style pinch clamp used on various GM vehicles Most commonly used on 1961-82 vehicles on fuel

| K0052 TF700041 K0050 | 1/4" 5/16" 3/8" | red yellowolive green | 1.19 | ca |
|----------------------------|-----------------------|--------------------------|------|----|
| K0051 | 3/8" | black | | |

Fuel & Vacuum Wire Ring Hose Clamps Correct style pinch clamp used



| | GM vehicle used on 196 | | |
|--------|---------------------------|-------------|----------|
| | | cuum hoses. | <u> </u> |
| | | 5/16" | |
| AU5356 | 1962-79 | 3/8" | 1.49 ca |
| | | | |

Fuel Pump Vacuum/Pressure Tester Tests for fuel line

pressure and vacuum leaks. Check for leaky valves, timing, fuel pump, vacuum, pressure and gas line leakage.

Easy-to-read gauge with 3 foot hose and vacuum hose





Inline Fuel Pressure Gauge Set and monitor fuel pressure with these easy to use

gauges! Simply splice into the existing carburetor line to with the anodized aluminum fuel block and 3/8" nipples. Each gauge measures 1-1/2" in diameter with a 0-15 psi range in 1/2 lb increments. Gauges are available in standard form or liquid filled for better vibration resistance. 71560 standard gauge. 48.99 ea 71564 liquid filled gauge . 51 99 ca







XPC6801





350/300 HP

26 99 69

FPC7502S 1975

Electric Fuel Pumps



H128011 Electric Fuel Pump

We offer externally mounted Holley electric fuel pumps. They all feature the proven rotor and vane design and are available in ratings from 97 gph to 140 gph. The 97 gph "red" pump is set at 7 psi and does not require a regulator. The 110 gph "blue" pump is set at 14 psi and includes a regulator. The 140 gph "black" pump is also set at 14 psi and can be used for

| gas or arconor i | uci. | |
|-----------------------|----------------|--------|
| Red Pump H128011 | 97 gph | 144.99 |
| Blue Pump H128021 | 110 gph | 180.99 |
| Black Pump H128151 | 140 gph | 228.99 |
| Regulator H12803 | 4-1/2 to 9 psi | 37.99 |
| | | |



Electric Fuel Pump

These externally mounted electric fuel pumps are ideal for most street and strip applications. Proven rotary vein technology provides high flow and stable pressures with minimal vibration and sound. Each pump features 3/8" NPT inlets and outlets along with an externally accessible pressure relief valve. Note: Not for fuel injected engines. Pumps that produce more than 7 psi should be used with a pressure regulator.

| | Chrome Housing | |
|-------------------|-----------------|-----------|
| 100 gph 62531C | 7 psi | 119.99 ca |
| 120 gph 62541C | 14 psi | 119.99 ca |
| 140 gph 62561C | 9 psi | 119.99 ea |
| | Cadmium Housing | |
| 100 gph 62531 | 7 psi | 69.99 ea |
| 120 gph 62541 | 14 psi | 119.99 ea |
| 140 gph 62561 | 9 psi | 69.99 ca |



Ouiet-Flo Electric Fuel Pump

State-of-the-art electric fuel pumps offer maximum performance in a compact package for carbureted applications. Anodized aluminum housing and highquality internals make it both strong and extremely durable. The E1791 electric fuel pump is factory set to 6.5 psi does not require a regulator. 3/8" inlet/ outlet, 120 gph free flow, up to 600 HP. The E1792 electric fuel pump is preset to 12 psi and requires an external regulator. 1/2" inlet-outlet, 160 gph free flow, up to 1000 HP

requirements, use fuel pump relay E1795. E1791 6.5 psi 233 99 ca E1792 12 psi 236 99 69



Nuiet-Flo Flectric Fuel Pumn

This anodized aluminum EFI fuel pump offers maximum performance in a compact package. The in-line design keeps the pump motor and components cool even under harsh conditions. Features -10AN inlet/outlet with a flow rate of up to 80 gph at 45 psi for high HP fuel injected applications. This fuel pump supports 835 HP at 12 Volts with a current draw of 12 amps at 45 psi. 10AN inlet/outlet 80 gph at 45 psi. nt: Dimensions: 6-7/8" x 3-1/4".

E1790



In-I ine Flectric Fuel Pumn

This in-line electric fuel pump is continuous duty rated and is ideal for EFI applications that require additional pumping capabilities for upgraded modifications. Works superbly as either an in-line booster pump or as a stand alone unit. Use with EFI regulator part #E1728 for adjustability from 35 to 90 psi, 57 gph. 3/8" hose barb fittings. Includes mounting bracket and 3/8" hose barb fittings.



Features:

- Solid-state worry free electronics
- Internal pressure regulating Universal design allows for easy installation
- · No diaphragms or mechanical parts to wear out Hose barbs fit 5/16" fuel hose

Micro Electric Fuel Pump

This compact electric fuel pump features a solid state design that has a low current draw of around one amp and makes a good stand alone pump or booster pump. Designed for carbureted vehicles with a 12 Volt negative ground electrical system, this pump supports 4-7 psi at up to 35 gph. Includes: fittings, mounting hardware and instructions

Note: Not for diesel applications. 48.99 ca

PAINLESS



Perfect Flow Fuel Delivery System

The Perfect Flow fuel delivery system is a fuel pump system designed to support up to 1000 horsepower in naturally aspirated engines. It can also be configured as a main and secondary pump to support up to 500 horse power in situations where a redundant fuel delivery system is needed, such as off-road or racing. Set includes: 2 sealed and fused 40 amp relays, terminals, and mounting hardware. nportant: Due to the many possible plumbing options no

fittings are included with this set.

65100 649 99 set

Electric Fuel Components



Fuel Pressure Regulator

These fuel pressure regulators are machined from aircraft quality aluminum and have fluorosilicone diaphragm material for high temperature protection

| 160 gph | | | | |
|--|--------|---|--|--|
| With 3/8" NPT Inlet/Dual Outlets | | | | |
| E1727 5-10 psi | 150.99 | c | | |
| 180 gph | | | | |
| With -6AN Inlet/Outlet/Bypass | | | | |
| E1728 35-90 psi | 165.99 | c | | |
| With -10AM Dual Inlets/Outlet, -6AN Bypass | | | | |
| E1729 35-90 psi | 170.99 | c | | |

and extended life. Fully adjustable.



EFI Fuel Pressure Regulators

Holley 3/8" die-cast aluminum EFI bypass fuel pressure regulators. These regulators are fully adjustable between 15-60 psi. They feature an EFI return port, an 1/8" gauge port and an 1/8" 1:1 boost reference port perfect for fuel injection conversions with or with power adders. 1/8" hose barb fitting included.

| H12886 | black | 71.99 | ea |
|--------|-------|-------|----|
| | | | |



Billet Fuel Pressure Regulators

Holley billet aluminum bypass fuel pressure regulators. Each one is precision machined from 6061-T6 billet aluminum with a black anodized base and a clear anodized top. These regulators are fully adjustable between 4-60 psi for either carbureted or fuel injected applications. They feature an dedicated bypass/return port, an 1/8" gauge port and an 1/8" 1:1 boost reference port perfect for fuel injection conversions with or with

| power adde | ers. 1/8" hose barb fitting inclu | ıded. |
|------------|-----------------------------------|-----------|
| H12879 | 3/8" inlet/outlet | 156.99 ea |
| H12880 | 64N inlet/outlet | 156 99 ca |



EFI Bypass Regulator

Performance EFI regulator designed for medium to high horsepower applications. This regulator features Aeromotive's high flow design, superb pressure control and legendary durability. Features base pressure adjustable from 40-75 psi, gasoline and alcohol compatible, fuel pressure rises on a 1:1 ratio with boost, 1/8" National Pipe Thread taper (NPT) gauge port. Includes two o-ring boss fittings (ORB-06) inlet ports and one o-ring boss fitting (ORB-06) return port. A9713109 adj. w/EFI...



Universal Bypass Regulator

A dual purpose, universal regulator for EFI or for Carbureted street/strip applications. Features pressure adjustable from 3 to 20 psi with standard spring, (installed) or from 20 to 60 psi with high pressure spring (included).

Offers the full flow and rock steady fuel pressure that only a dynamic. Aeromotive bypass regulator provides Capable of regulating any fuel pump between 100 and 250 gph, fuel pressure rises on a 1:1 ratio when referencing boost. All ports are 3/8" National Pipe Thread taper (NPT), with one inlet and three outlets on the main body and one return port on the bottom. Bypass design provides the ultimate, dynamic fuel pressure control. Note: Requires a return line to be installed from the bottom

of the regulator to the top of the tank A9713301 3 Port 3/8" NPT..



Carbureted Bypass Regulator

For use when converting from fuel injection to carburetion using the EFI pump in a carbureted application. Perfect for naturally aspirated or 'blow-through' supercharged engines. Features base fuel pressure adjustable from 3-15 psi, 1 o-ring boss fitting (ORB-10) inlet port and 1 o-ring boss fitting (ORB-08) return port, fuel pressure rises on a 1:1 ratio when referencing boost, bypass design provides the ultimate, dynamic fuel delivery system, ideal for converting from fuel injection to carburetion using the stock, in-tank pump, EFI conversions will require a larger than stock return line for proper low pressure control. Includes two o-ring boss fittings (ORB-06) outlet ports and 1/8" National Pipe Thread taper (NPT) gauge port. Note: Requires Army/Navy fitting (AN-08) return line from

bottom of regulator back to top of the tank. 2 port. A9713204



1974-77 Fuel Vapor Charcoal Canister

Genuine GM fuel vapor charcoal canister used to help cut down or eliminate fuel vapors. Essential part of the fuel and emissions system.

| G6991 | 1974-77 | 350 | 119.99 ea |
|-------|---------|-----|-----------|
| G6991 | 1975 | 262 | 119.99 ea |
| G6991 | 1976-77 | 305 | 119.99 ea |



Fuel Pump Safety Switch

This safety feature is a must have for any electric fuel pump vehicle. This safety switch monitors the tach signal to limit when an electric pump can operate. When the key is first turned on, the fuel pump is allowed to run for three seconds, priming the fuel system. After that, it only operates if the engine is running. If the engine stops, so does the fuel pump. No plumbing into the oil lines or no extra priming button under the dash is required. RE12003



Fuel Pump Safety Switch

This fuel pump safety switch shuts off fuel flow whenever oil pressure drops below 15 psi. This adds a safety factor in case of an accident or engine stall Designed for 12 Volt electrical systems and can be teed into the oil pressure sending unit with an 1/8" NPT tee. 77872



Fuel Pump Relay

This universal fuel pump relay will ensure proper wiring which reduces the risk of damaging the fuel pump, and offers consistent fuel pressure. This relay is used with fuel pump part #E1791 or #E1792.

universal relay 64 99 ca













Full Lenath Fuel



1962-78 Front to Rear Line

Correct reproduction fuel lines which extend from the fuel pump to the fuel tank. You can choose between OEM material lines which were factory original or stainless steel reproduction fuel lines which add a custom look. Each is quality produced and guaranteed to fit perfectly! Replacing your fuel lines can improve your fuel system while retaining originality. 2 piece sets unless noted.

Note: *1 Piece only. †Through transmission tunnel.

| Shipped oversit | e. | | € 0S1 |
|--|--|--|---|
| | OEM | Material | |
| 6 Cylinder - | 5/16" Fee | d Line | |
| XGL6205 | 1962-67 | station wagon | 71.99 set |
| XGL6201** | 1962-67 | | 71.99 ca |
| XGL6906 | 1969-73 | | 71.99 set |
| Small Block | - Through | Fender Well By I | Battery Box |
| XGL6204* | 1962-64 | 5/16" | 71.99 ca |
| XGL6202* | 1965-67 | 5/16* | 71.99 ea |
| XGL6203* | 1965-67 | 3/8" | 71.99 ea |
| Big Block - | 3/8" Feed | Line | |
| XGL6601* | 1966-67 | L-79 V8 | 71.99 ea |
| XGL6602 | 1966-67 | L-79 V8 | 71.99 set |
| All - 3/8" Fe | ed Line | | |
| XGL6801* | 1968 | | 71.99 ca |
| XGL6901 | 1969-73 | | 71.99 set |
| XGL7401 | 1974 | | 71.99 set |
| XGL7501 | 1975 | | 71.99 set |
| XGL7601 | 1976-77 | | 71.99 set |
| XGL7801 | 1978 | | 71.99 set |
| | 01-1- | less Steel | |
| | Stain | iess Steei | |
| 6 Cylinder - | | | |
| XGL6205S | 5/16" Fee 1962-67 | | |
| XGL6205S XGL6201S* | 5/16" Fee 1962-67 1962-67 | d Line | 109.99 ea |
| XGL6205S XGL6201S* XGL6906S | 5/16" Fee 1962-67 1962-67 1969-73 | d Line station wagon | 109.99 ea 109.99 set |
| XGL6205S XGL6201S*; XGL6906S Small Block | 5/16" Fee 1962-67 1962-67 1969-73 - Through | d Line station wagon Fender Well By I | 109.99 ea 109.99 set Battery Box |
| XGL6205S XGL6201S*; XGL6906S Small Block- XGL6204S* | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 | d Line station wagon r Fender Well By I | 109.99 ea 109.99 set Battery Box 109.99 ea |
| XGL6205S XGL6201S*; XGL6906S Small Block- XGL6204S* XGL6202S* | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 | d Line station wagon Fender Well By I 5/16* | 109.99 ea 109.99 set 3attery Box 109.99 ea 109.99 ea |
| XGL6205S XGL6201S*; XGL6906S Small Block- XGL6204S* XGL6202S* XGL6203S* | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 | d Line station wagon n Fender Well By I 5/16" 5/16" | 109.99 ea 109.99 set Battery Box 109.99 ea |
| XGL6205S XGL6201S*; XGL6906S Small Block- XGL6204S* XGL6202S* XGL6203S* Big Block - : | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 8/8" Feed | a Fender Well By I 5/16" 5/16" 5/16" 5/16" | 109.99 ea 109.99 set Battery Box 109.99 ea 109.99 ea 109.99 ea |
| XGL6205S XGL6201S*, XGL6906S Small Block* XGL6204S* XGL6202S* XGL6203S* Big Block -: XGL6601S* | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 1966-67 | d Line station wagon I Fender Well By I 5/16* 5/16* 3/8" Line L-79 V8 | 109.99 ea 109.99 set Battery Box 109.99 ea 109.99 ea 109.99 ea |
| XGL6205S XGL6201S*; XGL6906S Small Block: XGL6204S* XGL6202S* XGL6203S* Big Block -: XGL6601S* XGL6602S | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 3/8" Feed 1966-67 | a Fender Well By I 5/16" 5/16" 5/16" 5/16" | 109.99 ea 109.99 set Battery Box 109.99 ea 109.99 ea 109.99 ea |
| XGL6205S XGL6201S* XGL6906S Small Block- XGL6204S* XGL6202S* XGL6203S* Big Block- XGL6601S* XGL6601S* All - 3/8" Fe | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 1966-67 1966-67 ed Line | d Line station wagon I Fender Well By I 5/16* 5/16* 3/8" Line L-79 V8 | 109.99 ea 109.99 set Battery Box 109.99 ea 109.99 ea 109.99 ea 109.99 set |
| XGL6205S XGL6201S* XGL6906S Small Block- XGL6204S* XGL6202S* XGL6203S* Big Block- XGL6601S* XGL6602S All-3/8" Fe XGL6801S* | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 3/8" Feed 1966-67 1966-67 ed Line 1968 | d Line station wagon Fender Well By 1 5/16* 5/16* 3/8* Line L-79 V8 L-79 V8 | 109.99 ea 109.99 set Battery Box 109.99 ea 109.99 ea 109.99 ea 109.99 set 109.99 ea |
| XGL6205S XGL6201S* XGL6906S Small Block XGL6203S* XGL6203S* XGL6601S* XGL6601S* XGL6602S All - 3/8" Fe XGL6801S* | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 1966-67 1966-67 ed Line 1968 1969-73 | d Line station wagon r Fender Well By E 5/16* 5/16* 3/8* Line L-79 V8 L-79 V8 | 109.99 ea 109.99 set 8attery Box 109.99 ea 109.99 ea 109.99 ea 109.99 set 109.99 set |
| XGL62058 XGL62018* XGL69068 Small Block- XGL62048* XGL62028* XGL66018* XGL66018* XGL66018* XGL68018* XGL69018 XGL69018 | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 1966-67 1966-67 ed Line 1968 1969-73 1974 | d Line station wagon is Fender Well By 1 5/16* 5/16* 3/8* Line L-79 V8 L-79 V8 | 109.99 ea 109.99 set 8attery Box 109.99 ea 109.99 ea 109.99 ea 109.99 set 109.99 set 109.99 set 109.99 set |
| XGL6205S XGL690IS* XGL6906S Small Block- XGL6204S* XGL6202S* XGL6602S* XGL6601S* XGL6601S* XGL6601S* XGL6601S* XGL6901S XGL6901S XGL6901S XGL7401S XGL7501S | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 3/8" Feed 1966-67 ed Line 1968 1969-73 1974 | d Line station wagon Fender Well By I 5/16* 5/16* 3/8* Line L-79 V8 L-79 V8 | 109.99 ea 109.99 set 3attery Box 109.99 ea 109.99 ea 109.99 ea 109.99 set 109.99 set 109.99 set 109.99 set 109.99 set |
| XGL6205S XGL690fS XGL6906S Small Block- XGL6204S* XGL6203S* Big Block XGL6601S* XGL6601S* XGL6801S* XGL6801S* XGL6901S XGL7401S | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 1966-67 1966-67 ed Line 1968 1969-73 1974 | d Line station wagon is Fender Well By 1 5/16* 5/16* 3/8* Line L-79 V8 L-79 V8 | 109.99 set Battery Box 109.99 ea 109.99 ea 109.99 ea 109.99 ea 109.99 set |
| XGL62058 XGL6201S* XGL6906S Small Block- XGL6204S* XGL6202S* Big Block- XGL6601S* XGL6602S All-3/8" Fe XGL6801S* XGL6901S XGL7401S | 5/16" Fee 1962-67 1962-67 1969-73 - Through 1962-64 1965-67 1965-67 1966-67 1966-67 ed Line 1968 1969-73 1974 | d Line station wagon is Fender Well By 1 5/16* 5/16* 3/8* Line L-79 V8 L-79 V8 | 109.99 c 109.99 c 109.99 c 109.99 c 109.99 c 109.99 c 109.99 c 109.99 c 109.99 c |

YC16002

1969-75 Fuel Return Lines

These fuel return lines are designed to replace the original lines exactly. Includes original size line with correct bends for ease of installation. Choose from original style material or upgrade to stainless steel. All lines are 1/4" unless noted.

| Note. Snippeu | OVEISIZE. | | 45000 | |
|----------------|-----------|---------|------------|--|
| OEM Materi | al | | € 0S1 | |
| XGL6902 | 1969-73 | 2 piece | 71.99 set | |
| XGL7502 | 1975 | 2 piece | 71.99 set | |
| Stainless Stee | el | | | |
| XGL6902S | 1969-73 | 2 piece | | |
| XGL7502S | 1975 | 2 piece | 100 00 cet | |



1971-78 Fuel Vapor Line

These fuel vapor lines are designed to replace the original lines exactly. Includes original size line with correct bends for ease of installation. Choose from original style material or upgrade to stainless steel All lines except some smaller pieces of sets are 5/16" unless noted. Check below for the correct application.

| OEM Materia | l | | € 0\$1 |
|-----------------|---------|---------|---------------|
| XEM7105 | 1971-73 | 5 piece | 120.99 se |
| XEM7401 | 1974 | 1 piece | 71.99 ca |
| XEM7501 | 1975 | 5 piece | 120.99 sc |
| XEM7601 | 1976-78 | 2 piece | 71.99 se |
| Stainless Steel | t . | | |
| XEM7105S | 1971-73 | 5 piece | 164.99 se |
| XEM7401S | 1974 | 1 piece | 109.99 ea |
| XEM7501S | 1975 | 5 piece | 164.99 se |
| XEM7601S | 1976-78 | 2 piece | 109.99 sc |



Pumn to Carburetor Fuel Line

These high-quality fuel line kits offer a clean and precise fuel supply line for mechanical fuel pumps with 3/8" NPT outlet to Edelbrock single feed or dual feed fuel inlet kits. These hose kits are pre-assembled hose with hose ends and are available with stainless steel

| E8123 | small block | 38.99 e |
|-----------|-------------|---------|
| E8124 | big block | 44.99 e |
| Pro Class | sic Hose | |
| E81233 | small block | 38.99 e |
| E81243 | big block | 54.99 e |



Fuel Lines for Edelbrock Carburetor 🗥

These fuel line and filter sets fit Thunder Series or Performer Series Carburetors. Features chromed hard steel line and Russell fuel filter. The dual feed lines include a stainless steel braided flex line for high-quality

| | looks an | d performance. | 0 1 | | | |
|---|--|-----------------------------------|-----------|--|--|--|
| Single Feed Lines for Square Bore Carbs | | | | | | |
| | | with blue anodized fuel filter | | | | |
| | E8131 | with polished fuel filter | | | | |
| | E8126 | w/3/8" barbed hose end, no filter | 28.99 ea | | | |
| | Dual Feed Lines for Thunder Series AVS Carbs | | | | | |
| | E8133 | with blue anodized fuel filter | 120.99 ea | | | |
| | E8128 | with polished fuel filter | 108.99 ea | | | |
| | E8132 | w/3/8" barbed hose end, no filter | 104.99 ea | | | |
| | Replacement Fuel Filter | | | | | |
| | E8130 | blue anodized fuel filter only | 29.99 ea | | | |
| | E8129 | polished fuel filter only | 32.99 ca | | | |



Excellent reproduction of the OEM style L-78 396 and COPO 9560/9561 427-425 engine fuel line Y-block.

This brass fitting mounts to the intake manifold where the two carburetor fuel inlet lines meet. Includes correct mounting bracket YB38B 1969



Low Profile Fuel Line Disconnect Set

Easily disconnect fuel injection quick connect fuel lines in hard to reach locations. 3/8" adapters work on GM fuel lines, 5/16" adapters work on Ford and Chrysler applications.



34750

Clean up your engine bay with these aluminum line clamps. Machined from 6061 aluminum and feature removeable Delrin inserts with a 3/16" pilot hole that can be drilled to accommodate a larger diameter line. Made in USA

| 5/8" Tall Line | | |
|----------------|--------|----------|
| | 1 hôle | |
| | 2 hole | |
| | 3 hole | |
| AE81204 | 4 hole | 29.99 ea |
| 1" Tall Line C | lamp | |
| | 1 hole | |
| | 2 hole | |
| | 3 hole | |
| AE160304 | 4 hole | 34.99 ea |







1967-79 Fuel Line Clip Sets

Reproduction clips used to mount the steel fuel lines to the frame on various GM models. Available for single 3/8" fuel line applications and for a 3/8" line with a 1/4" return line.

| Note: "O piece sei. ""/ piece sei. | | | |
|------------------------------------|---------|--------------------|-----------|
| Small Blo | | | |
| K0093* | 1967-69 | w/single 3/8" line | 17.99 set |
| K0094** | 1969-79 | w/3/8" and 1/4" | 17.99 set |
| Big Block | | | |
| K0093* | 1967-69 | w/single 3/8" line | 17.99 set |
| K0094** | 1969-79 | w/3/8" and 1/4" | 17.99 set |
| Individual | | | |
| K22163 | 1969-79 | w/3/8" and 1/4" | 2.99 ea |



1968-72 Gas Line Sunnort Bracket 🔥

Reproduction gas line support bracket for all 1968-72 Nova models. Use as needed. C125381 1968-72 14 99 ca

Remanufactured Carburetors









1962-79 Small Block 4 Barrel Carburetor

These Rochester carburetors are remanufactured to original specifications. These are replacement carburetors which include a current production date.

| Note: *Close | rd loop. **Witho | ut computer. | | |
|--------------|------------------|--------------|--------|----|
| 4311 | 1962-65 | 283, 327 | 349.99 | ca |
| 4312 | 1966 | 283 | 349.99 | ca |
| 4313 | 1966 | 327 | 319.99 | ca |
| 4324 | 1967 | 327, 350 | 319.99 | ca |
| 4333 | | 327, 350 | 319.99 | ca |
| 4335 | 1969 | 350 | 319.99 | ca |
| 4362 | 1970 | 350 | 319.99 | ca |
| 4363 | | 350 | 319.99 | ca |
| 4372 | 1972 | 350 | 319.99 | ca |
| 4401 | 1973 | 350 | 329.99 | ca |
| 4400 | 1974 | 350, 400 | 319.99 | ca |
| 4399 | 1975-77 | 350, 400 | 349.99 | ca |
| | | | | |







1962-79 Small Block 2 Barrel Carburetor We offer quality replacement carburetors for 283, 305.

307, 327, or 350 two barrel Chevy II/Nova models. These Rochester carburetors are remanufactured to original specification. These are replacement carburetors which include a current production date.

| Note: | *Closed loop | . **With ren | ote choke. | | |
|-------|--------------|--------------|------------|--------|----|
| 2507 | 1962 | 283. | | 239.99 | ca |
| 2508 | 1963 | 283. | | 239.99 | ca |
| 2509 | | | | 229.99 | ca |
| 2510 | 1966 | 283. | | 229.99 | ca |
| 2523 | 1967- | 58 283, | 307, 327 | 229.99 | ca |
| 2527 | 1969 | 307. | | 229.99 | ca |
| 2526 | ** 1969 | 327, | 350, 396 | 229.99 | ca |
| 2539 | A 1970 | 307. | | 229.99 | ca |
| 2537 | 1970 | | 400 | | |
| 2540 | 1971 | 307, | 350, 402 | 229.99 | ca |
| 2549 | 1972 | 307. | | 209.99 | ca |
| 2550 | 1972 | 350, | 400 | 259.99 | ca |
| 2573 | 1973 | 307. | | 239.99 | ca |
| 2574 | A 1973 | 350, | 400 | 239.99 | ca |
| 2572 | 1974 | 350. | 400 | 239.99 | ca |
| 2567 | 1975- | 76 262. | | 189.99 | ca |
| 2568 | 1975- | 76 305, | 350 | 239.99 | ca |
| 2568 | 1977 | | Federal | | |
| 2569 | 1977 | 305 | California | 239.99 | ca |
| 2614 | 1978 | 305 | Federal | 219.99 | ca |
| 2615 | 1978 | | California | | |
| 2601 | 1979 | 305. | | 369.99 | ca |



1962-79 Six Cylinder 1 and 2 Rarrel Carburetors

We offer quality replacement carburetors for 6 cylinder Chevy II/Nova models. These Rochester carburetors are remanufactured to original specifications. These are replacement carburetors which include a current production date.

| Note: * | Without compute | r. | | |
|---------|-----------------|--------------------|--------|----|
| 1308 | 1962 | 194 | 219.99 | ea |
| 1306 | 1963-67 | 194, 230, 250 w/AT | 219.99 | ea |
| 1307 | 1963-67 | 194, 230, 250 w/MT | 219.99 | ea |
| 1316 | 1968 | 230, 250 | 219.99 | ea |
| 1317 | 1969 | 230, 250 | 219.99 | ea |
| 1325 | 1970 | 230, 250 | 219.99 | ea |
| 1327 | 1971 | 250 | 219.99 | ea |
| 1332 | 1972 | 250 | 219.99 | ea |
| 1336 | 1973 | 250 | 219.99 | ea |
| 1335 | 1974 | 250 | 219.99 | ea |
| 1338 | 1975-76 | 250 | 219.99 | ea |
| 1347 | 1977 | 250 | 259.99 | ea |
| 1348 | 1978-79 | 250 | 259.99 | ea |
| 2592* | 1979 | 231 (3.8L) | 389.99 | ea |



1968-72 BB 4 Barrel Carburetor

Rochester carburetors are remanufactured to original specifications which feature acurrent production date. All have original style manual, electric, climatic or remote choke, and new electronic parts if computer controlled. 4334 1968-69 396 319 99 ca 4362A 319.99 ca 396, 402 4363A 1971 402 319.99 ca 1972 4372A 402 319 99 ca









2603 1979 267 (4.41.)

409.99 ea

Performance Carburetors

= [2]0[30[2]

Street Series Carb

Street carburetors are constructed of lightweight aluminum, including provisions for a choke assembly and changeable idle air bleeds for easy, non-permanent calibration changes if necessary. Fine tuning is accomplished by simply changing air bleeds, not opening up calibration restrictions with a drill bit! These dual fuel feed inlet carburetors are hand assembled in the U.S. using the PROFORM high flow carburetor main body, durable billet metering blocks, aluminum fuel bowls, and a high-performance billet throttle base plate.



Lightweight Aluminum - Not Heavy Zinc High Flow Center Section Design Flat Surfaces: CNC Precision Finish Changeable Screw-in Idle Air Bleeds Changeable Screw-in High Speed Bleeds High-Performance Down Leg Boosters except 650 cfm

Electric Choke on Mechanical Secondary and Vacuum Secondary Models

Fuel Bowl Features:

Lightweight Die-Cast Aluminum Fuel Level Sight Windows Externally Adjustable Needle and Seat Dual Feed Fuel Inlet Notched Secondary Float

Mechanical Secondaries electric choke.... 420 99 69 600 cfm 67212 650 cfm 424 99 ca electric choke 434.99 ea 67213 750 cfm electric choke 67214 850 cfm 445 99 ca electric choke Vacuum Secondaries 600 cfm electric choke 424.99 ea 67206 426.99 ea 650 cfm electric choke. 67208 750 cfm electric choke 447 99 ca

Non-stick Gaskets

Slaver Series Carburetor

The 600 and 750 cfm Slayer Series carburetors are designed with the same engineering and innovations featured on all QFT™ products. These affordable, vacuum secondary street carburetors feature all aluminum construction and hand built quality They are designed with a secondary metering plate with changeable jets, eliminating the need for a costly secondary metering block. Get QFT race winning innovation for your vehicle at a great price.

Note This product is not CARB exempt. Products that are not CARB exempt are legal in most states, but may not be used in California or states with similar emissions laws except on pre-1976 vehicles

- · Changeable idle air and high speed bleeds
- 3 Stage emulsion circuits in primary metering block
 Changeable primary idle feed restrictions and power valve
- channel restrictions
- QFT[™] QuickSet[™] adjustment on the vacuum secondary housing that provides external adjustment of the diaphragm without changing springs

 Notched secondary float for use with jet extensions
- · Secondary metering plate with changeable jets
- Fully adjustable electric choke Polished finish for superior good looks
- 600 cfm electric choke .. 385.99 ea CB710750 750 cfm – electric choke. 417.99 ca



Billet Throttle Base Plate Features:

Adjustable Secondary Housing on Vacuum Secondary Models Easy Access Secondary Idle Air Flow Adjustment Strong, Lightweight Billet Aluminum Corrosion Resistant Black Anodized Appearance Button Torx Head Throttle Plate Screws Power Valve Blow Out Protection Slip Link Linkage on Mechanical Secondary Models

Billet Metering Block Features:

Strong, Lightweight Billet Aluminum Four Corner Idle System on Mechanical Secondary Models Changeable Idle Feed Restrictions Durable, No Warping or Porosity Problems Secondary Jet Extensions on Mechanical Secondary Models

Hot Rod Series Carburetor The Hot Rod Series of carburetors

is designed for street applications. Made from lightweight aluminum castings and packed full of features, these carburetors are sure to make your hot rod run its best! Hand assembled and engine tested in the USA! Available in both vacuum and mechanical secondary configurations

Note This product is not CARB exempt Products that are not CARB exempt are legal in most states, but may not be used in California or states with similar emissions laws except on pre-1976 vehicles



- · Quick Set electric choke with one wire hookup for years of trouble-free starting. Dual inlet fuel bowls with Quick Set sight windows on both fuel bowls for safe and easy float level adjustment
- Vacuum secondary carburetors have a Quick Set housing that is adjustable by simply turning a screw - no more spring assortments to keep up with or
- torn diaphragms. 4 corner idle for smooth and efficient idle quality.
- Screw-in air bleeds for quick and unsurpassed tuning capability. Screw-in idle feed restrictions
- Non-stick gaskets throughout for easy service.

 The QFT 4 door* power valve with a strong diaphragm and blow-out protection
- in the throttle body.
- Universal throttle lever with sealed throttle shafts for years of smooth operation. Full vacuum accessory ports for PCV, power brakes and timed spark advance.

| Mechanical ! | Secondary Carburetors | | 4 |
|--------------|-----------------------|--------|----|
| CB711600 | 600 cfm | 555.99 | ca |
| CB711650 | | 555.99 | |
| CB711750 | 750 cfm | 613.99 | |
| CB711850 | 850 cfm | 651.99 | ca |
| acuum Seco | ondary Carburetors | | |
| CB711580 | 580 cfm | 552.99 | ca |
| CB711680 | 680 cfm | 533.99 | ca |
| CB711780 | 780 cfm | 552.99 | ca |
| | | | |

Street Series Carburetor

These Quick Fuel Super Street carburetors offer race performance in a lightweight, street friendly package. These carburetors are manufactured from aluminum and designed for maximum tunability through idle feed adjustment and power valve channel restrictions, as well as idle and high RPM air bleeds. Available with vacuum secondaries, which use fuel bowls

with single sight glass windows, or a mechanical secondary design featuring dual inlet, dual sight glass 4500 style fuel bowls with links to tune the secondary opening rate.



Note This product is not CARB exempt. Products that are not CARB exempt are legal in most stat but may not be used in California or states with similar emissions laws except on pre-1976 vehicles

- · Changeable air bleeds idle and high speed for ultimate tuneability
- Aluminum fuel bowls with dual sight glass windows
 Billet metering blocks with changeable idle feed and power valve
- channel restrictions
- 4 corner idle system
- Notched secondary floats
- Secondary jet extensions
- Slabbed throttle shafts with Teflon bearing ribbons with stainless steel plates Billet aluminum throttle body
- · Dog leg boosters/annular boosters mechanical secondary

| Mechanical | Secondary | Carburetors | | 4 | | |
|------------------------------|-----------|-----------------|--------|----|--|--|
| CB712650 | 650 cfm | | 745.99 | ca | | |
| CB712651 | 650 cfm | annular booster | | | | |
| CB712750 | 750 cfm | | 745.99 | ca | | |
| CB712751 | 750 cfm | annular booster | | | | |
| CB712850 | 850 cfm | | 745.99 | ca | | |
| Vacuum Secondary Carburetors | | | | | | |
| CB712680 | 680 cfm | | 692.99 | ca | | |
| CB712780 | 780 cfm | | 692.99 | ea | | |
| CB712880 | 880 cfm | | 692.99 | ea | | |

CR710600

448 99 69

Performance Carburetors



Finally an affordable high-performance race carburetor! PROFORM's Race Series carburetors are hand assembled in Bowling Green, Kentucky utilizing PROFORM high flow carburetor main body, durable billet metering blocks, aluminum fuel bowls, and a high-performance billet throttle base plate. These dual fuel feed inlet carburetors are equipped with a square bore base plate.

| 67199 | 650 cfm | no choke | 534.99 ea |
|--------|-------------|----------|-----------|
| 67200 | 750 cfm | no choke | 539.99 ea |
| 67201 | 850 cfm | no choke | |
| 67202 | 950 cfm | no choke | 612.99 ea |
| Vacuum | Secondaries | | |
| 67204 | 650 cfm | no choke | |
| 67205 | 750 cfm | no choke | 569.99 ea |
| | | | 44 |





Street Demon Carbureton

The Street Demon redefines the street carburetor with clean looks, brisk performance, and universal design. Available in 625 and 750 cfm, the Street Demon supports stock and mildly modified V8's with smooth, crisp throttle response. A dual bolt pattern works with most four barrel spread bore and square flange intake manifolds. Includes integrated 700R4/200R4 transmission kick down location and electric choke. Choose from all-aluminum construction or a polymer main body design. Made in USA. 625 cfm Carburetors

| D1900 | ball burnished finish. | | |
|-------|------------------------|--------|----|
| D1901 | with polymer main body | 362.99 | ca |
| | Carburetors | | |
| D1903 | ball burnished finish | | |
| D1904 | with polymer main body | 402.99 | ca |



= [9030]

Direct Replacement Carb Main Body

Replacement carburetor main body for Holley[®] 750 cfm (#3310) vacuum secondary carburetors. This all new main body replacement will help to enhance the look and performance of your Holley carburetor without a complete replacement.



350 cfm



Street Avenger 2 Barrel Carburetor

2 harrel

The Holley 2300 Series Street Avenger™ Series carburetors are the first true performance carbs specifically designed, dyno-tested, and calibrated for performance on the street. They feature the adjustable vacuum secondary, 2 vacuum ports, electric choke, external float adjustment, and the new Gen IV Power Valve. A 3/4" fuel line connection is included.

| H80500 | 500 cfm | | 472.99 ea |
|--------|----------|------|-----------|
| - | A second | | BRAWLER |
| 6 | 1 | | Carrie of |
| SIE. | | 1 | |
| de | | | |
| | BR67255 | ah a | Carlo |

1100250

Brawler die-cast carburetors are made from lightweight die-cast aluminum components and are available in both vacuum and mechanical secondary models. They offer all the tunability and options found on more expensive carburetors in the market, including a beautiful appearance, electric choke, and four corner idle adjustment on all mechanical secondary models.

| Vacuum Se | | | | |
|-----------|-------------|----------------|--------|----|
| BR67253 | 570 cfm | electric choke | 391.99 | ca |
| BR67270 | 600 cfm | electric choke | 331.99 | ea |
| BR67271 | 600 cfm | manual choke | 331.99 | ea |
| BR67256 | 670 cfm | electric choke | 432.99 | ea |
| BR67258 | 770 cfm | electric choke | 432.99 | ea |
| Mechanica | l Secondary | | | |
| BR67255 | 650 cfm | electric choke | 422.99 | ea |
| BR67276 | 650 cfm | electric choke | 348.99 | ea |
| BR67277 | 650 cfm | manual choke | 348.99 | ea |
| BR67257 | 750 cfm | electric choke | 492.99 | ea |
| BR67259 | 850 cfm | electric choke | 539 99 | ca |

Brawler Street Carburetors

Brawler Street carburetors includes billet metering blocks with the latest technology in air/fuel calibrations for today's street or race engine demands. They also feature billet throttle bodies for superior durability and throttle shaft stability. Brawler Street models offer many high-end options found on more expensive carburetors.

| Vacuum See | | | |
|------------|---------|--------------|-----------|
| BR67206 | 600 cfm | silver/black | |
| BR67207 | 650 cfm | silver/black | |
| BR67317 | 680 cfm | black/red | |
| BR67208 | 750 cfm | silver/black | 490.99 ea |
| BR67319 | 670 cfm | black/red | 481.99 ea |
| Mechanical | | | |
| BR67211 | 600 cfm | silver/black | |
| BR67316 | 600 cfm | black/red | |
| BR67212 | 650 cfm | silver/black | |
| BR67318 | 650 cfm | black/red | |
| BR67312 | 650 cfm | black/purple | |
| BR67213 | 750 cfm | silver/black | 489.99 ea |
| BR67320 | 750 cfm | black/red | |
| BR67313 | 750 cfm | black/purple | |
| BR67214 | 850 cfm | silver/black | 500.99 ea |
| BR67314 | 850 cfm | black/purple | 597.99 ea |













Edelbrock

Thunder Carburetors

Edelbrock

The Thunder Series carburetors share all the performance advantages of the popular Performer Series but with innovative new features. The Ouick-Tune secondary air valve can be easily adjusted to match your needs. Whether you want the secondaries to "kick in" early or late, you can set the air valve using standard tools, with no extra springs. Its a quick and simple process. These carburetors include all of the performance features of the Performer Series carburetors and also include distinctive black hardware, dual fuel inlets (shipped with left side plugged), lightweight ball burnished and CNC profiled body, and the Ouick-Tune secondary. They're available in 650 cfm and 800 cfm sizes with manual or electric choke. There's even an 800 cfm version specifically designed for off-road vehicles. These Edelbrock carburetors bolt-on and run right out of the box! Simply dependable, proven performance for almost any carbureted vehicle. All Edelbrock carburetors include an installation kit and owners manual.







650 CFM Carburetor

This carburetor is recommended for most Performer applications and small cubic inch Torker II applications. te: *With EnduraShine finish. F19054* 650 cfm manual choke 525.99 ea

800 CFM Carburetor

electric choke 384.99 ea

Recommended for most small block Performer RPM or Torker II applications and big block Performer applications. F1812 800 cfm manual choke 442.99 ea E1913 800 cfm electric choke 420 99 ea

Performer Carburetors

Performer Series carburetors complete the Edelbrock Power Package System for a smooth running and great performing "no guesswork" parts combination. By design, Performer Series square bore carburetors are refined to provide the widest possible torque range when matched with Edelbrock Performer, Performer RPM, RPM Air Gap or Torker II manifold and camshaft combinations. However, these carburetors are not limited to these applications, they also match well with most stock and other manifolds of similar design. Performer Series square bore carburetors are all aluminum, ball burnished and lightweight. There are no power valves to blow out or plastic parts to break. The two piece construction resists warping and the metering rods can be changed in seconds without removing the carburetor. These Edelbrock carburetors bolt-on and run right out of the box! Simply dependable. proven performance for almost any carbureted vehicle. All Edelbrock carburetors include an installation kit

Performance Carburetors



500 CFM Carburetor

Recommended for small cubic inch Performer and dual quad applications. Includes both timed and full vacuum ports for ignition advance

E1404 500 cfm manual choke 373.99 ea E1403 500 cfm electric choke 424.99 ea

600 CFM Electric Choke Carburetor 🗥

50 state street legal for all 1980 and earlier GM V8s (E.O. #D-215-10). Calibrated for maximum fuel economy. Includes timed vacuum ports, EGR and fuel vapor outlet. E1400 600 cfm electric choke 429.99 ea

600 CFM Carburetor

Recommended for most Performer applications and small cubic inch Torker II applications. Includes both timed and full vacuum ports for ignition advance. F1405 600 cfm manual choke 338.99 ea 600 cfm electric choke 368.99 ea F1406

750 CFM Carburetor

Recommended for most Performer RPM or Torker II applications and 402ci Performer applications. Provides excellent fuel economy when used on 454ci Performer applications. Includes both timed and full vacuum ports for ignition advance. E1407

750 cfm manual choke 388.99 ea 750 cfm electric choke 425.99 ea

FPS 800 CFM Carburetor The new EPS 800 carb is designed and calibrated for street high-performance engines. Dyno-tests

show that the EPS 800 carb outperformed a Holley #3310 carb out of the box by 26 ft lbs of torque and 22 horsepower on a small block Chevy equipped with Performer RPM components. Features include a high capacity accelerator pump, and an improved secondary cluster design E1412 800 cfm manual choke 463.99 ea E1413 800 cfm electric choke 483 99 ea

Holley

600 CFM Carburetor Classic offers newly remanufactured 600 cfm Holley carburetors. They feature an original finish, vacuum

secondaries, and Power Valve blowout protection. For all engines with or without air injection reactor (sn These replacements are similar to the units installed on 1967-69 Z28s with cross ram induction and can be used to replace list numbers 3810S, 4410A, and 4295. ortant: Throttle solenoid used on some models no included. Order separately. Carburetor is stamped with

current manufacturing date. 80457 600 cfm replacement carb. 362.99 ea





1968-69 780 CFM Carburetor

Manufactured with original Holley tooling! Used on 1968-69 Camaro models equipped with a 302, 1968 or 1969 models with a 396/375HP, or 1969 427/425HP equipped models. This is a 780 cfm carburetor. Part #HC369 is stamped with the GM #3923289-DZ and the Holley list #4053-DZ, while part #HC370 is stamped with the GM #3959164-GE and the Holley

| list #4346 | 5-GE. | | |
|------------|---------|-----------|-----------|
| HC369 | 1968-69 | 302 | 849.99 ea |
| HC369 | 1968 | 396/375HP | 849.99 ea |
| HC370 | 1969 | 396/375HP | 899.99 ea |
| HC370 | 1969 | 427/425HP | 899.99 ea |

Holley



1969 Carburetor

Manufactured with original Holley tooling! For 1969 models equipped with a 427 ZL1. This is a 850 cfm double pump carburetor with mechanical secondaries and the Holley list #4296. HC422 1969 427/425HP ZL1 1169 99 ea

650 cfm

E1906

Performance Carburetors

390 CFM Carhuretor

This Holley 4160 Series 390 cfm 4 barrel carburetor is ideal for small displacement V8 or V6 engines. It features side hung float howle a universal throttle lever, vacuum secondaries, and an electric choke. This is one of the simplest ways to get more performance from your engine. H8007 390 cfm

four barrel.



649.99 ea Holley

650 CFM Carburetor

This Holley 4150 Series 650 cfm 4 barrel carburetor is ideal for most moderate performance small block V8 engines. It features center hung float bowls, a universal throttle lever, vacuum secondaries, and an electric choke. This is one of the simplest ways to get more performance from your engine

H80783 650 cfm electric choke



582.99 ea

1955-86 Chevrolet Tri-Power Holley Tri-Power intake manifold and

carburetor system for small block Chevy engines. It was factory equipment under the hood of the legendary big block L71 and L89 Corvettes. With a Tri Power system you can cruise around economically on the 350 cfm center carburetor or unleash all 1000 cfm at wide open throttle to truly have the best of both worlds. Systems include a dual plane medium rise 3 x 2 Wieand intake manifold, three Holley 2 barrel carburetors (one 350 cfm center carb with electric choke and two 325 cfm outboard



carbs) in either a dichomate or cast shiny finish, steel fuel lines, progressive throttle linkage and reusable air filters with polished housings.

Note: Carburetors do not have a provision to connect an automatic transmission kick down cable or linkage. Overall height is 11-12? from and 12-12? rear with air cleaners installed. HEI distributors will need to use a standard cap style small body distributor, the large caps with coils on top are too large to fit. H3005 H300

| | | Holle | ű |
|-------|------------------------|---------|----|
| 0522 | cast shiny finish | 2244.99 | ea |
| 0.021 | cast dictironate musii | | |

Secondary Carburetor

Vacuum

Holley 4160 Series carburetors are available in several sizes and with manual or electric choke. These carburetors feature vacuum secondaries and power valve blow out protection. All are bright chromate finish. H1850 600 cfm H80457

H3310

H80508



Holley

H

Polished Double Pumner Carburetor

Holley 4150 Series double pumper carburetors are available in several sizes and with manual or electric choke. These carburetors feature mechanical secondaries, center hung float bowls and power valve blow-out protection. The double

| pumper is de | esigned for us | se on |
|---------------|----------------|-------------------|
| ightweight : | vehicles with | a manual or |
| automatic tra | ansmissions v | with a high stall |
| and low rear | end gears. | |
| H4776S | 600cfm | manual choke |
| H4777S | 650cfm | manual choke |
| H4777SF | 650cfm | electric choke |

| 4781S | 850cfm | manual choke | 629.99 | ca |
|--------|--------|----------------|--------|----|
| 4779SE | 750cfm | electric choke | | |
| 4779S | 750cfm | manual choke | | |
| 4777SE | 650cfm | electric choke | | |
| 4777S | 650cfm | manual choke | 556.99 | |
| 4776S | 600cfm | manual choke | | |
| | | | | |

Double Pumper Carburetor

Holley 4150 Series double pumper carburetors are available in several sizes and with manual or electric choke. These carburetors feature mechanical secondaries, center hung float

bowls and power valve blow-out protection. The double pumper is designed for use on lightweight vehicles with a manual or automatic transmissions with a

| nign staii a | na iow rear ei | nd gears. | 4 |
|--------------|----------------|----------------|-----------|
| H4776 | 600 cfm | manual choke | |
| H4777 | 650 cfm | manual choke | 614.99 ea |
| H4777E | 650 cfm | electric choke | |
| H4778 | 700 cfm | manual choke | |
| H4779E | 750 cfm | electric choke | |
| H4779 | 750 cfm | manual choke | |
| H4780 | 800 cfm | manual choke | |
| H4781 | 850 cfm | manual choke | 718 99 co |

Street Series Avenger Carburetor

The Holley 4150 Series Street Avenger™ Series carburetors are the first true performance carbs specifically designed, dyno-tested, and calibrated for performance on the street. They feature the No Trouble™ adjustable vacuum secondary, four vacuum ports, electric choke, external float adjustment, and the new Gen IV Power Valve. If you're looking for better throttle response, quicker acceleration, enhanced fuel economy, and superior driveability, the Street

Avenger[™] carbs are your answer. H80570 570 cfm four barrel 670 cfm H80670 four barrel H80770 770 cfm



90 EXHAUST 531.99 ca

FUEL











00 œ 30 n H37485



H37933 Carburetor Sets

Standard Rebuild Sets These sets are just what you need to make your Holley carburetor perform like new again. They include: new gaskets, o-rings, pumps, diaphragms, needles and seats, power valves, and detailed instructions to help you

step-by-step through the rebuilding process. Note: Visit website for specific carburetor number

| application. | s of each set. | |
|--------------|---------------------------|-----------|
| With Vacu | um Secondaries | |
| H37720 | 600 cfm 4160 | 35.99 set |
| H37119 | 600 cfm 4160 (1850/80457) | 36.99 set |
| | 750 -6- 4160 | 25 00 |

9 set 19 set With Mechanical Secondaries H37485 4150 double pump carbs... 47.99 set Performance Rebuild Set

This set contains all the parts you'll need to perform a complete rebuild on your Holley vacuum secondary or double pumper carburetor. Plus its got extra parts related to carburetor calibration that are required to accomplish a real performance tune. These include accelerator pump discharge nozzles, accelerator pump cams, vacuum secondary springs, and extra gaskets. A carburetor exploded view and detailed tuning guide

are also included H37933 Holley Trickit Set®...... 149.99 set



Carburetor Gaskets

These are reproductions of the gaskets used on Holley dual float carburetors. This is a 2 piece set consisting of the base gasket as well as the air cleaner gasket. A must when rebuilding your Holley dual float carburetor. 14306

CARBURETOR PARTS











Carburetor Gasket

We now offer a selection of the most commonly needed Holley carburetor gaskets. Rase Gasket and Studs

| H10851 | 4150 & 4160 carbs, .250" | |
|---------------------|------------------------------|----------------------|
| H10812 | 4150 & 4160 carbs, 5/16" | 25.99 ea |
| Base Gask | | |
| H10858 | 4150 & 4160 carbs, .204" | |
| H10818 | 4150 & 4160 carbs, 5/16" | |
| H10810 | 4150 & 4160 carbs, 1/16" | |
| H10825 | 4165 & Quadrejet carbs, 1/4" | 24.99 ca |
| Metering E | Block | |
| H10889 | 4150, 4160 & 4165 carbs | 12.99 pr |
| H10890 | | |
| | 4150, 4160 & 4165 carbs | 13.99 pr |
| H10891 | 4150, 4160 & 4165 carbs | 13.99 pr 13.99 pr |
| H10891 Fuel Bowl | 4150, 4160 & 4165 carbs | 13.99 pr |
| H10891 | | 13.99 pr |
| H10891 Fuel Bowl | 4150, 4160 & 4165 carbs | 13.99 pr |



Rubber Air Cleaner Base Gasket

This Buna rubber gasket is designed for air cleaners with a straight lip, the gasket has a groove that fits over the lip for a superior seal against dust and debris. It can also be flipped and used on air cleaners with a rolled lip. for 5-1/8" neck 297331 10.99 ca



Holley Carburetor Air Cleaner Gasket

This circle shaped gasket is installed between the carburetor body and the base of the air cleaner. Its a must for keeping small particles of dirt from entering your engine. They measure 5-1/8" in diameter and are available in two thicknesses.

H10862 5-1/8" diameter

1256633 5-1/8" diameter .060" thick 4.99 ea .200" thick 12.99 ea



Carburetor Installation Set

This set contains installation hardware for most Demon 4 barrel carburetors, including mounting studs, washers, nuts, air cleaner studs, vacuum caps, throttle cable balls with bushing adapters for throttle levers and 3 types of base gaskets for square and spread bore carburetors, and a gasket for the Street Demon. D160049 .. 24.99 set



1967-89 Quadraiet Carburetor Rebuild Set

Bring your carburetor back to original working order by replacing the crucial components with this complete rebuild set for use with original or Edelbrock replacement Quadrajet carburetors. Each part is manufactured to exact specifications assuring a quality part and an authentic rebuild. Includes all parts and gaskets necessary for a complete rebuild. Available for 1967-89 models.

ED1920 1967-78 750 cfm 39.99 set ED1921 1975-89 795 cfm 39 99 set



1967 Rochester Carburetor Renair Kit

You've got the original carburetor but it needs work. What do you do? You get a carburetor repair kit and fix it! This OE style repair kit is fabulous for repairing minor problems associated with original Rochester carburetors. Each repair kit includes: gaskets, pump, needle and seat, float gauge, guide, ball, spring and retainer. Perfect for off the vehicle repair.

MT with 2 barrel 23.99 ea



When using an electronic overdrive transmission, such as a 4L60E, with a carbureted engine, the transmission control unit requires a throttle position signal. This sensor bolts on to the carburetor and sends the proper signal to the computer. The simple design allows for easy calibration and voltage adjustments. Includes all necessary installation hardware. Made in USA. D1951 Street Demon TPS.



Throttle Solenoid

Some vehicles require a throttle solenoid to be used with Holley carburetors. This is a replacement unit manufactured by Holley. Also available are the solenoid

| H4674 | Holley throttle soleniod | 105.99 | ca |
|-------|--------------------------|--------|----|
| H209 | bracket | 12.99 | |
| H2657 | nut | 9.99 | ca |



Street Demon Throttle Solenoid Set 🔥

Some vehicles, especially vehicles with air conditioning, require a throttle solenoid to automatically increase engine RPM. This throttle solenoid set from Demon Fuel systems includes the solenoid, bracket, and mounting nut. Made in USA. D1950 Street Demor 133 99 set



->× Street Demon Calibration Set

This calibration set allows fine tuning of Street Demon carburetors. Although the carburetors are already fine tuned other adjustments and modifications may be necessary for optimal performance in built engines with large cams. This set includes an assortment of primary iets, metering rods and step-up springs along with secondary jets all in a convenient plastic storage case.



Carburetor Calibration Set

These sets include a selection of metering rods, jets, and step up springs that allow fine tuning and calibration of Edelbrock Performer and Thunder Series carburetors for mildly to extremely built motors, especially motors with performance camshafts that cause low intake manifold vacuum. Made in USA.

Note: Not legal for pollution controlled vehicles. Performer Series Sets

| E1479 | for 1405 models | | |
|---------|-------------------------------|-------|-----|
| E1480 | for 1407, 1410, 1412 and 1413 | | |
| E1486 | for 1403, 1404, 1801 models | | |
| E1486 | for 1802, 1803 & 1804 models | | |
| E1487 | for 1406 models | 52.99 | set |
| E1488 | for 1409 models | | |
| E1489 | for 1411 models | 60.99 | set |
| Thunder | AVS Series Sets | | |
| E1840 | for 1805 and 1806 models | | |
| E1841 | for 1812 and 1813 models | | |
| E1842 | for 1826 models | 70.99 | set |
| | | | |



Jet Assortment Set

The Holley jet assortment set is the professional way to track tune your Holley carburetor for top performance. The set consists of 2 each of 36 different jet sizes ranging from #64 to #99. The jets are contained in a plastic case that keep them separated and make them easily accessible. Jet sizes selected will give the broadest range of adjustment and performance for most performance

carburetor applications. H36181 iet assortment

H122 47 = Main Jet Size #47

Desired Main Jet Size

Carburetor Main Jets

Holley jets are the professional way to track tune your Holley carburetor for top performance. They are sold in sets of 2 and are available in jet sizes ranging from #40 to #110. The jets will give the broadest range of adjustment to get the most performance out of your Holley carburetor.

Important: Please specify jet size at the end of the part number when ordering. See chart above for more informa specify iet size, #40 to #110...... 9.99 pr



67454

Power Valves and Installation Tool

The power valve is a key component of the power enrichment system of Holley performance carburetors. These power valves incorporate "power valve blow out protection". Power valve installation tool is also available, and sold separately. Power Valve - Standard Flow

| H12323 | 2.5" Hg | | |
|-----------------|-------------------|-------|----|
| H12535 | 3.5" Hg | 12.99 | ea |
| H12545 | 4.5" Hg | | |
| H12555 | 5.5" Hg | 12.99 | ea |
| H12565 | 6.5" Hg | 12.99 | ea |
| H12585 | 8.5" Hg | 12.99 | ea |
| H125105 | 10.5" Ĥg | 12.99 | ea |
| Power Valve - | High Flow | | |
| H125125 | 2.5" Hg | 18.99 | ea |
| H125135 | 3.5" Hg | | |
| H125145 | 4.5" Hg | 18.99 | |
| H125155 | 5.5" Hg | 18.99 | |
| H125165 | 6.5" Hg | 18.99 | ea |
| H125185 | 8.5" Hg | 18.99 | ea |
| H1251005 | 10.5" Ĥg | 18.99 | ea |
| Installation Te | ool | | |
| 67454 | anodized aluminum | 28.99 | ea |
| | | | |



Accelerator Pump Squirters

We offer several sizes and styles of accelerator pump squirters. Choose from straight type or tube style to fit 4150, 4160, and 4500 series carburetors. All include 2 gaskets.

| Straight Ty | pe | | |
|--|------------------------------|--------------------------|---|
| H121125 | .025 | straight | 16.99 set |
| H121128 | .028 | straight | 16.99 set |
| H121131 | .031 | straight | 16.99 set |
| H121135 | .035 | straight | 16.99 set |
| H121137 | .037 | straight | 16.99 set |
| H121140 | .040 | straight | 16.99 set |
| H121142 | .042 | straight | 16.99 set |
| H121145 | .045 | straight | 16.99 set |
| Tube Type | | | |
| H12125 | 025 | tube | 27 99 set |
| | | | |
| H12128 | .025 | tube | 27.99 set |
| | | | |
| H12128 | .028 | tube | 27.99 set |
| H12128 H12131 H12135 H12137 | .028 | tubetubetube | 27.99 set 27.99 set |
| H12128 H12131 H12135 H12137 H12140 | .028 .031 .035 | tubetubetubetubetubetube | 27.99 set 27.99 set 27.99 set 27.99 set 27.99 set |
| H12128 H12131 H12135 H12137 | .028 .031 .035 .037 | tubetubetube | 27.99 set 27.99 set 27.99 set 27.99 set 27.99 set 27.99 set 27.99 set |















Carb Dual-Feed Fuel Line

Made from aircraft quality Buna-N neoprene hose encased in braided stainless steel, this fuel line is temperature, gas and oil resistant. Made for 3/8" NPT fittings, the fuel line is adjustable between the carb bowls from 7-1/2" to 11-1/2". Includes 1/8" pipe fitting and plug for optional fuel pressure gauge, etc. Hose inlet nipple not included.

F8101 108 99 69



Fuel Lines

We offer chromed copper fuel lines for Holley carburetors. The hard lines are manufactured with seamless copper tubing and are double flared at the

| 134160 | 4160 carbs | 43.99 | |
|-----------------|--|-------|--|
| 13439 134150 | adjustable 4150 & 4500 carbs 4150 carbs | | |
| nds with | 5/8"-18 inverted flare infets. | | |



Dual Feed Fuel Line

Chrome dual feed fuel line for use on Holley carbs with 3/8" inlet. High-quality gas lines specifically designed for use on Holley dual feed carburetors. Each gas line will replace the original exactly. Stainless steel construction for a performance appearance and long-lasting dependability.

66635 Holley 8-21/32" centers 14.99 ea 66636 Holley 9-5/16" centers 14.99 ea





1967-70 Holley Carburetor Fuel Inlet Nut Correct replacement fuel inlet nut for 1967-70 Holley carburetor and 5/16" fuel lines.

K0171 1967-70 2 required CARBURETOR PARTS



Vacuum Secondary Diaphragm

This vacuum secondary diaphragm fits most 4150 and 4160 square bore Holley carburetors. H1354



Assorted Vacuum Cans

Assorted vacuum caps for almost any automotive repair job. Each vacuum cap is constructed from durable, heat resistant vinyl, and provides a tight fit to prevent vacuum leaks. Excellent for capping lines and hoses while testing carburetors, emission control systems,

vacuum lines, and more, 5/32" Vacuum Cap - For 4 Barrel Holley Carb 1 piece 5/32" black...... 2.99 ea Assortment - Colored

Includes four each: 1/8" yellow, 3/16" blue, 1/4" red, 5/16" white, 3/8" black. A9747397 4 each assorted colors 3.99 set Assortment - Black

Includes: 5/32", 7/32", 5/16", 3/8", 3/16" x 2, 1/4" x 2. Δ9747396 8 piece assortment...... 4.49 set Δ9799350 30 piece assortment...... 6.99 set 4 Pack - Black Includes four 5/16" caps. $\Delta 9747394$ 5/16"..... 2 99 set 5 Pack - Black Includes five 1/4" caps. A9747393 2 99 set 10 Pack - Black 5 99 set A9747389 1/8

1/4"



6 49 set

4 99 set

Carburetor Adapter

Adapt a Holley or AFB 4 barrel carburetor to a Quadrajet 4 barrel manifold with this adaptor plate. Includes all necessary hardware.





Suread Bore Sealing Plate

Holley EFI spread bore sealing plate. This plate adapts a dual bolt pattern square bore carburetor or throttle body to a spread bore manifold and seal properly. Includes a 1/16" thick plate and 2 gaskets.



Carburetor Heat Shield Heat shield for all GM models with Holley carburetors.

This heat shield will help cool the intake charge for better performance. Excellent reproduction of the original 1970 GM Holley heat shield. 3969835 Holley 4 barrel carb.

1964-65 Carburetor Raffle Plate 🔥

Correct stainless steel carburetor baffle plate, all with 327 engine and AFB carburetor. OE Quality.

3799354 1964-65 327...



1964-65 Carburetor Insulator Spacer

Correct carburetor insulator spacer, all with 327 engine and AFB carburetor. OE Quality. 3828231 1964-65 29 99 ca

A9747392

A9750003

2.99 ca

Carburetor Parts





Carburetor to Manifold Adapter Sets 🔨 Carburetor to manifold adapter sets. These adapters

take the hassle out of many common intake, carburetor. and throttle body swaps. They are constructed of diecast aluminum and include the necessary gaskets and hardware to mount it all up.

Note: Additional modifications my need to be made to

| achieve proper fit and function. | | | | | |
|----------------------------------|--------|-----------------------------|-----------|--|--|
| | MG1933 | Holley 2300 to Rochester 2G | 23.99 set | | |
| | MG1929 | Holley 2300 to Quadra-Jet | 24.99 set | | |
| | MG1937 | 2300/2G to square bore | 23.99 set | | |
| | MG1932 | square bore to spread bore | 23.99 set | | |



Carburetor Spacer Set

Easily optimize the flow rates of air and fuel in your car with this modular 1" carb spacer set! Since various engine combinations have different fuel and air delivery requirements for maximum performance, each spacer set includes 1 frame and 2 popular inserts: open, 4 hole, and tapered 4 hole. This way, you can dial in exactly the right flow to get the most from your motor. 67160 carburetor spacer



1974-75 Rochester Carburetor Heat Shield Reproduction carburetor to intake manifold heat shield.

This shield when applied to intake manifold, will keep fuel in carburetor from reaching high temperatures due to engine block heat. Excellent for use on highperformance engines. For use with 4 barrel with Rochester bolt pattern. 354310 1974-75 4 99 ca





Carburetor Spacers

Carburetor spacer sets are now available for Holley carburetors. Each set includes mounting hardware and gaskets

| Open Cer | | | |
|----------|--------------------------------|-------|----|
| | 3/8" tall "Hiker" | | |
| T2094 | 3/8" tall w/vacuum tube, cap | 36.99 | sc |
| | 1" tall | | |
| T2103 | 1" tall w/3/8" fitting for PVC | 21.99 | se |
| T2081 | 2" tall | 24.99 | sc |
| Ported | | | |
| T2280 | 3/8" tall | 48.99 | sc |
| T2048 | 2" tall | 25.99 | sc |
| | | | |



1966-79 Carburetor Cover

Keep dirt and contaminants out of your carburetor while working on your engine with the air cleaner removed. Produced using tough plastic construction. For use on all 4 barrel carburetors. 5-1/8" diameter. 1966-79 4 barrel..... 5.99 ea



Carburetor Wedge Plate

During hard acceleration the float bowls in a carburetor become uneven, causing moderate fuel starvation. This aluminum spacer tilts the carburetor forward 5 degrees to help keep it level. This spacer measures .830" at its thickest point and has a dual bolt pattern for standard Holley, Carter AFB, and Edelbrock carburetors. Note: Not legal for use on pollution controlled vehicles.

265030



Carburetor Linkage Plate

Each plate is triple chrome-plated for a beautiful finish. For GM cables. Can be used with part #Γ2334. Holley/AFB 17 99 ca

AUTHORIZED



Carburetor Rod Clin

Reproduction carburetor rod to accelerator rod clip. Manufactured to original specifications for a correct replacement. Fits 5/32" rod diameter, LH and RH, 11/64" i.d. 100937 2.99 ca IH



3962782

RH

Morse Cable Bracket

Chrome-plated bracket for Holley or Quadrajet carburetor linkage plates. Can be used with part #T2333. T2334 10,99 ea



TH700-R4 Transmission Cable Bracket

This bracket is designed to be used on Holley 4150 and 4160 square bore carburetors only. It bolts onto the carburetor flange ear and provides a convenient mounting point for transmission and throttle cable. H2005 29.99 ca



Transfer Tube O-Ring Seals These fuel resistant o-rings will help prevent dangerous

fuel leaks at your carburetors fuel transfer tube. Both old and new style o-rings are available. H2637 old style.

H10897 new style 8.99 pr



Carburetor Needle and Seat

We offer several needle and seat assemblies for Holley carburetors. The seat size determines how much fuel can flow at a certain pressure. Larger sizes flow more fuel. Tune your Holley carburetor to flow the right amount of fuel at the proper pressure with a new

| H6506 | 97 | adjustable | 17 99 | ca |
|-------|------|------------|-------|----|
| H6504 | .110 | adjustable | 18.99 | ea |
| H6518 | .120 | adjustable | | |
| H6513 | .97 | off-road | 32.99 | ea |















Accelerator Pumn Cam Set

This set will allow you to "tailor" accelerator pump performance to the engine's actual requirements. Each cam has a different



shape to give different results. The shape of each cam directly affects the accelerator pump stroke and pump capacity. A steeply rising cam shape will give a fast, heavy fuel shot right off idle. Conversely, a gentle sloping ramp will spread the pump action over a longer period of time.

Carhuretor Float Bowl Screws

These are reproductions of the screws for Holley dual float carburetor bowls. This is a set of eight 2-1/2" flat blade screws. A must when rebuilding your Holley dual float carburetor.

14305



Float Adjustment Tool

No more slight-of-hand tricks! Easily adjust your carburetor float level with this hand float adjustment tool. 5/8" socket and built-in screwdriver blade protects your engine and hands from fuel spray.

67443 20 00 00



Ouick Change Secondary Spring Housing Make changing your vacuum secondary spring a simple

job with this quick change housing. It is simple to install on any vacuum secondary Holley carburetor. H2059 23 99 set



Carburetor Secondary Spring Set 🔥

CARBURETOR PARTS

This set will allow you to adjust the opening of your secondaries. Includes seven color coded springs from light to heavy. H2013 set of



1968-70 Holley Carburetor Air Cleaner Stud

This is a correct reproduction of the threaded stud used on models equipped with Cowl Induction System. The stud consists standard SAE thread and is coated in clear zinc for corrosion resistance. This stud is used for all 1968-70 big block models 3747933 1968-70 6.99 ea



Hollev Carburetor Air Cleaner Stud 🔥 Correct reproduction of the stud that attaches the air

cleaner to the carburetor on all Holley carburetors with tall air hom and an OE style drop base open element air cleaner HC295 universal. 9.99 ea

Carburetor Stud Set

We offer a variety of stud sets to fit just about any Holley or Rochester carburetor. Each set includes: 4 studs, 4 nuts, and 4 washers.

T2046 1-3/8" 3 99 set T2047 3.99 set 2.99 set T2106




Carb Mount Linkage Bracket

These brightly polished, chrome-plated brackets can be installed on vehicles equipped with Holley carburetors. For use with GM cables. T9619 manual trans ... 0 00 00 T9620 automatic trans 9 99 ca

Install your Holley carburetor and hook it up right with these throttle ball studs. H202 set of four 16.99 set

1968 Carb Return Soring

Reproduction of the original carburetor return spring for 1968 GM vehicles with Special/HIPO big block engines. Manufactured in the correct green color. 1968



1970-80 Accelerator Return Spring 🗥

Correct reproduction of the commonly missing spring which installs between the carburetor and water neck. K0135 1970-71 350, 400..... 5.99 ea 454..... 7.99 ea K0136 1970 340637 1974-80 V8 outer 4.99 ea K0154 1974-80 V8 inner ... 2 99 69



1968-70 Accelerator Suring Bracket 🔥

Retainer bracket which holds the rear loop of the throttle return spring in place. This bracket which mounts on top of the coil bracket is for 1968-70 Nova models with small block engines and Rochester Q jet carbs. C307911 1968-70.... 10 99 69



Chrome Carb Return Spring Bracket 🔥

This replacement chrome universal carb return bracket is designed to replace the original bracket for most carburetors. Adds a high-performance touch to any carburetor. 66180





1968-69 OE Style Accelerator Rod 🔔

Low Rise Intake/Quadrajet 1968-69

Correct reproduction accelerator rod and swivel

assemblies for various 1968-69 Chevy II/Nova models. This piece is commonly bent or broken after years of use. Service replacements for some applications Can also be used for custom/aftermarket intake and carburetor applications. Small Block

small block 29.99 ea

| Low Rise I | ntake/Quad | rajet | |
|------------|-------------|-------------|----------|
| KW6362 | 1968-69 | small block | 24.99 ca |
| | Bi | g Block | |
| High Rise | Intake/Holl | ev | |
| 3923549 | 1968-69 | big block | 29.99 ea |
| | | | |
| | | | للكات |
| | - | | |
| | _ | | |
| | | | |

1967-72 Accelerator Lever Cable 🔥

These are factory service replacements which extend from the carburetor to the accelerator lever and open the corb when the accelerator is press

| 3998633 3998633 | 1967 1968-72 | 6 cylinder | |
|--------------------|-----------------|------------|--|
| | | | |

1962-72 Universal Throttle Rod

Universal style accelerator throttle rod designed for use on various GM models. This accelerator rod is for use when modifications will not allow the use of the original rod between the accelerator pedal lever and the carburetor. Can be used with virtually any non-cable car or truck application that requires a 14-1/2" long throttle rod. Bend and shape as needed. 14-1/2" long.

Note: Not for cable operated applications. 1962-72 AL124





1967-69 Thermostatic Choke Coil 🔥

Over many years of driving, the choke coil winding can suffer from distortion, causing faulty operation. Will install as original and will ensure countless hours

| trouble free | | | |
|--------------|---------|-----------------|----------|
| E389 | 1967-69 | Holley 4 barrel | |
| E390 | 1967-69 | Quadrajet | 14.99 ca |
| 1256604 | 1967 | 396 | |





1968-72 Carburetor Choke Set

Replace your damaged or worn choke assembly with these complete sets. Sets include the cover, rod, choke spring, screw and clip on rod. e un i

| K0062 | 1968-69 | all with Holley carb | 29.99 | set |
|-----------|---------|-----------------------|-------|-----|
| K0107 | 1968-69 | 327/350HP with QJ | 29.99 | set |
| Big Block | ŀ | | | |
| K0062 | 1968-69 | all with Holley carb | 29.99 | set |
| | 1968-69 | 396/325HP or 350HP QJ | | |
| K0106 | 1968-69 | 396/375HP L78 | 31.99 | set |
| K0109 | 1970-71 | L78 engine | 44.99 | set |
| K0110 | 1970-72 | 396, 402 with QJ | 45.99 | set |



1967-72 Remote Choke Thermostat Cover Reproduction remote choke thermostat covers for 1966-72 Chevy II/Nova models with Rochester 4

barrel carburetors with the choke thermostat mounted to the intake manifold 3864866 1967-70 5.99 ca K0041 1970-72 L78. 396, 402 w/QJ 9.99 ea



1966-72 Choke Rod

Reproduction choke rods. Over the years the choke rods can become damaged or missing. Replacing this choke rod will allow your carburetor to function correctly and keep your engine running smooth. Includes correct

| 1256602 1256602 | 1966-67 | 327/275HP | 19.99 | |
|--------------------|---------|----------------|-------|--|
| 1256651 | 1971-72 | with LT1 (Z28) | | |



Choke Thermostat Mounting Screw 1

This mounting screw is used to hold the thermostatic choke assembly to the intake manifold. 1966-70 1256603

2.99 ca

Manual Choke Cable

This cable can be used with all manual choke Holley carburetors. Cable length is 6 feet and the control knob has the Holley name prominently displayed. 6 ft. length .. H45228





Manual Choke Cable Mount Hardware This universal bracket mounts inside the vehicle under

the dashboard to secure the choke control cable. The cable clamp set is for use on Holley model 4010, 4150, and 4160 carburetors only. Cable Bracket

| H45229 | universal | 24.99 |
|------------|-------------------------------|-------|
| Cable Clan | p Set 4010/4150/4160 carbs | 17 99 |
| | | |











Carburetor Components





Universal Throttle Cable

All Lokar throttle cables are designed with a specially extruded liner to extend the life of the cable. Cables are equipped with aluminum fittings and aluminum ferrule to eliminate fraying. These cut-to-fit cables are available in 24", 36", or 48" lengths with a stainless steel inner wire, and your choice of a stainless steel, black stainless steel, or black nylon housing. Clevis is designed to eliminate cotter pins and set screws. Includes installation instructions

Important: Remember to pull inner wire out before cutting ousing.

| Note: For 19 | 86-93 EF | Tuse TC10024. | |
|--------------|----------|-----------------------|----------|
| Universal I | Ti-Tech | Throttle Cable - Carb | |
| TC10024A | | | |
| TC10024B | | | |
| TC10024C | | black nylon | 51.99 ea |
| TC10036A | | stainless steel | |
| TC10036C | | black nylon | 59.99 ea |
| TC10048A | | stainless steel | |
| TC10048B | 48* | black stainless steel | |
| TC10048C | 48" | black nylon | 67.99 ea |
| | | on 1985-91 and LT1/L | |
| TC20024A | | stainless steel | |
| TC20024B | | | |
| TC20024C | 24" | black nylon | 51 99 cs |

| | | 1985-91 and LT1/L | |
|-----------|--------|-----------------------|---------|
| TC20024A | | stainless steel | |
| TC20024B | | black stainless steel | |
| TC20024C | | black nylon | 51.99 e |
| TC20036A | | stainless steel | |
| TC20036B | 36" | black stainless steel | 76.99 e |
| LS1/Ram J | et 350 | | |
| TC30036C | 36" | black nylon | 59.99 e |
| TC30048A | 48" | stainless steel | |

| TC40024A | 24" | stainless steel | 67.99 ea |
|--------------------------------|------------|-----------------------|----------|
| TC40024B | 24" | black stainless steel | |
| TC40024C | 24" | black nylon | |
| Vortec TC50036B TC50048A | 36" 48" | black stainless steel | 76.99 ea |



Duo-Pak Throttle Cable Set

DP10001C

112.99 set

92.99 set

Lokar Duo-Pak throttle cable sets will easily adapt to most gas pedals and throttle assemblies. Sets feature Lokar's Hi-Tech throttle cable, stainless steel carburetor bracket, and return spring kit. Cables designed with aluminum fittings and aluminum ferrules to eliminate fraying and feature a "U-Cut-to-Fit" stainless inner

| | | stainless steel, or bla | |
|----------|-----|---|------------|
| | | ailable for carbureted a AFB, Quadrajet and In | |
| DP10001A | 24" | stainless | 94.99 set |
| DP10001B | 24" | black stainless | |
| DP10001C | 24" | black nylon | 84.99 set |
| DP10002A | 36" | stainless | 102.99 set |

DP10002C 36

36 DP10002B

black nylon. 🚂 AUTHORIZED

black stainless....



Universal Throttle Cable

| specially ext Cables are m aluminum fi fraying. Clev | orized throttle cables are designuded liner to extend the life of lanufactured in stainless steel a titings and aluminum ferrule to vis is designed to eliminate cotto cludes installation instructions. | the cabl nd featu elimina er pins ar | e. re te |
|---|--|---|----------------|
| | stainless | 21.00 - | _ |
| | black | | |



Throttle Cable Brackets

Lokar throttle cable brackets are available for a variety of different motors including carbureted setups, LS1, Ram Jet 350, 502, and more. Finishes include stainless steel, black stainless steel, and billet aluminum were available. Carburetor brackets only fit Holley. Edelbrock, AFB, Quadrajet, Demon, and In-line Dual Ouad carbs and mounts to the rear. Brackets for Tuned Port Injection are available with a single hole stud for throttle only, a dual hole stud for throttle and kick down, and a triple hole stud for a throttle, kick down and cruise control cables. Made in USA.

Important: Ram Jet 350 uses LS1 throttle cable TC30036

| or TC30048. | |
|-------------------|------------------------|
| Note: *Cruise con | trol bracket set only. |
| | Carburetor |
| Stainless Steel | |

| | Carburetor | | | |
|---------------------------------------|---------------------------------|-----------|--|--|
| Stainless ! | | | | |
| SR4000 | bracket and springs | 35.99 set | | |
| SR4001 | bracket only | 19.99 ea | | |
| SR4002 | springs only | 19.99 ea | | |
| Black Stainless Steel | | | | |
| SR4003 | bracket and springs | 38.99 set | | |
| SR4004 | bracket only | 21.99 ca | | |
| SR4005 | springs only | 21.99 ca | | |
| LS1 with 3" Throttle Body Linkage Cam | | | | |
| 1998-99 B | rushed Billet Aluminum | | | |
| SR4006 | single hole stud throttle only. | 48.99 ea | | |

| SR4006 | single hole stud throttle only. | 48.99 | ca | |
|---------|----------------------------------|-------|----|--|
| SR4007 | dual hole stud throttle & cruise | 48.99 | ea | |
| 1998-99 | Black Billet Aluminum | | | |
| SR4008 | single hole stud throttle only. | | | |
| \$24000 | dual hole stud throttle & cruise | 53.00 | 00 | |

LS1 with 3 1-2" Throttle Body Linkage Cam 2000-02 Brushed Billet Aluminum

| SR4018 | single stud - throttle only | | |
|--------|---------------------------------|-------|----|
| SR4011 | dual stud - throttle and cruise | 48.99 | ea |
| | Black Billet Aluminum | | |
| SR4012 | | | |
| SR4013 | dual stud - throttle and cruise | 53.99 | ea |

| Ram Jet | | | | | |
|------------------------------|--------|-----------------|-------|-----|--|
| SR4014 | SB 350 | stainless | | | |
| SR4015 | SB 350 | | 83.99 | | |
| SR4016 | BB 502 | stainless | | | |
| SR4017 | BB 502 | black stainless | 79.99 | set | |
| Tuned Port Injection 1985-91 | | | | | |

| triple hole stud | 48.99 ea |
|------------------|---|
| illet Aluminum | |
| | |
| | |
| triple hole stud | 91.99 ea |
| t Aluminum | |
| | |
| | |
| triple hole stud | 53.99 ea |
| | single hole stud double hole stud. triple hole stud. illet Aluminum single hole stud double hole stud triple hole stud. |

| | LT1 and LT4 | | |
|-----------|--------------------------------|-------|-----|
| | eel – Includes Kick Down Bra | | |
| | 1992-93 LT1 | | |
| | 1994 and later LT1 & LT4 | | |
| TF801169* | 1992 and later LT1 | 75.99 | set |
| | less Steel - Includes Kick Dow | | |
| | 1992-93 LT1 | | |
| TF801171 | 1994 and later LTL & LT4 | 83 99 | set |

black stainless steel 84 99 ca

TC30048B 48*

Ram Jet 502

Carburetor Components



Street Demon Cable Bracket

These brackets remove the guesswork when installing a Street Demon carburetor in almost any carbureted GM application. All brackets have a clear zinc coating for corrosion protection and include installation hardware. Made in USA.

17 99 ca

| | Throttle Rod Adapte |
|---------|---------------------|
| For Mec | hanical Linkage |
| D1952 | |

Throttle and Trans Kick Down
D195328.99 set



Cable Bracket Set

Throttle Cable Bracket This chrome throttle cable bracket can be used with all

H150 and 4160 model square bore Holley carburetors. It includes dual stainless steel return springs. H2088 with springs. 33.99 ea



1968-72 Quadrajet Throttle Cable Bracket

This reproduction of the Quadrajet throttle cable bracket is the most correct on the market for a true restoration. Stamped with GM#3992376. Fits 1968-72. Nova models with 327, 350, 396, 427, 454, LS5 and L34 engines with a Quadrajet carburetor.

14672 1968-72 34.99 ea



1968-72 Holley Throttle Cable Bracket

Reproduction of the Holley throttle cable bracket for a true restoration. Stamped with GM #3972619. For 1968-72 Nova models with 327, 350, 396, 427, 454, LS6, L78, and L89 engines with a Holley carburetor. 14673 1968-72



Throttle Spring Return Set

Mounts to intake manifold on driver side. Required by many race sanctioning bodies and a great idea for any high-performance vehicle, these intake manifold mounted throttle return spring and bracket sets provide positive throttle return. Includes: chrome brackets, springs, bushings, and fastener.

| Holley 2 Ba | rrel | | |
|-------------|-------------------|-------|-----|
| OC2083 | 2300, 2305 | 11.99 | set |
| Holley 4 Ba | | | |
| DC2083 | 4150, 4160 | 11.99 | sc |
| | with Carb Spacers | | |
| Г2386 | big block | | |
| Γ2387 | small block | 20.99 | sc |
| | | | |



1968-72 Carb/Throttle Arm Bushing OER® reproduction of the original accelerator rod

OEAF* reproduction of the original accelerator rod forommet and sleeve unit where the accelerator rod fits into the linkage. This grommet often deteriorated uct on engine heat or chemical spillage. Replacing the grommet will keep your throttle rod from becoming loose or sloppy. Includes cotter pin. Sold individually. 2 required per vehicle.

K521 1968-72 3.99 set



Carburetor Throttle Stud Install your Holley carburetor and hook it up right with

these throttle studs. Measurement based on diameter of throttle stud.

H2037 7/32" diameter 9.99 ca

H2038 1/4" diameter 8.99 ca



Throttle Lever Arm Pinch Bolt

Correct reproduction accelerator throttle lever to pedal rod pinch bolt kit. Includes: one 1/4"-20 x 1-1/4" grade 5 bolt, nut, and washer. 154214 1962-69 2.99 ea



Throttle Cable & Kick Down Brackets Chrome-plated bracket set small block Chevy with

cable type linkage. May be used with either round or square mounts. You do not have to remove the carburetor to install. Allows full adjustment.

Note: Use T9757 also if you have a TH350 trans.

Throttle Cable Bracket
T9756 small block 9.90



TH350 Kick Down Cable

Stainless steel transmission kick down cable that fits TH350 transmissions with carburetor kick down cable. Designed for 4 barrel type carburetors and small block Chevrolet engines. Includes extender for more versatility in adjusting cable length where needed.

Important: Cable housing cannot be cut to fit.

153666 TH350 26.99 ea



TH350 Kick Down Bracket This bracket is designed to bolt to a small block V8

intake manifold and provides a convenient mounting point for the transmission kick down bracket. Fits TH350 with 4 barrel carburetors. H2045 17.99 ea

Holley



Transmission Kick Down Stud A Install your Holley carburetor and hook it up right

with this transmission kick down stud.

H2040 transmission kick down stud 9.99 ea











Electronic Fuel Injection



Atomic EFI Set

The MSD Atomic EFI set fits all engines making up to \$25 horsepower at the crankshaft. The annular ping charge injection design produces a better airfuel mixture and distributes it evenly among the cylinders. As a result, engines idle, start and drive better with the Atomic EFI set. Throttle bodies feature 80 Ib injections and a self-calibrating throttle position sensor. They also feature an internal for laft for no-less, no-hassle fed of the box. It includes the EFI throttle body, electric fuel pump, fuel line and filter with hardware, power module with wide band O2 sensor and handheld controller. Also available are the throttle body set which includes everything except for the fuel system components. Or purchase the fuel components separately.

Note: Atomic EFI sets are California emissions approved for carbureted General Motors vehicles 1987 and older. E.O. number D-722.



Atomic EFI High Horsepower Fuel Set 🛕

High horsepower fuel components set for MSD Atomic EFI sets. This set supports 620 horsepower at the crankshaft and supplies more fuel to the Atomic EFI throttle body than the standard Atomic EFI fuel pump, fuel filter, brackets, and EFI specific fuel line clamps, 2021 720 90 set 100 pt. 100 p



Oxygen sensor bung set. A quick and easy way to install an oxygen sensor onto your exhaust without welding. FF60012 16.99 set





Street Series Fuel Injection System 🗘

FiTech Street Series "Ready-to-Run" throttle body EFI systems. These self-tuning, bolt-on-systems will increase reliability, horsepower, and fuel efficiency. Available in 3 performance levels, ranging from 250 to 800 HP.

Go Street EFI Basic Set - Gray
F530003
Go Street EFI Master Set with Inline Pump - Gray
FF31003
Easy Street EFI Basic Set - Gold
Hom Street EFI Basic Set - Black
1099.99 set
Holley



EFI Fuel System Sets

Holley EFI fuel system sets are available in a number of configurations, with and without fuel pumps or return lines. Every set includes 20 feet of 3/8" Earl's Vapor Guard fuel hose, a post filter, and the necessary fittings for installation. Sets with fuel pump include pre-filters and return style sets include an extra 20 feet of hose and a fuel tank bulkhead fitting.

Note: Additional components may be necessary for

| Without Re | Without Return Line | | | | | |
|------------|---------------------|--------|-----|--|--|--|
| H5269 | without pump | 160.99 | set | | | |
| H5265 | with pump | 403.99 | set | | | |
| With Retur | With Return Line | | | | | |
| H52610 | without pump | 263.99 | set | | | |
| H5267 | with pump | 403.99 | set | | | |
| H5267 | with pump | 403.99 | set | | | |



Go FFI 4 ROOHP Fuel Injection System 🔥

The Go EFI 4 self-tuning fuel injection is rated at up to 600HP and is suitable for engines from 250HP thru 600 HP. It fits any 4 barrel intake manifold and is the most self-contained and full featured unit of this type. It has a built-in fuel pressure regulator and includes handheld touch screen controller for a quick and easy setup.

 Go EFI 4 Basic Set
 999.99 set

 FF30001
 bright aluminum.
 999.99 set

 FF30002
 matte black.
 999.99 set

 Go EFI 4 Master Set with Inline Pump
 FF31001
 bright aluminum.
 1236.99 set

 FF31002
 matte black.
 1236.99 set
 1236.99 set



Throttle Return Spring

g for any

This set will provide a throttle return spring for any FTEch 4 barrel throttle body. Includes: bracket, springs, and mounting hardware.

FF60011 31.99 set



Sniper EFI Air Cleaner Base

Holley Sniper EFI air cleaner 1* drop base for 14* air cleaners. This base was specifically designed for use with the Sniper EFI 4 barrel throttle body. It features two reliefs stamped into the steel to clear the Snipers dual fuel inlest. Compatible with 6-AN to 38* 90 degree fittings and available in chrome or black.

H120510 all V8 chrome 29.99 ea H120511 all V8 black 23.99 ea



EFI Fuel Return Adapter

This adapter creates a return system simply by cutting a 2-344* section out of any standard 2* fuel filler tube. Made from aluminum with a 3/8* fitting that points 90 degrees downward to direct fuel back to the bottom of the tank. Each set includes the adapter with two Buna rubber sleeves and four stainless steel clamps for a leakproof seal. 555385

FI Conversion Sets





Sniper EFI Fuel Injection Conversion Sets

Holley Sniper EFI universal self-tuning fuel injection conversion sets. Converting to EFI will put an end to the cold start issues, hesitations, vapor lock, and flooding associated with most carbureted engines. Sniper sets feature numerous styles of throttle body and are available in polished, black ceramic, and classic gold finishes. Master sets include the most complete fuel system on the market. Holley just brought EFI within range and Classic Industries® carries the complete Sniper line with sets for nearly any application.

Sniper EFI Features:

- Easy 4 Wire Hoon Un
- Throttle Body Mounted ECU
- Supports Up to 650 HP
- Integrated Ignition Timing Control & Coil Driver
- High Resolution Full Color Touchscreen
- Simple Calibration Wizard No Lautop Needed
- DEM Style Sensors
- Clamp-on Oxvgen Sensor Bung

4150 Four Barrel Sets Holley 4150 four barrel sets feature dual bolt patterns

(square and spread bore), an internal fuel pressure regulator, and four 100 lb injectors capable of supporting up to 650 horsepower.

Note: Spread bore/Rochester Q-jet applications require sealing plate part #H90060.

| Standard Sets | | |
|---------------|----------------|-------------|
| H550510 | polished/shiny | 1070.99 set |
| H550511 | black ceramic | 1113.99 set |
| H550516 | classic gold | 1113.99 set |
| Master Sets | | |
| H550510K | polished/shiny | 1404.99 set |
| H550511K | black ceramic | 1404.99 set |
| H550516K | classic gold | 1404.99 set |

Quadraiet 4 Barrel Sets

sets are designed to deliver that Rochester roar at wide open throttle. They feature a spread bolt pattern and multiple fuel inlet configurations



that allow for a stock appearing installation under the stock air cleaner. Includes a GM brake booster adapter, throttle lever provisions for TH350/TH400 and 200R4/700R4 transmissions, and a kick down bracket. Capable of supporting up to 500 horsepower. Brake booster

adapter also included, if required. Note: Requires external fuel pressure regulator. H550867 polished/shiny 1336.99 set H550868 black ceramić .. 1392.99 set H550869 classic gold.. 1392.99 set



Terminator TBI Sets

Holley Terminator EFI4 barrel throttle body fuel injection system with transmission control. This high-performance system includes a 950 cfm 4150 flanged throttle body based on Holley's Nascar TBI with four 80 lb/hrinjectors. The Terminator ECU is virtually maintenance-free and fully self-tuning – no laptop required. The base sets include a 4150 style square bore throttle body, a Terminator ECU, a handheld EFI monitor, and with or without transmission control. Master sets include the most complete fuel system on the market.

| Stealth Base Se | | | |
|-----------------|------------------------|---------|----|
| H550405 | polished/shiny | 2471.99 | SC |
| H550406 | hard core gray | 2534.99 | SC |
| Stealth Base Se | ets with Trans Control | | |
| H550407 | polished/shiny | 3211.99 | sc |
| H550408 | hard core gray | 3274.99 | SC |
| Stealth Master | Sets | | |
| H550405K | polished/shiny | 2891.99 | sc |
| H550406K | hard core gray | 2953.99 | sc |
| | | | |

Terminator Stealth 4 Rarrel Sets

Holley Terminator Stealth EFI conversion sets. The Terminator Stealth EFI system has the same great self-tuning features as other Terminator EFI systems but with the stealthier looks of a carburetor. This system is easy-to-install and tunes itself - no laptop required.



bore throttle body, a Terminator ECU, a handheld EFI monitor, and with or without transmission control. Master sets include the most complete fuel system on the market. The ECU is fully upgradable

| Stealth Base | Sets | | ◮ |
|--------------|-------------------------|---------|-----|
| H550440 | polished/shiny | 2409.99 | set |
| H550441 | hard core gray | 2471.99 | set |
| H550444 | classic gold | 2399.99 | set |
| Stealth Base | Sets with Trans Control | | |
| H550442 | polished/shiny | 3133.99 | set |
| H550443 | hard core gray | 3192.99 | set |
| H550445 | classic gold | 3099.99 | set |
| Stealth Mas | ter Sets | | |
| H550440K | polished/shiny | 2891.99 | set |
| H550441K | hard core gray | 2953.99 | set |
| H550444K | classic gold | 2865.99 | set |

Holley EF

HP FCII and Harness Sets

Holley HP EFI ECU and harness sets are a "Plug and Play" alternative for stock or high-performance GM TPI and LS engines. This set includes: HP ECU, harnesses, communication cable, software, and a wide band 02 sensor designed to be used with GM engines with factory GM coils. The HP ECU is equipped with 4 programmable inputs and 4 programmable outputs allowing the user to configure the system to support a wide range of controls including boost control, progressive nitrous, water/methanol injection, speed inputs, fuel pump control, AC inputs, timing retard inputs and various other use

| | Stealth RamTM - HEI | | | | |
|----------------------------------|---------------------|---------|-----|--|--|
| H550601 | Bosch O2 sensors | | | | |
| H550601N | NTK O2 sensors | 2322.99 | set | | |
| LS1 and LS6 w/24X Crank Sensor - | | | | | |

Bosch Injector Harness Connectors H550607 Bosch O2 sensors 2213 99 set H550602N NTK O2 sensors 2402.99 set LS2, LS3, and LS7 w/58X Crank Sensor -

EV6 Injector Harness Connectors H550603 Bosch O2 sensors 2213 99 set H550603N NTK O2 sensors ... 2402.99 set

LS2, LS3, and LS7 w/58X Crank Sensor -**Bosch Injector Harness Connectors** Rosch O2 sensors 2213 99 set H550601





EFI Fuel System Sets

Holley EFI fuel system sets are available in a number of configurations, with and without fuel pumps or return lines. Every set includes 20 feet of 3/8" Earl's Vapor Guard fuel hose, a post filter, and the necessary fittings for installation. Sets with fuel pump include pre-filters and return style sets include an extra 20 feet of hose and a fuel tank bulkhead fitting

Note: Additional components may be necessary for some applications.

| Without I | Return Line | | |
|-----------|--------------|--------|-----|
| H5269 | without pump | 160.99 | set |
| H5265 | with pump | 403.99 | set |
| With Reti | | | |
| H52610 | without pump | 263.99 | set |
| H5267 | with pump | 403.99 | set |











ď

Chevy II/Nova Headers

1964-79 Hedman Hedders

Classic Industries® stocks a full line of Hedman Hedders for 1964-79 Chevy II/Nova models. These units are designed to replace the heavy restrictive factory manifolds with tubular steel manifolds to increase horsepower and torque. Includes collector and header to head gaskets, collectors, and bolts. We offer Hedman Hedders™ for or without air injection (smog tubes). Get more performance from your Nova without breaking the bank and do it with a name you can trust in the header business "Hedman".

ortant: Available in black. Be sure to read the important notes listed on the bottom of this page pertaining to each header system for correct application.



| Note: | Shipped or | ersize. | | | | | | | | | | | |
|-------|------------|---------|---------------------------|----|----|----------|---------|--------|----------|------------|-----------|----------------|------------|
| Part# | Year | Engine | See Notes | AC | PS | AT Col A | T Floor | MT Col | MT Floor | Smog Notes | Tube Dia. | Collector Dia. | Price |
| 68160 | 1964-67 | 283-400 | 1, 128, 26 | Y | N | Y | N | Y | C | | 1-1/2" | 3" | 244.99 set |
| 68270 | 1968-79 | 283-400 | 1, 6, 45, 49 | N | Y | Y | Y | N | Y | D,* | 1-5/8" | 3" | 238.99 set |
| 68271 | 1968-79 | 283-400 | 4, 5, 6, 49 | N | Y | Y | Y | N | Y | F,J | 1-5/8" | 3" | 390.99 set |
| 68277 | 1968-79 | 283-400 | 1, 4, 6, 49 | N | Y | Y | Y | N | Y | CJ | 1-5/8" | 3" | 296.99 set |
| 68600 | 1968-79 | 283-400 | 1,6,15,45,49,103 | N | Y | Y | Y | N | N | D,* | 1-5/8" | 3" | 203.99 set |
| 68601 | 1968-79 | 283-400 | 4, 5, 6, 15, 49, 103 | N | Y | Y | Y | N | N | F,I | 1-5/8" | 3" | 341.99 set |
| 68607 | 1968-79 | 283-400 | 1, 4, 6, 15, 49, 103 | N | Y | Y | Y | N | N | C,I | 1-5/8" | 3" | 283.99 set |
| 65003 | 1968-74 | 283-400 | 1, 6, 42, 45, 49, 103 | N | Y | N | Y | N | Y | C | 1-3/4" | 3" | 256.99 set |
| 67104 | 1975-79 | 283-400 | 1, 6, 42, 45, 49, 103 | N | Y | Y | Y | N | Y | D,* | 1-3/4" | 3" | |
| 68190 | 1968-74 | 396-502 | 1, 6, 20, 45, 49, 208 | Y | N | Y | Y | N | Y | D,* | 1-3/4" | 3" | 262.99 set |
| 68191 | 1968-74 | 396-502 | 4, 5, 6, 20, 49, 208 | Y | N | Y | Y | N | Y | F,I | 1-3/4" | 3" | 369.99 set |
| 68197 | 1968-74 | 396-502 | 1, 4, 6, 20, 49, 208 | Y | N | Y | Y | N | Y | C,I | 1-3/4" | 3" | 322.99 set |
| 68610 | 1968-79 | 396-502 | 1, 6, 15, 20, 45, 49, 208 | N | N | N | Y | N | Y | D,* | 1-3/4" | 3" | 232.99 set |
| 68611 | 1968-79 | 396-502 | 4, 5, 6, 15, 20, 49, 208 | N | N | N | Y | N | Y | F,I | 1-3/4" | 3" | 309.99 set |
| 68617 | 1968-79 | 396-502 | 1, 4, 6, 15, 20, 49, 208 | N | N | N | Y | N | Y | C,I | 1-3/4" | 3" | 281.99 set |
| 65001 | 1968-74 | 396-502 | 1, 6, 45, 49, 208 | N | Y | N | Y | N | Y | D,* | 2" | 3" | 295.99 set |
| 65105 | 1975-79 | 396-502 | 1 6 45 208 | N | Y | Y | Y | N | Y | D.* | 2" | 3" | 308 99 set |

Hedman Hedder Notes

- Without smog injection or injection heads
- Includes parts necessary to retain emission devices. (50 state). With A.I.R. system.
- Modification to stock exhaust required to retain catalytic converter.
- Shortie Hedder (Max. ground clearance).
- Not recommended for use with aluminum heads. AC equipped vehicles require bracket #201110 for A6 compressor.
- Square port Hedder.
- Not legal for sale or use in California on pollution controlled motor vehicles Will not fit Saginaw close ratio PS with 825 power steering box.
- will not ju sugmun close value 73 wint 22 power steering too.
 Will fit with angle plug heads (Chevy alum, only).
 Fits factory stock transmissions only 1964-67.
 Due to aluminum cylinder heads on GEN VI engines, 502 BB Chevy will have
- clearance problems on some applications. Bottom of Hedder flanges may hit head bolts. Notching may be necessary.

Hedman Hedder Emissions Notes

- Not applicable or intended for street or highway use. Legal only for racing vehicles which may never be used upon a street or highway.
- For vehicles 1964 through 1974 without A.I.R. system, considered as OE replacement parts when existing emission controls are not removed from vehicle.
- Not legal for sale or use in California. For vehicles 1964 through 1974 with A.I.R. system, considered as OE replacement
- parts and do not require an EO#, when existing emission controls are not removed from vehicle.
- removed from venice. 1975-79 only, 50 state legal for these years only. 1975-79, including vehicles with production date up to 12-31-79, registered as
- 1980, non-feedback systems only are 50 state legal.





1968-74 Nova Big Block Headers

Pypes big block headers feature large 2" primary tubes and 3-1/2" collectors with power spikes. Constructed of 304 mandrel bent stainless steel and fully TIG welded they include stainless collector reducers, premium hardware, and gaskets. Big block frame mounts and motor mounts must be used to ensure proper engine location and header fitment. Fits 6-speed ZF transmission and standard 5-speed Chevy 502 big block generation 6 engines with aluminum cylinder heads will have clearance problems on some applications. Bottom of header flanges may hit head bolts requiring notching to clear the bolts.

Note: Will not fit Saginaw close ratio power steering with 825 power steering box A9700106 1968-74

396-502 644 99 set



Header Collector Reducers

These welded, 12" extended length reducers connect your headers directly to your Pypes X-pipe to eliminate unnecessary seams, clamps and extra work. They are constructed of polished 304 stainless steel. I imited lifetime warranty

| P1044 | | 84.99 pr | |
|-------|-------------------------------------|----------|--|
| P1045 | 3" header flange to 3" pipe | 84.99 pr | |
| P1046 | 3-1/2" header flange to 3" pipe | 84.99 pr | |
| 21047 | 3 1/2" hander floogs to 2 1/2" pins | 94 00 pr | |

40SI 🗥

Chevy II/Nova Headers

1962-79 Doug's Headers

Doug's headers are carefully developed to fit each specific vehicle application. Doug's headers are available for 1962-79 Chevy II/Nova models with small block or big block V8 engines, with and without air injection ports, and with console or column shifters. Heavy-duty machined and finished header flanges, the smooth mandrel bends tubes, and a protective Metallic Ceramic Thermal Barrier Coating (MCTBC) make Doug's Headers an excellent choice for exhaust system performance.

vrtant: These headers are intended for off-highway use only and are not designed for California vehicles with pollution control devices. Be sure to read the important notes listed on the bottom of this page pertaining to each header system for correct application. Note: Shipped oversize.



| Part# | Year | Engine | Smog | See Notes | AC | ΡВ | PS | AT Col | AT Floor | MT Col | MT Floor | Tube Dia. | Coll. Dia. | Port Shape | Price |
|-------|---------|---------|------|----------------------|----|----|----|--------|----------|--------|----------|-----------|------------|--------------|-------------|
| 8317 | 1962-67 | 265-400 | 3 | 60, 92, 96, 205 | Y | Y | Y | Y | Y | N | N | 1-3/4" | 3" | same as head | 731.99 set |
| 8329 | 1962-67 | 265-400 | 3 | 4, 92, 206, 207 | N | N | N | Y | Y | Y | Y | 1-3/4" | 3" | same as head | 773.99 set |
| 8367 | 1962-67 | 265-400 | 3 | 36, 60, 92, 126 | Y | Y | Y | Y | Y | N | Y | 1-5/8" & | 2" 2-1/2" | oval | 716.99 set |
| 8365 | 1962-67 | 265-400 | 3 | 4, 92, 119 | Y | Y | Y | N | Y | Y | Y | 2" | 3-1/2" | same as head | 1110.99 set |
| 8375 | 1968-72 | 265-400 | 3 | 36, 92, 93, 126, 133 | N | Y | Y | Y | Y | Y | Y | 1-5/8" & | 2" 2-1/2" | oval | 736.99 set |
| 8368 | 1968-74 | 265-400 | 3 | 36, 92, 93 | N | Y | Y | N | Y | N | Y | 1-3/4" | 3" | same as head | 740.99 set |
| 8304 | 1968-79 | 265-400 | 3 | 5, 36, 92, 93, 96 | Y | Y | Y | Y | Y | N | N | 1-5/8" | 3" | oval | 686.99 set |
| 8305 | 1968-79 | 265-400 | 3 | 5, 36, 92, 93, 96 | Y | Y | Y | N | N | N | Y | 1-5/8" | 3" | oval | 729.99 set |
| 8308 | 1968-79 | 265-400 | 3 | 36, 92, 93, 96 | Y | Y | Y | Y | Y | N | N | 1-5/8" | 3" | oval | 625.99 set |
| 8320 | 1968-72 | 396-502 | 3 | 69 | Y | Y | Y | Y | Y | N | Y | 2" | 3-1/2" | same as head | 780.99 set |
| 8313 | 1968-74 | 396-502 | 3 | 52, 69, 133 | Y | Y | Y | Y | Y | N | N | 1-3/4" | 3" | same as head | 667.99 set |
| 8306 | 1968-79 | 396-502 | 3 | 5, 52, 69 | Y | Y | N | N | Y | N | Y | 1-3/4" | 3" | same as head | 709.99 set |
| 83337 | 1968-74 | LS1/LS6 | 3 | 180, 181 | Y | Y | Y | Y | Y | Y | Y | 1-3/4" | 3" | same as head | 753.99 set |
| 8321 | 1968-74 | 572 | 3 | 69, 187 | N | Y | Y | N | Y | N | Y | 2-1/8" | 3-1/2" | D-Port | 1068.99 set |

Doug's Header Notes

- Fonderwell exit
- Shorty design for maximum ground clearance.
- 361 Fits D-Port cylinder heads including ZZ4 crate engines
- Will not fit Saginaw close ratio with 825 power steering box. 60) Will not work with 168 tooth flywheels or kick out aftermarket starters.
- 69) Big block frame stands and motor mounts must be used to insure proper engine location and header fit.
- 92) Will fit most angle plug heads including factory Chevrolet "Bow Tie" heads
- Vehicles with locking steering columns require linkage removal. 96) May require AC bracket 201110.
- Double flange design (inner and outer).
 Y indicates Tri-Y design.
- 133) Will not fit with Powerglide transmission.

- 180) Requires LS1 adapter plate set SK100 181) Includes 3" to 2 1/2" reducers with O2 fittings.
- 187) Will fit 572 tall deck (10.2") crate engine or equivalent.
- 205) Will fit 168 tooth flywheel if used with Powermaster mini starter part #S9500.
- 206) Will not fit with heater. 207) Will not fit convertible models

Doug's Emission Notes

The product accompanying this document is legal only for off-highway use (except in California or states that have adopted California emission standards), racing use or for use on pre-emission controlled motor vehicles/motor vehicle engines (pre-1974 domestic vehicles certified to California standards, pre-1974 domestic vehicles certified to federal standards and all pre-1974 foreign vehicles), per the manufacturer's application guide.

1962-72 Full-Length Stainless Steel Racing Headers

ARH full-length stainless steel headers for 1962-72 Chevrolet Chevy II/Nova. They are fabricated from aircraft quality T304 stainless steel and feature 3/8" thick round port flanges with hand ported inlets and fully welded custom sized merge collectors with scavenger with spikes standard. American Racing Headers will provide excellent ground clearance and are a direct bolt-in installation for General Motors X-Body vehicles.

| Note: *Stepped. | Headers. | | Δ. |
|-----------------|----------|------------------------------|-------------|
| 1962-67 Smal | l Block | | 4 |
| RH150302 | 1962-67 | 1-5/8" with 3" collector | 1286.99 set |
| RH150301 | 1962-67 | 1-3/4" with 3" collector | |
| RH150303 | 1962-67 | 1-7/8" with 3" collector | 1338.99 set |
| 1968-72 Smal | l Block | | |
| RH150089 | 1968-72 | 1-5/8" with 3" collector | |
| RH150088 | 1968-72 | 1-3/4" with 3" collector | |
| RH150090 | 1968-72 | 1-7/8" with 3" collector | |
| RH150091* | 1968-72 | 1-7/8"-2" with 3" collector | 1989.99 set |
| 1968-72 Big E | Block | | |
| RH150066 | 1968-72 | 1-7/8" with 3" collector | 1359.99 set |
| RH150067 | 1968-72 | 1-7/8"with 3" collector | 1412.99 set |
| RH150068 | 1968-72 | 2" with 3-1/2" collector | 1517.99 set |
| RH150069 | 1968-72 | 2" with 4" collector | |
| RH150070 | 1968-72 | 2-1/8" with 3-1/2" collector | |
| | | | |

1968-74 LS Swan Full Length Stainless Steel Racing Headers

ARH full length stainless steel headers for 1968-74 Chevy II/ Nova. They are fabricated from aircraft quality T304 stainless steel and feature 3/8" thick round port flanges with hand ported inlets and fully welded custom sized

merge collectors with scavenger with spikes standard. American Racing Headers will provide excellent ground clearance and are a direct bolt-in installation for General Motors F-Body vehicles.



2" with 3" collector...

R

1

R

R R

R

R

R











RH150077

RH150079

FUEL &


Exhaust Header Components



Header Collector Ball Flange Set

This header collector set takes the place of messy three bolt, flange type connections, and allows for a leak free and gasket free ball flange type connection. 3-1/2" collector to 3" system.. 135.99 set 3" collector to 2-1/2" system.. 126.99 set F15925





Aluminum Header Gaskets

| to the h | | inum gaskets easily for a superior seal. | |
|----------------|-------------|---|--|
| 67921 67923 | small block | square port | |



Aluminum Collector Gasket Set

| Soft confe | orming aiuminum gaskets easily | conform |
|------------|------------------------------------|-----------|
| | lector flanges for a superior seal | . Each se |
| includes: | 2 gaskets, 6 nuts, and 6 bolts. | |
| 67920 | 2-1/2" collector | |
| 67927 | 3" collector | 15.99 set |
| | | |



AP1121

🚟 🚅 Header Bolt Set 🎎 ARP manufactures premium bolt sets to facilitate

installation of exhaust headers in both stainless steel or 8740 chromoly steel. Each ARP set includes the correct number of bolts for your application, plus premium quality washers. Available with Hex or 12 point heads. Rated at 170,000 psi tensile strength. Small block sets contain 12 bolts and big block sets

| contain 16 | contain 10 boits. All boits are 3/8"- 10. | | | | | | | |
|-------------------------------|---|-----------|-----------|--|--|--|--|--|
| | Sma | III Block | | | | | | |
| Black Oxide Finished Chromoly | | | | | | | | |
| AR1111 | 3/4" long | Hex head | 18.99 set | | | | | |
| AR1121 | 3/4" long | 12 point | 15.99 set | | | | | |
| AR11111 | 1" long | Hex head | | | | | | |
| AR11211 | 1" long | 12 point | 20.99 set | | | | | |
| Stainless S | teel | | | | | | | |
| AR4111 | 3/4" long | Hex head | | | | | | |
| AR4121 | | 12 point | 20.99 set | | | | | |
| AR41111 | 1" long | Hex head | | | | | | |
| AR41211 | 1" long | 12 point | 31.99 set | | | | | |

| | le Finished C | | |
|-------------|---------------|----------|-----------|
| AR1112 | 3/4" long | Hex head | |
| AR1122 | 3/4" long | 12 point | 19.99 set |
| | | Hex head | |
| AR11212 | 1" long | 12 point | 26.99 set |
| Stainless S | | | |
| AR4112 | 3/4" long | Hex head | |
| AR4122 | 3/4" long | 12 point | 25.99 set |
| AR41112 | 1" long | Hex head | |
| AR41212 | 1" long | 12 point | 42.99 set |

Big Block



Bow Tie Header Bolt Set

Dress-up your vehicle with these Bow Tie dress-up bolt sets. Logo is cast directly into the head of the bolts. They are available in decorative chrome-plated or polished stainless steel versions. 3/8"-16. Small Block

| | 3/4" long | chrome | | |
|-----------|-----------|-----------------|----------|--|
| | 1" long | chrome | | |
| 6461SD | 3/4" long | stainless steel | 29.99 sc | |
| 6418SD | 1" long | stainless steel | 14.99 sc | |
| Big Block | | | | |
| 6488CD | 1" long | chrome | 29.99 sc | |
| 6488SD | 1" long | stainless | 19.99 se | |
| | | | | |

| AFAF | AF |
|------|----------|
| AFAF | ATAKIISA |

В

Header Rolt Set Includes all original style hex head bolts for small

block or big block headers. Choose from polished stainless steel or polished chrome bolts. Small block sets include 12 bolts and big block sets include 16 bolts. chrome...... 16.99 set AK119A small block AK119B stainless...... 29.99 set small block AK118A big block chrome...... 21.99 set AK118B 41 99 set big block stainless



Wedge Locking Header Bolt Set

PROFORM Grade 8 (12.9 steel), Hex type header bolts were designed to keep bolts from backing off. These permanently assembled bolts feature special washers with super hardened serrated teeth that, when sufficiently torqued, the washers bite into and grab the bottom of the bolt head and the top surface of the header. After being self-locked in this manner, any bolt loosening rotation is blocked by a wedge locking action created by the washers interfacing, matching cams. Engine vibration increases the tension, making them even more secure! They are reuseable and you can count on them to not fail. Available in different sizes. Note: Image for illustration purposes. *1979-earlier, small black 265-400 **Rig black 396-507/eyc 348-409

| 3/8"-16 T | hread Diameter - 3/4" Long | | |
|------------|----------------------------|-------|-----|
| 66751* | set of 12 | 29.99 | set |
| 66752** | set of 16 | 33.99 | set |
| 3/8"-16 Ti | hread Diameter - 1" Long | | |
| 66753* | set of 12 | 30.99 | set |
| 66756** | set of 16 | 33.99 | set |
| Collector | Nuts and Bolts | | |
| 66757 | set of 6 | 25.99 | set |



Small Head Header Bolt Set

Working in a tight space? These 12 piece small head bolt sets are designed to replace regular Hex head bolts for easier access and fewer skinned knuckles. Available in both black oxide and zinc finishes

Black Oxide Hex Head 66341 3/8"-16 x 3/4" 5 99 set Zinc Hex Head 3/8"-16 x 3/4" 8 99 set 17973 3/8"-16 x 1" 10.99 set

Socket Assist Essential tool for

bolts with tight clearance like spark plugs and header bolts! 12 point for maximum finger traction. Set of three including: 1/4" x 1/4". 1/4" x 3/8", 3/8" x 3/8" (12 point x socket drive

size). These belong in every tool box. 67575 10.99 set

Exhaust Manifolds







Ram Horn Exhaust Manifolds

These exhaust manifolds are based on the highperformance small block Chevy Ram Horn manifolds from the 1950's and 60's. Manufactured from heavy cast iron without air injection ports or alternator/ generator bracket provisions. Available in raw cast iron, black ceramic, silver ceramic or chrome finish. Features 2-1/2" outlet. Includes mounting hardware and gaskets. Sold in pairs.

| Note: Shipped overs | veight. Not | legal for | use on |
|----------------------|-------------|-----------|--------|
| pollution controlled | vehicles. | | |

| pollution conti | olled vehicles. |
|-----------------|--------------------|
| A7700103 | raw cast manifolds |
| A7700102 | chrome manifolds |

209.99 pr A7700104 black ceramic manifolds... 206,99 pr A7700105 silver ceramic manifolds... 206.99 pr



Fenton Small Block Headers

Fenton small block cast iron headers split dual exhaust systems into a unique high flow quad exhaust system. Universal fit for 265-350 small block engines Note: Shipped overweight.







V8 Ram Horn Exhaust Manifold

Reproduction replacement Hi-performance small block Ram Horn exhaust manifolds. Originally used on 1964-67 Hi-Performance GM engines. Features

Note: *Side facing generator or alternator bracket holes.
**Front facing alternator bracket holes.

| 3797901* 3846563** | 1964-67 1964-67 | LH | 2-1/2" | 309.99 360.99 | |
|-----------------------|--------------------|----|--------|------------------|--|
| 3797942 | 1964-67 | RH | 2-1/2" | | |



1968 SB Exhaust Manifolds

Each reproduction exhaust manifold is specifically designed to replace the original exactly, including correct part numbers cast into each manifold. This reproduction does not include smog tube holes. Sold in pairs only for a complete replacement. E303 1968 small block. 401.99 pr



1969-70 Small Block Exhaust Manifolds

These extremely high-quality manifolds are designed and manufactured to exact original specifications including the correct casting numbers for 1969-70 models. Used on 1969-70 GM small block engines with rear dump outlets. Sold in pairs. Note: Shinned overweight

| Without Air Injection Tube Holes | _ |
|----------------------------------|--------|
| E316 1969-70 | 401.99 |
| With Air Injection Tube Holes | |
| EMSB15P 1969-70 | 429 99 |



1962-79 LS Cast Iron Exhaust Manifolds

These Hooker cast iron exhaust manifolds are designed to hug the engine block closely so they will work with a variety of LS engine swaps or as a replacement. Their contoured shape aims exhaust gases for increased flow and performance over stock manifolds with a traditional old school look. Fits all GM LS engines up to 500 horsepower except LS7 and LS9's and have been proven to fit 1970-81 F-Bodies, 1982-88 G-Bodies, and 1968-72 A-Body vehicles. Made from high silicon ductile iron for years of durability and corrosion resistance. Available in a range of different finishes.

Important: Not C.A.R.B. certified and may not be legal for

| 85010 | "As Cast" finish | 365.99 | p |
|-------|-------------------------------|--------|----|
| 85013 | black ceramic finish | 488 99 | 'n |
| 85011 | silver ceramic finish | 488.99 | p |
| 85014 | titanium ceramic finish | 488.99 | Ê |
| 85015 | cast iron gray ceramic finish | 488.99 | Ê |





1968-72 RR Fxhaust Manifolds

Reproduction exhaust manifolds for 1968-70 Nova big block models. These extremely high-quality manifolds are designed and manufactured to exact original specifications including the correct casting numbers for 1968-70 models. The manifolds are also correct for 1971-72 big blocks with the exception of the casting numbers, which were different. Reproduction manifolds were "outflow" tested to ensure factory equivalent specifications. We now offer your choice of manifolds for early models not equipped with air injection tubes or manifolds with correct air injection tube hole locations. Manifolds are sold in pairs only. Without Air Injection Tube Holes

EMBB16P 1968-72 big block 427.99 pr With Air Injection Tube Holes EMBB17P 1968-72

hig block









144.99 pr





FMRR17P

& EXHAUS

Exhaust Components



1964-67 Exhaust Manifold Heat Riser



1968-79 Exhaust Manifold Heat Riser Heat riser valves are located between the exhaust

manifold and the head pipe and are used to accelerate the warm up of a cold engine. A malfunctioning or frozen valve can cause loss of power or exhaust manifold damage. Fits 2" head pipe. Used on GM small block engines with rear dump exhaust manifolds.



1965-74 Exhaust Manifold Heat Riser

Heat riser valves are located between the exhaust manifold and the head pipe and are used to accelerate the warm up of a cold engine. A malfunctioning or frozen valve can cause loss of power or exhaust manifold damage, Fits 2-1/2* head pipe. Used on GM hi-perf small block and big block engines with 2-1/2* exhaust. G180A 1965-74 2-1/2* 076 99 ea





Flow Through Exhaust Manifold Heat Riser

| heat risers a | th replacement heat riser value made without a counterwed exhaust flow. | |
|------------------|---|--|
| EMR003 EMR004 | 2" without valve 2-1/2" without valve | |







1969-79 Exhaust Manifold Heat Stove

Reproduction small block exhaust manifold upper and lower heat stove which is used with the air heat tube to preheat the air cleaner thermo-sensor. This item mounts on the RH (passenger side) exhaust manifold. The air tube is inserted into this item.

3384 3384

| 471 473 | 1969-79 1969-79 | upperlower | 8.99 19.99 | |
|------------|--------------------|------------|---------------|---|
| | | | | _ |



Air Heat Stove Mounting Stud

This is the factory stud used to mount the air heat stove to the exhaust manifold. Fits 1969-79 small block models.



Keep Cast Iron Manifolds Looking New!

Apply this non-toxic cast iron manifold dressing to your manifolds with a cloth and polish them to a silvery shine. One 3 ounce container will do approximately 3 sets of manifolds. Burn proof up to 1800 degrees F. CY1001 3 ounce can 15 99 ca

New!

1964-66 Steel Exhaust Manifold Tube



Exhaust Pipe Packing Gasket

This heat resistant gasket installs between the head pipe and exhaust manifold outlet. Measures: 2* i.d. Sold individually. 31400 gasket 3.99 ca



9 3890382

1964-72 Exhaust Pipe Extension

Reproduction of the original short extension pipe which slips in between the exhaust manifold and the main head pipe and supports the exhaust pipe packing gasket. This item is manufactured in stamped steel replicating the original in quality and fitment. Fits various GM V8 applications.

3890382 1964-70 2" o.d. 14.99 ea 3890689 1968-72 2-1/2" o.d. 15.99 ea





1962-79 Exhaust Flange

Correct replacement exhaust flange for 1962-72 Chevy II/Nova models to secure the headpipe to the exhaust manifold.

| extraust | mannoid. | | |
|----------|----------|-------------|----------|
| 31802 | 1962-72 | 6 cylinder | 4.99 ea |
| 31803 | 1964-79 | small block | 8.99 ea |
| E246 | 1964-79 | small block | 8.99 ca |
| E247 | 1968-72 | big block | 11.99 ea |

Exhaust Hardware











Exhaust Manifold Bolt Set

Dress-up your Nova with these one-of-a-kind dress bolt sets. Logo is stamped directly onto the head of the bolts. They are available in decorative chrome-plated or polished stainless steel versions. What better way to make a statement than with these unique bolts. Note: Must specify logo prefix: C=Flames, D=Bow Tie,

| L=33 10g0, G- | -550, 11-454. | | |
|---------------|-----------------------|-------|-----|
| Chrome | | | |
| 56461C | small block | | |
| 56418C | small block - 1" long | 21.99 | set |
| 56488C | big block | 29.99 | set |
| 56498C | LŤI | 21.99 | set |
| Stainless Ste | eel | | |
| 56461S | small block | 29.99 | set |
| 56418S | small block - 1" long | 14.99 | set |
| 56488S | big block | 19.99 | set |



1964-72 Exhaust Manifold to Pine Stud Set

Correct reproduction carbon steel studs and nuts used to attach the exhaust pipes to exhaust manifold. Each set includes a complete set of studs for the installation of both exhaust manifolds. Includes: three 3" studs, three 2" studs, and six nuts. Features smooth tips without threads.

K0157 1964-72 26.99 set




1964-67 Ram Horn Manifold Rolt Set

Reproduction exhaust manifold bolt and washer set for 1964-67 models with Ram Horn style exhaust manifolds. Fits small block Chevrolet engines. This complete set features the correct head markings. Includes extra thick washers as original. 1964-67 Ram Horn exhaust K0164



1964-67 Exhaust Manifold Rolt & Stud Set

Correct style exhaust manifold bolt and stud set will replace the rusted or broken originals. Includes: 1 long bolt, 3 medium length bolts, 7 short bolts, and 1 stud. 1256623 1964-67 small block - AC., 27.99 set



1968-72 OE Style Exhaust Manifold Bolt Set


If you're seeking originality for your underhood restoration, don't settle for anything less than this complete set of OE type bolts and stainless steel to mount your exhaust manifolds. Available for small block or big block.

K0168 1968-72 small block



1964-67 Exhaust Manifold Bolt Locks Get the factory look and keep the manifold bolts tight

to help eliminate exhaust leaks. Set of 4 stainless EML003 1964-67 283, 327... . 15.99 set



1968-79 Exhaust French Locks Beautiful reproduction of this commonly removed or

discarded engine component. This item is necessary to help keep exhaust manifold attachment bolts from backing out and possibly being lost. A must for the true engine detailer. PR1161K 1968-79 small block 16.99 set

big block



1968-72 Big Block Exhaust Manifold Bolts Reproduction of the exhaust manifold bolts for big

block engines from 1968-72. These are black, hardened bolts that feature the correct flanged head, just like original. Set of 16 bolts. 14312 1968-72 big block



PAINLESS

Weld-in oxygen sensor fitting for all fuel injection systems. Fits TBI, TPI, CMFI, LT1, LSX, 5.0L and

most other oxygen sensors. Important: This part requires welding for installation Professional installation is recommended.

60406 7 99 ca





Oxvaen Sensor Plua

Many headers for late model engines are equipped with a oxygen sensor bung in each header. When retrofitting a carburetor on late model engines, an oxygen sensor is not necessary. This plug seals the oxygen sensor bung on headers and exhaust manifolds. Made from trivalent chromium-plated steel with a M-18 thread size to fit most stainless headers. 222734 M-18 thread oxygen sensor plug 11.99 ea





Oxvaen Sensor Socket Removes and installs oxygen sensors on most domestic

and some foreign vehicles as well. Includes special 7/8" socket with cutaway slot to provide clearance for wire harness. Provides adequate depth to fit over sensor. Heat treated alloy steel. Use with 3/8" square drive or 1" wrench Y12000 12.99 ea

Dual Drive Oxygen Sensor Wrench

Tool includes both 1/2" and 3/8" drive Attach a 1/2" breaker bar on the end of the tool to initially loosen stuck sensors. Use a 3/8" ratchet on the top for fast removal and installation. Fits oxygen sensor applications with a heat shield. Slotted body allows clearance for wire harness. Forged, heat

12390

16 99 set



treated steel with six point design will withstand high torque removal applications.











PR1027K



1968-72



1966-79 Replacement Smog Pump 🔥

These remanufactured smog pumps will replace the original exactly. Choose from 6 cylinder or 8 cylinder pumps, Classic Industries® offers the largest selection of smog parts anywhere! Pulley not included.

| 11133A | 1966-67 | 6 cyl without ps | 143.99 ca |
|--------|---------|--------------------|-----------|
| 11132A | 1966-67 | 6 cylinder with ps | 171.99 ca |
| 11113 | 1968-71 | 6 cylinder | 149.99 ca |
| 11118 | 1972-77 | 6 cylinder | 134.99 ca |
| 11114 | 1975 | V8 262ci | 149.99 ca |
| 11114 | 1976-79 | V8 305ci | 149.99 ca |
| 11132A | 1966-67 | V8 283ci w/oAC | 171.99 ea |
| 11113 | 1968-71 | V8 307ci | 149.99 ca |
| 11114 | 1972-73 | V8 307ci | 149.99 ca |
| 11110 | 1967 | V8 327ci | 144.99 ca |
| 11113 | 1968 | V8 327ci | 149.99 ca |
| 11113 | 1969 | V8 350ci w/MT | 149.99 ca |
| 11113 | 1970-71 | V8 350ci | 149.99 ca |
| 11114 | 1972-79 | V8 350ci | 149.99 ca |



1966-68 Smog Pump Belt

Correct reproduction A.I.R. smog pump belts for 1966-68 Nova models. These unique reproduction belts are designed to offer an original factory style replacement that includes the correct belt markings for an authentic and original reproduction replacement.

| B686 | 1966-67 | V8 without AC | 35.99 | ca |
|------|---------|---------------|-------|----|
| B687 | 1966-67 | V8 with AC | | |
| B700 | 1968 | without AC | | |
| B701 | 1968 | with AC | 30.99 | ca |
| | | | | |



1969 Reproduction Smoo Tubes

We offer reproduction smog tubes also known as air injection reactor tubes (A.I.R. tubes) which are manufactured exactly as originals! These tubes are cosmetically correct in every detail! Each tube is manufactured to exact factory specifications with correct bends and outlets for installation onto the exhaust manifold. A correct threaded outlet head is installed for easy installation of the smog pump check valves. These tubes are produced in steel and are zincplated including a semi-gloss black finish.

| | IVOIE WIII . | | | |
|---|--------------|------|-----|----------|
| ı | R34751 | 1969 | 327 | 89.99 pt |
| | D24752* | 1060 | 306 | en nn |



1967-68 Lower Smog Pump Bracket 📤

Reproduction lower smog pump bracket for 1967-68 Chevy II/Nova models equipped with a small block V8. SP10678 1967-68 small block 72.99 ea



1969-75 Smog Pump Bracket

Reproduction smog pump bracket for 1969-75 Chevrolet models with a small block engine 14314 1969-75 ..



1967-79 Smog Pump Hose Tower Clamp

Reproduction tower design smog pump hose clamp used on all 1967-79 vehicles. Featuring the correct 1-1/6" diameter size. As required.

0857 1967-79 .. 2.99 са AEGelco



1968-79 Smog Check Valve

| models. For the purist who demands perfection, we now offer this Genuine GM A.I.R. check valve. | | | | | | | |
|--|---|-----|----------------------------------|--|--|--|--|
| G1809 G1809 G1809 G1809 G1809 | 1968-70 1972 1973-75 1976 1977-79 | all | 31.99 ca 31.99 ca 31.99 ca | | | | |



GM

1973-75 Air Injection Diverter Valve Tee

Genuine GM air injection valve tee for 1973-75 models. G5135



1969-70 Air Injection Hose Set

Includes hoses to check valve on AIR tube. Correct lengths of thick walled hoses to replace missing or cracked originals. Includes 4 correct tower hose clamps for mounting. SH69 1969-70 small block 29.99 set big block 32.99 set K0138



Air Injection Tube Eliminator Plug 🔥

Correct block-off plug used when converting currently produced exhaust manifolds with holes for air injection tubes back to pre-smog usage.

1967-78 Air Injection Extension Tube

Reproduction A.I.R. extension tubes which fit in the exhaust manifold port under the main A.I.R. tube assembly.

1967-78 small block 4.99 ca



1967 Big Block Air Injection Pump Hose Reproduction air injection reactor hoses for 1967 big

3902348 1967



1969-76 Smog Diverter Elbow

Reproduction diverter elbow for the smog pump. This is the OEM aluminum elbow that bolts to the smog pump, and the diverter valve mounts on the opposite side. For 1969-76 Chevrolet applications LS6, LS5, L78, L89, 302, 350, 396, and 454 engines.

1969-76 1968 BB Smog Pump Pulley

Quality reproduction of the A.I.R. (air injection reactor) pump pulley for 1968 L78 big block models. This pulley is stamped with the original GM part #3925522 and is manufactured in the correct gray phosphate coating. Single groove, 5-3/4" o.d. K1036 1968 396/375HP...



1969-72 Smog Pump Pulley

Quality reproduction of the deep groove A.I.R. (air injection reactor) pump pulley for high-performance small block and big block models. Pulley is stamped with original GM part #3932458. Single groove, 5-3/4" o.d. K1132 1969-70 396/375HP. 1970-72

K1132



79 99 ca

LT1 350 **Warning Concerning Smog Pump Pulleys** Stock replacement, aftermarket stamped steel or cast iron

pulleys are not designed to exceed 400 horsepower or 6000 RPM. Using reproduction pulleys on engines in excess of these limits may result in catastrophic disintegration of the pulley causing severe damage to the engine, cooling system and body parts. Classic Industries[®] assumes no liability for damages caused by improper usage of pulleys.



Tru-X and Y-Pines

The more gentle radius of these X- and Y-pipes allow for better exhaust gas scavenging, noise cancellation and better balance between cylinder banks. The result is a significant increase in power and torque, but a reduction in dB sound levels. v n:...

| 10781 | 2-1/2" dual in/out x 9.5" long | 128.99 ca |
|-----------|--------------------------------|-----------|
| 10782 | 3" dual in/out x 13.2" long | 134.99 ca |
| Crossover | | |
| 10790 | 2-1/4" dual in/out x 12" long | 115.99 ca |
| 10791 | 2-1/2" dual in/out x 12" long | 115.99 ea |
| 10792 | 3" dual x in/out x 14" long | 121.99 ca |
| Y-Pipe | | |
| 10748 | 2-1/2" single, 2" dual | 67.99 ea |
| 10758 | 2-1/2" single, 2-1/4 dual | 67.99 ea |
| 10768 | 2-1/2" single, 2-1/2 dual | 67.99 ca |
| 10778 | 3" single, 2-1/2 dual | 88.99 ca |
| 10798 | 3" pipe, 3" dual | 68.99 ea |
| | | |



1968-73 SR Exhaust Manifold Front Pines

Magnaflow has designed these manifold pipes to fit OEM exhaust manifolds and allow for the installation of a performance exhaust system. Manufactured from corrosion resistant stainless steel to ensure longevity featuring 2-1/2" tubing and a 3 bolt flange connection. ∠ 081 Note: Shipped oversize. 1968-73 small block...



Universal Balance Pipe Set

Flowmaster offers a pre-fabricated universal balance pipe set to ease the installation of a crossover pipe in a dual exhaust system. Set includes: T-pipe connectors, balance pipe, and clamps. 2-1/2" F15920 90 99 set



1962-77 Manifold Down Pines

Not all performance enthusiasts use collector style headers, so Pypes has designed 2-1/2" down pipes for log style, rear exit exhaust manifolds to fit your Pypes header back systems. These down pipes are made from 409 stainless steel and mandrel bent 16 gauge tube that fit directly onto factory cast iron manifolds, and slip into the header back systems. Manifold flanges are installed.

Important: P1086 are for use on vehicles with "Ram Horn" style manifolds only.

| | System, 3 Bolt | | - OS1 |
|----------------|----------------|--------------------------|------------------------|
| P1086 P1011 | | small block big block | 159.99 pr 141.99 pr |
| | | | |



1968-74 Tunnel X-Crossover

Since a V8 fires alternately, exhaust exits in pulses rather than a steady flow. While one pipe is filled with pressure the other pipe is relatively pressureless, but connecting the two pipes in a Siamese pattern allows pressure to be equalized between the two tailpipes. This action allows the exhaust to pass through quicker for better breathing that increases horsepower. The Pypes crossover product line is defined by a high-quality, exceptionally versatile design. They are a proven winner when it comes to bumping up the horsepower of your daily driver or race car. Pypes tunnel X-crossover fits 1968-74 Nova models with easy installation. All crossovers are made of 409 stainless steel with dual reinforcement plates at the welds where they are needed most. All pipes are mandrel bent to allow for the maximum flow of exhaust gasses, which boosts acceleration. Limited lifetime warranty

Important: If using stock, cast iron manifolds, add a set of down pipes to connect your original manifolds to the

| neaaer | back system. | | |
|---------|------------------|--------|----|
| Note: S | hipped oversize. | | |
| 2-1/2" | Tunnel Crossover | € 0S1 | |
| P1065 | 1968-74 | 199.99 | ea |
| 3" Tu | nnel Crossover | | |
| P1067 | 1968-74 | 239.99 | ea |







1968-74 X-Crossover Dump Legs

Pypes dump legs are made to replace the front legs of the X-pipe crossover on 1968-74 Chevy II/Nova models, making installation of electric exhaust cutouts simpler. Each dump leg is strategically located for maximum ground clearance and includes block-off plates and hardware, and is manufactured from 409 stainless steel with mandrel bends to allow maximum exhaust flow. Add the optional electric exhaust cutouts and make uncorking your exhaust as easy as flipping a switch, sold separately. Made in USA.

P1077 1968-74 2-1/2"..... 129.99 set P1078 1968-74 139 99 set

16434









258 99 cm







Replacement Style Steel Clamp

Correct replacement style clamps for most 1962-79 applications. Each clamp is listed as standard style or heavy-duty. Please check your applications carefully before ordering. Sold individually.

| 35408 | 2" clamp | 5/16" U-bolt | |
|---------|------------------|--------------|---------|
| 35413 | 2-1/4" clamp | 5/16" U-bolt | |
| Heavy-I | Outy 2" clamp | 3/8" U-bolt | 2 99 es |
| 35336 | 2-1/4" clamp | 3/8" U-bolt | 2.99 ea |
| 35337 | 2-1/2" clamp | 3/8" U-bolt | |
| 35794 | 3" clamp | 3/8" U-bolt | |



Stainless Steel Clamp

Stainless or plated exhaust clamps available for chambered or aluminized exhaust systems. Stainless or plated clamps offer long-lasting effectiveness over the original style non-coated clamps.

| E240 | 2" clamp | stainless | |
|------|--------------|-----------|----------|
| E241 | 2-1/4" clamp | stainless | 17.99 ea |
| E242 | 2-1/2" clamp | stainless | 22.99 ea |
| E243 | 2" clamp | plated | 4.99 ea |
| E244 | 2-1/4" clamp | plated | 4.99 ea |
| F245 | 2-1/2" clamp | plated | 2 99 69 |



OEM Style Muffler Clamp

Correct replacement muffler clamps are designed to replace the factory originals. Each clamp includes hardware. Either 2* or 2-1/4* pipes.

| Standar HC92 | d Clamp with 2" | 0.00 | |
|-----------------|--------------------|------|----|
| | | | |
| HC93 | with 2-1/4" | 9.99 | ea |
| Guilloti | ne Clamp | | |
| HC94 | with 2" | 9.99 | ea |
| HC95 | with 2-1/4" | 9.99 | ea |



1962-67 Tailnine Hanger

This is a reproduction of the tailpipe hangers for 1962-67 Nova models equipped with 6 cylinder or V8 engines, except special high-performance 1965 327 or 1966 L79 327/350HP with resonators

Note: LH fits all engine sizes. RH fits all with dual exhaust. 1962-67 LH all..... 13989 1962-67 RH with dual exhaust 64.99 ea



1965-66 Exhaust Resonator Hangers 🗥

This is a reproduction of the hanger used to hold the exhaust resonator to the frame on 1965-66 Nova models. Resonators were used on 1965 models with 327 V8 engines and 1966 models equipped with L79 (327/350HP)V8 engines 13986 1965-66

clamps 32.99 pr



1975-79 Exhaust Hanger

You will get great results from this superb aftermarket reproduction. Replace your exhaust system with confidence using OEM replacement exhaust parts. 35183 1975-79 350 400 tailpipe wagon 7.99 ea



1962-67 Muffler Hanger

This is a reproduction of the muffler hanger for all front of the rear end and to the back of the muffler. 1962-67 LH or RH 86.99 ea



Tailoine Expander

Used to remove clamp grooves and round out crushed or bent exhaust pipes to ensure a tight fit, eliminating exhaust leaks. The Hex end allows the use of a combination wrench to remove clamp grooves or small imperfections, or an impact wrench to expand pipes. Imperfections are forced outward rather than forward, eliminating possible damage to component parts. No holding fixture is necessary.

1-13/16" to 2-1/2" pipes....... 35.99 ea



Exhaust and Tailpipe Cutter Cuts pipes 3/4" to 3" (19mm to 76mm) in diameter. Fifteen blades effectively cut pipe so only 1/4" turn is needed for complete cut. Works great in hard to reach areas

Permatex Exhaust Repair Kit

Complete Permatex exhaust repair kit for repairing cracks and splits in mufflers tailpipes and exhaust pipes. Withstands temperatures over 1000 degrees F. The kit contains ready to use foil packed bandage and support wire.

X2031

S80334



51.99 ea

Muffler & Tailpipe Repair

Putty and sealer seals holes and leaks in mufflers, tailpipes and around ioints. Makes new installation more secure. Resists temperatures up to 2000 degrees F. Epoxy impregnated fiberglass bandage chemically welds mufflers and tailpipes. Great for mufflers, tailpipes, joints, and



| catalytic c | onvertors. | | | |
|-------------|------------|---------------|--------|--|
| S80335 | sealer | 3 oz. tube | 2.99 c | |
| S80333 | putty | 4 oz. pouches | 4.99 e | |
| S80331 | bandage | 84 sq. in | 2.99 e | |

PI

PI P1

Through extensive research and feedback from customers, Pypes has learned that no one muffler design is best. Every car is different, and everyone has different requirements. Different performance modifications change the sound and functionality of a muffler, so it's nice to have several different proven designs to choose from! One thing that is consistent with all Pypes mufflers is that they are high-quality, precision engineered and constructed which allow us to include a lifetime warranty!







409 - polished stainless Street Pro Muffler

Don't let the looks of this muffler fool you. At idle, you may cause passengers to grab for their seat belts, but upon acceleration, the smooth, authoritative tone turns apprehension into reassured confidence. This is a great street/strip muffler that will maintain its rich sound qualities for the life of the muffler because there is no filler to burn off. Recommended for stock to medium modified vehicles where an aggressive sound is appreciated without demanding undesirable attention. Muffler shell measures 4" x 9" x 14" Limited lifetime warranty

| 409 Stair | nless Steel | | |
|----------------|-------------|--------------|---------------|
| P1021 | 2-1/2" | inlet/outlet | offset/offset |
| P1022 P1023 | 2-1/2" | inlet/outlet | offset/center |
| | | inlet/outlet | offset/offset |

Qace Pro

80 00 00 89 99 ca

89.99 ea



304 - nolished etainless

Race Pro Muffler

Sometimes you just have to have the best of everything. When it comes to flow, you just can't get anything better than our Race Pro Muffler. This baby features a 'straight through 'path with throughput that can flow 95% as efficiently as a straight pipe! The throaty sound is surprisingly tame considering the absence of any impedance when you look down its barrel. At idle and low RPM cruising, you will not draw much attention, but upon acceleration, bystanders lookout! The Race Pro's aggressive sound is the result of applying a layer of stainless mesh around a unique internal perforated tube, accompanied by a healthy stuffing of basalt insulation before the unit is sealed. Highly recommended for the track where every tenth counts. Of course, there are plenty of these mufflers hidden under some fine street machines, too! Muffler shell measures 4" x 9" x 14". Limited lifetime warranty.

| 400 0 | nless Steel | | | | |
|-------|-------------|--------------|---------------|--------|----|
| | | | | | |
| P1029 | 2-1/2" | inlet/outlet | offset/offset | | |
| P1030 | 2-1/2" | inlet/outlet | offset/center | | |
| P1031 | 3" | inlet/outlet | offset/offset | 89.99 | ca |
| | shed Stain | | | | |
| P1033 | 2-1/2" | inlet/outlet | offset/offset | 109.99 | ca |
| P1034 | 2-1/2" | inlet/outlet | offset/center | 109.99 | ca |

Violator





Violator Muffler

The Pypes Violator muffler has quickly gained acceptance and praise in the marketplace. It flows as much air as the Race-Pro muffler but has an incredibly distinctive chambered sound! The Violator's aggressive sound is the result of a unique internal louvered tube with mini sound deflector chambers. Finally, a muffler that flows like a straight through muffler but sounds like a chambered muffler. If you want to be noticed, then this is your muffler! Muffler shell measures 4" x 9" x 14". Limited lifetime warranty. 40

| 9 Stair 038 039 | 2-1/2" 2-1/2" | inlet/outlet | offset/offset | 89.99 89.99 | |
|-----------------------|------------------|--------------|---------------|----------------|----|
| 040 | 3" | inlet/outlet | | | |
| | | | FLOW | TECH | I. |



Terminator Muffler

Flowtech's Terminator is constructed entirely of super thick, black aluminized steel, fully welded for strength and durability with 3" inner pass tubes that reduce back pressure and increase horsepower like no other muffler can. Available for universal fit applications. Dimensions: 15" x 11" x 5". 50121 center/offset 100 99 69





Universal Fit Raptor Muffler Flowtech's new Raptor turbo performance muffler features a unique sound rib case

design and aluminized, lock seal construction. The Raptor has low restriction, reduces back pressure and increases performance. It offers gigantic, high output flow tubes to provide more horsepower, better mileage and a sound of pure performance. Dimensions 13" x 10" x 4-1/2" with offset-inlet/center-outlet.

| 0050 | 2" | 34.99 | ea |
|------|--------|-------|----|
| 0051 | 2-1/4" | 33.99 | ca |
| 0052 | 2-1/2" | 33.99 | ca |













DATE OM 4X 17733 17734

Universal Fit Super Turbo Muffler 🔥

The Dynomax Super Turbo muffler has exclusive patented flow directors to channel exhaust flow and eliminate turbulence, larger diameter internal tubes for maximum flow, along with fiberglass matting that delivers a mellow, true performance sound. Made of all aluminized materials, double wrapped and arc-welded for longer life and sharper appearance. All universal mufflers are reversible for custom installation.

portant: This muffler comes in two styles: Sport mod m 2" to 2-1/2" measures 4" x 9-3/4" x 18-1/2" and 3"

| measures 4" x 9-3/4" x 20", Street model measures 4" x | | | | | |
|--|---------|--------------------|-----------|--|--|
| 9-3/4" x 2 | 5-1/2". | | | | |
| Sport | | Inlet/Outlet | | | |
| 17730 | 2" | offset/center | 69.99 ea | | |
| 17736 | 2" | offset/offset | 77.99 ea | | |
| 17731 | 2-1/4" | offset/center | 67.99 ea | | |
| 17732 | 2-1/4" | offset/offset | 55.99 ea | | |
| 17733 | 2-1/2" | offset/center | 59.99 ca | | |
| 17734 | 2-1/2" | offset/offset | 65.99 ea | | |
| 17797 | 2-3/4" | offset/center | 101.99 ca | | |
| 17744 | 3" | offset/center | 51.99 ea | | |
| 17743 | 3" | offset/offset | 54.99 ea | | |
| Street | | | | | |
| 17747 | 2-1/4" | center/offset | 69.99 ea | | |
| 17767 | 2-1/4" | offset/center | 107.99 ca | | |
| 17748 | 2-1/2" | center/offset | 73.99 ea | | |
| 17749 | 2-1/2" | offset/offset | 82.99 ca | | |
| 17758 | 2-1/2" | center/offset dual | 101.99 ca | | |



1975-79 Direct Fit Super Turbo Muffler The Dynomax super turbo muffler has exclusive patented flow directors to channel exhaust flow and

eliminate turbulence, larger diameter internal tubes for maximum flow, along with fiberglass matting that delivers a mellow, true performance sound. Made of all aluminized materials, double wrapped for longer life and sharper appearance.

2-1/2" inlet offset/dual outlet 99.99 ea

Mufflers



Universal Fit IIItra Flo SS Muffler 🔥

The Dynomax Ultra Flo muffler uses a unique straight through design that maximizes flow and power.

Made from all stainless steel materials for optimum appearance, corrosion resistance and longer life. Includes: high chromium content, high luster T-304 cover and heads. Continuous perf design maximizes sound absorption, minimizes turbulence and gives a deep powerful true performance sound. All universal mufflers are reversible for custom installation.

Important: This muffler comes in two styles: Sport model measures: 4" x 9-3/4" x 18-1/2". Street model measures.

Sp 17 17

Sti

| x 9-3 | 4" x 25-1. | /2". | | | |
|-------|------------------------|--|----------------|----|--|
| | 2-1/4" 2-1/2" 3" | Inlet/Outlet offset/center offset/center center/2-1/2* dual offset | 94.99 89.99 | ca | |
| reet | 2-1/2" | offset/center | | | |



1975-79 Direct Fit Illtra Flo SS Muffler

The Dynomax Ultra Flo muffler uses a unique straight through design that maximizes flow and power. Made from all stainless steel materials for optimum appearance, corrosion resistance and longer life. Includes high chromium content, high luster T-304 cover and heads. Continuous perf design maximizes sound absorption, minimizes turbulence and gives a deep powerful true performance sound.

2-1/2" inlet offset/dual outlet 192.99 ea



Heat Shield

Formed aluminum heat shield designed to mount on muffler for added protection in reducing heat radiated from mufflers and reducing interior noise. Attaches easily with included straps. Fits 5" x 10" x 17" mufflers. F51017



Glasspack Muffler



Magnaflow Glass Pack Mufflers feature a free-flowing, straight through perforated core, and Rockwool acoustical packing material to deliver that smooth, deep tone unlike some others' products to ensure long life and no sound degradation over time. Available in sizes from

| 18124 | 2" | 22" x 18" x 3-1/2" 41.99 ea |
|-------|--------|-----------------------------|
| 18134 | 2" | 26" x 22" x 3-1/2" 42.99 ea |
| 18144 | 2" | 30" x 26" x 3-1/2" 48.99 ea |
| 18125 | 2-1/4" | 22" x 18" x 3-1/2" 42.99 ea |
| 18135 | 2-1/4" | 26" x 22" x 3-1/2" 44.99 ea |
| 18145 | 2-1/4" | 30" x 26" x 3-1/2" 48.99 ea |
| 18146 | 2-1/2" | 30" x 26" x 4" 48.99 ea |
| 18129 | 3" | 22" x 18" x 4" 60.99 ea |
| | | |



Glassnack Muffler

Thrush has long been the industry leader in glasspack mufflers. They have a straight through, smooth flowing, perforated center tube design for maximum flow and power. All Thrush mufflers are made of a heavy-duty gauge shell for durability. Thrush mufflers include expandable bushings for custom applications. Enjoy the unmistakable sound of a Thrush glasspack muffler today. Dimensions: overall length x shell length x shell diameter

| 24200 | 2" | 25" x 20" x 3-1/2" | 36.99 ca |
|-------|--------|--------------------|----------|
| 24202 | 2" | 27" x 22" x 3-1/2" | |
| 24204 | 2" | 31" x 26" x 3-1/2" | |
| 24201 | 2-1/4" | 25" x 20" x 3-1/2" | 36.99 ea |
| 24203 | 2-1/4" | 27" x 22" x 3-1/2" | |
| 24205 | 2-1/4" | 31" x 26" x 3-1/2" | |
| 24214 | 2-1/2" | 28" x 23" x 4" | 34.99 ca |
| | | | |



The Sound of the Fabulous Fifties!


The world's oldest performance muffler, a Smithy's glasspack is now available for your Chevrolet models! Get the muffler your dad used to impress his friends. and yes, it's still guaranteed not to blow out or leak. Double end cap construction and 3-1/2" hammertone finished cases assure the original Smithy look. A great tone for your fifties or sixties sled.

| H3010 | 2" inlet, 2" | outlet, 22" | long | 46.99 ea |
|-------|--------------|-------------|------|----------|
| H3011 | 2" inlet, 2" | outlet, 26" | long | 54.99 ea |
| H3012 | 2" inlet, 2" | outlet, 30" | long | 59.99 ca |


Performance Mufflers



MagnaFlow Performance mufflers are lap joint welded for solid construction and rugged reliability even in the most extreme conditions. They feature a free flowing, straight through perforated stainless steel core, stainless mesh wrap and acoustic fiber fill to deliver that smooth, deep tone. All mufflers are reversible for custom installation and include a Lifetime Warranty!







- 4" x 4" Oval Body Muffler -



| | 4" x 4' | ' Center/Center Muff | ler | Δ |
|----------|------------|----------------------|--------|----|
| Stainle. | ss Steel A | Muffler | | |
| 10416 | 14" | 2-1/2" inlet/outlet | 86.99 | ca |
| Polishe | d Stainle | ss Steel Muffler | | |
| 144161 | 14" | 2-1/2" inlet/outlet | 99.99 | |
| 144191 | 14" | 3" inlet/outlet | 106.99 | ca |
| | | | | |

- 4" x 9" Oval Body Muffler -





| 4" x 9" | Center/Offset Muffler | |
|---------|-----------------------|--|
|---------|-----------------------|--|

| Stainless | Steel Mu | ffler 4" x 9" | |
|-----------|-----------|-----------------------|-----------|
| 11224 | | 2" inlet/outlet | |
| 11225 | 14" | 2-1/4" inlet/outlet | 101.99 ca |
| 11226 | 14" | 2-1/2" inlet/outlet | 101.99 ea |
| 11229 | 14" | 3" inlet/outlet | 114.99 ca |
| Polished | Stainless | Steel Muffler 4" x 9" | |
| 114324 | 14" | 2" inlet/outlet | 124.99 ea |
| 114325 | 14" | 2-1/4" inlet/outlet | 135.99 ea |
| 114326 | 14" | 2-1/2" inlet/outlet | 135.99 ca |
| 114329 | 14" | 3" inlet/outlet | 148 99 ca |

5" x 5" Oval Body Muffler

| Ū | ΧŪ | CRITCH, CRITCH, MITH | լլըլ. 🔼 | ١ |
|-----------|----------|----------------------|-----------|---|
| Stainless | Steel M | <i>luffler</i> | | |
| 12866 | 14" | 2-1/2" inlet/outlet | | |
| 12867 | 14" | 3" inlet/outlet | 127.99 ea | 3 |
| | Stainle: | ss Steel Muffler | | |
| 148661 | 14" | 2-1/2" inlet/outlet | 126.99 ea | 3 |
| 148671 | 14" | 3" inlet/outlet | 148.99 ea | 3 |
| | | | | - |



5" x 8" Oval Body Muffler

142191

141511 14"

141531

MAGNAFLOV

5" x 8" Center/Offset Muffler

| | ss Steel M | | | | |
|--------|------------|---------|--------------|--------|----|
| 12224 | 14" | 2" inle | t/outlet | 96.99 | ca |
| 12225 | 14" | 2-1/4" | inlet/outlet | 101.99 | ea |
| 12226 | 14" | 2-1/2" | inlet/outlet | 101.99 | ca |
| | d Stainles | | | | |
| 142251 | 14" | 2-1/4" | inlet/outlet | 125.99 | ca |
| 142261 | 14" | 2-1/2" | inlet/outlet | 136.99 | ea |
| 142291 | 14" | 3" inlo | et/outlet | 149.99 | ca |
| | | | | | |
| | | | | | |



| | 5" x 8 | " Offset/Offset Muffl | er 🛕 |
|--------|----------|-----------------------|-----------|
| lished | Stainle. | ss Steel Muffler | |
| 2351 | 14" | 2-1/4" inlet/outlet | |
| 2361 | 14" | 2-1/2" inlet/outlet | 136.99 ea |
| 2391 | 14" | 3" inlet/outlet | 149.99 ca |



| 5 | " X 8" I | Center/Center Muf1 | ler 🗸 |
|-----------|------------|---------------------|----------|
| Stainless | s Steel Mi | | |
| 12214 | 14" | 2" inlet/outlet | 101.99 e |
| 12215 | 14" | 2-1/4" inlet/outlet | 101.99 e |
| 12216 | | 2-1/2" inlet/outlet | |
| 122191 | 14" | 3" inlet/outlet | 114.99 c |
| Polished | Stainless | Steel Muffler | |
| 142141 | 14" | 2" inlet/outlet | 128.99 e |
| 142151 | | 2-1/4" inlet/outlet | |
| 142161 | 14* | 2-1/2" inlet/outlet | 136.99 @ |

3" inlet/outlet

4" inlet/outlet.

3-1/2" inlet/outlet

| | | 3= |
|-------------|-----------|-------|
| | MAGNAFLOW | |
| tion of the | | 12266 |

5" x 8" Offset/Offset Muffler

| Stainless | Stee | d Muffler 5" x 8" | | |
|-----------|------|---------------------------------|--------|----|
| 12266 | | 2-1/2" inlet 2-1/4" dual outlet | | |
| 12265 | 18" | 2-1/2" inlet 2-1/2" dual outlet | 143.99 | ea |
| 12267 | 18" | 3" inlet 2-1/2" dual outlet | 144.99 | ea |
| Polished | | nless Steel Muffler 5" x 8" | | |
| 14266 | 18" | 2-1/2" inlet 2-1/4" dual outlet | 193.99 | ea |
| 11/1200 | 10" | 2" inlat 2 1/2" dual outlat | 194.00 | - |











139.99 ea

172.99 ea

181.99 ea

Performance Mufflers

Super 40 American Thunder

The Super 40 5" x 10" case design gives you a deeper tone that retains our classic 40 Series sound and feel. Increased flow path radius for optimum internal flow using the latest in Delta Flow technology. Flowmaster state-ofthe-art robot assembly technolo assures a product that exceeds OEM auto manufacturers' specifications. To achieve such critical quality, Flowmaster performs extensive R&D at the track and in-house with our own engine and chassis dyno facilities. Flowmaster Super 40 is aluminized, black in color and is the most

aggressive, deepest sounding street two chamber



Super HP-2 Muffler

cruisers, and world-class show

Designed for street rods, customs and vehicles where undercarriage space is tight, the Flowmaster Super HP-2 provides the exhaust performance you need in a compact package that fits wherever you need it. The Super HP-2 has a moderate tone with the appearance, durability, and sound control to suit daily drivers, weekend

vehicles. Available with a 409S stainless steel case or polishable 304S stainless steel case in sizes from 2", 2-1/4", and 2-1/2". Made in USA.

| 409S Stainless 5 | Steel Case | | 4 |
|------------------|-------------------|---------------|-----------|
| F12012409 | 2" in/out | 4" x 5" x 12" | 136.99 ea |
| | 2" in/out | 4" x 5" x 18" | |
| | 2-1/4" in/out | 4" x 5" x 12" | |
| | 2-1/4" in/out | 4" x 5" x 18" | |
| | 2-1/2" in/out | 4" x 5" x 12" | |
| F12518409 | 2-1/2" in/out | 4" x 5" x 18" | 170.99 ea |
| 304S Polishable | Stainless Steel C | ise | |
| | | 4" x 5" x 12" | |
| F12518304 | 2-1/2" in/out | 4" x 5" x 18" | 203.99 ea |

Super 10 Series Stainless Steel Muffler

Looking for the most aggressive sound available? Flowmaster's new Super 10 series mufflers are so aggressive, they aren't recommended for street driven vehicles. Best suited to racing applications, these feature the same performance technology used in the Super 40 and Super 44 series Flowmaster mufflers. These short, single chamber mufflers deliver the closest thing to open pipe sound possible. If you want high impact sound, the Super 10 series mufflers are the answer Measures: 6-1/2" x 9-1/2" x 4"

| ı | use, not for street driven vehicles. | | | | ◮ |
|---|--------------------------------------|---------------|----------------------------|-------|----|
| ı | F842515 | 2-1/2" | center inlet/center outlet | 89.99 | ea |
| ı | F8425152 | 2-1/2"/2-1/4" | center inlet/dual outlet | 89.99 | ea |
| ı | F842518 | 2-1/2" | offset inlet/offset outlet | | |
| | F843015 | 3" | center inlet/center outlet | | |
| ı | F8430152 | 3"/2-1/2" | center inlet/dual outlet | 20 00 | 00 |

FLOWMASTER 40 Series Performance Mufflers





- Aluminized Steel
- Original Flowmaster Tone Deep Tone Inside Vehicle
- Street or Strip



40 Series — Original Flowmaster Tone

This is the most "aggressive" sounding street/strip muffler that Flowmaster offers. If you're looking for attention, this one will get you noticed. The standard 40 series has an "aggressive rumble" and will generally resonate inside the vehicle around 1800-2000 RPM's, and again at 2400-2600 RPM's. Constructed of 16 gauge aluminized m durability nd fully MIG walded for maximu

| F42441 | 2-1/4" | offset inlet/center outlet | 89.99 ea |
|---------|-----------|----------------------------|-----------|
| F42541 | 2-1/2" | offset inlet/center outlet | |
| F42442 | 2-1/4" | center inlet/offset outlet | 114.99 ea |
| F42542 | 2-1/2" | center inlet/offset outlet | 114.99 ea |
| F42443 | 2-1/4" | offset inlet/offset outlet | 89.99 ea |
| F42543 | 2-1/2" | offset inlet/offset outlet | 89.99 ea |
| F430402 | 3"/2-1/2" | center inlet/dual outlet | 89.99 ea |

FLOWMASTER Delta Flow 40 Performance Mufflers







- T409 Stainless Steel
- Powerful Aggressive Tone · Lower Interior Resonance
- Street or Strip



Nelta Flow 40 Series — Reduced Interior Resonance

This two chamber design incorporates Flowmasters patented "Delta Flow" technology. The "Delta" deflectors result in increased scavenging for better performance and reduced interior resonance over the standard 40 series with a nice growl outside the vehicle. Sounds great on late model performance cars with catalytic converters.

| Constructed | l of 16 gai | ige steel and fully MIG welded for maximum du | rability. |
|-------------|-------------|---|-----------|
| F842541 | 2-1/2" | | 125.99 ea |
| F843041 | 3" | offset inlet/center outlet | 125.99 ea |
| F842543 | 2-1/2" | offset inlet/offset outlet | 125.99 ea |

F12518304





Performance Mufflers

FLOWMASTER Super 44 Delta Flow Mufflers

S44 SERIES



Super 44 Delta Flow

The Super 44 is the most aggressive, deepest toned street and strip muffler Flowmaster has ever made! The Super 44's offer maximum performance, an improved flow path radius, and generates more torque and more power than ever before! If you really our aybouet evet n incide ac wall ac outcide, the Super 44

| want to near | your extraust | system mistae as wen as outside, the Super 44 | 15 101 y | Ou |
|--------------|---------------|---|----------|----|
| F942445 | 2-1/4" | center inlet/center outlet | | |
| F942446 | 2-1/4" | offset inlet/center outlet | | |
| F942447 | 2-1/4" | center inlet/offset outlet | | |
| F942448 | 2-1/4" | offset inlet/opposite offset outlet | 95.99 | ca |
| F942545 | 2-1/2" | center inlet/center outlet | 95.99 | ca |
| F942546 | 2-1/2" | offset inlet/center outlet | 95.99 | ca |
| F942547 | 2-1/2" | center inlet/offset outlet | | |
| F942548 | 2-1/2" | offset inlet/opposite offset outlet | 95.99 | ca |
| F942549 | 2-1/2" | offset inlet/same offset outlet | 95.99 | ca |
| F943045 | 3" | center inlet/center outlet | | |
| F943046 | 3" | offset inlet/center outlet | 95.99 | ca |
| F943047 | 3" | center inlet/offset outlet | 95.99 | ca |
| F943048 | 3" | offset inlet/opposite offset outlet | 95.99 | ca |
| F943049 | 3" | offset inlet/same offset outlet | 95.99 | ca |
| F9430452 | 3" | center inlet/dual outlet | 95.99 | ca |
| | | | | |

FLOWMASTER 50 Series SIIV-Performance Mufflers

| | Saferiar Sans Level | Exterior Tana Level | Maritier Care Dimensions |
|----------|------------------------|------------------------|-----------------------------|
| Powerful | | | S II |
| Deep | | 100 | § 111 1 |
| Mellow | 20 | | 8 |
| Mild | *** | *** | П |



- Large Displacement Street Cars
- Early Era Muscle Cars · Deep Tone Outside of Vehicle

50 Series SIIV — Performance

The SUV/Performance muffler is a larger version of Flowmasters 50 Series Delta Flow muffler and is specially designed for trucks, light SUVs and high horsepower vehicles. The larger H-chamber reduces interior resonance to a minimum. Constructed ized steel and fully MIG welded for maximum du

| | aomity. | | | |
|--|---------|--------|----------------------------|-----------|
| | F52555 | 2-1/2" | center inlet/center outlet | 158.99 ea |
| | | 2-1/2" | offset inlet/center outlet | |
| | F52557 | 2-1/2" | center inlet/offset outlet | 158.99 ea |
| | F52558 | 2-1/2" | offset inlet/offset outlet | 158.99 ea |
| | | 3" | center inlet/center outlet | |
| | F53056 | 3" | offset inlet/center outlet | 158.99 ea |
| | | 3" | center inlet/offset outlet | 158.99 ea |
| | DE20E0 | 211 | - C+ i-1-+/- C++1-+ | 150 00 |

FLOWMASTER 50 Series Performance Mufflers

| FERRINASTEE. | | 50 S | ERIES" |
|--------------|------------------------|------------------------|-----------------------------|
| | Interior Tors Level | Exterior Tone Level | Martine Coss Sinceraless |
| Powerful | | | 6.75 Wole |
| Deep | | === | |
| Mellow | 522 | | 0 0 |
| Mild | 100 | - | 11 |



- T409 Stainless Steel
- Milder Performance Sound Lower Interior Resonance
- · Performance Street

Delta Flow 50 Series — Milder Interior & Exterior Tone

This is the latest design of the 50 series muffler that utilizes Flowmasters patented "Delta Flow" technology along with an "H-Chamber" to eliminate most all interior resonance and still have that famous Flowmaster sound outside the vehicle. Constructed of 16 gauge steel and fully MIG welded for maximum durability.

| F842451 | 2-1/4" | offset inlet/center outlet | | |
|---------|--------|----------------------------|--------|----|
| F842551 | 2-1/2" | offset inlet/center outlet | 146.99 | ca |
| F843051 | 3" | offset inlet/center outlet | 146.99 | ca |
| F842452 | 2-1/4" | center inlet/offset outlet | | |
| F842453 | 2-1/4" | offset inlet/offset outlet | 146.99 | ca |
| F842553 | 2-1/2" | offset inlet/offset outlet | 146.99 | ca |
| | | | | _ |

FLOWMASTER 80 Series Performance Mufflers





- Aluminized Steel Aggressive Performance Sound
- · Higher Interior Resonance
- Transverse Mounting

Cross Flow 80 Series — Transverse Mounting The 80 Series is designed for applications where the muffler must be mounted

transversely (crossflow) behind the rear end. It provides an aggressive muscle car sound both inside and outside the vehicle. Constructed of 16 gauge aluminized steel and fully MIG welded for maximum durability. F42582 2-1/2" dual inlet/dual outlet 4" x 9.75" x 18" 170 99 69 F42583

single inlet/dual outlet 4" x 9.75" x 15" 136.99 ea 3"/2-1/2" single inlet/dual outlet 4" x 9.75" x 15" 136 99 ca











F52556



F43083

Exhaust Systems



1962-77 Crossmember Back Dual System with X-Pipe

Pypes has designed a crossmember back dual exhaust system for 1962-77V8 models that incorporates a leguage, mandre blen stainless setted X-pipe to maximize exhaust gas flow and boost horsepower. This system features a Samnese designed X-pipe, a pair of Street Po. Race Poor o'Violator mulflers, aitlippes, cade-plated clamps and hangers. The combination of the crossover and the mulflers deliver a perfect balance of sound and performance. Features 409 staintess setted X-pipe, mulflers, intermediate pipes and tail pipes. Limited lifetime warranty. Important: It units note, cast not munifolds, adul as at of down pipes to connect vour

important: if using stock, cast fron manifolas, aad a set of down pipes to connect your original manifolds to the header back system.

| ed double over | size. | 7 (157 |
|----------------|--|---|
| 1962-67 | 2-1/2" pipes only without mufflers, side exit. | 439.99 se |
| 1962-67 | 2-1/2" with Street Pro mufflers, side exit | 519.99 sc |
| 1962-67 | 2-1/2" with Race Pro mufflers, side exit | 519.99 sc |
| 1962-67 | 2-1/2" with Violator mufflers, side exit | 519.99 sc |
| 1968-77 | 2-1/2" with Street Pro mufflers, rear exit | 499.99 se |
| | | 499.99 sc |
| 1968-77 | 2-1/2" with Violator mufflers, rear exit | 499.99 sc |
| 1968-77 | 3" with Street Pro mufflers, rear exit | 579.99 sc |
| | | 579.99 se |
| 1968-77 | 3" with Violator mufflers, rear exit | 759.99 sc |
| No X-Pipe | | |
| 1968-77 | 2-1/2" with Street Pro mufflers, rear exit | 499.99 sc |
| 1968-77 | 2-1/2" with Race Pro mufflers, rear exit | 499.99 se |
| 1968-77 | 2-1/2" with Violator mufflers, rear exit | 499.99 sc |
| | 1962-67 1962-67 1962-67 1962-67 1968-77 1968-77 1968-77 1968-77 1968-77 1968-77 1968-77 1968-77 | 1962-07 2-1/2" with Street Pro mulliers, side exit 1962-67 2-1/2" with Race Pro mulliers, side exit 1962-67 2-1/2" with Violator mulliers, side exit 1968-77 2-1/2" with Violator mulliers, side exit 1968-77 2-1/2" with Violator mulliers, rear exit 1968-77 2-1/2" with Street Pro mulliers, rear exit |



1966-72 Aluminized Exhaust System

If you are seeking an original appearance with extended life in an exhaust system, then look no further? Classic Industries of first these high-paulity aluminute exhaust systems for small block and hig block. Nowa models. Aluminizing of exhaust pipes means the pipes may out last there sho foy our whicle! These systems are manufactured with the correct factory styled tail pipes, head pipes, and an original style muffler for an original appearance and an exact fit.

| Note: Shipped | l truck freigh | t. | Track Freight |
|--------------------|--------------------|---|--------------------------|
| NE66SB1 NE68SB1 | 1966-67 1968-69 | small block – intermediate pipe not included small block | 449.99 set 399.99 set |
| NE70SB1 NE71SB1 | 1970 1971-72 | small block | 399.99 set |
| NE68BB1 NE70BB1 | 1968-69 | big block | 399.99 set |
| NE71BB1 | 1971-72 | big blockbig block | |



de in USA

1968-74

F17104

1968-74 Dual Pine Cross Flow Exhaust

American Thunder Series dual 2-1/2* system with H-pipe assembly and a transverse mounted 80 Series Cross Flow Delta Flow muffler. Features direct out rear stock exit tailpipes. Extends from transmission crossmember back. Not for 1967-69 convertibles.

Note: Shipped double oversize.

| 3 | 5335 | 35880 | |
|---|---------------|-------|------------------|
| | 42398 | 4235 | 2½. A 1 35336 |
| | 2" A 35335 | 35880 | 27." 0 |

V8 2-1/2".....

1968-74 Small Block with Dual Exhaust

Aftermarket exhaust pipes are designed to replace the original equipment. Each component of the exhaust system can be replaced and added to the existing original available. Our listings change occasionally and the parts you need may or may not be available when you place your order. Check with your Classic Industries, Parts specialist for updated information concerning availability.

| 35335 1968-74 clamp | 2.99 ea |
|--|----------|
| 42398 1968-74 LH or RH intermediate pipe | 24.99 ea |
| 35335 1968-74 clamp | 2.99 ea |
| 35880 1968-74 hanger | 8.99 ea |
| 42350 1968-74 LH inlet pipe | 39.99 ea |
| 42351 1968-74 RH inlet pipe | |
| 35336 1968-74 2-1/4" clâmp | 2.99 ea |

603.99 set

Exhaust Systems







1968-73 Crossmember — Back Exhaust

Magnaflow's Nova systems start with mufflers specifically designed with internal paths that ensure fast, equalized exhaust flow so that both sides flow the same. The crossmember back systems are built with fast flowing mandred bent stainless steel tubing that feature Magnaflow's Tru-X crossover pipe. For V8 models only. Made in USA.

Note: Requires modification for convertible. Shipped truck freight

Dual Exhaust 1968-73 2-1/2" 15896 15899 1968-73







New Pypes Cross Flow System for Maximum Flow, PLUS Maximum Ground Clearance



1968-78 Header Back Crossflow System

Pypes has designed a 2-1/2" crossflow system for 1968-78 Chevy II/Nova models needing maximum ground clearance. The Race Pro muffler is the first maximum flow, straight through, transverse mounted crossflow muffler system that doesn't need to sacrifice any performance or aggressive growl to give you clearance. This system to sacrinice any periorinance or aggressive grown to be a surface and also features a horsepower freeing X-pipe designed to fit into the driveshaft tunnel, which contributes to it's ability to glide over the nastiest speed bumps. Available in 409 stainless steel or 304 polished stainless, including X-pipe, muffler, intermediate pipes and tailpipes. Limited lifetime warranty. rtant: Modification to the body pan brace is required on 1967-69 convertible models

norder to utilize this X-pipe, it is necessary to either add a body pan designed to allow clearance for the X-pipe assembly, or remove the body pan and install subframe connectors. If using stock, cast iron manifolds, add a set of down pipes to connect your original. anifolds to the header back system.

| Note: Shipp | ed double over | ize. | |
|-------------|----------------|---|--|
| P1060 | 1968-78 | 2-1/2" 409 stainless steel - 1/4 exit | |
| P10601 | 1968-78 | 2-1/2" 304 polished stainless - 1/4 exit. | |





· H-Pipe Stubs Straight Crossover Pipe
 Bent Crossover Pipe

U-Fit Dual Pipe Set

These sets come complete with all the pipes you need to build a custom dual exhaust system in 2-1/4", 2-1/2", or 3" pipe diameters. These U-Fit sets include the front adapter pipes, intermediate pipes, H-pipe assembly and over the axle pipes. Each piece has a slip fit connection, for easy assembly and built from mandrel bent, 16 gauge aluminized steel tubing. Hardware not included.

| Note: Shippe | d oversize. | € 0S1 | |
|--------------|-------------|--------|-----|
| | 2-1/4" | 348.99 | |
| F15936 | 2-1/2" | 373.99 | |
| F15037 | 3" | 401 99 | set |

F15937

599.99 set

799.99 set

🌦 Universal Dual Electric Cutout Set

The optional electric exhaust cutouts and make uncorking your exhaust as easy as flipping a switch. Electric cutout set includes: 2 valves, wire harness, switch, mounting hardware, and 2 gaskets. Limited ifetime warranty. Available with or without Y-pipes. Made in USA.

ote: *Connects to any 2-1/2" exhaust with a straight section of approximately 12" in length and enough

For use with 2-1/2" or 3" Y-Pipes (Dump Legs) P1074 cutout set only ..

P1074K* cutout set with Y-pipes



Stainless Steel Electric Cutout

These cutouts feature a rugged 12 Volt DC motor and rotating gate for a leak proof seal every time the cutout is opened and closed. When fully opened, these cutouts do not create exhaust flow obstructions that can create a leaky gasket sound, unlike butterfly style cutouts. A pre-wired harness with an illuminated rocker switch is supplied for easy installation. Uncork your exhaust the flip of a switch from your dash. The cutouts are ideal for race tracks that don't require mufflers Available individually, in pairs, or in complete kits with Y-Pipes for easy installation. Made in USA

ortant: Not recommended for vehicles equipped with

| Note: May not be legal for highway controlled vehicles. | s use or use on emission |
|--|--------------------------|
| controlled vehicles. | |
| 2-1/2" Cutouts | |

complete electric cutout set ... 409.99 set 25053 pair electric cutouts..... 375.99 pr 3" Cutouts

complete electric cutout set ... 453.99 set 25055 218.99 ea 395.99 pr single electric cutout... 25056 pair electric cutouts..



Stainless Steel Cutout Turndown Easily route your cutout exhaust flow in any direction with these easily installed 304 stainless steel turndowns.

These turndowns are made specifically for Doug's electric cutouts and included stainless band clamps for weld free attachment. Made in USA. 25058 2-1/2" turndown pipe

3" turndown nine

| | Ω | |
|----------------|------------|--------|
| MN2443 | | -0 |
| | | MN2450 |
| MN2453 | | MN2446 |
| Electric Exhau | ıst Cutout | |

Don't crawl under your vehicle to uncork your exhaust ever again by switching to electric cutouts. Keep them closed and quiet for the street, wide open for the strip, or anywhere in between with the flip of a switch. You control the volume and the power! Available in sizes 2-1/4* to 4* and a low profile oval design for applications with limited ground clearance. Fits 2-1/4" to 3" round exhaust pipe. Built with high-quality materials CNC 6061 aluminum body and motor plate, stainless steel shaft and butterfly plate, high torque DC gear driven motor, weather tight wiring connectors, and custom illuminated toggle switch.

Note: Match valve size with cutout size for optimal fit and performance. Flectric Cutout Valves - Individual

| Part# | Cutout Size | Additional Notes | Price |
|--------|-------------------|--|----------|
| MN2443 | 2-1/4" valve | | 209.99 e |
| MN2444 | 2-1/2" valve | | 209.99 e |
| MN2445 | 3" valve | | 209.99 e |
| MN2446 | oval valve | includes connector, fits 2-1/2" to 3" round pipe | |
| MN2447 | 3-1/2" valve | | 209.99 e |
| MN2448 | 4" valve | | 228.99 e |
| MN2449 | 4" valve | includes 4" three bolt flange | 258.99 e |
| | | Electric Cutout Valve Sets | |
| MN2450 | two 2-1/4" valves | | 413.99 p |
| MN2451 | two 2-1/2" valves | | |
| MN2452 | two 3" valves | | 413.99 p |
| MN2453 | two oval valves | | 468.99 p |
| MN2454 | two 3-1/2" valves | | |
| MN2455 | two 4" valves | | 460.99 p |
| MN2456 | two 4" valves | includes 4" three bolt flange | 511.99 p |



Stainless Steel Cutout Pine

Stainless steel exhaust cutout pipes for all models. Manufactured from 304 stainless steel with a polished finish. They feature a TIG welded construction with a 3/8" flange for a proper seal. Includes: the end cap, gasket and hardware for an easy installation.

| MN2460 | 2-1/4" cutout | 59.99 ca |
|--------|---------------|----------|
| MN2461 | 2-1/2" cutout | |
| MN2462 | 3" cutout | 59.99 ca |
| MN2463 | 3-1/2" cutout | 59.99 ea |
| MN2464 | 4" cutout | 95.99 ca |



Universal Exhaust Turndown

MN2457

Universal exhaust turndowns for electric cutouts. The round tips feature a 360 degrees floating flange which allows turning in any direction. Manufactured from

| MN2400 | oval turndown | |
|--------|---------------|-------|
| MN2458 | 3" turndown | 30.99 |



Electric Cutout Remote Control System

Remote control for your electric cutout system. When space is a premium this control box gives you the flexibility you need. Includes 2 wireless key fobs for 100% control over your cutouts at the push of a button. MN2466

45 99 ca

Exhaust Γins



Stainless Rolled Edge Tip

Stainless exhaust tip that is designed with your choice of a rolled edge or angle cut tip. Finished with an embossed Flowmaster logo. Sold individually.

Clamp-On Rolled Edge Tip F15361 3" dia. for 2-1/2" pipe -12" L 62.99 ea F15363 3-1/2" dia. for 3" pipe - 12" L 59.99 ea Clamp-On Double Wall Rolled Edge Tip 3-1/2" tip fits 2-1/4" pipe 66.99 ea 4" tip fits 2-1/2" pipe 65.99 ea F15364 F15365

Weld-On Angle-Cut Tip F15362



Stainless Steel Exhaust Tin

| | 304 stainless steel this tips wi | ll stand ou | ı |
|-------------|-------------------------------------|-------------|---|
| on any vehi | cle. Made in USA. | | |
| Dual Recta | ngular Tips | | |
| 35150 | 2" x 8" dia., 11" long, 2-1/4" i.d. | 204.99 pr | |
| Turndown 7 | Tips | | |
| MF35179 | 2-1/2" dia., 13" long, 2.75" i.d. | 59.99 ea | Ŀ |
| MF35180 | 3" dia., 13" long, 3" i.d | 68.99 ca | È |
| 15 Degree 5 | Slash Cut Tips | | |
| 35101 | 3" dia., 12" long, 3" o.d | 38.99 ca | Ŀ |
| 35102 | 3" dia., 18" long, 2-1/2" i.d. | 51.99 ca | |
| 35103 | 3" dia., 22" long, 2-1/2" i.d. | 56.99 ca | |
| 35104 | 3-1/2" dia., 12" long, 3" i.d. | 44.99 ea | |
| 35105 | 3-1/2" dia., 18" long, 2-1/2" i.d. | 57.99 ea | |
| 35106 | 3-1/2" dia., 22" long, 2-1/2" i.d. | 66.99 ea | |
| 35107 | 4" dia., 12" long, 3" i.d | 50.99 ea | |
| 35108 | 4" dia., 18" long, 2-1/2" i.d. | 63.99 ea | |
| 35109 | 4" dia., 22" long, 2-1/2" i.d. | 76.99 ca | È |
| | Slash Cut Tips | | |
| 35140 | 3" dia., 18" long, 2-1/4" i.d. | 55.99 ea | |
| 35138 | 3" dia., 18" long, 2-1/2" i.d. | 48.99 ea | |
| 35141 | 3" dia., 22" long, 2-1/4" i.d. | 65.99 ea | |
| 35139 | 3" dia., 22" long, 2-1/2" i.d. | 58.99 ea | |
| 35216 | 3-1/2" dia., 18" long, 2-1/4" i.d. | 56.99 ea | |
| 351431 | 3-1/2" dia., 18" long, 2-1/2" i.d. | 80.99 ea | |
| 35144 | 3-1/2" dia., 22" long, 2-1/2" i.d. | 67.99 ea | |
| 35146 | 4" dia., 18" long, 2-1/2" i.d. | 67.99 ea | |
| 351471 | 4" dia., 22" long, 2-1/2" i.d. | 76.99 ca | È |
| | | | |



Stainless Exhaust Tips

These tips add the final personal touch to your custom exhaust! The extensive line of stainless steel Pypes exhaust tips will provide years of eye-popping looks and excellent durability. For 2-1/2" Pipes dual 3-1/2" splitters 134 99 pr

| P1049 | 6" x 3" oval tip | 94.99 pr |
|----------|------------------------|-----------|
| P1050 | 8" x 2" rectangle tip | 134.99 pr |
| P1051 | 9" slash cut tip | 39.99 pr |
| P1052 | 3-1/2" rolled êdge tip | 59.99 pr |
| P1053 | 4" x 2" oval tip | 101.99 pr |
| For 3" F | ripes | |
| P1082 | 8" x 2" rectangle tip | 139.99 pr |
| P1083 | 9" slash cut tip | 49.99 pr |
| P1085 | 4" x 2" oval tip | 119.99 pr |
| | | |



Bow Tie 8" Exhaust Tip

8" length fits 2-1/4" pipe. Universal to fit nearly any Chevrolet car or truck. The ultimate dress tip for street or show. Manufactured in the United States using 1/8" thick carbon steel (or 409L chrome-plated stainless steel). Choose from 2 popular materials triple chrome-plated carbon steel or triple chrome-plated

| 409L magn | ietic stainless steel. Made in US | A. |
|-----------|-----------------------------------|----------|
| ST778C | chrome-plated | |
| ST778SC | chrome-plated stainless steel | 29.99 ea |



We've Got a Hot Tin for You!

Top off your exhaust system with a handsome T-6 Billet aluminum exhaust tip. Three eye-catching designs are available in a variety of sizes to fit your needs. Steel slip-on mount is included to provide for easy clamp-on or weld-on installation. Available in your choice of brushed finish or polished. Exhaust clamps are sold separately.

| 2000P | 3" | square | fits | 2-1/2" | 49.99 | ca |
|------------------|----|--------|------|--------|-------|----|
| Brushed 4000B | | square | fits | 2-1/2" | 54.99 | ca |



Stainless Exhaust Splitters and Tips 🗥

Dress-up your exhaust with an extra punch with something a little bolder. Stainless steel slip-fit splitters and a choice of a chrome or stainless steel tip. These tips add the final personal touch to your custom exhaust!

| Stainles. | s Steel Slip-Fit Splitte. | rs | |
|-----------|---------------------------|-----------|-----------|
| P1070 | 2-1/2" to dual 2-1/2" | | 101.99 pt |
| P1071 | 3" to 2-1/2" | | 119.99 pi |
| Slip-Fit | Tips | | |
| | 2-1/2" to 2-1/2" | stainless | 101.99 pt |
| P1073 | 3" to 3" | chrome | 101.99 p |
| | | | |





.I-R Weld SteelStik

J-B Weld SteelStik is a steel reinforced epoxy stick. This hand kneadable epoxy adhesive will plug holes and make permanent repairs on wet and dry surfaces. Cures completely submerged in gasoline or under water in 60 minutes. Can be drilled, sanded. filed, tapped, machined and painted. Works on multiple surfaces: aluminum, brass, bronze, copper, iron, and stainless steel. Cure color is dark gray. Made in USA. IB8267
















Xtreme Temnerature Coating

XTC is a high temperature/heat resistant coating formulated specifically to protect metal surfaces operating at temperatures from 500 to 1500 degrees F. With proper preparation, XTC provides outstanding adhesion, film integrity, weathering, and thermal shock resistance throughout this entire temperature range, and is guaranteed not to burn off! Available in your choice of a wide variety of colors and sizes. Note: 8 oz. will coat approximately 3 sets of automotive exhaust manifolds with 2 coats or coat a set of shorty headers with 2 coats. Pints will coat a set of full size headers with 2 coats or coat a complete automotive exhaust system with 2 coats.

Xtreme Temperature Coating portant: When ordering, select the part number for the size of the can you need, then add two digit numerical color code to the end of the part number to specify your desired color. Jet Black, Charcoal Metallic, Flame Blue, Cast Iron Gray, or Off-White 12 oz. aerosol can specify color specific color specif half pint (8 oz.) 19,99 ea one pint 30.99 ea one quart specify color 58 99 es

one gallon specify color ... 170 00 00 Aluminum, Rocket Red, Pure White, or Stainless Steel 10 00 60 12 oz. aerosol can specify color half pint (8 oz.) specify color 26.99 ea KB653 specify color 39,99 ea one pint 74.99 ea one quart specify color one gallon specify color 240 00 00

Xtreme Temperature Primer XTC Silicone Zinc Primer prevents corrosion of metal surfaces exposed to high heat, high humidity, condensation, and salt air. It functions much like galvanizing as it locks itself to bare metal surfaces leaving a perfect primed surface for top coating. Available in a wide variety of sizes

| KB65100 12 oz. aerosol can KB65400 one quart KB65500 one gallon | | 19.99 113.99 389.99 | ca |
|---|--|---------------------------|----|
|---|--|---------------------------|----|

Hi-Heat Coating

The coating will protect the wrap from abrasion and harmful liquid spills. Extra resins and binders toughen the surface, extend the life of wrap by protecting it from friction, and seal the pores to minimize the enetration of harmful liquids. The coating also works excellent as a paint



TT12002 11 oz. aluminum 14.99 ea

TT12003 11 oz. copper 14.99 ea

Gen II Conner Header Wran

Header Wrap improves heat resistance up to 30% Generation II Copper Exhaust

Wran

creates more horsepower and reduces underhood températures, increases exhaust scavenging, withstands continuous heat up to 2000 degrees Fahrenheit, contains no ashestos





Heat Sleeves

Black

Silicone coated fiberglass heat sleeving protects wires, cables and hoses from intense heat exposure, liquid spills and even occasional flame exposure Withstands continuous 500 degrees F temperatures and short term exposure up to 2200 degrees F. Available in either silver or black, and diameters of 1/2", 3/4", and 1". Made in USA.

| 111031 | 1/2" X 5" | 29.99 | ca |
|--|---|---|----------------------------|
| TT1032 | 1/2" x 10' | | ca |
| TT1033 | 1/2" x 50' | | ca |
| TT1034 | 3/4" x 3' | 31.99 | ca |
| TT1035 | 3/4" x 10' | 96.99 | ca |
| TT1036 | 3/4" x 50' | 316.99 | ca |
| TT1037 | 1" x 3' | 39.99 | ca |
| TT1038 | 1" x 10' | | ca |
| TT1039 | 1" x 50' | 372.99 | ca |
| | | | |
| Silver | | | |
| Silver TT1040 | 1/2" x 3' | 25.99 | ea |
| Silver | 1/2" x 10' | 25.99 76.99 | |
| Silver TT1040 TT1041 TT1042 | 1/2" x 10' 1/2" x 50' | 76.99 347.99 | ea ea |
| Silver TT1040 TT1041 TT1042 TT1043 | 1/2" x 10' | 76.99 347.99 32.99 | ca ca ca |
| Silver TT1040 TT1041 TT1042 TT1043 TT1044 | 1/2" x 10' 1/2" x 50' 3/4" x 3' 3/4" x 10' | 76.99 347.99 32.99 95.99 | ca ca ca |
| Silver TT1040 TT1041 TT1042 TT1043 TT1044 TT1045 | 1/2" x 10' 1/2" x 50' 3/4" x 3' 3/4" x 10' 3/4" x 50' | 76.99 347.99 32.99 95.99 375.99 | ca ca ca ca |
| Silver TT1040 TT1041 TT1042 TT1043 TT1044 | 1/2" x 10' 1/2" x 50' 3/4" x 3' 3/4" x 10' | 76.99 347.99 32.99 95.99 | ca ca ca ca ca |



355.99 ea

Thermo-Sleeve

Thermo-Sleeve is the combination of a high temperature fabric laminated to a highly reflective Mylar foil. It provides protection from radiant heat for hoses and wires. Thermo-Sleeve's ultra lightweight construction provides more insulation than traditional bulky rubber coated fiberglass. The aluminized sleeve reflects more than 90% of radiant heat, plus it is fireproof and oil resistant! Thermo-Sleeve is available in 3' or 12' lengths.

| 3' Foot Lengths | | | | | |
|-----------------|-----------------------|-------|----|--|--|
| | 1/4" to 1/2" i.d | 14.99 | ca | | |
| | 5/8" to 1" i.d | 19.99 | ca | | |
| | 1-1/8" to 1-1/2" i.d. | 21.99 | ca | | |
| TT1023 | 1-5/8" to 2" i.d | 26.99 | ca | | |
| TT1024 | 2-1/8" to 2-1/2" i.d. | 30.99 | ca | | |
| 12' Foot | | | | | |
| | 1/4" to 1/2" i.d | 52.99 | ca | | |
| | 5/8" to 1" i.d | 67.99 | ca | | |
| | 1-1/8" to 1-1/2" i.d. | 81.99 | ca | | |
| TT1029 | 1-5/8" to 2" i.d | 99.99 | ca | | |

TT1030 2-1/8" to 2-1/2" i.d. 108.99 ca



Titanium Exhaust Wran 🔥

DI

DI DI DI DI R

Titanium exhaust wrap from DEI. Withstands 1800 of direct, and 2500 of intermittent heat. Extremely pliable for an easy install with no wetting necessary. Very durable with high resistance to abrasions, oil and chemicals and thermal breakdown

| tanium Exhaust Wrap | | | | | |
|---------------------|--------------|----------|--|--|--|
| | 1" x 15' | | | | |
| | 1" x 50' | | | | |
| | 2" x 15' | | | | |
| E010131 | 2" x 25' | | | | |
| | 2" x 35' | | | | |
| E010127 | 2" x 50' | 50.99 ea | | | |
| ack Titanii | ım Exhaust W | rap | | | |





Stainless Steel Stran Sets Quality stainless steel straps with a

dependable multi-lock system are available in standard lengths. The narrow width, standard length straps include the multi-lock already attached just insert the end and pull to tighten.

Sets with Variety of Sizes TT13105 (6) 9" & (4) 18" 27.99 set TT13101 (8) 9" & (4) 18" 30.99 set

Bulk Pack of Single Sizes TT13150 (12) 9" straps 28.99 set TT13160 (6) 18" straps 18.99 set



HiTemo Stainless Steel Cable Tie

High temperature stainless steel cable ties are great for harsh environments. Perfect for installing heavy-duty and high temp sleeving. Available in 7-1/2" or 14 1/2" longthe

| 01 14-1/2 | ienguis. | | |
|--------------------------------|-------------------|------|--|
| | 7-1/2" 14-1/2" | | |
| 5 Pack SS729101 SS729102 | 7-1/2" 14-1/2" | | |
| | 7-1/2" | 8.99 | |



All the ties you need to securely fasten your exhaust wrap to your headers or exhaust. Set includes: eight9 inch locking ties, four 14 inch locking ties, and a 1/4" locking tie tightening tool. DE010219 13 piece tie and tool set 27 99 set 1/4" drive tightening tool. DE010220 7 99 ca



Reduce Underhood Temperatures!

Increased exhaust scavenging is produced, along with lower intake temperatures. Exhaust Insulating Wrap™ withstands continuous heat up to 2000 degrees F, and contains no asbestos. Will not over insulate a system contains no assessus. Will not over insufate a system when properly installed due to a proprietary coating developed by Thermo-Tec® Thermal Conduction Technology (TCT) that conducts heat across the wrap's surface. The 1/16* thick wrap is available in 1 inch or 2 inch widths in 15' or 50' rolls. Choose from off-white or graphita black

| | Exhaust Wrap | |
|--------|---------------------------|----------|
| | 1" x 15' short roll | 10.99 ea |
| | 2" x 15' short roll | 15.99 ea |
| TT1010 | 1" x 50' long roll | 33.99 ea |
| TT1012 | 2" x 50' long roll | 46.99 ea |
| | lack Exhaust Wrap | |
| TT1053 | | 11.99 ea |
| TT1054 | 2" x 15' short roll | |
| TT1013 | 1" x 50' long roll, black | 30.99 ea |
| TT1014 | 2" x 50' long roll, black | 46.99 ea |
| | | |



Reduce Underhood Temps Up to 70%!

The new quick wrap, high velocity Exhaust Jackets are an innovative way to insulate and block radiant heat. The jackets cover the header tubes vertically allowing for a consistent fit. The fit allows the exhaust system to expand as it comes up to operating temperatures without restrictions and provides air space for added insulation. This product uses Thermal Conduction Technology (TCT), developed by Thermo-Tec®, and can be applied with the

| headers in t | he vehicle. | | |
|------------------|----------------------------|----------------|--|
| TT1015 TT1016 | 4-6 cylinder 8 cylinder | 70.99 84.99 | |



This Flexible Heat Shield Clips Into Place!

The Header Manifold Blanket™ provides excellent heat retention for exhaust headers and manifolds. This flexible heat shield simply clips into place on the upper portion of the header. The fabric side of the material should be facing the heat source, and the aluminized side facing away - offering protection from abrasion and harmful liquid spills. The Header Manifold Blanket™ is available in 2 sizes: two 20" by 24" blankets for V6 and V8 applications, and one 36" by 40" blanket for

| TT1017 | V6-V8 applications | 78.99 |
|--------|----------------------------|-------|
| TT1018 | straight 6 or 4 cyl models | 73 99 |



Vermiculite Coated Header Wran

Insultherm Header Wrap is an extremely high temperature resistant wrap used to insulate hot gases in automotive exhausts. Manufactured from texturized fiberglass varns that are woven into a strong flexible wrap with vermiculite coating. Resists gasoline and engine chemicals and withstands temperatures up to

1200 degrees F (maximum continuous temperature of 1000 degrees F). Available in black or natural in

| | | | | _ |
|-----------------|---------|----------|-------|----|
| HW719314 | natural | 2" x 25' | 15.99 | ca |
| | | 2" x 25' | | |
| | | 2" x 50' | | |
| HW719311 | | 2" x 50' | | |
| 2" Header Wro | ар | | | |
| HW719304 | natural | 1" x 25' | 8.99 | ea |
| | | 1" x 25' | | |
| | | 1" x 50' | | |
| | black | 1" x 50' | | |
| 1" Header Wro | | | | |
| 50 or 25 rolls. | | | | |



Turbo Insulating Set The turbo insulating set is designed to protect and

improve performance of the turbo. This universal set will help reduce turbo lag. The cut-to-fit set includes a substantial amount of material to cover turbos from the smallest automotive application to heavy-duty truck applications.

| T15003 | turbo insulation cover only | 40.99 | ca |
|--------|-----------------------------|-------|----|
| | | | |

Shield Plastic or Rubber Hoses and Wiring from Radiant Heat! Thermo-Shield™ protects

hoses and wires from radiant heat. Unprotected, rubber hoses and plastic or rubber insulated wiring can dr out, melt or crack over time. Thermo-ShieldTM is used in applications where it is difficult or not practical to disconnect one end of the hose or wire. The adhesive backed composite construction tape can easily be wrapped around the hose or wire to make a clean, professional appearance. Reflects radiant heat up to 2000 degrees F. Provides a barrier

| | component | s are exposed to. Wrap your fue od-bye to vapor lock. | el lines |
|---|-----------|--|----------|
| ı | TT1019 | | 20.99 ea |
| | TT1051 | 2" x 50' feet | 44 99 ca |





Floor and Tunnel Shield II

Ten mil aluminum bonded to woven glass fiber with a hi-temp adhesive backing. Designed to withstand temperatures up to 1750 degrees F. The adhesive backing adhere to almost anything while withstanding temperatures over 450 degrees F. Ideal for firewalls, floor pans, transmission tunnels, and under hoods. Note: Cool-Tape recommended for seams and edges.

| loor and Tunnel Shield with Adhesive Backing | | | | |
|---|-------------------|-----------|--|--|
| | 21" x 2' | | | |
| | 21" x 4' | | | |
| E050503 | 42" x 4' | 127.99 ea | | |
| loor and Tunnel Shield without Adhesive Backing | | | | |
| | 42" x 2' | | | |
| E050520 | 42" x 4' | 67.99 ea | | |
| ool-Tape | | | | |
| | 1-1/2" x 15' roll | | | |
| | 1-1/2" x 30' roll | | | |
| E010468 | 2" x 30' roll | 35.99 ea | | |
| | | | | |

An Extremely Versatile Heat Barrier!

The Aluminized Heat Barrier™ is made un of woven silica with a flexible aluminized finish. The highly reflective surface of the material is capable of withstanding radiant

C

temperatures in excess of 2000 degrees F. Installed

using standard rivets with a backup washer, or with weather strip adhesive. The Snap Straps (sold separately) can be used to hold the blanket in place for manifolds or exhaust systems. TT1008 36" x 40", 10 sq. ft., 78.99 ea

Keen Cool! Reflect Radiant Heat

The Muffler/Catalytic Converter Heat ShieldTM is made up of woven silica with a flexible mylar finish. The highly reflective heat shield can be installed between the

necessary fasteners.

catalytic converter, muffler, or any other component to reflect radiant heat from the undercarriage of the vehicle. Kit includes one 24" x 40" Mylar heat shield and all

TT1007 muffler heat shield Clamo-On Heat Shield The flexible Clamp-On Heat

Shield blocks more than 90% of damaging radiant heat from the exhaust. Silica based clampon shields are available in 1'. 2', and 3' lengths Clamp-On

Shields are available in 1', 2', and 3' lengths. Sets come complete with all clamps and install easily in minutes

| ı | Silica Based Fabric Clamp-On Heat Shield | | |
|---|--|-------------------------|-------|
| ı | TT11650 | 4" x 1' | 28.99 |
| ı | TT11660 | 4" x 2' | 56.99 |
| ı | TT11600 | 6" x 1' | 32.99 |
| ı | TT11620 | 6" x 2' | 45.99 |
| ı | TT11630 | 6" x 3' | 62.99 |
| ı | Stainless St. | ad Clamp On Heat Shield | |











set