

REGAL Batteries & Boxes



Yellow Top Battery

With premium cranking power, low internal resistance, and unparalleled cycling capability (rechargeability), the YellowTop AGM battery is a true dual purpose automotive battery. It handles deep power drains and recharges to full capacity so it can power plenty of electronics and still start the engine time after time. Perfect for vehicles with multiple electronic systems or high demand audio.

Note: Sh	ipped overweig	ht.	TYPE.
BY130	05 620 CC.	A Group 35	289.99 ea
BY130			
BY130			309.99 ea
BY130	08 450 CC.	A Group 51	289.99 ea
BY130	09 450 CC.	A Group 51R	289.99 ca



Red Too Battery

The OPTIMA Red Top high-performance AGM battery is the ultimate high CCA starting battery designed to deliver the strongest 5 second ignition power for a reliable start-up every time. The Red Top outperforms and outlasts traditional batteries in demanding cranking/starting applications. With ultimate power delivery and durability, the Red Top is ideal for luxury cars, hot rods, off-road vehicles and other applications that require a leakproof starting battery

Note: Shippe	d overweight.		***
BY13001	800 CCA	Group 34/78	279.99 ca
BY13002	720 CCA	Group 25	249.99 ca
BY13003	720 CCA	Group 35	
BY13004	720 CCA	Group 75/25	249.99 ca



Battery Relocation Set

Moroso battery installation set. This set includes enough 2 gauge copper wire to relocate the battery to the trunk on most vehicles. The high grade cable features a rugged PVC insulation provides unrestricted current flow. Set includes: all the terminals, 12 gauge leads, grommets, insulated clamps, and shrink sleeving to do the job. MS74055 blue 175 99 set

Billet Battery Box for Ontima 34 Series Batteries

Finally, a battery box that looks as good as an Optima battery performs. Perfect for trunk mounted applications. Featuring polished aluminum hold down studs and stainless steel fasteners. this battery box will



mounting (hardware not included). Fits only genuine Optima 34 series batteries and measures 10" x 6.8" x 7.8". Battery not included. Made in USA. BB700101 gloss black. PP700103 matte black..... 145.99 ea polished.... BB700103 145 99 69 BB700104 145.99 ea BB700105 blue 150.99 ea

Billet Battery Box for Optima 51 Series Batteries

Show off that Optima battery with one of these beautifully CNC-machined battery boxes. Perfect for trunk mount applications Designed only to house genuine Optima 51




PHISA

MISA.

series batteries, this battery box is available in both full cover and strap style and in a variety of finishes to suit your taste. Includes predrilled 5/16" holes in base for mounting (hardware not included). Battery not included. Made in USA

Full Cover		4
BB700111	gloss black	135.99 ea
BB700112	matte black	135.99 ea
BB700113	polished	135.99 ea
BB700114	red	135.99 ea
BB700115	blue	135.99 ea
Strap Style		
BB700121	gloss black	93.99 ca
BB700122	matte black	93.99 ca
BB700123	polished	93.99 ca
BB700124	red	93.99 ca



Billet Battery Mount

LG Billet USA battery mount for the Interstate MT-24F with the USA flag top design or the Optima group 34/78 battery. Manufactured from 6061-T6 billet aluminum and includes stainless steel hardware for assembly and installation. Available in machined finish and black anodized. Battery not included.

Interstate	MT-24F			
LG2003	flag top	black anodized	254.99 ea	
LG2004	flag top	machined		
LG2005	grid top	black anodized		
LG2006	grid top	machined	239.99 ea	
Optima G.	roup 34/78			
LG2007		black anodized	239.99 ca	ı
LG2008		machined	224.99 ea	



Aluminum Relocation Battery Box Set

Taylor's aluminum relocation battery box is constructed from .040" thick aluminum and features a removable top to allow easy access to the battery. Battery mounts to the frame of the box with the supplied 3/8" bolts and includes a heavy-duty 1 piece battery hold down along with mounting hardware. Measures: 13-1/2" x 9-1/2" x 10".

Note: Complies with NHRA rule 8:1 for installations where there is no firewall between the driver and the battery. Emissions Note:

Non-emissions (50 state legal). aluminum... 149.99 set



Sealed Battery Box

Moroso black polyethylene sealed battery box. The external venting makes it ideal for relocating a battery to the rear of any race, street, or off-road vehicle with or without a rear firewall. It features closed cell foam gasket lid to prevent battery gasses from escaping into the vehicle, and includes 3/8" hold down rods, mounting hardware, vent tube and grommets. Fully approved for racing by NHRA, IHRA, and SCCA. Holds a Series 21, 24, 26, 34, 42, 54, 55, 56, 61, 62, 63, 85, 86, 96R battery with either top post or side post terminals.

MS74051 black.....



Dropout Battery Box

Universal frame mount dropout battery box from CPP. This box relocates your vehicles battery from the engine compartment to the frame where space allows. The box drops down for service or replacement of the battery. Available in stainless and black powder coated finishes. Note: Measures: 10-1/2" x 8-3/4" x 6-3/4" and drops down 5-1/2"

DB2400 DB2401 black 118 99 set



REGAL Battery Components



1978-87 Battery Tray



Universal Battery Tray and Adiustable Hold Down

W21087 battery tray 14.99 ea W21073 adjustable hold down 7.99 ea





Battery Tray Clamp

This is the correct battery hold down retainer which traps the lower casing ridge and holds it in place preventing any movement of the battery. For use at the base of the battery only which requires a short attachment bolt. Available in black or stainless steel.

Clamps 6270159 6270159A G6851	1973-77 1973-77 1978-87	blackstainless steel black	5.99 ca
Clamp Bolt 152939	1973-77	black	1.49 ea



1986-87 Battery Hold Down

Reproduction battery hold down bracket for 1986-87 Buick Regal turbo models. GN1021 1986-87 hold down 19.99 ea

Battery Tray Bolt Set

Correct replacement battery
Correct replacement battery
Correct replacement battery
Cold vechicles 1964 and newer.
Cold vechicles 1964 and newer.
Free spinning contical weather. Black
free spinning contical weather. Black
can make any installation jobe easier. Replace your
missing or damaged hardware with these quality
reproductions. This parts to original equipment for
other applications as a service replacement.
B3716 5761-878 x 587° 2 piece. 399 pr



1978-87 Ground Wire Set

A must have part for your vehicle. Good grounds are absolutely essential for proper engine sensor operation. The factory located wiring grounds are less than adequate for long term stability. This ground street set addresses the problem by relocating the grounds, extending the wiring, and provides braided ground connections to the engine and firewall.

[SNI10612 1978.87 30 99 set




1973-87 Battery Lug Extenders

Battery lug extender for 1973-87 models. This lug extender kit enables you to add terminals to the side terminals battery lugs. Allows an extended bolt and spacer to place 10mm (3/8") ring terminals for accessories, amplifier feeds, auxiliary lighting, etc. Also makes attachment of jumper cables easy. Sold in pairs. GN110603 1973-87.



Battlery Cable Terminal Due to the corrosive nature of battery electrolyte, the original lead east positive and negative terminal ends

usually require replacement every few years. We offer these replacement style late model OEM type terminals for top or side post batteries. 10626 top post terminal 4.99 ea





Side Terminal Adapters



Battery Terminal Protectors

A
Prevent corrosion buildup on the battery terminals with

these color coded green and red anti-corrosion, chemically treated polyester fiber battery terminal protectors. W215007 battery terminal protectors..... 1.99 pr

0

Felt Battery Post Washer

This felt washer is designed to go on the positive battery post under the battery cable as recommended by GM. The washer helps to prevent corrosion of the positive battery post and cable.

TF900723 99 ea

976



Quick Release Battery Cable Bolts 🔥

These handy quick release bolts replace standard 5/16* battery clamp bolts used for most top post batteries. The cam lever action tightens and loosens the bolts without tools. They're constructed from anti-corrosive stainless steel and padded with color coded red and black polypropylene.

W20251 top post 5/16" bolts 11.99 pr



1973-87 Battery Caps with Bolts 🔥



Battery Terminal Protector Boots 🔥













REGAL Battery Cables



1978-87 Heavy-Duty Positive Cable Set

This specially built set is designed to relocate the fuse links from the starter location to a location in the engine bay for easy access. Allow for easy attachment of accessories to the battery positive terminal. Add extra fuse links so that each power feeder in the vehicle has its own fuse link. Provide a junction box for remote mounting of the battery (trunk location).

Note: This set is used when a heavy-duty 200 amp alternator is being used.



1984-87 Positive Battery Cable Exact replacement positive battery cable. Attaches to the starter stud, alternator and ECM MEM feed thru

a special fuse linked connector. Frequently a problem due to leaking battery acid onto the lug. This harness assures full battery power to the critical components on your vehicle.

1984-85 GN110175 GN110176 1986-87.. 82.99 ca



1986-87 Positive Cable Set

Eliminate problems with factory positive cable and fuse link cables with the OEM setup. This custom designed relocation set provides a convenient junction for the positive battery cable and relocates the fuse links from the starter stud to the junction box. Red junction box is located near the radiator overflow bottle. Alternator feed, battery cable, MEM connector and fuse links are placed there at that location. Provides easy access to positive battery connection. Designed to attach to battery in the stock location. GN110606

1986-87 92.99 set



Negative Battery Cable

Eliminate electrical problems with a new cable. Negative cable is manufactured to OEM specifications using the new slip-over terminal cover design or the universal cable. Secondary ground nigtail wire included

GN110177 1984-87 terminal cover .. 33.99 ea universal 30"... 17.99 ea N430



1986-87 High Current Battery Cable

Similar to our standard replacement battery cable, except the alternator feed is 6 gauge cable. This cable is utilized when the alternator is upgraded to 175-200 ampunit. Design includes an added 3-1/2" of length to the starter cable, to prevent contact with aftermarket down pipes.

GN110604 1986-87 92.99 ca



Universal Battery Cables

Underhood or trunk mount battery cable sets. Each cable is 1 gauge and features lead die-cast top post terminals with a steel ring insert. This feature prevents cracking or breaking the terminal due to tightening. Each version comes in either top post or side post sets. Trunk mount sets measure 18' while underhood sets measure 6' in length. Negative cables feature preassembled 36" long 6 gauge secondary lead. Each set includes crimping tool, extra lugs and shrink tubing.

Trunk Mount BC900701 top post BC900702 Underhood Mount BC900703 102 99 set top post BC900704 side nost 102.99 set

alithorized

Battery Cable Cloth Insulator

Original style black cloth insulation. 1/2" cloth insulation is used for positive battery cable. Sold by the foot K0169



Remote Mount Battery Cable Set

Perfect for trunk mounted batteries. Both positive and negative cables are 1 gauge and 16 feet in length which allows for them to be attached to the engine for maximum starting current. Helps prevent voltage drop to the engine. Eliminates the need for heavy cable connections between the engine and frame. Set includes side post adapters and high amp crimp ring terminals with heat shrink.

40105 universal... 132.99 set



Battery Cable Set

This set has only the highest quality components. Set comes complete with 16 feet of red #1 gauge positive cable and 3 feet of black #1 gauge cable, both with heavy-duty battery terminals already installed capable of handling over 250 amps. Set includes side post adapters and high amp crimp ring terminals. 40101

universal.....



1984-87 ECM Memorv



ECM memory connection near the battery positive terminal, orange wire. Includes two mating connectors to perform complete repair. GN110545 1984-87 12.99 ca



Battery Cable Hardware

If your cables need to be replaced, you are probably going to need to replace your battery cable bolts as well. We offer early or late model cable bolts to give your engine compartment a detailed look. Genuine GM

G6848	side mount bolt	3.99	ea
Reproducti	on		
3Á227		1.99	
3A275	side mount bolts	2.99	pr

REGAL Battery Accessories



T70781

Battery Topper

Now you can turn any modern style battery into a vintage looking one by adding one of these battery toppers featuring correct special grain just as original Battery toppers are designed to be used with any maintenance-free flat top battery, and will work on any 24/60 series battery as long as the post location is original. T70791

59 99 ca top post T70782 side post. 50 00 00

Battery Carrying Strap

This handy tool is a must for your tool box. Allows you to easily carry bulky automotive batteries without getting acid on your clothes and hands. Fach end is marked and sized to fit the positive or negative terminals allowing a secure, tight fit onto the post. Battery acid won't harm the strap! For top post batteries only



X205 carries top mount....

Priority Start! Battery Protector

The PriorityStart! 12 Volt ProMax has a surge "spike" protection circuit that adds additional protection to the electrical system. Transient voltage 'spikes" can cause



damage to computers, 2 way radios, MDT equipment, cameras, and a host of other electrical equipment. The ProMax can be used on all 12 Volt vehicles including those with such aftermarket accessories.

104.99 ca PS1002

Deluxe Relay Tester

No need to pierce wires or connect multiple jumper wires with this relay test set. Features jumpers that have tabs for clamping and flat pads to place test leads on. Includes test lead kit for easily and securely connecting relay test immners to a multimeter. Jumper wire may be used between



common and open to close the relay circuit for testing and has a test port to easily check voltage. Also provides access for a clamp-on amp meter. Relay puller pliers easily remove electrical relays without damage to the

relay or electrical box. Y60660 153 99 set

ATTHORIZED



Smart Battery Charger 800

The OER® Authorized Smart Charger 800 battery charger and maintainer for classic cars and trucks provides high frequency automatic intelligent charging for 12V lead acid, flooded, or sealed maintenancefree (AGM and Gell Cell) batteries. Microprocessor controlled unit plugs into 120V AC current and provides 0.8 amp output through a 4 stage charging program. Features 4 safety functions: over load, over heat, short circuit and reverse polarity, and is spark proof. Designed to be used with ring terminal output or with the optional clamp set as a portable unit. Has GS/CE/ETL/CEC Certifications, Ideal for cold weather battery maintenance, or vehicle storage. 21026 Smart Charger 800 39.99 ca

AUTHORIZED



Smart Battery Charger 1250

The OER® Authorized Smart Charger 1250 battery charger and maintainer for classic cars and trucks provides high frequency automatic intelligent charging for 6V or 12V lead acid, flooded, or sealed maintenancefree (AGM and Gell Cell) batteries. Microprocessor controlled unit plugs into 120V AC current and provides 1.25 amp output through a 7 stage charging program. Features 4 safety functions: over load, over heat, short circuit and reverse polarity, and is spark proof. Designed to be used with ring terminal output or with the optional clamp set as a portable unit. Has GS/ETL/CEC Certifications. Ideal for cold weather battery maintenance, or vehicle storage.

49 99 ca Smart Charger 1250 ..





Battery Mat — Acid Neutralizer

The Battery Mat offers protection against undetected battery acid leaks. Once installed, the mat will trap and neutralize any battery acid that leaks from the terminals or top side of the battery, preventing corrosion and expensive damage. Each mat is made of super absorbent polypropylene needle punch felt, with one side heat treated to give it additional strength. The mat is inserted under the battery between the battery and the battery tray. It can easily be installed at any time either when replacing the battery tray or battery. BM2427 vellow mat 6.99 ea BM2428 black mat 7 99 ca



Cell Saver Battery Insulation Kit

DEI cell saver battery insulation kit is designed to solve the problem of heat soak into batteries preventing premature failure due to heat. Batteries are very susceptible to heat and vibration that could cause premature failure and hazardous leaks. Cell Saver is very capable of damping vibration and will absorb and neutralize any damaging leaky battery acids. Cell Saver is easy-to-install and excess material can be trimmed to accommodate batteries of most sizes and shapes. Measures: 40" v 7" DE010480



Protect Your Vehicle from Corrosive Battery Acid!

Prolong battery life and protect your vehicle's battery tray, underhood and radiator support area with the world's only acid-neutralizing heat barrier mat. It reflects over 90% of radiant heat, traps and neutralizes battery acid, protects against corrosion, is recyclable, protects the environment, and is inexpensive and easyto-install. The Battery Heat Barrier TM set is completely safe to handle before and during installation. So effective, it is used by all branches of the United States military. Set consists of: one 8" x 40" acid absorbing/ neutralizing felt and one adhesive backed 8" x 40" aluminized thermal barrier to wrap around the battery. plus an 8" x 12" acid absorbing/neutralizing pad to put beneath the battery. Install one on your vehicle NOW, before it's too late

TT1001

Battery Lifesaver — Corrosion Remover Lead acid batteries will

discharge, deteriorate and die without regular use or recharging because of corrosion and sulfates on the plates. This module, developed specifically for vehicles that are not driven on a regular basis to keep their battery fully charged, will actually recover lost battery capacity by removing plate corrosion

and in turn, extend battery life up to double or triple the normal life span! BLSI















Battery Accessories & Tools





Battery Switch

These battery switches are easy-to-install on the negative battery post and disconnect the battery by simply loosening the knob a few turns. To reconnect just retighten the knob. The knob can be removed completely to deter theft. Rated at 500 amps surge and 125 continuous at 12 Volts. Available with a 15 amp fused bypass that maintains computer settings, radio, clock etc., while the battery is disconnected. top post with fused bypass 15.99 ea W20309 W20308 w/o fused bypass .. 11.99 ea top post

W20307



Lifeline Memory Retention System 🔔

The Lifeline enables users of a Master Disconnect Switch to retain a small amount of power for memory circuits common in fuel injection computers, radio presets and clocks. The Lifeline is a memory circuit retainer that will automatically reset after the electrical load is significantly reduced or if the Master Disconnect Switch has been switched to the on position. Available for standard or remote battery disconnects.

500778		26.99	
500837	remote disconnect	34.99	ca

Ouick-Disconnect Battery Terminal This brass, quick-disconnect

battery terminal isolates the vehicle's battery, allowing the clock, radio etc., to remain functional when combined with a fused bypass. Designed for both round and square battery lugs. w203507



Master Disconnect Battery Switch TAYLOR

Taylor's 2 post battery disconnect switch completely shuts off all of the current from the battery in the event of a accident or electrical short. The 2 post switch is rated at 180 amps continuous capacity and is especially useful when charging the battery. Includes vinyl on/off decal

Note: The NHRA requires a master battery disco switch on all modified and super stock class vehicles to comply with their rule 8:4. Emissions Note: (6) Non-emissions (50 state legal).

180 amps.....

W203047

Battery Cutout Switch

Make sure your battery maintains the precious power you need by disconnecting the battery from the vehicle during storage. Your choice of an inexpensive standard duty cutout or a heavy-duty unit. Works on any 12 Volt system or vehicle. Splices into positive battery cable to provide a switch for turning power on or off standard duty W203047 31.99 ca T4988 heavy-duty 96.99 ca

Disconnect Position Ring

For disconnect switches to identify the correct position of the switch (ON or OFF). Eliminates the question of which direction is the safe one BC900705

4 99 ca



Water Resistant Master Switch

This water resistant master switch is rated to 100 amps continuous, 1000 amps surge at 12 Volts, and 50 amps surge at 24 Volts. 2-1/4" dia. x 2-1/2" deep and 1-1/4" deep behind panel. Features two 3/16* dia. mounting holes. Includes 2 keys and a water resistant cover. Master Switch

W20314 water resistant master switch 21.99 set Individual Replacement Components W203167 1 key... 2.99 ca





Side Terminal Rattery Wrench Make life easier with this reverse able ratchet. Fits standard 5/16" side mount battery bolt. W21020 5/16*



Battery Terminal Spreader and Cleaner

Clean and spread battery cable terminals with this pliers type tool. Sharp teeth effectively clean corrosion from clamp. Squeeze handle to spread clamp. X204



Battery Nut Pliers

Easily loosen and tighten nuts on battery terminal clamps. Handles are offset for working in cramped areas. Serrated jaws are designed for sure grip. X203

Battery Cable Crimping Tool

No matter what the size of your battery cable job, this is the tool that will make quick work of it. By simply selecting the proper size to match your crimp nd aligning the star with the battery lug in your vise, you will gain a professionally strong and conductive crimp every time!



Battery Terminal Puller

This handy tool is used to remove battery terminal clamps without damage to the battery posts. By simply placing the jaws of the puller under the battery cable clamp, tighten the screw until the clamp is removed. Great for removing corroded battery terminals.



Y54000 professional level puller... 24 99 ca





Battery Post Cleaning Tools

This handy little device will help keep your battery posts clean and free of corrosion. Won't corrode or soften in cleaning solutions. Includes external brush for cable clamps and an internal brush for battery terminal posts.

X201	high impact plastic	4.99 e
X206	heavy-duty steel	4.99 c
X2173	post and terminal tool	9.99 c

REGAL Wiring Harnesses



- Battery Negative Cable
 Battery and Extension Cable
- Fuel Injection Harness
- Ground Stretcher Kit
- · Fuel Pump Wiring Upgrade Field Fix Harness
- V-Plus Volt Booster

1986-87 Turbo Regal Wire Harnesses

Upgrade your electrical system and have peace of d knowing you can eliminate potential problems. This specially designed set provides wiring upgrades for every potential weak spot on your turbo Regal. GN110605 1986-87 386.99 set





1984-87 Engine Wiring Harness

OEM replacement harness for 1984-87 turbo Regal models. Uses OEM factory connectors, wire and wire colors for a perfect fit. GN110553 1984-85 979 99 69 GN110619 1986-87 979 99 ca





Brighten up your headlamps with this "Plug and Play" harness. It simply plugs into one of your existing headlamp plugs, and reroutes the power through the 30 amp relays that are powered by the alternator. This increases illumination by as much as 20%.

GN110596 1982-87...





1984-87 Heated O2 Sensor Harness 🗥

"Plug and Play" harness installs with no wires to cut or splice. Harness plugs into the 1984-87 Buick turbo engines and provides perfect electrical connection to a 4 wire heated sensor. It allows for quicker closed loop entry and is much more tolerant to lead poisoning. Heated sensors also minimize idle hunting associated with typical unheated sensors and offer improved idle. Note: To be use with GM four wire heated O2 sensor.

Harness Only	,	
GN110539	1986-87	54.99 ca
Harness with	Sensor	
GN110540	1984-85	92.99 ca
GN110541	1986-87	92.99 ea



GM Powermaster Harness

This harness is designed to control the GM Powermaster brake unit and allow to be transplanted into another vehicle. "Plug and Play" harness attaches to a positive feed and ground. GN110584 power brake harness... 41 99 ca



1986-87 14 Gauge Fuel Injector Harness

Factory appearing fuel injector harness using 14 gauge wire, recommended for use in high-performance racing applications where low impedance injectors are used GN110521 1986-87.....



1986-87 V-Plus Volt Rooster

Your alternator is designed to put out a specific voltage to your electrical system, typically 13.2 Volts. The car battery can then be continuously charged while the engine is running. The problem with this system is when there is a greater demand on the electrical system during wide open throttle the alternator tends to fall short on delivery. Decreased system voltage, when you need it most, causes less than adequate fuel pump flow and ignition spark. The V-Plus booster overcomes that inadequacy by increasing the system voltage by 2.2 Volts at approximately 70% throttle. The result increased fuel delivery, hotter spark, and greater overall performance.



1986-87 Field Fix Harness

This simple "Plug and Play" harness is designed to assure uninterrupted charging system function on your Grand National. It provides back-up current to the field of the alternator in case the engine system fails. assuring a fully charged battery. Plugs into waste gate connector and alternator GN110593 1986-87..



1986-87 Engine Harness Connector 🔥

A common failure due to heat drying out the plastic and making them brittle. This connector is used on the engine wiring harness side leading to injector harness

on turbo vehicles Note: This harness is not the injector harness side. GN110525 1986-87 engine side..... 23.99 ea







Universal Wiring Harnesses

Universal Chassis Wiring Harnesses 🛕

Slarting from a blank slate is a daunting task, especially with writing. Trying to keep your electrical systems running smoothly on a patchwork of old wiring can be a troubleshooting hasale and possibly even a fire hazard. Whether you are planning a series of electrical upgrades or simply need to replace aging, brittle wiring, build your electrical system on a fresh foundation with a quality universal harness. For basic builds, start with a simple kit with writing provisions for all lamps, horn, fan, where gauges, and all lamps. For more elaborate builds, choose from a selection of all conditioning and conditioning. Need extra circuits for an untitude of electronic accessories? With Classic Industries®, there's no limit to what you can do with your wiring.



can do with	you	ır w	ırın	g.																						1	SQ.									
*Fuse Styles: A: ATO Fuses M: Mini Fuses	V V		Brate		Hazer Fan		Henry Histoment	Homps	Thomas of the second	W. Signals	Tipers Ch.:	4.	S. Construction Control	Parter Solenoid	A. Food	Alemator A.C.	CHemor	la con	P. Cantor Lands	Family Lamps	R ael Sender	De (gnition)	This Lamps	Rand Brake Lam	Cark-Up Lamas	Links Control	Baller	Pour Lock	Fr. Windows	Rectric Fuel Pur	old	N. Circuits	F. In of Fusion	Style.	Garage Wire	OM Column Wiring
Painle	es	s	W		m	9																														
10102	21	х	х	х	х	х	х	х	х	х	х	2	х	х	х	х	х	х	х	х	х	х	х							х		12	A	х	L	249.99
10101	21	х	х	х	х	х	х	х	х	х	х	2	х	х	х	х	х	х	х	х	х	х	х							х		12	A	х	х	284.99
Keep	Ū	C	le	e I	n \	W		П	•																											
AL701205	10	х	х		х	х	х	х	х	х	х	1	х	х	х	х	х	х	х	х	х	х	х	х					х	х	х	12	A	х	х	246.99
AL701206	10	х	х		х	Х	х	х	х	х	х	1	х	х	х	х	х	х	х	х	х	х	х	х					х	х	х	12	A	х	х	259.99
AL701207	10	х	х			х	х	х	х	х	х	1	х	х	х	х	х	х	х	х	х	х	х	х					х	х	х	12	A	х	х	393.99
AL701208	10	х	х			Х	х	х	х	х	х	1	Х	х	х	х	х	х	Х	х	х	х	х	х					х	х	х	12	A	х	х	427.99
AL701209	24	х	х	Х	х	Х	х	х	х	Х	х	1	Х	х	х	х	х	х	Х	х	х	х	х	х	х	х		х	Х	х	х	15	A	Х	х	538.99
AL701210	24	Х	Х	х	Х	Х	х	х	х	Х	Х	1	Х	х	х	Х	х	х	Х	х	х	х	Х	х	х	х		х	х	х	х	15	A	Х	х	571.99
Ron F	Œ	m	ci	s	w	П	Ш	•														_														
TF900214	10	х	х		х	х	х	х	х	х	х	1	Х	х	х	х	х		х	х	х								х	х	х	8	M	х	х	469.99
TF900215	24	х	х		х	х	х	х	х	х	х	7	х	х	х	х	х	х	х	х	х	х	х	х				х	х	х	х	24	A	х	х	634.99
Amer	ic	ar	1	٩U	to	Ν	/ir	e																												
510825	15	х	х	х	х	х	х	х	х	Х		2	х	х	х	х	х	х	Х	х	х	х	х							х	х	9	A	х	х	503.99
510006	19	х	х	х	х	х	х	х	х	х		1	х	х	х	x	х	х	х	х	х		х	х			х	х	х	х	х	16	A	х	х	422.99

10	Circuit Wiring Ha	mess
printed/color	coded fire resistant	N FRANCIS
	or coded instructions. So	
wire alternat GM fuel inje	ors up to 140 amps and ection easily.	above. Accepts
TF900214	1973-87	469.99 set
10	Circuit Wiring Ha	rness
any position	lock can be mounted in under the dash or seat. cludes built-in relay as v	well for it can
	. Includes: dimmer swit	
switch, and l	headlamp switch where i	noted.
AL701205	without switches	246.99 set
AT 701206	with ewitches	250 00 cat

10 Circuit Wiring Harness

AL701205	without switches	246.99	set
AL701206	with switches	259.99	set
AL701207	without switches		
AL701208	with switches	427.99	set

	15 Circuit Wiring Harness
disconne	gauge cluster et for easy maintenance. It for easy maintenance ignition, headlight, and dimmer
510825	503.99 ea
	19 Circuit Wiring Harness
panel to g	a slim integrated fuse et into those tight wiring gge cluster disconnect for stenance. Includes: ignition, headlight, and witches.
510006	512.99 set

with or without column mounted ignition switch. Included are pre-wired plugs for headlamps and the dimmer switch.
10102 without column ignition 249.99 ea 10101 with column ignition 284.99 ea
24 Circuit Wiring Harness
Features compact fuse block and extra long leads. Includes: dimmer, headlamp, and ignition switches where noted.
AL701209 without switches
24 Circuit Wiring Harness
Additional wires simply plug into labeled connectors in the fuse panel. No hard-wiring is necessary to add accessories or other circuits to the
fuse panel. TF900215 634 99 set

21 Circuit Wiring Harness



PAINI ESS

Universal Wiring Harnesses

PAINI ESS



18 Circuit Harness Includes:

- Accessory Brake Lamps
 - Charging
 Electric Choke
 - · Emergency Flashers
 - Fan Relay
 - Fused Power Source Headlamps Horn
- Ignition Coil Instrument Panel Park Lamps Radio/Clock Starting

Winers

 Ignition Coil Park/Marker Lights

 Radio/Clock (Constant and Switched)

Tail Lights/

Power Door Locks

License Plate Light

Turn Signals
 Wipers / Washer Pump

Third Brake Light

Power Windows

 Tail Lamps Third Brake Lamp Turn Signals

18 Circuit Universal Chassis Harness

need. This compact harness has all the basic circuits to get you rolling in no time. This harness has an extra 8 feet of wire in the tail section and 7 feet in the headlight section to take care of longer wheelbase vehicles. 10308 220 00 00

This Painless 18 circuit harness may be just what you

This 21 circuit universal harness is adaptable to fit PAINLESS



25 Circuit Harness Includes:

- AC & Heat
- Back-up Lights Brake Lights
- Charging Cigarette Lighter
- Dome/Courtesy Lights
- Electric Choke Flectric Fuel Pump
- Emergency Flashers
- Fused Power Source
- Horn (Relay)

25 Circuit Universal Chassis Harness

The Painless Pro Series gives you everything you need to wire up your Pro-Touring or custom ride right the first time! Ample length is provided for each circuit, providing you the freedom to route and hide your wiring how you choose. Once you've got the harness fit how you like it, included are over 25 GM factory style connectors found on most '60s to early '90s GM switches, allowing you to turn the Pro Series harness into a direct fit harness for your application. LED ATC bladed fuses get you away from the old hardto-find glass fuses, and will light up if blown making troubleshooting a painless task. The 6 gauge charge wire and midi fuse (no more problematic fusible link!) will keep up with today's high amperage alternators, and the provided front and rear ground harnesses making grounding your lighting circuits a breeze! Provided with many GM connectors and terminal, insulated and non-insulated butt splices, heat shrink, grommets, cable ties, ground straps, and cable tie clips, the Pro Series brings a new meaning to truly Painless wiring and includes our lifetime guarantee.

25 circuit 589 99 ca



21 Circuit Harness Includes:

- AC/heat Accessory
- Brake lamps Charging Cruise control
- Dome light Electric choke Emergency flashers
- Fan Relay Activation Power
- Fused power source Headlamps
- Lighting and Gauges
- Starting Tail/Back-up/
- · Horn relay Ignition coil Instrument Panel
- Park Lamps · Radio/Clock
 - Parking lamps

 Third Brake Lights Turn signals Winers

21 Circuit Harness

the 1960-80's GM, and Chrysler muscle cars where a bulkhead connector is required. Some minor bulkhead modification may be required. Included with this harness are the following parts: GM turn signal and column mounted ignition switch connectors, pre-wire plugs for the headlights and dimmer switch. Each wire is custom printed with the circuit identification as well as using GM color codes for easy installation. P20103 21 circuit .. 499 99 ca

PAINI ESS



28 Circuit Harness Includes:

- GM Engineered Fuse Block and Painless Mounting Bracket GM Steering Column Ignition Switch Connection
- GM Steering Column Turn Switch Connectors Two Headlight Pigtails
 10SI and 12SI Alternator Connectors
- · Dimmer Switch Connector HEI Power and Tach Connectors 20 Extra 56 Series Terminals

28 Circuit Harness



accessory circuits you have been looking to add to your vehicle. This universal harness will work on carbureted or any stand alone fuel injected engine with any type transmission. 10201 28 circuit .. 344 99 ca



28 Circuit Harness Includes:

- AC/heat
- Accessors
- Brake lamps Charging
- Cruise control
- Dash instruments/gauges
- Dome light
- Electric choke
 Electric fan

- Horn relay Headlamns Ignition coil Power window/door locks/ antenna

Electric fuel numn

Emergency flashers

Fused power source

- Radio/Clock Starting
 Tail/Back-up/ Parking lamps Trunk light
- Turn signal Wipers

28 Circuit Harness Universal Kit

This 28 circuit universal kit is great for hot rod or street rod builds, but you'll find that it's easily adaptable to almost any vehicle and has enough length to handle full size and muscle cars. To pass through the firewall, a bulkhead connector is utilized, giving you the ability to disconnect the engine/headlight section wiring at the firewall. The provided to-scale peel and stick template makes firewall trimming easy. This harness includes open ended ignition switch wires that can easily be adapted to any ignition switch out there. Included with this harness are the following parts: a GM engineered fuse block and bulkhead connector, GM turn signal connectors, pre-wired plugs for the headlights and dimmer switch. Each wire is printed with the circuit identification as well as using GM color codes for easy installation. 20104 524.99 ea 28 circuit













Universal Wiring Harnesses



1994-02 Fuel Injection Engine Swap Wiring Harness Set

For maximum power with exceptional driveability nothing beats electronic fuel injection. And the easiest way to install a modern fuel injected engine is with one of these proven FI engine wiring harnesses. These harness sets are designed to allow you to properly wire your engine swap from a donor car or crate motor. A variety of harnesses are available to suit 1994-up LT1, LS1 and GM crate engine applications. Each of these sets include detailed instructions and illustrations. The engineers at Painless have worked out all of the connection and routing problems so all you have to do is follow the straight forward instructions for a painless installation. Feature TXL high temp wire that is color coded and labeled with each application for ease of installation. Harnesses for the LS1 applications require 1998 Camaro computer G8606 and a mechanical throttle body

Important: *Includes a module to bypass the vehicle anti theft system (VATS) incorporated in the computer. Does not include any emissions related connections. 171

60502* 60505*	1994-97 1994-97	standard lengthextra length		
LS1 60508 60509	1999-02 1999-02	standard lengthextra length	549.99 549.99	

PAINLESS



6.0L LS2 EFI Harness You have to thank GM for making the great LS2 motor available at a reasonable

price. Now, PAINLESS has developed a harness to bring it to life. This harness is designed to work with an OEM LS1 computer and keep the throttle by wire feature. This harness has no emissions provisions. ortant: Requires use of factory 2002-03 Corvette LS6 ECM, accelerator pedal, and

TAC module 60520 634 99 ca standard length



Trunk Mount Chassis Harness

In many street rods and custom cars there is little or no room to mount the fuse block under the dash, forcing modifications to either the vehicle or the harness. The 21 circuit trunk mount wiring harness provides additional wire from the fuse block to the dash and from the fuse block to the front end, allowing the remote installation of the fuse block in the trunk or behind the rear seat. Like all Painless kits, these fuse blocks come completely pre-wired and terminated for a simple, painless installation. Includes GM column mounted ignition and turn signal plugs.

10120 21 circuit. 28 circuit 529.99 ea



Power Plus 13 Wiring System

American Autowire Power Plus 13 universal wiring harness. This complete, integrated wiring system incorporates a factory style pre-wired fuse box, GM steering column and ignition connections, headlight and floor dimmer switches, and heavy gauge alternator and main power feed connections. This set is designed to offer an economical and convenient wiring solution for vehicles requiring only basic electrical connections. This system will provide the standard feeds along with several spare circuits for items like heat, radio, AC, and an electric fan. 510004 Power Plus 13



REGAL Universal Wiring

Sealed 30 Amp Relay

Replacement sealed relay, five terminal SPDT used in many applications, headlight brightener, fuel pump wiring, cooling fans, etc. Good idea to carry a spare in your glove box.

Note: Single Pole Double Throw (SPDT). GN110578 30 amp relay...





PAINI ESS





Relay Block Set

Relay banks are ideal for powering accessories such as fuel pumps, water pumps, throttle stops, electric cooling fans, nitrous solenoids, etc. and for keeping the relays in a centralized location

3 Pack Relay Block

Includes: three 40 amp SPST relays, relay bases with wire harness, one 50 amp circuit breaker, crimp-on terminals, and mounting hardware.

20107 74 99 set 6 Pack Relay Block Includes: six 40 amp SPST relays, relay bases with wire harness, two 50 amp circuit breakers, crimp-on

> 144 99 set PAINI ESS

terminals, and mounting hardware.

30108



14 and 20 Circuit Universal Fuse Block

Use these 14 or 20 circuit OEM style pre-wired fuse blocks to replace your existing fuse block or as a starting point for custom wiring. All you have to do is terminate your circuit wire and attach it to the fuse block. Pre-wired and labeled for the following circuits: Air conditioning/ heat, gauges/dash instruments, brake lamps, headlamps, coil, horn, dome lamp, radio, electric fan, turn signals, emergency flashers, wipers, and alternator. The 20 circuit fuse block also includes circuits for power windows, door locks and other optional accessories. Kits includes: mounting bracket, fuses, flashers, horn relay, terminals, and full instructions.

Important:	No wire included with these kits.	
30001	14 circuit	149.99 ea



Auxiliary Fuse Block

The CirKit Boss is the first circuit isolator system available with both constant and ignition hot circuits Sets include in-line circuit breaker, relay, relay/fuse block base with pre-terminated, mounting hardware and terminals. It protects your OEM warranty and is easy-to-install. The 3 circuit features one 30 amp constant hot and two 20 amp ignition hot circuits. The 7 circuit features two 40 amp SPST relays and two 40 amp circuit breakers.

70201 3 circuit 83 99 ca 70119 7 circuit. 96 99 ca



Circuit Add-on Isolator

The circuit add-on isolator provides a solution when additional circuits are needed, or accessory equipment requires ignition hot and constant hot capabilities. This is the only add on fuse center available with ignition hot capabilities. Now available in three or seven circuit

models do	pending on your application.		
70113	3 circuit - 40 amp breaker	67.99	ea
70103	3 circuit - 50 amp breaker	67.99	
70107	7 circuit	80.99	00

PAINI ESS





Weatherproof Circuit Add-on Isolator 🗥

The safe way to add electrical accessories to any vehicle is with a Painless Performance CirKit Boss. The CirKit Boss is the first circuit isolator system available with both constant and ignition hot circuits. The Isolator 7 kits include in-line circuit breaker, relay, relay/fuse block base with pre-terminated harness, mounting hardware, and terminals. The CirKit Boss protects your OEM warranty and is easy-to-install.

PAINLESS.



Add Fused Circuits with the CirKit Rossl Add electrical accessories the safe way with a CirKit

Boss! This set allows you to add three fused circuits to your existing fuse block. Simply mount the fuse block and relay, route the 10 gauge wire to the battery, route the ignition wire, then route the accessory circuits. Main power wire is 8 feet long from fuse block. Each accessory circuit has 8 feet of wire length from fuse block. Includes: one 70 amp SPST relay, relay base/ fuse block with harness, crimp-on terminals, and mounting hardware. 70114 3 circuit



Modular Blank Fuse Block Painless Performance modular blank fuse block can be

used on any vehicle where additional circuits are needed. The 4 circuit ATO fuse center works great for in-line wiring applications, such as trailer wiring or when adding vehicle accessories. Includes a 4 circuit fuse center that is comprised of black injection molded plastic and eight metal, electricity conducting connectors. 30002 blank 7 99 69





Fuse Block Add-On

Painless Performance wiring fuse blocks for 4 or 8 circuit add-ons is a universal fit. These components includes the fuse block and the terminals. W30110 4 way... W31015 8 way .. 21 99 ca



95.99 ca

110 99 ca







Light Up Smart Fuses

These are blade style "Smart" fuses that light up when the circuit overloads and the fuse breaks. The 5 piece set contains: one 10 amp, one 15 amp, one 20 amp, one 25 amp, and one 30 amp fuse. The 10 piece set contains 2 each of the fuses listed above. 244001 ATO 5 pack .. 11.99 set 244031 ATO 10 pack 21.99 set 21.99 set mini 10 nack













4 ignition hot

7 ignition hot .



REGAL Universal Wiring



1986-87 Fuse Link Set

Fuse links sets for 1986-87 turbo models. Available for standard and high-performance applications. GN110613 1986-87 standard...... 21.99 set HP....... 25.99 set GN110614 1986-87





1978-87 Sealed Fuse Holders Sealed ATC/ATM fuse holder with snap-on cover. It

will protect the fuse and connections against moisture. Mounts to a flat panel using a single #8 screw. Includes: terminals, cable seals, and retainer. te: Maximum fuse amperage 30 amp, fuse not included.

GN110600 ATC fuse holder...... 17.99 set GN110601 ATM fuse holder..... 17.99 set





Remote Battery Disconnect

With this setup, one click of the key fob completely shuts down your vehicle's entire electrical system. It's accomplished by routing your main battery cable through a remote cutoff solenoid that you've stashed in a place inaccessible to a thief. For even more security. the 4 channel "Safe-n-Sound" system not only shuts off all power from the battery, but will also control 3 other items, like closing the windows, triggering the power door locks, and interrupting electrical power to the fuel pump, all separate from the main battery cutoff. The 4 channel package can handle up to 30 amps worth of electrical equipment.

TE900629 single channel 189.99 ea TF900628 4 channel 259 99 ca



Remote Master Disconnect

We offer two Master Disconnect sets with 250 amp continuous duty solenoids designed for use with high amperage alternators. Remote Master Disconnect set 30204 uses a small toggle switch to activate the solenoid. This switch can be hidden anywhere in the vehicle as a theft deterrent. Master Disconnect with emergency push button is perfect for drag race applications as it allows you to install a large emergency push button in easy reach if you need to shut down your vehicle's electrical system in a hurry. Remote master disconnect with mechanical latching solenoid is ideal for everyday vehicle applications and is a simple and effective antitheft deterrent. It uses a 110 amp continuous duty solenoid which is activated by an easy to hide momentary push button. 30204 standard ...

w/mechanical latching solenoid 109.99 set 30206



250 Amp Dual Battery Control System

Includes a 3 position switch to control the second battery through the operation of the solenoid. Switch position 1 isolates the second battery. Position 2 connects the battery while the ignition is on. Position 3 connects the second battery at all times. Set includes: solenoid, switch, pre-terminated wire/connectors, fuse holder, fuse, and mounting hardware.

40102 standard 140 00 00 40103 RON FRANCIS



iStart Touch Sensitive Starter System with Advanced Security

This system uses a security module with proximity sensors to disable the ignition switch and keep the doors locked until you come into range. Once inside. a touch sensitive starter button lets you cycle through accessory, ignition, start/crank, and off modes just like a typical ignition switch. Skip directly to start/crank by simply holding the button! Note: Main control box is 3-1/2" x 6". Security module is

3" x 4". iStart button requires 1-1/4" mounting hole RF700101 universal..... 789 99 69 RF700102 w/Ron Francis wiring only 729.99 ea PAINI ESS

.... 9.99 ea



Electrical System Surge Protector 🛕

Voltage spikes can cause damage to various components in your vehicle's electrical system. This easy-to-install device clips the spikes at 14.5 Volts to protect sensitive electrical accessories. Installs between positive and negative battery terminals.

PAINLESS.

High Amp Alternator Shutdown Relay Set

This set, complete with 250 amp solenoid, will effectively handle alternator feedback of the highest amperage alternators. Eliminates engine run-on when the master disconnect is turned off.



High Amp Alternator Set Painless Performance high amp alternator wiring set. This includes a high amp inline fuse with protected fuse

holder, all necessary ring terminals, heat shrink, and a detailed set of diagrams and step by step instructions to provide a professional installation. Works with 140-190 amp alternators. A 30700 universal.. .. 52.99 set

PAINI ESS



High Output Alternator Wire

For alternators that produce up to 100 amps, this add-on kit provides heavier gauge wiring with connectors to complete the high output alternator installation process quickly, easily, and safely. 30709 universal

19 99 ca



REGAL Universal Wiring



Park/Neutral Relay Set

This set uses the stock neutral safety switch to also provide for ECM park/neutral ground signal needed when installing factory style fuel injection into older vehicles. For use with any aftermarket shifter or column

mounted neutral safety switch. 60122



Universal Fuel Pump Relay Set

A relay will prevent voltage drops at the pump thus maintaining constant fuel pump pressure, and will prevent fuel pump amperage overloads from damaging the electrical system. It's a good idea to relay your fuel pump for the street and a must when you're tuel pump for the street and a must when you're racing. Choose from a regular fuel pump relay or a weatherproof fuel pump relay which is perfect for the harsh weather conditions, this relay set provides complete protection from the elements and ensure reliable and dependable performance. These sets utilize heavy-duty waterproof relays, weatherproof circuit. er covers, and extreme condition weatherproof

shrinkable crimp-on terminals. 50102 standard 31 99 set 47.99 set

weatherproof.



Hot Shot Starter Solution

The solution for vehicles with GM starters that are hard to start when hot, or vehicles with old or worn out electrical systems. Works by boosting available amperage to the starter solenoid. Includes: stainless steel mounting bracket, 30 amp heavy-duty relay, 24" wire length, wire leads, terminals, and easy-to follow instructions.

30201 with engine bump switch 44.99 ea 30202 without bump switch..... 28.99 ca



Remote Starter Solenoid

Allows you to position the starter solenoid any place you need to in order to make maintenance easier. Includes extra wire and connectors to do the job right. 59 99 ca 30203



Universal Underhood or Trunk Lamp 🔥

Add an under trunk or hood light to your vehicle. Includes: bracket, bulb, internal switch, and wiring to install.

metal housing... MAIN! ESS



When upgrading taillamps to the new higher wattage Halogens, always use a relay. The Painless set gives you

everything you need to protect your wiring and switches. 30105 22.99 ca



Auxiliary Lamp Relay Set

Install extra driving or fog lamps easily and properly with our auxiliary lamp relay set. Switch can be wired to turn lights on per state law requirements: low beams and auxiliary lamps, high beams and auxiliary lamps, auxiliary lamp operation only. Complete set includes: lighted switch, wiring harness, 30 amp relay, and terminals. 30803



Universal Integrated Turn Signal Set 🔥

A common problem faced by rodders and kit car builders is where to mount turn signals since many aftermarket steering columns are not designed to accommodate the necessary wiring and switches. Problem solved, with this new integrated turn signal set from Painless. The toggle switches for both turn signals and flashers can be mounted anywhere. Because the set is designed to be an integrated system, turn signals will work in conjunction with brake lamps. 30120 111 99 set





AL700101

These stunningly smooth billet switches, with either Daytona or Retro style bezels, are perfect for power windows, power door locks, headlights, or anything that uses a momentary switch. For an added custom touch, choose from a variety of alluring colors. Switches are 22mm wide by 54mm long by 41mm deep. Daytona Style Switches non-illuminated

AL/00102	white LED		
AL700103	red LED		
AL700104	orange LED		
AL700105	yellow LED		
AL700106	green LED	97.99	e
AL700107	blue LED	97.99	e
Retro Style Sw	itches		
AL700111	non-illuminated		
AL700112	white LED		
AL700113	red LED		
AL700114	orange LED	97.99	e
AL700115	yellow LED	97.99	e
AL700116	green LED	97.99	e
AL700117	blue LED	97.99	c

3 Position Oval Rocker Switch Autologi

Modernize your interior with this handsome 3 position rocker switch. This switch has 6 pins in a stag configuration, is rated for 20 amps, and has an amber back light. AL701101 AL701101

24.99 ea 16.99 ea

AL701100 6 pin harness.



CRYANUI



Billet Toggle Switch

High-class, high-style Ringbrothers ON/OFF or momentary toggle switches feature a super smooth, machined finish manufactured from billet aluminum. Available in black anodized, red anodized, or natural. ON/OFF Toggle

CB54801	natural	69.99	ea
CB54802	black anodized		
CB54803	red anodized	69.99	ca
ON/OFF Rock			
CB54831	natural	69.99	ea
CB54832	black anodized	69.99	ea
Momentary To	ggle		
CB54811	natural		
CB54812	black anodized	69.99	ea
CB54813	red anodized	69.99	ea
Momentary Ro			
CB54821	natural	69.99	ea
CB54822	black anodized	69.99	ea

30131









PAINI ESS





REGAL Wiring Harnesses



1/4" LED Indicator Lamos

1/4" snap-in super bright LED indicator light. Each lamp features I super bright led mounted in a 1/4' black plastic housing with a 2 wire pigtail. They measure approximately 7" in total length and require a 1/4" hole drilled for installation. Sold individually.

LD3601	amber	
LD3602	blue	
LD3603	green	6.99 ca
LD3604	red	
LD3605	white	6.99 ea

AUTHORIZED



1980 Washer Fluid Level Sensor

Reproduction 2 terminal wiring connector with pigtail to fit GM models Plastic housing includes a short pigtail that can be spliced into harness for a factory appearance. Perfect solution to replace cracked, broken, melted or missing connectors.

A17690 1980



1984-87 FCM Harness Connectors 🔥

Pair of connectors that plug into the ECM harness side. Replace both connectors if corrosion is found Small connector is 24 cavity, larger one is 32 cavity with proper color wire.

GN110546 1984-87 58,99 pr



Flectrical Connector Senarator

Quickly disconnect multi-wire and weatherpack style connectors without damage to the wires or connector. Y13120 separator tool...... 7.99 ea



Relay Puller Pliers

Pliers for removing electrical relays on most domestic and import vehicles. Offset handle and thin tips allow access to relays in confined areas. Specially designed tips are angled to fit slots or edge of relay cover. 46950 18 99 ca



1984-87 TR-6 Relocation Harness 🔥

TR-6 relocation harness for 1984-87 models. This harness is available if you plan on moving or relocating your vehicles TR-6 coil box.

ote: Make sure vi ou have the adapter harness tha includes your TR-6 hox GN110589 69.99 ea 1984-87



1984-85 MAT Upgrade Harness

This harness makes it easy to do the conversion over to the later style ECM (GM 1227148) on early turbo model vehicles. Installation of the MAT sensor wire into the 1984-85 turbo Regal harness to allow for the 87 FCM

Note: Special PROM chip should be used when installing the newer ECM on 1984-85 turbo Regals. Manifold Air Temperature sensor (MAT).

GN110551 1984-85 39.99 ca



1984-85 Fuel Injector Harness

Reproduction fuel injector harness for 1984-85 models. Fits under the lower intake, connects to all injectors, and main connector, under coil pack. This is OEM quality, and is no longer available from GM. GN110523 1984-85....



1984-85 Injector Harness Connectors Replacement injector harness connectors for 1984-85

models. These connectors mate to the injectors harness. GN110524 1984-85 ... 25.99 pr



1984-87 Fuel Pump Hot Wire Harness

Increases fuel pump volume by 15% or more. This "Plug and Play" 12 gauge hot wire kit uses a weather tight sealed 30 amp relay, and sealed OEM factory connectors throughout. Includes: sealed fuse, braided gas tank ground strap, and hardware for easy installation. GN110529 1984-87..... 51.99 ea



1984-87 Fuel Tank Connectors

Replaces damaged connectors for fuel pump/sender. Pair of two mating black connectors. Available for 1984-87 turbo Regal.



1986-87 Fuel Injector Dyno Harness 🔔

Used in dyno applications where the lengths of each connector are equal. Also can be used for sheet metal intake applications. GN110520 1986-87......



High Current Fuel Injection Harness 🗥

This harness is designed to feed low impedance injectors in race applications. Using direct feed from the positive bus, the system provides minimal power loss to the injectors and ensures full injector control.

Includes relay and harness.

GN110528 1986-87

REGAL Fuel & Tach Connectors



1986-87 Injector Harness Connector 🔥

Female 7 cavity connector with male pins as used on the injector harness. This is the injector harness side for 1986-89 models.

GN110526 1986-87 injector side 23.99 ea



Heated 4 Wire 02 Sensor

Four wire heated O2 sensor. High tolerance to impurities and additives in the fuel system, last considerably longer than non-heated sensors. Also more tolerant to lead poisoning, and gets your vehicle into closed loop quicker.

GN110537 61 99 cs



1984-85 Fuel Pump Test Tap

This connector is found behind the alternator, single black connector with gray wire. Used to override ECM control of the fuel pump relay. Note: This connector should not be plugged into the nearby

green connector. GN110532 1984-85 8.99 ca



1984-87 Fuel Pump Relay Upgrade 🗘

Upgrade the fuel pump relay on 1984-87 Grand National with this kit. Includes relay and splice connector. GN110527 1984-87



1984-85 Fuel Pump Test Mating 🔥

Not found on the factory harness, this connector mates with the fuel tap connector (108018) located behind the alternator. Typical application is to use a switch attached to this connector, and to the alternator stud. You can then manually run the fuel pump, to remove fuel from the tank, set fuel pressure, etc. GN110531 1984-85 8 99 ca



Heavy-Duty Fuel Pump/Fan Relay Set 🔔

Fan relay set for high current applications such as high power cooling fans, high flow fuel pumps and any other load switching which requires an SPDT 40 amp relay. Sealed relay is packaged with sealed connector, three 12/10 gauge pull to seat terminals for the relay contacts, and two 18/16 gauge terminals for the relay coil.

Note: Proper crimp tool required for proper installation. GN110519 ... 23.99 set



1984-87 Oil Pressure Sensor Connector

Replaces the original molded on oil pressure switch connector which is frequently burned or damaged because of its location. Three wire connector with proper color wires.

Note: Connector is not a sealed connector. GN110573 1984-87 8 99 00



1986-87 Throttle Enhancer

"Plug and Play" unit inserts between your TPS sensor and wiring harness. It has two functions: It allows you to calibrate the idle voltage of the TPS and assures full power enrichment at wide open throttle. Locks into full TPS voltage at 70% throttle, and maintains consistent TPS voltage at all times. Compensates for element wear. LED display indicates functions. GN110554 979 99 69

1986-87...



1984-87 Tach Harness Side Connector

Located behind the alternator, this green connector has two white wires, and a single male terminal. Frequently a problem when the terminal corrodes rendering the

Note: The black connector nearby should not be plugged into this green connector. GN110568 1984-87 8 99 ca

STIES !

1986-87 Turbo Relay Nameolates 🔥

Custom relay name plates for 1986-87 turbo Buick models. These nameplates eliminate the guesswork when trying to figure out what each relay controls. Feature 3M adhesive for simple installation. GN110386 1986-87



VNN Converter Tach Module

Plug-in device amplifies tach signal from CCCI ignition system which would otherwise not drive a typical aftermarket tachometer. Common uses include interfacing VDO or OEM tachometers. Can also be used to amplify a digital (Hall Effect) speedometer signal. Designed to operate from 5 to 15 Volts DC. GN110591 converter module 32.99 ea



1984-87 Tach Tap Connector

This connector is used to tap into the tach signal, to add an aftermarket tachometer GN110574 1984-87



1983-87 Knock Sensor Connector 🔥

Replace broken or missing knock sensor pigtail. Found under coil module, single cavity oval connector, blue wire. Plugs into knock sensor on engine block.

GN110580 1983-87.....



Wire Crimping Tool Needed for F-type terminals included in Classic

Update and universal harnesses. Wire sizes ranging from 10 gauge to 18 gauge, or terminals requiring a two wire connection CA510586 112.99 ea

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov









tachometer inoperative.



REGAL AC & Heater Connectors



1986-87 Radiator Fan Connector 🔥

Replacement radiator fan connector for 1986-87 models. This connector has three female terminals and 12 gauge wires.

GN110500	1986-87	16.99 ea	



1986-87 Coolant Sensor Connector 🗘

Frequently damaged due to its location and fragile design, it is a critical connection because of the resistance type temperature sensor it plugs into. Utilizes the correct black and yellow wires. Commonly used

on GM venic		
GN1110501	1986-87	9.00



1986-87 High/Low Fan Switch

Control your vehicles cooling fan from the driver seat.
"Plug and Play" harness, with 3 position miniature
toggle switch. Allows you to set your cooling fan
to high or low speed at any time. Center position is
normal (chip) control. Simple installation, plug-in
adapter included.

GN110512	1986-87	41.99 ea	



1978-87 Fan Delav Relav Connector 🔔

Unsealed connectors usually shows signs of corrosion, and heat damage. Fan delay relay located on drivers side inner fender well has 2 connectors. Replace 1 or 2 connectors.

GN110503 C1 splice 10.99 ca GN110504 C2 splice 8.99 ca



1978-87 Low Speed Fan Relay Connector

Replaces low speed fan relay connector, located on driver side inner fender well. This connector has 2 red 12 gauge wires, 1 brown wire, 1 black/pink wire, and a solid green wire on the terminal.

GN110505 1978-87...... 16.99 ea



1978-87 High Speed Fan Relay Connector



1984-87 Blower Resistor Connector 📤

This replacement blower resistor connector for 1984-87 models.

GN110507 1984-87 8 99 ca



1984-87 Hot Engine Switch Connector



1984-87 High Temp Switch Connector



1984-87 AC Relay Upgrade Set

Upgrade the AC relay on 1984-87 Grand National with this set. Includes: relay, splice connector, and heat shrink sleeves.

GN110510 1984-87..... 30.99 set



1986-87 Coolant Fan Harness

Located on cooling fan assembly. Connects to fan motor and low speed resistor. Includes the three wires with ring terminals. GN110502 1986-87 30.99 ea



1986-87 SPAL Dual Fan Adapter

"Plug and Play" adapter to provide connections to SPAL dual fan system using the stock 1986-87 turbo engine harness connection. Runs both fans continuously when vehicle calls for either low or high fan.

GN110511 1986-87 30.99 ea



REGAL Alt. & Brake Connectors



1984-87 AC Pressure Line Connector



1986-87 AC Compressor Switch Pigtail

AC compressor switch round connector with 2 wires, found on AC compressors. This switch allows clutch control only when there is adequate pressure in the system.

GN110514 1986-87..... 8.99 ea



1984-87 AC Heater Fan Connector Replacement AC heater fan connectors for 1984-87

New:



1980 HVAC/Compressor Motor Relay

Reproduction 2 terminal wiring connector with pigtail to fit GM models Plastic housing includes a short pigtail that can be spliced into harness for a factory appearance. Perfect solution to replace cracked, broken, melted or missing connectors.

A17690	1980	HVAC electrical	7.99 ca
A17690	1980	AC compressor	7.99 ea



1984-87 AC Compressor Connector Replacement AC compressor connector for 1984-87

models. This connector has an integral diode installed.

GN110518 1984-87 21 99 ea



1984-87 Boost Switch Connector 🔥

Located near the fuel, and AC relays, passenger side fender well. Brown connector has 2 wires, plugs into the boost switch that illuminates the orange and red lights on the digital dash.

GN110555 1984-87 8.99 ca



1984-87 IAT Sensor Connector



1986-87 Crank Sensor Connector 🔥

Replacement crank sensor connector for 1986-87 models. Common problem is loss of contact ensoit on terminals, causing intermittent ignition related codes or stalling. Located at bottom driver side of engine at crank sensor. Susceptible to road grime and water damage.

GNI10556 1986-87 turbo models ... 8.99 ca



1986-87 Alternator Connector



1986-87 Powermaster Brake Connector





Powermaster Pump Motor Connector 🚣

These mating/connectors replace the 4 cavity connector found on the lower relay connection at the Powermaster

GN110587	1986-87	pump side	
GN110588	1986-87	harness side	8.99 ea





1973-87 Back-Up/Neutral Safety Switch

Located on the lower steering column or the floor shifter of automatic transmission vehicles, or behind the clutch pedal of manual transmission vehicles. Applications to fit various 1973-87 Regal models.

Column	Shift	
DR418		17.99 c
DR419	1974-77	14.99 c
DR403	1978-87	14.99 c



1986-87 Brake Switch Connector 🔔



1984-87 C-100 Bulkhead Connector 🛕

This critical feeder connector is located on the driver side, directly below the power brake system. Part of the main wiring harness, it connects thru the firewall and contains all feeders. Body wiring connector attaches to the open half. Since it is unscaled, it is subject to













REGAL Electronic Connectors



1984-87 Wastegate Solenoid Splitter 🗥

Designed to add an additional wastegate solenoid to the existing control connector on turbo applications. Additional solenoid gives better control on high boost applications.

Note: Requires boost controller for full control. GN110597 1984-87 30.99 ea



1984-87 TCCS Connector

Replaces damaged TCCS connector on harness side. Colors of connector match OEM. Note: Torque Converter Clutch Solenoid (TCCS). GN110599 1984-87 8.99 ea



1984-87 VSS Converter

Module works in conjunction with VSS Hall-Effect sender which threads to transmission. Electronically converts 16 pulse sender to 2 pulse per revolution requirements for the 1984-87 Buick ECM, Provides accurate road speed signal in custom conversions and engine transplants

te: VSS sender (102045) required for complete installation. 1984-87 converter 81.99 ea GN110592



1984-87 MAF Connector

Replacement MAF connector for 1984-87 models. With extra length, add some slack to the already stretched plug eliminating future potential connection problems. Note: Mass Air Flow sensor/meter (MAF) GN110582

1984-87 8 99 ca





1984-87 EGR Solenoid Connector 🔥 EGR solenoid connector for 1984-87 models. This

connector is found at the rear of the driver side intake. plugged into the EGR solenoid valve. 4 wire metripack connector. GN110534 1986-87 9.99 ca GN110535 1984-85 8.99 ca



1984-87 MAP Sensor Connector 🔥

Splice plug-in connector for GM style MAP sensors. Green wire signal, black wire ground, gray wire positive Volts.

Note: Manifold Absolute Pressure sensor (MAP). GN110579 1984-87..... 8 99 ca



1984-87 MAF Diagnostic Connector 🔔

This connector is diagnostic purposes. It plugs into the engine harness where the harness would normally plug into the MAF sensor. Not a part of the original engine wire harness.

Note: Mass Air Flow sensor/meter (MAF). GN110583 1984-87 16 99 ca



GN110542



1984-87 02 Sensor Connector

Oxygen sensor pigtail/connector for sensor and harness side splice for 1984-89 Regal models. GN110543 1984-87 sensor side 8.99 ea 1984-87

3 Wire to 4 Wire Sensor Adanter

harness side... 8.99 ea

Mates with heated O2 harness to allow use of AFS74 or similar GM 3 wire sensor. The adapter plugs in to the sensor connector, and also to the male connector common to early GM heated 3 wire sensors.

GN110544



N2 Retrofit Sensor Connector

O2 sensor connector for various applications. This plug-in adapter is used when installing a heated oxygen sensor into a retrofit application where a one wire sensor was originally used. Plugs into the 3 wire connector on the AFS-74 sensor and provides 2 heater feed wires, 1 red and 1 black. Wires must be spliced into existing positive feed and ground.

Note: AFS-74 is common AC Delco 3 wire O2 sensor GN110538





1984-87 TPS Rreakout Adanter

This breakout adapter is used when you need to tap into the TPS sensor for any particular reason. Plug and play design uses sealed OEM connectors and proper color wire for Buick turbo models. 1984-85 models have grey wire in cavity C and 1986-87 models have grey wire in cavity A. Note: Throttle Position Sensor (TPS).

GN110564 1984-85..... 10 00 ea GN110563 1986-87 19 99 ca

REGAL Electronic Connectors





1984-87 TPS Connector

Exact TPS connector replacement. Frequently found damaged with a broken latch. Proper OEM color wires. 1984-85 models have black wire in cavity A and 1986-89 models gray wire in cavity A.

GN110565	1986-87	8.99 ca
GN110566	1984-85	8.99 ca



1986-87 TPS Diagnostic Connector 🔥

This connector plugs into the connector that originally plugs into the TPS (Throttle Position Sensor) sensor. Wire color in cavity A is gray. Used for diagnostic purposes and home made extensions. This connector is NOT found on the original engine harness.

GN110567 1986-87 8.99 ea



1984-87 IAC Relocator



IAC Adapter

This adapter converts your early GM wiring hamess plug to the late model IAC found on later GM throttle bodies. "Plug and Play" 4 wire adapter is about 5" long. Note: Idle Air Control (IAC).

GN110571 23 99 ca



1984-87 IAC Extender



1984-87 C-437 Mating Pair



OBD-I Port Connector



1987 GNX PC/Telltale Board

This kit contains specially designed PC boards used on the GNX dash cluster. The HL, IR, HP, Cboards uses how the GNX dash cluster. The HL, IR, HP, Cboards uses bright blue and green LEDs and is designed to fit a tringle section of the dash, between the two, tach and speedometer gauges. The (idiot light) telltale is designed to fit directly into the factory OEM telltale housing without modification. It contains bright white LEDs two for each indicator section. Also includes the ALT load resistor to ensure alternator field current. GNI 10549 1987 24 49 90 e.g. GNI 10549



1984-87 ESC Module Connector



1984-87 C-437 Connector

For the do-it-yourselfers, this connector assembly is the actual harness connector found on the dash harness which mates with the two connectors on the engine harness, near the ECM. Ideal if you are creating your own custom harness.

Note: Proper crimp tool required for proper installation.
GN110559 1984-87 with terminals 25.99 ea



1986-87 CCCI Connector



HANGE JAMES OF

1984-87 CCCI Connector

This connector assembly is the actual harness connector used on the CCCI (Computer Control Coil Ignition) module. Black connector comes complete with 14 pull to seat 16 gauge terminals and seals, Ideal if you are creating your own custom harness.



C-100 Connector Seal

Make sure you add a new gasket seal to your connector, keep moister and corrosion away.

GN110562 22.99 ea













REGAL Wiring Accessories



Fasy I nom Snlit Wire Sleeve

DEI Easy Loom is the answer to those ugly plastic stock wire looms. These split loom sleeves from DEI offer a clean, classy way to protect exposed wires, cables, and hoses. They are easy-to-install and resistant to abrasion, chemicals, and the elements. Available in 8 different diameters and include a 2 foot roll of silicone tane to seal the ends

Individual R			
DE010650	3/16"	20 foot roll	18.99 ca
DE010651	5/16"	20 foot roll	19.99 ca
DE010652	3/8"	20 foot roll	22.99 ca
DE010653	1/2"	12 foot roll	19.99 ca
DE010654	5/8"	12 foot roll	18.99 ca
DE010655	3/4"	10 foot roll	24.99 ca
DE010656	1"	10 foot roll	26.99 ca
DE010657	1-1/2"	6 foot roll	23 99 69

Easy Loom Master Set DE010663 master set 105.99 set



Thermo-Flex Hose and Wiring Covering

The combination of aluminum, silica, and stainless steel is combined to produce a sleeve that is flexible lightweight, and strong. The aluminum-silica combination can be slit for applications such as wire looms or hose covering, without disconnecting the ends of the wire or hoses. Thermo-Flex aluminum can withstand extreme temperatures up to 750 degrees F.

Natural Finish					
TT1105	5/8" x 3'	14.99 ca			
TT1106	5/8" x 10'	44.99 ca			
TT1107	3/4" x 3'	15.99 ca			
TT1108	3/4" x 10'	51.99 ca			
TT1109	1" x 3'	17.99 ca			
TT1110	1" x 10'	71.99 ca			
TT1111	1-1/4" x 3'	24.99 ca			
TT1112	1-1/4" x 10'	67.99 ea			
TT1113	1-1/2" x 3'	22.99 ca			
TT1114	1-1/2" x 10'	86.99 ca			
TT1115	3" x 3'	41.99 ca			
TT1116	3" x 10'	125.99 ea			
Black Finish					
TT1117	5/8" x 3'	17.99 ca			
TT1118	3/4" x 3'	17.99 ca			
TT1119	1" x 3'	22.99 ca			

Semi-Rigid Wrappable Split Braided Tube

Clean up and protect any wiring harness with this black braided wire wrap. The semi-rigid tube opens along a lateral split to accommodate a variety of harness configurations, then simply closes without any need for fasteners. A 25% overlap ensures complete coverage. Retains shape and rigidity from -94 degrees to 257 degrees F. For 18-14 gauge wire. 71901 1/8" diameter 25 ft length....... 11.99 ea 71902 1/4" diameter 20 ft length 14.99 ca 71903 71904 3/8" diameter 15 ft length... 1/2" diameter 10 ft length... 15.99 ea 15.99 ea 71905 3/4" diameter 8 ft length... 16.99 ea

1" diameter 8 ft length..... 1-1/4" diameter 4 ft length.

1-1/2" diameter 4 ft length

2" diameter 4 ft length



sleeving is designed to simply and effectively protect wire, hoses, and cables from harmful effects of radiant heat. Just pull apart the Velcro, wrap around the wire, and re-close the sleeve. Express Sleeves reflect over 90% of radiant heat bursts up to 2000 degrees F. a


degrees F. 1/2" - 1" I	N	<u> </u>
TT1125		26 99 ca
	3' length	
TT1127	12' length	99.99 ca
TT1126	50' length	420.99 ca
1" - 1-1/2"		
TT1128	3' length	30.99 ca
TT1130	12' length	116.99 ca
TT1129	50' length	468.99 ea



Fabric Heat Shrink Tubing

Shrinkflex fabric tubing is the only product of its kind. The unique weave of poly olefin and polyester easily installs over wiring harness bundles, connectors and splices, as well as rubber hoses and plastic pipes. When heated to 176 degrees, it shrinks to 1/2 the original diameter while remaining flexible, even at

nign temperati	ires:	
HT719301	1/2" x 12'	
HT719302	3/4" x 10'	
HT719303	1-3/16" x 8'	
HT719304	1-1/2" x 6'	
HT719305	2" x 6'	
HT719306	2-3/8" x 6'	
HT719307	2-3/4" x 6'	23.99 ca



X-Treme Tape

X-Treme Tape was developed for the military and has some very unusual properties. The silicone based tape will stick only to itself, and only when placed under tension. Once wrapped around an object, it forms a non-conductive, air and watertight, insulating seal that remains flexible within a temperature range of -60 degrees to 500 degrees F. Insulates to 8000 Volts. Stretches to 3X's its length. Conforms to irregular shapes. When wrapped upon itself, it bonds together immediately and becomes completely fused after 24 hours at room temperature.

XT100 XT101	black	10'	
XT101 XT102	gray	10'	
XT103	white	10'	6.99 ca



Multi-Purpose Quiet Tape

HushMat Quiet Tape is designed to prevent nuisance rattles by securing loose wires and cables. Strong adhesive adheres to virtually any surface! 1" x 20' roll....



Wiring Harness Tape

If you want an OEM quality and appearance, this specially manufactured black vinyl or cloth tape is what you need! This tape will allow you to rewrap your existing harness or replace tape which may have been removed

K0067 1-1/4" x 100' vinvl - non-stick 11.99 ea CA4857 1-1/4" x 100' cloth - sticky 18.99 ea



Accessory Wire

12.99 ea

12.99 ea

12.99 ca

Create custom wiring harnesses yourself, to your own particular specifications! Coils of 12, 14, 16, and 18 gauge wire in 25 foot increments are available for installers to make wiring their power accessories much easier than ever before. This wiring is well marked for location source, featuring the clearest wire printing

in the indi	istry.				
12 Gauge	Wire x 25'				
500809	yellow	power window	17.99 ea		
500810	red	power locks			
500815	orange	power seats	17.99 ea		
500820	brown	heat and AC feed	14.99 ea		
14 Gauge	Wire x 25'	' Coil			
500807	red	audio-video feed	13.99 ea		
500811	orange	alarm feed			
500813	dk. blue	power trunk	12.99 ea		
500814	pink	door solenoid			
500821	tan	fuel pump	15.99 ea		
500830	black	ground	15.99 ea		
16 Gauge Wire x 25' Coil					
500819	tan	radio	10.99 ea		
18 Gauge	Wire x 25'	' Coil			
500812	orange	cell phone feed	11.99 ea		
500816	pink	back-up feed	16.99 ea		
500818	yellow	clock battery	10.99 ea		

500822 It. green

500823

500829 black

18.99 ea 17.99 ea

17.99 ea

18 99 ca

REGAL Wiring Accessories



PAINLESS

Junction Block The junction block with two 10 gauge posts is the perfect way to attach large gauge wire connections...

Firewall Wire/Tubing Boot MUSTA

Firewall Rubber Boot Seal from JJ's Rods. Features a highly polished 304 stainless steel bezel and hardware and a flexible rubber boot that can accommodate wiring or tubing from 5/16" to 1" in diameter. This boot cleans up the appearance of your firewall and seals out unwanted heat, noise, and fumes from your engine compartment. 11005 universal



39.99 ca

Firewall Wiring Clip

This universal fit firewall wiring harness retaining clip can be mounted to the firewall on any vehicle as a service replacement. This clip comes rubber coated and can be welded or bolted to the firewall. Use as needed. 1253527 J-strap..





Core Support Connector and Grommet Set Ever need to pass wires through a panel with no secure

way to do it? We offer the proven disconnect system which can make this much easier whenever you need to gain access or troubleshoot a problem

500548	4 wire	18.99 set
500564	6 wire	16.99 set
500547	8 wire	15.99 set
500566	9 wire	23.99 set



Accessory Connector Pack

Add power accessories without cutting or splicing. This 24 piece connector set includes a variety of power tap 24 piece connector set includes a variety of power types to connect any power accessory. Includes: 2 taps for ATO fuse blocks, 2 taps for ATO minifuse blocks, 2 taps for ATO fuse blocks, 2 taps for ATO fuse blocks or side terminal or top post battery, 2 taps for chassis or top post battery, 4 red terminals for 18-22 gauge wire, 4 blue terminals for 14-16 gauge wire, 2 yellow terminals for 10-12 gauge wire, 2 top post accessory bolts, and 2 side terminal accessory bolts. W30995 connector set . 21.99 set 24 niece

500181





500187

500183 500180

Universal Wire Grommet

Sometimes you are forced to punch a hole in your firewall to get additional wires into the engine compartment, but that hole you cut is sharp and can potentially sever wires. To help prevent this, install one of these universal wire grommets. In addition to the added protection, these grommets also give the hole in the firewall a cleaner appearance.

		p to a 1/4" opening.	
500179	1/2" o.d.	16 gauge i.d	4.99 e
500181*	3/4" o.d.	no opening	
500182	7/8" o.d.	7/16* i.d	4.99 e
500183	1" o.d.	16 gauge i.d	
500185	1-1/4" o.d.	7/32" i.d	
500186	1-1/2" o.d.	15/32" i.d	4.99 e
500187	1-3/4" o.d.	7/16" i.d	8.99 c
500180	3/4" o.d.	12 gauge i.d	5.99 c
		-	



Universal Wire Connector Plastic End

OE style connectors for various wiring applications Female Connectors WC500101 flat 2 way 5.99 ea

99	9992222	
Male Conne WC500112 WC500113	etors 2 way (mate to WC500107) 4.99 ea 2 way (mate to WC500108) 5.99 ea	
WC500108 WC500109 WC500110 WC500111	2 way GM integral alternator 5.99 ea 4 way GM external regulator 5.99 ea 1 way GM HEI ignition 4.99 ea 1 way GM HEI tachometer 4.99 ea	
WC500106 WC500107	3 way sealed beam 5.99 ea 2 way GM external alternator 4.99 ea	
WC500103 WC500104 WC500105	1 way	
VC500102 VC500103	2 way	

Universal Metal Blades & Connectors 🗥

Universal metal blades and connectors for various wiring applications. Each set includes 10 pieces. 56 Series Connectors female 250 terminal

	WC500115		50 blade		
	59 Series Connectors				
	WC500116	famala	220 terminal	5 00	

Wire Harness Stran

These reproduction wire harness straps were originally used under the dash to bundle and secure various wiring. It was also used under the hood to secure wires and hoses. MN1216 white plastic.....



Wiring Harness Stran

Keep your engine compartment clean and tidy! These straps are designed to hold wires and vacuum lines to the inner fenders and various engine brackets. Prevent sensitive wiring from being damaged by belt drives or the exhaust system. Service replacement for some models. 2.99 ca A8900100 2-3/4" engine strap...... 3-3/4" engine strap.. A8900101 2.99 ca





Late Model Wiring Harness "T" Clip 🗥 Reproduction "T" clip used on various late model

Impala vehicles to secure the wiring harnesses within the engine compartment. Can be used on any vehicle by simply drilling a standard 1/4" hole. 153127



Late Model Wiring Harness Tie Strap 🔥

Reproduction tie strap used on various late model Impala vehicles to secure the wiring harnesses within the engine compartment. Can be used on any vehicle by simply drilling a standard 1/4" hole.

153128



Plastic Wire Gutter

This OER® reproduction wire gutter is used to hold the engine harness as it passes against the firewall area and protects your wiring from falling into the distributor area. Each wire gutter is precut to the original length assuring originality. Also includes pre-punched mounting holes for easy installation. This extremely durable item replaces your original painted over, heat warped, or missing wire gutter.

7 99 ca











3864327 13"