

REGAL Radiators

AUTHORIZED By U.S. Radiator





1973-87 OEM Style Radiator USA

Direct replacement radiator for 1973-87 Regal models. These radiators are manufactured from durable copper and brass materials and are designed to meet or exceed original cooling specifications. Features original style stamped tanks with 1/2" tube on 9/16" centers. Dimensions listed are for radiator core only. Made in USA. No Exchange Required! No Core Charge!

Important: Radiators Core Thickness for 3 rows (2") and 4 row (2-5/8"). Note: Fan shrouds, fan shroud brackets, radiator petcock, radiator cap and shroud mounting clips are available separately. Shipped double oversire.

Three Row CRD1022A 1973-77 V8-307/350 17" x 28-3/8" 662 99 ca CRD1026A 1978-79 V8-307/350 17" x 26-1/4".. 17" x 20-3/4".. 653.99 ea

CRD1028A 1980-87 V6 Non-Turbo 653.99 ea CRD1023A 1980-87 17" x 26-1/4" 653.99 ea Four Row CRD1021A 1973-77 V8-307/350 17" x 28-3/8". 789 99 ca CRD1027A 1978-79 V8-307/350 17" x 26-1/4" 725.99 ea CRD1029A 1980-87 V6 Non-Turbo 17" x 2-3/4" 725.99 ea 17" x 26-1/4" 725.99 ea CRD1024A 1980-87 V8





1973-77 Slim-Fit Radiator

PROFORM is upending the radiator industry with the introduction of its new Slim-Fit Integrated Radiator System! No more cobbling together a core, a fan, and possibly a shroud, and gobbling up 8" of valuable front-to-back underhood space, sometimes leading to clearance problems. The radiator, fan, thermostat, and shroud can come together seamlessly to create a unified radiator system that is under 4" thick (core/ shroud), looks and works great, and is pre-assembled right out-of-the-box, ready for direct fit into your American V8 muscle car! Combined with a high-performance fan blade inserted into a smooth aluminum shroud, the result is the industry's narrowest, most streamlined look. The PROFORM Slim-Fit Integrated Radiator includes a shroud, electric fan with adjustable thermostat, wiring harness, and radiator cap. Emissions Note: (4) Non-emissions (50 states leval).

696252 1973-77 16" x 31" x 4". 799.99 ca



- Bolt-in Installation 60% Lighter Than Copper/Brass Up to 75% More Cooling Capacity
- Fully Welded Construction Heavy-Duty, Die-Stamped Tanks
- Billet Filler Neck 7 Plate Alum, Transmission Cooler

1973-87 Aluminum Performance Radiator

Upgrade your cooling system with a high-performance bolt-in radiator from Northern! Manufactured with race proven technology, these radiators feature a 2 row, 1" core tube design for maximum cooling efficiency. Northern fan and shroud assemblies are also available for a matched cooling system.

Important: Dimensions listed include the radiator, tanks, and brackets.

Note: Shippe	ed oversize.			081
CR5026	1973-77	automatic	33" x 18-3/8" x 3-1/8"	369.99 ea
CR5055	1973-77	manual	33" x 18-3/8" x 3-1/8"	
CR5027	1978-87	automatic	30-3/4" x 18-5/8" x 3-1/8"	356.99 ea
CR5028	1978-87	manual	25-1/4" x 18-1/2" x 3-1/8"	291 99 ca





1978-87 Polished Aluminum Radiator

These polished high-performance radiators are manufactured from TIG welded aircraft grade aluminum with brazed aluminum cores and billet filler necks. Each radiator offers high capacity cooling with louvered fins and 3/8" spacing between core tubes. Designed for direct fit installation. Radiator cap is included.

Important: All radiators have built-in automatic transmission coolers and can be used in both automatic and manual transmission applications. Core size dimensions listed below.

Note: Snippea			4081
Two Row Co	ore		#1031
A7600105	1978-87	17" x 26-1/4" x 1-3/4"	229.99 ea
A7600104	1980-87	17" x 20-3/4" x 1-3/4"	229.99 ea
Three Row	Core		
A7600112	1978-87	17" x 26-1/4" x 2"	284.99 ea
A7600110	1980-87	17" x 20-3/4" x 2"	284.99 ea
Four Row C	ore		
A7600114	1978-87	17" x 26-1/4" x 3-1/8"	361.99 ea
A7600113	1980-87	17" x 20-3/4" x 2-3/4"	361.99 ea





CC46116



1978-87 Regal Aluminum Radiator

Improve the cooling capacity of your engine with Cold-Case performance radiators for 1978-87 Buick Regal models. Feature an all aluminum construction that is good at dissipating heat and saving energy, with 2 oversized cooling rows, and polished stamped tanks. All Cold-Case radiators are 100% TIG welded, pressure tested, and includes OE style fittings for both automatic and manual applications. All radiators manufactured by Cold-Case are guaranteed to be free from material and workmanship defects for the life of your installation.

Note: Images for illustration purposes.				
CC46147	1978-87	radiator - excludes Turbo models		
CC46148	1984-87	radiator – Turbo	465.99 ea	
CC46116	1978-87	Cold-Case radiator cap	23.99 ea	



REGAL Radiators

Frastbite 3

When it comes to keeping your ride cool, Make it Frostbite!









Radiator Features:

- 100% TIG welded (brazed) seams
- Aircraft quality aluminum core, fittings, and tanks (up to 30% weight savings)
- Rillet aluminum filler neck and OFM style brass netcock
- More cooling fins per inch for more efficient cooling
- Custom Frosthite high-nerformance 16 lb osi radiator can
- Polished top and tanks for custom show appearance
- 4 row radiators supporting applications with 550-1000 horsepower

1978-87 Polished Aluminum Radiator

Frostbite Performance aluminum radiators for 1978-87 models, High-Horsepower street cars can be a challenge to keep cool. A proper cooling system starts with the right radiator. Aluminum radiators cool more effectively and weigh less than older OEM style brass units. Choose from a variety of application specific fitments radiators.

Available in 2, 3, and 4 row core sizes. Manufacturer's 1-Year Limited Warranty Important: All radiators have built-in automatic transmission coolers and can be used in both automatic and manual transmission applications. Core size dimensions listed below.

Emissions Note: Non-emissions (50 state legal).	€ 081
Two Row Core	
Specifications: Cooling Row Diameter: 3/4", Core Thickness: 1.5"	
Cross Flow, Hose Location Inlet: Driver, Hose Location Outlet: F	assenger, Inlet
Size: 1-1/2", Mounting Type: Saddle Mount, Outlet Size: 1-1/2".	

Three Row Core	1
Specifications: Cooling Row Diameter: 11/16", Core Thickness: 2.20", Flow Style:	
Cross Flow, Hose Location Inlet: Driver, Hose Location Outlet: Passenger, Inlet	
Size: 1-1/2", Mounting Type: Saddle Mount, Outlet Size: 1-1/2".	
CN110702 171 - 26 1/41 202.00	

17" x 20-1/4" 17" x 20-3/4" GN110703 392.99 ea Specifications: Cooling Row Diameter: 11/16", Core Thickness: 2.76", Flow Style: Cross Flow, Hose Location Inlet: Driver, Hose Location Outlet: Passenger, Inlet Size: 1-1/2", Mounting Type: Saddle Mount, Outlet Size: 1-1/2". 521.99 ea

GN110704 17" x 26-1/4" GN110705 17" x 20-3/4"

17" x 26-1/4" 17" x 20-3/4"







314 99 ca

314.99 ca





Radiator with internal cooler(s)

- Dual 11" shrouded fans with hillet motor covers (2780 cfm)
- Stainless steel mount brackets with hardware
- Wiring harness with two 40 amp relays and temp sending unit (on 195/off 175)
- Polished billet aluminum recovery tank
- Polished billet aluminum Be Cool radiator can

USA Aluminum Cooling System

This radiator is up to 40% lighter than a traditional copper/brass radiator and features high-quality aluminum welds to enhance the appearance of your vehicle. The epoxy free construction provides better heat dissipation. Made in USA. e: Shinned double oversize

Single Trans	mission Oil Co	paler	082	
GN110715 GN110716	32" x 19" 32" x 19"	natural finish	1299.99 1499.99	
Dual Transm	ission/Engine	Oil Coolers		
GN110717	32" x 19"	natural finish	1599.99	
GN110718	32" x 19"	polished finish	1699.99	ca
				_



MADEIN USA

1978-87 Aluminum Radiator

Be Cool direct fit all-aluminum radiators for 1978-87 models. These radiators are up to 40% lighter than traditional copper/brass radiators and feature high-quality aluminum welds to enhance the appearance of your vehicle. Their epoxy free construction provides better heat dissipation, while allowing repair if necessary. Available in natural or mirror polished finish and with internal transmission and engine oil coolers.

Note: Shipped ov	ersize.		081	
Single Transmission Oil Cooler			-	
	32" x 19"		699.99	
GN110712	32" x 19"	polished finish	829.99	ca
Dual Transmission/Engine Oil Coolers				
GN110713	32" x 19"	natural finish		
GN110714	32" x 19"	polished finish	949.99	ca

New Champion

1982-87 Aluminum Radiator

This 3 row radiator is just like the original, includes the plate style engine oil cooler, as well as the transmission cooler in the passenger side tank. Additionally, the factory shroud will fit this radiator. Radiator has transmission cooler on grill side, engine oil cooler on engine side. Cools up to 750 HP. Also includes a 13 lb radiator cap. Note: When using electric fans (sold separately), two 12" electric fans

recommended for this core size. A7600117 1982-87 16.83" x 26.25" x 2.25"...



GN110700

GN110701









REGAL Radiator Components



Radiator Rubber Mounting Pads

This GM radiator mount pads are great for positioning mounting studs to prevent rubbing and stress cracks. Cut-to-length, rubber molds to the radiator for an exact

nt. Soid in p than one pa	airs. Some applications may requ ir.	iire more
Z16516		8.99 pr
Z21230	6" x 1-3/4"	5.99 pr



Radiator Mounting Brackets

Universal aluminum radiator mounting set. Requires mounting pads (sold separately). Includes 2 upper brackets and 2 lower brackets.

Note: See part #Z21230 for rubber pads 721260 universal.... 34 99 set






1984-87 Radiator Rox-In Set

Radiator box-in set for 1984-87 Buick Regal models. This item was designed to replace the factory rubber pieces that surround the radiator. With this aluminum box, 100% of air that travels through the grill will be forced through the radiator, resulting in cooler temperatures. Manufactured out of 1/16" aluminum sheet and painted in a satin black finish.

GN110383 1984-87 115 99 set







GN110764

1978-87 Upper Radiator Retainer 🔥

Upper radiator support for 1978-87 models. This is a direct replacement for 1986-87 Buick T-Type/ Grand National, and all 1978-87 Regal models with an electric fan conversion. Enhance the underhood appearance of the core support area. Manufactured from stainless steel, and available in plain, or engraved

with a custom	i iogo.			
GN110761	1978-87	blank/plain	110.99	ea
GN110762	1982-87		125.99	
GN110763	1982-87		130.99	
GN110764	1982-87	Buick motorsports	144.99	ea
GN110765	1982-87	T-Type	125.99	ea



1978-87 Radiator Retainer Carbon fiber radiator retainer designed for use with 1978-87 Buick Regal models. This retainer

is needed when removing the original fan shroud and upgrading to an electric fan. Retainer is clear coated for bright clean finish. Manufactured out of 22 gauge steel, and powder coated black.

GN110239 1978-87



USA

1978-87 Fiberglass Radiator Retainer

Replacement radiator retainer for 1978-87 Regal models. This fiberglass piece replicates the original retainer, and features predrilled mounting holes as well as the radiator pad holes. GN110278 1978-87 119.99 ea

SpoolFool



Replacement carbon fiber radiator retainer for 1978-87 Regal models using an electric fan. Manufactured out of carbon fiber and clear coated for a bright clean finish. Made in USA GN110283 1978-87. 179.99 ea





Universal Fan Shroud

Each shroud will fit all small block and big block radiators. All mounting hardware is included for installation or purchase separately. Simply remove your original fan shroud and replace it with this shroud. Will replace all plastic and OEM shrouds and are available in both chrome or EDP black finishes.

	le 20" Diameter Shrouds	
T9453		
T9451	EDP black finish	43.99 ea
5-1/2"	Wide 20" Diameter Shroud	
T0454	chroma finish	42 00 an



Correct clip used to attach the fan shroud to the radiator support on Regal models with a 396 engine.

REGAL Radiator Components





1976-80 Temnerature Sending Unit 🔥 The temperature sending unit screws into the side of the

cylinder block or on the intake manifold and allows the temperature gauge to function properly. These OER® Authorized reproduction is produced using the correct terminal ends with the correct housing and resistance

for accurate	temperature gauge reading. Mac	de in USA.
748691	1976-78	26.99 ca
8993107	1979-80	29.99 ea



Prevent dangerous clogs in your cooling system with this in-line coolant filter. Featuring heavy-duty solid brass construction, this filter is installed in line to prevent dirt and debris from entering and causing damage.

RF002 for heater hose... 44 99 set

MAUEO.







Hose Adapter Set

AutoMeter coolant hose adapter sets for mounting gauge senders or probes directly into your heater of radiator hose. Ideal for vehicles with limited access to water passage ports on the engine. They are manufactured from solid brass or aluminum with male

hose barb e	tallation.		
AM2280	5/8* brass		
AM2281	3/4" brass		
AM2282	1-1/4" aluminum		
A M42292	1 1/2" aluminum	60.00	



1973-87 Radiator Can without Lever 🔥

Aftermarket replacement cap for the radiator on your 1973-87 Regal models. Service replacement cap that may be cosmetically different than the original but will fit and function properly. These are standard caps that are not equipped with the pressure release lever

T10230 T10231		5.99 6.99	
------------------	--	--------------	--



ACDelco

13.99 ca

TF600177

1978-87 Radiator Can with Lever 🔥 Aftermarket replacement cap for the radiator on your 1978-87 Regal models. Service replacement cap that

may be cosmetically different than the original but will fit and function properly. This cap is equipped with a pressure release lever.

ST10331	1978-87	7.99 ea

1978-87 Radiator Can

Genuine ACDelco factory replacement. This radiator can will replace your original and give a factory fresh appearance. A genuine Delco service replacement product. 1978-87 G7136





Radiator Cap

Be Cool billet radiator caps rated at 13 psi are recommended for all Be Cool radiators. The billet caps feature the Be Cool logo and are available in a round or octagon style and polished or natural finish. Also available is a machined aluminum Sure-Grip radiator can with a Re Cool embossed emblem

Round Billet Caps				
TF600175	polished finish	59.99	ca	
TF600178	natural finish	49.99	ca	
Octagonal Bill	et Caps			
TF600176	polished finish	59.99	ca	
TF600179	natural finish	49.99	ca	
Machined Sure	-Grip Caps			
TF600177	polished finish	69.99	ca	
TF600180	natural finish	59.99	ca	

Menn! Northern



Radiator Can with Anode

Prevent cooling component deterioration and prolong radiator coolant life with this Northern radiator cap. The radiator cap features a magnesium sacrificial anode that is designed to attract and absorb electrical energy that causes electrolysis. Rated at 16 lb psi and adjusts from 5-1/2" to 8-1/2". Includes upper seal. ST10331

universal







Thermocan Radiator Can

Thermocap combines a high-quality pressurized radiator cap with a thermometer element, allowing you to know when it's safe to open your radiator without any guess work. Easy-to-read temperature gauge in Celsius and Fahrenheit

Note: Specify red, blue, or silver when ordering Emissions Note:

Non-emissions (50 state legal).







Radiator Cap Cover w/Stant Cap

Billet Specialties notch or knurled grip polished billet aluminum radiator cap covers. They feature a precision CNC-machined 6061-T56 aluminum top mated to a quality Stant 16 lb radiator cap.

Notch 375125 375125B	polishedblack	
Knurl 375120 375120B	polishedblack	

Rillet Aluminum Radiator Can Billet aluminum radiator cap for

Buick models to provide a unique custom look. Manufactured using quality aluminum and polished to a mirror finish. Knurled edges make them easier to open Rated at a 16 lb pressure rating. T6017 16 lb rating ..

















REGAL Radiator Components





alde.

1981-87 Coolant Reservoir

Reproduction radiator coolant reservoir jar for 1981, 1985-87 Buick Regal models. Coolant reservoir jar is manufactured to correct dimensions featuring the correct shape and mounting points. Fits 1981, 1985-1987 Regal with V6 without turbo.

Note: Cap sold separately, see part #15630112 10014451 1981-87.....



1982-87 Coolant Reservoir

Reproduction of the original radiator coolant reservoir jar designed for use with 1982-87 Buick Regal models. Each coolant reservoir jar is manufactured to correct dimensions featuring the correct shape and mounting points.

Note: Cap sold separately, see part #15630112 25525470 1982-87





AUTHORIZED

Universal Radiator Overflow Tank 🔥

These are beautifully polished stainless steel radiator overflow tanks that will give an engine compartment a clean and custom look. Includes a twist-on cap and mounting hardware.

60721		
60731	2" x 15"	 34.99 ca
60741	2" x 17"	 35.99 ca
60751	2" x 19"	46.99 ca
60761	3" x 10"	 39.99 ca
60781	3" v 16"	44 99 ca

New! MISHIMOTO MANI 2020 MANI 2020



Finned Aluminum Overflow Tank

Although it's often overlooked, a durable coolant overflow tank is a crucial component of any cooling system. Leaks within the overflow system can result in air enry into your coolant, which ultimately leads to overheating. Upgrade your plastic overflow tank with Mishimoto's universal! quart coolant overflow tank. Tank is constructed from durable 3mm thick alimnium, featuring stuming pectios in TiO welds. alimnium, featuring stuming pectios in TiO welds, which provides an accurate look at your fluid level. This sight tube is removable and can be installed on either end of the tank, which is helpful when installing in a cramped engine compartment.

MM13079 MM13080	polished		
MM13081	red		
MM13082	blue	60.99	ca



MM13084 MM13085 Aluminum Coolant Reservoir Tank

Whether you want to finish off the look of a tucked engine bay, or you just want to replace the dull, stock

engine bay, or you just want to replace the dull, stock plastic tank, the aluminum coolant reservoir tank is the perfect solution. Offered as a comprehensive set, complete with a mounting bracket, hardware, and reinforced hose.

MM13083 MM13084 MM13085	90.99 90.99 90.99	set
4	la	



This 13" cast aluminum finned tank is an excellent upgrade to your overflow system. Tank includes a cap. A9600248 silver 80.99 set New!

Finned Aluminum Overflow Tank

Finish off your cooling system with this vintage style overflow tank. Made from cast aluminum and polished to a show quality finish. Tank holds 24 ounces and measures 13-3/4* tall with a 2-3/4* diameter. Features 1/4*-20 threaded mounting rib and tapped for a 1/4*



Radiator Overflow Canister

When your radiator fluid gets too hot, it will blow through your overflow spout and all lover your english bay unless you have an overflow canister for this exact situation. PROFORM's new overflow canisters are anodized billet aluminum with brass fittings to give your engine bay a nice clean look. Canister properties of \$240^{16} - 3.000.

	s 6-3/4" x 3". : Note: (A) Non-emissions (50 states l	lanal)
69527	black anodized	
69528	natural anodized	114.99 ea



1978-87 Radiator Overflow Jar Cap OER® authentic reproduction radiator overflow jar

cap. This is a vented cap manufactured from injection molded ABS plastic that includes the seal and features the words "ENGINE COOLANT ONLY" in the original font and color. 15630112. 1978-87, vented 7,09 ca.



Radiator Overflow Hose

"3 rib" correct replacement hose for the radiator overflow. It is produced with correct 3/8" i.d. OEM style thin walled hose as original. This is an often overlooked hose which is notorious for deterioration. The hose is extra long so that it can be routed and cut

for a perfect fit.

REGAL Radiator Hoses



1973-87 Goodvear Upper Radiator Hose

Replacement upper radiator hose for 1973-87 Buick Regal models. Manufactured by Goodyear to factory specifications for proper fit and appearance. Note: *Cut-to-fit.

MH048		5.7L-350, 7.5L-455	9.99 ca
MH60908	1975-77	5.7L-350	29.99 ca
MH033*		3.8L-231	29.99 ca
MH060*	1977	5.0L/5.7L Chevy	28.99 ca
MH60714*	1978	3.8L-231 turbo	28.99 ca
MH033*		3.2L-196	29.99 ca
MH077	1978-79	5.0L/5.7L Chevy	16.99 ca
MH012*	1979	4.9L-301 Pontiac	20.99 ca
MH61042			29.99 ca
MH179	1980-81	4.3L-265	29.99 ca
MH179	1980-81	4.9L-301 Pontiac	29.99 ca
MH173		3.8L-231	23.99 ca
MH449	1980-87	5.0L-305 Chevy	29.99 ca
MH449	1981-82	4.4L-267 Canada	29.99 ca
MH61092	1981-84	5.7L-350	22.99 ca
MH508	1982-85	4.3L-263 diesel	13.99 ca
MH173	1982-84	4.1L-252	23.99 ca
MH449			29.99 ca
MH177	1985	5.7L-350 diesel	19.99 ca
MH327	1985	3.8L-231 GN/T-Type	10.99 ca
MH177	1986-87	5.0L-307 Olds	19.99 ca





1973-87 Goodyear Lower Radiator Hose

Replacement lower radiator hose for 1973-87 Buick Regal models. Manufactured by Goodyear to factory specifications for proper fit and appearance

Note: *Cut-to	-fit.			
MH60698*	1973-74	7.5L-455	22.99 ca	
MH60874	1973-77	5.7L-350	29.99 ca	
MH139*	1975-78	3.8L-231 all	12.99 ea	
MH064	1977	5.7L-350 Olds	23.99 ca	
	1977	5.0L/5.7L Chevy	24.99 ca	
MH139	1978	3.2L-196	12.99 ea	
MH161	1979	3.2L-196	11.99 ea	
MH061		4.9L-301 Pontiac		
MH161		3.8L-231 all		
MH061	1980-81	4.3L-265 Pontiac	11.99 ea	
MH61110		5.7L-350		
MH259		4.4L-267 Canada		
MH61273		4.3L-263	39.99 ea	
MH259		5.0L-305	19.99 ea	
MH161		4.1L-252		
MH190		4.3L-263 diese1		
MH259		5.0L-305 Canada		
MH190		5.7L-350 diese1		
MH259	1985-87	5 OL - 305 Chevy	19 99 c	



1977 Radiator Hose

Replacement lower radiator hose designed for 1977 Regal models. Features the inner spring, correct design and configuration. This hose has no markings 480200 1977 small block . .. 16.99 ea



1986-87 Reproduction Radiator Hose

		oses for 1986 OEM specific	
GN110779 GN110780	1986-87 1986-87	upperlower	28.99 ea 28.99 ea



1981-87 Silicone Radiator Hose

Replacement 4 layer silicone radiator hoses for 1981-87 turbo models. No internal spring needed on the lower. Available in gloss black finish. GN110781 1986-87 55.99 ea upper .. GN110782 65.99 ea lower...



Goodyear Flexible Radiator Hose 🔥

Hose features a unique design that allows it to conform to a variety of bends and curves without kinking or

collapsing.	A variety of sizes are available.	
HF1107	1-1/4" x 7-3/8"	5.99 ea
HF1111	1-1/4" x 11"	11.99 ea
HF1119	1-1/4" x 19-9/16" x 1-1/2"	19.99 ea
HF1123	1-1/4" x 23"	13.99 ea
HF1208	1-1/2" x 7-9/16"	5.99 ea
HF1211	1-1/2" x 10-11/16"	
HF1212	1-1/2" x 12-3/16"	
HF1317	1-1/2" x 16-5/16" x 1-3/4"	
HF1217	1-1/2" x 17-1/16"	
HF1318	1-1/2" x 19-1/2" x 1-3/4"	
HF1220	1-1/2" x 19-13/16"	
HF12205	1-1/2" x 20-1/2"	10.99 ea
HF1222	1-1/2" x 22"	
HF12228	1-1/2" x 22-7/8" 90° end	
HF1223	1-1/2" x 23" x 1-3/4"	23.99 ea
HF1225	1-1/2" x 25"	
HF1214	1-1/2" x 30"	
HF1316	1-3/4" x 16-5/16"	27.99 ea
	1 2/4" ~ 19 12/16"	



Silicone Engine Coolant Plumbing Set 🗥

Get the durability of silicone coolant hoses for your custom engine install with these basic universal sets. Each set contains a 90 degree, a 45 degree angled, and a straight 1-1/2" reinforced black silicone hose along with a 1-1/2" 45 degree mandrel bent and one straight aluminized steel tube each featuring beaded ends for a positive seal. Individual components also available for building your own system or adding onto the radiator have set here

Radiator Hose Set 771051 1-1/2" silicone hos

Individual Components								
Aluminized Steel Coolant Tubes								
Z71000		90° bend						
Z71001		90° bend		ca				
Z71002		90° bend						
Z71003		75° bend						
Z71004		75° bend	39.99	ca				
Z71005		75° bend						
Z71006	1-1/4" x 4" x 6"	45° bend	39.99	ca				
Z71007	1-1/2" x 4" x 6"	45° bend						
Z71008	1-3/4" x 4" x 6"	45° bend	39.99	ca				
	ed Black Silicone							
Z71031		90° bend						
Z71032		90° bend						
Z71033		90° bend						
Z71028		45° bend						
Z71029		45° bend	29.99	ca				
Z71030		45° bend						
Z71025		straight hose						
Z71026		straight hose						
Z71027	1-3/4" x 6"	straight hose	24.99	ca				
Step Up/I	Down Hose Conne	ectors						
Z71035	1-1/4" to 1-1/2" :	8"	29.99	ca				



Z71035 1-1/4" to 1-1/2" x 8" Z71036 1-1/2" to 1-3/4" x 8"

Flexible Stainless Steel Hose Set 🔥

This is an ideal replacement for your worn or rotted hoses. Non-corrosive construction conforms to tight bends and holds shape indefinitely. Rated for high temperatures and high pressure Can be easily cut to custom lengths. These high-quality sets will enhance

any engine compartment. Note: 48" radiator hose set has double quantity of end caps, sleeves, reducers, and clamps. Save money and make both upper and lower radiator hoses with one 48" set. Emissions Note: (3) Non-CARB compliant (not legal for

emission c	ontrouea venicies).		
Heater H	lose Sets		
	polished ends		
S7314	chrome ends	73.99	set
Radiator	Hose Sets - Polished Ends		
S7301	12"		
S7304	24"		
S7307	36"		
S7310	48"	91.99	set
	Hose Sets - Chrome Ends		
S7302	12"		
S7305	24"		
S7308	36"		
S7311	48"	95 99	set









HF1323

9 99 ca

29 99 ca



REGAL Heater Hoses



Radiator Hose Reducer Rushing

These rubber hose reducers are designed for custom applications to allow the use of a larger i.d. radiator hose with smaller inlets and outlets on radiators, water pumps and thermostat housings. Simply insert them into the bose before installation

K1231	2" i.d. to 1-3/4" i.d	14.99 ca
K1232	1-3/4" i.d. to 1-5/8" i.d	10.99 ca
K1233	1-3/4" i.d. to 1-1/2" i.d	14.99 ca

Radiator Hose Adapter Set Set includes 3 adapters and

2 hose clamps. Includes: one 1-1/4" reducer, one 1-1/2" reducer one 1-3/4" reducer and two stainless hose clamps Emissions Note: (3) Non-CARB



compliant (not legal for emission controlled vehicles). S7317 adapter set 15.99 set



1973-87 Molded Heater Hose

Don't entrust the life of your engine to old hoses suffering from dry-rot and deterioration! Replace your old hose with this quality molded hose manufactured by Goodyear. The hose features the correct bends for a factory fit and appearance.

MH4363 1973-87 tee to manifold 12 99 ea



1985-87 Heater Outlet Water Hose 🔥

Genuine GM replacement heater outlet formed water hose. The black rubber heater hose has a 3/4" inside diameter and is formed to fit 1985-87 Regal models. G9222 1985-87 GM part #482424 .. 38.99 ea



1986-87 Silicone Heater Hoses

Set of 3 replacement 3 layer silicone heater control valve hoses for 1986-87 turbo models. Hoses fits between heater control valve, heater core, and heater pipe. Available in gloss black finish. GN110805 1986-87 40 99 set hose



Heater Hose

		all applications.	nose can
YE5210 YE5215	5/8" 3/4"	5 feet	



1981-87 Bypass Hose

The bypass hose allows coolant to recirculate within the engine without passing through the radiator. Replace your old hoses with these quality molded hoses manufactured by Goodyear. Hose features the correct

BH3015	1981-87	Regal	8.99 ea
BH3015	1985	Somerset	8.99 ea



1982-87 Bypass Hose

Straight bypass hose with part #409042 stamped on each hose for that authentic appearance. 1982-83 350N, 307Y..... 409042 409042 1986-87 307Y..... 10.99 ea



1986-87 Silicone Bypass Hose

Replacement silicone bypass hoses for 1986-87 models. Intake to Water Pump

This hose fits from the front of the intake manifold to the back portion of the water pump. GN110806 1986-87 hose #1....

Heater Pipe to Water Pump This hose fits from the heater coolant pipe to the water pump return nipple. Both hoses available in gloss black finish. GN110807

hose #2 38 99 ea



Billet Hose End

Billet aluminum hose clamp ends from Billet Specialties. Clean alternative to plain hose clamps or loud anodized colors. They are available for both braided and rubber hose and in most popular sizes

B67425		rubber				
B67525		braided				
B67625		rubber				
B67725		braided				
B67825		rubber				
B67925	1-3/4"	rubber	31.99 ea			



Heat Shrink Hose Clamp

This new advanced heat sensitive thermoplastic clamps that seals better in all conditions and temperature extremes. Easy-to-install with an ordinary heat gun. Min I D. Man I D. O.D.

A9600216	1/4"	1/2"	11/16"	
A9600217	3/8"	11/16*	13/16"	5.99 ea
A9600218	1/2"	13/16"	15/16"	5.99 ea
A9600219	5/8"	15/16"		5.99 ea
A9600220	3/4"	1-1/16"	1-3/16"	
A9600221	7/8"	1-3/16"	1-1/2"	5.99 ea
A9600222	1"	1-3/16"		7.99 ea
A9600223	1-1/4"	1-1/2"	1-3/4"	7.99 ea
A9600224	1-1/2"	1-3/4"	2"	8.99 ea
A9600225	1-3/4"	2"	2-1/4"	8.99 ea
A9600226	2"	2-1/4"	2-1/2"	8.99 ea



1973-79 Radiator Overflow Hose Retainer

Reproduction of the radiator overflow hose retainer for 1973-79 Regal models. This retainer mounts on the passenger side tank and holds the overflow hose in place. 14300 1973-79 10 99 ca



Hose Clamp Pliers

This handy tool removes and installs spring tension hose clamps used on heater and radiator hoses. Adjustable tips screw in and out to fit clamps of all sizes. Ratcheting lock mechanism holds the clamp in an open position for easy removal and installation. Tips can be switched to accommodate different applications. Offset jaws allow access in hard to reach areas

1986-87



REGAL Hose Clamps





OE Style Heater Hose Clamp

Correct WI							
screw heater	hose	clamps	used or	n vari	ous GN	I vehi	cle
WITTEK T	ower	Style					
0857	5/8"					3.99) e
0858	3/4"					3.99	e:
Side Screw							
332010	5/8"					. 1.99) e



Radiator Hose Clamp

wire, hose c	original looking, Oldsmobile style lamp. For that last OEM detail in the nt to give your engine a genuine ap	ne engine
154128 156202 156212	2" to 1-3/4" 2-1/4" to 2" 2-1/2" to 2-1/4"	7.99 ea



Tower Style Radiator Hose Clamp 🔥

Reproduction of the original WITTEK MFG tower style upper radiator hose clamp. Clamps are reproduced to exact factory specifications and include correct style clamp with attaching screw. Sold individually. Use as required.

0855 0856 0854	2-1/16" 2-1/4" 2-5/16"	lower hoselower hose	3.99	ca
	-			



Side Screw Radiator Hose Clamp 🔥

Replacement style stainless steel side screw hose clamps used on various GM vehicles. High-quality clamp with extra strength construction. I piece screw housing is interlocked onto band for extra strength. Cadmium-plated. Style side screw were most

commonly	useu c	311 1973-92 GWI VEHICIES		
332024	#24,	1"-2"	1.99	ca
332028		1-5/16"-2-1/4"		
332032	#32,	1-9/16"-2-1/2"	2.49	ca
332040	#40,	1-3/4"-3"	2.49	ca



WITTEK Tower Style Hose Clamp Set

Correct WITTEK tower style hose clamps used on 1962-72 GM vehicles. Tower clamps feature: WITTEK MFG. CO. CHICAGO, U.S.A. stamped on each clamp. Sets will also work on 1973 and newer vehicles. R085678



Water Pump Bypass Hose Clamp

154221 5/8" pair	Correct s	tyle flat pump	band side screw hose clamp bypass hose on various GM	s used	on es.
154222 3/4" individual 5.99 ea	154221	5/8"	pair	4.99 [рг
	154222	3/4"	individual	5.99	ea



Water Pump Bypass Hose Fitting

water pump	on bypass nose fittings which i and intake manifold.	it into t	n
K0151 PF1003 3921915	slotted	15.99	ea



Water Pump Hose Fittings

Reproduction heater hose fittings which screw into water pump and intake manifold. These fitting sets are 1/2" pipe thread, used on GM vehicles from 1957-91. For use with one 5/8" i.d. hose and one 3/4" i.d. hose.

ı	Note: 1/2" p	ipe thread fits	s 3/4" diameter hole 19	57-91.
ı	Chevrolet	Original Ap	plications	
ı	K0149A	1967-72	small block	19.99 pr
l	K0150	1967-72	big block	19.99 pr





Heater Hose Fitting These fittings are for use with heater hoses or bypass

hose attach				ainless steel.	
1/2" NPT	for 5/8	" I.D.	Hose		
PF1001	5/8	i.d. x	1-3/4"	L	15.99 ea
PF1002	5/8	i.d. x 2	2-7/8"	L	18.99 ea
1/2" NPT	for 3/4	" I.D.	Hose		
PF1003	3/4	i.d. x	1-3/4"	L	15.99 ea
PF1004	3/4"	i.d. x 2	2-7/8"	L	18.99 ca



USA

PF1008

PF1026

Stainless Steel Heater Hose Fittings 🗥

These corrosion resistant stainless steel fittings can be threaded into the water pump and intake manifold to provide heater hose attachment points. Each set includes 2 hose fitting. Anti-seize is recommended

for an stanness naruware.	
Includes One 1-3/4" & One 2-7/8"	Fittings
3/8" NPT for 5/8" I.D. Hose	
PF1062	37.99 pr
1/2" NPT for 5/8" I.D. Hose	
PF1007	31.99 pr
1/2" NPT for One 5/8" and One 3/4" I.D	. Hose

PE1009 31.99 pr Includes Two 1-3/4" Fittings 1/2" NPT for 5/8" I.D. Hose PF1006 26.99 pr 1/2" NPT for One 5/8" and One 3/4" I.D. Hose



PE1025 USA

Stainless Heater Hose Fitting & Plug Set

These corrosion resistant stainless steel fittings and plugs can be threaded into the water pump and intake manifold to provide heater hose attachment points. Each set includes: 2 fittings, 2 plugs, and stainless steel thread scalant

Includes (1) 1-3/4" & (1) 2-7/8" & 2 Plugs 1/2" NPT for 5/8" I.D. Hose

PF1025 44 99 set 1/2" NPT for One 5/8" and One 3/4" I.D. Hose PF1027 44 99 set

Includes Two 1-3/4" Fittings & 2 Plugs NPT for 5/8" I.D. Hose PF1024 41.99 set

1/2" NPT for One 5/8" and One 3/4" I.D. Hose 41 99 set











26.99 pr



REGAL Cooling Fans



- 16-19 inch 6 Blades Stainless Steel Flex Fan
- Premium silver finish
- · Reduces engine drag at higher RPM for better performance and fuel economy Standard rotation

Stainless Steel Flex Fan

Flex-a-lite fan blades are designed to flex or flatten out as the RPM's climb, helping to reduce engine drag for better performance and improved fuel economy. Fan features a premium, high tech silver coating that won't degrade or lose its luster in the harsh environment of an engine compartment. Available in standard or reverse rotation along with three different diameters and six blades.

rtant: Must be used with a Flex-a-lite spacer or warranty will be voided. Fans features 5/8" pilot hole with a 1-3/4" to 2-1/2" slotted bolt pattern

FL2016		diameter	
FL2017	17"	diameter	64.99 ca
FL2018	18"	diameter	71.99 ca



- 16-19 inch 6 Blades Stainless Steel Flex Fan
- · Premium silver finish · Reduces engine drag at higher RPM for better
- performance and fuel economy
- Reverse rotation

			4
Re	vers	e Rotation - 6 Blade	98
FL2216	16"	diameter	82.99 ca
FL2217		diameter	
FL2218	18"	diameter	79.99 ca





Features:

- Standard Rotation 6 Polished Stainless Steel Blades
- 50 Degree Blade Pitch · Chrome-Plated Steel Hub
- 5/8" Pilot Hole 1-3/4" to 2-1/4" Universal Mounting Pattern

USA Stainless Fan Blade

These stainless steel fan blades are rated up to 7000 RPM and have chrome-plated hubs. They feature a narrow blade design for good airflow in tight space applications. Embossed center hubs and four rivet blade attachment provide increased strength. Fan spacer sold separately and includes hardware. Made in USA.

	eter Fan Blade	
9217	chrome hub	67.99 ca
9417	red	66.99 ca
9517	blue	66.99 ca
	eter Fan Blade	
9218		
9418		
9518	blue	66.99 ca



FI.14544

FL14556 Fan Spacer

FL14548

These are the correct replacement fan spacers for use on various applications. Belt driven fans work best when they are 3/4" to 1" from the radiator's surface. Whenever you convert to a flex fan, you need to add a spacer to bring your new fan back into the "sweet spot" in the fan shroud opening. If necessary, multiple spacers may be used up to a maximum of 3 inches. See the listings below for correct thickness to fit your application

1/2" Spacer		
FL14544	silver	19.99 ea
1" Spacer FL14548	silver	19.99 ea
2" Spacer FL14556	silver	24.99 ea





D31520 - detail views





Specifications:

- Male pilot diameter: 5/8"
- Female pilot diameter: 5/8*
- Flange bolt spacing: 1-3/4" 2-1/4"

Aluminum Fan Soacer HISA

This universal fan spacer is constructed from quality

aluminum and features a clear anodized finish. Fits most domestic 5/8* pilot water pumps. Includes mounting hardware. Made in USA. Important: Fan should have a minimum clearance of 3/4°

from the radiator, belts, hoses, or pulleys. D31500 1/2" D31510 15.99 ca D31515 1-1/2" .. 15.99 ca D31518 1-3/4" 16.99 ea D31520 16.99 ca D31540 2-1/4" 16.99 ca D31550 2-1/2" 19 99 ca





3927793

1973-81 Fan Soacer

	at a fan clutch. Locator pilot me	
	Bolt spacing is 1-1/4" center	
Order accordi	ng to length needed for your ap	pplication.
3927794	1-1/2" spacer	39.99 ea
3927794B	2" spacer	39.99 ea
3927793	2-9/32" spacer	39.99 ea



REGAL Cooling Fans



Rubber Fan Spacer

Rubber spacers are used with Champion Series electric fans for proper spacing from the radiator.



Fan Clutch Specifications: 2-3/4" shaft (mounting plate to edge of clutch) 2-1/8" water pump bolt spacing

3-1/4" fan bolt spacing.

OFM Style 7-1/4" Fan Clutch

Reproduction of the application specific, factory style fan clutch designed for Regal models. Each fan clutch is designed to replicate the original in design. appearance, and fitment

342754 high-performance .. 120 99 69





0000

1974-87 Fan Clutch

Reproduction of the application specific, factory style thermal fan clutch for 1974-87 Regal models. Fan clutch is designed to replicate the original in design, appearance, and fit. Includes mounting hardware appearance, and it. Includes mounting naturance. Features an Eaton style coil type thermostatic element. Measures 7" diameter, 1-3/4" bolt pattern at water pump, 1-1/2" depth from fan to where it bolts to pump, 3-1/4" bolt pattern for fan. Replaces a wide variety of original OE part #s including 1236786, 1245632, and others.

1236786 129.99 ea



Cooling System Zinc Anode

Used in heavy-duty and marine applications to protect the cooling systems and its many components from damage due to electrolysis or coolant additive failure/ breakdown. The introduction of the zinc anode will protect your cooling system from galvanic action as it "eats" the zinc rather than your cooling system. To be installed in the radiator as a replacement for the drain petcock in radiators that are equipped with a 1/4" NPT hole or any 1/4" NPT hole that is available in the cooling system.

14 99 ca

SPAL

16" Fan Mounting Gasket

SPAL fan gasket is a specifically designed rubber gasket for use exclusively with the 16° fan line. The gasket provides an additional 1/4° clearance from the cooler core and is ideal for mounting our pusher style fans.

SP2070 16"

Note: Will not fit SP2056 and SP2057.



Fan Temperature Sending Unit The temperature sending unit screws into the side of

the cylinder head or on the intake manifold to operate the Champion or Challenger Series fans. MF108

185° for carbureted engines..... 24.99 ea 195° for fuel injection engines 24.99 ea MF109

Temperature Sending Wire Cloth Insulator

This 3/16" i.d., 5/16" o.d. replacement cloth insulator,

keeps your temperature sender harness well insulated from engine heat. Sold per foot. 2-3 feet required ner vehicle

K0163



Temperature Sending Unit Wiring Set 🔔 Reproduction wiring which extends from the front

light harness to the temperature sending unit. Includes correct 24" insulator cover and 30" green wire with bullet, blade or button type terminals included. CA34620 15 99 set



Adiustable Fan Temperature Sensor 🗥

Turn your electric fan on at whatever your desired temperature is with this adjustable temperature sensor. Sensor adjusts from 180-240 degrees F and helps prevent overheating in performance vehicles when driving at low speeds or when idling for long periods. 346932 180-240 degrees F. 109 99 ca

\$11-1-1-1-1-1

Universal Fan Mounting Bracket

SPAL universal fan mounting bracket. It can be used with most aftermarket and OEM radiator types. It is adjustable and features a black powder coated finish. Includes 1 metal strap bracket and 1 plastic foot. Requires 4 for proper installation. SP2072

Universal Fan Mounting Rod SPAL universal mounting rod brackets attach directly

to the fan shroud. Manufactured from lightweight steel and plastic. Includes mounting clip. 4 required for proper installation. SP2071



Plastic Mounting Bracket

SPAL plastic fan mounting foot bracket. Four mounting brackets are required to complete proper installation. Sold individually, Available in either flat or raised design. 99 ea SP2073 flat SP2074 raised .99 ca



Billet Aluminum Fan Brackets

Use this premium billet aluminum bracket set to mount your 14" or 16" Champion or Challenger Series fan. The set features 4 adjustable side angle brackets that attach to the side flange of the radiator. Mounting hardware is included.

ME105 billet aluminum fan brackets.. 55.99 set



Universal Fan Bracket Strip Set 🔥

This bracket set is used to mount your Champion or Challenger Series fan. Install the fan's 90 degree mounting feet (included with fan) to these four 7-1/4" long strips for solid support. Mounting hardware

MF104 universal fan bracket strips 23.99 set











is included



REGAL Cooling Fans

Northern





Fan Shroud and Flectric Fan Assembly

High-quality fan shrouds and electric fans setups are available to make a complete cooling module set. These are electric fans that include an aluminum fan shroud designed to fit the Northern aluminum radiators. Assemblies include all mounting hardware and wire leads. Switch not included.

Shroud w 40084	rith Dual 16" Fan for CR5028 and CR5057	309.99 ea
40088	rith Dual 10" Fan radiator CR5028 universal	
Z40106 Z40014	rith Dual 11" Fan for 205185,205188,205195 universal universal	334.99 ea
	rith Dual 12" Fan for radiator CR5026, CR5055 for radiator CR5027	
Dual Fan 40080	Wire Harnesses harness with relay	54.99 ea
	ture Switch temp switch	64.99 ea

3640

3647



12" Electric Engine Cooling Fan Kit 🔥

Thermostatically controlled, it only operates when forced airflow is required (such as when idling, during stop and go traffic, pulling a load, driving up a grade, etc.). Can be mounted either in front or in back of the radiator. Our kit includes: one 12" fan, thermostat fan control and all mounting hardware (nothing else to buy). Note: Requires 5-1/4" clearance between radiator and water pump shaft (or belt driven fan). For extreme use, add a second fan (fan control will operate up to 2 electric fans). EF6504

74.99 ca

29 99 ca

SP2067

Syclone Electric Fan

The amazing Flex-a-lite Syclone electric fan is the most efficient S-Blade fan blade on the market! This quiet fan mounts to the core and can be used to push or pull air through the radiator. The higher torque (17 amp) motor produces 2500 cfm of air flow, making these fans strong enough to replace your belt driven fan and fan clutch to gain more horsepower and torque. The sweep style blades squeeze out the maximum air flow possible. 16-5/8" x 15-3/4" x 4" mount. Universal mounting brackets are included. FI.398 16" fan 174 99 ca



Black Magic S-Blade

If your vehicle is still running the factory engine driven fan, you're losing vital horsepower and not even getting the full cooling effect you should! By replacing your engine driven fan with an efficient electric unit, you can reduce unneeded drag on your engine to free up horsepower and improve your fuel economy. An engine driven fan can cost up to 17 HP to operate! This universal fit Flex-a-lite electric fan features computer engineered blades that are extremely quiet and efficient, and moves 3000 cfm of air to provide consistent cooling, regardless of engine RPM, Ring fans like this provide better blade support for impact resistance. This electric fan fits vehicles with 16" or wider radiator cores, and requires a mounting surface of 18" x 16" x 4-1/4" for an easy, bolt-in installation. Universal mounting brackets are included.

FI.160 344 99 ca



Fan Switch

SPAL replacement temperature fan switch. Manufactured from stainless steel, hermetically sealed and feature a 3/8" NPT. Operating switch range 35 degrees F to 480 degrees F and max current/voltage 3 amp, 32 VDC and grounded case only. SP2066 on 185°/off at 165° 44 99 ca on 195°/off at 175°

WARNING: Cancer and Reproductive Harm-www.P65Warnings.ca.gov



Improves Horsepower Extends Water Pump Life and Cools Faster! 🗥

Used as a primary fan, this unit frees up wasted horsepower and increases fuel mileage by eliminating drag caused by your standard engine mounted fan. Also increases water pump life by reducing strain on the water pump bearing assembly. When mounted in front of the radiator and used as an auxiliary fan in addition to your stock belt driven fan, this electric fan provides better cooling in any engine prone to overheating.

Single Fan - Mounted in Front of Radiator FL114 14" 14-3/4" x 14" x 3-1/4"..... 134.99 ea 16-1/2" x 16" x 3-1/4"..... 134.99 ea FL116 16" Dual Fan - Mounted Behind Radiator

FL160 15" 12" FL210





High-Performance Electric Fan

These reversible fans help prevent overheating in stopand-go traffic, designed to fit the most popular cars and trucks, increases gas mileage, improves engine performance, frees the water pump pulley for more RPM, installs in minutes with simple hand tools, 10°. 12", 14", and 16" fans are (mount in front or back of radiator). Ultra thin design to fit cramped locations. Reinforced glass filled polypropylene blade and plastic housing for minimized weight. Nylon tie mounting kit included. Nominal fan size is based upon approximate overall assembly diameter. Your choice between a straight or S-blade.

Emissions	Note: Non-e	missions	(50 state leg	al).
		ght Bl	ade	
10" x 2-1 67010	/2" 3000 RPM	7 amp	1000 cfm	35.99 ea
12" x 2-1 67012	/2" 3000 RPM	7 amp	1200 cfm	41.99 ea
14" x 4" 67014	2500 RPM			
16" x 4" 67016	2000 RPM			
	s	Blade		

55 99 ca

10" x 2-1/				
67011	3000 RPM	7 amp	1000 cfm	44.99 ea
12" x 2-1/	2"			
67013	3000 RPM	7 amp	1200 cfm	46.99 ea
14" x 4"				
67018	2500 RPM	8 amp	1650 cfm	56.99 ea
16" x 4"				
67027	2000 RPM	9 amp	2100 cfm	64.99 ea


MARADYITE *

ME 166

REGAL Cooling Fans

🕜 SPAL





High-Performance Electric Fan

SPAL electric fans are manufactured for the most demanding cooling systems. Fans feature slide-in mounting flanges, and fully sealed waterproof/dust proof electrical motors (most) that is fully tested and individually balanced during the production process to ensure maximum performance and durability. SPAL fans are designed to be mounted in various ways and will mount with many universal brackets, straps, and shrouds. Available in various sizes to best fit your application.

Note: For fan specs and more SPAL fan options please visit our website. SP2029/SP2055 do not feature the waterproof/ Puller Fan, Dual High-Performance

Puller Fans					
Dual Hig	h-Per	formance			
SP2020	11"	2720 cfm	385.99 ea		
SP2029	12"	3168 cfm	538.99 ca		
High Ou	tput				
SP2021	11"	1604 cfm			
SP2030	12"	1870 cfm			
SP2056	16"	1953 cfm	223.99 ea		
Race Curved					
SP2055	16*	2467 cfm	214.99 ca		





High-Performance Electric Fan

Your stock fan robs your engine of up to 15 or more horsepower! Replace it with a rugged, quieter than straight blade, universal fit S-blade fan equipped with an adjustable 160-240 degree F thermostat. Bolts to your radiator supports using sturdy brackets. With a heavy-duty motor, and 15" diameter, this unit pulls up to 2800 cfm of air. Amp draw: 14 amps. Mounting hardware and wiring included.

Emissions Note:

Non-emissions (50 state legal). 18" x 16-1/8" x 4-1/4" 184.99 ca 67029





Standard Flectric Fan

SPAL electric fans are manufactured for the most demanding cooling systems. Fans feature slide-in mounting flanges, and fully sealed waterproof/ dust proof electrical motors that is fully tested and individually balanced during the production process to ensure maximum performance and durability. SPAL fans are designed to be mounted in various ways and will mount with many universal brackets. straps, and shrouds. Available in various sizes to best fit your application.

Note: For fan specs and more SPAL fan options please visit our websit Puller Fan

SP2007 6-1/2" 325 cfm 88.99 ca SP2009 7-1/2" 437 cfm 88.99 ea Pusher Fan SP2008 6-1/2 325 cfm SP2010 7-1/2" 437 cfm 67.99 ea



S-Rlade Flectric Fan

These quiet fans mount to the core and can be used to push or pull air through the radiator. The high torque motor makes these fans strong enough to replace your belt driven fan and fan clutch. The sweep style blades squeeze out the maximum air flow possible. 12-5/8" x 11-3/4" x 2-5/8" Mount

FL392 12" fan 7.7 amp, 925 cfm... 119.99 ea 14-1/2" x 13-7/8" x 3-3/4" Mount FL394 14" fan 9.2 amp, 1530 cfm 124.99 ea

16-5/8" x 15-3/4" x 4" Mount FL396 16" fan 13.5 amp, 1980 cfm 154.99 ea



Champion Series Low Profile Performance Fan

These Champion Series performance fans are the lowest profile of high and medium performance fans on the market. Quiet, reversible S-blade design gives you the choice of using it as a puller or a pusher fan. Manufactured from glass filled nylon. Includes: powerful sealed motor, four 90 degree mounting feet, mating locking pigtail, and rubber spacers. Recommended wire harness, temperature switch, and adjustable thermostat sold separately.

High-Performance Fans - 3.19" Deep MF122 1565 cfm, 225 watt ... 162.99 ea 14" 2135 cfm, 225 watt ... 167.99 ea 2170 cfm, 225 watt ... 177.99 ea MF142 MF163 16"

Medium Performance Fan - 2.48" Deep ME123 121 1155 cfm, 130 watt ... 135.99 ea Medium Perfor ince Fans - 2.87" Deep 1555 cfm. 160 watt... 143.99 ea MF146 14" 16" 1810 cfm, 160 watt ... 171.99 ea MF166

MARADYITE *



Challenger Series Performance Fan 🔔

These Challenger Series performance fans are economical, yet versatile enough for high-performance or daily drivers. Ouiet, reversible S-blade design will operate as a puller or a pusher fan. Manufactured from glass filled nylon. Includes: four 90 degree mounting feet, mating locking pigtail, and rubber spacers. Recommended wire harness, temperature switch, and adjustable thermostat sold separately.

13" High-Performance Fan MF136 1560 cfm, 160 watt, 3.82" deep 112.99 ea

16" High-Performance Fans MF107 950 cfm. 160 watt. 3.87" deep 118.99 ea MF162 2200 cfm, 225 watt, 4.35" deep 125.99 ea













REGAL Cooling System



Flectric Fan Controllers

These sets are designed to operate Champion or Challenger Series electric fans. Includes: a heavy gauge wire harness, relay, weatherproof fuse, and electrical connectors

Fixed Switch Fan Controllers

MF102 with 185 degree temp. sender... 74.99 set MF103 with 195 degree temp. sender... 74.99 set diustable Switch Fan Controllers

MF100 with adj. temperature switch 74.99 set MF110 adjustable switch only...... 24.99 set



Turn your electric fan into a thermostat controlled fan! PROFORM's premium adjustable fan controller make this easy! The thread-in probe can be installed directly into the water jacket of the intake manifold. engine block, or cylinder head. The push-in probe can be installed between the fins of the radiator. Fan activation is adjustable between 150 and 240 degrees F. This fan controller is recommended for race and street applications

Emissions Note:

Non-emissions (50 state legal). 69598 thread-in probe sensor...... 47.99 ea 69599 push-in probe sensor 53.99 ea



Variable Speed Fan Controller

Turns your electric fan on and off at your desired temperature. The control is right where it belongs, in your hands Fans turn on at 60 percent power and fan speed increases as the temperature rises. You can easily adjust the activation temperature between approximately 160-240 degrees F. The fan controller includes a 1/8" NPT thread-in temperature sensor with bushing adapter. It features variable fan speed and a 40 amp rating. It works on 12 Volt systems only. FN4001 with temp sending unit 148 99 ca





Single Fan Pigtail Connector Single male fan pigtail connector for Northern or

SPAL single fans. Required when not using Northern relay harness.

Note: This same pigtail is included on Northern relay harnesses. Use part #40080 for Northern relay harness. Z40079 pigtail connector 9 99 ca



Electric Fan Controller

Includes a 70 amp relay and will work with your existing water temperature gauge, operating from the temperature sending unit already installed. A dedicated sending unit can be installed for applications without a water temperature gauge. Operating range of 150-250 degrees F and features fully programmable "fan on" and "fan off" temperature functions to suit any application. This also gives you the capability to leave the electric fan operating after the engine has been shut down for a user adjustable period of time. High-quality LED readout displays current temperature readings.

portant: Must use second relay, either part #DD2701 amp relay or #DD2702 70 amp relay for dual fan or 2-speed fan operation.

Note: It is recommended that the compact box be mounted

elay 148.99 e	a
elay 148.99 e	3
11.99 e	a
33.99 e	a
	elay 148.99 e elay 148.99 e 11.99 e

F



Fan Harness Set

SPAL wiring harness sets are a must-have when installing an electric fan. Designed to safely integrate with OEM wiring harness. Feature a waterproof 40 amp relay, stainless steel switch with optional switched override capability along with printed wires which aid in installation. Thermoswitch, fuse holder, connectors 1/2" adapter, and instructions are included. SP2068 185 degrees harness...... 118.99 set SP2069 195 degrees harness...... 125.99 set



Electric Fan Wiring Harness Dual fan wiring harness with the proper gauge and color

coordinated wire, temperature sending unit, waterproof 40 amp relays and 30 amp fuse with holder. Includes installation guide and detailed diagrams. Can be used on any positive or negative 12 Volt DC vehicle with no modifications 75095 39 99 ca

COLO-CASE

Electric Fan Relay Wiring Kit

Cold Case electric fan wiring kit for single or dual electric cooling fans. Includes thermostatic switch that turns on the fan(s) at 190 degrees F and turns them off at 170 degrees F. Operates single or dual fan setups. Includes: 12' wiring, thermostatic switch, weather resistant relay, and fan pigtail connectors.

CC46179 with thermostatic switch..... 96.99 ea



Universal Electric Fan Relay Wiring Kit

Lock down superior cooling and eliminate bothersome noise and vibration with a Champion Cooling electric fan relay kit. Featuring heavy-duty, 1 piece construction with a permanent magnet motor and computer balanced, reversible swept blades, this top-of-the-line kit enables you to run your fan as a puller or pusher. 1-year warranty



Dual Fan Wire Harness with Relay 🔥

When installing an electric engine cooling fan, a wire harness with a relay is required. This dual fan wire harness with relay will allow safe control of two fans while using either an on-off switch or an adjustable temperature sensor. Switch and sensor not included. 40080 wire harness with relay...... 54.99 ea

64 99 ca

Z18346 single wire 3/8" NPT.

REGAL Cooling System

PAINLESS



Dual Fan — Dual Activation Fan Relay Set

The dual activation cooling fan relay set by Painless Performance is exactly what you need to run dual fans off of a thermostatic switch and when your AC is on. Installation takes just a few minutes and your cooling fan will come on when the engine reaches the preset temperature of the thermostatic switch or when the AC is turned on. Set includes: three 40 amp relays with mounting bases, one fuse holder with 70 amp fuse, pre-terminated and printed wire harness, and your choice of thermostatic switch on/off temperatures (thread size: 3/8"-18NPT). 1/2"NPT to 3/8"NPT adapter, mounting hardware and insulated terminals and detailed instructions

50110		INLE	_
30117	on 185°F, off 175°F on 205°F. off 190°F		
30116	on 200°F, off 185°F	125 99	set



Electric Fan Relay

Designed as inexpensive protection for your electric fan. Provides constant voltage, protects from voltage and amperage spikes. An absolute necessity if adding an on/off switch to your electric fan circuit. Choose from the regular fan relay or the weatherproof relay which are for the harsh weather conditions, these relays provide complete protection from the elements and ensure reliable and dependable performance. These sets utilize heavy-duty waterproof relays, weatherproof circuit breaker covers and extreme condition weatherproof shrinkable crimp-on terminals.

30101	standard	25.99 set
30130	weatherproof	38.99 set
30128	weatherproof w/195°/185° switch	
30129	weatherproof w/185°/175° switch	55.99 set

Adjustable Electric Fan Thermostat Set

This set is designed to allow a wide range of temperature adjustments for your electric fan. The adjustment knob may be used to set a precise temperature desired for fan activation. The mounting bracket



is made of brushed stainless steel for good looks and durability. The complete set includes: the thermostat with bracket, a 30 amp relay, a 30 amp circuit breaker for overall protection, wiring, terminals and mounting hardware.

Specs	on Adj	ustable	Fan	7	hermostat.
Гетр	range -	32° to	248°	F	

Differen	ial: 7.3° +/- 3.6° F		
	 Temperature refers to the temp of the tube, not the coolant temp. 		Λ
30104		86.99	

PAINT ESS

Electric Fan Relay with Thermostat

The Fan-Thom II includes a threaded thermostat that screws into the engine block or manifold for a professional installation. Thermostat thread size:

185° on/175° off	43.99	set
ent Thermostats		
195° on/185° off	28.99	ca
185° on/175° off	28.99	ca
	17 Thermostats 195° on/185° off	195° on/185° off



'Ice Rox" Cooling Fan Control

This Ice Box cooling fan control setup from Ron Francis Wiring is a dual fan control can operate two fans at different temperatures or a single two speed fan at different temperatures. Adjustable operating range of approximately 140 to 23 degree F with their exclusive lug sensor that mounts under almost any engine bolt. A creative solution to reduce electrical surges on your alternator and engine. Works with or without AC request. Fan control comes complete with heavy gauge crosslinked wire heavy enough to carry the load of the cooling fans. Note: With Walker 2-speed fans.

TF900635	dual control	169.99	(

Delayed Cooling System Shutdown

Timed cooling system shutdown features adjustable relays that keep power to the cooling fan and electric water pump (if equipped) when the key is shut off. This reduces the block temperature as much as possible without the risk of killing the battery. This is a timed circuit and does not use a thermostat or other fan control to operate

TF900632 169 99 69

Cooling Fan Shutdown

This cooling fan shutdown set shuts down your electric cooling fan above 50-60 MPH to improve engine cooling by preventing the electric fan from fighting airflow through the radiator at highway speeds. The unit is adjustable and may be overridden by using the supplied dash mounted toggle switch. This set is designed to be used with the supplied signal generator which must be installed into the speedometer cable. TF900627 209 99 set



'Liquid Chill" Engine Coolant and Additive

Mishimoto's Liquid Chill is a universal, synthetic coolant that will provide premium cooling and protection for your vehicle. Liquid Chill protects from boil over to 265 degrees F and from freezing down to -26 degrees F, inhibits corrosion, and reduces operating temps. Made with propylene glycol base and unique poly organic additives to allow for extended life of 2+ years or 250,000 miles before needing service in gasoline applications. One gallon jugs are available in full strength formula or 50/50 blend. For up to 30 degrees Fcooler over just coolant alone, the universal Liquid Chill additive is available in 4 oz. bottles.

MM13065 full strength coolant	nix coolant 47.99 ea
-------------------------------	----------------------

J-B Weld Cold Weld Susa

J-B Weld is a great alternative to welding, soldering and brazing. This two part system is mixed at a ratio of 1:1, it forms a permanent bond and can be shaped, tapped, filed, sanded, ainted and drilled after curing. Cold weld will bond to most clean and dry surfaces and sets in 1-2 hours and will fully cure in 16-24 hours. Waterproof, petroleum, chemical, and acid resistant when fully cured. Non toxic and temperature resistant up to 600 degrees F. Cure color is dark gray. Made in USA.





9.99 ca 15 99 ca

Suner Coolant

SEPURPLE Purple Ice is a high-performance. synthetic, radiator coolant additive. It reduces engine heat by reducing the surface tension of the radiator fluids for improved heat transfer. Purple Ice fosters optimum coolant flow by helping to prevent formation of scale deposits in the radiator. Purple Ice is recommended for any water/glycol pressurized cooling system, including those using the traditional green silicate based glycols or the newer OAT or HOAT based glycols.

RP01600 12 oz. bottle .. 11 99 69 RP12600 case of 12 - 12 oz. bottles .. 129 99 cs



Impurities in well water can cause rust and corrosion inside the radiator water pump, and cylinder heads. Over time, this can lead to a loss of cooling efficiency. Joe Gibbs Driven Coolant System Protector stops the adverse effect of hard water to help prevent cooling system damage. 12 oz bottle IG1330















REGAL Water Pumps

Masori

1973-74 Ruick 455 Water Pumn

Keep your engine cool with this new water pump to maximize the power and performance of your Buick big block 455 cubic inch engine. This water pump is manufactured to EO specifications with quality bearings, seals, and brand new precision machined housing.

58113 1973-74



F8821

1973-87 Performance Water Pump 🔥

These "super cooling" jumps are computer designed to deliver more flow at a higher velocity. They're the ideal choice to preventoverheating in any performance whiche. Precision cast metal impellers have extra large vanes for the maximum flow rate possible, ensuring speeds. They feature a 58° pilot shaft. Choose from three popular finishes for Chevy small block engines. Emission Note: "6 Non-emission (50 states legal.")

E8811	1973-87	long			
E8821	1973-87	long	polished	399.99	ea
E88113	1973-87	long	black	336.99	ea





1978-80 Mechanical Water Pump 🔔

PROFORM's new high flow small block mechanical water pumps feature heavy-duty ball bearings for up to 40 percent more coolant flow giving you real performance value for your dollar. Aluminum construction reduces front end weight.

 Emissions Note:
 Non-emissions (508 states legal).

 67264
 1978-80
 polished long ... 117.99 ca long ... 99.99 ca long ... 99.99 ca long ... 199.99 ca long ... 117.99

 68244
 1978-80
 polished long ... 117.99

1977-85 New OE Style Water Pump With these new water

your niese new water pump pumps, the tedious search for a correct remanufactured pump is over. Each water pump is made to OE specifications with quality bearings, seals, and brand new precision machined housings.

VO			
55311	1977-87	231ci	25.99 ca
V8			
55145	1979-81	350ci, 4-15/32" hub ht	
55218	1977-87	350ci, vin R w/AC 2 line	
55115	1977-85	305ci	44.99 ca

1978-80 Chrome and Water Pump New!

Tuff Stuff cast iron standard flow water pump is handmade from premium quality new components – not remanufactured and



are quality built in the USA Frecision made ballroller bearings and spin balanced fan hub sustain higher RPMs. This new cast iron chrome water pump features a new casting with high-quality bearing and excellent scaling. This unit features the highest quality triple chrome-flush to your engine! Includes hose connector that to your engine! Includes hose connector that the property of the property

WP1449 1978-80 small block 147.99 ea



Small Block Electric Water Pump 🔥

Eliminates unnecessary weight and impeller-drag experienced at high RPM, pumps up to 3-5- gallors of water per minute, and delivers the cooling that can make the difference between a win and second place!

Durable, but lightweight die-cast aluminum, epoxy powder coated for corrosion resistance in the color of your choice. Race or street. Draws 6 amps. Mounting hardware and fitting for water pump is included.

Emistions Note:

Non-emissions (50 state legal).

black

66225BK



174 99 ca

The Original Electric Water Pump Drive Set

The electric water pump drive set was designed to alleviate the power drap produced by conventional pulley drive units. A heavy-duty electric motor, turning at approximately 1500 RPM, is more than adequate to fulfill cooling needs without draining precious horsepower from the engine. This unit can be turned on and off manually, during a run, or before and afterwards, even with engine off. The set is complete a distribution of the cooling of the set of the pulley, drive belt, wiring, and switch. You supply the fan of your choice.

MR4333 V8 and 90 degree V6 133.99 set

PARLES Solos

Electric Water Pump Relay

These relays provide maximum battery voltage to maximize cooling efficiency and to protect the main electrical system from damaging amperage overloads. Choose from a regular water pumprelay or a weatherproof water pump relay which is perfect for the hards weather conditions, this relay set provides complete protection from the elements and ensure the condition of the elements and ensure the condition of the elements and ensure the elements and the elements and ensure the elements and ensure the elements and externed condition weatherproof relays, we unexproof cloud breaker covers and extreme condition weatherproof shrinkable crimpo no terminals.



1978-87 Chrome Water Pump Pulley 🛕

Chrome single or double groove water pump pulleys for 1978-87 Regal models. Available for small block engines with long water pumps.

30.99 ea
42.99 ea
4

Warning: concerning water pump pulleys Stock replacement, aftermarket stamped steel or

Stock replacement, attermarket stamped steel or cast iron pulleys are not designed to exceed 400 horsepower or 6000 RPM. Using reproduction pulleys on engines in excess of these limits may result in catastrophic disintegration of the pulley causing severe damage to the engine, cooling system and body parts. Classic Industries* assumes no liability for damages caused by improper usage of pulleys. Please be sure to install the pulley properly to avoid damages that could occur from improper installation or exceeding the recommended RPM limitations.

REGAL Thermostat



1955-86 Water Pump Spacers These handy spacers adapt an earlier short style water

pump for proper pulley alignment in later long water pump applications. These are also great when using an aftermarket racing timing chain cover where water pump clearance is an issue. Made from satin finished aluminum. Bolts and gaskets included.

Emissions Note: Non-emissions (50 state legal).

H8207 1955-86 SB Chevrolet 110.99 set



1978-87 Water Pump to Block Gasket





1977-85 Replacement Water Neck 🔥

Replacement water neck/thermostat housing for use with 1977-85 Regal models.

154842 1977 350U, 350L 12.99 ea
154832 1982-85 305G, 305H, 305S 13.99 ea
154832 1982-85 305G, 305H, 305S 13.99 ea





1986-87 Turbo Billet

This billet thermostat housing for the Buick Grand National is CNC-machined for precision fit and maximum durability. This is a direct replacement for maximum durability. This is a direct replacement for a new high-quality a-ring, billet aluminum clamp, a satinless steel socket head screw, and washer. Sold as a set. Madc in USA.

GN111103 1986-87 Turbo V6 48 99 set

New!



1977-81 Water Pump Housing Plate 🔔

Reproduction water pump internal housing plate designed for use with various 1977-81 Buick models. Plate is manufactured in stamped steel replicating the original in quality, design, and fitment. This plate is located between the timing cover and the water pump housing. Replaces original GM part #9796349.

F922 F922	1977-80 1978	301	34.99 e
F922	1980-81	4.38	



1973-87 Silicone Thermostat Gasket 🔥

This revolutionary gasket uses an aluminum gasket body with a silicone bead around crucial areas to seal irregularities between the intake manifold and thermostat housing. Compatible with all manifold materials. Fits 1967-92 Pontia or Chevrolet engines. Emissions Note:

Mon-emissions (50 state legal)**.

738 1973-87..... 25.99 ea



Water Neck Bolt Set

Nobody likes water leaks. These premium grade bolts are engineered to properly engage the manifold threads and resist loosening. They come in your choice of black oxide finished chromoly or rustproof stainless steel, with handy 12 point or standard Hax heads. Washers included. Each set includes 3 bolts: two 1" bolts and one 2" bolt.

Black Oxide	- Chevrolet	Engines		
AR13741	12 point		7.99	sc
AR13742	Hex head		7.99	sc
Stainless - 0	hevrolet Eng	ines		
AR43741	12 point		6.99	sc
AR43742				
-				
		and a	0	

Water Neck Bolt Set

These premium grade bolts are engineered to properly engage the manifold threads and resist loosening. They come in your choice of black oxide finished chromoly or rustproof stainless steel, with handy 12 point or standard Hex heads. Washers included.

Black Oxide – Pontiac Engine

AR19742	Hex head	
AR19741	12 point	4.99 set
Stainless - F	Pontiac Engine	
AR49742	Hex head	4.99 set
AR49741	12 point	4.99 set



High Flow Thermostat

These high flow thermostats are engineered to warm the engine to a proper operating temperature without making it run hot enough to lose power. The "balance sleeve" design equalizes the pressures exerted on the thermostat, which counters the tendency of high volume water pumps to hold a thermostat closed. Fits 1967-92 Pontiae or Chevrolet engines.

emission:	(Note: W Not	t-emissions (50 state leg	aı).	
16400	1967-92			
16401	1967-92	180 degrees	38.99	c





1973-87 High-Performance Thermostat

These high-performance thermostats are designed to resist variations in cooland pressure, opening and closing only at the correct temperatures, regardless of engine RPM. Thermostats are made from brass and copper with a high grade steel frame for years of worry free operation. Fits 1967-92 Pontiac or Chevrolet engines.

Description: **One-missions** (50 state legal.**)





1983-87 V8 Thermostat Consistent control of engine temperature allows an



Water Outlet Restrictors These restrictors come in a set of three with a 5/8" 3/4"













REGAL Heating & AC







1973-87 Heater Core

Reproduction heater cores for 1973-87 Regal models with and without AC. These aluminum heater cores

fitment and function.						
CL94545	1973-77	without AC				
CL98546	1973-77	with AC				
GN110304	1978-87	with AC				
GN60027	1978-87	without AC				
GN60041	1986-86	with AC	71.99 ca			





1973-87 Heater Shut-Off Valve

The heater water shut-off valve is vacuum operated from the dash heater control. When vacuum is applied. the valve closes preventing the flow of coolant to the heater core assembly.

18495A	1976-87	plastic	13.99	ca
G12717	1975-87	plastic		
18495D	19/3-81	steet		



1977-81 Heater Control Valve

Replace your leaking or inoperative heater valve with this quality reproduction and get the warm air flowing throughout your interior once again. Reproduction heater control valve is connected inline to the heater hose and is used to provide coolant flow to the heater core H1944 1977-81 with AC 27.99 ea



1996686

1985-87 AC Door Vacuum Actuator

Reproduction air conditioning door vacuum actuator for 1985-87 Regal models. This is the actuator which is installed under the dash used to open and close the AC flap door in the heater box

1985-87





1973-87 Heater Blower Motor

Classic Industries® stocks original type heater blower motors for the applications listed below. Get your heater back to proper working order with our new blower

motors for	1973-87 mod	lels.		
E235	1973-74	all	44.99 ca	Ŀ
E235	1977	all		
E235	1982-83	all		
M1847	1982-87	all	74.99 ca	Ŀ
G2917	1973-87	all		
C2017	1095	Compress	57 00 ar	

1982-87 Heater Blower Motor

Four Seasons brand blower motor for 1982-87 Regal models. Manufactured to meet GM quality control standards to ensure long life and quality performance. Replaces OE #52498869, or Delco #15-8531. Vented style with 11/16" vent hole and 3.625" wheel height



41.99 ca

1974-87 Blower Motor Fan

Reproduction blower motor fan designed for use with 1974-87 Regal models. Each fan is manufactured to original factory specifications designed for use with short stack motor assembly. Replaces original GM part #3036721.









1977-87 Blower Fan Switch

Reproduction blower fan switches for 1977-87 models. Manufactured to factory specifications for proper replacement. 1977-83 CW/105 with AC 15.99 ea with AC 35.99 ca without AC SW3015 1977-87 SW196 1984-87



1978-87 Blower Motor Resistor Pigtail

Reproduction of the wire harness/pigtail used with heater blower motor resistor part #1571968. Includes correct wiring and pigtail replicating the original. For reproduction or original blower motor resistors. WR1430 1978-87

AUTHORIZED





1973-87 Heater Blower Motor Resistor Correctly reproduced heater blower motor resistor for

1973-81 Buick Regal models without air conditioning. Each resistor is an exact reproduction of the original GM component designed to fit and function same as the original ACDelco resistor. The blower motor resistor is responsible for controlling the speed of the fan. 9796480 1973-81 without AC...... 16.99 ea 1978-87 1571968 with AC..... 10 99 69





1973-86 Heater/AC Relay

The blower motor relay is found in the blower circuit. This relay may become inoperative due to excessive heat and electrical loads. Replace the burnt-out relay in your 1973-86 Regal with this quality reproduction. .30.99ea 19809 1973-76 4 terminal..... 19871 1982-86 4 terminal..... .12.99ea





1978-87 Heater AC Box Seal Kit

Complete rebuild kit for 1978-87 G-Body heater/AC box. This kit includes all the necessary seals and gaskets, along with a replacement air vent seal, to completely reseal your heater box. Instructions included.

ML4260 1978-87..... ... 54.99 ea



1978-87 Heater AC Box Seal Replacement heater/AC box weatherstrip seal for

1978-87 models. Located between the AC/heater box and firewall GN110876 1978-87 15 99 ca



REGAL AC & Heating





1978-87 AC/Heater Box Delete Unner Panel

AC heater box delete upper cowl panel for 1978-87 models. Installed this gives the cowl a finished, and completed look, instead of a gap on the passenger side. The top cowl panel surface features high gloss black finish and bottom is white for paint to match firewall. Hardware and instructions are included.

GN110846 1978-87..... 60 99 ca





1978-87 AC/Heater Box Delete Firewall Panel

This delete panel is designed to eliminate both the heater box and air conditioning unit from the engine bay of your vehicle. Removal of the AC unit and heater box instantly removes 30 pounds from the front of your vehicle while cleaning up unwanted engine bay clutter. Product is CNC-machined from 0.125" aluminum plate.



PINSA 1978-87 AC Delete Cover

1978-87 Buick Regal AC delete cover. Retain a fully functional heater. Delete cover is ideal for removing the bulky evaporator box from your firewall while retaining the use of both your heater and defroster. No modifications to your original firewall. Made in USA. 1978-87 179 99 ca GN1035



1978-82 Heater/AC Control Plate 🔥

A complete face lift for your heater and AC control. Comes complete with backing plate, lens, and three knobs for a complete overhaul of your existing broken unit.

GN1037 1978-82.. 41.99 ca



1982-88 Heater/AC Control Panel

This Gen IV SureFit™ control panel kit is designed to work directly with the Gen IV SureFit™ evaporator system for your vehicle. The kit includes a replacement control panel designed to bolt directly into your OEM dash along with a wiring harness and detailed installation instructions

1982-88 474150 Regal/GN 229.99 ea



1978-87 Buick Dash Air Vent Outlet 🔥

1978-87 Regal center and right side dash air conditioning vent outlet deflector.

1978-87 1255224 39 99 ca

Standard Dash Louver

This through dash louver has a 2-1/2" duct hose inlet and a 2.70" bezel diameter. Louver is chrome or black with a choice of black or chrome bezel. Louver requires a 2-1/2" round hole. Sold individually

40053 chrome louver black bezel .. 14.99 ea chrome bezel 14.99 ea black bezel .. 14.99 ea 40153 chrome louver 40353 black louver



1984-87 Dash Vent Screw Correct replacement Torx screw for the dash air outlet B11067 1984-87 2 required... 99 ca





Air Vent Swivel Ball Louver The ProLine™ Streamline round louver features an

injection molded inner ball and a black anodized or polished aluminum bezel with a 2-7/8" diameter. A 2-1/2" hose adapter is included. 490541 black ...

black and polished... 49054VUQ 63 99 ca

Under Dash Ball Louver

Under dash louver pod w/ black and chrome louver for 2-1/2* hose. Includes an under dash louver pod and a chrome ball louver with black bezel 49054VUL universal





Under Dash Louver Vintage Air under dash rectangle louver black with accents for 2-1/2" hose. Sold individually.

R49050 universal... 18 99 ea





Detrost Duct Trim Vintage Air 2 piece molded plastic defrost duct trim

set. These vents are paintable and designed specifically for use with Vintage Air universal defrost ducts. They measure 6-1/2" x 5/8". Sold in pairs. 49161 universal..... 14 99 set

Air Distribution Hose

Common air duct hose designed for use with various models. This reproduction style hose can be used to replace



the ventilation system. Will fit many makes and models. Sold individually 1234277 2-1/2" i.d. x 72" 19.99 ca













Keep Your Regal COXXX with Our Air Conditioning Sets!

Classic Industries* is excited to offer our AC restoration sets to replace the major components of the original equipment factory air conditioning system on GM G-Body models. Forget about digging through multiple listings searching for each individual part. Our sets have most everything you need to get your non-functional AC blowing cool again! Buy the Set and Save!



Compressor Plus" Features:

GN1001 1978-79 with switch

- Remanufactured AC Compressor
- Receiver/Dryer Orifice Tube

"Compressor Plus" AC Restoration Set

If you're working on a budget and your compressor is bad, our "Compressor Plus" set will get your nonfunctional AC blowing cool again. V6 3.2L

259.99 set

GN1002	1978-79	with A6 compressor	364.99 set
GN1003		with switch	
		w/o switch	
GN1006	1980-81	w/o switch	235.99 set
		V6 3.8L	
GN1002	1977-81	w/o turbo.	
		with A6 compressor	364 99 set
GN1001	1978-87	w/o turbo, with switch	259 99 set
GN1003		w/o turbo, with switch	
GN1004	1979	w/o turbo, w/o switch	235.99 set
GN1002	1980-81	with turbo	
		with A6 compressor	364.99 set
GN1005	1980-81	all, with metric threads	
		w/o turbo, w/o switch	
GN1001	1984-85	turbo with switch	259.99 set
GN1007	1986-87	turbo with	
		LTR4 compressor	264.99 set
		V6 4.1L	
GN1001	1982-84	Buick with switch	250 99 set
GITTOOT	1702 04	V8 4.3L	237.77 300
CNILOOI	1001		250.00
GN1001	1981	Pontiac with switch	259.99 set
GN1001 GN1002	1981 1981	Pontiac with switch Pontiac with	
		Pontiac with switch Pontiac with A6 compressor	
GN1002	1981	Pontiac with switch Pontiac with A6 compressor V8 4.9L	
GN1002	1981	Pontiac with switch Pontiac with A6 compressor V3 4.9L Pontiac with	364.99 set
GN1002 GN1002	1981 1979-80	Pontiac with switch Pontiac with A6 compressor V8 4.9L Pontiac with A6 compressor	364.99 set
GN1002 GN1002 GN1003	1981 1979-80 1979	Pontiac with switch Pontiac with A6 compressor V8 4.9L Pontiac with A6 compressor Pontiac with switch	364.99 set 364.99 set 210.99 set
GN1002 GN1002 GN1003 GN1004	1981 1979-80 1979 1979	Pontiac with switch Pontiac with A6 compressor VB 4.9L Pontiac with A6 compressor Pontiac with switch Pontiac w/o switch	364.99 set 364.99 set 210.99 set 235.99 set
GN1002 GN1002 GN1003 GN1004 GN1001	1981 1979-80 1979 1979 1980	Pontiac with switch Pontiac with A6 compressor V8 4.9L Pontiac with A6 compressor Pontiac with switch Pontiac w/o switch Pontiac with switch	364.99 set 364.99 set 210.99 set 235.99 set
GN1002 GN1002 GN1003 GN1004	1981 1979-80 1979 1979 1980	Pontiac with switch Pontiac with A6 compressor VB 4.9L Pontiac with A6 compressor Pontiac with switch Pontiac with switch Pontiac with switch	364.99 set 364.99 set 210.99 set 235.99 set 259.99 set
GN1002 GN1002 GN1003 GN1004 GN1001	1981 1979-80 1979 1979 1980	Pontiac with switch Pontiac with A6 compressor V8 4.9L Pontiac with A6 compressor Pontiac with switch Pontiac w/o switch Pontiac with switch	364.99 set 364.99 set 210.99 set 235.99 set 259.99 set
GN1002 GN1002 GN1003 GN1004 GN1001	1981 1979-80 1979 1979 1980	Pontiac with switch Pontiac with A6 compressor VB 4.9L Pontiac with A6 compressor Pontiac with switch Pontiac with switch Pontiac with switch	364.99 set 364.99 set 210.99 set 235.99 set 259.99 set
GN1002 GN1002 GN1003 GN1004 GN1001 GN1005	1981 1979-80 1979 1979 1980 1980	Pontiac with switch. Pontiac with A6 compressor V8 4.9L Pontiac with A6 compressor. Pontiac with A6 compressor. Pontiac with switch. Pontiac with switch. Pontiac with switch. vith A6 - metric V8 5.0L Oldsmobile with	364.99 set 364.99 set 210.99 set 235.99 set 259.99 set 341.99 set
GN1002 GN1002 GN1003 GN1004 GN1001 GN1005	1981 1979-80 1979 1979 1980 1980	Pontiac with switch. Pontiac with A6 compressor V8 4.9L Pontiac with A6 compressor. Pontiac with A6 compressor. Pontiac with switch. Pontiac with switch. Pontiac with switch. vith A6 - metric V8 5.0L Oldsmobile with	364.99 set 364.99 set 210.99 set 235.99 set 259.99 set 341.99 set
GN1002 GN1002 GN1003 GN1004 GN1001 GN1005 GN1002 GN1003	1981 1979-80 1979 1979 1980 1980 1978-79	Pontiac with switch. Pontiac with A6 compressor	364.99 set 364.99 set 210.99 set 235.99 set 259.99 set 341.99 set 364.99 set 210.99 set
GN1002 GN1002 GN1003 GN1004 GN1001 GN1005 GN1002 GN1003	1981 1979-80 1979 1980 1980 1978-79 1978-79 1978-79	Pontiac with switch. Pontiac with A6 compressor	364.99 set 364.99 set 210.99 set 235.99 set 259.99 set 341.99 set 364.99 set 210.99 set 235.99 set
GN1002 GN1002 GN1003 GN1004 GN1001 GN1005 GN1002 GN1003	1981 1979-80 1979 1980 1980 1978-79 1978-79 1978-79	Pontiac with switch. Pontiac with A6 compressor	364.99 set 364.99 set 210.99 set 235.99 set 259.99 set 341.99 set 364.99 set 210.99 set 235.99 set

Standard" Features:

 Remanufactured AC Compressor Receiver/Drver

- Evaporator Core
 Orifice Tube

"Standard" AC Restoration Set

Our "Standard" AC Restoration Set is designed to replace the most common components of the original equipment factory air conditioning system. V6 3.2L

GN2002		with A6 compressor	
GN2003		with switch	
GN2004	1979	w/o switch	325.99 set
		V6 3.8L	
GN2002	1977-81	with or w/o turbo,	
		with A6 compressor	445.99 set
GN2001	1978-85		
		with switch	
GN2003	1979	w/o turbo, with switch	315.99 set
GN2004		w/o turbo, w/o switch	
GN2005		all, with metric threads	
GN2006		w/o turbo, w/o switch	
GN2009		w/o turbo, with switch	
	1984-85		348.99 set
GN2007	1986-87		
		with LTR4 compressor	349.99 set
GN2010	1985-87		348.99 set
		V6 4.1L	
GN2001	1982-83	Buick with switch	344.99 set
GN2009	1984	Buick with switch	382.99 set
		V8 4.3L	
GN2006	1980-81		325 99 set
GN2001		Pontiac with switch	
GN2002	1981	Pontiac with	
		A6 compressor	445 99 set
		V8 4.9L	
GN2002	1978-79		445 00 cat
GN2002	1978-79	Pontiac with switch	215 00 cet
GN2003	1979	Pontiac w/o switch	
GN2001	1980	Pontiac with switch	
GN2005	1980	Pontiac with switch	J-1.77 SCL
2000		A6 - metric threads	431 99 set
GN2006	1980-81		
2000	.,.,	V8 5.0L	
CINIDOOA	1978-79		225.00
GN2004 GN2002		Oldsmobile w/switch	323.99 set
GIN2002	1979-80		445.00
		A6 compressor	445.99 set

Standard Plus" Features:

- Remanufactured AC Compressor
- AC Condenser
- Receiver/Dryer
- Evaporator Core
- Orifice Tube

"Standard Plus" AC Restoration Set

Our "Standard Plus" AC Restoration Set will replace most of the major components of the original equipment factory air conditioning system.

		V6 3.2L				V6 3.2L	
GN2001	1978-79	with switch	344.99 set			with switch	
		with A6 compressor				with A6 compressor	
GN2003		with switch		GN3003		with switch	
GN2004	1979	w/o switch	325.99 set	GN3004	1979	w/o switch	439.99 set
		V6 3.8L				V6 3.8L	
GN2002	1977-81	with or w/o turbo.		GN3002	1977-81	w/o turbo	
		with A6 compressor	445.99 set			with A6 compressor	553.99 set
GN2001	1978-85	with or w/o turbo.		GN3001	1978-85	with or w/o turbo,	
		with switch	344.99 set			with switch	
GN2003	1979	w/o turbo, with switch		GN3003		w/o turbo, with switch	
GN2004	1979	w/o turbo, w/o switch	325.99 set	GN3004		w/o turbo, w/o switch	439.99 set
GN2005	1980-81	all, with metric threads		GN3002	1980-81	turbo with	
GN2006	1980-81	w/o turbo, w/o switch	325.99 set			A6 compressor	
GN2009		w/o turbo, with switch				all, with metric threads w/o turbo, w/o switch	
GN2008	1984-85	with turbo, with switch		GN3006 GN3007		w/o turbo, w/o switch w/o turbo, with switch	
		with turbo.				with turbo, with switch	
		with LTR4 compressor	349 99 set			with turbo, with switch	430.99 Set
GN2010	1985-87	w/o turbo, with switch		G143009	1900-07	with LTR4 compressor	476.00 cat
	1,000	V6 4.1L		GN3010	1985-87	w/o turbo, with switch	
CNIDOOL	1002.02	Buick with switch	244.00	0115010	1705 07	V6 4.1L	430.77 300
GN2001 GN2009		Buick with switch		CNIZOOL	1002.02	Buick with switch	426.00
GIN2009	1904		382.99 SCI	GN3001 GN3007		Buick with switch	
		V8 4.3L		GN3007	1904		430.99 Set
GN2006	1980-81	Pontiac w/o switch				V8 4.3L	
GN2001		Pontiac with switch	344.99 set	GN3006		Pontiac w/o switch	
GN2002	1981	Pontiac with		GN3001		Pontiac with switch	436.99 set
		A6 compressor	445.99 set	GN3002	1981	Pontiac with	552.00
		V8 4.9L				A6 compressor	555.99 set
GN2002	1978-79	with A6 compressor	445 99 set			V8 4.9L	J
GN2003		Pontiac with switch	315.99 set	GN3003		Pontiac with switch	
GN2004		Pontiac w/o switch		GN3004		Pontiac w/o switch	439.99 set
GN2001	1980	Pontiac with switch		GN3002	1979-80	Pontiac with	
GN2005		Pontiac with	544.55 300	GN3005	1000	A6 compressor Pontiac with	553.99 set
G142005	1,00	A6 - metric threads	431 99 set	GN3005	1980	Pontiac with A6 - metric threads	520.00
GN2006	1980-81	Pontiac w/o switch		GN3006	1000	A6 - metric threads Pontiac w/o switch	
G. 12000	1700-01	V8 5.0L	J2J.// SCI	GN3000		Pontiac w/o switch Pontiac with switch	
			***	G143001	1700		4.00.39 SCI
		Oldsmobile w/switch	325.99 set			V8 5.0L	
GN2002	19/9-80	Oldsmobile with		GN3011	1978-79	with A6 compressor	557.99 set
		A6 compressor				with switch	
GN2010	1986-87	Oldsmobile w/switch	348.99 set	GN3013	1978-79	w/o switch	459.99 set



Super Cool" Features:

- Remanufactured AC Compressor
- AC Condenser, Receiver/Dryer
- Evaporator Core, Orifice Tube

AC Line/Hose 'Super Cool" AC Restoration Set

Our "Super Cool" AC Restoration Set will replace most of the major components of the original equipment

factory air conditioning system. Note: *With 5" pulley. **With 5.12" pulley. V6 3.2L 1978-79 A6 w/switch, metric 625.99 set 1978-79 R4 w/switch, SAE 505.99 set 1978-79 R4 w/o switch, SAE 534.99 set 1978-83 with R4 switch 521.99 set GN4012* GN4013* GN4001

GN4002	1978-81	A6 with/SAE		
GN4003	1979	R4 with switch		
GN4004*	1979	w/o switch, SAE		
GN4015*	1979	R4 w/switch, SAE	490.99	set
GN4016*	1979	R4 w/o switch, SAE	511.99	set
GN4014**	1979-80	A6 w/switch, metric	624.99	set
		V6 3.8L		
GN4011**	1978-79	A6 w/switch, metric	625.99	set
GN4012*	1978-79	R4 w/switch, SAE	505.99	set
GN4013*	1978-79	R4 w/o switch, SAE	534.99	set
GN4002	1978-81	A6 with/SAE	617.99	set
GN4001	1978-83	with R4 switch		
GN4003	1979	R4 with switch	487.99	set
GN4004*	1979	w/o switch, SAE		
GN4015*	1979	R4 w/switch, SAE		
GN4016*	1979	R4 w/o switch, SAE		
GN4014**	1979-80	A6 w/switch, metric		
GN4017*	1980	A6 w/switch, SAE	601.99	set
GN4018*	1980	R4 w/switch, metric		
GN4019*	1980	R4 w/switch, metric	521.99	set
GN4005	1980-81	w/Superheat switch	603.99	set
GN4006	1980-81	R4 w/o switch	486.99	set
GN4008	1984-85	R4 with switch	525.99	set

1985-87 R4 with switch

R4 with switch

1986-87 R4 with switch 535.99 set 1986-87 R4 w/switch, metric 521.99 set

526.99 set

525.99 set

		VO 4.1L		
GN4008	1984-85		525.99	sc
		V8 4.3L		
GN4017*	1980	A6 w/switch, SAE	601.99	set
GN4018*	1980	R4 w/switch, metric		
GN4019*	1980	R4 w/switch, metric		
GN4005	1980-81	w/Superheat switch	603.99	set
GN4006	1980-81	R4 w/o switch		
GN4008	1984-85	R4 with switch	525.99	sct
		V8 4.9L		
GN4003	1979	R4 with switch	487.99	set
GN4004*	1979	w/o switch, SAE		
GN4015*	1979	R4 w/switch, SAE		
GN4016*	1979	R4 w/o switch, SAE	511.99	sc
GN4014**	1979-80	A6 w/switch, metric		
GN4017*	1980	A6 w/switch, SAE		
GN4018*	1980	R4 w/switch, metric	486.99	set
GN4019*	1980	R4 w/switch, metric	521.99	set
GN4005	1980-81	w/Superheat switch	603.99	set
GN4006	1980-81	R4 w/o switch	486.99	sct
		V8 5.0L		
	1978-79	A6 w/switch, metric		
GN4012*	1978-79	R4 w/switch, SAE	505.99	set

GN4004*	1979	w/o switch, SAE				
GN4015*	1979	R4 w/switch, SAE				
GN4016*	1979	R4 w/o switch, SAE	511.99 sc	t		
GN4014**	1979-80	A6 w/switch, metric	624.99 sc	t		
GN4017*	1980	A6 w/switch, SAE	601.99 sc	t		
GN4018*	1980	R4 w/switch, metric				
GN4019*	1980	R4 w/switch, metric	521.99 sc	t		
GN4005	1980-81	w/Superheat switch	603.99 sc	t		
GN4006	1980-81	R4 w/o switch	486.99 sc	t		
		V8 5.0L		ı		
GN4011**	1978-79	A6 w/switch, metric				
GN4012*	1978-79	R4 w/switch, SAE				
GN4013*	1978-79	R4 w/o switch, SAE				
GN4002		A6 with SAE				
GN4001	1978-83	with R4 switch				
GN4004*	1979	w/o switch, SAE				
GN4003	1979	R4 with switch				
GN4015*	1979	R4 w/switch, SAE				
GN4016*	1979	R4 w/o switch, SAE	511.99 sc	t		
GN4014**	1979-80	A6 w/switch, metric				
GN4017*	1980	A6 w/switch, SAE	601.99 sc	t		
GN4018*	1980	R4 w/switch, metric	486.99 sc	t		
GN4019*	1980	R4 w/switch, metric	521.99 se	t		
GN4005	1980-81	w/Superheat switch	603.99 sc	t		
GN4006	1980-81	R4 w/o switch	486.99 sc	t		
GN4009	1986-87	R4 with switch				
GN4020*	1986-87	R4 w/switch, metric	521.99 sc	t		
V8 5.7L						

1986-87 Gen-IV Sure Fit Flectric Climate Control Set

The Gen IV is Vintage Air's most powerful and intelligent climate control system. The Gen IV uses an exclusive fully electronic microprocessor control system that eliminates cables or vacuum connections. Separate high capacity copper parallel flow heat coil and aluminum plate and fin cooling coils provide outstanding performance and instant temperature adjustments. Complete set includes everything in the evaporator kit, plus all underhood components such as compressor, engine brackets, condenser with brackets, preformed refrigerant lines, dryer, fittings, hardware, and installation instructions. 965085 1986-87 Grand National 2194.99 set



Universal Tinary Switch

11086

Combine low and high pressure clutch cut-off functions and electric fan engagement signal at 254 psi. The low pressure cut off of this trinary switch is 30 psi and the high pressure cut off is 406 psi.





Tinary Switch with Fan Control Vintage Air trinary switch kit for beadlock crimp

hoses. Vintage Air trinary switches feature low and high pressure compressor clutch cut off functions plus an electric fan engagement signal at 254 psi. The low pressure cut-off of these trinary switches is 30 psi and the high pressure cut off is 406 psi. Get three functions in one with Vintage Air trinary switch kit. 24678V with fan control.





Genuine GM valve core for various models originally equipped with factory air conditioning.



G9791 universal.



Chrome Dress-Un AC Service Cans 🔥

Add more chrome to your engine compartment by replacing those missing or plain black R134A AC charge port service caps with these chrome dressup caps AP0625 R134A 4.99 pr



R-12 to R-134a Set

This set provides the necessary components (except receiver/dryer) to convert your R-12 AC system to use R-134a refrigerant. Includes: an o-ring kit, 12 oz. Ester oil, service port adapters, service warning label. Receiver/dryer must be ordered separately.

Retro-Fit Set AP7134A 29.99 set



AC Hose Bubble Crimper

When you need to fabricate specially sized hoses, this easy to use bubble crimping set gets the job done at home with professional results. Includes: the crimper, crimping dies for #6 (3/8"), #8 (1/2"), #10 (5/8"), #12 (3/4") fittings and an easy storage plastic carrying case. K2469 338 99 set

GN4007 1985

GN4010

GN4009

GN4020





















1978-87 AC Hose

Replacement AC hose for non-turbo 1978-87 Regal models with R4 AC compressor. Features the correct length and fittings for proper fitment.

GN30030	1978-81	non-turbo	71.99 e
GN110925	1978-87	non-turbonon-turbo	71.99 e
GN3471	1986-87		69.99 e



1986-87 Standard Hose Kit

This standard hose kit is designed specifically for use with a complete Gen IV SureFit™ system and the stock engine compartment configuration and core support for your vehicle. The kit contains refrigerant hoses with pre-crimped beadlock fittings, along with o-rings and any necessary mounting hardware. Be sure to look at the instructions included with your evaporator kit for hose routing and installation details.

524460 1986-87 w/o factory air.... 219.99 ea



1982-88 Modified Hose Kit

This modified hose kit is designed for use with a complete Gen IV SureFit™ system in vehicles without a stock engine compartment configuration and core support. The kit contains refrigerant hoses with precrimped beadlock fittings on one end, with the other end open to accommodate a custom installation. All necessary fittings, o-rings, and mounting hardware are also included, along with detailed installation and crimping instructions.

525083 1987-88 189 99 69



1981-87

GN110777



1981-87 Heater Pipe Fitting

Intake manifold to heater pipe fitting for 1981-87 models. This is a 1/2" NPT fitting nipple that is required to install your heater/coolant line to your intake manifold. Available in aluminum black or silver anodized finish GN110776 1981-87 black .. 6 99 ca



1986-87 Coolant Lines

Reproduction stainless steel coolant lines for 1986-87 models. Available in polished or powder coated black finish. Options with or without throttle body coolant line nipple.

With Throtte	le Body Co	olant Line	
GN110788	1986-87	powder coated	95.99 pr
		Coolant Line	
GN110789	1986-87	polished	69.99 pr
CN1110700	1096 97	nowder costed	110 00 pr



Extended Length Hose Kit with Drver 📤

All Vintage Air hose kits use barrier type refrigerant hose for use with HFC-134a and R-12 refrigerants. Includes adequate hose length to connect most universal systems dryer and mounting clamps 14 assorted o-ring fittings and refrigerant oil. Includes 135 degree compressor fittings with service ports and firewall bulkhead fittings. Also includes 10' of #6 barrier hose 6' of #8 barrier hose and 9' of #10 barrier hose. 547000 with dryer ... 160 99 ca

Hose Kit without Drver

Includes adequate hose length to connect most universal systems 14 assorted o-ring fittings and refrigerant oil. Includes 135 degree compressor fittings with service ports and firewall bulk head fittings. Includes 6' of #6 barrier hose 4' of #8 barrier hose and 5'. of #10 barrier hose. Extended length kits are also available.




Extended Length Hose Kit w/o Drver 🗥

Vintage Air standard refrigeration line kit features barrier type refrigerant line for use with HFC-134a or R-12 refrigerants. Includes adequate hose to connect a complete system, all o-ring fittings, and crimp ferrules. without dryer.



1977-83 AC Receiver Drver

Replacement air conditioning accumulator tank for various 1977-83 Regal models. Also called receivers and/or dryers, these critical components capture contaminants and absorb moisture that can cause the remature failure of the compressor. Constructed of high-quality aluminum and is assembled, welded, and leak tested before packaging.





1984 AC Receiver Dryer

Replacement air conditioning accumulator tank (also called receivers and or dryers) for various 1984 GM models including non-turbo Buick Regals. GN1679 1984



1984-87 AC Receiver Dryer

Reproduction AC receiver dryer for 1984-87 Regal turbo and non-turbo models. Manufactured to factory specifications for proper fitment and function. 1984-85 3.8L with turbo 23.99 ea GN110305 GN110306 1986-87 3.8L w/o turbo 21.99 ea GN110305





Universal AC Receiver Drver

This standard drier is painted black and features a trinary safety switch along with all necessary mounting hardware. Dimensions are 2-1/2" x 6". No adapter needed.

07323 68 99 ca



1982-87 AC Condenser Set with Drver

This SureFit™ condenser set has been custom designed by our engineering team to mount directly into your vehicle. In addition to the parallel flow condenser, the set includes a receiver/dryer, a binary safety switch, and all of the necessary hardlines and hardware for mounting into a stock configured engine compartment and core support. Detailed installation instructions are also included.

R025082 1982-87 Regal. 339 99 set Grand National 339.99 set R025084 1982-87



1977 AC Condenser - 6mm

Designed and manufactured to match OEM parts. Keep your engine at the right temperature under a variety of conditions. Complete and ready for installation, no modifications required. GN6113 1977 251 99 ca



1978-80 AC Condenser - 6mm

Replacement style air conditioning condensor designed for use with 1978-80 Regal models. Each condenser is manufactured to correct factory specifications allowing replacement of the old, or non-working original. GN6286 1978-80

1978-87 AC Condenser

The condenser is part of the AC system. It receives the hot, high pressure gaseous refrigerant from the compressor and cools it to a warm liquid state. although still under high pressure. The condenser is positioned in front of the radiator so its cooling fins can be exposed to oncoming air through the grill and air pulled by the engine cooling fan. Measures: 7/8" x 15-5/8" x 27-3/8". GN6983 1978-87 113.99 ea



SuperFlow AC Condenser

Horizontal SuperFlow condenser with brackets 14" x 22" x .83". Perfect for late model cars with more grill area. Uses #8 o-ring fitting on top and #6 fitting on bottom. 03262 universal 172 99 ca





SuperFlow AC Condenser Vintage Air SuperFlow horizontal parallel flow

air conditioning condenser kit with brackets. This 14"x 25"x .83" condenser is perfect for late model vehicles with more grill area. Uses #8 o-ring fitting on top and #6 fitting on bottom. R037035 universal 183 99 ca













1982-87 Evaporator Set

The Gen IV is Vintage Air's most powerful and intelligent climate control system. The Gen IV uses an exclusive fully electronic microprocessor control system that eliminates cables or vacuum connections. Separate high capacity copper parallel flow heat coil and aluminum plate and fin cooling coils provide outstanding performance and instant temperature adjustments. Evaporator set includes the evaporator unit and mounting brackets, louvers (where required), duct hose wiring harness, new control panel, hardware and installation instructions. 1350 00 set

565085 1982-87....



1977 AC Evaporator Core

Replacement plate and fin evaporator core for 1977 Regal models. The evaporator core is where refrigerant changes state from a liquid into a gas, causing the sudden drop of temperature which is ultimately used to cool your interior. This core's application specific design meets or exceeds OE performance and efficiency, optimized for correct refrigerant flow, and includes gaskets, o-rings, or seals to properly replace the OE part.

GN6340 1977





1977-81 Thermostatic Fvanorator Switch

Quality reproduction thermostatic evaporator switch designed for use with various 1977-81 Regal models. 3039429 1977-81



1978-83 AC Fvanorator Core

Reproduction evaporator core designed for use with various 1978-83 Regal models. This core is located inside the suitcase assembly on the outer section of

the firewall 3058130 1978-83 78 99 es



1978-87 AC Fvanorator Core

Replacement plate and fin evaporator core for various 1978-87 Regal models. The evaporator core is where refrigerant changes state from a liquid into a gas, causing the sudden drop of temperature which is ultimately used to cool your interior. This core's application specific design meets or exceeds OE performance and efficiency, optimized for correct refrigerant flow. Includes: gaskets, o-rings, or seals to properly replace the OE part.

GN6516 1978-87... 80 00 ca



1977-87 Evaporator Core Expansion Tube Replacement evaporator core expansion orifice tube for numerous 1977-87 Regal models. This item is

used to at	omize the Freon in your vehicles At	. system.
Reproduc	ction	
NK364	1977-87	2.99 ca
Genuine	GM	
G2753	1977-87	7.99 ca



1976-81 Air Conditioning Compressor 🔥

These ACDelco remanufactured compressors feature mounting holes with metric threads. 57098 uses " pulley.

57098 superheat type...... 343.99 ea 57098 1980-81 superheat type....... 343,99 ea





1977-87 Air Conditioning Compressor 🔥

Remanufactured replacement R4 air conditioning compressor for various 1977-87 Regal models. This compressor includes a single V-groove clutch/pulley. Unit is designed to fit and perform exactly like the factory part and exceeds OEM parts technical specifications. 1977-87 with clutch...... 1612W1 1978-79 with clutch ... 207.99 ca





1977-87 Air Conditioning Compressor

Remanufactured AC compressors for 1977-87 models. H57096 1977-83 all 8 cylinder .. G2447 1986 305 eng. (#15-20229).. 357.99 ea G2439 1977-87 305 eng. (#15-20206) 239.99 ca G3572 1986-87 Delco#15-20230.... 280.99 ea Delco# 15-20227. 1986-87 308 99 ca



Sanden SD 709 AC Compressor



Vintage Air standard finish Sanden SD 709 air conditioning compressor with 7 groove serpentine belt pulley. The SD 709 compressor is compatible with any Vintage Air system and fits all Vintage Air brackets. It pumps 9.5 cubic inches per revolution with a maximum

6000 sustained RPM range. natural finish 244 99 ca





Sanden Style AC Compressor

AC4514N

OER® Authorized Sanden style air conditioning compressors. New, not rebuilt. The SD508 and SD507 are the most popular aftermarket compressors on the market. These replacement type compressors are available in 4 quality finishes with a double V-groove or 6, 7, or 8 groove serpentine clutch pulley. Can be

used with either R12 or R134a refrigerants.					
Natural					
AC4510N	SD508	2 groove	189.99 ca		
AC9560N	SD508	6 rib	159.99 ca		
AC4514N	SD508	7 rib	189.99 ca		
AC6698N	SD508	8 rib	189.99 ca		
AC5104N	SD507	2 groove	189.99 ca		
Chrome					
AC4510C	SD508	2 groove	199.99 ca		
AC9560C	SD508	6 rib	199.99 ca		
AC4514C	SD508	7 rib	199.99 ca		
AC6698C	SD508	8 rib	199.99 ca		
AC5104C	SD507	2 groove	199.99 ca		
Black					
AC4510B	SD508	2 groove	199.99 ca		
AC9560B	SD508	6 rib	199.99 ca		
AC4514B	SD508	7 rib	199.99 ca		
AC6698B	SD508	8 rib	199.99 ca		
AC5104B	SD507	2 groove	199.99 ca		
Polished					
AC4510P	SD508	2 groove	199.99 ca		
AC9560P	SD508	6 rib	199.99 ca		
AC4514P	SD508	7 rib	199.99 ca		
AC6698P	SD508	8 rib	199.99 ca		
AC5104P	SD507	2 groove	199.99 ca		



Sanden Style "Peanut" AC Compressor

New, not rebuilt, Sanden SD706/SD7B10 "Peanut style air conditioning compressors. The compact SD7B10 is becoming one of the most popular compressors for original equipment manufacturers or aftermarket. SD706s rob less horsepower resulting in improved fuel economy and increased performance. They feature a modern rotary internals that reduces noise and vibration. Their extremely compact design is half the weight and bulk of most OE units. With mounting ears on the front and rear and on both sides, these compressors are very easily adapted to most engines.

	10 %	00		
		0 0		
New!	100	B. O.	WIC V	
C7178P	SD7B10			
C7170P	SD7B10	2 groove	209.99	ca
	SD/B10	8 nb	209.99	ea
C7170B	SD7B10	2 groove	209.99	ca
	SD7B10	8 rib	212.99	ca
		6 rib	209.99	ca
Chrome C7170C	SD7B10	2 groove	212.99	ca
C7178N	SD7B10	8 rib	199.99	ca
C7176N	SD7B10	6 rib	199.99	
	SD7010	2 amous	100 00	an
	C7170N C7176N C7178N C7178N C7170C C7170C C7176C C7178C C7178C C7170B C7176B C7176B C7176B C7176B C7176B C7176B	CC7176N SD7B10	C7170N SD7B10 2 groove C7176N SD7B10 6 rib C7178N SD7B10 8 rib C7178N SD7B10 8 rib C71716C SD7B10 2 groove C71716C SD7B10 6 rib C71716C SD7B10 2 groove C71716B SD7B10 6 rib C71716B SD7B10 6 rib C71716B SD7B10 8 rib C71716B SD7B10 8 rib C71716B SD7B10 2 groove C7176B SD7B10 2 groove C7176B SD7B10 2 groove C7176B SD7B10 6 rib C7176B SD7B10 6 rib	CTITIN SDTB10 2 groove 199.99 CTITSN SDTB10 6 fib. 199.99 CTITSN SDTB10 8 fib. 199.99 CTITSN SDTB10 8 fib. 199.99 CTITSN SDTB10 2 groove 212.99 CTITSN SDTB10 2 groove 212.99 CTITSN SDTB10 6 fib. 219.99 CTITSN SDTB10 6 fib. 219.99 CTITSN SDTB10 6 fib. 209.99 CTITSN SDTB10 8 fib. 309.99



1986-87 Compressor "L" Bracket

Reproduction AC compressor "L" bracket for 1986-87 Buick Grand National models. Mounts from the compressor to the driver side exhaust manifold. GN110290 1986-87...





AC Compressor O-Ring Seal

Replacement o-ring or evaporator core housing seal for various GM models. This o-ring for the housing seal measures 5-1/64" x 9/64" thick. Replaces OE #s 6558587, 19188276, 2724674. Sold individually or in a pair.

pair....

24619 FS24619







AC Compressor Seal Washers

This Vintage Air seal washer set is made of highquality materials to ensure long-lasting performance, keeping you cool for years to come, while you cruise in your classic ride. If you're running a GM compressor that does not have o-ring grooves, then this Vintage Air seal washer set will do the trick for your Vintage Air system. 33600VUI









Flange Pad Seal Washer Set

Running an OEM compressor? Use Vintage Air offset flange pad seal washer set. This will fit GM A6 air conditioning compressors without o-ring grooves and offset mounting flange only. Designed for use with Vintage Air compressor adapter blocks. Vintage Air offset flange pad seal washer set helps with your OEM compressor. Fitting your GM A6 compressor with their systems is super cool and easy with this set. 33602VIII . 10.99 set flange pad set ..









and holts

045004



Do you want to use your stock compressor? Now you can, with Vintage Air compressor adapter block.
This adapter lets you connect your current setup

to the Vintage Air systems. Convert your stock to

aftermarket with Vintage Air compressor adapters.
Includes -8 AN and -10 AN adapter fittings, o-rings,



REGAL Specialty Engine Tools



Auto Troubleshooter

This ingenious tool features automatic reverse polarity indication, automatic zero adjustment for Volts and amps for accurate measurements and overload protection on all ranges. Performs all standardelectrical tests for on-car and bench troubleshooting. Locate tests for on-car and fuel systems and your starting charging system.

ACG677. 53.99 cg. 2012.





AutoAnalyzer Digital Multimeter 🔥

Pinpoint problem area and determine which components are faulty? Performs standard electrical tests for one-are and pn benche to locate faulty writing, the standard electrical tests for one-are and pn benche to locate faulty writing, and fuel systems and starting/charging system voltage. Features 19 mags and automatic zero adjustment for Volts, amps, and battery tests, as well as an easy-to-read backlit LCD. Includes: color code detachable test leads, alligator clips, and a comprehensive user manual. AC7665



Advance Timing Light This advance timing light features an all metal inductive pickup, bright Xenon flash, and one touch

control. Available with a degree dialed knob for easy timing adjustments or a digitally controlled with LED display and tachometer functions. Detailed instructions included.

mstructions		
AC7528	adjustable knob	99.99 ea
AC7529	LED display	92.99 ea



Infrared Thermometer with Laser Pointer

Aim this IR thermometer at the target, press a button, and readthe temperature display, Verify the temperature in your AC system or find an overcharge in your electrical systems. System On-Chiptechnology creates a compact, lightweight design with a measurement range of -58 degree F (5-04) degree F (5-04) degree F (5-04) and bett holster.

AC7876	 54.99 ca	



Vacuum Switch Socket

Removes and installs ported vacuum switches on most domestic and some foreign vehicles as well. Includes special 7/8° socket with cutaway slot to provide clearance for parts. Provides adequate depth to fit over switch. Heat treated alloy steel. Use with



Max-Tuff Assembly Lube

P-0	A	MOTOR BUNER
##1 MEAN	TLAST	MOTOR COATER

Motor Coater Engine Refinishing Set 🔥

KBS Motor Couter engine paint set has everything you need to do a superior job when you paint you ned to superior job when you paint you ned to the superior job when you paint you ned to the proper superior sup

thinner, gloves, a brush, and a stir stick.					
RE1036	all years	universal gloss black	64.99 set		
RE1057		universal aluminum			
RE1056		univ Daytona Yellow			
RE1035	1929-62	Chevy Gray	64.99 set		
RE1032	1955-75	Chevy Orange	64.99 set		
RE1031	1977-83	GM corporate blue	64.99 set		



AN Hex Wrench

Affordable AN Hex wrenches. Color coded for fast identification, these wrenches offer resistance to scratching hose fittings as they are being tightened and loosened.

and loosened.

Emissions Note: (§) Non-emissions (50 state legal).

Individual AN Hex Wrenches
66970C #3 - 1/2" 10.99 ca
66971C #4 - 9/16" 12.99 ca

66972C	#6 – 11/16"	12.99	
66973C	#8 – 13/16"	14.99	
66974C	#10 – 1"	19.99	
67727	3AN-8AN adjustable	40.99	ea
67728	10AN-20AN adjustable	51.99	ea
	Wrench Sets		
66978	8 piece, 1/2" - 1-3/16"	97.99	set
67729	2 piece, 3AN-8AN & 10AN-20AN	107.99	set



Engine Assembly Grease

REGAL Specialty Engine Tools



Degree Wheels

Note: *With degree wheel attachment. Emissions Note: (3) Non-emissions (50)

state legal). 66787 degree wheel set 116.99 set 66791 9" degree wheel 21.99 ea Crankshaft Turning Sockets 28 99 ca 67491* small block



Crankshaft Turning Socket Two separate sockets for turning the

crankshaft. For use with small block or big block applications. Emissions Note: (4) Non-emissions (50

state legal). 66001 small block 17.99 ea



Emissions Note: (50 Non-emissions (50 state legal) 66896 with bushing 25.99 ea



6-32, 8-32, 10-24, 10-32, 1/4-20 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13,

Metric Thread Identifiers

M4x0.7. M5x0.8. M6x1.0. M8x1.0. M8x1.25, M10x1.0, M10x1.25, M10x1.50, M12x1.25, M12x1.5. M12v1 75

Thread Detective

This precise, easy to use thread identification tool is well suited for distinguishing between similar inch and metric threads on both nuts and bolts Available in a heavy-duty plastic box or attached to a wire lanvard. Includes both metric and inch nut and bolt sizes TD700102 wire lanyard.. 39.99 set



Pushrad Taal Use this tool to check the length of

= 1707507

pushrods on small block or big block Chevrolet engines. Emissions Note: (50 Non-emissions (50

66789 w/3/8" studs -SB ... 14.99 ea 66790 w/7/16" studs - SB 14.99 ea

Engine Rotation Adanter

Crankshaft rotation adapter for Chevrolet V8 engines allows the use of a 1/2" drive breaker bar or a

1" socket and breaker bar to rotate the crankshaft when turning the engine with the balancer already installed. uissions Note: (4) Non-emissions

(50 state legal). 66782



Ton Dead Center Locator

Emissions Note: (50 Non-emissions (50 66792



Valve Spring Compressor Faster than conventional compressors

because there is no need to readjust the tool after each spring. te: When space prohibits use of co

handle, replace the handle with a bolt and turn the socket.

Y16750 compressor...... 39.99 ea



Valve Lash Wrench Set 🔥

Choose from a variety of different wrench sets for valve lash adjustments. Emissions Note: (4) Non-emissions (50) state legal).

With 1/8" Allen 46770 7/16" wrench... .. 29.99 set With 3/16" and 1/8" Allen 66778 1/2" wrench...... 29.99 set

With 3/16" and 7/32" Allen 9/16" wrench..... 27.99 set 5/8" wrench..... 27.99 set

Cam Bearing Installation Tool

Emissions Note:

Non-emissions (50) state legal) 66794 small block 92.99 set



Camshaft Installation Handle Installing a camshaft just got easier by using the right tool. Perfect tool for all

Chevrolet V6 and V8 engines. Emissions Note: (4) Non-emissions (50) state leval)

66897 V6 and V8 29 99 ea



Directly measure a variety of torque values in English and metric when tightening fasteners with this nonratcheting torque wrench. Pointer moves clockwise or counterclockwise. Easily calibrated by bending pointer to zero before use.

X2955 1/4" fixed, inch/lbs 54.99 ea X2956 3/8" fixed, inch/lbs 79.99 ea X2957 1/2" fixed, foot/lbs 69.99 ea



This tool hooks into the flywheel teeth to rotate the crankshaft. Use when working on clutches, transmissions, installing

rings, or other jobs which require the crankshaft to be in a specific position. Spring tension aids tool engagement on the flywheel.

X2270 37 99 ca



≥usa The Engine Tilter Works with standard engine hoists to

provide an additional axis to maneuver adjust the angle of the engine with a turn of the handle! The engine tilter is rated for 1200 pounds, made from steel. weighs only 14 pounds, and comes fully assembled. Includes an upper lap link and four 20" chains. Made in USA. MN2087



Mechanic's Stethoscone 🔥

Locates the source of engine noise quickly. Listen for trouble by tracing the sound of flowing water, oil, gas, or steam. Identify piston slap, worn gears, faulty valves, water pump failure, and more! The handle is completely shock resistant. Disassembles for storage. Note: Keep this tool away from moving, rotating and electrical components

X835 24 99 69



Universal Dial Indicator 🔥

These dial indicators are great for the technical or accurate engine builder. Both indicators are .001" graduation.

Emissions Note: (50 Non-emissions (50 state legal). 66062 0 to 0.250". 27.99 ca 66962 0 to 1.000" 29.99 ca



Chevrolet Engine Lift Brackets

Lift brackets were installed on the intake manifold for quick assembly ease on the production line. Installing these engine lift brackets will help make removing and installing the engine easier by providing strong lift points. Available for either big block or small block Chevrolet V8 engines. One pair required per engine. 1256601 1971-79 SB., 26,99 pr



Rocker Stud Tool

Designed for not only removing rocker studs, but aligning as well. Emissions Note: (4) Non-emissions (50) state leval)

66783 23 99 ca







66780

66781





Crate Engines from ATK



Classic Industries® dedication to bringing the highest quality products on the market, combined with ATK's industry leading warranty make these Chevy ATK crate engines an obvious choice. Available in various configurations including a complete, "Ready-to-Run" package for those who want to bolt their engine into their GM muscle car and hit the road

Important: Not for use in pollution controlled vehicles. Computer controlled vehicles may need updated chips or other modifications

Note: Special order, prepaid only. Not eligible for No Fault Gold Warranty Program.

Features a 24-Month/Unlimited-Mile Warranty! -

The ATK Mid-Dress package builds on the basics of the Base Engine, adding the distributor, a performance intake manifold, water pump, flexplate, and harmonic balancer. Add the carburetor and spark plugs and ignition wires of your choice.

350/325HP 🥖

This 350ci engine produces 325 HP and 375 lbs of torque on pump gas with the help of an duel plane intake manifold and aluminum heads. Includes: an oil pan, valve covers, timing cover, distributor. Note: Price includer a care charge of \$410.00.



Specifications: Torque: 375 ft-lb

Engine Type: Chevy small block V8 isplacement: 350ci Block: 4 bolt main Crankshaft: OE cast crank 1 piece seal Bore/Stroke: 4.030 x 3.480 Rods: OE power metal 5.700* stock bolts

Pistons: hypereutectic Rings: n Camshaft Type: hydraulic flat tappet Camshaft Lift: .465 in x .488 ex Duration @ .50: 224 in x 234 ex Heads: Dart cast iron

Chamber Size: 75cc Valve Size: 1.94 in x 1.50 ex Compression Ratio: 9.1:1 Rocker Arms: 1.5:1 stamped steel Recommended Fuel: 91+ octane Ign. Timing: 36 degrees total advance Max RPM: 5800

HP291PM 350/325HP 3770.99 ca

350/390HP Aluminum Head 🔥

This 350ci stroker engine produces 390 HP and 420 lbs of torque on pump gas with the help of an ATK duel plane manifold and aluminum heads. Includes: an oil pan, valve covers, timing cover, distributor. Note: Price includes a core



Rods: OE power metal 5.7000" stock bolts Pistons: Hypereutectic flat top Rings: mol Camshaft Type: hydraulic roller Camshaft Lift: .528 in x .536 ex Duration @ .50: 220 in x 224 ex

Heads: ATK Hi-perfromance aluminum Chamber Size: 70cc Valve Size: 2.02 in x 1.60 ex Compression Ratio: 10.1:1 Rocker Arms: Billet alum, 1.6:1 full roller Recommended Fuel: 91+ octane Ign. Timing: 36 degrees total advance Max RPM: 5800 HP89M 350/390HP ..

4884 99 ca

383/415HP Stroker 🔥

This 383ci engine with performance aluminum heads produces 415 HP and 460 lbs of torque on pump gas. Includes: an oil pan, valve covers, timing cover distributor Note: Price includes a core charge of \$410.00.



Specifications: HP- 415 Torque: 460 Engine Type: Chevy small block V8 Displacement: 383ci Block: OE 4 bolt mair Crankshaft: OE cast externally balanced Bore/Stroke: 4 040 x 3 750

Rods: Scat 4340 Forged I-beam 5.700" ARP 8740 Bolts Pistons: hyperentectic Rines: moly Camshaft Type: hydraulic roller Camshaft Lift: .528 in x .536 ex Duration @ .50: 220 in x 224 ex Heads: ATK Hi-Perform Valve Size: 2.020 in x 1.600 ex Compression Ratio: 9.7:1

Rocker Arms: 1.6:1 billet aluminum full roller Recommended Fuel: 91+ octane Ignition Timing: 34-36° total advance May **PPM** - 5800 HP94M 383/415HP 5332.99 ca

350/350HP Fitech EFI

This 350ci engine produces 350 HP and 400 lbs of torque on pump gas with the help of Fitech's FFI and cast iron Vortec heads Includes: an oil nan valve covers, timing cover, distributor.

Note: Price includes a core charge of \$410.00. Specifications: HP: 350 Torque: 400 ft lb

Engine Type: Chevy small block V8 Displacement: 350ci Block: 4 bolt main 1 piece seal Crankshaft: OE cast steel Bore/Stroke: 4.040 v. 3.480 Rods: OE power metal 5.7000" stock bolts Pistons: Hypereutectic

Pines- moly Camshaft Type: hydraulic roller Camshaft Lift: .495 in x .502 ex Duration @ .50: 220 in x 224 ex Heads: Cast iron vortec Chamber Size: 67c Valve Size: 1.94 in x 1.50 ex

Compression Ratio: 9.5:1 Rocker Arms: stamped steel 1.5:1 Recommended Fuel: 91+ octane Ign. Timing: 36 degrees total advance Max RPM: 5800 HP32C-EFI 350/350HP

Motor Mounts



1984-87 Motor Mount

If your vehicle has 50,000 miles or more, the motor mounts have been damaged or soaked with oil over a period of time, chances are they have grown weak and are in need of replacement. Damaged or broken mounts can cause a dangerous condition. These reproduction motor mounts are an inexpensive cure. Left Hand Side - 231 3.8

T83066 1984-87 8 99 ca Right Hand Side - 231 3.8 T83174 1984-87.... 8 99 69 ENERGY SENSION

1977-85 Poly Clam Shell Motor Mount Insert

Made of superior Hyper-Flex performance polyurethane material. This material is impervious to vehicle chemicals, road salt and oils. The redesigned GM "clam shell" style insert configuration allows you to insert these performance mounts into your existing metal shells

Note: Specify color when ordering, add suffix: G - black, R = red31116 36 99 69 31116 1982-85..... 36.99 ea





≥USA 1978-87 I SX Motor Mounts

UMI's LSX adapter plates bolt directly to the frame and allow the installation of any LSX engine. Part #2406 fits factory LS engine mounts and also works with UMI part #2323 solid aluminum motor mounts. UMI's LS mounts place the LS engine in the factory location with the ability to move the engine rearward up to 1". LS mounts are CNC laser cut from 3/16" thick steel with MIG welded 1/4" thick standoffs, high grade mounting hardware included. Red Motor Mounts

GN11015 1978-87..... 129.99 pr Black Motor Mounts GN11016 1978-87 129 99 pr

5654 99 ca



REGAL Engine Components



STATE A

1986-87 Stock Location Intercooler 🔥

Replacement 23 row stock location stretch intercooler with a factory style tag. Intercooler is fully polished with custom adjustable shroud, custom passenger side mounting bracket, 4 ply silicone hoses and T-bolt clamps. Core dimensions are 13-1/2" x 15-1/2" x 3", with 2-1/2" inlet and outlet pipes. Features Dutweiller style neck. The shroud on the intercooler can open up to 5-1/2" to allow even more flow at the track. On the street simply adjust it back to stock height. GN110796 1986-87 23 row 803.99 ea



MM13056



Universal Intercooler

These sleek and stylish Mishimoto universal front mount intercoolers will provide the perfect cooling capacity needed for turbo applications. These intercoolers are constructed of TIG welded 6061 aluminum with black finish to give this intercooler a sleeper look when mounted.

MM13056 Z Line 20.5"x 6.25"x 2.5" 185.99 ea MM13057 M Line 23.5"x 11.75"x 3" 279.99 ea



USA

1981-87 Fiheralass Lower Intercooler Scoon

Spoolfools reproduction intercooler scoop is for 1981-87 Buick Regal turbo models. This hand laid fiberglass scoop replaces the often damaged lower rubber portion of the scoop, Finished in black gel coat, Made in USA. Note: Scoop was originally riveted on. Need to drill out the

ove, then re-install using the provided hardware GN110609 1981-87 159.99 ca



1986-87 Intercooler Hoses

Reproduction intercooler connector hoses for 1986-87 Buick Regal Grand National. This part is a direct replacement for the stock 2", 2-1/2", and 2-5/8" hoses. GN111395 1986-87 3 8 Buick V6 39 99 set



USA Performance Harmonic Damner

Fluidampr performance harmonic balancers and dampers contain no rubber or elastomers. Instead are filled with a viscous silicone-based liquid that doesn't wear out after time. The liquid absorbs virtually all torsional harmonic vibrations at almost any frequency and constantly adjusts itself for optimum performance at all RPM ranges. Fluidampr products are made from CNC-machined and balanced steel with a black zinc chromate finish. All dampers are SFI 18.1 certified and are designed to last a lifetime without being rebuilt. Made in USA Note: Small block dampers are not for 1992 and later

LT1 engines Small Block Chevy - Internal Balance

262-350 V8 7 90 lbs 378 99 ca 7-1/4" o.d. 1720101 262-350 V8 12.2 lbs 517.99 ea



Harmonic Balancer Tools

Harmonic balancer tools for Buick, Pontiac, Chevrolet, Ford and Chrysler engines. Choose from a heavy-duty tool with roller thrust bearings and 7/16"-20, 5/8"-18 and 3/4"-16 adapters and various removal hardware, or a standard duty tool for easy installation and removal of the harmonic balancer.

Emissions Note:

Non-emissions (50 state legal). 66515 66514





Harmonic Ralancer Puller Removes balancers, pulleys, and gears with tapped

holes. A floating swivel prevents damage to the shaft end. Four slots in the yoke allow for two or three hole applications. Includes: 3/8"- 24 UNF, 5/16"-18 UNC "-16 UNC and 10mm screws for most American and imported vehicles. TX141 13 piece.





STIES A

1986-87 V6 Serpentine Aluminum Pullev Set

Reduce engine drag weight with this lightweight aluminum pulley set for your 1986-87 turbo Buick Regal, Manufactured from T-6061 aluminum available in a natural aluminum finish or black anodized. This pulley set will not only add performance to your engine but also a dress-up your engine bay. Includes all 5 pieces necessary for crank, water pump, power steering, alternator, and idler pulley.

GN110325 1986-87 natural aluminum 424.99 set GN110326 1986-87 black anodized ... 454.99 set



1986-87 Regal Turbo Belt Tensioner 🔥

Reproduction belt tensioner with pulley for 1986-87 Turbo models. Manufactured to OEM specs for exact fit and tension on serpentine belt.

GN110773 1986-87 tensioner...... 150.99 ea

1973-87 Accu-Drive® Camshaft Gear Drives

The Accu-Drive® gear system transmits power from the crankshaft gear to a full floating main idler gear which drives the camshaft gear. A unique feature of the Edelbrock Accu-Drive® system is the ability of the main idler gear to float to an optimum position between the crankshaft and camshaft gears.

Important: Not for use on stock Chevy ulic roller lifter cam equipped engin Accu-Drive® gears are not recommended for use above 7000 RPM or on computer controlled vehicles with knock sensors. On some late model small block engines, it will be necessary to check clearance behind the cam gear at the engine block at the

12 o'clock position. Make sure gear clears oil galley bosses on block when in the most rearward position. Grind or machine block for clearance Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

E7890 1973-87 Chevy small block 282.99 set















REGAL Engine Components





IAC Angle Adapter

Cruz Performance billet aluminum IAC angle adapter for 1982-87 Buick 3.8L Turbo models including Grand National, T-Type, and GNX. This adapter changes the mounting angle of the idle air control valve (IAC) for additional clearance for a larger inlet pipe diameter. Includes gasket and hardware.

GN110681 1986-87 3.8 Buick V6... 384.99 ea





Cast Timing Covers

Replacement timing chain cover for Buick V6 and V8 engines. These die-cast timing chain cover is 100% new and optimizes the OEM design, and will accommodate double roller timing chains. Crankshaft oil seal included

Emissions Note: *

Non-emissions (50 state legal). 25515465 1978-86 3.8 Buick V6 ... 121.99 ea 350 Buick V8 .. 121.99 ea 25515465 1973-77 12463334 1973-74 455 Buick V8 .. 265,99 ea



Alternator Conversion Adapter

This easy to use alternator conversion harness is designed to adapt your wire harness to upgrade your charging system with a later model, internally regulated alternator. This harness adapts external regulator harnesses to 1985 and earlier "SI" type alternators. 22.99 ca CA27555 ext. to int. reg..





SIISA

Α Α Ä Α

G13214

LS Engine Cover Kit

Take your engine bay to the next level with this customizable LS engine cover kit. Made in the USA from special temperature resistant automotive polycarbonate and features 6061 aluminum inserts. This kit is compatible with automotive paint or hydro dipping for endless customizing options. The LS engine cover kit is engineered to fit LS1, LS2, and LS3 passenger car intakes and coil packs only. Kit includes: valve covers, intake cover, cover inserts, ARP mounting hardware, billet oil filler, and aluminum standoffs.

Vote: Some tru	nming may be required. Must install aftermarket fuel rail HC2123.		
A700221	LS1	838.99	kit
A700222	LS2	918.99	kit
		918.99	
		869.99	kit
A700225	LS2/LS3 with oval inserts	918.99	kit



LS Two Piece Timing Chain Cover

This 2 piece aluminum timing chain cover will fit any LS1, LS2, LS3, LS6 engine. With 2 pieces you can change cams without taking off the harmonic balancer. Includes mounting hardware. You can reuse the cover gasket. Sold as a set. Available in polished or black. tt: Set does not include the crankshaft seal. Use G13214 LS front crankshaft seal - All LS engines. Note: Covers will not fit the LS7 engines.

	Without S	ensor Hole	
A9700127 A9700128	LS1, LS6 LS1, LS6	polished black	
A9700128	With Ser		91.99 SCI
A9700125	LS2, LS3	polished	
A9700126	LS2, LS3	black	97.99 set
	Front Cran	kshaft Seal	
	rt and water	kshaft seals seal i out. Made from	





LS30 Synthetic Oil

This LS30 synthetic 5W-30 oil is specifically formulated for high-performance LS series engines such the 6.2L LS3 or the 6.2L supercharged LSA. Using advanced synthetic-based oils, LS30 delivers high temperature and high shear protection, making it ideal for high-performance LS engines, especially those that have been Turbocharged or supercharged. JG1320 5W30 15.99 ea quart .. IG1321 5W30 case of 12 quarts.. 191.99 cs

... 26.99 ca

all LS engines .

REGAL Valve Covers









1955-80 Signature Series Valve Covers

Engineered for function and good looks, triple chrome-plated or black powder Engineered for function and good noose, tippe crome-placed or loack powder coated finish. Signature Series valve covers have stock style breather baffles that prevent oil passage to the PCV valve. These quality valve covers accept all emissions equipment including PCV valve. Rubber grommets for the breather and PCV holes are included. Matching breathers are sold separately. Important: *Fits 10 bolt heads only

Emissions Note: † 3 Non-CARB compliant (not legal for emission controlled vehicles).

Pontiac 301	-455		
E4456††	1955-86	no baffle, chrome	82.99 pr
	350 and 403		
E4485* **	1968-80	stock height, chrome	79.99 pr
Chevrolet S			
E4449††	1955-86	low profile, chrome	
E4443††	1955-86	low profile, black	54.99 pr
E4649†	1955-86	tall profile, chrome	69.99 pr
		-	



1955-86 Aluminum Valve Covers

Edelbrock made these valve covers in the late 50's, and they're still classy today. Made of heavy gauge, sand cast aluminum, they have enough height to clear the rockers. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). 1967-79 Pontiac 301-455





Classic Series Valve Covers

Edelbrock first made these valve covers in the late 1950's and they're still a classic. Made of heavy gauge, sand cast aluminum, they have enough height to clear roller rockers. Polished or black powder coated finish.

Emissions Note:

More ABB compliant (not legal for emission controlled vehicles).

More More missions (50 state legal).

1955-86 Chevrolet Small Block 262-400ci F4145*

polished

polished

black

black

E4144**

F41453*

E41443**

359.99 pr 379.99 pr with oil fill hole 345.99 pr with oil fill hole 359.99 pr













REGAL Valve Covers





USA

Buick V6 Valve Covers

Edelbrock Signature Series Valve Covers for Buick 3.8L and 4.1L V6 1977 and later. Engineered for function and styled for great looks, Signature Series valve covers have stock style breather baffles that prevent oil passage to the PCV valve. The Edelbrock Signature Series valve covers are designed for Buick 3.8L and 4.1LV 6 1977 and later applications. Engineered for function and styled for great looks, Signature Series valve covers have stock style breather baffles that prevent oil passage to the PCV valve. These quality valve covers accept all emissions equipment, including PCV valve holes. Rubber grommets for the breather and PCV valve holes are included. Matching breathers sold separately.

Note: Will not fit turbo engine

Emissions Note:

Non-emissions (50 state legal). 1977-87 3 8L/4 1L V6

F4486

70.99 pr







Flite Series II Valve Covers

Features a design that is influenced by the original Elite Series released in 1985. but with a new modern take on this classic look. They're made from heavy gauge, but with a new modern take on tins classic took. They re made from neary gauge, die-exast aluminum and are finished off with a show quality high luster polished finish. The raised fins are accented by a contrast gloss black finish between the fins for the definitive Elite Series look. Edelbrock's tall profile valve covers are 2 taller than stock, and clear most roller rockers and valvetrain components. Our low profile valve covers clear all air conditioning, alternator brackets and aluminum rockers. Overall height is measured from gasket flange to top at the highest point. Emissions Note: 3 Non-CARB compliant (not legal for emission controlled vehicles).

1955-86 Chevrolet Small Block 262-400ci F4263 tall, polished finished 180 99 nr



Fabricated Aluminum Valve Covers

A high end fabricated look for your favorite street, off-road, or racing machine without

the high end price. Lightweight and tough, these valve covers are constructed of 6061-TS sheet aluminum and precision TIG welded for a proper fit. Available in natural or black coated finishes. Mounting hardware included.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

Natural Finish 1959-86 H890010 283-400 small block 1959.86 H890010B 283-400 small block 165.99 pr





H24182

Mickey Thompson "M/T" Valve Covers

Each die-cast valve cover is precision manufactured with knock-out plugs for stock PCV (smog control) and oil fill installations. Available in either polished or krinkle black finish.

Emissions Note	: (3) Non-CARB compliant (not legal for emission controlled vei	nicles).
Small Block		
H24182	polished	237.99
LI2/1192	krinkla black	204.00



REGAL Valve Covers

Holley















Vintage Series Small Block Valve Covers

Designed to fit all 1955-86 small block Chevrolet engines with perimeter bolt patterns. Die-cast aluminum construction ensures superb detail and reduces the chance of warped valve cover flanges and oil leaks. 3-1/2" tall with pre-installed internal oil baffles on emission compliant models. Includes oil fill and PCV grommets.

Note: If your engine has non-standard valvetrain components, such as a high lift camshaft, roller tip rocker arm, higher lift ratio rocker arms, stud girdles, etc., there may be insufficient clearance.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

		nall Block 262-400	
H241240	natural	with oil fill hole	159.99 pr
H241243	natural	w/o oil fill hole	159.99 pr
H241241	polished	with oil fill hole	201.99 pr
H241244	polished	w/o oil fill hole	201.99 pr
H241242	black	with oil fill hole	



Chrome Engine Dress-Up Set

Dress-up your engine in brilliant show quality chrome with an engine dress-up set for Chevrolet small block. Set includes: valve covers, T-bolts, and retainers, breather cap, breather grommet, PCV grommet, oil dipstick and tube.

Important: Low profile valve covers clear AC and alternator brackets

Chevrolet Small Block 262-400ci T3101 low profile w/twist-on oil cap .. 64.99 set











nd.

1973-87 Valve Cover Grommet

We offer a full line of replacement valve cover grommets. These are the correct grommets which insert into the valve cover where the PCV or air cleaner to valve cover elbow is inserted. Choose from a wide variety of 6 or 8 cylinder grommets depending on your year and model.

1381487	1973-87	1-1/4" dia hole	4.99 ca
9776721	1978-84	1" dia. hole	2.99 ca



Replacement 2 layer silicone PCV hose for 1986-87

Buick Regal and Grand National models. Hose fits between the intake manifold PCV valve and hard vacuum line. Available in gloss black finish. GN110778 1986-87 13 99 ca



1973-87 PCV Valve

PCV100

It is recommended to replace your PCV valve every tune-up. Fits 1973-87 six and eight cyinder Regal models. This valve is essential in making sure your engine runs clean and smoothly.

Engines		
1975-75	3.8L fed	3.99 ea
1975-75	3.8L Calif	3.99 ea
1976-77	3.8L	3.99 ca
1978-77	3.8L-A Calif	3.99 ea
1978-78	3.8L-3, G	6.99 ea
		3.99 ca
1979-79	3.8L-2	6.99 ea
1980-82	3.8L straight	3.99 ea
	3.8L angled	6.99 ca
1982-84	4.1L	3.99 ca
1983-87	3.8L	3.99 ea
1986-87	3.8L-Turbo	6.99 ca
Engines		
1973-74	all	3.99 ca
1975-76	5.7L	3.99 ca
1977-80	5.0L	5.99 ea
1977-77	5.7L-H, J, R	3.99 ea
1977-77	5.7L-L	5.99 ea
1979-79	4.9L	3.99 ca
1980-80	4.3L	3.99 ea
1980-80	4.9L	4.99 ca
1981-81	4.3L	4.99 ca
	1975-75 1975-75 1976-77 1978-77 1978-77 1978-78 1979-79 1979-79 1980-82 1980-82 1980-82 1982-84 1983-87 1986-87 Engines 1977-70 1977-77 1977-77 1977-79 1980-80	1975-75 38.I. fed 1976-77 38.I. 1976-77 38.I. 1976-77 38.I. 1978-77 38.I. 1978-79 38.I3.G 1978-79 57.I1.G 1977-79 57.II., I.R. 1977-77 57.II., I.R. 1988-80 43.I. 1988-81 43.I.

5.0L-Y.

6 99 ca



Aluminum PCV Valve

This aluminum housed PCV valve is just what you need to finish your engine bay detailing project.

Manufactured with a 3/4" neck for 3/4" i.d. grommets. Note: Rubber grommet sold separately.

T6068	polished PCV valve	30.99 ea



Pinch Hose Clamp

For use with PCV valve hose. Correct style black pinch clamp. Most commonly used on 1961-82 vehicles on fuel and vacuum hoses. K0051 clamp 1 10 ca





≥usa 1986-87 V6 Plenum Spacer

Increase air flow with these plenum aluminum spacers for 1986-87 Grand National models, Manufactured out of T-6061 aluminum, featuring predrilled, and tapped vacuum ports. Mounting gaskets and hardware included. Note: For stock intake only.

1/2" Spacer with 2-1/8" Holes GN110328 1986-87

86.99 ea 1" Spacer with 1-1/8", 1/4", & 3/8" Tapped Holes GN110329 1986-87... 126.99 ea



PCV100



REGAL Oil/Breather Caps

1982-87 Renlacement Nil Can

High-quality service replacement twist-on style with tabs oil cap for small block engines. Produced in stamped steel with riveted handle each cap is finished in silver and supplied with a rubber seal. Replaces OE # 6410957, 12334507, or 22531828.

ENGINE OIL FILL ST10077 3 99 69

Chrome Oil Can This aftermarket style valve

cover oil filler cap features the wording OIL embossed on the top of the cap and the highest quality chrome available. Comes as a "push-in" style for a 1-1/4" diameter opening.

Emissions Note:

Non-emissions (50 state legal). 66018 push-in OIL ... 6 99 ca



1977-87 Valve Cover Breather

Reproduction valve cover breather for 1977-87 models with a small block or V6 engine. This breather element fits into a valve cover rubber grommet. 1977-87 ... 12.99 ca



1977-87 Valve Cover Breather Elbow

Reproduction valve cover breather filter elbow for 7-87 models with a small block or V6 engine. Manufactured to factory specifications for proper fitment and appearance.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). TA4040 1977-87 8 99 ca



Performance Slant Filge Breather Can

Performance 2-1/2" die-cast aluminum breather caps These push-in style breathers feature a unique Slant Edge design and are available in polished or chrome finishes to complete the look of your slant edge valve covers and air cleaner. Designed to fit 1.33" valve cover holes. Grommet not included. Emissions Note: (3) Non-CARB compliant (not legal for

emission contro	lled vehicles).		
Smooth Style			
D141850	polished		
D141851	chrome	32.99	ca



Chrome Valve Cover Breather

Your choice of any of these aftermarket style valve cover breathers. Each chrome breather and filler cap includes the highest quality chrome available for each application. Choose from "push-in", "push-on" or "twist-on" styles and breathers with or without 1/2" PCV tubes

Emissions Note: (3) Non-CARB compliant (not legal for

emission	controuea venicies).	
	PCV Tube	
66008	push-in, 3" dia., fits 1" i.d	4.99 ca
66035	push-in, 3" dia., fits 3/4" i.d	7.99 ca
66010	twist-on, 3" dia	14.99 ca
West DC	T. T.L.	

66017 T4806



Valve Cover Breather

Emissions Note: * (3) Non-CARB compliant (not legal for emission controlled vehicles).

	s breathers are die-cast aluminu	
foam elem	ent. 3 styles are available. The si	ide mount
and top me	ount breathers require drilling to	install.
E4204*	push-in style with logo	30.99 ca
E4201*	90° side mount with logo	35.99 ca
E4202*	30° top mount with logo	36.99 ca

Signature Series Signature Series inscribed breathers include rubber grommets and match the Signature Series chrome valve covers. Fit any 1-1/4" hole.

F4403 black powder coat w/o nipple 14.99 ea E4405 chrome without nipple .. 14.99 ca chrome with 90° nipple ... 14.99 ca E4410



Rall Milled Rillet Aluminum Breather Can

Ball milled billet aluminum breathers for 1-1/4" valve cover holes. Manufactured from high grade aluminum. CNC-machined, and polished to a quality finish B20920 standard 51.99 ea 52.99 ea B21920



Features:

- · Machined for a precise fit Silicone o-ring to prevent oil seepage at the
- base of breather Removable filter element for cleaning and reuse · Reduces unwanted accumulation of crankcase pressure

1986-87 V6 Turbo Valve Cover Breather

This valve cover breather assembly replaces the original oil fill tube found on the driver side valve cover of the 1986-87 Buick Regal turbo. This has a unique base which allows the installed filter to be level, much like the factory oil fill cap the unit replaces. This breather will reduce crankcase pressure which helps reduce oil seal leaks. Available for factory or aftermarket valve covers. Made in USA.

Note: This breather will reduce the effectiveness of the vehicle's PCV system, and it is NOT emissions legal. Emissions Note: Legal in U.S. (excludes California).

Push-In Style for Aftermarket Valve Cover 48.99 set GN111105 1986-87...



1986-87 Rreather Oil Fill Tube

Custom made oil fill tube for 1986-87 turbo models Designed for the stock/original valve cover. Includes a chrome-plated top breather and a silicone seal. GN110751 1986-87 left side....... 39.99 ea



1986-87 Breather Bypass Set Passenger side valve cover breather for 1986-87 Turbo

models. This breather eliminates the OEM pipe and the danger of oil going through your system. Available with a chrome-plated cap, and rubber plug to close off the Turbo inlet bell.

Note: This breather bypass kit may not be legal for sale or use on pollution controlled vehicles in California and other states

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). GN110750 1986-87 right side 24.99 ea

1984-87 Nil Fill Seal

for 1984-87 turbo models. Located on the driver side valve cover. Easy-toinstall slips onto the original oil tube. GN110745 1984-87 scal



Edulbrock

REGAL Air Cleaners

1986-87 MAF Translator

Translator box for upgrade mass air flow meter (MAF) on your 1986-87 turbo models. This device allows you to replace your factory MAF sensor with a newer style LT1 3" MAF. LS1 3-1/2" MAF, and



some others. "Plug and Play", compatible with any chip on the ECM. MAF sensor sold separately. Note: Not for use with OEM mass air flow meter (MAF). GN110848 1986-87 translator...... 199.99 ea

1986-87 Turbo MAF Flow Duct

Reproduction mass air flow duct for 1986-87 turbo models. Manufactured out of black thermoplastic rubber, reinforced with a wire helix. Also features a thicker wall than the original for increased resistance to punctures and tears. GN110291 1986-87 39 99 ca

1986-87 MAF Translator Bracket



87 Grand National models. This bracket bolts up to the driver side fender where it meets the core support. Comes EDP coated for rust prevention. GN110298 1986-87...



1984-87 Air Intake Duct

Reproduction front air intake duct to air cleaner for 1984-87 Buick Regal T-Type with 3.6 V6 engine. Replaces GM #25525539. GN111396 1984-87... 69 99 ca



Chrome Air Cleaner Shroud

Keep dirt out of your air cleaner without losing breathing capacity. Fits 14" air cleaners with 3" elements. This shroud will dress your engine compartment and compliment your chrome air cleaner. T2337 11.99 ca



Open Element Air Cleaner Lid

Excellent quality air cleaner lid will fit 14" open element air cleaners. This black reproduction will replace your original lid. KW244A black 34 99 ca

Chrome Air Cleaner

Replacement air cleaner including chrome lid. fits all with 5-1/8" necks. For 4-7/32 necks must use 66315 adapter. Emissions Note: * (3)



66815* 9" diameter... 21.99 ca 66315** 4-7/32" neck adapter .. 6 99 ca



= [20/20/25]

Low Profile Chrome Air Cleaner Aftermarket replacement air cleaner designed for anyone

who wants a low profile appearance. Includes a triple chrome-plated lid. Open element style air cleaner. Emissions Note: 3 Non-CARB compliant (not legal for emission controlled vehicles).

66804 14" dia., fits 5-1/8" neck......... 34.99 ea

Neluxe Chrome Tri-Star Air Cleaner

Each air cleaner is open element style and includes a Tri-Star wing nut on top. Available in 4 separate sizes Includes quality chromeplating for an authentic



state legal). Air Cleaner for 5-1/8" and 4-7/32" Necks 66801 14" dia., with Tri-star nut...... 34.99 ea 66802* 10" dia., with Tri-star nut... 22 99 ca 66803** 6-3/8" dia., with Tri-star nut ... 16.99 ea Air Cleaner for 2", 2-5/16", and 2-5/8" Necks dia., with Tri-star nut...... 66816 Floment element for 66801 0 00 00

1973-87 Onen Flement Air Cleaner

Replacement 6" tall air cleaner assembly which includes the base. element, and chromeplated lid. Excellent replacement for open



cleaner is not original, it gives a custom look many enthusiasts desire Note: Fits 5-1/8" neck. This air cleaner assembly is not for

use with Ram Air Emissions Note: (3) Non-CARB compliant (not legal T2286 1973-87 14" diameter...... 62.99 ea T2287 1973-87 14" x 6" element.... 21.99 ea



standard flance deen flo





Flite Series Air Cleaner

Designed to match the Elite Series valve covers and breathers. All Elite series air cleaners have polished aluminum finned tops with a black matte background. Available with or without the Edelbrock logo. All include a black anodized knurled nut and PCV adapter. For 5-1/8" carburetor necks.

Important: Use E4266 with all Edelbrock square bore carburetors and Q-jets. Note: *If using on vehicles with electric choke carb, a

spacer is required. Use part #E8092. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

Round 14" Diameter with 3" Element 165.99 ea E4268* standard flange.....

E4266 deep flange. 150 99 ca

Signature Series Air Cleaner Edelbrock

Top off your engine with a good looking Pro-Flo air cleaner. The Edelbrock signature and styling coordinate beautifully with Edelbrock Signature Series valve covers. These air cleaners are stamped from 18 gauge steel and triple



chrome-plated for a high-quality finish and good looks. They'll work with all popular 5-1/8" diameter carburetor necks. Important: Use E1121 with all Edelbrock square bore

carburetors and Q-jets. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

Round 14" Diameter with 3" Flement F1121 chrome with logo, low profile .. 41.99 ea E1223 black with logo, low profile 45.99 ea





Classic Series Air Cleaner

Available in either classic polished aluminum or durable black powder coated finish and includes a 3" medical grade, pre-oiled cotton gauze element for excellent iltration. These air cleaners work with all popular 5-1/8" necks, for all carburetors or throttle bodies. Overall height is 3.9".

	Note: (3) Non-CARB compliant (no. ontrolled vehicles).	t legal for	
E4117 E41173	polished finishedblack finish	315.99 249.99	











K& PERFORMANCE FILTERS









14" Low Profile Chrome Air Cleaner

This air cleaner provides a low profile fit by dropping the filter 7/8" or 1-1/4" below the carburetor flange. 5-1/8" flange fits all popular 4 barrel carburetors. Your choice of 4 element heights are offered to fit a wide variety of applications. Note that the 7/8" drop will fit carburetors with electric choke mechanisms. Optional vent kit, item #851190 is available and sold separately. Total height listed below is the minimum clearance needed above the carburetor flange.

vrtant: *Items marked with asterisk will not fit Edelhrock carbs with electric choke.

7/8" Drop without Vent Kit 3" element, 3.12" total ht..... 139.99 ea

001440	4 Cicilicit, 4.12 total itt		
601450	5" element, 5.12" total ht		
601460	6" element, 6.12" total ht	139.99 ea	
1-1/4" Drop without Vent Kit			
601280	3" element, 2.75" total ht	109.99 ca	
601290	4" element, 3.75" total ht		
601300*	5" element, 4.75" total ht		
601310*	6" element, 5.75" total ht	139.99 ca	



14" Raised Profile Chrome Air Cleaner

This air cleaner raises the element 9/16" above the carburetor flange. 5-1/8" flange fits all popular 4 barrel carburetors. Your choice of 4 element heights are offered to fit a wide variety of applications. Will clear HEI distributors. Vent kit is included. Total height listed below is the minimum clearance needed above

the carburetor flange.

9/16" Ra	ised Profile with Vent Kit	
601263	2-1/4" element, 3.87" total ht	139.99 ca
601264	3" element, 4.62" total ht	
601260	4" element, 5.62" total ht	139.99 ca
601270	5" element, 6.62" total ht	179.99 ea



11" Stainless Steel Air Cleaner

This air cleaner is perfect when high-performance is desired but space is at a premium. 5-1/8" flange fits all popular 4 barrel carburetors. Your choice of 4 element heights are offered to fit a wide variety of applications. vent kit is included. Total height listed below is the minimum clearance needed above the carburetor flange. Top is made of long-lasting polished stainless steel while bottom is an attractive chrome finish.

11" Diameter with Vent Kit 601170 2-1/8" element, 3.12" total ht 159.99 ea 601180 3-1/2" element, 4.75" total ht 129.99 ea 601200 5" element, 6.00" total ht... 139.99 ca 601210 6" element 7.00" total ht.. 139 99 ca



14" Triangular Chrome Air Cleaner 🔥

Breathe a little life into your engine compartment! This triangular air cleaner will set your underhood area apart from the norm. The 5-1/8" flange fits all popular 4 barrel carburetors. Element height is 3" while 3.62" is the minimum clearance needed above the carburetor flange.

14" Triangular with Vent Kit 601470 3" element, 3.62" total ht... 139 99 ca

Air Cleaner Element

A K&N air filter element can be washed up to 25 times before it is considered no longer serviceable Even though the filter may not show outward signs of deterioration it should be replaced



after 25 washings. Excessive washings will deplete the tiny cotton hairs that crisscross the openings. The resulting damage will allow tiny dust particles to pass through. The elements listed below are designed for use with our K&N chrome and

stainless steel air cleaner assemblies. Emissions Note: (4) Non-emissions (50 state legal). E1650 3" height, 14" diameter 79 99 69



XStream Air Flow Top and Assembly 🗥

If your engine still has its stock style filter element and air cleaner assembly, it most likely is not realizing its full horsepower potential. Restrictive elements combined with the turbulence inside a stock filter housing tend to choke off critical airflow Put an end to this dilemma with K&N's XSTREAM air flow top or the XSTREAM air flow assembly and feed your engine all the air it can use. The result will be maximum horsepower! Choose from the complete assembly or just add the top to your existing round filter. Either way. you'll enjoy the benefits of a high flow element that you it enjoy the benefits of a fight how element that cuts turbulence. Cleanable and reusable just like our other filters. Total height listed below is the minimum clearance needed above the carburetor flange

Air Flow Top (Top Only)				
14" red rim	159.99 ea			
XSTREAM Air Flow Assembly 7/8" Drop				
3" element (3-1/8" height)	219.99 ea			
	Air Flow Top (Top Only) 14" black rim 14" polished rim 14" blue rim 14" red rim 14" red rim Air Flow Assembly 7/8" Dro. Neck Flange) 3" element (3-1/8" height)			

XSTREAM Air Flow Assembly 1-1/4" Drop (for 5-1/8" Neck Flange) 4" element (3-3/4" height)... 179.99 ea 5" element (4-3/4" height)... 219.99 ea 663060 663070

XSTREAM Air Flow Assembly Raised 9/16" Base (for 5-1/8" Neck Flange) 3" element (4-5/8" height)... 179.99 ea 663010

4" element (5-7/8" height)... 219.99 ea 5" element (6-7/8" height)... 219.99 ea 663020 663030

Air Filter Sealing Grease K&N Air Filter Sealing

Grease seals the air cleaner assembly, eliminating the possibility of dirt, dust and other particles from entering your carburetor from between the air filter element and air cleaner assembly. This is especially



important if you will be operating your vehicle off-road or in extremely dusty conditions such as construction sites, etc. K&N Air Filter Sealing Grease resists heat and will not melt or run off. 000704



REGAL Performance Filters



PRECHARGER Filter Wrap

The K&N PRECHARGER is a specially designed filter warp made to extend the length of time between cleanings. A great idea when operating off-road or in very dusty conditions. They are made from a durable polyester material containing uniform micron openings. The PRECHARGER Sket Wilstopsmall, they are supported to the property of the



11" Diameter PRECHARGER					
	E1250P	3-1/2" height	yellow	39.99 ca	
	E1250P	3-1/2" height	other colors	44.99 ca	
	14" Diamet	er PRECHARG	ER		
	E1650P	3" height	black	44.99 ca	
		3" height	other colors		
	E3750P	4" height			
	E3750P	4" height			
	E3750P	4" height	yellow	54.99 ca	
	E3760P	5" height	red		
	E3760P	5" height	black	49.99 ca	

other colors 54.99 ea

black

44.99 ca

5" height

6" height

E3760P

E3770P




Air Filter Oil & Clean/Degreaser Set!

K&N Air Filter Oil and Cleaner/Degreaser is the only oil and cleaner/degreaser specially formulated to work in combination with the cotton fabric in the K&N filter. The use of any other could void the filter's warranty and potentially harm the air filter's cotton material. The cleaner/degreaser works to dissolve the dirt buildup and old oil filter oil and can be washed away with water. It is environmentally friendly, and when used as directed, is safe on paint, chrome, cast aluminum, plastic, rubber and vinyl. Each set includes oil, cleaner/ degreaser, and service decal. Your choice of 6-1/2 oz. aerosol spray or 8 oz. squeeze oil bottle is offered. kit w/6-1/2 oz. aerosol oil 24.99 set 995050 kit with 8 oz squeeze oil ... 16.99 set









HPR° Air Filter

Speed by Spectre HPR® (high-performance racing) air filters – the world's fastest air filters! Washable and reusable, these lifetime filters are designed to provide you with more horsepower and quicker acceleration by allowing more air flow into your engine than ordinary

paper niters.			
Round Filter -			
SP71014A	blue	41.99	c
	black		
SP71014D	white	49.99	c
Round Filter -	14" x 5"		
SP71015B	black	49.99	c
SP71015C	red	49.99	c
Oval Filter - 1	1-1/2" x 8" x 2"		
SP71016A	blue	34.99	c
SP71016C	red	39.99	c
Oval Filter - 1.	5" x 8" x 2"		
SP71017A	blue	38.99	c
SP71017C	red	38.99	c
			_



Carburetor Cover

Damage to pistons, rings and other components can be caused by accidentally dropping something into your carb while the air cleaner assembly is off. The K&N carburetor over is used on 5-18" carburetors eliminating the risk of dropping bolts, nats, screws, remained Also works well in keeping flirt, dust, and other elements out of your carb during times you must store your engine or vehicles with the air cleaner with the companion of the companio

SPECTAL







HPR® Cone Air Filter These Spectre HPR® air filters are the most versatile of their kind on the market! Designed to fit 3*, 3-1/2*, and

tubes. Washable and reusable, these lifetime filte ovide more power and performance by allowing more flow into your engine than ordinary paper filter	
-1/2" Tall Filter	40.00

10-1/2" Tall	Filter	
SP71013A		
SP71013B	black	49.99 ea
SP71013C	red	49.99 ea
SP71013D	white	49.99 ea

SPECTA

pro air



AccuCharge Precision Air Filter Oiling System

The AccuCharge precision oiling system applies the correct amount of oil for optimal performance—no more, no less. Designed specifically for cleaning and oiling of Spectre HPR® filters. As simple to use as a measuring



Cool-Air Tube Heat Shield

The Cool-Air tube heat shield features a unique lacepude sign. This unique design allows this heat shield to fit air tubes from 2-1/2* to 4* in diameter, up to 3 feet in length. Like most of Thermo-Tec's products, it blocks more than 96% of radiant heat from the exhaust blocks more than 96% of radiant heat from the exhaust blocks more than 96% of radiant heat from the exhaust blocks. Cool-Air tube heat shield includes laces in four cool colors – white, blue, red, and yellow!

TT14500 52.99 ea














REGAL Gasket Sets



Performance Head Gasket for Chevrolet Engines

Mr. Gasket head gaskets are one of the most advanced. tested and proven in the performance market today and earned the respect of many professional engine builders. A variety of gasket materials are available to meet your specific needs. Emissions Note: (4) Non-emissions (50 state legal).

Mr. Gasket Ultra-Seal

The Ultra-Seal head gasket has a five layer composite construction and is coated with high temperature silicone to ensure seal of engine fluids. It's graphite core has excellent thermo-conductivity; transfers heat away from hot spots in head to coolant passages, preventing gasket burn out. The Ultra-Seal head gasket provides excellent stability, compressibility, high temperature endurance and will not Brinell (indent) aluminum cylinder heads

.028" Comp. Thickness 71134 1977-80 305-350 4 130" hore 51 99 ca Mr. Gasket MLS (Multi-Lavered Steel) The MLS head gasket is manufactured from Viton rubber coated stainless steel layers and is stress formed

embossments seal extreme cylinder pressure. The MLS head gasket provides excellent stability and reduces cylinder bore distortion. Ideal for supercharged, turbo charged, nitrous, and extreme compression ratios.

.040" Comp. Thickness 73130 1977-87 283-350, 4,060" bore... 97,99 ea

Mr. Gasket Steel Shim The Steel Shim head gasket is manufactured from .020' steel shim stock and is stress formed embossments seal extreme cylinder pressure. Made thinner than OE head gasket, increases engine compression and coated with high temperature silicone to ensure seal

of engine fluids. te: Do not use with lightweight 305 hea

.020" Comp. Thickness 71130 1977-80 283-350, 4.100" bore... 28.99 ea Mr. Gasket Copper (Dead Soft) The Copper head gasket is manufactured from dead soft

solid copper. Provides excellent stability and reduces cylinder bore distortion and can be used with or without stainless steel o-rings. The Copper head gasket is ideal for supercharged, turbo charged, nitrous, and extreme compression ratios.

Note: Do not use with lightweight 305 heads.

.020" Comp. Thickness 71052 1977-80 283-350, 4.140" bore ... 69.99 ea



1973-87 Timing Cover Gasket Set 🥖

Correct repla applications.	Set include	396-454 Chevrolet s the timing cover	big block seals.
25505752	1973-77	350 V8	10.99 ca
1394515	1973-74	455 V8	
25505752	1975-87	3.8L/4.1L V6	10.99 ca



USA Intake Manifold Gaskets

These gaskets are matched to Edelbrock Performer, Performer RPM and Victor Jr. cylinder heads and manifolds and designed to optimize performance and flow. Made of a new micro-pore synthetic fiber composite, they are impervious to most chemicals and provide high recovery under compression. They will conform to imperfections on sealing surfaces at lower flange pressures and include a nitrile head around each port opening for a durable seal. Made in USA. Emissions Note:

Non-emissions (50 state legal).

Small Block Chevrolet 302-400 E7201 1955-86 w/1.28" x 2.09" ports 25.99 set



Freeze Plugs Avoid the chance of rusted leaking freeze plugs with this brass freeze plug set. Perfect for vehicles that sit

for long periods and are a superior material for the every day driver. Gold plugs are 1-1/2" diameter and the silver plug is 2" diameter. Emissions Note: (4) Non-emissions (50 state legal).

64812 Chevy small block 32.99 set





Makes reliable formed in place gaskets that resist cracking, shrinking and migrating. Coats precut gaskets to increase reliability. Resists auto and shop fluids. Great for use on valve covers, intake manifold end seals, timing covers, water pumps, and thermostat housings 3 oz tube

881160	red #26B	5.99 ea



Ultra Copper Gasket Maker

For use with turbo-charged engines or highperformance models. The most advanced, hitemperature silicone gasket available. Sensor safe, low odor, non-corrosive. Outstanding oil resistance and joint movement values. Temperature range -75 to 700 degrees Fintermittent. Recommended for pre-1980 six cylinder and V8 engines. Great for use on: exhaust manifolds/headers, valve covers, intake manifold end seals, oil pans, timing covers, water pumps, thermostat housings. 3 oz. tube S81878

copper #101B 5 99 00



Form-a-gasket Sealant

Slow drying, non-hardening sealant designed for sealing cut gaskets and stamped parts. Allows for easy disassembly if required. Has a temperature range of -65 to 400 degrees F. Use where sealing is more important than adhesion. Resists shop fluids and fuels. Great for valve cover gaskets and oil pan gaskets

S80016 3 oz



Super Silicone Sealant



16 99 ca

Excellent for use with all types of gaskets. A rapid curing adhesive/sealant can also be used as a sealant between flanges, hose connectors, and similar close fitting parts. 08661 clear 3 oz. tube 14.99 ea 3 oz tube

08662

REGAL Intake Manifolds



USA

Ruick 455 R-4R Manifold

A resurrection of the popular B-4B manifold made in the late 1960s for street 400-430-455 c.i.d. Buick V8's. The only change to the original design is the addition of our proven Performer-style carb pad that accepts either square-bore or spread-bore carbs, making this manifold an excellent choice for both restoration and performance-minded Buick fans. Made in USA.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle). F2515 1973-74 400-455 V8 529.99 ea



Performer Manifold

Dual plane, low rise intake manifolds with a 180 degree firing order and patented runner design. Improves torque over a wide RPM range, especially from off idle through the mid-range. There are EGR and non-EGR versions available for most GM V8s, and most intakes are 50 state street legal when used with the correct carburetor and on the correct application. Available in natural finish

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle).

	67-76 Buick Bia Blo	ock 400-455
	without EGR	
	55-86 Chevrolet	
Importan	t: Will also fit 1987 and lat wads. Will not fit Chevrolet	er stock aluminum

E2101 non-EGR 249 99 ca E3701 with EGR 329 99 ca 1987-95 Small Block w/Cast Iron Heads

heads. Will not fit Chevrolet Bow Tie or LT1 cylinder heads. E3706 with EGR 369.99 ca



Performer FPS

Runner design that is tuned for peak power around 3500 RPM on a Chevrolet 350 V8, and has a solid power range off idle to 5500 RPM

Important: Not for 1987 and later cast iron Chevrolet Bow Tie cylinder heads. Will fit 1987 and later stock aluminum cylinder heads Emissions Note: (3) Non-CARB compliant (not legal for

emission controlled vehicle). Natural Finish

E2701 non-FGR









Edelbrock Performer Buick V6 intake manifold is designed for 1979 and later street 231/252 c.i.d. (252 c.i.d. 1980-84 only) Buick V6 engines with late-model cylinder heads. Manifold will not fit pre-1979 engines. Manifold not equipped with EGR. Not compatible with C-3 and C-4 electronic fuel management systems Made in USA

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle). F5486



Performer RPM

Dual plane, high rise intake manifolds with a 180 degree firing order to produce incredible top end horsepower while retaining good throttle response. Their larger plenums and runners match free flowing exhaust, and high lift cams and other modifications of a high output engine. They are intended for high-performance street or competition engines that run up to 6500 RPM. Not for emissions controlled vehicles.

Important: Will fit cast iron Chevrolet Bow Tie cylinder heads, but will not fit 1987 and later cast iron cylinder heads. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle).

Natural Finish E7101 non-EGR square bore...... 272.99 ea



Performer RPM Air Gan

This award winning design incorporates the same race winning technology that's been used by Edelbrock competition intakes for years. The Air Gap design features an open air space that separates the runners from hot engine oil, resulting in a cooler, denser intake charge that delivers more power. RPM Air Gap manifolds are modeled after Performer RPM intakes for street power from 1500 to 6500 RPM.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle). Natural Finish non-EGR 345 99 ca

1967-76 Buick Big Block Performer Head

Edelbrock Performer RPM cylinder heads are designed for 400, 430, and 455 c.i.d. Buick engines. This cylinder head includes adjustable rocker stud and guide plate setup for use with small block Chevy style adjustable 1.6:1 ratio rockers. The large 68cc combustion chambers produce 9.2:1 compression ratio with stock pistons. Performer RPM head is perfect for daily drivers where seat-of-the-pants performance is needed. Note: Shipped overweight.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle).

60049 1967-76 68cc chambers 1474.99 ea





1955-86 SB Performer Head

Designed for 1955-86 small block Chevrolets, these heads have the same powerful design and combustion chambers as the straight plug Performer RPM heads plus an exhaust crossover passage for emissions equipment compatibility. Performer heads with 64cc combustion chambers improve performance and retain stock compression ratio on 1970 and earlier small blocks. Hardened pushrods required.

Important: When using hot air choke carburetors and Performer manifolds with these heads, choke set E1932 is required. When using stock rockers on these heads. 100° longer pushrods are required. These heads may not be used on engines with less than 4" bore except with cams having less than 450" valve lift

Note: Shipped overweight. 1955-86

Emissions Note: (1) CARB EO compliant (50 states legal). 60750 1955-86

70cc chambers .. 984.99 ea 64cc chambers .. 979.99 ea



60000



1986-87 VA Vacuum Block Off Plate 🔥

This block off plate is used when relocating the vacuum lines originally on top of the manifold to a different location. Plate includes sealing o-ring and mounting screws. Made in USA.

GN110327 1986-87 natural aluminum.. 35.99 ea

Intake Manifold Buick **Power & Emblem**

Reproduction round Power 6 emblem. Originally mounted on top of the intake manifold. Manufactured of enameled metal and coated with colors GN110882 Power 6



45 99 ca





Your Choice of Four Convenient Sets to Meet Your Specific Needs!

rtant: On small block applications, High Energy™ Cams may be used with stock valve springs and lifters. However these components must be in good operating condition. In order to protect your camshaft warranty and for maximum performance benefit, we recommend replacing stock valve springs and lifters with a high-performance set from Classic Industries®.





A — Camshaft Only The camshaft only set includes camshaft, instructions, assembly lube and decals,





R — Cam and Lifters Order the cam and lifter set to add a matched set of lifters to your camshaft.





N — Full Set Full set includes cam, lifters, timing chain and gear valve springs and retainers, valve locks, valve stem seals,

High Energy™ Cams for Your Daily Driver!

All High Energy™ designs are totally streetable cams. They will produce 10 to 30% more power than a stock cam throughout the RPM range. Each cam has a particular RPM range in which it works best. By selecting the cam that best suits your driving needs, exceptional power increases can be expected. High EnergyTM
Cams work great for everyday driving without the "bad" side effects normally found with other cams. High EnergyTM cams produce more power, are more efficient, and do not affect the engine's idle characteristics to the point of making your vehicle undriveable. High Energy™ Cams will not affect any vacuum or power accessories such as power brakes, air conditioning or steering.

Item #	Application	RPM Range	Adv. Dur.	Lift	A — Camshaft	B — Cam & Lifters	C – Small Set	D — Full Set
222002	262-400ci	800-4800	252°/252°	.425"		239.99 set	298.99 set	459.99 set
222003	262-400ci	1200-5200	260°/260°	.440"	159.99 ea	239.99 set	298.99 set	459.99 set
222004	262-400ci	1500-5500	268°/268°	.454"	159.99 ea	239.99 set	298.99 set	459.99 set





1978-87 Buick 231 C.L. & Cylinder

Hydraulic Flat Tappet Turbo Camshaft						
Good replacement	t for turbo charged	Grand Nationa	ıl.			
Item #	RPM Range	Adv Dur	Lift	Price		
GN110953A	1200-5200	260°/260°	.459"/.459"	235.99 ea		
GN110953B	1200-5200	260°/260°	.459"/.459"	325.99 set		
GN110953C	1200-5200	260°/260°	.459"/.459"	348.99 set		
GN110053D	1200 5200	260°/260°	450" / 450"	209 00 cat		



1978-87 Buick 231 C.I. 6 Cylinder

	Hydraulic Rol	ler Turbo C	amshafts	
Good performance	e upgrade for stock of	amshaft. Work:	s with factory (ste	ock) computer.
Item #	RPM Range	Adv Dur	Lift	Price
GN110954A	800-5200	258°/258°	.496"/.496"	400.99 ca
GN110954B	800-5200	258°/258°	.496"/.496"	904.99 set
GN110954C	800-5200	258°/258°	.496"/.496"	988.99 ca
GN110954D	800-5200	258°/258°	.496"/.496"	1228.99 set
Stock or afterma	rket turbo. Down pi	pe and compute	er modifications	
Item #	RPM Range	Adv Dur	Lift	Price
GN110955A	1200-5800	264°/264°	.504"/.504"	400.99 ea
GN110955B	1200-5800	264°/264°	.504"/.504"	904.99 set
GN110955C	1200-5800	264°/264°	504"/ 504"	988 99 ea

1200-5800 Performance upgrade for use with aftermarket turbo. Down pipe, intercooler preferred. Needs computer modifications or aftermarket computer.

Item#	KPM Kange	Aav Dur	Liji	Price
GN110956A	1500-6200	269°/264°	.511"/.504"	400.99 ea
GN110956B	1500-6200	269°/264°	.511"/.504"	904.99 set
GN110956C	1500-6200	269°/264°	.511"/.504"	947.99 set
GN110956D	1500-6200	269°/264°	.511"/.504"	1228.99 set

264°/264°

GN110955D

.504"/.504"

1228.99 set

MADEIN USA

E2208 1957-86









CAMS for your High-Performance Street Machine

The MagnumTM Cam is a great cam for high-performance driving in street machines. Provides 30-70% more horsepower and a rough and ready to rumble idle in small block Chevy applications. The Magnum™ will not affect power accessories, but should be used with headers. This is the perfect cam for cruising.

Xtreme Energy™ Cams are Comp Cams series of hydraulic cams. They are designed to take advantage of the latest improvements in valve train components and the newest developments in camshaft design. Xtreme Cams can be used in any street or street/strip application where both throttle response and top end horsepower are desired. Increases horsepower from 20-70% over stock.

Full Set - includes camshaft, lifters, chain set, valve springs, valve spring retainers, valve locks, valve stem seals, assembly lube, instructions and decals.

Magnum Cams					
Item # 222005D	Application 262-400ci	RPM Range 1800-5800	Adv Dur 270°/270°	Lift 470"	Price 459.99 set
222005D 262-400ct 1800-5800 2707270 .470"					
Item#	Application	RPM Range	Adv Dur	Lift	Price
222006D	262-400ci	1300-5600	262°/270°	.462"/.469"	459.99 set
222007D	262-400ci	1600-5800	268°/280°	.477"/.480"	459.99 set



Cam Specifications:

- Cam Type: Computer Controlled Hydraulic Flat Tappet
 RPM Range: 1000-5000
- Valve Timing: 0.006
- Lobe Separation: 112 degree
- Intake CenterIne: 108 degree
 Advertised Duration: 252 Intake / 260 Exhaust
- Duration @ .050* Lift: 206 Intake / 212 Exhaust
- Lift: .425 Intake / .440 Exhaust
- Lobe Lift: Intake 0.283 / Exhaust 0.293

Cams for Your Carbureted Chevrolet Small Block

If you have a late model computer controlled engine, you have to be VERY CAREFUL when selecting a high-performance aftermarket cam! The wrong cam could "throw off" the computer, spelling real trouble for your vehicle's driveability and performance. Comp Cams has engineered this line of camshafts specifically for these engines, ensuring that you get a camshaft that works WITH your computer, providing exceptional performance and driveability out of your late model 1978-80 Chevy engine! This cam is designed for carbureted 305/350ci computer controlled Chevrolet engines.

Important: This cam will work with stock valvetrain come

canshaft warranty and for maximum performance benefit, we suggest replacing the stock components with a matched set from Comp Cams. Item# Description RPM Range Adv Dur Lift Price 1000-5000



USA Performer-Link Timing Set

Performer-Link timing chain is for use with Edelbrock or stock cams. They have a solid-bushing chain for a true bearing surface that rolls with the sprockets, eliminating chain stretch Made in USA

Emission:	Note: (3) No	m-CARB compliant (not legal for emission controlled ve-	hicle).
E7829	1977-88	3.8L/4.1L V6	83.99 ca
E7828	1962-67	198/255 V6	77.99 ca
E7828	1975-79	231 BOP V6	77.99 ca
E7840	1967-76	455 V8	114.99 ea



Designed for optimum torque from the low end to the mid-range, Performer®-Plus canshaft package match with Performer" manifolds for vehicles operating from idle to 5500 RPM. They are smooth idling cams that provide for a major improvement in throttle response and torque. All camshafts include hydraulic lifters, assembly lube and instructions. Made in USA. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle)

SB Application 1979-90 231-252 .448"/.472" .. 317.99 ea Clare Colombia Compiliation

Rollin' Thunder Performer Plus Camshaft

Designed for street high-performance applications, Performer* RPM cams provide power from 1500 to \$550 RPM. These hydraulic roller lifter camshafts reduce friction, virtually eliminate break-in problems and permit higher valve velocities for increased performance. Intended for use with OEM or Edelbrock hydraulic roller lifters sold separately.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle). Rollin' Thunder Performer Plus Camshafts



265-350

Rollin' Thunder Performer RPM Camshafts

Designed for street high-performance applications, Performer® RPM cams provide power from 1500 to 6500 RPM. These hydraulic roller lifter camshafts reduce friction, virtually eliminate break-in problems and permit higher valve velocities for increased performance. Intended for use with OEM or Edelbrock hydraulic roller lifters sold separately. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle).

E2201 1957-86 283-400 234°/238 539"/ 548" 383 99 ca

Designed for street high-performance applications, Edelbrock roller lifters are intended for use with Edelbrock Rollin' Thunder Cams sold separately. Emissions Note: (4) Non-emissions (50 state legal).

small block.











252°/260° .425"/.440"... 203.99 ea



E97423

1955-86

462"/.479" ... 472.99 ea



Oil System Components



Engine Oil Cooler

Engine oil is designed to act as a coolant as well as a lubricant for your motor. If the engine oil is allowed to get too hot, horsepower drops, varnishes form, and the oil starts to break down, which can lead to premature engine wear. Flex-a-lite heavy-duty oil coolers can help prevent this by keeping oil temperatures down, helping to ensure longer-life to engines and components, and reduce the stress created by high-performance engine modifications. Also suitable as a heavy-duty transmission fluid cooler. Includes -8, -10, and -12 interchangeable AN fittings with o-rings. rtant: Depending on application and setup, additi

fittings or adapters may be required. Note: Dimensions: width = 11"; depth without fan = 1-3/4", with fan = 4-1/4"; variable height, see height below in the line listings. *Dual 6-1/2" fans.

7/8" -14 Fine Thread Fitting				
Without Fa	n			
FL500007		7 row	274.99 ea	
FL500021		21 row		
FL500028	10*	28 row	394.99 ca	
With Fan I				
FL700021		21 row, w/6.5" fan		
FL700032	11"	32 row, w/10" fan	654.99 ea	
FL700040*	14"	40 row, w/6.5" fans	789.99 ea	

MISHIMOTO



V8 Nil Cooler

Protect and enhance your muscle car or truck with this Mishimoto oil cooler set. Sets feature a large 19 row oil cooler that mounts in the front bumper for maximum airflow and cooling efficiency. Includes: mounting brackets, pre-assembled lines, fittings, oil sandwich plate, and installation hardware. Available in silver or

DIACK HIHISH.			
	-in Thermostat		
	silver		
MM13069	black	458.99 set	
With Built-in			
	silver		
MM13071	black	512.99 set	

Nil Pressure Switch Socket

Easily remove oil pressure sending units! This socket designed with extra recess to accommodate most oil pressure switches and many brake lamp switches. This 3/8" drive socket features a 1-1/16" Hex opening and a durable black oxide coating. 6 99 ca X3923



Oil Catch Can

Protect your muscle car or truck from potentially harmful oil blow-by with this oil catch can by Mishimoto. Internal baffles within the catch can trap the oil and moisture in the gasses coming from the PV valve while recycling the gases back into your engine thus preventing sludge build-up. The 16 oz. catch can is made from aluminum and can be mounted virtually anywhere under your hood with the included hardware MM13063 black 107 99 set MM13064 carbon fiber.....



An oil catch tank works as a filter for the PCV system. reducing emissions and carbon buildup. This fabricated aluminum tank includes mounting tabs, barbed inlet/ outlet fittings, a drain plug, and a sight glass to let you know when it is full. 25051 round 17 oz. tank w/breather filter.. 89.99 set

1977-87 Ail Pumn Replace your oil pump with a

reproduction service replacement. Each pump is a correct replacement for engines with rear sump oil pan. Although this oil pump is not original, it is reliable and will offer years of service. T50029 1977-87 small block...

1977-87 SB Oil Pump Intake Screen

41.99 ca

Replacement screened oil pump pickup protects the oil pump gears against damage from metal fragments which may have found there way into the oil pan. The pickup also prevents the formation of a vortex in the oil sump. For

3855152 1977-87 small block Chevy.. 10.99 ea

Chevrolet small block engines. 1973-77 Oil Pressure Elbow

Reproduction engine oil pressure elbow for various 1973-77 Buick models. This is the 45° brass elbow that screws into the block. This is the correct GM type elbow that mounts the sending unit at the proper angle. GN111439 1973-77 24.99 ca

Oil Pan Battery Cable Clip OER® reproduction oil pan

battery cable clip. Installs between the oil pan bolt and the oil pan to guide the battery cable to the starter. C2555 6 99 ca

Turbocharger Oil Line

These are oil feed lines to the turbocharger. Original Material BUP1022 198 1980-83 Regal 1/4" line 19.99 ea BUPIO37 1 piece.. 25.99 ea 1982 GN 1984-85 Regal 1984-85 GN 2 piece.. 19.99 pr 2 piece.. 19.99 pr BUP1027 BUPI027T GN 1 piece.. 19.99 ea BUP1014 1986-87 BUPI014 1986-87 T-Type 1 piece.. 19.99 ea Stainless Steel

BUP1027

1980-83 Regal GN 1/4" line 24.99 ea BUP1037S 1982 1 piece.. 39.99 ea 2 piece.. 25.99 ea BUP1027S 1984-85 Regal GN 2 piece.. 25.99 ea 1 piece.. 29.99 ea BUP1027TS 1984-85 BUP1014S 1986-87 GN BUP1014S 1986-87 T-Type 1 piece.. 29.99 ea



Turbocharger Oil Cooler Line

These go from the engine to the radiator. The 1986-87 oil cooler lines are high pressure hoses with stainless steel ends and fittings and are sold as a set of 2. Original Material BUP1058

1978-80 Regal line 79.99 ea Stainless Steel line..... Regal GN hose.... 129.99 set BUP1062S 1986-87 1986-87 T-Type hose.... 129.99 set BUD1062S

Magnetic Oil Pan Drain Plug

A magnetic drain plug is cheap insurance for a high-performance engine. This plug will catch and hold small pieces of metal before they cause damage. Fits all V8 engines. 1/2"-20 magnetic. Emissions Note: (A) Non-emissions (50 state legal). ML17000 Milodon 6 99 00



1986-87 Turbo Oil Drain Pine

Reproduction flexible oil drain pipe for 1986-87 Buick models with 3.8 turbo engine. This is the original style drain tube that comes from the turbo back to the

block, so the turbo has fresh, cooler oil to lubricate it's bearings. Gasket is available separately. 14061 1096 97 tube .. 14962 1986-87 gasket.. 5.99 ea

1140

1982-87 Turbo Oil Drain Pine Fitting 🔥

Reproduction brass oil drain tube adapter fitting for use with 1982-87 Buick Regal with 3.8 turbo engine. This adapter fitting screws into the block and adapts the drain tube to the block. This fitting is commonly stripped out and in need of replacement. Original GM part #1259890.

20 99 ca

1982-87

A8700119

Oil and Oil Filters

1973-77 Engine Oil Dipstick Reproduction engine oil level dipstick for 1970-81

Buick models with 350-455 Buick engines. This hard-to-find reproduction duplicates the original in fit and appearance for a correct replacement. Features correct handle with blue tip. Length is 22-1/2"

GN111440	1973-81	19.99 ea



Reproduction stainless steel oil dipstick tube for 1986models. Manufactured from 304 stainless steel, EPD coated for rust and prevention. GN110774 1986-87 dipstick. 49 99 ca

The second second	



1986-87 Oil Indicator Handle

Reproduction oil dipstick handle for 1986-87 Grand National, Turbo Regal models. Manufactured to factory specifications, feature black print, Handle is secured by roll pin onto dipstick.

GN110371 1986-87 engine oil...... 45.99 ea GN110372 1986-87 trans oil...... 45.99 ea





FilterMag Oil Filter Magnet

2.50" tall.

67.99 ca

FilterMag's powerful rare earth magnets trap and hold wear inducing metal particles smaller than 40-microns down to 1-micron that the filter cannot stop. The super strong magnetic force holds FilterMag to the canister. FilterMags are reusable and will reduce maintenance costs by extending the life of your oil. Fits steel oil filter canisters from 2.9" to 5.5" in diameter. Flat style FilterMags are also available for automatic transmission pans and differential covers. 1.90" tall.....

FSS300 **Nil Filter**



2.90"-3.20"

3.50"-3.80"

caps are used instead of paper to ensure that no unfiltered oil can get back into the system. High volume positive oil flow with low restriction coupled with exacting engineering standards results in the right balance between engine protection and low oil pump drag. 305 V8...... 15.99 ca HP2002 1978

ACDelco Oil Filters 8 Cylinder Genuine ACDelco oil filters for 1973-

87 Regal models. Designed with a steel core and a traditional mounting plate, each filter offers enhanced efficiency and consistent flow management to provide exceptional filtering performance for classic vehicles Features a anti-drain back valve to keep the oil cooler full of oil (on cooler equipped vehicles). This way oil is in the cooler upon start up without waiting for the cooler to refill and pressurize.

V6			-
PF46	1975-76	231, 3.8L	5.99 ca
PF47	1977-87	231, 3.8L	6.99 ea
PF52	1982-86	260, 4.3L	5.99 ca
V8			
PF24B	1973-76	all	
PF24B	1977	403 4 bbl	
PF24B	1977	350 2 bbl vin H	
PF24B	1977	350 4 bbl vin J-R	
PF47	1979-80	301 4 bbl	6.99 ea
PF47	1979	301 2 bbl	6.99 ea
PF47	1980-81	265 2 bbl	6.99 ea

Chrome Oil Filter Cover

Add protection to your filter while achieving a high-performance look! The same concept as the aluminum versions, this chrome-plated beauty installs quickly and looks great. Each cover includes triple chrome-plating for an extra bright finish. 3-11/16' id x 5-3/16" tall T1067

Oil Filter Relocation Kit

Cruz Performance oil filter relocation kit with filtered turbo oil feed line for 1982-87 Buick Turbo models including Grand National, T-Type, and GNX. This kit relocates

the oil filter to a more accessible location which increases the volume of filter oil and lowers the oil temperature. GN110680 1986-87 3.8 Buick V6 .. 384.99 ea



Pour Boy All Purpose Filler Spout 🔥 Pour Boy all purpose filler spout takes the place of

funnels. Its unique, multiple thread design fits a variety of containers from oil bottles to antifreeze, windshield washer fluid to gas treatments, all with an airtight seal! Flow of the fluid is easily controlled by simply bending the spout. No more mess, no more fuss, and no more funnels! 3 per package. RM1003

Swivoil Filter Wrench

Hard to reach oil filters will come off easily with this swivel handle oil filter wrench. Swivel tension is adjusted easily using the nut and bolt on the handle X3082 3-1/2" to 3-7/8" 11 99 ca

High-Performance Synthetic Engine Oil Delivers superior protection and improves

performance in four cycle gasoline and diesel engines. Increase horsepower and torque, save fuel and reduce heat, wear and emissions! It has unsurpassed oxidation stability that allows for extended oil drains and fewer oil changes, which saves time, money and reduces the impact on the environment. Royal Purple's motor oils for passenger cars and trucks are API licensed. Performance advantages come from a blend of synthetic oils plus Royal Purple's proprietary Synerlec technology. Compatible with

RP01530 other mineral and synthetic motor oils.

Quarts			4
RP01030	SAE30	quart	11.99 ea
RP01520	5W20	quart	9.99 ea
RP01530	5W30	quart	9.99 ea
RP01130	10W30	quart	9.99 ea
RP01140	10W40	quart	9.99 ea
RP01250	20W50	quart	9.99 ea
Break-In (
RP11487	break-in	quart	10.99 ea
RP11497	break-in	case of 12 quarts	125.99 cs



9.99 ca



High-Performance Oil

Joe Gibbs Driven HR Oils build on our original formula while adding critical additives to protect engines when they are not running. It protects against rust and corrosion so your engine is protected even when it's not running. It features higher levels of zinc than regular passenger car oils to deliver proper anti-wear protection

Hot Rod and Historic Racers Conventional Oil				
HR2006		quart	9.99 ea	
HR2007	10W30	case of 12 quarts	119.99 cs	
HR2106	15W50	quart	9.99 ca	
HR2107	15W50	case of 12 quarts	119.99 cs	

Hot Rod/Vintage/Classic High-Performance Synthetic Engine Oil 13 99 69 case of 12 quarts... 167.99 cs HR1507 10W30 HR1606 15W50 13 99 ca quart HR1607 15W50 case of 12 quarts... 167.99 cs

Break-In Oil

BR107

011010 BR is used by Joe Gibbs Racing to break-in and dyno all their NASCAR Nextel Cup and Busch Series engines. This petroleum based oil provides superior break-in properties for flat-tappet engines. The special additive package promotes ring seal and provides maximum protection for cams and lifters during initial break-in. BR can also be used to break in roller cam engines, and as a general purpose dyno oil.

Available in 5W30 or 15W50 weights. 10.99 ea BR1806 5W30 quart BR1807 5W20 case of 12 quarts... BR106 15W50 quart. case of 12 quarts... 15W50

131.99 cs 10.99 ca 131 99 cs



HP1001







15.99 ca

15.99 ca







REGAL Ignition Products

MSD





Timing based on engine RPM and gear value · Advanced individual cylinder timing based on gear or time

- Five retard stages for nitrous · Four steps of RPM limits for burnout, spool,
- launch and over rev · Output switch set on RPM, pressure or time Shift light settings for each gear
- · Ignition data acquisition accepts multiple runs Crank trigger system highly recommended

Power Grid System

The Power Grid System is the next evolution of programmable ignition controls. The grid incorporates an efficient 32 bit micro-controller and an all new software program, called MSD View, and is USB compatible. The Power Grid Controller is the brains behind the entire system and can be used with any MSD ignition or the Pro Mag to provide advance ignition tuning capabilities. While it is compatible with all MSD boxes, the new Power Grid System Controller has been specially designed to mount to the Power Grid-7 ignition box sold separately. Includes: View software, wiring harness, micro-SD card and mounting hardware.

Note: To use any modules with the Power Grid Ignition System, (7720 and 7730), users MUST plug the modules into a 4 Connector CAN-Bus Hub (7740) to be attached to the Power Grid System Controller. Emissions Note: * (3) Non-CARB compliant (not legal for emission controlled vehicles). ** (4) Non-emissions (50)

state legal) Power Grid Controllers 7730 red 77303 black 576.99 ca Power Grid-7 Ignition Controller 639.99 ea 7720* black.. Power Grid 4 Hub Connectors 7740** red.... 105 99 ca 77403** black 105 99 cs



If you're changing a coil or cap to a new design, you could find yourself searching for different terminals for the coil wire. MSD offers these 2 style coil wires to make the change easy. Also, remember that the coil wire sees 8 times the use of each plug wire so changing the coil wire as a maintenance through the race season is recommended. Important: *18" long, straight female socket coil terminal

and boot on one side with a straight female socket of on one side with a straight Jemale stocke ttor cap socket terminal and boot on the of **18" long, 90 degree male coil terminals and boots are installed on both sides to connect to an HFI style terminal al adapter is also supplied to adapt to a female

socket style distributor cap. Emissions Note: (4) Non-emissions (50 state legal). 940408 8.5mm super conductor... 22.99 ca 84039** 8.5mm super conductor, red.... 21.99 ea 8.5mm super conductor, black 22.99 ea

6A/6AL Ignition Control

MSD's new Digital 6A is the base model of the canacitive discharge multiple spark 6 Series design. Features the same footnrint as the traditional 6A and 6AL but with a



lower profile for a sleek look. Like all MSD 6 Series Ignitions, the 6A will work with virtually any vehicle as long as it has a 12-18 Volt electrical system. It can be triggered using breaker points, a magnetic pickup or the output of an electronic amplifier. All necessary parts

and wiring instructions are included. Will work on 4, 6, and 8 cylinder engines. The new Digital 6AL shares the same proven circuitry of the Digital 6A with the addition of a built-in adjustable rev limiter with two top mounted rotary dials. The combination of powerful sparks with the safety of a rev control is what makes the Digital 6AL the most popular ignition control in the world.

Emissions Note: (1) CARB EO compliant (50 states legal). 62013 Digital 6A black..... 291.99 ea 64253 Digital 6AL black 338.99 ea



2-in-1 Universal Wire Set

These universal spark plug wires sets are made from MSDs super conductor performance wire. Universal wire sets have only the spark plug boot and terminal installed. These boots and terminals are available in our choice of a 90 degree boot or a multi-angle boot. The distributor end boots and terminals are supplied but not crimped on. Both sets include terminals for engines with either the early style (socket) and late style (HEI) distributor caps. The wires are extra long so they can be cut-to-fit any application. Each set includes a MSD mini-stripper crimper for easy installation. Available

Emissions	Note: (50 state le	gal).	
90 Degre	e Angle		
31233	black	143.99	set
31239	red	143.99	set
Multi-Ar	igle		
31193	black	143.99	set
31199	red	143.99	set
		MS	S



6 Series Vibration Mounts In performance applications such as off-road, racing,

and marine applications, strong vibrations can be transmitted through the chassis to the MSD unit. To protect the MSD from excessive vibration, we recommend this vibration mount set. Emissions Note:

Non-emissions (50 state legal).

8823 21 99 set



The Pro-Crimp features interchangeable jaws allowing for a variety of different style crimps with one heavy-duty tool. The Pro-Crimp features a hardened steel frame with comfortable molded hand grips. The slick ratchet action provides secure, factory quality crimps every time. The tool is supplied with precision crimping/stripping jaws for MSD's spark plug wire terminals. Emissions Note:
Non-emissions (50 state legal).

Pro-Crimp Tool Pro-Crimp tool II...... 115.99 ea 35051

Replacement Dies

3510	Deutsch terminal dies	59 99 ca
3509	weathertight terminal dies	59.99 ca
3508	plug wire terminal dies	39.99 ca
3507	amp lug terminal dies	45.99 ca
3506	amp pin terminal dies	45.99 ca



Digital Shift Light

MSD universal and easy to use programmable shift light. Can be installed with distributors, coil packs or on 1 cylinder engines up through 12 cylinders on stock ignitions or high power aftermarket systems. Programmable from 100-15,900 RPM down to 10 RPM increments and features six bright LEDs for easy to view anytime. Includes GMR pickup.

Emissions Note: (6) Non-emissions (50 state legal). 89631 all models 242.99 ca

Timing Light These timing lights are designed and built for superior accuracy ccurate timins

and ease of use Solid state circuitry provides stable and signals up to 8000 RPM. A battery nowered version accurate up to 5000 RPM.

is also available. Each durable lightweight timing assembly has a super bright strobe that makes timing adjustments simple, even in direct sunlight. Both include a detachable inductive pickup for easy storage.

Emissions Note: (4) Non-emissions (50 state legal). standard timing light . 8991

228.99 ea 304.99 ea battery powered timing light ..

Soark Guard 4SD MSD's spark guard is a dielectric grease



retain its spark isolating capabilities indefinitely. Emissions Note: (4) Non-emissions (50 state legal).



84033**

REGAL Ignition Products

Performance Coil

Complete your ignition upgrade with a Flame-Thrower high-performance coil. Best when used with the Ignitor Electronic Ignition Conversion the Flame-Thrower high-performance coil fits existing coil brackets for a clean, factory look. Enables larger plug gaps for greater fuel efficiency





and more power. Available with either a chrome or black finish. Choose from a variety of voltages and primary resistance ratings. Emissions Note: (1) CARB EO compliant (50 states legal).

40.000 Volt Coil - 1.5 & 3.0 Ohm These Flame-Thrower coils are compatible with bre point ignition systems or vehicles equipped with the

original Ignitor system. Choice of 6 or 8 cylinder. Chrome Oil Filled PX40001 8 cylinder 1.5 Ohm....... 49.99 ea Black Oil Filled PX40011 8 cylinder 1.5 Ohm....... 49.99 ea Black Epoxy Filled

PX40111 8 cylinder 1.5 Ohm .. 45,000 Volt Coil - 0.6 Ohm Flame-Thrower II equipped with the Ignitor II system. Chrome Oil Filled PX45001 4, 6, or 8 cylinder..... 59.99 ea

Black Oil Filled PX45011 4, 6, or 8 cylinder... 54.99 ca 45,000 Volt Coil - 0,32 Ohm

The Flame-Thrower III coils are for use on vehicles equipped with the Ignitor III system.

Chrome Oil Filled PX44001 8 cylinder... 64.99 ca

HyperSpark Ignition Coil

Sniper EFI HyperSpark ignition coil from Holley Performance. This coil features an innovative connector and integrated bracket for a secure connection and simplified mounting. Its powerful 135MJ of spark ensure complete combustion and improved performance. Like the rest of the HyperSpark line of ignition products, this coil is designed to be "Plug and Play" with Sniper EFI Systems.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). H556152 46.99 ca

Swow EFI

SAPEEFI

HyperSpark CD Ignition Box Sniper EFI HyperSpark ignition box from Holley Perfromance. This box

features a sealed and powder coated housing, and an external LED to verify 12V, cranking RPM, and low battery voltage. Its powerful 135MJ of spark ensure complete combustion and improved performance. Like the rest of the HyperSpark line of ignition products, this box is designed to be "Plug and Play" with Sniper EFI Systems.

Emissions Note: (3) Non-CARB compliant (not legal

for emission controlled vehicles). H556151 V8

315 99 ca





Power Coil

The TSP power coil is capable of delivering a longer and hotter spark with up to 70% more spark energy than stock ignition coils. Its convenient design easily mounts to fire walls, core supports and fender wells. It features an aluminum heat sink keeping it cooler for more efficient energy output at lower temperatures. Coils have an HEI style output tower and are rated at 50 kV maximum voltage with 260 mA peak current with 0.35 Ohm primary resistance. Coils include installation hardware, a coil wire boot with terminal and a wiring harness.

A7700202	black coil	45.99
A7700201	blue coil	
A7700200		



1985 Performance Coil

Replace your stock coil with a Mallory highperformance coil for increased performance, longer life and maximum dependability. A variety of applications are available for your classic Chevrolet engine.

Emissions Note: (4) Non-emissions (50 state legal). External Ignition Coil for HEI Ignition 5526 1985 V8 w/FI exc. LT-1 56 99 ca

Ignition System Coil MSD

The following Blaster coils share the same special windings and high voltage output as the other Blaster 2 coils, but do not include a ballast resistor. When you are using an MSD Ignition Control, the ignition is responsible for delivering the voltage to the coil so a ballast is not necessary. The Blaster 3 coil features an extra tall tower design to improve the coil wire attachment and spark isolation and is supplied with a 90 degree terminal and boot.

Emissions Note: (1) CARB EO compliant (50 states). 8202 Blaster 2 ... 65 99 ca



1977-87 Replacement Ignition Coil

Service replacement OE quality HEI ignition coil. This oil filled coil features an increased number of wire windings for greater output voltage and a heavy duty insulator for longer life. Double outer laminations create a stronger magnetic field for higher output voltage and spark energy. Note: For use on Chevrolet engine only.

C834 1977-87 red, yellow,blk wires 16.99 ea



1986-87 Regal Coil Pack/Module Horse Shoe Bracket Reproduction coil pack and module horse shoe bracket

for 1986-87 turbo models. This is the horse shoe shaped bracket the coil pack and module bracket mounts to. Comes EDP coated for rust prevention. GN110293 1986-87 34 99 ca



1986-87 Coil Pack/Module Flat Bracket

Reproduction coil pack and module flat bracket for 1986-87 Turbo models. This is the flat bracket that the coil pack and module mount to. Comes EDP coated for rust prevention. 41 99 69

GN110294 1986-87.....

Chrome Coil Cover Dress your engine up with

this all chrome coil cover. Fits most early model coils. Includes cover and attaching bracket. For use with small block engines.



Calibrated Ignition Tester

Accurately check for spark in ignition systems without removing the spark plugs from the engine. Testers verify that energy from the spark plugs are efficient to fire. Attach the spark plug wire to tester end, clamp tester to engine as ground, then crank the engine and test for spark. It's easy and fast! X2757 standard ignition tester.

















REGAL Performance Ignition



™USA 8mm Superstock Plug Wires

ACCEL's SuperStock 4000 series 8mm spark plug wire sets are designed to upgrade an OE ignition system for high spark delivery levels for street driven applications. The 450 degree F rated high gloss silicone jacket is extruded over a tightly woven, rugged fiberglass braid. RFI suppression for street driven applications. Universal wire sets include standard socket and HEI boots with the appropriate terminals. Made in USA. Core: Carbon/graphite conductive material, high resistance suppression, fiberglass/Kevlar, 3000-7000 Ohms per foot resistance.

Note: Universal fit 8 cylinder wire sets can be used for 6 cylinder applications.

Emissions Note: (A) Non-emissions (50) state lengt)

	Universal Fit 8 Cylinder Sets				
4041K		90 degree boots			
4041R		90 degree boots			
4041Y	yellow				
4041B	blue	90 degree boots	55.99 set		
4040K		straight boots	57.99 set		
4040R	red	straight boots	58.99 set		
4040Y	yellow	straight boots	54.99 set		
4040B	blue	straight boots	55.99 set		





HISA

8mm Superstock Spiral Plug Wires 🗥

ACCEL's SuperStock Spiral Core 5000 Series wire sets. With only 500 Ohms per foot of resistance, more ignition energy can reach the spark plug, producing a longer-lasting, hotter spark flame kernel. This 8mm wire's double silicone construction is rated to 550 degrees F. The high gloss wire jacket resists moisture, chemicals, and heat extremes for longer life and great looks. Stainless steel plug terminals. High RFI suppression for street and strip use. Universal wire sets include standard socket and HEI boots with the appropriate terminals. Made in USA.

Core: Spiral wound stainless steel alloy conductor, magnetic suppression and semi-reactive material. fiberglass/Keylar core, 500 Ohms per foot resistance. Note: Universal fit 8 cylinder wire sets can be used for

6 cylinder application Emissions Note: (4) Non-emissions (50 state legal).

Universal Fit 8 Cylinder Sets			
5041K	black	90 degree boots	
5041R	red	90 degree boots	77.99 set
5041B	blue	90 degree boots	74.99 set
5040K	black	straight boots	72.99 set
5040R	red	straight boots	78.99 set
5040B	blue	etraight hoote	71.00 cat



STIE A

8.8mm Spiral Suppression Plug Wires

These ACCEL 8.8mm wires feature a carbon/graphite core that virtually eliminate RFI noise while providing maximum conductivity for ultimate performance in any race or street application. Double silicon insulation eliminates leakage and misfire. Wire set includes standard socket boots with the appropriate terminals for points style distributor cap. Made in USA Core: Spiral wound stainless steel alloy conductor,

magnetic suppression, semi-reactive material. fiberglass/Keylar core, 500 Ohms per foot resistance. Note: Universal fit 8 cylinder wire sets can be used for 6 cylinder applications Universal Fit 8 Cylinder Sets

Spiral C	ore		
3031 3033	yellow yellow	90 degree boots vari-angle boots	126.99 se 119.99 se
			AĒCEL
		210	
	The same		1731
		8140	1
			140001
		April 1	

1973-87 High-Performance Coil

Replace your stock coil with an Accel highperformance coil for increased performance, longer life and maximum dependability. A variety of applications are available for breaker point and breakerless ignition. ons Note: * (1) CARB EO compliant (50 states). ** (3) Non-CARB comu pliant (not legal for emission controlled vehicle)

Ignition Coil					
2.000 Volt Coil - Breaker Point or Breakerless Ignition					
		chrome			
140**	1973-87	yellow	37.99 ca		
	5,000 Volt Coil - Breaker Point or Breakerless Ignition				
40001*	1973-74	super coil	92.99 ea		
		Breakerless Ignition			
		chrome			
145**	1973-87	yellow	48.99 ca		
5.000 Volt HEL In-Can Super Coil with Cover					

4

4

140011** 1984-87

140003* 1977-87 w/red & yellow wires 92.99 ea 140005* 1977-87 w/red & white wires 92.99 ea 48,000 Volt HEI In-Cap Super Coil 140013** 1977-87 w/red & yellow wires. 92.99 ca 48,000 Volt HEI Remote Mount Super Coil yellow.

Pro-Billet Distributor





BUSA MSD

MSD uses a sealed ball bearing located at the top of the housing. At the bottom of the housing, an extra long sintered bushing controls the shaft. This combination keeps the shaft spinning smooth and accurately throughout 10,000+ RPM. Other features include an iron drive gear, Rynite® distributor cap with brass terminals and a high output distributor cap with orass terminais and a nign output magnetic pickup to trigger the ignition. Choose from the "standard" Pro-Billet distributors that utilize the MSD 6, 7, 8, or 10 series ignition control box or from our "Ready-to-Rum" distributors that are internally controlled. "Ready-to-Rum" distributors do not require an external controller and are the "Plug and Play" alternative to more expensive computer controlled systems. Made in USA. issions Note: * (1) CARB EO compliant (50 states).

**
Non-emissions (50 state legal).

"Standard" Pro-Billet Distributor 🔥

For use with MSD 6, 7, 8, or 10 series ignition. 1955-86 Chevrolet 262-454ci with vacuum advance 373.99 ea

'Ready-to-Run" Pro-Billet Distributor

"Ready-to-Run" distributors are designed as a "Plug and Play" distributor. No external ignition contro box is needed. Optional vacuum advance is included in select kits and can be used at your discretion to improve economy

1955-86 Chevrolet 262-454ci 83651* HEI w/hi-energy module & coil.... 559.99 ea

Replacement Parts for MSD Distributor Replacement parts for MSD Pro-Billet distributors.

1955-86 Chevrolet 262-454ci - Except 348/409 84111** dist. cap for HEI dist. 83651 60 99 ca 84101** rotor for 83651 22 99 69 8531** dist. drive gear... 43.99 ea AFCEL.



1973-87 GM Distributor Tune-Up Parts

If your vehicle is equipped with a V8 engine and a GM factory distributor, upgrade to Accel components during your next tune-up. ons Note: * (1) CARB EO compliant (50 states). Non-emissions (50 state legal).

Points 110128** 1973 high-performance ... 39.99 ea Ignition Control Module 35361* 1975-87 HEI, 4 prong.....

62.99 ca

61 99 ca

gm

REGAL Distributors



1973-87 Remanufactured Distributor 🔥

Classic Industries® offers a full line of distributors for your Regal. If your Regal is having problems starting, has a rough idle or the performance is not what it use to be, it could be time to change your distributor. Each distributor is remanufactured and tested to guarantee you get the best quality distributor your money can buy. Note: Distributor cap and rotor not included.

6 Cylinder D1693 1975-77 231 w/odd fire dist ... 116.99 ea

D1694	1977	231 w/even fire dist	102.99 ea
D1694	1978-79	196	102.99 ea
D1694	1978-79	3.8L 4 term module	102.99 ea
D1690	1978-79	3.8L 5 term module	176.99 ea
D1694	1980-87	3.8L with vacuum	102.99 ea
D1671	1980-87	3.8L without vacuum	113.99 ea
D1671	1982-84	4.1L	113.99 ea
8 Cylind	er		
D1813	1973-74	350 with points	121.99 ea
D1814	1973-74	455 with points	127.99 ea
D1896	1974	5.7L with EI	124.99 ea
D1896	1975-76	5.7L	124.99 ea
D1896	1977	5.7L VIN H,J	124.99 ea
D1893	1977	5.7L VIN R	112.99 ea
D1895	1977	5.7L VIN L CA emis	99.99 ea
D1895	1977-87	5.0L	99.99 ea
D1890	1979-80	4.9L	112.99 ea
D1890	1980	4.3L	112.99 ea
D1895	1981-82	4.4L	99.99 ca
D1871	1981	4.3L	133.99 ea
D1872	1986-87	5.0L VIN 9, Y	105.99 ea





1973-87 Cap and Rotor Set

Service replacement and premium quality cap and rotor sets. Caps and rotors feature solid brass or copper inserts for longer life and maximum resistance to corrosion and electrical pitting. Their high mineral content and glass reinforced molding compounds offer outstanding dielectric strength. Solid brass rotor blades with coating reduce radio interference.

Brea	ker Points	Ignition Syst	ems
Service Rep	olacements		
DR2028	1973-74	8 cylinder	19.99 sc

Premium Quality Replacements					
DR2028G	1973-74	8 cylinder	20.99	set	
	HEI S	Systems			
Service Rep					
DR2004	1978-87	6 cylinder	29.99	set	
DR2001	1974-87	8 cylinder	29.99	set	
Premium O	uality Repla	cements			
DP2001G	1074 97	9 culindar	10.00	cot	



Distributor Parts

Tune-up parts for Mallory breaker and breakerless point distributors.

Emissions Note: * (4) Non-emissions (50 state legal). Breaker Point

contiens		
400	all series (except 27)	10.99 ca
Distribut	tor Cap	
209M*	all 8 cylinder series	34.99 ca
	Breakerless	
	or Rotor	
335*	37 and 38 series	19.99 ca
322*	47 series 8 cylinder	



HEI Electronic Distributor Tune-Un Set

Perk up the performance of your stock Chevrolet HEI distributor! These sets include: a street/strip 4 pin module and coil combination, rotor and cap, coil cover, adjustable vacuum advance canister, high-performance advance set, wire harness with canacitor, and hardware.

Note: For use on Chevrolet V8 with a red/yellow coil wire. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle). 66945BKC black cap .. 84 99 cet 66945RC red cap... 84.99 set 66945BC blue cap 84.99 set



Distributor Studs

black oxide

black oxide

stainless

stainless

AR13172

AR13171

AR43172

AR43171

Premium grade studs, which are equipped with vibration resistant J-form threads, in your choice of black oxide finished chromoly or rustproof stainless steel. Select from conventional Hex or space saving 12 point nuts. Washers included. Made in USA.

Hex head 3.99 set

12 point 10.99 set

6.99 set

12 point Hex head 4 99 set



1973-74 Distributor Lear

This is replacement distributor lead for a wide variety of classic American car and truck models. High copper wire stranding count ensures maximum flexibility and resistance to breakage. 12338662 1973-74.



Three Wav Distributor Vacuum Tee 🔔 Correct Genuine GM replacement T-connector for use

wherever a 3/16" tee connector is needed. for 5/32" hoses 3 99 69



Performance Advance Curve Set This performance advance curve set features precision

machined chromoly weights and center plate to eliminate erratic timing. Three sets of springs, guide bushings, and complete installation instructions make recurving your distributor easy.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle).



HFI Wire Harness and Canacitor When upgrading your distributor, don't overlook this essential component.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle). 66946C 38 99 ca

1975-80 Vacuum Advance

A primary component of your vehicle's ignition system is the vacuum advance. The vacuum advance is a mechanism attached to the distributor



point or pickup coil plate when it receives vacuum generated by the engine. Over time, the vacuum advance can become worn or the diaphragm can become brittle and crack

causing the vehicle to run poorly. DV1836 1975-76 350 w/dist. 1112880 19.99 ea DV1859 1978-79 305 w/dist. 1103282 16.99 ea DV1859 1980 350 16 99 ca













REGAL Ignition Wires



1973-87 Spark Plug Wire Set

The replacement Delco spark plug wires are a service replacement product and do not include the original stŷle lettering or date codes. Each spark plug wire will replace your original help keep your car running smoothly. Available for all 8 cylinder models. Includes set of 8 plug wires and the coil wire.

G13131 1973-87 5 0Y (LV2) 53 99 set



1986-87 Gray Ignition Wires

Custom cut ignition wires for 1986-87 turbo models. Manufactured like OEM in the similar gray color with black special long silicone plug boots. Heavy-duty wires, tight grip neoprene nipples, heat treated terminals and custom cut to the exact length as an original set. GN110753 1986-87 62.99 set



409 Pro Race

Taylor 409 Pro Race 10.4mm high-performance ignition wires are designed for street and track performance. Tightly woven heat treated fiberglass braid over a 100% silicone Spiro-Pro ignition wire providing a 3 layer jacket these wires have a 102,000 Volt dielectric strength and thermal protection to 600 degrees. The spiral wound core with 350 Ohm resistance per foot has excellent EMI and RFI suppression making them perfect for extreme electronic ignition systems. Universal wire sets include standard socket and HEI boots with the appropriate terminals. Made in USA

Emissions Note: (2) Legal in U.S. (excludes California).

Universal Fit 8 Cylinder Sets						
A970113K	black	135° boots				
A970113R	red	135° boots				
A970113B	blue	135° boots				
A970114K	black	180° boots				
A970114R	red	180° boots				
A970114B	blue	180° boots	160 00 set			







USA

Thunder Volt 8.2mm Ianition Wires 🔥

Taylor Thunder Volt 8.2mm ignition wires are dynotested and proven to increase horsepower and torque.

Designed with a Ferrite spiral wound core coated with a blend of copper/nickle bonded with a conductive acrylic cover for only 40 Ohms per foot ovf resistance with optimum RFI and EMI suppression. A 2 layer 100% Zimplex silicone outer jacket for heat protection up to 600 degrees. Available in black, red, or blue with grey silicone spark plug boots. Universal wire sets include both standard socket and HEI boots with the appropriate terminals. Made in USA.

ons Note: (2) Legal in U.S. (excludes California

	-		
Unive	ersal Fi	t 8 Cylinder S	ets
.970102K		135° boots	
.970102R	red	135° boots	
.970102B	blue	135° boots	
.970103K	black	180° boots	
.970103B	blue	180° boots	104.99 set

8.5mm Suner Conductor Spark Plug Wires

The MSD 8.5mm Super Conductor is the ultimate performance wire. It's extremely low resistance combined with the ability to suppress electro magnetic interference is a combination that defies the common laws of physics. Less resistance means

more energy is going to make it to the spark plug to ignite the air/fuel mixture. The Super Conductor uses a copper alloy conductor resulting in less than 50
Ohms per foot of wire. This ensures that the most energy possible makes it to the spark plug. This combination is encased in a heavy-duty sleeve that will withstand abrasion and high temperatures. Cap off each end with our dual crimp terminals. Made

Importan	t: With wi	res over valve	covers.	
Emission:	Note: 4	Non-emission	s (50 state le	rgal).
Small B	lock			
31359	1977	with HEI	red	117.99 set
31353	1977	with HEI	black	117.99 set

1973-87 E3 Soark Plug

E3342

E3356

1984-87

1986-87 5 0 V

E3 has created a new spark plug that burns fuel more efficiently to give you more power and increased fuel economy. E3's patented design forces the spark discharge from one sharpened edge to another, and projects the spark forward into the combustion chamber, unlike traditional spark plugs, for the most consistent, powerful and efficient burn possible! Sold individually.

6 Cylinder			4
E3352	1975-76	3.8-C	
E3342	1977	3.8	6.99 ea
E3342	1978-79	3.2-C	6.99 ea
E3342	1982-84	4.1-4	6.99 ea
8 Cylinder			
E3342	1973-74	455	6.99 ea
E3342	1973-77	5.7-J,H	6.99 ea
E3352	1977	5.7-R	6.99 ea
E3342	1977-82	5.0	6.99 ea
E3342	1979-80	4.9	6.99 ea
E3342	1980-81	4.3-S	6.99 ea
E3342	1981-82	4.4-J	6.99 ea
E3352	1983	5.0-H	6.99 ca

5.0-H

6.99 ea 6 99 ca A CEL

.1/4" to 3/8" shorter

1973-87 Spark Plugs

Accel's patented race proven spark plugs are now available in a "shorty" configuration. The overall length of each plug has been reduced 1/4" to 3/8" (depending on the specific spark plug) to gain critical air gap space between the spark plug boot and the exhaust manifold or header tube. This helps eliminate burning the spark plug boot or dimpling the header tube. The shorter spark plug length also can make it easier to install and remove the spark plugs in certain applications where there is not a lot of room to work with a socket or wrench.

ote: *Sold in sets of four. Two sets requires for

8 cylinder applica Emissions Note: (4) Non-emissions (50 state legal). 9100 1973-81 set of 4 42.99 set 350 alum heads 34 99 set 1986-87



1984-87 ACDelco Spark Plug Brand new genuine ACDelco R44TS OEM spark plug.

This was the original spark plug with the same heat range that was factory installed on 1984-87 Buick Grand Nationals, turbo Regals and 1987 GNXs. Sold individually.

Note: Recommended gap = 0.035". R44TS 1984-87 2.99 ca


9 99 set

Ignition Wire Accessories

Spark Plug Wire Heat Shield This heat shield offers spark plug wires and boots the ultimate protection from conductive and

radiant heat. The dual purpose sleeving has an purpose sleeving has an aluminized outer surface that reflects 90% of radiant heat, up to 2000

degrees F, with a formulated silica based fabric insi that prevents conductive heat from penetrating.





Easy-to-install Cool It nonflammable plug wire sleeves can be used in any

temperature environment from street vehicles to race cars. Enhance performance, reduce misfires and extend plug wire life! Will not react with petroleum products. The double wall construction keeps the wire and boot cooler in a high temperature engine. Universal size fits most

	as are available in packs of 4 c		A.
4 Pack			4
TT14262	black		
TT14261	red		
TT14263	blue		
TT14260	silver	30.99	set
6 Pack			
TT14272	black		
TT14271		58.99	
TT14273		59.99	
TT14270	silver	58.99	set



Fire Sleeves Boot Protectors

Taylor fire sleeve boot protectors are 6" long silicone coated braided fiberglass sleeves that offer continuous protection up to 500 degrees F. They slide over most

plug boots. Sold as a set of 8. Emissions Note: (A) Non-emissions (50 state legal). TP2522 silver set of 8 59.99 set



Aluminum Line Clamp

Clean up your engine bay with these aluminum line clamps. Machined from 6061 aluminum and feature removable Delrin inserts with a 3/16" pilot hole that can be drilled to accommodate a larger diameter line.

Made III CoA.			
5/8" Tall Line			
	1 hole		
AE81202	2 hole	19.99	ea
AE81203	3 hole	24.99	ea
AE81204	4 hole	29.99	ca
1" Tall Line Cl	amp		
AE160301	1 hole	19.99	ea
AE160302	2 hole	24.99	ea
AE160303	3 hole	29.99	ea
AE160304	4 hole	34.99	ca



Soark Plug Wire Support Set

Keeps wires away from hot underhood parts, insulates the plug wires, and reduces shorts and crosstalk. Available with or without stands to keep wires away from hot engine components.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicle). MN2417 V8 without stands..... 3 99 set MN2418 V8 with stands 8 99 set

1978 Ignition Wire Grommet Replacement 4 hole rubber ignition wire grommet for


1978 Regal models. 351694 1978



Pro-Clamo Soark Plug Wire Separators

The MSD Pro-Clamp will keep the plug wires in a tidy order and away from engine heat sources. Each Separator features secure grooves for each wire and a top bracket snaps in place to sandwich the wires in place. Each base has a hole for a retaining screw if desired and a tab that will help hold it in position. The set is supplied with two 4 wire separators, two 3 wire separators and four 2 wire separators. Emissions Note: (§) Non-emissions (50 state legal).

8843 Pro-Clamp separators.....



Clamp Style Wire Separator

Organize your engine bay with Taylor clamp style wire separators Manufactured from non-conductive type 6/6 nylon that won't melt, distort, fade or crack, Each six piece set includes: two 4 wire separators, two 3 wire separators, and two 2 wire separators. Available in three different colors. Stainless steel hardware included Emissions Note: (4) Non-emissions (50 state legal).

7-8.2mm Wire Separators					
A970125K	black				
A970125R	red				
A970125B	blue	15.99 set			
10.4mm Wire S					
A970126K					
A970126R	red				
A970126B	blue	19.99 set			



Neluxe Feeler Gauge

Feeler gauge set consists of 31 blades, including a brass 0.010 blade for use on electronic ignitions. Precision blades ensures accurate measurement. Blades from 0.0015" to 0.035" (0.038mm to 0.889mm) are approximately 1/2" x 3-1/2".



Y68100

Spark Plug Hole Thread Chaser

Cleans and threads directly in the spark plug hole! Double ended for both 14mm and 18mm threads. Use with 13/16" spark plug socket.



Soark Plug Wire Puller

Removes spark plug wire boots from plugs with minimal effort. Designed for use on most cars and trucks Y51250 9 99 ca



Soark Plug Terminal Pliers

Safely removes spark plug cables. Prevents damage to cables when replacing. The handles and jaws are coated with heavy plastic for a sure grip. X135



Soark Plug Gapper

Gauges and gaps all types of spark plugs from 0.20" to .100" (.50mm to 2.53mm). Includes tapered edge for gauging spark plugs. Specially designed hole with flange adjusts side wire of plug without pressuring center electrode


7 99 ca











Y67870



REGAL Alternators

Internal and External Regulator Alternator Identification Guide



Clocking Position Identification Guide

The Delco SI series 12 o'clock alternators are manufactured so that the rear half of the alternator case car terminal socket be assembled to the front half of the case in any one of four positions. These positions are referred to as the "clock" positions. Clock positions are determined by riewing the alternator from the rear with the threaded mounting hole (adjusting car) straight up. With this view, the terminal socket for the two wire, plug-in connector will point to any one of the four available "clock" positions. Straight up is 12 o'clock, to the right is 3 o'clock, straight down nivot ear is 6 o'clock and to the left is 9 o'clock. Having the different clock positions allows for the alternator to be

is 9 o'clock. Having the different clock positions allows for the alternator to be mounted on the left side or right side of the engine. It can also be mounted right side up or upside down depending on the clock position. This allows for the SI series alternator to be used on many different applications.

DynaForce Alternator

Upind urbe Hierinaus Dynafore being rinder allemants cover your electrical needs whether it's a high output Store electrical needs whether it's a high output Store electrical needs whether it's a high output Store built need and the highest and an estimate size of the store that the country of the store that the store t

adjustable voltage regulator. They feature the same one wire hook up and a red wrinkle finish. Every alternator assembly is tested and is delivered with proof of performance. Made in USA.

ote: Som	e models requ	ire the reuse of original pulley.	
missions	Note: Note:	1-emissions (50 state legal).	<u> </u>
321	120 amp	black finish.	364.99 ea
361	160 amp		423.99 ea
322	120 amp	chrome finish	
362	160 amp	chrome finish	453.99 ea

1973-87 Quality Remanufactured Alternator

We offer a lunge selection of remanufactured alternators, has consentines it in more cost effective on late model vehicles to replace with a brand new unit. For this reason, we have chosen not to list remanufactured units on these late model vehicles. If you tale model is not listed here, check our listings for brand new alternators, the control of the control of

Note: For proper identification, you may need to check you VIN code on listings with suffixes after the engine size. *HBW – Heated Back Window defroster.



				o Cynnaer		
3.8L (231ci) V6						
	7127U3	1977-81	63A	without AC	81.99 ca	
	7137U3	1980	70A	without turbo, opt	74.99 ea	
	7127U3	1980	63A	with turbo, standard	81.99 ea	
	7127U3	1980	63A	with AC	81.99 ca	
	7134U6	1981-82	85A	without turbo, opt. HD	69.99 ea	
	7127U3	1981-82	63A	without turbo, without AC	81.99 ea	
	7137U3	1981-82	70A	without turbo, with *HBW	74.99 ca	
	7137U3	1981-82	70A	without turbo, with AC	74.99 ea	
	7127U3	1981-82	63A	with turbo, and without AC	81.99 ea	
	7137U3	1981-82	70A	with turbo, with AC	74.99 ca	
	7137U6	1983	70A	without turbo, without AC, Fed. opt	74.99 ea	
	7273U3	1983	78A	without turbo, without AC, Fed. std	99.99 ea	
	7273U6	1983	78A	without turbo, without AC, Cal. opt	99.99 ea	
	7127U3	1983	63A	without turbo, without AC, Cal. opt	81.99 ea	
	7137U6	1983	70A	without turbo, with AC, Fed	74.99 ca	
	7273U6	1983	78A	without turbo, with AC, Cal	99.99 ea	
	7134U6	1983	85A	with turbo, opt. HD	69.99 ea	
	7273U3	1983	78A	with turbo, without AC	99.99 ea	
	7137U6	1983	70A	with turbo, with AC	74.99 ea	
	7294U9	1984	94A	without turbo, without AC, opt	114.99 ea	
	7273U3	1984	78A	without turbo, without AC, standard	99.99 ea	
	7134U6	1984	85A	without turbo, with AC, Fed opt	69.99 ea	
	7137U6	1984	70A	without turbo, with AC, Fed standard.	74.99 ea	
	7294U6	1984	94A	without turbo, with AC, Cal opt	114.99 ca	
	7273U6	1984	78A	without turbo, with AC, Cal standard	99.99 ea	
	7294U6	1984	94A	with turbo	114.99 ea	
	7294U9	1985	94A	without turbo, without AC, opt	114.99 ca	
	7273U3	1985	78A	without turbo, without AC, standard	99.99 ea	
	7134U6	1985	85A	without turbo, with AC, opt	69.99 ea	
	7137U6	1985	70A	without turbo, with AC, standard	74.99 ca	
	7294U6	1985	94A	with turbo	114.99 ca	
	7294U9	1986	94A	without turbo, without AC, opt	114.99 ea	
	7273U3	1986	78A	without turbo, without AC, standard	99.99 ea	
	7134U6	1986	85A	without turbo, with AC, opt	69.99 ea	
	7137U6	1986	70A	without turbo, with AC, standard	74.99 ca	
	7805U5	1986	120A	with turbo	94.99 ea	
	7294U9	1987	94A	without turbo, without AC, opt	114.99 ca	
	7273U3	1987	78A	without turbo, without AC, standard	99.99 ea	
	7134U6	1987	85A	without turbo, with AC, opt	69.99 ea	
	7137U6	1987	70A	without turbo, with AC, standard	74.99 ca	
	7911U4	1987	120A	with turbo	119.99 ea	
	4.1L (252c	i) V6				
	7134U6	1982	85A	without AC, opt	69.99 ca	
	7127U3	1982	63A	without AC, standard	81 99 ca	
	7127112	1002	70.4	without rec, standard	74.00	

6 Cylinder

7134U6	1987	85A	without turbo, with AC, opt	69.99 ea
7137U6	1987	70A	without turbo, with AC, standard	74.99 ea
7911U4	1987	120A	with turbo	119.99 ea
4.1L (252	ci) V6			
7134U6	1982	85A	without AC, opt	69.99 ca
7127U3	1982	63A	without AC, standard	81.99 ca
7137U3	1982	70A	with *HBW	74.99 ea
7134U6	1982	85A	with AC, opt	69.99 ea
7137U6	1982	70A	with AC, standard	74.99 ca
7127U3	1983	63A	without AC	81.99 ca
7134U6	1983	85A	with AC, opt HD	69.99 ca
7273U3	1984	78A	without AC	99.99 ca
7273U3	1984	78A	without AC, standard	99.99 ca
7134U6	1984	85A	with AC, opt HD	69.99 ca
7137U6	1984	70A	with AC, standard	74.99 ca
			8 Cylinder	
4.3L (265	ci) V8 - G	as		

	7127U9 7137U12 7134U12	1980-81 1980-81 1980-81	70A 85A	opt HD, 70 amps opt HD, 85 amps	74.99 ea 74.99 ea 74.99 ea
ca ca ca ca ca	4.4L (2676 7127U3 7137U3 7134U6 7134U3 7127U3 7127U3 7127U3 7134U3 7134U3	1981 1981 1981 1982 1982 1982 1982 1982	63A 70A 85A 85A 63A 63A 85A 85A	standard opt HD without AC, opt, with 6:00 alt plug with AC, opt, with 5:00 alt plug with AC, standard with AC or *1BW, with AC or *1BW, with AC and *1BW, standard HD	81.99 ea 74.99 ea 69.99 ea 74.99 ea 81.99 ea 81.99 ea 74.99 ea 74.99 ea

MADEIN LISA

REGAL Starters

		8 (Cylinder - Continued				
4.9L(301)	4.91(301)						
7127119	1979	63A	all	49 99	ca		
71371112	1980	70A	with AC, opt HD	74 99	ca		
7127U9	1980	63A	with AC, standard	49.99	ea		
5.0L(305)							
7127U3	1977-79	63A	all	81 99	00		
7127U3	1980	63A	without AC	81 99			
7137U3	1980	70A	with AC, opt HD	74 99			
7127U3	1980	63A	with AC, standard	81 99			
7127113	1982-83	63A	without AC	81 99	ca		
7137U3	1982	70A	with AC, opt HD	74.99	ea		
7127113	1982	63A	with AC, standard	81 99	ca		
7134U3	1983	85A	with AC, opt HD	74.99	ea		
7273U3	1983-84	78A	with AC, standard	99.99	ea		
7294U3	1983-85	94A	opt HD	109.99	ca		
7273U3	1984	78A	without AC	99.99	ea		
7273U3	1985	78A	standard	99.99			
7273U9	1986-87	78A	without AC	104.99			
7294U9	1986-87	94A	with AC	114.99	ea		
5.0L(307)							
7830U9	1986-87	94A	opt HD	114.99	ea		
7292U9	1987	78A	standard, with 9:00 alt plug	94.99	ea		
7292U3	1987	78A	standard, with 3:00 alt plug	91.99	ea		
5.7L(350)	- Gas						
7127U12	1973-76	63A	all	81.99	ea		
7127U12	1973-76	63A	with sgl. mtg. foot, w/12:00 alt pkg	81.99	ea		
7135M	1977	80A	with dbl. mtg. foot (opt. HD)	104.99	ea		
7127U3	1977	63A	with sgl. mtg. foot, w/3:00 alt pkg	81.99	ea		
7.5L(455)							
71271112	1973-74	63A	with sgl. mtg. foot	81.99	00		
7135M	1973-74	80A	with dbl. mtg. foot (opt. HD)	104 99			
, 1001VI	1713-14	JUA	man doi: mag. roos (opt. 11D)	104.99	-ul		
	-	MID.		CHIEFLINAS.	Sec.		





USA 1973-87 Performance Alternator

Classic offers quality replacement alternators for 1973-87 Buick Regal models. We also offer performance alternators that offer higher amp output than stock replacements. Each alternator includes a tag attached with the amps it put out when

Note: 1973-85 alternators are 12SI and can be used as 1 or 3 wire alternator. All alternators

		Other clocking j s are available.	positions are available, please call for	a quote.	
	Standar	d Amnora	ge with Internal Regulator	_	
Natural I		a Ampera	ge with internal negulator		
S7294	1973-85	100 amp	V6 or V8	115 99	co
S7294	1984-85	100 amp	3.8L Turbo	115.99	
S7864	1973-85	170 amp	V6 or V8		
S7864	1986-87	170 amp	3.8L Turbo	239 99	ca
Chrome	Finish				
S17294	1973-85	100 amp	V6 or V8	136.99	ca
S17294	1984-85	100 amp	3.8L Turbo	136.99	ca
S17864	1986-87	170 amp	V6 or V8	328.99	ca
S17864	1986-87	170 amp	3.8L Turbo	328.99	ea
Black Fir	nish				
\$57294	1973-85	150 amp	V6 or V8	165 99	ca
S57294	1973-85	150 amp	3.8L Turbo	165.99	ca
	An	nperage w	ith Internal Regulator		
Natural I	inish		-		
S47293	1973-85	150 amp	V6 or V8	153.99	
S47293	1984-85	150 amp	3.8L Turbo		
S47864	1986-87	200 amp	V6 or V8	299.99	
S47864	1986-87	200 amp	3.8L Turbo	299.99	ea
Chrome					
S37293	1973-85	150 amp	V6 or V8		
S37293	1984-85	150 amp	3.8L Turbo	156.99	
S37864	1986-87	200 amp	V6 or V8		
S37864	1986-87	200 amp	3.8L Turbo	378.99	ea
Black Fir					
S57293	1973-85	150 amp	V6 or V8		
S57293	1973-85	150 amp	3.8L Turbo		
S57864	1986-87	200 amp	V6 or V8	303.99	
S57864	1986-87	200 amp	3.8L Turbo	303.99	ca



1973-87 Voltage Regulator 🔥

A voltage regulator is an electrical device used to control the output of a generator or alternator. Regulators are either external or internal. External regulators are normally located on the fender wall in the engine compartment. Internal regulators are mounted in the alternator housing. Fits 1973-87 Regal models.

	cluding Turbo	
G7236	1973-87	19.99 e
3.8L Tu	rbo	
VR780	1986	50.99 e

1986-87 Alternator Bracket 🔥

Reproduction alternator-to-header bracket for 1986-87 turbo models. This commonly missing bracket provides support from the header to the alternator. Comes EDP coated for rust prevention. GN110292 1986-87...... 41.99 ca



Alternator Conversion Adapter Easy to use conversion plugs are designed

to adapt your wire harness to upgrade your charging system with a later model, internally regulated alternator. 1985 and Earlier

CA37796

External Regulator Harness to "CS130" Type Alternator CA37787 30.99 ca

Chrome Alternator Spacer 🔥

Universal adapter will install and fit nearly every application. Chrome-plated. Emissions Note: (50 Non-emissions (50 state legal). 66179 5" length ...



damaging heat that destroys the windings of the starter and solenoid. To combat this problem, we offer a nonconductive strap-on heat shield with

a highly reflective Mylar surface. Starter Heat Shield will reflect over 90% of radiant heat, adding life to the starter and assuring reliable starts. TT1002 universal.

AUTHORIZED



1973-87 Buick Regal Starter 🔥

Remanufactured or brand new starters for Buick engines. Manufactured to correct specifications and will install and function as original. No core required. Note: *With aluminum drive end housing. **With cast iron drive end housing. Remanufactured Starters

3664S	1975-81	3.8L	49.99 ca
3664S	1978-79	3.2L	49.99 ca
3838S	1982-84	4.1L	64.99 ca
3800S	1982-87	3.8L	69.99 ca
3741S	1982-83	4.3L dsl	139.99 ca
16871	1984-85	4.3L dsl	114.99 ca
V8			
3631S	1973-74	7.5L	94.99 ca
3664S		5.7L	49.99 ca
3508S		5.0L	89.99 ca
3510S	1977	5.7L vin L	39.99 ca
3505S		5.7L vin R	79 99 ca
3664S		5.7L H. J	49.99 ca
3664S	1978-79		49.99 ca
3504S	1979-80		69 99 ca
3508S	1980	5.0L	89.99 ca
3504S	1980-81	4.3L	69.99 ca
3664S	1981	4.4L	49.99 ca
3725S*	1981	5.7L dsl	169.99 ea
3601S**		5.7L dsl	69.99 ca
3664S		4.4L	49.99 ca
3664S		5.0L	49.99 ca
3741S	1982-83	5.7L dsl	139.99 ca
3838S	1984-87		64.99 ca
16871	1985		114.99 ca
6315MS	1986-87	5.0L vin Y	79.99 ca
В	rand N	ew Star	ters
176			

		3.2L	
N3838S	1982-84	4.1L	94.99 ca
N3838S	1982-87	3.8L	94.99 ca
V8			
		7.5L	
		5.7L	
		5.0L	
		5.7L vin L	
		5.7L H, J	
		5.0L	
N3838S	1984-87	5.0L vin H	94.99 ca

N6315 1986-87 5.0L vin Y 124.99 ea

110 00 ca

NO NOTE 01 2 01



STISA

1973-87 Performance Starter

High torque, lightweight performance starters. Performance starters feature up to 200 ft lbs of torque, 4.4:1 gear reduction, billet aluminum adapter blocks, and only weigh 8 lbs! Made in USA.

Note: *This is a PowerMax rated at 160 ft lbs of torque.

S9202* 1973-77 350B, 455 154.99 ea S9511 1973-77 350B, 455 212.99 ea S9502 1984-87 3.8 V6.. 212.99 ea











REGAL Fuel Tank Products



1973-77 Fuel Tank

Reproduction fuel tanks for 1973-77 Buick Regal models. Manufactured to factory specifications, featuring original size, contours, filler neck and comes zinc-coated

for corrosion	resistance. Fi	iel capacity: 19 gallons. Replaces GM #553
Note: Shipped	truck freight.	
FT553826 FT553826	1973-75 1976-77	except wagon



1973-87 Fuel Tank

Reproduction fuel tank for 1973-87 models. Manufactured to factory specifications, featuring original size, contours, filler neck, and complete zinc-coated for

corrosion resistance Note: Shipped double oversize. *Fuel Injected Engine.

FT553826	1973-77	A-Body	189.99 ea
GN110098A	1978-87	2 door G-Body	164.99 ea
GN110099A	1982-84	4 door G-Body	149.99 ea
GN110100A*	1984-87	2 door G-Body	149.99 ea

189.99 ea

189 99 ca



1978-87 Buick Regal Fuel Tank

Holley Sniper EFI conversion fuel tank system for select 1978-87 Regal models. Each tank is galvanized and then powder coated to maximize corrosion resistance. They feature OEM style internal baffling, including an extra large internal fuel tray to promote optimal fuel pump performance. These tanks are a direct, bolt-in install for select most applications, capable of supporting 550 HP. The system includes the tank, a 255 lph fuel pump, a fuel level sender, and the filler neck. Sender operates at the same 0-90 0hms as the factory OM fuel level gauge. Fuel capacity: 17 gal. Note: Shipped double oversize.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). H19145 1978-87 2 door 709 99 ca





- Perfect for EFI and carbureted engines
- NFM annearance and 17 gallon canacity Silver nowder coated finish
- EFI style internal baffling
- 0-90 Ohm universal fuel level sending unit
- Black anodized pump hanger assembly
- 340 Stealth in-tank fuel pump
- 3 ports: outlet, return and vent
- Fuel pump supports up to 700 HP EFI forced induction, 850 HP EFI naturally asnirated and over 900 HP carbureted engines

1978-87 Performance Fuel Tank with Pumn

Upgrade the fuel tank in your 1978-87 Regal model with this performance Stealth fuel tank from Aeromotive. Features an innovative baffle and tray design to control fuel slosh, ensuring good street drivability even at lower fuel levels. This powder coated steel tank includes a 0-90 Ohm sending unit, 340 Stealth pump with pre-pump filter sock for protection, a billet hat with robust electrical bulkhead connections,

ORB-06 outlet, return, and vent ports, ensuring high flow capacity and a positive, leak free seal at any pressure. Fuel capacity: 17 gallons. Note: Stealth fuel tanks are not engineered for competition drag racing or road racing - OS1

applications where extreme acceleration and cornering will occur with fuel levels lower than 1/2 tank. Fuel tank dimensions: 40" x 11" x 33". Shipped oversize. A9718349 1978-87 2 door ..







1099.99 ea



1978-87 Fuel Injection Ready Tank Set

Complete fuel injection ready tank sets include an original fit tank with built-in fuel tray, a fuel tank sending unit, and a fuel regulator/filter. Combined with EFI fuel

line kit. Include a 255 lph in-tank pump that supports up to 600HP. Note: Shipped oversize. - OS1 GN7887CFIT 1978-87

REGAL Fuel Tank Products





1984-87 Turbo Ruick Fuel Rail Set 🔥

Upgrade your factory fuel rail setup with a set of Don Cruz fuel rails. Manufactured out of aluminum in various finishes, these rails include -8, -10, or -12 AN fittings. Will work with stock Buick intakes only. atural polished or black anodized finish

Natural Finish				
GN110377N	1984-87	-8 AN	179.99	set
GN110378N	1984-87	-10 AN	214.99	set
GN110379N	1984-87	-12 AN	235.99	set
Polished Finish				
GN110377P	1984-87	-8 AN	214.99	set
GN110378P	1984-87	-10 AN	254.99	set
GN110379P	1984-87	-12 AN	279.99	set
Black Anodized				
GN110377A	1984-87	-8 AN	204.99	set
GN110378A	1984-87	-10 AN	239.99	set
GN110379A	1984-87	-12 AN	264.99	set





1973-88 Fuel Tank Straps Correct reproduction fuel tank straps for 1973-77 GM

A-Body models. These straps are galvanized with a black coating for many years of rust free usage.

		ry specifications for unting holes.	a precis
CL39	1973-77	A-Body	26.99 pr
FT06ED	1978-88	37-3/8 [#] long	24.99 pr

AUTHORIZED

1973-87 Fuel Tank Anti-Soueek

Universal style anti squeak cushions are designed to install between the gas tank and the gas tank straps. These fuel tank anti-squeek pads cushion the gas tank from the body and straps to reduce noise caused by metal to metal contact. Cushions are 38" long and include anti-pop pad for the top of the gas tank.

Comes complete as a 5 piece set. Must cut to length depending on the vehicle.

Note: The molded rubber straps are designed for fuel tanks straps that are a maximum width of 1".



Universal Fuel Tank Anti-Squeak Felt 🗥

Universal gas tank anti-squeak inserts. These felts insert between the gas tank and the mounting straps to eliminate any noise from tank movement and vibration which may occur. Felts measure 36" long x 1-3/4" wide and are flat with no edges. Highly recommended when replacing your gas tank or mounting straps.



1978-87 Fuel Filler Neck

Reproduction fuel filler neck for 1978-87 models. Manufactured to factory specifications featuring original style contours for a proper fit

4 Door GN110101 1978-84 24 99 ca 2 Door GN110102 1978-87



Fuel Line Tap Tee

Fuel line tap Schrader tee 1/4" access valve for GM fuel rail. Used with a fuel pressure gauge, will allow service to the fuel rail without disconnecting the gauge. A must if you drain your tank at the track for adding of racing fuel. GN110522



1984-87 Fuel Injector

Replace faulty fuel injectors with these new premium replacement fuel injector for stock 1984-87 turbo models. Each injector will fit and function as originals. This high impedance, original pintle style fuel injector is 100% factory pretested and flow matched for superior OEM performance. Feature flow rate of 28 lbs/hour and factory original appearance.

Note: Design to support turbo Buick applications up to 300 HP Sold individually

28 lbs/hour V6 Turbo

GN110760 1984-87... 84 99 69



1984-87 FAST Fuel Injector

The FAST precision flow fuel injectors for 1984-87 V6 Turbo models. Engineered to yield faster throttle response, reduced clogging and superior fuel atomization. Fuel injectors are manufactured to the tightest tolerances in the industry with ultimate flow consistency and durability, essential for high-performance EFI engine applications. These high impedance injectors feature a flow rate of 36 lbs/hr and measure 2.550° o-ring to o-ring.

GN110758 individual 51 99 ca GN110759 set of 6 293 99 set



1973-77 Fuel Tank Sending Unit

Reproduction fuel sending unit for GM A-Body models. Designed and manufactured to exact factory specifications this fuel sending unit will replace the original in both fit and function. Comes complete with level sender filter screen, lock ring and float.

CL9286 1973-77 3/8" output line...... 85.99 ea



1973-76 Fuel Sending Unit Brass Float

Fuel sending unit not reading correctly? Your OE float may be cracked or have a hole in it. Replace your leaky original float with this new brass sending unit float to help send accurate readings to your fuel gauge. 1973-76 9 99 ca















REGAL Fuel Tank Products







1973-87 Replacement Non-Locking Fuel Cap

Replace your original broken or missing gas cap with this service replacement fuel cap. These caps are manufactured to correct specifications. May differ from the original in appearance, but will fit and function correctly. These are non-locking, vented caps. Correct replacement gas caps for 1973-87 Regal models.

ST10807 6.99 ea 1973-74 non-vented.... 6.99 ea ST10917 1079 97 non-vented... ST10819 1978-87 vented - repro.... 10.99 ea





3 99 ca

1973-87 Renlacement Locking Fuel Can

Keep thieves and vandals out of your fuel tank. Replace your old, damaged, or missing fuel cap with a new replacement locking fuel cap. Each cap includes 2 keys. Correct replacement gas caps for 1973-87


Regal mode	ds.			
ST10571	1973-74	non-vented	14.99	ca
ST10591	1978-87	non-vented	13.99	ca
ST10501	1978-87	vented	17 99	ca

1978-87 Fuel Door Bumper 🕮 Reproduction fuel door bumper for

1978-87 models. Manufactured to factory specifications featuring the correct shape, and size, 2 required per vehicle.



Tests for fuel line pressure and vacuum leaks. Check for leaky valves, timing, fuel pump, vacuum pressure and gas line leakage. Easy-to-read gauge with 3' hose and vacuum hose adapter fitting.







Gold Standard Fuel Tank Sealer Set

Our 3 step fuel tank sealer set contains almost everything you might need to seal a tank of up to 25 gallons. The Gold Standard Tank Sealer is specifically formulated to stop rust and corrosion by forming a tough, fuel impervious coating while simultaneously sealing small pinholes and weld seams. The prep products are formulated to extend storage times by leaving a zinc phosphate film that prevents rust until you have a chance to seal the tank with the sealer. Complete set and individual items available.

3 Step Fuel Tank Sealer Set

Buy our fuel tank sealer set and save! Each fuel tank sealer set includes: 2 quarts of Klean (a water based. heavy-duty, cleaner/degreaser), 1 quart RustBlast (a powerful rust remover/metal etch), 1 quart Gold Standard Tank Sealer, gloves, instructions, and a stir stick

KB53000	prep/sealer set	70.99	set
	Refill Components		
KBS Klean -	Degreaser		
KB2400	one quart	12.99	ca
KB2500	one gallon	23.99	ca
	st Rust Remover		
KB3400	one quart	17.99	ca
KB3500	one gallon	34.99	ca
KBS Fuel Ta	nk Sealer		
KB5400	one quart	41.99	ca
KB5500	one gallon	118.99	ca



Inline Fuel Pressure Gauge

Set and monitor fuel pressure with these easy to use gauges! Simply splice into the existing carburetor line to with the anodized aluminum fuel block and 3/8" nipples. Each gauge measures 1-1/2" in diameter with a 0-15 psi range in 1/2 lb increments. Gauges are available in standard form or liquid filled for better vibration resistance

Emissions	Note: (4) Non-emissions (50 states le	gal).	
71560 71564		54.99 56.99	

Driven Carh Defender

Driven Carb Defender Fuel Additive has been formulated to protect against harmful ethanol deposits and corrosion in fuel and the induction system. Special inhibitors resist expensive damage and reduced performance from moisture accumulation from modern ethanol blended gasoline. This additive controls combustion chamber residue, cleaning and protecting fuel system and intake tract surfaces to keep carburetors functioning properly. Carb Defender is ideal for everyday drivers or classics that spend time in storage between cruises and special events. One bottle treats up to 25 gallons of ethanol blended fuel.

IG1340 4.5 oz. bottle. 12.99 ea IG1341 case of 6 - 4.5 oz. bottles .. 147.99 cs

Fuel System Cleaner

Max-Clean targets and cleans deposit buildup in the intake system and combustion chamber and is effective on the entire spectrum of engines on the road. Deposit buildup is a natural consequence of fuel combustion, but can have significant effects on the performance and reliability of your engine. Royal Purple's Max-Clean can restore internal engine surfaces, recovering lost fuel economy and performance. RP11722



20 oz. can. RP11723 case of 6 - 20 oz. cans 91 99 cs

Defender+Booster Fuel Additive

Raises the octane in unleaded fuels, reduces valve seat wear and protects against the corrosion deposits common with today's gasoline. Like Driven Carb Defender and Injector Defender Fuel Additives, this product features corrosion inhibitors that control combustion chamber residue, as well as clean and preserve surfaces of the fuel system. By cleaning and controlling combustion chamber and intake valve denosits. Defender + Booster Fuel Additive protects against detonation and improves fuel economy. The additive is ideal for all carbureted and fuel injection vehicles, including motorcycles and marine engines. Each 10 ounce bottle treats up to 25 gallons of gasoline, and regular use has been proven to lower emissions. 10 oz bottle

.I-R Weld Gas Tank and Radiator Repair

AutoWeld is a hand mixable, steel reinforced, non-rusting epoxy putty that quickly repairs or rebuilds anything made of metal. After mixing. it forms an industrial strength polymer compound that can be molded into shapes or used to buildup, patch and repair steel components. AutoWeld sets in 5 minutes and after 60 minutes, can be drilled, tapped, machined, ground, filed, and painted, Cures dark gray. Made in USA. IB8217 1 oz



21.99 ea

REGAL Fuel Pump Products



1973-87 Replacement Mechanical Fuel Pumn

Choose from a wide range of fuel pumps specifically designed for each year and engine size. Some fuel pumps may differ slightly in appearance from original, but will fit and function correctly offering years of satisfactory service. These mechanical fuel pumps will replace the original worn out fuel pump. Manufactured by an OEM GM supplier.

Note: *With AC. ** Without AC

N4641	1973-77	231/3.8-C	25.99 ca
M6951	1977-84	231/3.8-C,A	22.99 ca
V8			
M4511	1973-74	455/7.5	26.99 ca
M6803**	1979-81	455/7.5-W	27.99 ca
M6804*	1979-81	455/7.5-W	29.99 ca
M6108	1977	350/5.7-R	21.99 ca
M6109	1986-87	403/6.6-K	24.99 ca

lolleu



1977-80 Chrome Fuel Pumn

Replace your original fuel pump with genuine Holley chrome fuel pumps. Each mechanical fuel pump is triple chrome-plated and flows 60 gallons per hour at 7-1/2 psi. Includes an adjustable lower housing allowing 360 degree rotation of fuel inlet-outlet fittings for custom installation. For models with a Chevrolet

small block engine. Emissions Note: (4) Non-emissions (50 states legal). 12834 1977-80 small block Chevy.... 115.99 ea



Performer RPM 110 GPH Fuel Pump 🗥

Designed for all Edelbrock carburetors used in Designed for all Edelbrock carburetors used in Performer or Performer RPM applications. This high-performance street fuel pumps feature a high-quality three stage polished finish. The unique varie design improves flow quantity and quality, and will support engines up to 600 HP. High volume, 38° NPT inlet and outlet surpasses the capacity of conventional models. Produces 6 psi and does not require a regulator. For gasoline only. Clockable lower housing can be rotated for best inlet/outlet alignment.

Emissions Note: (4) Non-emissions (50 states leval). E1721 small block Chevy..... 163.99 ca



1986-87 Fuel Pump

TurboTweak 255LPH (liters per hour) turbine style in-tank pump for 1986-87 Buick Regal and Grand National models. This high flow turbine fuel pump designed with the correct inlet to replace the OEM pump and offer maximum performance. Ethanol compatible, quiet and reliable, and includes mounting hardware.

Note: To improve voltage to the pump hot wire is recommended part #GN110529.





H12136

In-Tank Fuel Pump Retrofit Set

Holley 450 lph universal in-tank return less retrofit fuel module. Use this module to convert to an in-tank EFI instance. Oscillist insource to convert to all In-Tank EPT fuel system with no welding or fabrication. Installs in any fuel tank from 7* to 12* deep. Includes a low profile die-cast pump hanger bracket to control pump vibration low profile and an integrated fuel pump capable of supporting up to 875 EPT or 1100 carb HP. This is the easiest way to convert your vehicle to an intank EFI fuel system, ideal for Terminator EFI, Sniper EFI, MSD Atomic EFI or any TBI of EFI conversion.

Emissions Note: (50 states legal). Module Set with Return H12136 255 lph H12136L 450 lph . 658 99 set Module Set without Return 593.99 set H12158 255 lph 450 lph H12158L 722 99 set



Fuel Filter and Mount

Billet Specialties aluminum in-line fuel filters for carbureted applications. This compact 4-1/2" x 1-3/8" design is available with smooth and ribbed housing and with a 3/8" barb or -6AN fittings. 3/8" inlet and outlet 41.99 ca B42420 -6AN inlet and outlet mounting bracket...

B42520





Universal Plastic Fuel Filter Assembly

Replacement fuel filter set for various models. This set includes: filter, 2 pieces of rubber hose, and 4 clamps. Used to mount an inline filter in factory hard fuel lines. 9155B universal...



Fuel & Vacuum Pinch Hose Clamn 🔥

Correct style pinch clamp used on various GM vehicles.

K0052 1/4" red 1.19 ea FF700041 5/16" yellow 1.69 ea K0050 3/8" olive green 1.19 ea K0051 3/8" black 1.19 ea	and vacuum		on 1901-62 venicies	on ruer
	TF700041 K0050	5/16" 3/8"	yellowolive green	1.69 ea 1.19 ea



Fuel & Vacuum Wire Ring Hose Clamp

Pinch clamp used on various GM vehicles. AU5354 5/16" AU5356 3/8* 1 99 ca













REGAL Electric Fuel Components









Electric Fuel Pump

We offer externally mounted Holley electric fuel pumps. They all feature the proven rotor and vane design and are available in ratings from 97 gph to 140 gph. The 97 gph "red" pump is set at 7 psi and does not require a regulator. The 110 gph "blue" pump is set at 14 psi and includes a regulator. The 140 gph "black" pump is also set at 14 psi and can be used for

gas or alcohol t			
Emissions Note:	Non-emissions (50 states l	egal).	
Red Pump H128011	97 gph	160.99	e
Blue Pump H128021	110 gph	199.99	c
Black Pump H128151	140 gph	252.99	c
Regulator H12803	4-1/2 to 9 psi	41.99	e



62531

Electric Fuel Pump

These externally mounted electric fuel pumps are ideal for most street and strip applications. Proven rotary vein technology provides high flow and stable pressures with minimal vibration and sound. Each pump features 3/8" NPT inlets and outlets along with an externally accessible pressure relief valve. Note: Not for fuel injected engines. Pumps that produce more than 7 psi should be used with a pressure regulator.

	ole: ° (3) Non-CARB compliant (n trolled vehicles).	ot legal for
	Chrome Housing	
100 gph 62531C*	7 psi	129.99 ea
120 gph 62541C*	14 psi	129.99 ea
140 gph 62561C*	9 psi	129.99 ea
	Cadmium Housing	
100 gph 62531	7 psi	69.99 ea
120 gph 62541*	14 psi	113.99 ea
140 gph 62561	9 psi	69.99 ea
	+3	21



1984-85 Electric Fuel Pump

This direct replacement electric fuel pump for 1984-85 Grand National and T-Type features cutting edge turbine technology, which makes it quieter, more tolerant of debris, more efficient and exceed manufacturer's tolerances for the ethanol found in today's fuel blends. 110 Liters per hours.

Important: The fuel pump strainer is sold separately. Also due to electrical requirements of some pumps it may require a wire harness adapter (not included) for installation. Note: New strainers must be used on this electric pump for warranty compliance.

	Electric Pump		1	
V8 - 305/5.0-F Optional Hi-Perform				
P74209HP	1984-85	71.99 ca		
Strainer				
S20194	1984-85	5.99 ca		

Nuiet-Flo Flectric Fuel Pumn

State-of-the-art electric fuel pumps offer maximum performance in a compact package for carbureted applications, Anodized aluminum housing and high-quality internals make it both strong and extremely durable. The E1791 electric fuel pump is factory set to 6.5 psi does not require a regulator. 3/8" inlet/



Edelbrock

outlet, 120 gph free flow, up to 600 HP. The E1792 electric fuel pump is preset to 12 psi and requires an external regulator. 1/2* inlet-outlet, 160 gph free flow, up to 1000 HP.

	 For proper installation and volta; ents, use fuel pump relay E1795. 	ge
Emission:	s Note: Non-emissions (50 state	s legal). 🔥
E1791	6.5 psi	271.99 ca
E1792	12 psi	275.99 ea



In-Line Electric Fuel Pump

This in-line electric fuel pump is continuous duty rated and is ideal for EFI applications that require additional pumping capabilities for upgraded modifications. Works superbly as either an in-line booster pump or as a stand alone unit. Use with EFI regulator part #E1728 for adjustability from 35 to 90 psi. 57 gph, 3/8" hose barb fittings. Includes mounting bracket and 3/8" hose barb fittings.

Emissions Note: (4) Non-emissions (50 states legal). E3594 298.99 ea



Features.

- Solid-state worry free electronics
- Internal pressure regulating
 Universal design allows for easy installation
- No diaphragms or mechanical parts to wear out Hose barbs fit 5/16" fuel bose

Micro Electric Fuel Pump

This compact electric fuel pump features a solid state design that has a low current draw of around one amp and makes a good stand alone pump or booster pump. Designed for carbureted vehicles with a 12 Volt negative ground electrical system, this pump supports 4-7 psi at up to 35 gph. Includes: fittings, mounting hardware, and instructions Note: Not for diesel applications.

Emissions Note:

Non-emissions (50 states legal). 71211 54 99 ca

REGAL Electric Fuel Component



Fuel Pressure Regulator

This fuel pressure regulator is machined from aircraft quality aluminum with fluorosilicone diaphragm material for high temperature protection and extended life. This fuel pressure regulator has a single 3/8" NPT inlet and dual 3/8" NPT outlets for carbureted applications and is adjustable from 5 psi to 10 psi, providing extremely consistent pressure regulation. Compatible with all grades of gasoline and methanol. and has a 1/8" NPT gauge port. Includes mounting brackets and hardware, 160 gph.

Emissions E1727	Note: Non-e	missions (50 states	legal). . 175.99 ea
B1727	A		Edelbrock
	madhail na banan		
S in		القد	
	ù ù		0
_	E1728	The same of	

Fuel Pressure Regulator

For those who want the best! These fuel pressure regulators are machined from aircraft quality aluminum and have fluorosilicone diaphragm material for high temperature protection and extended life. The E17 features dual -6AN inlet ports, a single -6AN outlet and a -6AN external bypass. The E1729 has a longer body and dual -10AN inlet ports, a single -10AN outlet and a -6AN external bypass. Compatible with all grades of gasoline and methanol fuels. Adjustable from 35 psi to 90 psi and has 1/8" NPT gauge ports. 180 gph.

	(8)	Holle
E1728 E1729		193.99 c 198.99 c
Emissions	Note: Non-emissions (50 states i	legal).



FFI Fuel Pressure Regulator

Holley 3/8" die-cast aluminum EFI bypass fuel pressure regulators. These regulators are fully adjustable between 15-60 psi. They feature an EFI return port, an 1/8" gauge port and an 1/8" 1:1 boost reference port perfect for fuel injection conversions with or with power adders. 1/8"

	ntung menudeu.		
Emissions 1	Note: Non-emissions (50 states le	gal).	
H12882	polished	78.99	ca
H12886	black	78.99	ca



Billet Fuel Pressure Regulator

Holeu

Holley billet aluminum bypass fuel pressure regulators. Each one is precision machined from 6061-T6 billet aluminum with a black anodized base and a clear anodized top. These regulators are fully adjustable between 4-60 psi for either carbureted or fuel injected applications. They feature an dedicated bypass/return port, an 1/8" gauge port and an 1/8" 1:1 boost reference port perfect for fuel injection conversions with or with r adders 1/8" hose barb fitting included

	ote: Non-emissions (50 states l		
H12879	3/8" inlet/outlet		
H12880	6AN inlet/outlet	173.99	ea



EFI Bygass Regulator

Performance EFI regulator designed for medium to high horsepower applications. This regulator features Aeromotive's high flow design, superb pressure control and legendary durability. Features base pressure and regendary duranity. Features base pressure adjustable from 40-75 psi, gasoline and alcohol compatible, fuel pressure rises on a 1:1 ratio with boost, 1/8" National Pipe Thread taper (NPT) gauge port. Includes 2 o-ring boss fittings (ORB-06) inlet ports and 1 o-ring boss fitting (ORB-06) return port. A9713109 adjustable with EFI.



Universal Bypass Regulator

A dual purpose, universal regulator for EFI or for Carbureted street/strip applications. Features pressure adjustable from 3 to 20 psi with standard spring, (installed) or from 20 to 60 psi with high pressure spring (included). Offers the full flow and rock steady fuel pressure that only a dynamic. Aeromotive bypass regulator provides. Capable of regulating any fuel pump between 100 and 250 gph, fuel pressure rises on a 1:1 ratio when referencing boost. All ports are 3/8" National Pipe Thread taper (NPT), with one inlet and three outlets on the main body and one return port on the bottom. Bypass design provides the ultimate, dynamic fuel pressure control

ote: Requires a return line to be installed from the bottom of the regulator to the top of the tank 3 Port 3/8" NPT A9713301 209 99 ca

Carbureted Bypass Regulator

For use when converting from fuel injection to carburetion using the EFI pump in a carbureted application. Perfect for naturally aspirated or 'blowappircation. Perfect for naturally aspirated or blow-through supercharged engines. Features base fuel pressure adjustable from 3-15 psi, 1 o-ring boss fitting (ORB-10) inlet port and 1 o-ring boss fitting (ORB-08) return port, fuel pressure rises on a 1-1 ratio when referencing boost, bypass design provides the ultimate, dynamic fuel delivery system, ideal for converting from fuel injection to carburetion using the stock, in-tank pump, EFI conversions will require a larger than stock return line for proper low pressure control. Includes two o-ring boss fittings (ORB-06) outlet ports and 1/8" National Pipe Thread taper (NPT) gauge port. Note: Requires Army/Navy fitting (AN-08) return line from bottom of regulator back to top of the tank

A9713204 2 port..



Fuel Pump Safety Switch

This safety feature is a must have for any electric fuel pump vehicle. This safety switch monitors the tach signal to limit when an electric pump can operate. When signationmit when an electric pumpean operate. When the key is first turned on, the fuel pump is allowed to run for three seconds, priming the fuel system. After that, it only operates if the engine is running. If the engine stops, so does the fuel pump. No plumbing into the oil lines or no extra priming button under the dash is required. RE12003



Fuel Pump Safety Switch

This fuel pump safety switch shuts off fuel flow whenever oil pressure drops below 15 psi. This adds a safety factor in case of an accident or engine stall. Designed for 12 Volt electrical systems and can be teed into the oil pressure sending unit with an 1/8" NPT tee.

Emissions Note: (4) Non-emissions (50 states legal). 28 99 ca



Fuel Pump Relay which reduces the risk of damaging the fuel pump, and

This universal fuel pump relay will ensure proper wiring

Edelbrock

offers consistent fuel pressure. This relay is used with fuel pump part #E1791 or #E1792. Emissions Note:

Non-emissions (50 states legal)















REGAL Fuel Lines



Fuel Pump to Carburetor Line

These pre-bent steel fuel lines are some of the most accurate reproductions on the market. These lines have all the correct bends in the correct places, spiral metal armor where needed, the correct flared ends with OE type fittings. Your choice of the original steel material

or rust-free stainless.						
Original Mater						
BKE7801	1978	305 V8				
BKE7802		350 V8				
BKE7803		301 V8	19.99 ca			
BKE8101	1986-87	307 V8				
BKE8102	1986-87	350 V8	19.99 ca			
Stainless Steel						
BKE7801S	1978	305 V8				
BKE7802S	1978	350 V8				
BKE7803S	1979	301 V8	24.99 ca			
BKE8101S	1986-87	307 V8	24.99 ca			
BKE8102S	1986-87	350 V8	24.99 ea			



Fuel Pump to Carburetor Line

These high-quality fuel line kits offer a clean and precise fuel supply line for mechanical fuel pumps with 3/8" NPT outlet to Edelbrock single feed or dual feed fuel inlet kits. These hose kits are pre-assembled hose with hose ends and are available with stainless steel braided hose or black nylon fabric ProClassic hose.

Emissions Note: (30 states	legal).
Stainless Steel Braided Hose	
E8123 3/8" NPT outlet	45.99 ca
ProClassic Hose	
E81233 3/8" NPT outlet	45 99 ca



Fuel Line for Edelbrock Carburetor 📤 These fuel line and filter sets fit Thunder Series or Performer Series carburetors. Features chromed hard

steel line and Russell fuel filter. The dual feed lines include a stainless steel braided flex line for high-quality looks and performance Emissions Note:

Non-emissions (50 states leval). Dual Feed Lines for Thunder Series AVS Carbs

E8133 with blue anodized fuel filter 140.99 e E8128 with polished fuel filter 126.99 e		w/5/8" barbed nose end, no niter	122.99	ea
	E8128 E8132	with polished fuel filter w/3/8" barbed hose end, no filter	126.99	
	E9122	with blue apodized fuel filter	140.00	an


e anodized	l fuel	filter only	35.99
ished fuel	filter	only	38.99



Fuel Supply to Fuel Rail Line

These pre-bent fuel lines are designed to connect your fuel rails to your fuel source or an additional fuel rail. Available in your choice of the original steel material or rust-free stainless. Original Material

Stainless Steel	
BUF1038S 1984-85 Grand National	99.99 set
BUF1024S 1986-87 GN/GNX 1	04.99 ca



Fuel Tank Standnines

Fuel tank standpipe is a part of the diesel heater responsible for sucking the fuel from the tank (together with the fuel pump) and supplying it to the heater. These steel pipes are mounted on top of the fuel tank. Available in your choice of the original steel material or rust free stainless. Sold as a 3 piece set.

Original Mai	terial			
BUX1001	1978-87	Regal	49.99	set
BUX1001	1984-87	T-Type	49.99	set
BUX1001	1984-87	Grand National	49.99	
BUX1001	1986-87	GNX	49.99	set
Stainless Ste	el			
BUX1001S	1978-87	Regal	55.99	set
BUX1001S	1984-87	T-Type	55.99	set
BUX1001S	1984-87	Grand National	55.99	set
BUX1001S	1986-87	GNX	55.99	set



Front to Rear Fuel Line Correct reproduction fuel lines which extend from the

fuel pump to the fuel tank. You can choose between OEM material lines which were factory original or stainless steel reproduction fuel lines which add a custom look. Each is quality produced and guaranteed to fit perfectly! Replacing your fuel lines can improve your fuel system while retaining originality. Note: *2 piece set includes inline filter. Shipped oversize. Original Material

1978-87 V8

BUF1025	1982	Grand National	99.99 ca
BUF1015	1984-85	Grand National	99.99 ca
BUF1013*	1986-87	Grand National	99.99 set
Stainless Stee	el.		
CEF1013S	1978-87	V8	119.99 ea
BUF1025S	1982	Grand National	
BUF1015S	1984-85	Grand National	119.99 ca
BUF1013S*	1984-85	Grand National	119.99 set



Line goes from the fuel rail return line to the fuel tank on the right side of the vehicle.

BUR1013	1982	Grand National	79.99
BUR1005	1984-87	Grand National	79.99
BUR1005	1984-87	T-Type	79.99
BUR1005	1986-87	GNX	79.99
Stainless Ste			
BUR1013S	1984	Grand National	99.99
BUR1005S	1984-87	Grand National	99.99
BUR1005S	1984-87	T-Type	99.99
BUR1005S	1986-87	GNX	99.99



Return Line from Fuel Rail

This line goes from the fuel rail down to the return fuel line to the tank.

ruci inic to tii	ic talik.		
Original Man			
BUR1015	1984-85	Grand National	79.99 ea
BUR1012	1986-87	Grand National	79.99 ea
BUR1012	1986-87	T-Type	79.99 ea
BUR1012	1986-87	GNX	79.99 ea
Stainless Ste	el		
BUR1015S	1984-85	Grand National	99.99 ca
BUR1012S	1986-87	Grand National	99.99 ea
BUR1012S	1986-87	T-Type	99.99 ea
BUR1012S	1986-87	GNX	99.99 ca



≥ʊs⊼ 1982-87 Teflon Fuel I ine Kit

Cruz Performance black Teflon E85 compatible fuel line kit for 1982-87 Buick 3 SL Turbo models including Grand National, T-Type, and GNX. This performance fuel line upgrade features crimped AN fittings on all hose ends and Teflon lined/E85 compatible hose, custom designed to connect to the stock fuel rail. Includes an -8AN feed line, a -6AN return line, and a stainless steel filter Made in USA

GN110684 1982-87 3.8 Buick V6 474.99 ea



Edelbrock Thunder Carhuretors

The Thunder Series carburetors share all the performance advantages of the popular Performer Series but with innovative new features. The Quick-Tune secondary air valve can be easily adjusted to match your needs. Whether you want the secondaries to "kick in" early or late, you can set the air valve using standard tools, with no extra springs. Its a quick and simple process. These carburetors include all of the performance features of the Performer Series carburetors and also include distinctive black hardware, dual fuel inlets (shipped with left side plugged), lightweight ball burnished and CNC profiled body, and the Quick-Tune secondary. They're available in 650 cfm and 800 cfm sizes with manual or electric choke. There's even an 800 cfm version specifically designed for off-road vehicles. These Edelbrock carburetors bolt-on and run right out of the box! Simply dependable, proven performance for almost any carbureted vehicle. All Edelbrock carburetors include an installation kit and owners manual.







650 CFM Carburetor

This carburetor is recommended for most Performer applications and small cubic

Emissions N	r II application	emissions (50 states legal). ** 🗿 Non-CARB comp	liant (not	
E1905* E1906**	650 cfm 650 cfm	manual chokeelectric choke		

800 CFM Carburetor

Recommended for most small block Performer RPM or Torker II applications and big block Performer applications. E1913** 800 cfm electric choke 474 99 ca

Edelbrock Performer Carburetors

Performer Series carburetors complete the Edelbrock Power Package System for a smooth running and great performing "no guesswork" parts combination. By design, Performer Series square-bore carburetors are refined to provide the widest possible torque range when matched with Edelbrock Performer, Performer RPM, RPM Air Gap or Torker II manifold and camshaft combinations. However, these carburetors are not limited to these applications, they also match well with most stock and other manifolds of similar design. Performer Series square bore carburetors are all aluminum, ball burnished and lightweight. There are no power valves to blow out or plastic parts to break. The 2 piece construction resists warping and the metering rods can be changed in seconds without removing the carburetor. These Edelbrock carburetors bolt-on and run right out of the box! Simply dependable, proven performance for almost any carbureted vehicle. All Edelbrock carburetors include an installation kit and owners manual.



500 CFM Carburetor

Recommended for small cubic inch Performer and dual quad applications. Includes both timed and full vacuum ports for ignition advance. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). E1404 500 cfm electric choke F1403 500 cfm 478.99 ca

600 CFM 50-State Legal Electric Choke Carburetor

50 state street legal for all 1980 and earlier GMV8s (E.O. #D-215-10). Calibrated for maximum fuel economy. Includes: timed vacuum ports, EGR and fuel vapor outlet. Emissions Note: (1) CARB EO compliant (50 states legal). E1400 600 cfm electric choke .. 483 99 69

ROO CFM Carburetor

Recommended for most Performer applications and small cubic inch Torker II applications. Includes both timed and full vacuum ports for ignition advance. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). E1405 600 cfm E1406 600 cfm electric choke 415 99 co

750 CFM Carburetor

Recommended for most Performer RPM or Torker II applications and 402ci Performer applications. Provides excellent fuel economy when used on 454ci Performer applications. Includes both timed and full vacuum ports for ignition advance. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). F1407 750 cfm manual choke 437.99 са

750 cfm electric choke 479.99 ea EPS 800 CFM Carburetor

The new EPS 800 carb is designed and calibrated for street high-performance engines. Dyno-tests show that the EPS 800 carb outperformed a Holley #3310 carb out of the box by 26 ft lb of torque and 22 horsepower on a small block Chevrolet equipped with Performer RPM components. Features include: a high capacity accelerator pump, and an improved secondary cluster design.

Emissions	Note: (3) Non-	CARB compliant (not	legal for emission controlled vei	hicles).	
E1412	800 cfm	manual choke .		522.99	ca
E1413	800 cfm	electric choke		544.99	ca











E1411



Street Series Carburetor

Street carburetors are constructed of lightweight aluminum, including provisions for a choke assembly and changeable idle air bleeds for easy, non-permanent calibration changes if necessary. Fine tuning is accomplished by simply changing air bleeds, not opening up calibration restrictions with a drill bit! These dual fuel feed inlet carburetors are hand assembled in the U.S. using the PROFORM high flow carburetor main body, durable billet metering blocks, aluminum fuel bowls, and a highperformance billet throttle base plate. Emissions Note: 3 Non-CARB compliant (n



Lightweight Aluminum - Not Heavy Zinc High Flow Center Section Design Flat Surfaces: CNC Precision Finish Changeable Screw-in Idle Air Bloods Changeable Screw-in High Speed Bleeds High-Performance Down Leg Boosters except 650 cfm Electric Choke on Mechanical Secondary

and Vacuum Secondary Models Fuel Bowl Features:

Lightweight Die-Cast Aluminum Secondary Models Fuel Level Sight Windows Changeable Idle Feed Restriction Externally Adjustable Needle and Seat Durable, No Warping or Porosity Problems Dual Feed Fuel Inlet Secondary Jet Extensions on Mechanical Secondary Models Notched Secondary Float Non-stick Gockete

Mechani	cal Secondo	aries		⚠
67211	600 cfm	electric choke		
67212	650 cfm	electric choke	495.99	ca
67213	750 cfm	electric choke	462.99	ca
67214	850 cfm	electric choke	447.99	ca
	Secondarie			
67206	600 cfm	electric choke	444.99	ca
67207	650 cfm	electric choke		
67208	750 cfm	electric choke	469.99	ca

Slaver Series Carburetor

The 600 and 750 cfm Slayer Series carburetors are designed with the same engineering and innovations featured on all QFT[™] products. These affordable, vacuum secondary street carburetory feature all aluminum construction and hand built quality They are designed with a secondary metering plate with changeable jets. eliminating the need for a costly secondary metering block. Get QFT race winning innovation for your vehicle at a great price.



DUKKTUE

Adjustable Secondary Housing on Vacuum

Strong, Lightweight Billet Aluminum

Billet Metering Block Features: Strong, Lightweight Billet Aluminum

Four Corner Idle System on Mechanical

Power Valve Blow Out Protection

Button Torx Head Throttle Plate Screws

Easy Access Secondary Idle Air Flow Adjustment

Corrosion Resistant Black Anodized Appearance

Slip Link Linkage on Mechanical Secondary Models

Secondary Models

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

- · Changeable idle air and high speed bleeds
- 3 Stage emulsion circuits in primary metering block
 Changeable primary idle feed restrictions and power valve
- channel restrictions
- QFT[™] QuickSet[™] adjustment on the vacuum secondary housing that
- provides external adjustment of the diaphragm without changing springs

 Notched secondary float for use with jet extensions
- · Secondary metering plate with changeable jets
- Fully adjustable electric choke · Polished finish for superior good looks
- CB710600 600 cfm - electric choke 426.99 ca 460 99 ca CB710750 750 cfm - electric choke ..

- 170/20/20 Hot Rod Series Carburetor

The Hot Rod Series of carburetors is designed for street applications. Made from lightweight aluminum castings and packed full of features, these carburetors are sure to make your hot rod run its best! Hand assembled and engine tested in the USA! Available in both vacuum and mechanical secondary configurations.





- · Quick Set electric choke with one wire hookup for years of trouble-free starting. Dual inlet fuel bowls with Quick Set sight windows on both fuel bowls for safe and easy float level adjustment.
- Vacuum secondary carburetors have a Quick Set housing that is adjustable by simply turning a screw - no more spring assortments to keep up with or torn diaphragms
- 4 corner idle for smooth and efficient idle quality. Screw-in air bleeds for quick and unsurpassed tuning capability.
- Screw-in idle feed restrictions.
- Non-stick gaskets throughout for easy service.
 The QFT 4 door™ power valve with a strong d power valve with a strong diaphragm and blow-out protection in the throttle body
- Universal throttle lever with sealed throttle shafts for years of smooth operation. Full vacuum accessory ports for PCV, power brakes and timed spark advance.

Mechanical S	econdary Carburetors		4
CB711600	600 cfm	613.99	ea
CB711650	650 cfm	613.99	ca
CB711750	750 cfm	677.99	ca
CB711850	850 cfm	719.99	ca
	ndary Carburetors		
CB711580	580 cfm	609.99	ca
CB711680			
CB711780	780 cfm	609.99	ca

Street Series Carburetor

These Ouick Fuel Super Street carburetors offer race performance in a lightweight, street friendly package. These carburetors are manufactured from aluminum and designed for maximum tunability through idle feed adjustment and power valve channel restrictions, as well as idle and high RPM air bleeds. Available with vacuum secondaries. which use fuel bowls with single sight glass windows or a mechanical secondary design featuring dual inlet. dual sight glass 4500 style fuel bowls



Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

- · Changeable air bleeds idle and high speed for ultimate tuneability
- Aluminum fuel bowls with dual sight glass windows · Billet metering blocks with changeable idle feed and power valve
- channel restrictions
- · 4 corner idle system

with links to tune the secondary

opening rate.

- · Notched secondary floats
- Secondary jet extensions
 Slabbed throttle shafts with Teflon bearing ribbons with stainless steel plates Billet aluminum throttle body
- Dog leg boosters/annular boosters mechanical secondary

880.cfm

Mechanical .	Secondary	Carburetors		⚠
CB712650	650 cfm		823.99	
CB712651	650 cfm	annular booster	844.99	
CB712750	750 cfm		823.00	
CB712751	750 cfm	annular booster	856.99	
CB712850	850 cfm		823.99	ca
Vacuum Sec	ondary Ca	rburetors		
CB712680	680 cfm		764.99	
CB712780	780 cfm		764 99	69

CB712880

764 99 ca



C F ш




Race Series Carburetor

Finally an affordable high-performance race carburetor! PROFORM's Race Series carburetors are hand assembled in Bowling Green, Kentucky utilizing PROFORM high flow carburetor main body, durable billet metering blocks, aluminum fuel bowls, and a high-performance billet throttle base plate. These dual fuel feed inlet carburetors are equipped with a square bore base plate.

Emissions Note: * (3) Non-CARB compliant (not legal for emission controlled vehicles)

	67199*		no choke			
	67200*	750 cfm	no choke	586.99	ca	
	67201*	850 cfm	no choke	625.99	ca	
	67202*	950 cfm	no choke	653.99	ca	
	Vacuum S	econdaries				
	67204	650 -6		562.00		



Street Demon Carburetor STIES A

The Street Demon redefines the street carburetor with clean looks, brisk performance, and universal design. Available in 625 and 750 cfm, the Street Demon supports stock and mildly modified V8's with smooth, crisp throttle response. A dual bolt pattern works with most four barrel spread bore and square flange intake manifolds. Includes integrated 700R4/200R4 transmission kick down location and electric choke. Choose

from all-aluminum construction or a polymer main body design. Made in USA. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

625 cfm Carburetors				
D1900	ball burnished finish	401.99 ea		
D1901	with polymer main body	401.99 ea		
750 cfm Ca				
D1903	ball burnished finish			
D1904	with polymer main body	445.99 ea		





Street Avenger 2 Barrel Carburetor

The Holley 2300 Series Street Avenger™ Series carburetors are the first true performance carbs specifically designed, dyno-tested, and calibrated for performance on the street. They feature the adjustable vacuum secondary, 2 vacuum ports, electric choke, external float adjustment, and the new Gen IV Power Valve, A 3/4" fuel line

onnection is included.					
missions	Note: 3 No	n-CARB compliant (not legal for emission controlled ve-	hicles).		
180350	350 cfm	2 barrel	495.99 ea		
180500	500 cfm	2 barrel	521.99 ea		



BRAWLER Brawler Die-Cast Carburetor

Brawler die-cast carburetors are made from lightweight die-cast aluminum components and are available in both vacuum and mechanical secondary models. They offer all the tunability and options found on more expensive carburetors in the market, including a beautiful appearance, electric choke, and four corner idle adjustment on all mechanical secondary models.

Emissions No	ote: 📵 Non-C	AKB compliant (not legal for emission controlled vei	ucles).	
Vacuum Se	condary			
BR67253	570 cfm	electric choke		
BR67270	600 cfm	electric choke	366.99	ca
BR67271	600 cfm	manual choke	366.99	ca
BR67256	670 cfm	electric choke	477.99	ca
BR67258	770 cfm	electric choke	477.99	ca
Mechanica	l Secondary			
BR67254	600 cfm	electric choke	451.99	ca
BR67255	650 cfm	electric choke	467.99	
BR67276	650 cfm	electric choke	385.99	ca
BR67277	650 cfm	manual choke	385.99	ca
BR67257	750 cfm			
BR67259	850 cfm	electric choke	595.99	ca
				_

Brawler Street Carburetor

Brawler Street carburetors includes billet metering blocks with the latest technology in air/fuel calibrations for today's street or race engine demands. They also feature billet throttle bodies for superior durability and throttle shaft stability. Brawler Street models offer many high-end options found on more expensive carburetors.

BR67206	600 cfm	silver/black		
BR67207	650 cfm	silver/black	524.99	
BR67317	680 cfm	black/red	532.99	ea
BR67208	750 cfm	silver/black	541.99	ea
BR67319	670 cfm	black/red	532.99	ea
Mechanical	Secondary			
BR67211	600 cfm	silver/black	498.99	ea
BR67316	600 cfm	black/red	549.99	
BR67212	650 cfm	silver/black	525.99	ea
BR67318	650 cfm	black/red.	549.99	ea
BR67312	650 cfm	black/purple	617.99	ea
BR67213	750 cfm	silver/black	540.99	ea
BR67320	750 cfm	black/red	549.99	ea
BR67313	750 cfm	black/purple	624.99	
BR67214	850 cfm	silver/black	552.99	ea
DD67314	950 ofm	block/purple		











390 CFM Carhuretor

This Holley 4160 Series 390 cfm 4 barrel carburetor is ideal for small displacement V8 or V6 engines. It features side hung float bowls, a universal throttle lever, vacuum secondaries, and an electric choke. This is one of the simplest ways to get more performance from your engine.

Emissions Note: (5) Non-CARB compliant (not legal for emission controlled vehicles) H8007 390 cfm four barrel.



717.99 ea

600 CFM Carhuretor

carburetor featuring an original finish, vacuum secondaries, and ower valve blowout protection. These replacements are similar to the units installed on 1967-69 Z28's with cross ram induction and can be used to replace list numbers 3810S. 4410A, and 4295.

portant: Throttle solenoid used on some models not included. Order separately Carburetor is stamped with current manufacturing date

Emissions Note: 3 Non-CARB compliant (not legal for emission controlled vehicles). replacement carb... 90457 600 cfm 362.99 ea

Vaciiim Holley Secondary Carburetor

These classic Holley 4160 Series carburetors are available in several sizes and with manual or electric choke. These carburetors feature vacuum secondaries and chromate finish



Nauhle Pumper Holley Carhuretor

Holley 4150 Series double pumper carburetors are available in several sizes and with manual or electric choke. These carburetors feature mechanical secondaries, center hung float bowls and power valve blow-out protection. The double pumper is designed for use on

lightweight vehicles with a manual or automatic transmissions

with a high stall and low rear end gears.						
	Emissions Note: ③ Non-CARB compliant (not legal for emission controlled vehicles).					
	H4776	600 cfm	manual choke	703.99 ea		
	H4777	650 cfm	manual choke			
	H4777E	650 cfm	electric choke			
	H4778	700 cfm	manual choke			
	H4779E	750 cfm	electric choke			
	H4779	750 cfm	manual choke			
	H4780	800 cfm	manual choke			
	H4781	850 cfm	manual choke	792.99 ca		

650 CFM Carburetor

This Holley 4150 Series 650 CFM 4 barrel carburetor is a performance upgrade for stock to mildly modified vehicles and has that classic Holley look. This is one of the simplest ways to get more performance from your engine. It features center hung float bowls, a universal throttle lever. vacuum secondaries, and an electric choke. This is one of the simplest ways to get more performance from your engine.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). H80783 650 cfm electric choke..



Classic Industries® offers newly remanufactured 750 cfm Holley carburetors. They feature an original finish, vacuum secondaries, electric choke and power valve blowout protection. For all engines with or without air injection reactor (smog) These replacements are similar to the 780 cfm units installed on Z28 and big block models and can be used to replace list numbers 3910, 4490, 4555. 4800-1, 4801-1, 6238-1, and 6329-1.

Important: Throttle solenoid used on some models not included. Order separately

Carburetor stamped with current manufacturing date Emissions Note: (50 states legal). 750 cfm replacement carb

Polished Double

Pumner Carburetor Holley 4150 Series double pumper carburetors are available in several sizes and with manual or electric choke. These carburetors feature mechanical secondaries, center hung float bowls and power valve blow-out protection. The double pumper is designed for use on lightweight vehicles with a manual or automatic transmissions with a high stall



Street Series Avenuer Carburetor

The Holley 4150 Series Street Avenger™ Series carburetors are the first true performance carbs specifically designed, dyno-tested, and calibrated for performance on the street. They feature the No Trouble™ adjustable vacuum secondary, four vacuum ports, electric choke, external float adjustment, and the new Gen IV Power Valve. If you're looking for better throttle response, quicker

acceleration, enhanced fuel economy, and superior driveability. the Street

Avenger™	carbs are you	ır answer.		Λ
Emissions N	Note: (3) Non-	CARB compliant (not legal for emission controlled vei	hicles).	
H80570	570 cfm		586.99	
H80670	670 cfm	four barrel	586.99	
H80770	770 cfm	four barrel	586 99	ca



447.99 ea

H4777SF





Emissions Note: (A) Non-emissions (50 states leval).

Standard Rebuild Sets These sets are just what you need to make your Holley carburetor perform like new again. They include: new

gaskets, o-rings, pumps, diaphragms, needles and seats, power valves, and detailed instructions to help you step-by-step through the rebuilding process. Note: Visit website for specific carburetor number applications of each set.

With Vacuum Secondaries 600 cfm 4160

38 99 set H37119 600 cfm 4160 (1850/80457) 39.99 set H37754 750 cfm 4160 38.99 set With Mechanical Secondaries

H37485 4150 double pump carbs... 52.99 set Performance Rebuild Set

This set contains all the parts TricKit you'll need to perform a complete rebuild on your Holley vacuum secondary or double pumper carburetor. Plus its got extra parts related to carburetor calibration that are required to accomplish a real performance tune. These include accelerator pump discharge nozzles, accelerator pump cams,

vacuum secondary springs, and extra gaskets. A carburetor exploded view and detailed tuning guide are also included. H37933 Holley Trickit Set®...... 165.99 set



Holley Carburetor Air Cleaner Gasket

This circle shaped gasket is installed between the carburetor body and the base of the air cleaner. Its a must for keeping small particles of dirt from entering your engine. They measure 5" in diameter and are available in two thicknesses.

Emissions Note: (4) Non-emissions (50 states legal). .060" thick 4.99 ea 1256633 5" diameter 5" diameter .200" thick 13.99 ea H10862













Carburetor Gasket

We now offer a selection of the most commonly needed Holley carburetor gaskets.

Emissions Note: Non-emissions (50 states legal). Base Gasket and Studs

4150 & 4160 carbs, .250" 34.99 ea 4150 & 4160 carbs, 5/16" 28.99 ea H10851 H10812 Base Gasket 4150 & 4160 carbs, .204" 31.99 ea 4150 & 4160 carbs, 5/16" 25.99 ea 4150 & 4160 carbs, 1/16" 10.99 ea 4165 & Quadrajet carbs, 1/4" 27.99 ea H10858 H10818 H10810 H10825 Metering Block H10889

4150, 4160 & 4165 carbs 13.99 pr H10890 4150, 4160 & 4165 carbs 15.99 pr 4150, 4160 & 4165 carbs 15.99 pr H10891 Fuel Bowl H10883 4150, & 4160 carbs 13.99 pr H10892 4165 carbs. 10.99 pr



These are reproductions of the gaskets used on Holley dual float carburetors. This is a 2 piece set consisting of the base gasket as well as the air cleaner gasket. A must when rebuilding your Holley dual float carburetor. 14306



Carburetor Installation Set

This set contains installation hardware for most Demon 4 barrel carburetors, including mounting studs, washers, nuts, air cleaner studs, vacuum caps, throttle cable balls with bushing adapters for throttle levers and 3 types of base gaskets for square and spread bore carburetors, and a gasket for the Street Demon. Emissions Note: (50 states legal).

26 99 set





1973-87 Ouadraiet Carburetor Rebuild Set

Bring your carburetor back to original working order by replacing the crucial components with this complete rebuild set for use with original or Edelbrock replacement Quadrajet carburetors. Each part is manufactured to exact specifications assuring a quality part and an authentic rebuild. Includes all parts and gaskets necessary for a complete rebuild. Available for 1973-87 models.

ED1920 1973-78 750 cfm 39.99 set ED1921 1975-89 39.99 set 795 cfm ..



1977-80 Carburetor Base Gasket 🔥 models with 4 barrel Rochester carburetor

Carburetor to intake manifold gasket for 1977-80 354310 1977-80 5.99 ca















Street Demon TPS Set USA

When using an electronic overdrive transmission, such as a 4L60E, with a carbureted engine, the transmission control unit requires a throttle position signal. This sensor bolts on to the carburetor and sends the proper signal to the computer. The simple design allows for easy calibration and voltage adjustments. Includes all necessary installation hardware. Made in USA. Emissions Note: (4) Non-emissions (50 states legal).

Street Demon TPS... 217 99 set



Throttle Solenoid

Some vehicles require a throttle solenoid to be used with Holley carburetors. This is a replacement unit manufactured by Holley. Also available are the solenoid

Emissions	Note: Non-emissions (50 states l	egal).		
H4674	Holley throttle soleniod			
H209	bracket	13.99		
		10.00		



Street Demon Throttle Solenoid Set Some vehicles, especially vehicles with air conditioning, require a throttle solenoid to automatically increase

engine RPM. This throttle solenoid set from Demon Fuel Systems includes the solenoid, bracket, and mounting nut. Made in USA. Emissions Note:

Non-emissions (50 states legal).

D1950 Street Demon..... 147 99 set



Selles A

Street Demon Calibration Set

This calibration set allows fine tuning of Street Demon carburetors. Although the carburetors are already fine tuned other adjustments and modifications may be necessary for optimal performance in built engines with large cams. This set includes an assortment of primary jets, metering rods, and step-up springs along with secondary jets all in a convenient plastic storage case. Emissions Note: (A) Non-emissions (50 states leval).

D1921



Carburetor Calibration Set PINGE N

These sets include a selection of metering rods, jets, and step up springs that allow fine tuning and calibration of Edelbrock Performer and Thunder Series carburetors for mildly to extremely built motors, especially motors with performance camshafts that cause low intake manifold vacuum. Made in USA.

Note: Not legal for pollution controlled vehicles. Emissions Note: (A) Non-emissions (50 states lenal)

	er Series Sets		
E1479	1405		
E1480	1407, 1410, 1412 and 1413		
E1486	403,1404,1801,1802,1803&1804	82.99	
E1487	1406	60.99	sc
E1488	1409	81.99	sc
E1489	411	70.99	sc
	r AVS Series Sets		
E1840	1805 and 1806	79.99	sc
E1841	1812 and 1813	96.99	sc
E1842	1826	80.99	sc

Jet Assortment Set

The Holley jet assortment set is the professional way to track tune your Holley carburetor for top performance. The set consists of 2 each of 36 different iet sizes ranging from #64 to #99. The jets are contained in a plastic case that keep them

separated and make them easily accessible. Jet sizes selected will give the broadest range of adjustment and performance for most performance carburetor applications.

Emissions Note:
Non-emissions (50 states legal). H36181 jet assortments.. 81 99 set

H122 47 = Main .let Size #47

Desired Main Jet Size



Holley jets are the professional way to track tune your Holley carburetor for top performance. They are sold in sets of 2 and are available in jet sizes ranging from #40 to #110. The jets will give the broadest range of adjustment to get the most performance out of your Holley carburetor

Important: Please specify jet size at the end of the part number when ordering. See chart above for more information Emissions Note: (4) Non-emissions (50 states leval). specify jet size, #40 to #110..... 10.99 pr









The power valve is a key component of the power enrichment system of Holley performance carburetors. These power valves incorporate "power valve blow out protection". Power valve installation tool is also available, and sold separately.

Emissions Note: (4) Non-emissions (50 states legal).

Power Valve -	Standard Flow	
H12525	2.5" Hg	13.99 ea
H12535	3.5" Hg	13.99 ea
H12545	4.5" Hg	13.99 ea
H12555	5.5" Hg	13.99 ea
H12565	6.5" Hg	13.99 ea
H12585	8.5" Hg	13.99 ea
H125105	10.5" Ĥg	13.99 ea
Power Valve -		
H125125	2.5" Hg	20.99 ea
H125135	3.5" Hg	20.99 ca
H125145	4.5" Hg	20.99 ea
H125155	5.5" Hg	20.99 ea
H125165	6.5" Hg	20.99 ea
H125185	8.5" Hg	20.99 ea
H1251005	10.5" Ĥg	20.99 ea
Installation Te		
67454	anodized aluminum	31 99 ca







Accelerator Pump Squirters

We offer several sizes and styles of accelerator pump squirters. Choose from straight type or tube style to fit 4150, 4160, and 4500 series carburetors. All include 2 gaskets.

Emissions Note:

Non-emissions (50 states legal).

H121125	.025	straight	17.99 set
H121128	.028	straight	17.99 set
H121131	.031	straight	17.99 set
H121135	.035	straight	17.99 set
H121137	.037	straight	17.99 set
H121140	.040	straight	17.99 set
H121142	.042	straight	17.99 set
H121145	.045	straight	17.99 set
Tube Type			
H12125	.025	tube	29.99 set
H12128	.028	tube	29.99 set
H12131	.031	tube	29.99 set
H12135	.035	tube	29.99 set
H12137	.037	tube	29.99 set
H12140	.040	tube	29.99 set
H12140 H12142	.040	tubetube	29.99 set 29.99 set



Carh Dual-Feed Fuel Line

Made from aircraft quality Buna-N neoprene hose encased in braided stainless steel, this fuel line is temperature, gas and oil resistant. Made for 3/8" NPT fittings, the fuel line is adjustable between the carb bowls from 7-1/2" to 11-1/2". Includes 1/8" pipe fitting and plug for optional fuel pressure gauge, etc. Hose inlet nipple not included.

Emissions Note: (50 states legal). E8101 126.99 ca




Dual Feed Fuel Line

We offer chromed copper fuel lines for Holley carburetors. The hard lines are manufactured with seamless copper tubing and are double flared at the ends with 5/8"-18 inverted flare inlets.

Emissions Note: (A) Non-emissions (50 states leval). Black Anodized Billet Aluminum Line H3439 adjustable 4150 & 4500 carbs 333.99 ea

Chromed Copper Hard Line
H34150 4150 carbs.......
H34160 4160 carbs..... 48.99 ca center to center



Dual Feed Fuel Line

Chrome dual feed fuel line for use on Holley carbs with 3/8" inlet. High-quality gas lines specifically designed for use on Holley dual feed carburetors. Each gas line will replace the original exactly. Stainless steel construction for a performance appearance and long-lasting dependability.

Emissions Note: 3 Non-CARB compliant (not legal for emission controlled vehicles). 66635 Holley 8-21/32" centers 23.99 ea 66636 Holley 9-5/16" centers 23 99 ca



Vacuum Secondary Diaphragm

This vacuum secondary diaphragm fits most 4150 and

4160 square bore Holley carburetors. Emissions Note: A Non-emissions (50 states legal).







Assorted Vacuum Cans

Assorted vacuum caps for almost any automotive repair job. Each vacuum cap is constructed from durable, heat resistant vinyl, and provides a tight fit to prevent vacuum leaks. Excellent for capping lines and hoses while testing carburetors, emission control systems, vacuum lines, and more. 5/32" Vacuum Cap - For 4 Barrel Holley Carb

3928101 1 piece 5/32" black...... 2.99 ea Assortment - Colored

Includes four each: 1/8" yellow, 3/16" blue, 1/4" red, 5/16" white, 3/8" black. 4 each assorted colors 3.99 set Assortment - Black Includes: 5/32", 7/32", 5/16", 3/8", 3/16" x 2, 1/4" x 2,

A9747396 8 piece assortment...... 3.99 set A9799350 30 piece assortment..... 4 Pack - Black Includes four 5/16" caps. A9747394 5/16"...... 2.99 set 5 Pack - Black Includes five 1/4" caps. A9747393 1/4"

7 99 set

3.99 set

8 99 set

.... 6.99 set

10 Pack - Black

 $\Delta 9747389$

A9747392

A9750003

A9747395

1/8"

1/4"

3/8"



Carburetor Wedge Plate

During hard acceleration the float bowls in a carburetor become uneven, causing moderate fuel starvation. This aluminum spacer tilts the carburetor forward 5 degrees to help keep it level. This spacer measures .830" at its thickest point and has a dual bolt pattern for standard Holley. Carter AFB, and Edelbrock carburetors. Note: Not legal for use on pollution controlled vehicles

265030 50.99 ea



Carburetor Linkage Plate

Each plate is triple chrome-plated for a beautiful and custom finish. For GM cables, Can be used with part #T2334 T2333 Holley/AFB 31.99 ea

authorized

Carburetor Rod Clin

Reproduction carburetor rod to accelerator rod clip. Manufactured to original specifications for a correct replacement. Fits 5/32" rod diameter. LH and RH. 100027 2.99 ea

3962782 RH..



1977-78 Cruise Control Cable Bracket

Cruise control cable bracket on carburetor, replaces GM #342407. This bracket bolts it to accelerator cable bracket. It allows you to put 2 cables together when adding cruise control. This bracket is for cruise control cable from vacuum servo to the carburetor. 342407

1977-78 .. 17 99 ca



Chrome-plated bracket for Holley or Quadrajet carburetor linkage plates. Can be used with part #T2333. 7.99 ea















Spread Bore Sealing Plate

Holley EFI spread bore sealing plate. This plate adapts a dual bolt pattern square bore carburetor or throttle body to a spread bore manifold and seal properly. Includes a 1/16" thick plate and 2 gaskets.

Emissions Note: (4) Non-emissions (50 states leval). H90060 28.99 ca





Carburetor Spacers

Carburetor spacer sets are now available for Holley carburetors. Each set includes mounting hardware and gaskets

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

Open Cer			
T2063	3/8" tall "Hiker"		
T2094	3/8" tall w/vacuum tube, cap	41.99	se
T2084	1" tall		
T2103	1" tall w/3/8" fitting for PVC	33.99	se
T2081	2" tall	37.99	se
Ported			
T2280	3/8" tall	61.99	se
T2048	2" tall	38.99	se



Carburetor Spacer Set Easily optimize the flow rates of air and fuel in your

car with this modular 1" carb spacer set! Since various engine combinations have different fuel and air delivery requirements for maximum performance, each spacer set includes 1 frame and 2 popular inserts: open, 4 hole, and tapered 4 hole. This way, you can dial in exactly the right flow to get the most from your motor. Emissions Note: (4) Non-emissions (50 states legal). 67160 carburetor spacer





Carburetor to Manifold Adapter Set 🗥

Carburetor to manifold adapter sets. These adapters take the hassle out of many common intake, carburetor, and throttle body swaps. They are constructed of diecast aluminum and include the necessary gaskets and hardware to mount it all up

Note: Additional modifications my need to be made to

Emissions	Note: Non-emissions (50 states le	gal).		
	Holley 2300 to Rochester 2G			
MG1929	Holley 2300 to Quadra-Jet			
MG1937	2300/2G to square bore			
MG1932	square hore to spread hore	25 99 set		



1973-87 Carburetor Cover

Keep dirt and contaminants out of your carburetor while working on your engine with the air cleaner removed. Produced using tough plastic construction. For use on all 4 barrel carburetors. 5-1/8" diameter. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

T2012 1973-87 4 barrel...... 7 99 69



Transfer Tube O-Ring Seals

These fuel resistant o-rings will help prevent dangerous fuel leaks at your carburetors fuel transfer tube. Both old and new style o-rings are available. Emissions Note: * (A) Non-emissions (50 states leval). H2637* old style..... .. 7.99 pr H10897

new style ...

	(H6506
0 l l N	H6506

Carburetor Needle and Seat

Holley

We offer several needle and seat assemblies for Holley carburetors. The seat size determines how much fuel can flow at a certain pressure. Larger sizes flow more fuel. Tune your Holley carburetor to flow the right amount of fuel at the proper pressure with a new Viton-tipped needle and seat.

Emissions	Note: 4	Non-emissions (50 states le	gal).
H6506	.97	adjustable	19.99 ea
H6504	.110	adjustable	20.99 ea
H6518	.120	adjustable	35.99 ea
H6513	.97	off-road	35.99 ea
		-	



Accelerator Pump Cam Set

This set will allow you to "tailor" accelerator pump performance to the engine's actual requirements. Each cam has a different shape to give different results. The shape of each cam directly affects the accelerator pump stroke and pump capacity. A steeply rising cam shape will give a fast, heavy fuel shot right off idle. Conversely, a gentle sloping ramp will spread the pump action over a longer period of time. Emissions Note: (4) Non-emissions (50 states leval).

H2012	includes 8 pump	cams	36.99 set
	====		—
			-

Carburetor Float Bowl Screws

These are reproductions of the screws for Holley dual float carburetor bowls. This is a set of eight 2-1/2* flat blade screws. A must when rebuilding your Holley dual float carburetor.

14305 14 99 set - (303000)



Float Adjustment Tool

No more slight-of-hand tricks! Easily adjust your carburetor float level with this hand float adjustment tool. 5/8" socket and built-in screwdriver blade protects

your engine and hands from fuel spray. Emissions Note: (4) Non-emissions (50 states legal). 67443 32.99 ca

9.99 pr







1982-87 Scanmaster Gauge

Turbo Tweak scanmaster gauge will assist in tuning and troubleshooting various sensor functions. Features a flash memory chip and will store logs that you can download later. It also has a bluetooth module so you can log from it, to a phone, tablet, and laptop. Displays the following:

- O2 Oxygen sensor millivolts
- KR Knock Retard
- AF MAF Airflow in grams/sec LV8 – Load Value
- BAT Voltage to the ECM
- INT Integrator
- BLM Block Learn Multiplier MPH – Miles Per Hour
- CI T Coolant Temp
- ATS Air Intake Temp
- RPM Current Engine RPM
- TPS Throttle Position in volts
- IAC Idle Air Control motor commanded position
- CC Oxygen Sensor Cross Counts
- MAL Malfunction Codes
- Dot matrix OLED display, clear and readable,
- 128 x 64 pixels
- 2-1/16* size gauge
 Captures the leanest reading and highest knock for immediate recall, along with the MPH's where
- it occurred · Works the standard Buick data stream and
- the Powerlogger
- Displays analog data (boost, wideband) when connected to a Powerlogger Displays all the Speed/Density info when running an SD2 chip as well as Fuel

Composition (E85 alcohol) GN110851 1982-87 scan tool...... 259.99 ea



1986-87 Powerlogger Tool

The most advanced data logging scan tool for 1986-87 Turbo models. Connects to USB port on laptop computer and plugs into the ECM. Includes a chip to update a Scanmaster 2.1 to the 2.2 version, for faster updating, wide band and boost display and compatible with any chip in the ECM.

Note: Powerlogger requires Windows 98SE, 2000, XP. Vista, Windows 7, 8, or 10. Modification may be require to FCM case

GN110850 1986-87 powerlogger ... 264.99 ea



Ouick Change Secondary Spring Housing

Make changing your vacuum secondary spring a simple job with this quick change housing. It is simple to install on any vacuum secondary Holley carburetor. Emissions Note: (4) Non-emissions (50 states legal).


Carburetor Secondary Spring Set This set will allow you to adjust the opening of your

secondaries. Includes seven color coded springs from light to heavy. Emissions Note: (A) Non-emissions (50 states leval). H2013 set of 7... .. 19.99 set



Carburetor Ball Stud Set

Install your Holley carburetor and hook it up right with these throttle ball studs. Emissions Note: (50 states legal).



Carburetor Stud Set

T2106

We offer a variety of stud sets to fit just about any Holley or Rochester carburetor. Each set includes: 4 studs, 4 nuts, and 4 washers.

Emissions emission co	Note: (3) Non-CARB compliant (not le ontrolled vehicles).	gal for
T2046 T2047 T2106	1-3/8"	2.99 set 3.99 set 3.99 set







1977-78 Accelerator Return Suring 🗥 Correct reproduction of the commonly missing spring

which installs between the carburetor and water neck. 340637 1977-78 V8 outer ...





Chrome Carb Return Spring Bracket 🔔

This replacement chrome universal carb return bracket is designed to replace the original bracket for most carburetors. Adds a high-performance touch to any carburetor.



Manual Choke Cable

This cable can be used with all manual choke Holley carburetors. Cable length is 6 feet and the control knob has the Holley name prominently displayed.

Emissions Note: (A) Non-emissions (50 states leval). H45228 6 ft. length... 27.99 ca





Manual Choke Cable Mount Hardware

This universal bracket mounts inside the vehicle under the dashboard to secure the choke control cable. The cable clamp set is for use on Holley model 4010, 4150, and 4160 carburetors only.

Emissions Note: Non-emissions (50 states leval). Cable Bracket H45229 universal 27.99 еа Cable Clamp Set H45456 4010/4150/4160 carbs 19.99 set















USA Universal Throttle Cable

All Lokar throttle cables are designed with a specially extruded liner to extend the life of the cable. Cables are equipped with aluminum fittings and aluminum ferrule to eliminate fraying. These cut-to-fit cables are available in 24", 36", or 48" lengths with a stainless steel inner wire, and your choice of a stainless steel. black stainless steel or black nylon housing. Clevis is designed to eliminate cotter pins and set screws. Includes installation instructions.

Important: Remember to pull inner wire out before cutting outer housing.

Note: For 1986-93 EFI use TC10024.					
		Throttle Cable - Cari			
TC10024A					
TC10024B					
TC10024C	24"	black nylon	71.99 ca		
TC10036A	36"	stainless steel	95.99 ca		
TC10036C	36"	black nylon	83.99 ca		
TC10048A	48"	stainless steel			
TC10048B	48"	blk stainless steel	106.99 ea		
TC10048C	48"	black nylon	95 99 ca		

TC10046B	48"	DIK Statilless steet	
TC10048C	48"	black nylon	95.99 ca
	njectio	on 1985-91 and LT1/I	
TC20024A	24"	stainless steel	
TC20024B	24"	blk stainless steel	
TC20024C	24"	black nylon	71.99 ca
LS1/Ram Jet			106.00

1C30048A	48"	stainiess steel	106.99 6
Vortec			
TC50048A	48"	stainless steel	106 99 c



Nun-Pak Throttle Cable Set USA

Lokar Duo-Pak throttle cable sets will easily adapt to most gas pedals and throttle assemblies. Sets feature Lokar's Hi-Tech throttle cable, stainless steel carburetor bracket, and return spring kit. Cables designed with aluminum fittings and aluminum ferrules to eliminate fraying and feature a "U-Cut-to-Fit" stainless inner wire and outer housing. Available in your choice of stainless steel, black stainless steel or black nylon. Note: Duo-Pak only available for carbureted applications with Holley, Edelbrock, AFB, Quadrajet and In-Line Dual

Quad carbs.			
DP10001A	24"	stainless	130.99 set
DP10001B	24"	black stainless	130.99 set
DP10001C	24"	black nylon	118.99 set
DP10002A	36"	stainless	
DP10002B	36"	black stainless	142.99 set
DP10002C	36"	black nylon	130.99 set



Universal Throttle Cable OER® Authorized throttle cables are designed with a specially extruded liner to extend the life of the cable. Cables are manufactured in stainless steel and feature aluminum fittings and aluminum ferrule to eliminate fraying. Clevis is designed to eliminate cotter pins and set screws. Includes installation instructions. Measures: 36". Cut-to-fit.

stainless

black

153665A

153665B

	F
SR4000	SR4002
SR4001	SR4003

PINGE N Throttle Cable Bracket

Lokar's stainless and black stainless steel bracket and spring sets mount to rear of Holley, Edelbrock, AFB. Quadrajet, Demon, and in-line dual quads. Bracket is used to mount Lokar's throttle cable and kick down assemblies. This design provides improved clearance on Edelbrock carburetor and includes a tension screw to prevent bracket from movement under extreme pressure on a kick down cable (such as with a 700-R4 transmission). Made in USA.

Note: Also used to mount the throttle end of Lokar kick

downs part	#KD2400.		
Stainless 5			
SR4000	bracket and springs	48.99	set
SR4001	bracket only	26.99	ea
SR4002	springs only	26.99	ea
Black Stai	nless Steel		
SR4003	bracket and springs	52.99	set
SR4004	bracket only	30.99	ea
SR4005	springs only		



Street Demon Cable Bracket PINGE N

These brackets remove the guesswork when installing a Street Demon carburetor in almost any carbureted GM application. All brackets have a clear zinc coating for corrosion protection and include installation hardware.

Made in USA Emissions Note: (50 states legal). Throttle Rod Adapter for Mechanical Linkage

19.99 ea Throttle and Trans Kick Down Cable Bracket Set D1953 31.99 set



Throttle Cable Bracket

This chrome throttle cable bracket can be used with all 4150 and 4160 model square bore Holley carburetors. It includes dual stainless steel return springs. Emissions Note:

Non-emissions (50 states legal). H2088 with springs 36 99 ca

21.99 ca

26 99 ca





™ 1986-87 3.8L Throttle Body

Accufab high-performance polished billet aluminum throttle body for 1986-87 Grand National. This upgrade is the perfect starting point for future modifications and will immediately improve throttle response and horsepower. Accufab throttle bodies are CNCmachined from 6061-T6 billet aluminum and the exterior is polished to an eye-catching finish. The shafts are CNC-machined from stainless for durability and quality, with brass blades and the highest quality bushings, bearings, and screws. Made in USA.



Throttle Body Coolant Line

1984 Grand National throttle body coolant lines. Line goes from the engine to the throttle body. Features: OEM quality, correct bends and flared ends, OE style fittings. 2 piece set.

BUP1038	1984	1/4"	49.99 set
Stainless Steel BUP1038S	1984	1/4"	50 00 cm
BUP1038S	1984	1/4"	59.99 s



Throttle Spring Return Set Mounts to intake manifold on driver side. Required by many race sanctioning bodies and a great idea for any

high-performance car, these intake manifold mounted throttle return spring and bracket sets provide positive throttle return. Includes: chrome brackets, springs, bushings, and fastener, Emissions Note: (3) Non-CARB compliant (not legal for

emission cont	rolled vehicles).	
Holley 2 Ba	rrel	
DC2083	2300, 2305	14.99 set
Holley 4 Ba		
DC2083	4150 4160	14 99 set



retor Thrattle Stud

Install your Holley carburetor and hook it up right with

of throttle	ottle studs. Measurement based or e stud.	n diameter
H2037	7/32" diameter	10.99 ca
H2038	1/4" diameter	9 99 ca



Universal Accelerator Throttle Rod 🔥

Universal style accelerator throttle rod designed for use on various GM models. This accelerator rod is for use when modifications will not allow the use of the original rod between the accelerator pedal lever and the carburetor. Can be used with virtually any non-cable car or truck application that requires a 14-1/2" long throttle rod. Bend and shape as needed. 14-1/2" long. Note: Not for cable operated applications.

AL124 universal



1986-87 Throttle Detent Bracket

Reproduction throttle body detent bracket for 1986-87 Turbo models, Manufactured to factory specifications for proper fitment. Comes EDP coated for rust prevention GN110300 1986-87 47.99 ea

AUTHORIZED



TH350 Kick Down Cable

Stainless steel transmission kick down cable that fits TH350 transmissions with carburetor kick down cable. Designed for 4 barrel type carburetors and small block Chevrolet engines. Includes extender for more versatility in adjusting cable length where needed. Important: Cable housing cannot be cut-to-fit. Use with Chevrolet small block engines only. Note: For bracket, use part #TF800164.

26.99 ca







Rillet Aluminum USA

Throttle & Kick Down Cable Bracket 🔥 Lokar billet aluminum throttle and kick down cable

brackets. They mount to various Holley, Edelbrock, AFB, Quadrajet, and Demon carbs and ease the installation of Lokar's throttle and kick down cables. Holley 4150, Includes Dual Return Springs I K2132 hillet aluminum

LK2132B black billet aluminum 257 99 ca Edelbrock Performer/Performer AVS LK2133 billet aluminum 126 99 ca LK2133B black billet aluminum 139 99 ca Street Demon hillet aluminum 126.99 ea I K2134 black billet aluminum

126.99 ea



Transmission Kick Down Stud

Install your Holley carburetor and hook it up right with this transmission kick down stud. H2040 transmission kick down stud.... 10.99 ea











153666 TH350

LK2134B



REGAL Electronic Fuel Injection



Atomic EFI Set

The MSD Atomic EFI set fits all engines making up to 525 horspower at the cranishashif. The annular ping charge injection design produces a better artifuel As a result, engines isle, start and drive better with the Atomic EFI set. Throutle bodies feature 80 lb injections related to the annual control of the Atomic EFI set. Throutle bodies feature 80 lb injections related in the annual control of the Atomic EFI set. Throutle bodies feature 80 lb injections of the annual control of the Atomic EFI set. Throutle bodies feature 80 lb injections of the Atomic EFI set. Through the Atomic and the Atomic and

Note: Atomic EFI sets are California emissions approve for carbureted General Motors vehicles 1987 and older. E.O. number D-722.

Emissions Note: * (1) CARB EO compliant (50 states legal). ** (2) Non-CARB compliant (not legal for emission controlled vehicles).

 Atomic EFI Master Set
 1621.99 set

 2900*
 1621.99 set

 Throttle Body Set
 2910*

 2910*
 1331.99 set

 Fuel System Components for Up to 525HP



Atomic EFI High Horsepower Fuel Set 🔥

High horsepower fuel components set for MSD Atomic EFI sets. This set supports 620 horsepower at the crankshaft and supplies more fuel to the Atomic EFI throttle body than the standard Atomic EFI fuel purp, Includes: 15° of 388° fuel line, in-line electric fuel pump, Includes: 15° of 388° fuel line, in-line electric fuel pump, luel filter, brackets and EFI specific fuel line clamps. Emission Note: ② Non-CARR compliant (not legal for emission controlled whicles).

2921 850.99 set



Oxygen Sensor Bung Set

Oxygen sensor bung set. A quick and easy way to install an oxygen sensor onto your exhaust without welding. Emissions Note: (4) Non-emissions (50 states legal). FF60012 21.99 ea



Street Series Fuel Injection System 🗘

FiTech Street Series "Ready-to-Rum" throttle body EFI systems. These self-tuning, bolt-on systems will increase reliability, horsepower, and fuel efficiency. Available in 3 performance levels, ranging from 250 to 800 HP. Important: For naturally sapirated engines only.

Important: For naturally aspirated engines only.

Emissions Note: Non-CARB compliant (not legal for emission controlled vehicles).

Go Street EF1 Basic Set - Gray FF30003 869.99 ca Go Street EF1 Master Set with Inline Pump - Gray FE31003 1125.99 ca E31005 926.99 ca MeanStreet EF1 Basic Set - Gold FF30005 926.99 ca

1171.99 ca





Sniper EFI Air Cleaner Base

Holley Sniper EFI air cleaner 1° drop base for 14° air cleaners. This base was specifically designed for use with the Sniper EFI 4 barrel throttle body. It features two reliefs stamped into the steel to clear the Snipers dual fuel inlets. Compatible with -6AN to 3/8° 90 degree fittings and available in chrome or black.



Go EFI 4 600HP Fuel Injection System

The Go EFI 4 self-tuning fuel injection is rated at up to 600 HP and is suitable for engines from 250 HP fun 600 HP. It fits any 4 barrel intak manifold and is the most self-contained and full featured unit of this type. It has a built-in fuel pressure regulator and includes handheld touch screen controller for a quick and easy setup.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).



Throttle Return Spring

This set will provide a throttle return spring for any FTCech4barrel throttle body. Includes: bracket, springs, and mounting hardware. Emissions Mote: (4) Non-emissions (50 states legal).



EFI Fuel Return Adapter

This adapter creates a neturn system simply by cutting a 2-344" section out of any standard 2" field filler tube. Made from aluminum with a 3/8" fitting that points 90 degrees downward to direct fuel back to the bottom of the tank. Each set includes the adapter with two Buna rubber sleeves and four stainless steel clamps for aleakproof seal. 265385

REGAL EFI Conversion Sets





Sniper EFI Fuel Injection Conversion Set

Holley Sniper EFI universal self-tuning fuel injection conversion sets. Converting to EFI will put an end to the cold start issues, hesitations, vapor lock, and flooding associated with most carbureted engines. Sniper sets feature numerous styles of throttle body and are available in a classic gold finish. Master sets include the most complete fuel system on the market. Holley just brought EFI within range and Classic Industries® carries the complete Sniper line with sets for nearly any application.

Sniper EFI Features:

- Easy 4 Wire Hoon Un
- Throttle Body Mounted ECU
- Supports Up to 650 HP
- Integrated Ignition Timing Control & Coil Driver
- High Resolution Full Color Touchscreen
- Simple Calibration Wizard No Lapton Needed
- OEM Style Sensors
- Clamp-on Oxygen Sensor Bung

4150 Four Barrel Set Holley 4150 four barrel sets feature dual bolt patterns (square and spread bore), an internal fuel pressure

regulator, and four 100 lb injectors capable of supporting up to 650 horsepower. Note: Spread bore/Rochester Q-jet applications require sealing plate part #H90060.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

Standard Set H550516	classic	gold	1228.99	se
Master Set				





Quadrajet 4 Barrel Set Holley Quadrajet 4 barrel sets are designed to deliver

that Rochester roar at wide open throttle. They feature a spread bolt pattern and multiple fuel inlet configurations that allow for a stock appearing installation under the stock air cleaner. Includes a GM brake booster adapter, throttle lever provisions for TH350/TH400 and 200R4/700R4 transmissions, and a kick down bracket. Capable of supporting up to 500 horsepower. Brake booster adapter also included, if required.

Note: Requires external fuel pressure regulator. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). U550967 polished/shiny . black ceramic ... 1474 99 set H550868 1536 99 set classic gold....

H550869



1536.99 set

Terminator Stealth 4 Barrel Set

Holley Terminator Stealth EFI conversion sets. The Terminator Stealth EFI system has the same great self-tuning features as other Terminator EFI systems but with the stealthier looks of a carburetor This system is easy-to-install and tunes itself - no laptop required. The base sets include a 4150 style square bore throttle body, a Terminator ECU, a handheld EFI monitor, and with or without transmission control Master sets include the most complete fuel system on the market. The ECU is fully upgradable to laptop control for more advanced tuning options. Emissions Note: (3) Non-CARB compliant (not legal for

Stealth Base Sets	
Meath Base Sets H550440 polished/shiny 2765 H550441 hard core gray 2835 H550444 classic gold 2756	.99 set
Stealth Base Sets with Trans Control H550442 polished/shiny 3600 H550443 hard core gray 3668 H550445 classic gold 3561	0.99 set 1.99 set 1.99 set
Stealth Master Sets H550440K polished/shiny 3322 H550441K hard core gray 3394 H550444K classic gold 3293	.99 set



HP FCII and Harness Set

Holley HP EFI ECU and harness sets are a "Plug and Play" alternative for stock or high-performance GM TPI and LS engines. This set includes: HP ECU, harnesses, communication cable, software, and a wide band 02 sensor designed to be used with GM engines with factory GM coils. The HP ECU is equipped with 4 programmable inputs and 4 programmable outputs allowing the user to configure the system to support a wide range of controls including boost control, progressive nitrous, water/methanol injection, speed inputs, fuel pump control, AC inputs, timing retard inputs, and various other uses.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

TPI and Holley Stealth Ram™ - HEI Ignition Bosch O2 sensors 2360.99 set NTK O2 sensors 2561.99 set H550601 H550601N NTK O2 sensors ..

LS1 and LS6 with 24X Crank Sensor Bosch Injector Harness Connectors Bosch O2 sensors 2441 99 set H550607 H550602N 2650 99 set NTK O2 sensors

LS2, LS3, and LS7 with 58X Crank Sensor -EV6 Injector Harness Connectors H550603 Bosch O2 sensors Bosch O2 sensors .. 2441 99 set NTK O2 sensors 2650.99 set

LS2, LS3, and LS7 with 58X Crank Sensor Bosch Injector Harness Connectors 2441.99 set Bosch O2 sensors .. H550607 H550607N NTK O2 sensors 2650 99 set



EFI Fuel System Set

Holley EFI fuel system sets are available in a number of configurations, with and without fuel pumps or return lines. Every set includes 20 feet of 3/8" Earl's Vapor Guard fuel hose, a post filter, and the necessary fittings for installation. Sets with fuel pump include pre-filters and return style sets include an extra 20 feet of hose and a fuel tank bulkhead fitting.

Note: Additional components may be necessary for

some applications.	
	Non-CARB compliant (not legal f
emission controlled v	ehicles).

	Return Line		
H5269	without pump	177.99	set
H5265	with pump	370.99	set
With Ret			
H52610	without pump	291.99	set
H5267	with pump	446.99	set













REGAL Headers

1978-87 Hedman Hedders

Hedman Hedders™ for 1978-87 Buick models. These units are designed to replace the heavy, and restrictive factory manifolds with tubular steel manifolds. These Hedders are not only lighter, but will also increase your Buick's performance. Standard duty uncoated headers feature an innovative design that allows for an increased overall torque curve. Sets are complete and ready to bolt on. Includes: gaskets, collectors, and hardware. Get more performance from your Buick without breaking the bank, and do it with a name you can trust in the header business... "Hedman".

Important: Be sure to read the important notes listed on the bottom of this page pertaining to each header system for correct application

Note: For Chevrolet engines only. Shipped oversize.

Emissions Note: † (1) CARB EO compliant (50 states legal). †† (3) Non-CARB compliant (not legal for emission controlled vehicles)



Part#	Year	Engine	Tube Style	See Notes	AC	FS	AT Column	Al Floor	MT Column	MT Floor	Smog Notes	Tube Dia.	Coll Dia.	Price
68310#	1978-87	283-400	long	1, 6, 45, 121, 131, 212	Y	Y	Y	Y	N	Y	D,*	1-1/2	3"	294.99 set
68311#	1978-87	283-400	long	4, 5, 6, 121, 131, 212	Y	Y	N	Y	N	N	X	1-1/2"	3"	449.99 set
68317†	1978-87	283-400	long	1, 4, 6, 121, 131	Y	Y	N	Y	N	Y	X	1-1/2"	3"	349.99 set
68600#	1978-87	283-400	mid	1, 6, 45, 103, 131, 212	Y	Y	N	Y	N	N	D,*	1-5/8"	3"	266.99 set
62600##	1978-87	283-400	mid	1, 6, 45, 121, 131, 212, SS	Y	Y	Y	Y	N	N	D,*	1-5/8"	3"	687.99 set
68620##	1978-87	283-400	mid	1, 6, 45, 121, 131, 234	Y	Y	Y	Y	N	Y	D,*	1-5/8"	3"	289.99 set
68609#	1978-87	283-400	mid	1, 6, 45, 103, 121, 131	Y	Y	Y	Y	N	Y	D,*	1-5/8"	3"	344.99 set
68601#	1978-87	283-400	mid	4, 5, 6, 103, 131, 212	Y	Y	Y	Y	N	Y	X	1-5/8"	3"	419.99 set
68607#	1978-87	283-400	mid	1, 4, 6, 103, 131	Y	Y	Y	Y	N	Y	X	1-5/8"	3"	364.99 set
68410#	1978-87	231-V6	long	1, 6, 131	Y	Y	N	Y	N	Y	X	1-1/2"	3"	306.99 set

PH150183

50 state legal.

Hedman Hedder Notes

- Without smog injection or injection heads.
- Includes parts necessary to retain emission devices. (50 state). With A.I.R. system.
- Modification to stock exhaust required to retain catalytic converter. 45)
 - Not legal for sale or use in California on pollution controlled motor vehicles. Will not fit Saginaw close ratio ps with 825 power steering box. Will fit with angle plug heads (Chevy aluminum only).
- 1031 Must modify rotary AC bracket.
- Chevrolet engine.
- Elite replacement gasket #27520.
 - Designed with additional clearance for use with close ratio steering boxes. less steel headers

Hedman Hedder Emissions Notes

Not applicable or intended for street or highway use. Legal only for racing vehicles which may never be used upon a street or highway. Not legal for sale or use in California.

1978-87 Stock Style Stainless Headers New!

American Racing Headers for G-Body vehicles with small block Chevy engines. They are fabricated from aircraft quality T304 stainless steel and feature 3/8" thick round port flanges with hand ported inlets and fully welded custom sized merge collectors with scavenger with spikes standard. Will provide excellent ground clearance and are a direct bolt-in installation for small block Chevy powered 1978-87 G-Body vehicles with stock





1978-87 LS Swap Stainless Headers

American Racing Headers for G-Body vehicles with LS engines. Will provide excellent ground clearance and are a direct bolt-in installation for LS Chevy powered

1978-87 G-B0	dy venicies	with stock front ends.	_
Emissions Note:	3 Non-CAI	RB compliant (not legal for emission controlled v	rhicles).
RH150229	1978-87	1-3/4" long tube with 3" collectors	1317.99 set
RH150230	1978-87		1361.99 set
DU150221	1079 97	2" long tube with 2" collectors	1427 00 cat



1978-87 Big Block Olds Stainless Headers

American Racing Headers for G-Body vehicles with big block Olds engines. Will provide excellent ground clearance and are a direct bolt-in installation for big block Oldsmobile powered 1978-87 G-Body vehicles with stock front ends. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles). RH150306 1978-87 1-7/8" long tube with 3" collectors....... 1405.99 set 1978-87 2" long tube with 3" collectors ... 1412.99 set

1978-87 Small Block Olds Stainless Headers

American Racing Headers for G-Body vehicles with small block Olds engines. Will provide excellent ground clearance and are a direct bolt-in installation for small block Oldsmobile powered 1977-87 G-Body vehicles with



compliant (not		sion controlled vehicles).	<u> </u>
RH150310	1978-87	1-3/4" long tube with 3" collectors	1372.99 set
RH150311	1978-87	1-7/8" long tube with 3" collectors	1405 99 set



REGAL Exhaust Components



USA Small Block Shorty Headers

Standard duty Hedman Hedders brand "shorty" headers come from the factory with an extremely durable, protective ceramic or thermal metallic coating. Previously used exclusively in the aerospace industry, Hedman Hedders recognized it's potential

exhaust l	neaders. Ma	ade in USA.	domini, o
Emissions	Note: 1 C	ARB EO compliant (50 s	tates legal).
686016	1978-87		
68606	1978-87	ceramic w/o AC	612 99 se

1978-87 thermal... Stock Style Stainless Headers

a both the life

Cruz Performance stainless steel stock style headers for 1982-87 Buick 3.8L Turbo models including Grand National, T-Type and GNX. This kit follows the stock routing and maintains the stock component locations. Constructed of precision welded stainless steel.

68608



634.99 set

Made in USA GN110682 1982-87 3.8L Buick V6 1394.99 set



1978-87 Cat-Back Exhaust System 🔔

Pypes exhaust systems are designed to deliver enhanced performance, provide extra punch in the passing lane and improve gas mileage. Fabricated using the highest quality materials, seam coated, 16 gauge. 2-1/2" mandrel bent, stainless steel pipe ensures maximum exhaust gas flow, which can significantly boost horsepower. Mufflers are precision matched to deliver the ultimate in sound and performance, Available with Street Pro, Race Pro, or

violator municis.		
Note: Shipped double	oversize.	
Emissions Note: (4)	e oversize. Non-emissions (50 state le na No Mufflere	gal).
2-1/2" Straight Pi	pe No Mufflers	4082
GN110754 197	8-87	470.99 set
2-1/2" with Street	Pro Mufflers	
GN110755 197	8-87	597.99 set
2-1/2" with Race	Pro Mufflers	
GN110756 197	78-87	596.99 set
2-1/2" with Violate	or Mufflers	
GN110757 197	78-87	596.99 set



1978-87 Prehent Tailnine Set

Flowmaster prebent 2-1/2" tailpipe set for 1978-87 Regal models. These premium quality, mandrel bent 16 gauge aluminized steel pipes are designed to exit the rear of the vehicle in the factory locations.

Shipped doub		missions (50 state le	wali 🚄
FM15817	1978-87	V6 and V8	



1986-87 Stainless 3" Down Pine Boost engine performance by eliminating the factory

down pipe and replacing it with an all stainless steel 3" down pipe. Manufactured to fit all 1986-87 Buick models with original or factory style turbos. This is the only piece on the market that features an all stainless steel construction including the factory style waste gate actuator.

Note: Not for use on pollution controlled vehicles. GN110355 1986-87 549.99 ca

= 1:101301:12



Soft Conforming Aluminum Collector Gasket Set

Soft conforming aluminum gaskets easily conform to the collector flanges for a superior seal. Each set includes 2 gaskets, 6 nuts, and 6 bolts

ı	Emissions	Note: Non-emissions (50 state leg	al).	
l	67920 67927 67928	2-1/2" collector	15.99 set	



FLOWMASTER F15023

Header Collector Ball Flange Set

This header collector set takes the place of messy three bolt, flange type connections and allows for a leak free and gasket free ball flange type connection. Emissions Note: (4) Non-emissions (50 state legal).

1/2" Collec 5923		System	150.00	
3923			150.99	set
Collector	to 2-1/2"	System		

F15925 140 99 set



Universal Balance Pine Set

Flowmaster offers a pre-fabricated universal balance pipe set to ease the installation of a crossover pipe in a dual exhaust system. Set includes: T-pipe connectors, balance pipe and clamps.

Emissions Note: (4) Non-emissions (50 state legal). F15920 2-1/2" 100.99 set

Set Includes: **ELOWMASTER**

Front Pipes

 Mid Pipes Rear Pipes

3-1

- Side Exit Pipes
- Corner Exit Pipes Over-Axle Pipes
- · H-Pipe Stubs



U-Fit Dual Pine Set USA

These sets come complete with all the pipes you need to build a custom dual exhaust system in 2-1/4" and 3" pipe diameters. These U-Fit sets include the front adapter pipes, intermediate pipes, H-pipe assembly and over the axle pipes. Each piece has a slip fit connection, for easy assembly and built from mandrel bent, 16 gauge aluminized steel tubing.


Note: Shipped oversize.					
Emissions	Note: 4	Non-emissions (50 state le	rgal).	4	081
F15935	2-1/4"		385.	.99	se
E15027	2"		444	CO	













REGAL Exhaust Components



Cast Iron Manifold Dressing

Apply this non-toxic cast iron manifold dressing to vour manifolds with a cloth and polish them to a silvery shine. One 3 ounce container will do approximately 3 sets of manifolds. Burn proof up to 1800 degrees F. CY1001 3 ounce can 15.99 ea



1973-87 Replacement Smog Pump 🔥

These remanufactured smog pumps will replace the original exactly. Choose from 6 or 8 cylinder pumps. Classic Industries® offers the largest selection of smog parts anywhere! Pulley not included.

V6

32262	1987	3.8L	159.99	ca
V8 32257 32262	1987 1987	5.0L, 307 with AC 5.0L, 307 w/o AC		
52202	1,0,	3.02, 507 WO LC	137.77	-



Smog Pump Hose Tower Clamp Reproduction tower design smog pump hose clamp for

Regal models. Featuring the correct 1-1/6" diameter size. Use as required.

PAINI ESS



Oxvgen Sensor Fitting Weld-in oxygen sensor fitting for all fuel injection

systems. Fits TBI, TPI, CMFI, LT1, LSX. 5.0L and most other oxygen sensors.

rtant: This part requires welding for installation. Professional installation is recommended. 60406 7 99 ca

Exhaust and Tailnine Cutter Cuts nines 3/4" to 3



(19mm to 76mm) in diameter, 15 blades effectively cut pipe so only 1/4" turn is needed for complete cut. Works great in hard to reach areas. X2031 59 99 ca



Oxvaen Sensor Socket

Removes and installs oxygen sensors on most domestic and some foreign vehicles as well. Special 7/8" socket with cutaway slot to provide clearance for wire harness. Adequate depth to fit over sensor. Heat treated alloy steel. Use with 3/8" square drive or 1" wrench.

Dual Drive Oxygen Sensor Wrench

Tool includes both 1/2" and 3/8" drive. Attach a 1/2 breaker bar on the end of the tool to initially loosen stuck sensors. Use a 3/8" ratchet on the top for fast removal and installation. Fits oxygen

sensor applications with a heat shield. Slotted body allows clearance for wire harness. Forged, heat treated steel with six point design will withstand high torque removal applications.

19 99 ca

Wedge Locking Header Bolt Set 🔑 Wedge locking header

bolts were designed to keep bolts from backing off. These bolts feature special washers with hardened serrated teeth. The washers bite into the bolt head and the top surface of the header After being self-locked



in this manner, any loosening rotation is blocked by a wedge locking action. They are reusable and you can count on them to not fail. Grade 8.

Note: Image for illustration nurnoses Emissions Note: (4) Non-emissions (50 state legal). 66751 3/8"-16 x 3/4" 30.99 set 66753 3/8"-16 x 1" 31 99 cet

Socket Assist

Essential tool for bolts with tight clearance like spark plugs and header bolts! 12 point for

maximum finger traction. Set of three including: 1/4' x 1/4", 1/4" x 3/8", 3/8" x 3/8" (12 point x socket drive size). These belong in every tool box. Emissions Note: (4) Non-emissions (50 state legal).

3 piece.... ... 11.99 set

Tailoipe Expander

Used to remove clamp grooves and round out crushed or bent exhaust pipes to ensure a tight fit, eliminating exhaust leaks. The Hex end allows the use of a combination wrench to remove clamp grooves or small imperfections. or an impact wrench to expand pipes. Imperfections are forced outward rather than forward, eliminating possible damage to component parts. No holding fixture is necessary. X3442 1-13/16" to 2-1/2" pipes ..





Stainless Steel Clamn

Stainless or plated exhaust clamps for chambered or aluminized exhaust systems. Stainless or plated clamps offer long-lasting effectiveness over the original style non-coated clamps.

E240	2" clamp	stainless	18.99 ca
E241	2-1/4" clamp	stainless	17.99 ca
E242	2-1/2" clamp	stainless	10.99 ca
E243	2" clamp	plated	5.99 ca
E244	2-1/4" clamp	plated	5.99 ca
E245	2-1/2" clamp	plated	2.99 ea



OEM Style Muffler Clamp

Reproduction OEM style muffler clamps are designed to replace the factory originals. Each clamp includes hardware. See below for correct application. Either 2" or 2-1/4" pipes. Standard Clamp

HC92 HC93	with 2" with 2-1/4"	
	ne Clamp	9.99 ca
HC94	with 2*	
HC95	with 2-1/4"	9.99 ea
	WA	LKER





1975-77 Muffler Support Bracket 🔥

Correct replacement muffler support brackets designed to replace the original missing or broken brackets. FR35181 1975-77 bracket 2 99 69 1975-77 insulator 2.99 ea

Muffler & Tailpipe Repair Putty and sealer seals holes and leaks

in mufflers, tailpipes and around ioints. Makes new installation more secure. Resists temperatures up to 2000 degrees F. Epoxy impregnated fiberglass bandage chemically welds mufflers and tailpipes. Great for mufflers, tailpipes, joints, and catalytic convertors



haust	Repair Kit	
0331	bandage	84 sq. in
0333	putty	4 oz. poucl
0335	sealer	3 oz. tube.

\$80335

\$80333

S80331

Complete Permatex exhaust repair kit for repairing cracks and splits in mufflers tailpipes and exhaust pipes. Withstands temperatures over 1000 degrees F. The kit contains ready to use foil packed bandage and support wire. \$80334



4 99 ca

REGAL Mufflers



ESTERS New!



Street Pro



Race Pro



P1038 lolator

409 Stainless Muffler

Pypes Street Pro mufflers are chambered to maintain rich sound without resonance, Sound Rating = 7.0-7.5/10. When it comes to flow, you just can't get anything better than our Race Pro Muffler. Race Pro mufflers have a straight through design, Sound Rating = 7.0/10. Violator mufflers have an internal louvered tube with mini sound deflector chambers, making it flow like a straight through muffler but with the sound of a chambered muffler, Sound Rating = 9.0/10. Each muffler case measures: 4" x 9" x 14".

Offset In/Opposite Offset Out

Emissions Note: (A) Non-emissions (50 state legal). Street Pro Mufflers

	nless Steel	
	2-1/2"	
P1023	3"	95.99 ea
	Offset In/Cente	r Out
409 Stai	nless Steel	
P1022	2.5"	95.99 ea
	Race Pro Muff	lers ———
0	ffset In/Opposite C	Offset Out
	nless Steel	
P1029	2-1/2"	95.99 ea
P1031	3"	95.99 ea
	Offset In/Cente	r Out
409 Stai	nless Steel	
P1030	2-1/2"	95.99 ea
	Violator Muffl	ers -
О	ffset In/Opposite (Offset Out
409 Stai	nless Steel	
P1038	2-1/2"	95.99 ea
P1040	3"	95.99 ea
	Offset In/Cente	r Out
409 Stai	nless Steel	
P1039	2-1/2"	05 00 as







₩\$X MWA High Performance Muffler

The Gibson MWA Muffler delivers maximum sound and the best muffler flow period! This straight-thru design promotes exhaust gases to flow at the highest rates flowing only 3 cfm less than a 3" straight pipe, improving power potential while keeping interior drone to a minimum. The MWA muffler has no internal packing or weak baffles, allowing it to maintain a lightweight design with a unique and powerful sound. The MWA muffler is Made in the USA and is constructed of high-quality stainless steel. When its time to make your Hot Rod or Sport Truck sound and perform as good as it looks, there is no other choice than Gibson's MWA, "Muffler With Attitude".

Emissions Note: (4) Non-emissions (50 state legal).

	Race Muffler —	. ,	
	5" x 10" Round Body		
Center In/t			
	2-1/2"	99 99	ea
	3"		
	igh Performance Muffle		
	4" x 9" x 14" Oval Body		
Offset In/C	enter Out		
BM0100	2-1/4"	99.99	
	2-1/2"		
BM0102	3"	99.99	ea
Offset In/O	ffset Out		
BM0103	2-1/4"	99.99	ca
BM0104	2-1/2"	99.99	ea
BM0105	3"	99.99	ea
Center In/t	Center Out		
BM0106	2-1/4"	99.99	ca
BM0107	2-1/2"		
BM0108	3"	99.99	ea
Center In/l	Dual Out		
BM0109	3" inlet, two 2-1/2" outlet	101 99	ca
BM0110		101 99	ca
Dual In/Du			
BM0111	2-1/2"	120 00	ea
	3"		







Gibson's CFT Superflow muffler with Convergent Flow Technology actually tunes your exhaust by using resonance chambers, directional louvered tuning ports and angular induction to draw exhaust gases into the muffler and expel it at a higher velocity. The result is a muffler that doesn't have packing to wear out, yet delivers more power and a performance sound. This muffler features a chambered and louvered core, to ensure no sound degradation overtime, and fully welded solid internal construction. This result delivers more power with a deep tone.

Emissions N	Note: 🕙 Non-emissions (50 state le	rgal).
	4" x 9" x 13" Oval Body	
	Center Out	
55111S	2-1/4"	139.99 ea
55112S	2-1/2"	139.99 ea
55113S	3"	139.99 ea
Center In	Offset Out	
55121S	2-1/4"	139.99 ea
55122S	2-1/2"	139.99 ea
55123S	3"	139.99 ea
Offset In/0	Offset Out	
55131S	2-1/4"	139.99 ea
55132S	2-1/2"	139.99 ea
55174S	3"	139.99 ea
Offset In/0	Center Out	
55141S	2-1/4"	
55142S	2-1/2"	139.99 ea
55143S	3"	139.99 ea
	4" x 9" x 18" Oval Body	,
	Center Out	

4" x 9" x 18" Oval Body						
Center In/C						
55151S	2-1/4"	149.99	ea			
55152S	2-1/2"	149.99	ea			
	3*					
Center In/O	Offset Out					
55161S	2-1/4"	149 99	ca			
55162S	2-1/2"	149 99	ca			
55163S	3*	149.99	ea			
Offset In/O	Tset Out					
55171S	2-1/4"	149.99	ea			
55172S	2-1/2"	149 99	ca			
55173S	3*					
Offset In/Ce	enter Out					
55191S	2-1/4"	149.99	ea			
551928	2-1/2"	149 99	ca			
	3"					
Center In/D	nal Out					
	2-1/4" in. two 2-1/4" outlet	140.00	an			
55189S	3" inlet, two 2-1/2" outlet					
		149.99	ca			
Dual In/Du	al Out					
55106S	2-1/2"	156.99	ea			













ELOWMASTER

F842515



Performance Mufflers

Super 10 Series — Stainless Steel Muffler

Looking for the most aggressive sound available? Flowmaster's new Super 10 series mufflers are so aggressive, they aren't recommended for street driven vehicles. Best suited to racing applications, these feature the same Delta Flow performance technology used in the highly popular Super 40 and Super 44 series Flowmaster mufflers, Manufactured from durable 409S stainless steel for long-life and offered in a variety of configurations. Backed by

a limited lifetime manufacturer's warranty, these short, single chamber mufflers deliver the closest thing to open pipe sound

possible. If you want high impact sound, the Super 10 series mufflers are the answer. Measures: 6-1/2" x 9-1/2" x 4".

Emissions Note:	Non-emissions No	(50 state legal).		1
F842515	2-1/2"		99.99	
F8425152 F842518	2-1/2"/2-1/4" 2-1/2"		99.99	
F842518 F843015	2-1/2"		99.99 99.99	
F8430152	3"/2-1/2"	center inlet/dual outlet	99.99	

Super 40 — American Thunder


The Super 40 5" x 10" case design gives you a deeper tone that retains our classic 40 Series sound and feel. Increased flow path radius for optimum internal flow using the latest in Delta Flow technology. Flowmaster state-of-the-art robot assembly technology assures a product that exceeds OEM auto manufacturers' specifications. To achieve such critical quality, Flowmaster performs extensive R&D at the track and in-house with our own engine and chassis dyno facilities. Flowmaster Super 40 is aluminized, black in color and is the most

aggressive, deepest sounding street two chamber

Emissions Note:	Non-en	nissions (50 state legal).	<u> </u>
F952445	2-1/4"	center in/center outlet	126.99 ea
F952446	2-1/4"	offset in/center outlet	126.99 ea
F952447	2-1/4"	center in/offset outlet	
F952545	2-1/2"	center in/center outlet	126.99 ea
F952546	2-1/2*	offset in/center outlet	126.99 ea
F952547	2-1/2*	center in/offset outlet	
F952548	2-1/2"	offset in/opposite offset outlet	126.99 ea
F952549	2-1/2*	offset in/same offset outlet	126.99 ea
F953045	3"	center in/center outlet	
F953046	3"	offset in/center outlet	126.99 ea
F953048	3"	offset inlet/opposite offset outlet	126.99 ea

Raptor Muffler

Flowtech's new Raptor turbo performance muffler features a unique sound rib case design and aluminized, lock seal construction. The Raptor has low restriction, reduces back pressure and increases performance. It offers gigantic, high output flow tubes to provide more horsepower,



Terminator Muffler

Flowtech's Terminator is constructed entirely of super thick, black aluminized steel, fully welded for strength and durability with 3" inner pass tubes that reduce back pressure and increase horsepower like no other muffler can. Available for universal fit applications. Dimensions: 15" x 11" x 5"





FLOW TEG

FLOWMASTER 40 Series Performance Mufflers

FLORMANIA		40 S	ERIES
	Settlering Them Lange	Catterior Sand Linear	PERSONAL CASE
Powerful	1	**	- 4
Deep	10		
Mellow			
Mild	98	OR .	10





- Aluminized Steel
- · Original Flowmaster Tone
- · Deep Tone Inside Vehicle
- · Street or Strip

40 Series — Original Flowmaster Tone

This is the most "aggressive" sounding street/strip muffler that Flowmaster offers. If you're looking for attention, this one will get you noticed. The standard 40 series has an "aggressive rumble" and will generally resonate inside the vehicle around 1800-2000 RPM's, and again at 2400-2600 RPM's. Constructed of 16 gauge aluminized steel and fully MIG welded for maximum durability.

Note: * = 409S Stainless Steel. one Motor (A) Non

Emissions (vote:	won-emission.	s (50 state tegat).		
F42441	2-1/4"	offset inlet/center outlet	99.99	ca
F8042441*	2-1/4"	offset inlet/center outlet	113.99	ca
F42541	2-1/2"	offset inlet/center outlet	99.99	ca
F8042541*	2-1/2"	offset inlet/center outlet		
F42443	2-1/4"	offset inlet/offset outlet		
F8042443*	2-1/4"	offset inlet/offset outlet		
F42543	2-1/2"	offset inlet/offset outlet		
F8042543*	2-1/2"	offset inlet/offset outlet		
F430402	3"/2-1/2"	center inlet/dual outlet		
F80430402*	3"/2-1/2"	center inlet/dual outlet	113.99	ea

FI OWMASTER Delta Flow 40 Performance Mufflers

A STATE OF THE PERSON NAMED IN	interior interior	Salaries Sees Lares	Martin Co.		
Powerful		500	t H		
Deep	F73			1	
Mellow			5	2	1
Mild	100		11		40

- T409 Stainless Steel Powerful Aggressive Tone
- Lower Interior Resonance
- Street or Strip



Delta Flow 40 Series — Reduced Interior Resonance

This two chamber design incorporates Flowmasters patented "Delta Flow" technology. The "Delta" deflectors result in increased scavenging for better performance an reduced interior resonance over the standard 40 series with a nice growl outside the vehicle. Sounds great on late model performance cars with catalytic converters. Constructed of 16 gauge steel and fully MIG welded for maximum durability.

ı	Emissions (voie. Wivementstions (50 state legal).			
	F842541 F843041		offset inlet/center outlet	139.99 ea
ı	F842543	2-1/2"	offset inlet/offset outlet	139.99 ea



Performance Mufflers

FLOWMASTER Super 44 Delta Flow Mufflers

S44 SERIES Deen



Super 44 Delta Flow

The Super 44 is the most aggressive, deepest toned street and strip muffler Flowmaster has ever made! The Super 44's offer maximum performance, an improved flow path radius, and generates more torque and more power than ever before! If you really want to hear your exhaust system inside as well as outside, the Super 44 is for you! Note: * = 409S Stainless Steel.

Emissions Note: (A) Non-emissions (50 state level)

F942445	2-1/4"	center et/center outlet	105.99 ea
F942446	2-1/4"	offset inlet/center outlet	
F842446*	2-1/4"	offset inlet/center outlet	
F942447	2-1/4"	center inlet/offset outlet	
F942448	2-1/4"	offset inlet/opposite offset outlet	105.99 ea
F842448*	2-1/4"	offset inlet/opposite offset outlet	119.99 ea
F942545	2-1/2"	center inlet/center outlet	105.99 ea
F942546	2-1/2"	offset inlet/center outlet	105.99 ea
F842546*	2-1/2"	offset inlet/center outlet	119.99 ea
F942547	2-1/2"	center inlet/offset outlet	105.99 ea
F942548	2-1/2"	offset inlet/opposite offset outlet	105.99 ea
F942549	2-1/2"	offset inlet/same offset outlet	105.99 ea
F943045	3"	center inlet/center outlet	105.99 ea
F943046	3"	offset inlet/center outlet	105.99 ea
F843046*	3"	offset inlet/center outlet	119.99 ea
F943047	3"	center inlet/offset outlet	105.99 ea
F943048	3"	offset inlet/opposite offset outlet	105.99 ea
F843048*	3"	offset inlet/opposite offset outlet	119.99 ea
F943049	3"	offset inlet/same offset outlet	105.99 ea
F9430452	3"/2-1/2"	center inlet/dual outlet	105.99 ea
F8430452*	3"/2-1/2"	center inlet/dual outlet	119.99 ea

Flowmaster 50 Series SIIV-Performance Mufflers





- Early Era Muscle Cars
- Deep Tone Outside of Vehicle

50 Series — SUV-Performance

The SUV-Performance muffler is a larger version of Flowmasters 50 Series Delta Flow muffler and is specially designed for trucks, light SUVs and high horsepower vehicles. The larger H-chamber reduces interior resonance to a minimum. Constructed of 16 gauge aluminized steel and fully MIG welded for maximum durability.

Emissions 1	Note: 🌒 No	n-emissions (50 state legal).	
F52555	2-1/2"	center inlet/center outlet	
F52556	2-1/2*	offset inlet/center outlet	
F52557	2-1/2*	center inlet/offset outlet	
F52558	2-1/2*	offset inlet/offset outlet	
F53055	3"	center inlet/center outlet	
F53056	3"	offset inlet/center outlet	
F53057	3"	center inlet/offset outlet	
F53058	3"	offset inlet/offset outlet	175.99 ea

FLOWMASTER 50 Series Performance Mufflers



- Milder Performance Sound Lower Interior Resonance
- Performance Street

Delta Flow 50 Series-Milder Interior and Exterior Tone

F842451

This is the latest design of the 50 series muffler that utilizes Flowmasters patented 'Delta Flow" technology along with an "H-Chamber" to eliminate most all interior resonance and still have that famous Flowmaster sound outside the vehicle. Constructed of 16 gauge steel and fully MIG welded for maximum durability. Emissions Note: (4) Non-emissions (50 state leval)

F842451	2-1/4"	offset inlet/center outlet	162.99 ea
F842551	2-1/2"	offset inlet/center outlet	162.99 ea
F843051	3"	offset inlet/center outlet	162.99 ea
F842452	2-1/4"	center inlet/offset outlet	162.99 ea
F842453	2-1/4"		162.99 ea
F842553	2-1/2"	offset inlet/offset outlet	162.99 ea

FLOWMASTER 80 Series Performance Mufflers



Cross Flow 80 Series — Transverse Mounting

The 80 Series is designed for applications where the muffler must be mounted transversely (cross flow) behind the rear end. It provides an aggressive muscle car sound both inside and outside the vehicle. A replacement for early and late model vehicles. Constructed of 16 gauge aluminized steel and fully MIG welded for maximum durability.

Emissions N	lote: 🌗 Non-e	missions (50 state legal).	
F42582	2-1/2"	dual inlet/dual outlet 4" x 9.75" x 24"	
F42583	2-1/2"	single inlet/dual outlet 4" x 9.73" x 21"	151.99 ea
F43083	3"/2-1/2"	single inlet/dual outlet 4" x 9.73" x 21"	151.99 ea











E52556



REGAL Mufflers



Universal Fit Super Turbo Muffler

The Dynomax Super Turbo muffler has exclusive patented flow directors to channel exhaust flow and eliminate turbulence, larger diameter internal tubes for maximum flow, along with fiberglass matting that delivers a mellow, true performance sound. Made of all aluminized materials, double wrapped and are-welded for longer life and sharper appearance. All universal mufflers are reversible for custom installation.

Important: This muffler comes in two styles: Sport model from 2* to 2-1/2" measures: 4" x 9-3/4" x 18-1/2" and 3" measures: 4" x 9-3/4" x 20", Street model measures: 4" x 9-3/4" x 25-1/2".

9-3/4" x 25-1/2".					
Emissions Note: (4) Non-emissions (50 state legal).					
	Inlet/Outlet				
		69.99 ca			
2"		77.99 ea			
2-1/4"		67.99 ea			
2-1/4"		76.99 ea			
2-1/2"		61.99 ca			
2-1/2"	offset/offset	65.99 ea			
	offset/center	101.99 ca			
	offset/center	69.99 ca			
3"	offset/offset	60.99 ea			
2-1/4"	center/offset	76.99 ca			
2-1/2"	center/offset	99.99 ca			
2-1/2"		114.99 ca			
2-1/2"	center/offset dual	103.99 ea			
	Note: (4) 2" 2-1/4" 2-1/4" 2-1/2" 2-3/4" 3" 2-1/4" 2-1/2" 2-1/2" 2-1/2"	Note: (3) Non-emissions (30 state le la March (1841) 2" offset/Center of			





Universal Fit IIItra Flo SS Muffler 🔥

The Dynomax Ultra Flo muffler uses a unique straight through design that maximizes flow and power. Made from all stainless steel materials for opinum appearance, corrosion resistance and longer life. Includes: high chromium content, high luster F304 content of the content of

Important: This muffler comes in two styles: Sport model measures: 4" x 9-3/4" x 18-1/2", Street model measures:

4 X 9-3	4 X 23-11	12".		
Emission	us Note: 🤇	Non-emissions (50 state le	gal).	
Sport		Inlet/Outlet		
	2-1/4"			
17283	2-1/2"	offset/center	136.99	ea
17519	3"	center/2-1/2" dual offset	114.99	ca
Street 17289	2-1/2"	offset/center	226.99	ea







Super HP-2 Muffler

40

F

31

Designed for street rods, customs and vehicles where undercarriage space is tight, the Flowmaster Super HP-2 provides the exhaust performance you need in a compact package that fits wherevery ou need. In Euper HP-2 has a moderate tone with the appearance, durability, and sound control to suit daily drivers, weekend cruisers, and world-class show webicles. Available with a 409S stainless steel case or polishable 304S stainless steel case in sizes from 2°, 2-14°, and 2,12°. Mode in Charles

-1/2". Made	in USA.		
missions Note	: 🕙 Non-	emissions (50 state le	gal).
09S Stainles			
12012409	2"	4" x 5" x 12"	
		4" x 5" x 18"	
12412409	2-1/4"	4" x 5" x 12"	151.99 ca
12418409	2-1/4"	4" x 5" x 18"	188.99 ca
12512409	2-1/2"	4" x 5" x 12"	151.99 ca
12518409	2-1/2"	4" x 5" x 18"	188.99 ca
04S Polisha	ble Stainl	ess Steel Case	
12512304	2-1/2"	4" x 5" x 12"	188.99 ca
12518304	2-1/2"	4" x 5" x 18"	225.99 ea



SUSA Glassnack Muffler

Magnaflow Glass Pack Mufflers feature a free-flowing, straight through perforated core, and Rockwool acoustical packing material to deliver that smooth, deep tone unlike some others' products to ensure long

life and	no sound d	egradation over time.
Emission	s Note: 🐠 l	Non-emissions (50 state legal).
18124	2*	22" x 18" x 3-1/2" 44.99 ea
18134	2"	26" x 22" x 3-1/2" 46.99 ea
18144	2"	30" x 26" x 3-1/2" 49.99 ea
18125	2-1/4"	22" x 18" x 3-1/2" 44.99 ea
18135	2-1/4"	26" x 22" x 3-1/2" 46.99 ea
18145	2-1/4"	30" x 26" x 3-1/2" 49.99 ea
18146	2-1/2"	30" x 26" x 4" 55.99 ea
18129	3"	22" x 18" x 4" 64.99 ea
		-



Glasspack Muffler

Thrush has long been the industry leader in glasspack untillers. They have a straight through, smooth flowing, perforated center tube design for maximum flow and power. All Thrush mufflers are made of a heavy-duty gauge shell for durability. Thrush mufflers include expandable bushings for custom applications. Enjoy the unmistakable sound of a Thrush glasspack muffler shell diameter.

Emissions	Note:	Non-emissions (50 state leg	al).
24200	2"	25" x 20" x 3-1/2"	36.99 ea
24202	2"	27" x 22" x 3-1/2"	36.99 ca
24204	2"	31" x 26" x 3-1/2"	36.99 ca
24201	2-1/4"	25" x 20" x 3-1/2"	
24203	2-1/4"	27" x 22" x 3-1/2"	
24205	2-1/4"	31" x 26" x 3-1/2"	36.99 ca
24214	2-1/2"	28" x 23" x 4"	36.99 ca



USA	Heat Shield	1
	n heat shield designed to	

from mufflers and reducing interior noise. Attaches easily with included straps. Fits 5' x 10" x 17" mufflers.

Emissions Note:

Non-emissions (50 state legal).


F51017 44.99 ea




REGAL Mufflers



MagnaFlow Performance mufflers are lap joint welded for solid construction and rugged reliability even in the most extreme conditions. They feature a free flowing, straight through perforated stainless steel core, stainless mesh wrap and acoustic fiber fill to deliver that smooth, deep tone. All mufflers are reversible for custom installation and include a Lifetime Warranty! USA Emissions Note: (4) Non-emissions (50 state legal).







- 4" x 4" Oval Body Muffler



4" x 4"	Center/Center Muffler	

Stainless	Steel 1	Muffler	
10416	14"	2-1/2" inlet/outlet	94.99 ca
	Stainle	ess Steel Muffler	
144161	14"	2-1/2" inlet/outlet	109.99 ca
144191	14"	3" inlet/outlet	117.99 ca

- 4" x 9" Oval Body Muffler -





Δ" x Q" Center/Offset Muffler

Stainless	Steel M	uffler 4" x 9"	
11224	14"	2" inlet/outlet	112.99 ca
11225	14"	2-1/4" inlet/outlet	112.99 ca
		2-1/2" inlet/outlet	
11229	14"	3" inlet/outlet	126.99 ea
Polished	Stainles	s Steel Muffler 4" x 9"	
114325	14"		
114326		2-1/2" inlet/outlet	
114329	14"	3" inlet/outlet	163.99 ea

E" v E" Conton /Conton Mufflon

o ounto	/ OUIILUI	munio	-
l Muffler			
" 3" inle	et/outlet	139.9	9 ea
less Steel	Muffler		
" 3" inle	et/outlet	163.9	9 ea
	l Muffler " 2-1/2" " 3" inli	l Muffler " 2-1/2" inlet/outlet " 3" inlet/outlet uless Steel Muffler	" 2-1/2" inlet/outlet 130.9 " 3" inlet/outlet 139.9

5" x 5" Oval Body Muffler



5" x 8" Oval Body Muffler



5" x 8" Center/Offset Muffler

	Steel Mu			
12224	14"	2" inlet/outlet	105.99	e:
12225		2-1/4" inlet/outlet		
12226	14"	2-1/2" inlet/outlet	112.99	e
Polished	Stainless	Steel Muffler		
142261	14"	2-1/2" inlet/outlet	150.99	e:
142291	14"	3" inlet/outlet	164.99	e:



	5" X 8	" UTISET/UTISET MUTTI	er 🔼
Polished	Stainle	ss Steel Muffler	
142351	14"		150.99 ea
142361	14"	2-1/2" inlet/outlet	150.99 ea
142391	14"	3" inlet/outlet	164.99 ca



5" x 8" Center/Center Muffler

Stainless	Steel Mu		
12214	14"	2" inlet/outlet	112.99 ea
12215	14"	2-1/4" inlet/outlet	112.99 ea
12216			
122191	14"	3" inlet/outlet	126.99 ea
Polished	Stainless	Steel Muffler	
142161	14"	2-1/2" inlet/outlet	150.99 ea
141511	14"	3-1/2" inlet/outlet	190.99 ea
141531	14"	4" inlet/outlet	199.99 ea



5" x 8" Offset/Offset Muffler

		l Muffler 5" x 8"		
12266	18"	2-1/2" inlet 2-1/4" dual outlet	152.99	ea
12265	18"	2-1/2* inlet 2-1/2* dual outlet	157.99	ea
12267	18"	3* inlet 2-1/2* dual outlet	158.99	ca
Polished	Stair	uless Steel Muffler 5" x 8"		
14266	18"	2-1/2* inlet 2-1/4* dual outlet	212.99	ea











REGAL Exhaust Cutouts



™usk Universal Dual Flectric Cutout Set

The optional electric exhaust cutouts and make uncorking your exhaust as easy as flipping a switch. Electric cutout set includes: 2 valves, wire harness, switch, mounting hardware, and 2 gaskets. Limited lifetime warranty. Available with or without Y-pipes. Made in USA.

Note: *Connects to any 2-1/2" exhaust with a straight section of approximately 12" in length and enough clearance for the motor/valve assemblies.

Emissions Note: (6) Non-emissions (50 states legal). For use with 2-1/2" or 3" Y-Pipes (Dump Legs)

P1074 cutout set only .. 428 99 set Includes 2-1/2" Y-Pipes (Dump Legs) P1074K*



Stainless Steel Electric Cutout

These cutouts feature a rugged 12 Volt DC motor and rotating gate for a leak proof seal every time the cutout is opened and closed. When fully opened, these cutouts do not create exhaust flow obstructions that can create a leaky gasket sound, unlike butterfly style cutouts. A pre-wired harness with an illuminated rocker switch is supplied for easy installation. Uncork your exhaust with the flip of a switch from your dash. The cutouts are ideal for race tracks that don't require mufflers. Available individually, in pairs, or in complete kits with Y-Pipes for easy installation. Made in USA.

rtant: Not recommended for vehicles equipped with catalytic converters

Note: May not be legal for highway use or use on emission controlled vehicles

Emissions Note: 🕙 Non-emissions (50 states legal).				
2-1/2" C				
25054	complete electric cutout set			
25052	single electric cutout	259.99 ca		

459.99 pr 25053 pair electric cutouts 3" Cutouts 559,99 set 25057 complete electric cutout set ... 25055 single electric cutout... 279 99 69 25056 479.99 pr pair electric cutouts



≥usx Stainless Steel Cutout Turndown

Easily route your cutout exhaust flow in any direction with these easily installed 304 stainless steel turndowns. These turndowns are made specifically for Doug's electric cutouts and included stainless band clamps for weld free attachment. Made in USA.

Emissions	Note: Non-emissions (50 states le	gal).
25058 25059		54.99 ea 54.99 ea



Flectric Exhaust Cutout

Don't crawl under your vehicle to uncork your exhaust ever again by switching to electric cutouts. Keep them closed and quiet for the street, wide open for the strip, or anywhere in between with the flip of a switch. You control the volume and the power! Available in sizes 2-1/4" to 4" and a low profile oval design for applications with limited ground clearance. Fits 2-1/4" to 3" round exhaust pipe. Built with high-quality materials CNC 6061 aluminum body and motor plate, stainless steel shaft and butterfly plate, high torque DC gear driven motor. weather tight wiring connectors, and custom illuminated toggle switch. Note: Match valve size with cutout size for optimal fit and performance.

Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

	Ele	ctric Cutout Valves - Individual	
Part#	Cutout Size	Additional Notes	Price
MN2443	2-1/4" valve		217.99 ea
MN2444	2-1/2" valve		217.99 ea
MN2445	3" valve		217.99 ea
MN2446	oval valve	includes connector, fits 2-1/2" to 3" round pipe	239.99 ca
MN2447	3-1/2" valve		217.99 ea
MN2448	4" valve		238 99 ca
MN2449	4" valve	includes 4" three bolt flange	268.99 ea
		Electric Cutout Valve Sets	
MN2450	two 2-1/4" valves		430,99 pr
MN2451	two 2-1/2" valves		430 99 pr

		Electric Cutout Valve Sets	
MN2450	two 2-1/4" valves		430.99 pr
MN2451	two 2-1/2" valves		430.99 pr
MN2452	two 3" valves		430.99 pr
MN2453	two oval valves	includes connector, fits 2-1/2" to 3" round pipe	. 487.99 pr
MN2454	two 3-1/2" valves		430.99 pr
MN2455	two 4" valves		478.99 pr
MN2456	two 4" valves	includes 4" three bolt flange	532.99 pr
	0		
4970 7070	office?		6-11-11-11
OPEN TO TO	10.79		



Stainless Steel Cutout Pine

Stainless steel exhaust cutout pipes for all models. Manufactured from 304 stainless steel with a polished finish. They feature a TIG welded construction with a 3/8" flange for a proper seal. Includes: the end cap, gasket and hardware for an easy installation. Emissions Note: (3) Non-CARB compliant (not legal for

emission comi	onea venicies).	
MN2460	2-1/4" cutout	62.99 ea
MN2461	2-1/2" cutout	
MN2462	3" cutout	
MN2463	3-1/2" cutout	62.99 ea
MN2464	4" cutout	99.99 ea



Universal Exhaust Turndown

Universal exhaust turndowns for electric cutouts. The round tips feature a 360 degrees floating flange which allows turning in any direction. Manufactured from stainless steel with a polished finish.

issions Note: (3) Non-CARB compliant (not legal for

MN2457 MN2458	2-1/2" turndown	
MN2400	oval turndown	33.9



Electric Cutout Remote Control System

Remote control for your electric cutout system. When space is a premium this control box gives you the flexibility you need. Includes 2 wireless key fobs for 100% control over your cutouts at the push of a button. Emissions Note: (3) Non-CARB compliant (not legal for emission controlled vehicles).

MN2466

REGAL Exhaust Tips



Stainless Rolled Edge Tip USA

Stainless exhaust tip that is designed with your choice of a rolled edge or angle cut tip. Finished with an embossed Flowmaster logo. Sold individually. Emissions Note: Non-emissions (50 state legal).

Emissions Note: © voorstander 1700 | Clamp-On Rolled Edge Tip | F15361 | 3" dia. for 2-1/2" pipe -12" L | 68.99 ea | F15363 | 3-1/2" dia. for 3" pipe - 12" L | 65.99 ea Clamp-On Double Wall Rolled Edge Tip

3-1/2" tip fits 2-1/4" pipe 4" tip fits 2-1/2" pipe F15364 F15365 72.99 ca

Weld-On Angle-Cut Tip F15362 3" dia. for 2-1/2" pipe - 13" L 59.99 ea



Stainless Steel Exhaust Tip Made of T-304 stainless steel this tips will stand out on any vehicle. Made in USA.

Emissions Note: (§) Non-emissions (50 state legal). Dual Rectangular Tips

35150	2" x 8" dia., 11" long, 2-1/4" i.d.	224.99 pr
Turndown MF35179 MF35180	Tips 2-1/2" dia., 13" long, 2.75" i.d. 3" dia., 13" long, 3" i.d	65.99 ea 75.99 ea
15 Degree	Slash Cut Tips	
35101	3" dia., 12" long, 3" o.d	42.99 ca
35102	3" dia., 18" long, 2-1/2" i.d.	56.99 ca
35104	3-1/2" dia., 12" long, 3" i.d.	48.99 ca
35105	3-1/2" dia., 18" long, 2-1/2" i.d.	63.99 ca
45 Degree	Slash Cut Tips	
35140	3" dia., 18" long, 2-1/4" i.d.	55.99 ca
35141	3" dia., 22" long, 2-1/4" i.d.	65.99 ca



Stainless Exhaust Tips

These tips add the final personal touch to your custom exhaust! The extensive line of stainless steel Pypes exhaust tips will provide years of eye-popping looks and excellent durability.

Emissions Note: (4) Non-emissions (50 state legal).

For 2-1/2"	Pipes		
P1048	dual 3-1/2" splitters	142.99	pr
P1049	6" x 3" oval tip	101.99	pr
P1050	8" x 2" rectangle tip	144.99	pr
P1051	9" slash cut tip	41.99	pr
P1052	3-1/2" rolled edge tip	62.99	pr
P1053	4" x 2" oval tip	112.99	pr
For 3" Pip	es		
P1082	8" x 2" rectangle tip	154.99	pr
P1083	9" slash cut tip	48.99	pr
P1085	4" x 2" oval tip	128.99	рr



Stainless Exhaust Splitters and Tips 🔥 Dress-up your exhaust with an extra punch with

something a little bolder. Stainless steel slip-fit splitters and a choice of a chrome or stainless steel tip. These tips add the final personal touch to your custom exhaust! Emissions Note: Non-emissions (50 state legal).

Slip-Fit	Tips		
P1072	2-1/2" to 2-1/2"	stainless	107.99 pr
P1073	3" to 3"	chrome	113.99 pr

Heat Sleeve Susa

Made in USA. Black

Silicone coated fiberglass heat sleeving protects wires, cables and hoses from intense heat exposure, liquid spills and even occasional flame exposure. Withstands continuous 500 degrees F temperatures and short term exposure up to 2200 degrees F. Available in either silver or black, and diameters of 1/2", 3/4", and 1".

28.99 ea

TT1032	1/2" x 10'	72.99 e
TT1033	1/2" x 50'	
TT1034	3/4" x 3'	
TT1035	3/4" x 10'	
TT1036	3/4" x 50'	385.99 e
TT1037	1" x 3'	41.99 e
TT1038	1" x 10'	124.99 e
TT1039	1" x 50'	456.99 e
Silver		
TT1040	1/2" x 3'	
TT1041	1/2" x 10'	
TT1042	1/2" x 50'	321.99 e
TT1043	3/4" x 3'	
TT1044	3/4" x 10'	103.99 e
TT1045	3/4" x 50'	389.99 e
TT1046	1" x 3'	38.99 e
TT1047	1" x 10'	122.99 e
TT1048	1" x 50'	432.99 e
		4

1/2" x 3'.....





Thermo-Sleeve

Thermo-Sleeve is the combination of a high temperature fabric laminated to a highly reflective Mylar foil. It provides protection from radiant heat for hoses and wires. Thermo-Sleeve's ultra lightweight construction provides more insulation than traditional bulky rubber coated fiberglass. The aluminized sleeve reflects more than 90% of radiant heat, plus it is fireproof and oil resistant! Thermo-Sleeve is available in 3' or 12' lengths.

3' Foot Lei		
TT1020	1/4" to 1/2" i.d	13.99 ea
TT1021	5/8" to 1" i.d	19.99 ea
	1-1/8" to 1-1/2" i.d	
TT1023	1-5/8" to 2" i.d	28.99 ea
TT1024	2-1/8" to 2-1/2" i.d	30.99 ea
12' Foot La		
	1/4" to 1/2" i.d	
	5/8" to 1" i.d	
	1-1/8" to 1-1/2" i.d	

2-1/8" to 2-1/2" i.d.

J-B Weld SteelStik 🗯 🛣 J-B Weld SteelStik is a steel

2 oz

TT1030

IB8267

reinforced epoxy putty stick. This hand kneadable epoxy adhesive will plug holes and make permanent repairs on wet and dry surfaces. Cures completely submerged in gasoline or under water in 60 minutes. Can be drilled, sanded, filed, tapped, machined and painted. Works on multiple surfaces: aluminum, brass. bronze, copper, iron, and stainless steel. Cure color is dark gray. Made in USA.



133.99 ea











62.99 ca

74 99 ca







Exhaust Components









12 oz. net weight can







Xtreme Temperature Coating

XTC is a high temperature/heat resistant coating formulated specifically to protect metal surfaces operating at temperatures from 500 to 1500 degrees With proper preparation, XTC provides outstanding adhesion, film integrity, weathering, and thermal shock resistance throughout this entire temperature range, and is guaranteed not to burn off! Available in your choice of a wide variety of colors and sizes.

Note: 8 oz. will coat approximately 3 sets of a exhaust manifolds with 2 coats or coat a set of shorty headers with 2 coats. Pints will coat a set of full size neaders with 2 coats or coat a complete au

system with 2 coats. Important: When ordering, select the part number for the size of the can you need, then add the two digit numerical color code to the end of the part number to specify your

desired color.		
Jet Black, C	harcoal Metallic, Flame Blue	, Cast Iron
Gray, or Of	f-White	
KB651	12 oz. net weight	24.99 ca
KB652	half pint (8 oz.)	22.99 ca
KB653	one pint	34.99 ca
KB654	one quart	62.99 ea
KB655	one gallon	200.99 ea
	Rocket Red, Pure White, Stai	nless Steel,
or Pontiac	Blue	
KB651	12 oz. net weight	24.99 ca
KB652	half pint (8 oz.)	31.99 ca
KB653	one pint	45.99 ca
KB654	one quart	89.99 ca

KB655	one gallon	279.99 ea
Xt	reme Temperature Pr	imer
metal surfa condensation galvanizing leaving a	one Zinc Primer prevents sees exposed to high heat, h on, and salt air. It function g as it locks itself to bare n perfect primed surface for n a wide variety of sizes.	igh humidity, is much like netal surfaces
KB65100 KB65400	12 oz. net weight one quart	



Hi-Heat Coatings

ThermoTec exhaust insulating products work excellent as a paint directly on metal surfaces and can handle continuous temperatures up to 1200°F. It is also recommended for coating exhaust insulating wrap. The coating will protect the wrap from abrasion and harmful liquid spills. Extra resins and binders toughen the surface and extend the life of the wrap. Note: Shipped within the continental U.S. only. Shipped

TT12001 ... 21.99 са 11 07 black TT12002 11 oz. aluminum..... 23.99 ca TT12003 18 99 ca 11 oz copper.....



Titanium Exhaust Wran

Titanium exhaust wrap from DEI, Withstands 1800 of direct, and 2500 of intermittent heat. Extremely pliable for an easy install with no wetting necessary Very durable with high resistance to abrasions, oil, and chemicals, and thermal breakdown. Titanium Exhaust Wrap

12 00 an

JE010128	1. X 12		15.99 ca
DE010126	1" x 50'		32.99 ca
DE010129	2" x 15'		18.99 ca
DE010132	2" x 35'		37.99 ca
DE010127	2" x 50'		53.99 ea
Black Titani	um Exhaust V	(ran	
			19 99 ca
DE010004	2" x 25'		27.99 ea
DE010003	2" x 50'		54.99 ea
		(10-)	
	TT1 1031	TTHOS	

Gen II Copper Header Wrap Copper Header Wrap improves heat resistance

up to 30%. Generation II Copper Exhaust Wrap creates more horsepower and reduces underhood temperatures, increases exhaust scavenging, withstands continuous heat up to 2000 degrees Fahrenheit, contains no asbestos. TT11031 1" x 50'..... 32.99 ca 2" x 50' .. TT11032 61 99 ca



Stainless Steel Locking Tie and Tool Set All the ties you need to securely fasten your exhaust

wrap to your headers or exhaust. Set includes: eight 9 inch locking ties, four 14 inch locking ties, and a 1/4" locking tie tightening tool.



Stainless Steel Strap Set



Quality stainless steel straps with a dependable multi-lock system are available in standard lengths. The narrow width, standard length straps include the multi-lock already attached - just insert the end and pull to tighten.

Sets with 1	Variety of Sizes		
TT13105	six 9" and four 18"	29.99	set
TT13101	eight 9" and four 18"	30.99	set
Bulk Pack	of Single Sizes		
TT13150	twelve 9" straps	27.99	set
TT13160	six 18" straps	21.99	set



HiTemp Stainless Steel Cable Tie 🛮 🗥

High temperature stainless steel cable ties are great for harsh environments. Perfect for installing heavyduty and high temp sleeving. Available in 7-1/2" or 14-1/2" lengths.

Individual		
SS719101	7-1/2"	
SS719102	14-1/2"	1.19 ea
5 Pack		
SS729101	7-1/2"	3.99 kit
SS729102	14-1/2"	5.99 kit
10 Pack		
SS729103	7-1/2"	8.99 kit
SS729104	14-1/2"	10.99 kit

439 99 ca

one gallon ..

Exhaust Components

Reduce Underhood Temperatures!

Increased exhaust

scavenging is produced along with lower intake temperatures. Exhaust Insulating Wrap¹⁰ withstands continuous heat up to 2000 degrees F, and contains no asbestos. Will not over insulate a system when properly installed due to a proprietary coating developed by Thermo-Tec®
Thermal Conduction Technology (TCT) that conducts
heat across the wrap's surface. The 1/16* thick wrap is available in 1 inch or 2 inch widths in 15' or 50' rolls.

Choose from	n off-white or graphite black.	A
	Exhaust Wrap	4
	1" x 15' short roll	8.99 ca
TT1011	2" x 15' short roll	
TT1010	1" x 50' long roll	28.99 ca
TT1012	2" x 50' long roll	43.99 ca
	lack Exhaust Wrap	
TT1053	1" x 15' short roll	9.99 ca
TT1054	2" x 15' short roll	
TT1013	1" x 50' long roll, black	
TT1014	2" x 50' long roll, black	48.99 ea

Reduce Underhood Temps IIn to 70%1 The new quick wrap.

high velocity Exhaust Iackets™ are an innovative way to insulate and block radiant heat. The jackets cover the header tubes vertically allowing for a consistent fit. The fit allows the exhaust system to expand as it comes up to operating temperatures without restrictions and provides air space for added insulation. This product uses Thermal Conduction Technology (TCT), developed by Thermo-Tec®, and can be applied with the headers in the vehicle. TT1015 4-6 cylinder 8" x 12". 74 99 ca

8" x 16".....

99 99 ca

8 cylinder This Flexible Heat Shield Clips Into Place!

TT1016

The Header Manifold Blanket™ provides excellent heat retention for exhaust headers and manifolds. This flexible heat shield simply clips into place on the upper portion of the header. The fabric side of the material should be facing



Shield Plastic or Rubber Hoses and Wirin from Radiant Heat!

Thermo-Shield™ protects hoses and wires from radiant heat. Unprotected, rubber hoses and plastic or rubber insulated wiring can dry out, melt or crack over time. Thermo-Shield™ is used in applications where it is difficult or not practical to disconnect one end of the hose or wire. The adhesive backed composite construction tape can easily be wrapped around the hose or wire to make a clean, professional appearance. Reflects radiant heat up to 2000 degrees F. Provides a barrier against the extreme conditions that underhood components are exposed to. Wrap your fuel lines and say good-bye to vapor lock.





Vermiculite Coated Header Wran

Insultherm Header Wrap is an extremely high temperature resistant wrap used to insulate hot gases in automotive exhausts. Manufactured from texturized fiberglass varns that are woven into a strong flexible wran with vermiculite coating. Resists gasoline and engine chemicals and withstands temperatures up to 1200 degrees F(maximum continuous temperature of 1000 degrees F).

Available in bla	ack or natur	ral in 50' or 25' roll	S.
1" Header Wi	ap		
HW719301	black	1" x 50'	
HW719302	natural	1" x 50'	
HW719303		1" x 25'	
HW719304	natural	1" x 25'	14.99 ea
2" Header Wi			
HW719311	black	2" x 50'	
HW719312	natural	2" x 50'	
HW719313	black	2" x 25'	16.99 ea
HW719314	natural	2" x 25'	20.99 ea
	-		



DE010149 DF010164 Turho Shield Set USA

High-performance turbo shield sets for T3 and T4 turbos. Turbo shields provide a thermal barrier, maintaining temperature within the turbo, increasing efficiency and decreasing lag. Has the added benefit of reducing underhood temperatures, increasing the longevity of other engine components. Each set includes the shield, a 2" x 15 ft. roll of wrap, 2 stainless steel locking ties, and 5 ft. of fastening wire. Made in USA.

Turbo Insu The turbo in:	The second second		7
DE010145	T4	254.99	set
Titanium DE010141	T3	219.99	set
Ultra 47 DE010174	T3	133.99	set
Onyx DE010180 DE010182	T3 T4	229.99 285.99	







Floor and Tunnel Shield II

Ten mil aluminum bonded to woven glass fiber with a hi-temp adhesive backing. Designed to withstand temperatures up to 1750 degrees F. The adhesive backing adhere to almost anything while withstanding temperatures over 450 degrees F. Ideal for firewalls. floor pans, transmission tunnels, and under hoods. Note: Cool-Tape recommended for seams and edges.

Floor and Tur	inel Shield with Adhesive I	Backing
	21" x 2'	
	21" x 4'	
DE050503	42" x 4'	141.99 ca
	nel Shield without Adhesi	
	42" x 2'	
DE050520	42" x 4'	85.99 ea
Cool-Tape		
DE010408	1-1/2" x 15' roll	
DE010416	1-1/2" x 30' roll	
DE010468	2" x 30' roll	32.99 ca

An Extremely Versatile Heat Barrier

The Aluminized Heat Barrier™ is made up of woven silica with a flexible aluminized finish. The highly reflective surface of the material is capable of withstanding radiant



temperatures in excess of 2000 degrees F. Installed using standard rivets with a backup washer, or with weather strip adhesive. The Snap Straps (sold separately) can be used to hold the blanket in place for manifolds or exhaust systems. TT1008 36" x 40", 10 sq. ft. 81.99 ea

Keen Cool! Reflect Radiant Heat

The Muffler/Catalytic Converter Heat Shield™ is made up of woven silica with a flexible Mylar finish. The highly reflective heat shield can be installed between the

catalytic converter, muffler, or any other component to reflect radiant heat from the undercarriage of the vehicle. Kit includes one 24" x 40" Mylar heat shield and all

necessary fasteners. TT1007 muffler heat shield Clamo-On Heat Shield

The flexible Clamp-On Heat Shield blocks more than 90% of damaging radiant heat from the exhaust. Silica based clampon shields are available in 1'. 2', and 3' lengths Clamp-On

Shields are available in 1', 2', and 3' lengths. Sets come complete with all clamps and install easily in minutes Silica Based Fabric Clamp-On Heat Shield

TT11600

31 99 cet TT11650 4" x 1'..... 4" x 2" TT11660 60 99 set TT11600 6" x 1' 35.99 set 6" x 2" 54.99 set TT11630 70.99 set Stainless Steel Clamp-On Heat Shield









TT15002

TT15002



turbo insulation cover only 47.99 ea

... 139.99 set

TT1104