

# Radiators



AUTHORIZED

TF600114

## 1955-57 Reproduction Radiator



Made in USA

These reproduction radiators install on the grill side of the core support on your 1955-57 Chevrolet model with OEM precision, mounting correctly with original style brackets. Each radiator is equipped with a new... not rebuilt, tank and core. Includes original style mounting brackets attached and installs as original to the radiator support. These high efficiency radiators feature a copper core with 1/2" tubes on 3/8" centers 3 row core for the 6 cylinder models and 4 row core for the V8 models which gives you increased cooling without modifications to your vehicle. Fan shrouds, radiator petcock, and radiator cap are not included and sold separately.

Note: Shipped overseas.

### Radiators for Six Cylinder

Grill Side Mounting			
TF500219	1955-56	16-5/8" x 23" x 2"	499.99 ea
TF600240	1957	16-5/8" x 23" x 2"	414.99 ea

### Radiators for Small Block

Engine Side Mounting			
TF500218	1955-57	16-5/8" x 21-3/8" x 2-5/8"	569.99 ea

Grill Side Mounting			
TF600114	1955-56	16-5/8" x 21-3/8" x 2-5/8"	571.99 ea
TF500217	1957	16-5/8" x 21-3/8" x 2-5/8"	571.99 ea

### Radiators for Big Block

Grill Side Mounting			
TF500217	1957	16-5/8" x 21-3/8" x 2-5/8"	571.99 ea
TF600114	1955-56	16-5/8" x 21-3/8" x 2-5/8"	571.99 ea



Northern

- Bolt-in Installation
- Heavy-duty, Die-stamped Tanks
- 60% Lighter Than Copper/Bronze
- Extra Thick Hose Connections
- Up to 75% More Cooling Capacity
- Billet Filter Wock
- Fully Welded Construction
- 7 Plate Alum. Transmission Cooler

## 1955-57 Aluminum Muscle Car Radiator



Upgrade your radiator with a high-performance bolt-in radiator from Northern! Manufactured with race proven technology, these radiators feature a two row, 1" core tube design for maximum cooling efficiency. Northern fan and shroud assemblies are also available for a matched cooling system.

Important: Dimensions listed include the radiator, tanks, and brackets.

Note: Shipped overseas.

CR5122	1955-57	V8	22-7/8" x 20-3/8" x 3-1/8"	280.99 ea
--------	---------	----	----------------------------	-----------

Designed for Up to 700 Horsepower! Made in USA!



TF600128



Made in USA

## 1955-57 Extreme Series Cooling System



These Be Cool Extreme series cooling system modules offer the ultimate in fit, finish, and performance. At the heart of every module is a direct fit, dual core, crossflow radiator sealed with a machined cap and mounted in an exclusive aluminum core support. A hand fabricated aluminum overflow tank and matching windshield washer fluid reservoir are mounted on either side. Air is pulled through the radiator by two high torque electric fans with machined motor covers and mounting brackets. These modules come pre-assembled with stainless steel hardware and includes a fan wiring harness with temperature sender and waterproof 40 amp relays. Designed for cool engines producing up to 700 horsepower and comes fully polished.

Note: Modification to upper and lower hoses and transmission lines required for crossflow upgrade. Short water pump required. Shipped truck freight.

### Models without AC

Models with Manual Transmission			
TF600118	1955	small block/big block	3699.99 set
TF600119	1955	LS1	3899.99 set
TF600120	1956	small block/big block	3699.99 set
TF600121	1956	LS1	3899.99 set
TF600122	1957	small block/big block	3699.99 set
TF600123	1957	LS1	3899.99 set

Models with Automatic Transmission			
TF600125	1955	small block/big block	3899.99 set
TF600126	1956	small block/big block	3899.99 set
TF600127	1956	LS1	4099.99 set
TF600128	1957	small block/big block	3899.99 set
TF600129	1957	LS1	4099.99 set

### Models with AC

Models with Manual Transmission			
TF600130	1955	small block/big block	3699.99 set
TF600131	1955	LS1	3899.99 set
TF600132	1956	small block/big block	3699.99 set
TF600133	1956	LS1	3899.99 set
TF600134	1957	small block/big block	3699.99 set
TF600135	1957	LS1	3899.99 set

Models with Automatic Transmission			
TF600136	1955	small block/big block	3899.99set
TF600137	1955	LS1	4099.99set
TF600138	1956	small block/big block	3899.99set
TF600139	1956	LS1	4099.99set
TF600140	1957	small block/big block	3899.99set
TF600141	1957	LS1	4099.99set

## 1955-57 Crossflow Aluminum Conversion Module



Be Cool radiators are designed to provide the added cooling capacity required by high horsepower engines. These are complete module cooling systems that include the polished aluminum radiator with radiator cap, dual electric fans, vented coolant recovery tank, aluminum fan mounting brackets, electric fan wiring harness, and all necessary installation hardware. These mount in front of the core support and must use short water pumps. Can be used with any engine combination.

Note: Upper and lower hose, and transmission line modification necessary to use crossflow upgrade. Shipped double overseas.

Polished Aluminum			
TF600171	1955-57	23" x 22"	standard transmission..... 1499.99 ea
TF600172	1955-57	23" x 22"	automatic transmission..... 1499.99 ea

Natural Aluminum			
TF600173	1955-57	23" x 22"	standard transmission..... 1199.99 ea
TF600174	1955-57	23" x 22"	automatic transmission..... 1299.99 ea



# Radiators/Fan Shrouds



TF600261

TF600262

## 1955-57 Polished Aluminum Radiator

These polished high-performance radiators are manufactured from TIG welded aircraft grade aluminum with brazed aluminum cores and billet filler necks. Each radiator offers high capacity cooling with louvered fins and 3/8" spacing between core tubes. Designed for direct fit installation. Radiator cap dimensions listed below.

**Important:** All radiators have built-in automatic transmission coolers and can be used in both automatic and manual transmission applications. Core size dimensions listed below.

**Note:** Shipped oversize.

081

### Two Row Core

**1955-57 - 8 Cylinder Mounting Position**  
TF600261 17-1/4" x 21-1/2" x 1-3/4" 179.99 ea

### Three Row Core

**1955-56 - 6 Cylinder Mounting Position**  
TF600262 17-1/4" x 21-1/2" x 2" 229.99 ea

**1955-57 - 8 Cylinder Mounting Position**  
TF600263 17-1/4" x 21-1/2" x 2" 229.99 ea



TF500214

## 1955-57 Radiator Conversion Bracket Set

These brackets let you keep your 6 cylinder radiator support while adding a V8. They will put your radiator in the V8 position behind the radiator support. They can also be used on a V8 support to put a radiator in the 6 cylinder position for added clearance in front of the engine. Bracket sets are available in both steel and stainless steel.

TF500214 1955-57 steel 39.99 set  
TF600270 1955-57 stainless steel 67.99 set



CC46116

COLD-CASE

CC46144

CC46142

## 1955-57 Aluminum Radiator

Improve the cooling capacity of your engine with Cold-Case performance radiators for 1955-57 Chevy models. Feature an all aluminum construction that is good at dissipating heat and saving energy, with 2 oversized cooling rows, and polished stamped tanks. All Cold-Case radiators are 100% TIG welded, pressure tested, and includes OE style fittings for both automatic and manual applications. All radiators manufactured by Cold-Case are guaranteed to be free from material and workmanship defects for the life of your installation.

**Note:** For Straight 6, position mount IN FRONT of radiator support. For V8 position mount BEHIND radiator support.

CC46142	1955-57	V8	380.99 ea
CC46143	1955-56	straight 6	381.99 ea
CC46144	1957	straight 6	381.99 ea
CC46116	1955-57	radiator cap	22.99 ea



T9451

## Universal Fan Shroud

Shrouds will fit all small block and big block radiators. Mounting hardware is included for installation. Will replace all plastic and OEM shrouds and are available in both chrome or EDP black finishes.

### 20" Diameter Shrouds

3" Wide			
T9453	chrome finish	22.99 ea	
T9451	EDP black finish	21.99 ea	
5-1/2" Wide			
T9454	chrome finish	24.99 ea	



TF600227

## 1955-57 Metal Fan Shroud



OEM style metal fan shrouds for 1955-57 models. These steel shrouds are available in powder coated black or polished chrome for a durable, long-lasting finish. Includes installation hardware and detailed instructions. Made in USA.

**Important:** \*V8 Models with radiator mounted in 6 cylinder position on a 6 cylinder core support should use item #TF600225. \*\*Requires TF500214.

**Note:** Shipped oversize.

**6 Cylinder Core Support**  
TF600225\* 1955-57 L6 or V8 - black 131.99 ea  
TF600222 1955-57 L6 or V8-chrome 251.99 ea

**8 Cylinder Core Support**  
TF600226 1955-57 V8 - black 131.99 ea  
TF600222 1955-57 V8 - chrome 251.99 ea

**8 Cylinder Core Support - 6 Cylinder Position**  
TF600227\*\* 1955-57 V8 - black 141.99 ea  
TF600222 1955-57 V8 - chrome 261.99 ea



**6 Cylinder Core Support**  
TF600225\* 1955-57 L6 or V8 - black 131.99 ea  
TF600222 1955-57 L6 or V8-chrome 251.99 ea

**8 Cylinder Core Support**  
TF600226 1955-57 V8 - black 131.99 ea  
TF600222 1955-57 V8 - chrome 251.99 ea



**6 Cylinder Core Support**  
TF600225\* 1955-57 L6 or V8 - black 131.99 ea  
TF600222 1955-57 L6 or V8-chrome 251.99 ea

**8 Cylinder Core Support**  
TF600226 1955-57 V8 - black 131.99 ea  
TF600222 1955-57 V8 - chrome 251.99 ea

**8 Cylinder Core Support - 6 Cylinder Position**  
TF600227\*\* 1955-57 V8 - black 141.99 ea  
TF600222 1955-57 V8 - chrome 261.99 ea

**Note:** Shipped oversize.

**6 Cylinder Core Support**  
TF600225\* 1955-57 L6 or V8 - black 131.99 ea  
TF600222 1955-57 L6 or V8-chrome 251.99 ea

**8 Cylinder Core Support**  
TF600226 1955-57 V8 - black 131.99 ea  
TF600222 1955-57 V8 - chrome 251.99 ea

**8 Cylinder Core Support - 6 Cylinder Position**  
TF600227\*\* 1955-57 V8 - black 141.99 ea  
TF600222 1955-57 V8 - chrome 261.99 ea

**6 Cylinder Core Support**  
TF600225\* 1955-57 L6 or V8 - black 131.99 ea  
TF600222 1955-57 L6 or V8-chrome 251.99 ea

**8 Cylinder Core Support**  
TF600226 1955-57 V8 - black 131.99 ea  
TF600222 1955-57 V8 - chrome 251.99 ea

**8 Cylinder Core Support - 6 Cylinder Position**  
TF600227\*\* 1955-57 V8 - black 141.99 ea  
TF600222 1955-57 V8 - chrome 261.99 ea

**6 Cylinder Core Support**  
TF600225\* 1955-57 L6 or V8 - black 131.99 ea  
TF600222 1955-57 L6 or V8-chrome 251.99 ea

**8 Cylinder Core Support**  
TF600226 1955-57 V8 - black 131.99 ea  
TF600222 1955-57 V8 - chrome 251.99 ea

**8 Cylinder Core Support - 6 Cylinder Position**  
TF600227\*\* 1955-57 V8 - black 141.99 ea  
TF600222 1955-57 V8 - chrome 261.99 ea

**6 Cylinder Core Support**  
TF600225\* 1955-57 L6 or V8 - black 131.99 ea  
TF600222 1955-57 L6 or V8-chrome 251.99 ea

**8 Cylinder Core Support**  
TF600226 1955-57 V8 - black 131.99 ea  
TF600222 1955-57 V8 - chrome 251.99 ea

**8 Cylinder Core Support - 6 Cylinder Position**  
TF600227\*\* 1955-57 V8 - black 141.99 ea  
TF600222 1955-57 V8 - chrome 261.99 ea

# Radiator Components



TF600166

## 1955-57 Radiator Drain Petcock and Hose

Reproduction radiator drain petcock with hose for 1955-57 Chevrolet passenger models. This petcock is available separately or with 6' of rubber drain hose included. It is manufactured to install on original or reproduction replacement radiators.

TF600166 1955-57 petcock and hose 14.99 ea



## 1955-57 Radiator Petcock

This reproduction petcock is manufactured to install on original or reproduction replacement radiators. Features the correct fluted end for originality.

K0085 1955-57 reproduction..... 5.99 ea



## Universal Coolant Filter

Prevent dangerous clogs in your cooling system with this in-line coolant filter. Featuring heavy-duty solid brass construction, this filter is installed in line with the radiator hose ahead of the radiator to prevent dirt and debris from entering and causing damage.

RF002 for heater hose..... 40.99 set

OER AUTHORIZED



TU4



1513130



748691

## 1956-57 Water Temperature Sending Unit

The 1956-57 Chevy models had electrical temperature gauges while the 1955 had mechanical temperature gauges. These sending units are of the original design and fit to work with your original temperature gauges.

Screws into engine:  
 TU4 1956 ..... 14.99 ea  
 1513130 1956 Made in USA..... 24.99 ea  
 748691 1957 Made in USA..... 24.99 ea



60731 - Installed

OER AUTHORIZED



60731



60741



60761



60781

## Universal Radiator Overflow Tank

Radiator overflow tank designed for use with a variety of models. This beautiful OER® Authorized polished stainless steel radiator overflow tank will give your engine compartment a clean, custom look. Includes a twist-on cap and mounting hardware.

60721 2" x 13" ..... 34.99 ea  
 60731 2" x 15" ..... 29.99 ea  
 60741 2" x 17" ..... 29.99 ea  
 60751 2" x 19" ..... 36.99 ea  
 60761 3" x 10" ..... 36.99 ea  
 60781 3" x 16" ..... 38.99 ea




BC71003

## Recovery Tanks

It is very important to choose the right recovery tank to complement your cooling system. This proper size billet coolant recovery tank is recommended and also environmentally safer than an overflow tank.

7" x 3" with Inlet and Mount Bracket

BC71003 polished finish ..... 159.99 ea  
 BC70003 natural finish..... 149.99 ea



A5700218 - Installed

New!



## Finned Aluminum Overflow Tank

Finish off your cooling system with this vintage style overflow tank. Made from cast aluminum and polished to a show quality finish. Tank holds 24 ounces and measures 13-3/4" tall with a 2-3/4" diameter. Features 1/4"-20 threaded mounting rib and tapped for a 1/4" NPT inlet fitting.

Note: Requires two 1/4"-20 bolts, are not included.  
 A5700218 ..... 278.99 ea




## 1955-57 Radiator Overflow Hose

Replacement hose for the radiator overflow. Produced with OEM style thin walled hose. This often overlooked hose is notorious for deterioration.

B0056 1955-57 ..... 4.99 ea

# Radiator Components



TF600215 - Installed



## 1955-57 Radiator Bug Screen

Radiator bug screen for 1955-57 models. Ties in front of the radiator to prevent bugs from clogging the radiator core, reducing the cooling capacity. Add an authentic look to your restoration while protecting your cooling system.

TF600215 1955-57 ..... 24.99 ea

New!



## 1955-57 RC-1 Radiator Cap

Correct reproduction radiator cap for your Tri-Five. Each cap is produced to OEM specifications with the factory correct markings and designed to provide 7 lbs pressure.

850795 1955-57 7 lbs ..... 36.99 ea

New!



ST10208

ST10228

## 1955-57 Replacement Radiator Cap

Replacement radiator cap for your 1955-57 models. Service replacement cap that may be cosmetically different than the original but will fit and function properly. These are standard caps without release lever.

ST10208 1955 4 lbs ..... 5.99 ea  
ST10228 1955-57 7 lbs ..... 5.99 ea



## 1955-57 Billet Aluminum Radiator Cap

Billet aluminum radiator cap for 1955-57 Chevrolet passenger car models to provide a unique custom look. Rated at a 16 lb pressure rating.

T6017 1955-57 16 lb rating ..... 29.99 ea

New!



AS700246

AS700247

AS700248

## Custom Radiator Cap

Vintage style radiator caps to finish off your radiator. Tops are cast in A356 aircraft grade aluminum and polished to show quality shine. The internal cap is a Stant 16 psi rated radiator cap. Supplied as a two part assembly to allow proper alignment. Made in U.S.A.

Note: Recommended adhesive is JB Weld.  
AS700246 finned style ..... 54.99 ea  
AS700247 aero style ..... 54.99 ea  
AS700248 sprocket style ..... 54.99 ea



TF600175

TF600176

TF600177

## Radiator Caps

Be Cool billet radiator caps rated at 13 lbs are recommended for all Be Cool radiators. The billet caps feature the Be Cool logo and are available in a round or octagon style and polished or natural finish. Also available is a machined aluminum Sure-Grip radiator cap with a Be Cool embossed emblem.

Note: Stock cooling systems are rated at 7 lbs.

**Round Billet Caps**  
TF600175 polished finish ..... 59.99 ea  
TF600178 natural finish ..... 49.99 ea

**Octagonal Billet Caps**  
TF600176 polished finish ..... 59.99 ea  
TF600179 natural finish ..... 49.99 ea

**Machined Sure-Grip Caps**  
TF600177 polished finish ..... 69.99 ea  
TF600180 natural finish ..... 59.99 ea



MR2470



red



blue



silver

## Thermocap Radiator Cap

Thermocap combines a high-quality pressurized radiator cap with a thermometer element, allowing you to know when it's safe to open your radiator without any guess work. Easy-to-read temperature gauge in Celsius and Fahrenheit.

Note: Specify red, blue, or silver when ordering.  
MR2470 13 lbs ..... 38.99 ea  
MR2471 16 lbs ..... 44.99 ea



MM13065

MM13066

MM13067

New!

## "Liquid Chill" Engine Coolant and Additive

Mishimoto's Liquid Chill is a universal, synthetic coolant that will provide premium cooling and protection for your vehicle. Liquid Chill protects from boil over to 265 degrees F and from freezing down to -26 degrees F; inhibits corrosion, and reduces operating temps. Made with propylene glycol base and unique poly organic additives to allow for extended life of 2+ years or 250,000 miles before needing service in gasoline applications. One gallon jugs are available in full strength form or 50/50 blend. For up to 30 degrees F cooler over just coolant alone, the universal Liquid Chill additive is available in 4 oz. bottles.

MM13065 full strength coolant ..... 67.99 ea  
MM13066 50/50 mix coolant ..... 43.99 ea  
MM13067 additive ..... 16.99 ea

## J-B Weld Cold Weld

New!

J-B Weld is a great alternative to welding, soldering and brazing. This two part system is mixed at a ratio of 1:1; it forms a permanent bond and can be shaped, tapped, filed, sanded, painted and drilled after curing. Cold weld will bond to most clean and dry surfaces and sets in 1-2 hours and will fully cure in 16-24 hours. Waterproof, petroleum, chemical, and acid resistant when fully cured. Non-toxic and temperature resistant up to 600 degrees F. Cure color is dark gray. Made in USA.



JB8265

JB8265 2 x 1 oz. tubes ..... 5.49 ea  
JB8280 2 x 5 oz. tubes ..... 15.99 ea

## Super Coolant

ROYAL PURPLE

Purple Ice is a high-performance, synthetic radiator coolant additive. It reduces engine heat by reducing the surface tension of the radiator fluids for improved heat transfer. Purple Ice fosters optimum coolant flow by helping to prevent formation of scale deposits in the radiator. Purple Ice is recommended for any water/glycol pressurized cooling system, including those using the traditional green silicate based glycols or the newer OAT or HOAT based glycols.



RP01600 12 oz. bottle ..... 11.99 ea  
RP12600 case of 12 - 12 oz. bottles ..... 129.99 ea

JOE GIBSO'S

## Coolant System Protector

Impurities in well water can cause rust and corrosion inside the radiator, water pump, and cylinder heads. Over time, this can lead to a loss of cooling efficiency. Joe Gibbs Driven Coolant System Protector stops the adverse effect of hard water to help prevent cooling system damage.



JG1330 12 oz. bottle ..... 8.99 ea

# Cooling Fans



1955-57 Fan Blade

Correct reproduction fan blade for all 1955-57 V8 and 6 cylinder engines. Measures 17-1/2" in diameter and is an exact replacement of your missing or damaged original.

**Note:** Not for use with a fan clutch.

B1017 1955-57 all 6 cyl and V8..... 42.99 ea



**Features:**

- Standard Rotation
- 3" and 3-1/4" Dual Clutch Pattern
- Aluminum Blades
- Premium Silver Finish
- Not for Use with Severe Duty Clutch

**OE Style Fan Blades**

Reproduction of the original style fan blade used for most Tri-Five models. Our standard replacement fans are manufactured by Flex-a-lite for performance and reliability, these OE style fan blades are to be used with a fan clutch. These rigid fan blades are built to sustain higher RPM than standard OE fans yet conform to most race specs requiring metal belt driven fans. Standard rotation and feature universal mounting pattern.

**Important:** This fan blade is not to exceed 4000 RPM.

**For Use with Fan Clutches**

FL5717 17" 6 blade ..... 38.99 ea  
FL5718 18" 6 blade ..... 41.99 ea  
FL6719 19" 6 blade ..... 41.99 ea

## Stainless Steel Flex Fans



Flex-a-lite fan blades are designed to flex or flatten out as the RPM's climb, helping to reduce engine drag for better performance and improved fuel economy. Fan features a premium, high tech silver coating that won't degrade or lose its luster in the harsh environment of an engine compartment. Available in standard or reverse rotation along with four different diameters and six or seven blades.

**Important:** Must be used with a Flex-a-lite spacer or warranty will be voided. Fans feature 5/8" pilot hole with a 1-3/4" to 2-1/2" slotted bolt pattern.



- 16-19 inch 6 Blades Stainless Steel Flex Fan
- Premium silver finish
- Reduces engine drag at higher RPM for better performance and fuel economy
- Standard rotation

**Standard Rotation - 6 Blades**

FL2016 16" diameter..... 51.99 ea  
FL2017 17" diameter..... 55.99 ea  
FL2018 18" diameter..... 61.99 ea  
FL2019 19" diameter..... 67.99 ea



- 17 or 18 inch 7 Blades Stainless Steel Flex Fan
- Improve horsepower
- Better fuel economy
- Steel blades
- Premium silver finish
- Standard rotation

**Standard Rotation - 7 Blades**


FL4817 17" diameter..... 77.99 ea  
FL4818 18" diameter..... 74.99 ea



- 16-19 inch 6 Blades Stainless Steel Flex Fan
- Premium silver finish
- Reduces engine drag at higher RPM for better performance and fuel economy
- Reverse rotation

**Reverse Rotation - 6 Blades**

FL2216 16" diameter..... 63.99 ea  
FL2217 17" diameter..... 69.99 ea  
FL2218 18" diameter..... 65.99 ea  
FL2219 19" diameter..... 69.99 ea



## Series 1300 Flex Fan

Stainless steel blades flex at higher RPM's which reduces drag, pumps extra horsepower, and improves fuel economy. For high-performance and heavy-duty applications. Flex-a-lite fan spacers are sold separately.

**Important:** Not for use with fan clutch assembly.

FL1309 red 19-1/2" diameter..... 67.99 ea  
FL2018 blue 18-3/8" diameter..... 61.99 ea




## Steel Blade Rigid Race Fan

This fan blade is an upgrade to your cooling system. Rigid and manufactured to sustain higher RPM's than a standard OE fan. Conforms with most racing specifications requiring metal belt driven fans. Provide maximum airflow at low and high RPM's. This standard rotation (clockwise) fan has a 5/8" pilot hole and is available only in black with a universal mounting pattern. Made in USA.

**Important:** 8000 RPM rating. Not to be used with a fan clutch.

17317 17" steel blade ..... 44.99 ea  
17318 18" steel blade ..... 44.99 ea  
17319 19" steel blade ..... 44.99 ea  
17320 20" steel blade ..... 44.99 ea



**Features:**

- Standard Rotation (clockwise)
- 6 Aluminum Fan Blades
- 28 Degree Blade Pitch
- Black Powder Coated Steel Hub
- 5/8" Pilot Hole
- 1-3/4" to 2-1/4" Universal Mounting Pattern

## Aluminum Blade Rigid Race Fan

This fan blade is an upgrade to your cooling system. Rigid and manufactured to sustain higher RPM's than a standard OE fan. Conforms with most racing specifications requiring metal belt driven fans. Designed to provide maximum full time airflow across the RPM range. Made in USA.

**Important:** 8000 RPM rating. Not to be used with a fan clutch.

A5600101 15" aluminum blade .... 49.99 ea  
A5600102 17" aluminum blade .... 49.99 ea  
A5600103 18" aluminum blade .... 49.99 ea

# Cooling Fans



**DEAL**  
Performance

**Features:**


- Reverse Rotation (counter clockwise)
- 6 Steel Fan Blades
- 28 Degree Blade Pitch
- Black Powder Coated Steel Hub
- 5/8" Pilot Hole
- 1-3/4" to 2-1/4" Universal Mounting Pattern

## Steel Blade Rigid Race Fan

This fan blade is an upgrade to your cooling system. Rigid and manufactured to sustain higher RPM's than a standard OE fan. Conforms with most racing specifications requiring metal belt driven fans. Designed to provide maximum full time airflow across the RPM range. Made in USA.

**Important:** 8000 RPM rating. Not to be used with a fan clutch.

A5600104	17"	steel blade	44.99 ea
A5600105	18"	steel blade	44.99 ea
A5600106	19"	steel blade	44.99 ea
A5600107	20"	steel blade	44.99 ea



**DEAL**  
Performance

**Features:**


- Standard Rotation
- 6 Polished Stainless Steel Blades
- 50 Degree Blade Pitch
- Chrome-Plated Steel Hub
- 5/8" Pilot Hole
- 1-3/4" to 2-1/4" Universal Mounting Pattern

## Aluminum Fan Blades

These stainless steel fan blades are rated up to 8000 RPM and have chrome-plated hubs. They feature a narrow blade design for good airflow in tight space applications. Embossed center hubs and 4 rivet blade attachment provide increased strength. Fan spacer sold separately and includes hardware.

**Note:** Not for use with fan clutch assembly.


<b>17" Diameter Fan Blade</b>			
9217	chrome	59.99 ea	
9417	red	52.99 ea	
9517	blue	52.99 ea	
<b>18" Diameter Fan Blade</b>			
9218	chrome	59.99 ea	
9418	red	52.99 ea	
9518	blue	52.99 ea	



D31520 - detail views



D31520



D31550

**Specifications:**

- Male pilot diameter: 5/8"
- Female pilot diameter: 5/8"
- Flange bolt spacing: 1-3/4" - 2-1/4"

## Aluminum Fan Spacers

This aluminum fan spacer is constructed from quality aluminum and features a clear anodized finish. Fits most domestic 5/8" pilot water pumps. Includes mounting hardware. Made in USA.

**Important:** Fan should have a minimum clearance of 3/4" from the radiator, belts, hoses, or pulleys.

D31500	1/2"	14.99 ea
D31510	1"	14.99 ea
D31515	1-1/2"	14.99 ea
D31518	1-3/4"	15.99 ea
D31520	2"	15.99 ea
D31540	2-1/4"	15.99 ea
D31550	2-1/2"	18.99 ea



FL1454

FL1456

## Fan Spacers

These are the correct replacement fan spacers for use on various applications. Belt driven fans work best when they are 3/4" to 1" from the radiator's surface. Whenever you convert to a flex fan, you need to add a spacer to bring your new fan back into the "sweet spot" in the fan shroud opening. If necessary, multiple spacers may be used up to a maximum of 3 inches. See the listings below for correct thickness to fit your application.

<b>1 1/2" Spacer</b>		
FL14544	silver	16.99 ea
<b>1" Spacer</b>		
FL14548	silver	16.99 ea
<b>2" Spacer</b>		
FL14556	silver	21.99 ea

**PARADYNE**



## Rubber Fan Spacers

Rubber spacers are used with Champion Series electric fans for proper spacing from the radiator.

MF112 ..... 4.99 set



C-Flames D-Bow Tie G-350

## Fan Spacer Bolt Set

Dress-up your vehicle with these one-of-a-kind dress-up bolt sets. The Chevrolet Bow Tie or flames logo is stamped directly onto the head of the bolts. They are available in decorative chrome-plated or polished stainless steel versions. What better way to make a statement than with these unique bolts.

**Note:** Must specify logo prefix: C - Flames, D - Bow Tie, G - 350.

<b>Chrome</b>		
56456C	short 1-3/4" long	9.99 set
56457C	extended 2-3/4" long	9.99 set
<b>Stainless Steel</b>		
56456S	short 1-3/4" long	7.99 set



## 1955-57 Fan Clutch to Water Pump Studs

Studs used to attach a fan clutch to the water pump on 1955-57 six and eight cylinder models. Each stud set includes: four 5/16" double thread pitched studs, four lock washers, and nuts.

1256622 1955-57 ..... 11.99 set



## 1955-57 Fan to Fan Clutch Bolts

Bolts used to attach a fan to the fan clutch on 1955-57 six and eight cylinder models. These replicate original GM bolts with the correct markings. Bolts are sold in sets of 4 and include lock washers.

1256621 1955-57 ..... 8.99 set



# Cooling Fans

Northern



40004

## Fan Shroud and Electric Fan Assembly

High-quality fan shrouds and electric fans setups are available to make a complete cooling module set. These are electric fans that include an aluminum fan shroud designed to fit the Northern aluminum radiators. Assemblies include all mounting hardware and wire leads. Switch not included.

Note: \*For radiators CR5026, CR5055, CR5061, & CR5065.

### Shroud with Dual 12" Fan

40004\* ..... 305.99 ea

40006 for radiator CR5027, CR5056 ..... 305.99 ea

### Dual Fan Wire Harness with Relay

40080 wire harness with relay ..... 30.99 ea

### Temperature Switch

ZL8346 single wire 3/8" NPT ..... 35.99 ea



FL394



FL396

## S-Blade Electric Fan

These quiet fans mount to the core and can be used to push or pull air through the radiator. The high torque motor makes these fans strong enough to replace your belt driven fan and fan clutch. The sweep style blades squeeze out the maximum air flow possible.

12-5/8" x 11-3/4" x 2-5/8" Mount  
FL392 12" fan 7.7 amp, 925 cfm... 99.99 ea

14-1/2" x 13-7/8" x 3-3/4" Mount  
FL394 14" fan 9.2 amp, 1530 cfm 109.99 ea

16-5/8" x 15-3/4" x 4" Mount  
FL396 16" fan 13.5 amp, 1980 cfm 158.99 ea



## Sycloone Electric Fan

The amazing Flex-a-lite Sycloone electric fan is the most efficient S-Blade fan blade on the market! This quiet fan mounts to the core and can be used to push or pull air through the radiator. The higher torque (17 amp) motor produces 2500 cfm of air flow, making these fans strong enough to replace your belt driven fan and fan clutch to gain more horsepower and torque. The sweep style blades squeeze out the maximum air flow possible. 16-5/8" x 13-3/4" x 4" mount. Universal mounting brackets are included.

FL398 16" fan ..... 131.99 ea



## Black Magic S-Blade

If your vehicle is still running the factory engine driven fan, you're losing vital horsepower and not even getting the full cooling effect you should! By replacing your engine driven fan with an efficient electric unit, you can reduce unneeded drag on your engine to free up horsepower and improve your fuel economy. An engine driven fan can cost up to 17 HP to operate! This universal fit Flex-a-lite electric fan features computer engineered blades that are extremely quiet and efficient, and moves 3000 cfm of air to provide consistent cooling, regardless of engine RPM. Ring fans like this provide better blade support for impact resistance. This electric fan fits vehicles with 16" or wider radiator cores, and requires a mounting surface of 18" x 16" x 4-1/4" for an easy, bolt-in installation. Universal mounting brackets are included.

FL160 ..... 259.99 ea



SP2066

## Fan Switch

SPAL replacement temperature fan switch. Manufactured from stainless steel, hermetically sealed and features a 3/8" NPT. Operating switch range 35 degrees F to 480 degrees F and max current/voltage 3 amps, 32 VDC and grounded case only.

SP2066 on 185°/off at 165° ..... 26.99 ea

SP2067 on 195°/off at 175° ..... 32.99 ea



FL210

## Improves Horsepower, Extends Water Pump Life and Cools Faster!

Used as a primary fan, this unit frees up wasted horsepower and increases fuel mileage by eliminating drag caused by your standard engine mounted fan. Also increases water pump life by reducing strain on the water pump bearing assembly. When mounted in front of the radiator and used as an auxiliary fan in addition to your stock belt driven fan, this electric fan provides better cooling in any engine prone to overheating.

### Single Fan - Mounted in Front of Radiator

FL114 14" 14-3/4" x 14" x 3-1/4" ..... 109.99 ea

FL116 16" 16-1/2" x 16" x 3-1/4" ..... 119.99 ea

### Dual Fan - Mounted Behind Radiator

FL210 12" 15-1/2" x 26-1/4" x 2-5/8" ..... 354.99 ea



67010

## High-Performance Electric Fan

These reversible fans help prevent overheating in stop-and-go traffic, designed to fit the most popular cars and trucks, increases gas mileage, improves engine performance, frees the water pump pulley for more RPM, installs in minutes with simple hand tools. 10", 12", 14", and 16" fans are (mount in front or back of radiator). Ultra thin design to fit cramped locations. Reinforced glass filled polypropylene blade and plastic housing for minimized weight. Nylon tie mounting kit included. Nominal fan size is based upon approximate overall assembly diameter.

### Without Red Bow Tie on Top of Shroud

10" x 2-1/2"

67010 3000 RPM 7 amp 1000 cfm 37.99 ea

12" x 2-1/2"

67012 3000 RPM 7 amp 1200 cfm 42.99 ea

14" x 4"

67014 2500 RPM 8 amp 1650 cfm 59.99 ea

16" x 4"

67016 2000 RPM 9 amp 2100 cfm 55.99 ea

### With Red Bow Tie on Top of Shroud

10" x 2-1/2"

D141641 3000 RPM 7 amp 1000 cfm 62.99 ea

12" x 2-1/2"

D141642 3000 RPM 7 amp 1200 cfm 74.99 ea

14" x 4"

D141644 2500 RPM 8 amp 1650 cfm 87.99 ea

16" x 4"

D141646 2000 RPM 9 amp 2100 cfm 81.99 ea

## Cooling Fans



SP2020



SP2029



SP2021



SP2030



SP2056



SP2055

## High-Performance Electric Fan



SPAL electric fans are manufactured for the most demanding cooling systems. Fans feature slide-in mounting flanges, and fully sealed waterproof/dustproof electrical motors (most) that is fully tested and individually balanced during the production process to ensure maximum performance and durability. SPAL fans are designed to be mounted in various ways and will mount with many universal brackets, straps, and shrouds. Available in various sizes to best fit your application.

**Note:** For fan specs and more SPAL fan options please visit our website. SP2029/SP2055 do not feature the waterproof/Puller Fan, Dual High-Performance

## Puller Fans

Dual High-Performance	
SP2020 11"	2720 cfm..... 338.99 ea
SP2029 12"	3168 cfm..... 472.99 ea
High Output	
SP2021 11"	1604 cfm..... 182.99 ea
SP2030 12"	1870 cfm..... 202.99 ea
SP2056 16"	1953 cfm..... 196.99 ea
Race Curved	
SP2055 16"	2467 cfm..... 188.99 ea



SP2007



SP2009



SP2010



SP2008

## Standard Electric Fan



SPAL electric fans are manufactured for the most demanding cooling systems. Fans feature slide-in mounting flanges, and fully sealed waterproof/dustproof electrical motors that is fully tested and individually balanced during the production process to ensure maximum performance and durability. SPAL fans are designed to be mounted in various ways and will mount with many universal brackets, straps, and shrouds. Available in various sizes to best fit your application.

**Note:** For fan specs and more SPAL fan options please visit our website.

## Puller Fan

SP2007 6-1/2"	325cfm..... 77.99 ea
SP2009 7-1/2"	437cfm..... 77.99 ea
SP2010 7-1/2"	437cfm..... 71.99 ea

## Pusher Fan

SP2008 6-1/2"	325cfm..... 77.99 ea
---------------	----------------------



MF163



MF166

## Champion Series Low Profile Performance Fan

These Champion Series performance fans are the lowest profile of high and medium performance fans on the market. Quiet, reversible S-blade design gives you the choice of using it as a puller or a pusher fan. Manufactured from glass filled nylon. Includes: powerful sealed motor, four 90 degree mounting feet, mating locking pigtail, and rubber spacers. Recommended wire harness, temperature switch, and adjustable thermostat sold separately.

## High-Performance Fans - 3.19" Deep

MF122 12"	1565 cfm, 225 watt ... 154.99 ea
MF142 14"	2135 cfm, 225 watt ... 159.99 ea
MF163 16"	2170 cfm, 225 watt ... 168.99 ea

## Medium Performance Fan - 2.48" Deep

MF123 12"	1155 cfm, 130 watt ... 129.99 ea
-----------	----------------------------------

## Medium Performance Fans - 2.87" Deep

MF146 14"	1555 cfm, 160 watt ... 136.99 ea
MF166 16"	1810 cfm, 160 watt ... 162.99 ea



MF107

## Challenger Series Performance Fan



These Challenger Series performance fans are economical, yet versatile enough for high-performance or daily drivers. Quiet, reversible S-blade design will operate as a puller or a pusher fan. Manufactured from glass filled nylon. Includes: four 90 degree mounting feet, mating locking pigtail, and rubber spacers. Recommended wire harness, temperature switch, and adjustable thermostat sold separately.

## 13" High-Performance Fan

MF136 1560 cfm, 160 watt, 3.82" deep.	107.99 ea
---------------------------------------	-----------

## 16" High-Performance Fans

MF107 950 cfm, 160 watt, 3.87" deep ..	112.99 ea
MF162 2200 cfm, 225 watt, 4.35" deep.	119.99 ea



# Cooling Fan Components



## 16" Fan Mounting Gasket

SPAL fan gasket is a specifically designed rubber gasket for use exclusively with the 16" fan line. The gasket provides an additional 1/4" clearance from the cooler core and is ideal for mounting our pusher style fans.

Note: Will not fit SP2056 and SP2057.

SP2070 16" ..... 16.99 ea



## Cooling System Zinc Anode

Used in heavy-duty and marine applications to protect the cooling systems and its many components from damage due to electrolysis or coolant additive failure/breakdown. The introduction of the zinc anode will protect your cooling system from galvanic action as it "eats" the zinc rather than your cooling system. To be installed in the radiator as a replacement for the drain petcock in radiators that are equipped with a 1/4" NPT hole or any 1/4" NPT hole that is available in the cooling system.

FL32060 ..... 12.99 ea



MF109

## Fan Temperature Sending Unit

The temperature sending unit screws into the side of the cylinder head or on the intake manifold to operate the Champion or Challenger Series fans.

MF108 185° for carbureted engines ..... 23.99 ea

MF109 195° for fuel injection engines ..... 23.99 ea



## Temperature Sending Wire Cloth Insulator

This 3/16" i.d., 5/16" o.d. replacement cloth insulator, keeps your temperature sender harness well insulated from engine heat. Sold per foot. 2-3 feet required per vehicle.

K0163 ..... 1.99 ft



## Temperature Sending Unit Wiring Set

Reproduction wiring which extends from the front light harness to the temperature sending unit. Includes correct 24" insulator cover and 30" green wire with bullet, blade or button type terminals included.


CA34620 ..... 22.99 set



## Universal Fan Mounting Bracket

SPAL universal fan mounting bracket. It can be used with most aftermarket and OEM radiator types. It is adjustable and features a black powder coated finish. Includes 1 metal strap bracket and 1 plastic foot. Requires 4 for proper installation.

SP2072 ..... 3.99 ea



## Universal Fan Mounting Rod

SPAL universal mounting rod brackets attach directly to the fan shroud. Manufactured from lightweight steel and plastic. Includes mounting clip. 4 required for proper installation.

SP2071 ..... 5.99 ea

## Plastic Mounting Bracket




SPAL plastic fan mounting foot bracket. Four mounting brackets are required to complete proper installation. Sold individually. Available in either flat or raised design.



SP2074

SP2073 flat ..... 1.99 ea


SP2074 raised ..... 1.99 ea



## Billet Aluminum Fan Brackets

Use this premium billet aluminum bracket set to mount your 14" or 16" Champion or Challenger Series fan. The set features four adjustable side angle brackets that attach to the side flange of the radiator. Mounting hardware is included.

MF105 billet aluminum fan brackets... 53.99 set



## Universal Fan Bracket Strip Set

This bracket set is used to mount your Champion or Challenger Series fan. Install the fan's 90 degree mounting feet (included with fan) to these four 7-1/4" long strips for solid support. Mounting hardware is included.

MF104 universal fan bracket strips... 22.99 set



## Adjustable Fan Temperature Sensor

Turn your electric fan on at whatever your desired temperature is with this adjustable temperature sensor. Sensor adjusts from 180-240 degrees F and helps prevent overheating in performance vehicles when driving at low speeds or when idling for long periods.

346932 180-240 degrees F ..... 42.99 ea



MF102

## Electric Fan Controllers

These sets are designed to operate Champion or Challenger Series electric fans. Includes: a heavy gauge wire harness, relay, weatherproof fuse, and electrical connectors.

### Fixed Switch Fan Controllers

MF102 with 185 degree temp. sender 71.99 set

MF103 with 195 degree temp. sender 71.99 set

### Adjustable Switch Fan Controllers

MF110 with adj. temperature switch... 71.99 set

MF110 adjustable switch only ..... 23.99 set



## Fan Harness Set

SPAL wiring harness sets are a must-have when installing an electric fan. Designed to safely integrate with OEM wiring harness. Feature a waterproof 40 amp relay, stainless steel switch with optional switched override capability along with printed wires which aid in installation. Thermo switch, fuse holder, connectors 1/2" adapter, and instructions are included.

SP2068 185 degrees harness ..... 64.99 set

SP2069 195 degrees harness ..... 65.99 set

New!



## Dual Fan Wire Harness with Relay

When installing an electric engine cooling fan, a wire harness with a relay is required. This dual fan wire harness with relay will allow safe control of 2 fans while using either an on-off switch or an adjustable temperature sensor. Switch and sensor not included.

40080 wire harness with relay ..... 30.99 ea

AC, HEATER & COOLING SYSTEM

# Cooling System



## Dual Fan — Dual Activation Fan Relay Set

The dual activation cooling fan relay set by Painless Performance is exactly what you need to run dual fans off of a thermostatic switch and when your AC is on. Installation takes just a few minutes and your cooling fan will come on when the engine reaches the preset temperature of the thermostatic switch or when the AC is turned on. Set includes: three 40 amp relays with mounting bases, one fuse holder with 70 amp fuse, pre-terminated and printed wire harness, and your choice of thermostatic switch on/off temperatures (thread size: 3/8"-18 NPT), 1/2" NPT to 3/8"NPT adapter, mounting hardware and insulated terminals and detailed instructions.

30116	on 200°F, off 185°F.....	125.99 set
30117	on 185°F, off 175°F.....	119.99 set
30118	on 205°F, off 190°F.....	149.99 set



## Electric Fan Relay

Designed as inexpensive protection for your electric fan. Provides constant voltage, protects from voltage and amperage spikes. Chosen from the regular fan relay or the weatherproof relay which are for the harsh weather conditions, these relays provide complete protection from the elements and ensure reliable and dependable performance. These sets utilize heavy-duty waterproof relays, waterproof circuit breaker covers and extreme condition weatherproof shrinkable crimp-on terminals.

30101	standard.....	25.99 set
30130	weatherproof.....	38.99 set
30128	weatherproof w/195°/185° switch.....	66.99 set
30129	weatherproof w/185°/175° switch.....	55.99 set

## Electric Fan Controller

Includes a 70 amp relay and will work with your existing water temperature gauge, operating from the temperature sending unit already installed. A dedicated sending unit can be installed for applications without a water temperature gauge. Operating range of 150-250 degrees F and features fully programmable "fan on" and "fan off" temperature functions to suit any application. This also gives you the capability to leave the electric fan operating after the engine has been shut down for a user adjustable period of time. High-quality LED readout displays current temperature readings.

**Important:** Must use second relay, either part #DD2701 30 amp relay or DD2702 70 amp relay for dual fan or 2-speed fan operation.

### Electric Fan Controller

DD2700	with 70 amp relay.....	128.99 ea
--------	------------------------	-----------

### Relays for Dual Fans

DD2702	70 amp relay.....	29.99 ea
--------	-------------------	----------

### Dedicated Temperature Sensors

DD2703	1/8" NPT sensor.....	14.99 ea
DD2704	3/8" NPT sensor.....	14.99 ea
DD2705	1/2" NPT sensor.....	14.99 ea



## Electric Fan Relay with Thermostat

The Fan-Thom II includes a threaded thermostat that screws into the engine block or manifold for a professional installation. Thermostat thread size: 3/8"-18 NPT fitting.

### Electric Fan Relay

30102	195° on/185° off.....	46.99 set
FP30103	185° on/175° off.....	43.99 set

### Replacement Thermostats

30110	195° on/185° off.....	28.99 ea
30111	185° on/175° off.....	28.99 ea



## Adjustable Electric Fan Thermostat Set

This set is designed to allow a wide range of temperature adjustments for your electric fan. The adjustment knob may be used to set a precise temperature desired for fan activation. The mounting bracket is made of brushed stainless steel for good looks and durability. The complete set includes the thermostat with bracket, a 30 amp relay, a 30 amp circuit breaker for overall protection, wiring, terminals, and mounting hardware.

### Specs on Adjustable Fan Thermostat:

Temp range:	-32 degrees to 248 degrees F
Accuracy:	+/- 7.3 degrees F
Differential:	7.3 degrees +/- 3.6 degrees F

**Important:** Temperature refers to the temp of the capillary tube, not the coolant temp.

30104	.....	86.99 set
30112	without relay.....	54.99 set



## 1983-95 Fan Switch

The JET fan switch turns on the vehicle's cooling fan at a lower temperature than stock for improved performance and engine longevity. Cooler operating temperatures increase horsepower by providing a denser air/fuel mixture. Installation is simple replacement of the stock sensor. The JET fan switch turns on at 195 degrees and turns off at 185 degrees.

JT60600	1983-92	all V8.....	47.99 set
FK1000	1993-95	350 LT1.....	69.99 set

## "Ice Box" Cooling Fan Control

Available as a dual fan/2-speed fan control unit. The sensor is simply tightened under an intake or water pump bolt. It can then be adjusted to your exact preference for on and off temperature. It is equipped with an AC Request system to turn the cooling fan on whenever the AC Compressor engages (this feature does not have to be used). The dual fan control can operate two fans at different temperatures or a single 2-speed fan at different temperatures. Each unit has a fully adjustable operating range of 140-230 degrees.

**Note:** With Walker 2-speed Fans.

TFP90635	dual control.....	151.99 ea
----------	-------------------	-----------

## Delayed Cooling System Shutdown

Timed cooling system shutdown features adjustable relays that keep power to the cooling fan and electric water pump (if equipped) when the key is shut off. This reduces the block temperature as much as possible without the risk of killing the battery. This is a timed circuit and does not use a thermostat or other fan control to operate.

TFP90632	.....	151.99 ea
----------	-------	-----------



## Cooling Fan Shutdown

This cooling fan shutdown kit shuts down your electric cooling fan above 50-60 MPH to improve engine cooling by preventing the electric fan from fighting airflow through the radiator at highway speeds. The unit is adjustable and may be overridden by using the supplied dash mounted toggle switch. This kit is designed to be used with the supplied signal generator which must be installed into the speedometer cable.

TFP90627	.....	193.99 ea
----------	-------	-----------



## Fan Controller Set

The Mishimoto fan controller set is applicable to any 12V electric fan and includes all necessary components for installation. Features adjustable activation from 150 to 240 degrees F and deactivates once temperatures are reduced by 10 degrees F. This controller includes a built-in AC override feature and is designed for use with 1-2 electric fans drawing a combined 25 amps or less.

153522	probe style.....	69.99 set
--------	------------------	-----------

# Radiator & Heater Hoses



## Silicone Engine Coolant Plumbing Set

Get the durability of silicone coolant hoses for your custom engine install with these basic universal sets. Each set contains a 90 degree, a 45 degree angled, and a straight 1-1/2" reinforced black silicone hose along with a 1-1/2" 45 degree mandrel bent and one straight aluminum steel tube each featuring beaded ends for a positive seal. Individual components also available for building your own system or adding onto the radiator hose set here.

Radiator Hose Set	
Z71051	1-1/2" silicone hose..... 75.99 set

Individual Components	
<b>Aluminized Steel Coolant Tubes</b>	
Z71000	1-1/4" x 4' x 6" 90° bend..... 20.99 ea
Z71001	1-1/2" x 4' x 6" 90° bend..... 20.99 ea
Z71002	1-3/4" x 4' x 6" 90° bend..... 20.99 ea
Z71003	1-1/4" x 4' x 6" 75° bend..... 20.99 ea
Z71004	1-1/2" x 4' x 6" 75° bend..... 20.99 ea
Z71005	1-3/4" x 4' x 6" 75° bend..... 20.99 ea
Z71006	1-1/4" x 4' x 6" 45° bend..... 20.99 ea
Z71007	1-1/2" x 4' x 6" 45° bend..... 20.99 ea
Z71008	1-3/4" x 4' x 6" 45° bend..... 20.99 ea

<b>Stainless Steel Coolant Tubes</b>	
Z71065	1-3/4" x 4' x 4" 45° bend..... 44.99 ea
Z71066	1-1/2" x 3" straight tube..... 21.99 ea

<b>Reinforced Black Silicone Hoses</b>	
Z71051	1-1/4" x 5' x 5" 90° bend..... 20.99 ea
Z71052	1-1/2" x 5' x 5" 90° bend..... 22.99 ea
Z71053	1-3/4" x 5' x 5" 90° bend..... 22.99 ea
Z71028	1-1/4" x 4' x 4" 45° bend..... 17.99 ea
Z71029	1-1/2" x 4' x 4" 45° bend..... 20.99 ea
Z71030	1-3/4" x 4' x 4" 45° bend..... 22.99 ea
Z71025	1-1/4" x 6" straight hose..... 13.99 ea
Z71026	1-1/2" x 6" straight hose..... 13.99 ea
Z71027	1-3/4" x 6" straight hose..... 13.99 ea

<b>Step Up/Down Hose Connectors</b>	
Z71035	1-1/4" to 1-1/2" x 8"..... 20.99 ea
Z71036	1-1/2" to 1-3/4" x 8"..... 22.99 ea



## 1955-57 V8 Swap Radiator Hose

These custom molded radiator hoses are designed to allow V8 swapped cars to run a down flow radiator mounted in the 6 cylinder radiator location. Works for both small block and big block engine swaps.

TF600378	1955-57 upper hose..... 15.99 ea
TF600379	1955-57 lower hose..... 19.99 ea



## 1955-57 Reproduction Radiator Hose

Reproduction radiator hoses for 1955-57 Chevrolet passenger models. Feature correctly numbered hoses with GM codes printed on each hose. Provides for an original factory look in the engine compartment.

<b>Upper Radiator Hoses</b>	
TF600158	1955-56 6 cylinder..... 21.99 ea
TF600159	1955-57 8 cylinder..... 21.99 ea
TF600160	1956-57 dual 4 bbl and FL..... 39.99 ea
TF600161	1957 6 cylinder..... 26.99 ea
TF600212	1957 V8 Ram Jet engine..... 21.99 set

<b>Lower Radiator Hoses</b>	
TF600162	1955-57 6 cylinder..... 26.99 ea
TF600163	1955-57 8 cylinder..... 21.99 ea



## 1955-57 Replacement Radiator Hose

Replacement radiator hoses for 1955-57 models. Your choice of molded or ribbed flex hoses. Ribbed flex hoses will bend to accommodate tight spaces or unoriginal bends.

*Note: \*These hoses are for radiators mounted in front of the radiator core supports.*

<b>Upper Radiator Hoses</b>	
TF600155	1955-56 6 cylinder..... 10.99 ea
TF600153	1955-57 8 cylinder..... 13.99 ea

<b>Lower Radiator Hoses</b>	
TF600154	1955-57 8 cylinder..... 13.99 ea

<b>Ribbed Flex Hoses</b>	
TF600156	1957 6 cylinder upper..... 21.99 ea
TF600157	1957 6 cylinder lower..... 21.99 ea

<b>Molded Radiator Hoses for Big Blocks</b>	
TF600207*	1955-57 upper..... 27.99 ea
TF600208*	1955-57 lower..... 27.99 ea



## Flexible Radiator Hose

If you're doing an engine swap in your Chevrolet, these flexible radiator hoses may be just what you need to complete the cooling system installation. A variety of sizes are available. Hose features a unique design that allows it to conform to a variety of bends and curves without kinking or collapsing.

HFI1107	1-1/4" x 7-3/8"..... 5.99 ea
HFI1111	1-1/4" x 11"..... 9.99 ea
HFI1119	1-1/2" x 19-9/16" x 1-1/2"..... 9.99 ea
HFI1123	1-1/4" x 23"..... 13.99 ea
HFI208	1-1/2" x 7-9/16"..... 5.99 ea
HFI211	1-1/2" x 10-11/16"..... 9.99 ea
HFI212	1-1/2" x 12-3/16"..... 9.99 ea
HFI1317	1-1/2" x 16-5/16" x 1-3/4"..... 9.99 ea
HFI2117	1-1/2" x 17-1/16"..... 9.99 ea
HFI318	1-1/2" x 19-1/2" x 1-3/4"..... 13.99 ea
HFI220	1-1/2" x 19-13/16"..... 13.99 ea
HFI2205	1-1/2" x 20-1/2"..... 10.99 ea
HFI2221	1-1/2" x 22"..... 14.99 ea
HFI2228	1-1/2" x 22-7/8" 90 degree end..... 11.99 ea
HFI1223	1-1/2" x 23" x 1-3/4"..... 9.99 ea
HFI225	1-1/2" x 25"..... 13.99 ea
HFI214	1-1/2" x 30"..... 9.99 ea
HFI316	1-3/4" x 16-5/16"..... 12.99 ea
HFI319	1-3/4" x 18-13/16"..... 13.99 ea
HFI323	1-3/4" x 23-1/2"..... 9.99 ea



## Flexible Stainless Steel Hose Set


This is an ideal replacement for your worn or rotted hoses. Non-corrosive construction conforms to tight bends and holds shape indefinitely. Rated for high temperatures and high pressure. Can be easily cut to custom lengths. This high-quality set will enhance any engine compartment.

*Note: 48" radiator hose set has double quantity of end caps, sleeves, reducers, and clamps. Save money and make both upper and lower radiator hoses with one 48" set.*

<b>Heater Hoses</b>	
S7313	polished ends..... 61.99 set
S7314	chrome ends..... 69.99 set

<b>Radiator Hoses - Polished Ends</b>	
S7301	12"..... 29.99 set
S7304	24"..... 44.99 set
S7307	36"..... 49.99 set
S7310	48"..... 69.99 set

<b>Radiator Hoses - Chrome Ends</b>	
S7302	12"..... 34.99 set
S7305	24"..... 44.99 set
S7308	36"..... 64.99 set
S7311	48"..... 79.99 set



## 1955-57 Heater Hose Set with GM Markings

Reproduction of correct grooved hose with GM markings for 1955-57 models. Each set includes the correct clamps for each application.

TF600144	1955-56 6 cylinder..... 34.99 set
TF600145	1955-56 8 cylinder..... 34.99 set
TF600146	1957 6 cylinder..... 34.99 set
TF600147	1957 8 cyl w/Std, dlx heater..... 34.99 set
TF600148	1957 8 cyl w/AC..... 34.99 set



## Heater Hose

Quality replacement style heater hose. This hose can be used for nearly all applications.

YE5210	5/8" 5 feet..... 5.99 ea
YE5215	3/4" 5 feet..... 4.99 ea



## 1955-56 Heater Valve Hose and Clamp Set

Reproduction heater valve hose for 1955-56 models. Set includes reproduction hose with GM stamping and 2 wire clamps.

TF600012	1955-56..... 5.99 set
----------	-----------------------

# Hose Clamps



K1231

## Radiator Hose Reducer Bushing

These rubber hose reducers are designed for custom applications to allow the use of a larger i.d. radiator hose with smaller inlets and outlets on radiators, water pumps and thermostat housings. Simply insert them into the hose before installation.

K1231	2" i.d. to 1-3/4" i.d.	12.99 ea
K1232	1-3/4" i.d. to 1-5/8" i.d.	9.99 ea
K1233	1-3/4" i.d. to 1-1/2" i.d.	9.99 ea



A9600216

## Heat Shrink Hose Clamp

This new advanced heat sensitive thermoplastic clamp that seals better in all conditions and temperature extremes. Easy-to-install with an ordinary heat gun.

Part#	Min I.D.	Max I.D.	O.D.	
A96000216	1/4"	1/2"	1 1/16"	4.25 ea
A96000217	3/8"	1 1/16"	1 3/16"	4.25 ea
A96000218	1/2"	1 3/16"	1 5/16"	4.25 ea
A96000219	5/8"	1 5/16"	1 1/16"	4.25 ea
A96000220	3/4"	1 1/16"	1 3/16"	4.25 ea
A9600221	7/8"	1 3/16"	1 1/2"	4.25 ea
A9600222	1"	1 3/16"	1 1/2"	5.99 ea
A9600223	1-1/4"	1-1/2"	1-3/4"	5.99 ea
A9600224	1-1/2"	1-3/4"	2"	6.99 ea
A9600225	1-3/4"	2"	2-1/4"	6.99 ea
A9600226	2"	2-1/4"	2-1/2"	6.99 ea

New!



K0150

## Heater Hose Outlet Fittings

Replacement heater hose fittings which screw into water pump and intake manifold. These fitting sets are 1/2" pipe thread, used on GM vehicles from 1957-91. For use with one 5/8" i.d. hose and one 3/4" i.d. hose.

Note: 3/8" pipe thread fits 5/8" diameter hole (1941-56).

1/2" pipe thread fits 3/4" diameter hole (1957-91).

K0149A	small block	19.99 pr
K0150	big block	19.99 pr



## Heater Hose Fittings

These fittings are for use with heater hoses or bypass hose attachments. Available in steel and stainless steel.

1/2" NPT for 5/8" I.D. Hose		
PF1001	5/8" i.d. x 1-3/4" L	15.99 ea
PF1002	5/8" i.d. x 2-7/8" L	18.99 ea
1/2" NPT for 3/4" I.D. Hose		
PF1003	3/4" i.d. x 1-3/4" L	15.99 ea
PF1004	3/4" i.d. x 2-7/8" L	18.99 ea



PF1026

## Stainless Heater Hose Fitting & Plug Set

These corrosion resistant stainless steel fittings and plugs can be threaded into the water pump and intake manifold to provide heater hose attachment points. Each set includes: two fittings, two plugs, and stainless steel thread sealant.

**Includes (1) 1-3/4" & (1) 2-7/8" & 2 Plugs**

1/2" NPT for 5/8" I.D. Hose  
PF1025 ..... 44.99 set

1/2" NPT for One 5/8" and One 3/4" I.D. Hose  
PF1027 ..... 44.99 set

**Includes (2) 1-3/4" Fittings & 2 Plugs**

1/2" NPT for 5/8" I.D. Hose  
PF1024 ..... 41.99 set

1/2" NPT for One 5/8" and One 3/4" I.D. Hose  
PF1026 ..... 41.99 set

New!



PF1009

## Stainless Steel Heater Hose Fittings

These corrosion resistant stainless steel fittings can be threaded into the water pump and intake manifold to provide heater hose attachment points. Each set includes 2 hose fitting. Anti-seize is recommended for all stainless hardware.

**Includes One 1-3/4" & One 2-7/8" Fittings**

3/8" NPT for 5/8" I.D. Hose  
PF1062 ..... 37.99 pr

1/2" NPT for 5/8" I.D. Hose  
PF1007 ..... 31.99 pr

1/2" NPT for One 5/8" and One 3/4" I.D. Hose  
PF1009 ..... 31.99 pr

**Includes Two 1-3/4" Fittings**

1/2" NPT for 5/8" I.D. Hose  
PF1006 ..... 26.99 pr

1/2" NPT for One 5/8" and One 3/4" I.D. Hose  
PF1008 ..... 26.99 pr



14280

13970

## Stainless Steel Heater Hose Bracket

Stainless steel version of the heater hose bracket that mounts to the top alternator bracket and keeps the 2 heater hoses together. This bracket mounts with a slight angle to keep the hoses away from the engine.

<b>Single Loop Hose Brackets</b>		
14280	with bent end	19.99 ea
1010439	with straight end	19.99 ea

<b>Double Loop Hose Brackets</b>		
13970	to inner fender well	29.99 ea

New!



## Radiator Hose Clamp

Original style Buick and Oldsmobile, double wire hose clamps. For a custom detail in the engine compartment to give your engine a genuine appearance.

154128	2" to 1-3/4"	6.99 ea
156202	2-1/4" to 2"	6.99 ea
156212	2-1/2" to 2-1/4"	6.99 ea



TF600150

## 1955-57 Radiator and Heater Hose Clamp Set

Replacement all-wire style clamp used on engine radiator and heater hoses for 1955-57 Chevrolet passenger models.

TF600149	1955-56	deluxe heater	7.99 set
TF600150	1957	deluxe heater	9.99 set
TF600151	1957	standard heater	7.99 set

New!



## Hose Clamp Pliers

Removes and installs spring tension hose clamps used on heater and radiator hoses. Adjustable tips screw in and out to fit clamps of all sizes. Ratcheting lock mechanism holds the clamp in an open position for easy removal and installation. Offset jaws allow access in hard to reach areas.

Y17100	hose clamp pliers	23.99 ea
--------	-------------------	----------



3770259

3825416

## Heater Hose Retaining Clip

Correct replacement heater hose brackets and clamps to safely secure the hoses.

3770259	fenderwell clip	5.99 ea
3825416	alt bracket clamp (long waterpump)	6.99 ea
K556	2 piece set	29.99 set

# High Flow Water Pumps



551132



551167

## 1955-57 Original Style Water Pumps



Remanufactured or brand new water pumps for 1955-57 models with 6 or 8 cylinder engines. Remanufactured V8 water pumps feature correct casting numbers. The remanufactured pumps are rebuilt to "better than original" specifications using superior, internal components. New pumps are brand new castings using modern technology and materials. Each pump will install, look and function just like new.

**NO EXCHANGE REQUIRED!**

### New Water Pumps

6 Cylinder Water Pump 551132 5-1/4" hub height	60.99 ea
8 Cylinder Water Pump 551167 1 outlet, 4 hole hub	28.99 ea



E8810



E88103



E8820

## 1955-57 Small Block Water Pumps



These "super cooling" pumps are computer designed to deliver more flow at a higher velocity. Precision cast powdered metal impellers have extra large vanes for the maximum flow rate possible, ensuring adequate pressure and volume even at lower engine speeds. They feature a 5/8" pilot shaft.

### Small Block Short Water Pumps

E8810 1955-57 cast finish	269.99 ea
E8820 1955-57 polished finish	383.99 ea
E88103 1955-57 black finish	312.99 ea

**OE# AUTHORIZED**



153654P



153654C

## 1958-68 High Volume Small Block Short Water Pumps



High-performance, high volume aluminum water pump features balanced distribution and improved efficiency with close tolerance impellers that increase coolant flow over stock pumps. This increases the pressure within the block to help prevent hot spots and steam pockets, as well as improves coolant flow through the radiator. When used with a non-restrictive, high flow thermostat (sold separately) this pump will work to its highest capability. Available in natural aluminum, polished aluminum, or chrome.

153654N aluminum	79.99 ea
153654P polished	89.99 ea
153654C chrome	102.99 ea



WP12203



WP21104

## High Flow Water Pumps



For over 20 years, Stewart Components has focused on the development and production of high-performance water pumps, resulting in innovations like special high strength castings, larger flow passages, more efficient impellers, and stronger bearings. Every pump is designed to exacting tolerances for reliable, long-term performance, offering maximum flow with minimum power consumption. These pumps deliver up to 180 gpm (gallons per minute) of coolant flow at 8000 RPM, yet consume just 2.26 horsepower at 4000 RPM! Each Stewart pump is hand assembled and tested at 10,000 RPM.

### Stage 1 Cast Iron Water Pumps

These Stage 1 pumps use brand new, original equipment iron castings are internally engineered for performance and reliability. These water pumps feature a 3/4" heavy-duty bearing. Available for V-belt or serpentine belt systems.

<b>Small Block - Clockwise Rotation</b>	
WP12103 5.625" tall, 5/8" shaft	107.99 ea
WP12203 5.625" tall, 3/4" shaft	107.99 ea
WP13113 6.932" tall, 5/8" shaft	107.99 ea

<b>Big Block - Clockwise Rotation</b>	
WP11104 5.750" tall, 5/8" shaft	111.99 ea
WP11113 7.287" tall, 5/8" shaft	109.99 ea

<b>Big Block - Counter Clockwise Rotation</b>	
WP11105 5.750" tall, 5/8" shaft	111.99 ea

### Stage 2 Aluminum Water Pumps

These Stage 2 pumps use brand new, 355-T6 heat treated aluminum castings that are precision machined to be compatible with stock lines and brackets. These water pumps feature a 3/4" heavy-duty bearing. Available for V-belt or serpentine belt systems.

**Important:** These small block water pumps require the use of a high flow, modified thermostat due to the elimination of the factory bypass holes in the Stage 2 pumps. See listings below for available factory factors.

<b>Small Block - Clockwise Rotation</b>	
WP22103 5.625" tall, 5/8" shaft	182.99 ea
WP22203 5.625" tall, 3/4" shaft	175.99 ea
WP23113 6.932" tall, 5/8" shaft	175.99 ea

<b>Big Block - Clockwise Rotation</b>	
WP21104 5.750" tall, 5/8" shaft	187.99 ea
WP21113 7.287" tall, 5/8" shaft	189.99 ea

<b>Big Block - Counter Clockwise Rotation</b>	
WP21105 5.750" tall, 5/8" shaft	187.99 ea

### High Flow Modified Thermostats for Stage 2 Small Block Pumps

WP300 160 degrees	38.99 ea
WP301 180 degrees	38.99 ea
WP302 195 degrees	38.99 ea

**OE# AUTHORIZED**



153656N



153655C

## 1955-86 Small Block Water Pumps



Aluminum short or long water pumps for small block featuring a new casting with quality bearings and excellent sealing. Available in natural aluminum, polished aluminum or chrome.

<b>Short Water Pump</b>	
153656N 1955-68 aluminum	79.99 ea
153656P 1955-68 polished	84.99 ea
153656C 1955-68 chrome	97.99 ea

<b>Long Water Pump</b>	
153655C 1969-86 chrome	109.99 ea





# Electric Water Pumps

**Milodon**



## Increase Coolant Flow Up to 30%!

This high-performance, Milodon High Volume Water Pump features balanced distribution and improved efficiency with close tolerance impellers that increase coolant flow significantly over stock pumps. This increases the pressure within the block to help prevent hot spots and steam pockets, as well as improves coolant flow through the radiator. When used with a non-restrictive, high flow thermostat (sold separately) it will enable the pump to work to its highest capability. 16200 1955-57 SB, short pump..... 89.99 ea



WP1354



WP1450

## Replacement Chrome Water Pumps

Each water pump features a new casting with high-quality bearing and excellent sealing. Each unit features the highest quality triple chrome-plating of any pump on the market. Add a dash of flash to your engine.

### NO EXCHANGE REQUIRED!

<b>Small Block Water Pumps</b>	
WP1354 short.....	109.99 ea
WP1449 long.....	143.99 ea
<b>Big Block Water Pumps</b>	
WP1448 short.....	140.99 ea
WP1450 long.....	158.99 ea



## 1955-57 Water Pump Rebuild Set

All the necessary parts to rebuild your original water pump. These components are required when rebuilding an original water pump designed for 1955-57 models. Using all the components in this rebuild set will insure that your original water pump will work and operate efficiently.

WPK001 1955-57 V8.....	63.99 set
------------------------	-----------



66225BK

## Chevrolet Electric Water Pumps

Eliminates unnecessary weight and impeller drag experienced at high RPM, pumps up to 55+ gallons of water per minute, and delivers the cooling that can make the difference between a win and second place! Durable, but lightweight die-cast aluminum, epoxy powder coated for corrosion resistance in the color of your choice. Race or street. Draws 6 amps. Mounting hardware and fitting for water pump is included.

### Small Block Water Pumps

<b>Without Red Bow Tie</b>	
66225B blue.....	179.99 ea
66225BK black.....	179.99 ea
66225CR chrome.....	211.99 ea
66225P polished.....	196.99 ea
66225R red.....	179.99 ea
<b>With Red Bow Tie</b>	
D141653 blue.....	245.99 ea
D141651 black.....	224.99 ea
D141650 chrome.....	296.99 ea
D141654 polished.....	349.99 ea
D141652 red.....	237.99 ea

<b>Big Block Water Pumps</b>	
<b>Without Red Bow Tie</b>	
68230B blue.....	191.99 ea
68230BK black.....	191.99 ea
68230C chrome.....	224.99 ea
68230P polished.....	209.99 ea
68230R red.....	191.99 ea
<b>With Red Bow Tie</b>	
D141673 blue.....	243.99 ea
D141674 black.....	235.99 ea
D141671 chrome.....	322.99 ea
D141670 polished.....	276.99 ea
D141672 red.....	243.99 ea

### Big Block Water Pumps

<b>Without Red Bow Tie</b>	
68230B blue.....	191.99 ea
68230BK black.....	191.99 ea
68230C chrome.....	224.99 ea
68230P polished.....	209.99 ea
68230R red.....	191.99 ea
<b>With Red Bow Tie</b>	
D141673 blue.....	243.99 ea
D141674 black.....	235.99 ea
D141671 chrome.....	322.99 ea
D141670 polished.....	276.99 ea
D141672 red.....	243.99 ea

<b>With Red Bow Tie</b>	
D141673 blue.....	243.99 ea
D141674 black.....	235.99 ea
D141671 chrome.....	322.99 ea
D141670 polished.....	276.99 ea
D141672 red.....	243.99 ea

### PAINLESS



50106

30132

## Electric Water Pump Relay

These relays provide maximum battery voltage to maximize cooling efficiency and to protect the main electrical system from damaging amperage overloads. Choose from a standard water pump relay or a weatherproof water pump relay which is perfect for the harsh weather conditions, this relay set provides complete protection from the elements and ensure reliable and dependable performance. These sets utilize heavy-duty waterproof relays, weatherproof circuit breaker covers and extreme condition weatherproof shrinkable crimp-on terminals.

50106 standard.....	25.99 ea
30132 weatherproof.....	33.99 ea



## Electric Water Pump Drive Set

Electric water pump drive set designed to alleviate the power drag produced by conventional pulley drive units. A heavy-duty electric motor, turning at approximately 1500 RPM, is more than adequate to fulfill cooling needs without draining precious horsepower from the engine. This unit can be turned on and off manually, during a run, or before and afterwards, even with engine off. The set is complete with: motor mounting bracket, extra long bolts, spline pulleys, drive belt, wiring, and switch. You supply the fan of your choice.


MR4333 Chevrolet V8, and 90 degree V6 Buick V6 231ci, 350ci Pontiac 350 thru 455ci Olds 350 thru 455ci.....	120.99 set
---	------------



## 1955-86 Gilmer Belt Drive Set

Gilmer drive sets for small block street/strip engines are machined from billet aluminum and prevent slippage and belt throwing at high RPM. Designed to work with factory alternator brackets. Set includes: crank pulley, water pump pulley, alternator pulley, and a 1-1/2" wide belt.

<b>Notes: Not for vehicles with power steering or AC.</b>	
87101 283-400 w/short water pump.....	185.99 set
87111 283-400 w/long water pump.....	189.99 set



MR4394

MR4396

MR4399

## Electric Water Pump Parts

Classic Industries® offers replacement service parts for the electric water pump. Each service part will replace the original component precisely.

For MR4333/MR4433 <b>Electric Water Pumps</b>	24.99 ea
MR4394 mounting plate.....	24.99 ea
MR4396 12 Volt DC electric motor.....	74.99 ea
MR4399 large water pump pulley.....	24.99 ea

For 4433 <b>Electric Water Pump</b>	24.99 ea
MR4393 drive belt.....	24.99 ea



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

AC, HEATER & COOLING SYSTEM





# Water Pump Pulleys



GH1007



GH1007 - front view



GH1007 - back view



GH1009



GH1009 - front view



GH1009 - back view



GH9001



Made in USA

## 1959-63 Water Pump Pulley for 348 & 409

A quality reproduction of the water pump pulley kit for 1959-61 vehicles equipped with H.L. cam 348 engine. Also correct for 1961-63 vehicles with 409ci engines. Manufactured exactly as original including proper original GM #3724816 stamped in the front pulley. Buy the individual parts or purchase the complete kit and save! Made in USA.

### Individual Pulleys

GH1007 1959-63 rear pulley ..... 99.99 ea  
 GH1009 1959-63 front pulley (3724816) 89.99 ea

### Buy the Kit and Save!

GH9001 1959-63 3 piece ..... 192.99 kit



T9600



T9604



T9601



T9605

## Small Block Chrome Water Pump Pulley

Reproduction chrome single or double groove water pump pulleys for 1955-57 models. Available for small block engines with short or long water pumps as listed.

### Single Groove Pulley

T9600 short pump 7.1" o.d. .... 22.99 ea  
 T9604 long pump 6.3" o.d. .... 24.99 ea

### Double Groove Pulley

T9601 short pump 6.4" o.d. .... 22.99 ea  
 T9605 long pump 6.3" o.d. .... 26.99 ea

**New!**



R9478B



R8842P

## Small Block Water Pump Pulley

Aluminum 6-3/4" water pump pulley will dress-up your small block or big block engine. 1962-68 Chevy vehicles used a short water pump and 1969-79 use a long water pump.

### 1962-68 Small Block Short Water Pump

**Satin Aluminum**  
 R9478A single groove ..... 45.99 ea  
 R9479A double groove ..... 52.99 ea

**Black Aluminum**  
 R9478B single groove ..... 52.99 ea  
 R9479B double groove ..... 69.99 ea

**Chrome Aluminum**  
 R9478C single groove ..... 59.99 ea

**Polished Aluminum**  
 R9479P double groove ..... 59.99 ea

### 1962-68 Big Block Short Water Pump

**Satin Aluminum**  
 R8840A single groove ..... 39.99 ea  
 R8842A double groove ..... 51.99 ea

**Black Aluminum**  
 R8840B single groove ..... 39.99 ea  
 R8842B double groove ..... 54.99 ea

**Chrome Aluminum**  
 R8840C single groove ..... 56.99 ea  
 R8842C double groove ..... 74.99 ea

**Polished Aluminum**  
 R8840P single groove ..... 51.99 ea  
 R8842P double groove ..... 61.99 ea



## Original Style Water Pump Pulley

Replace your bent, rusted or missing water pump pulley with this reproduction water pump pulley. Small/big block with long pump 5-3/4" o.d., 2" deep single groove water pump pulley.

KW394 ..... 49.99 ea



## Big Block Water Pump Pulley

Reproduction two groove pulley chrome water pump big block pulley for V8 with long water pump. Double groove at 6.3" o.d.

T9723 double groove ..... 31.99 ea

**New!**



## 1955-57 Water Pump Pulley Reinforcement

Reproduction water pump pulley reinforcement plate. This piece is required for correct pulley alignment, and comes zinc-plated for rust prevention. Replaces GM #3720616.

153584 1955-57 ..... 6.99 ea

## Warning: concerning water pump pulleys

Stock replacement, aftermarket stamped steel or cast iron pulleys are not designed to exceed 400 horsepower or 6000 RPM. Using reproduction pulleys on engines in excess of these limits may result in catastrophic disintegration of the pulley causing severe damage to the engine, cooling system and body parts. Classic Industries<sup>®</sup> assumes no liability for damages caused by improper usage of pulleys. Please be sure to install the pulley properly to avoid damages that could occur from improper installation or exceeding the recommended RPM limitations.



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

# Water Necks

New!



## 1955-80 Replacement Water Neck

Replacement water neck/thermostat housing for use with 1955-80 models.

6 Cylinder	
154804	1955-62 235, 261..... 15.99 ea
154846	1963-73 230, 250, 292..... 21.99 ea
V8	
154820	1955-65 ..... 13.99 ea
154823	1966-73 ..... 12.99 ea
154842	1974-80 ..... 12.99 ea

Correct Reproduction with GM #3877660 - V8  
3877660 1966-73 ..... 69.99 ea

New!



## 1955-57 V8 OE Water Neck

Correct reproduction cast aluminum thermostat housing, features #3837223 located on the mounting flange as original. Includes gasket.

3837223	1955-57 V8..... 94.99 ea
---------	--------------------------



## OE Style Powder Coated Water Neck

These are "O" ring style water necks powder coated in Chevy orange. Keep that original look and color on your fresh engine with a new powder coated water neck. Available for early, late or late with a hole Chevy engines. Original year applications listed.

T9928P	1955-57 V8..... 46.99 ea
T9929P	1966-87 V8..... 54.99 ea
T9930P	1974-87 V8 with hole..... 54.99 ea



## Chrome Water Neck - Gasket Style

Triple chrome-plated. Distinctive custom design replaces original equipment. Comes complete with plated bolts and gasket. 1-year manufacturer's warranty.

T4788	1955-65 with gasket..... 11.99 ea
T4789B	1966-87 with gasket..... 11.99 ea



## Chrome Water Neck, O-ring Style

Each chrome water outlet comes complete with o-ring or gasket for easy installation. Replacement o-ring available separately.

T9228	1955-65 with o-ring..... 11.99 ea
T9229	1966-87 with o-ring..... 11.99 ea
66610	1955-87 replacement o-ring 1.99 ea



## Late Model Chrome Water Neck

GM late model style (1974-87) replacement water outlet with temperature sender hole. Each water outlet is triple chrome-plated. Includes o-ring and chrome screws.

T9468	small block or big block..... 12.99 ea
-------	--



## Swivel Water Neck

Swivel water necks rotate 360 degrees and are great for applications where the upper radiator hose is routed different than stock applications. These water necks are available in polished aluminum, chrome-plated aluminum or precision CNC-machined stainless steel and with necks at various angles. They will fit most small block and big block engines.

Polished		
6015	15 degree..... 19.99 ea	
6003	45 degree..... 19.99 ea	
6009	90 degree..... 19.99 ea	
Chrome		
6015C	15 degree..... 24.99 ea	
6003C	45 degree..... 24.99 ea	
6009C	90 degree..... 24.99 ea	



## Stainless Steel Swivel Water Neck

These high-quality polished stainless steel water outlet swivels 360 degrees for applications where the upper radiator hose is routed differently than stock. CNC-machined stainless steel make this water outlet beautiful and functional. O-ring design ensures a positive seal, eliminating a gasket or sealant. Includes stainless steel mounting hardware.

PF1058	SB or BB straight up - 6 cyl..... 141.99 ea
PF1054	SB or BB 15° angle..... 184.99 ea
PF1056	SB or BB 45° angle..... 184.99 ea



## Straight Neck Water Neck

Chromed water neck designed for Chevrolet 6 cylinder, small block, and big block engines. Water neck features a 1/2" thick base and includes gasket and bolts.

T4987	1955-57..... 11.99 ea
-------	-----------------------



## Water Neck Bolts

Dress your Tri-Vee by installing your water neck with these polished stainless or chrome-plated water bolts.

Includes Two 1" Bolts for OE Style Water Necks  
AK134A chrome..... 5.99 set  
AK134B polished stainless..... 8.99 set

Includes One 1" Bolt & One 2" Bolt for Late Model Necks  
AK133A chrome..... 5.99 set  
AK133B polished stainless..... 11.99 set



## Water Neck Bolts

Nobody likes water leaks. These premium grade bolts are engineered to properly engage the manifold threads and resist loosening. They come in your choice of black oxide finished chromoly or stainless steel, with 12 point or standard Hex heads. Washers included. Each set includes 3 bolts: two 1" bolts and one 2" bolt.

AR13741	black oxide 12..... 11.99 set
AR13742	black oxide Hex head..... 11.99 set
AR43741	stainless 12 point..... 10.99 set
AR43742	stainless Hex head..... 9.99 set

WATER & COOLING SYSTEM

# Thermostats

**New!**



## 1955-57 Water Outlet Mounting Bolts

Correct original style water outlet attachment bolt kit featuring "WB" and "TR" head marks. Includes: one 3/8"-16 x 2-1/8" bolt with "WB" head mark, and one 3/8"-16 x 1-1/8" bolt with "TR" head mark.

1256605 1955-57..... 6.99 pr



**ACDelco**

G7137

## 1955-57 Radiator Thermostat

Choose the thermostat that you need depending on your particular climate or engine requirements.

G7137 1955-57 160 degrees ..... 9.99 ea  
G7138 1955-57 170 degrees ..... 11.99 ea  
G7139 1955-57 180 degrees ..... 11.99 ea  
G7140 1955-57 190 degrees ..... 8.99 ea



**Milledon**

16401

## High Flow Thermostat

The "Balanced Sleeve" design of these high flow thermostats equals out the pressure exerted on it by a high flow water pump allowing it to be solely regulated by coolant temperature. With the addition of a high-performance water pump and high flow thermostat, you can expect a temperature drop of up to 25 degrees F on drives around town.

16400 160 degrees ..... 27.99 ea  
16401 180 degrees ..... 27.99 ea



VP2002

## Glass Thermostat Assembly

This 2" thermostat assembly allows you to see when and how far the thermostat opens on a unique gradient scale without ever removing the radiator cap. Made from billet aluminum and the same specialized heavy borosilicate glass used in steam boiler systems. Fits all small and big block Chevrolet engines that use a non-bypass type thermostat, 1955 and up. Also fits all 216-292 straight 6 engines from 1937-90. Made in USA.

**Important:** Index pointer and gradient scale are only included in sets with thermostat.

**Note:** Bolts not included.

VP2001 without thermostat ..... 109.99 ea  
VP2002 with 180 degree thermostat 139.99 ea  
VP2003 with 195 degree thermostat 139.99 ea



JT10170



JT10175

## 1801-02 Low Temp Thermostat

Reduced engine temperatures add life to your engine and provide a denser air/fuel mixture which helps produce more horsepower. With the JET 180 degree thermostat you get consistent engine cooling and a precise metering of water throughout the engine. Constructed of stainless steel.

JT10170 1981-92 all V8 ..... 15.99 ea  
JT10174 1993-97 LT1 ..... 15.99 ea  
JT10175 1998-02 LS1 ..... 55.99 ea



43631

## High-Performance Thermostat

These high-performance thermostats are designed to resist variations in coolant pressure, opening and closing only at the correct temperatures, regardless of engine RPM. Thermostats are made from brass and copper with a high grade steel frame for years of worry free operation.

43631 160 degree thermostat ..... 19.99 ea  
43641 180 degree thermostat ..... 19.99 ea

**New!**



B90134

**New!**



B90334B

## Billet Aluminum LS Thermostat Housings

Billet Specialties aluminum thermostat housings for Chevy LS with 1-1/2" radiator hose. These water necks are precision machined from 6061-T6 billet aluminum to accommodate LS style thermostats and seals. Available in straight or 15 degree swivel designs and in polished or black anodized finishes. Made in USA.

B90134 polished straight ..... 44.99 ea  
B90134B black straight ..... 44.99 ea  
B90334 polished 15 degree ..... 82.99 ea  
B90334B black 15 degree ..... 82.99 ea



738

## 1955-90 Thermostat Gasket

Replacement thermostat housing gaskets for 1955-90 Chevrolet V8 and 1963-90 inline-six applications. Choose from GM replacement gaskets or a Mr. Gasket reusable gasket for V8 applications. Mr. Gasket's gasket is made with a thick aluminum body and a silicone bead for a positive seal.

GM Replacement Gaskets  
G3723 1963-90 16 ..... 10.99 ea

Mr. Gasket Reusable Gasket  
738 1955-90 V8 ..... 23.99 ea

**New!**



3741032



G7141



155021

## 1955-57 Lower Thermostat Housing

Reproduction cast iron lower thermostat housing and gaskets for 1958-62 Chevrolet 6 cyl. models.

3741032 1955-57 216, 235 ..... 44.99 ea  
155021 1955-57 gasket to cyl head ..... 2.99 ea  
G7141 1955-57 gasket to neck ..... 2.99 ea



AR43741

AR43742

## Thermostat Housing Bolt Sets

Nobody likes water leaks. These premium grade bolts are engineered to properly engage the manifold threads and resist loosening. They come in your choice of black oxide finished chromoly or rustproof stainless steel, with handy 12 point or standard Hex heads. Washers included. Each set includes 3 bolts: two 1" bolts and one 2" bolt.

**Black Oxide**  
AR13741 12 point ..... 11.99 set  
AR13742 Hex head ..... 11.99 set

**Stainless**  
AR43741 12 point ..... 10.99 set  
AR43742 Hex head ..... 9.99 set

## Water Outlet Restrictors

**MOROSO**

If coolant travels too fast, it doesn't absorb enough heat inside the engine or properly cool down as it passes through the radiator. That's why it is still important to restrict coolant flow in applications where a thermostat isn't desired. These restrictors come in a set of three with a 5/8", 3/4", and 1" hole to allow adjustment for optimum cooling. Each 2-1/8" plate is made from anodized aluminum and fits under the water outlet in place of the thermostat.

263440 restrictor plates ..... 11.99 ea

# Heater Cores & Parts



TF600167



TF600169

## 1955-57 Reproduction Heater Core

Reproduction heater cores for 1955-57 models. These feature copper and brass construction for the ideal heat dissipation to warm and defrost your classic. Mounting plates available separately. Made in USA.

### Deluxe Heater Cores

TF600167	1955-56	205.99 ea
TF600168	1957	180.99 ea

### Standard Heater Cores

TF600256	1956	299.99 ea
TF600257	1957	299.99 ea

### Deluxe Mounting Plates

TF600169	1955-56	15.99 ea
TF600170	1957	15.99 ea

### Standard Mounting Plate

TF600258	1956	19.99 ea
----------	------	----------



TF600232

## 1957 Aluminum Heater Core

Aluminum heater cores for 1955-57 models. These all-new heater cores are exactly like originals except they are manufactured in aluminum for lighter weight and improved heat dissipation. 1957 heater cores include mounting plate.

TF600231	1955-56	129.99 ea
TF600232	1957	129.99 ea



TF600117

## Deluxe Heater Assembly Fastener Set

Includes all of the clips, sheet metal screws, and machine screws to do the job right.

TF600116	1955-56	deluxe heater	5.99 set
TF600117	1957	deluxe heater	5.99 set



TF600103



TF600104

## 1955-57 Standard & Deluxe Heater Seal Set

Reproduction standard and deluxe heater seal sets for 1955-57 models. If your vehicle is equipped with control levers, you require a deluxe seal kit. If you have a fan knob, you require a standard seal.

*Note: \*Includes defroster seal.*

TF600211*	1955-56	standard	22.99 ea
TF600103*	1955-56	deluxe	22.99 ea
TF600104	1957	standard	14.99 ea
TF600105	1957	deluxe	18.99 ea



## 1957 Heater Defroster Seal

This seal is located between the heater distributor assembly and the dashboard vent assembly, dries out and needs periodic replacement. The defrost function will not operate without this seal.

TF600107	1957	12.99 ea
----------	------	----------



TF500220



TF600115

## 1955-57 Heater Control Valve

Reproduction heater control valves for 1955-57 models. Heater valves are supplied without capillary tubes, which can be reused if necessary (1955 models only.)


TF500220	1955-56	76.99 ea
TF600115	1957	76.99 ea



## 1955-57 Heater Control Valve Seal

Reproduction heater control valves seal for 1955-57 models with Rancho heater control valve.

HCI10201	1955-57	14.99 ea
----------	---------	----------



TF600275

## 1957 Heater Control Valve Block Off Plate

This steel plate mounts to the firewall to block off the opening for the heater control valve. Block off plate sets are painted semi-gloss black and include a foam gasket with mounting hardware.

TF600275	1957	block off plate set	5.99 set
TF600276	1957	foam gasket only	1.99 ea



TF600206

## Reproduction Heater Blower Motor

New reproduction blower motors for 1955-57 models. These motors are manufactured to meet or exceed OEM specifications for magnetic properties, design and performance, motor RPM and windings. Fans sold separately.

### With Air Conditioning

TF600205	1955-57	3-speed - 2 wire	36.99 ea
----------	---------	------------------	----------

### Without Air Conditioning

TF600206	1955-57	2 wire	51.99 ea
----------	---------	--------	----------



## 1957 Blower Motor Sleeve Seal

These seals are located between the heater blower and transition assembly. This rubber sleeve fits on the base of the shaft.

TF600102	1957	5.99 ea
----------	------	---------



AP0555

## 1955-57 Blower Switch

Maximize your system with this improved switch featuring a rear harness setup that allows the resistor to be attached in the rear of controls.

AP0555	1955-56	33.99 ea
AP0523	1957	44.99 ea

# Heater/AC Parts



## 1957 Fresh Air Duct Seal

The connector between the front duct assembly and the rear duct and valve assembly.

TF600101 1957..... 9.99 ea



13904

## OE Style Cloth Defroster and Heater Hose

Reproduction defroster and heater hoses are the original style, cloth like cover over spiraled wire. These will qualify for show as original. Offered in various diameters to meet your under dash needs. Sold in 3 foot lengths.

13901	1-1/2" diameter.....	16.99 ea
13902	1-3/4" diameter.....	19.99 ea
13903	2" diameter.....	16.99 ea
13904	2-1/2" diameter.....	31.99 ea
13905	3" diameter.....	25.99 ea
13906	3-1/4" diameter.....	26.99 ea
13907	3-1/2" diameter.....	27.99 ea
13908	3-3/4" diameter.....	27.99 ea
13909	4" diameter.....	39.99 ea



13918

## Plastic Replacement Defroster Duct Hose

This is a plastic replacement flexible hose under the dash that is for the defroster, heater, and fresh air systems. These are for those who need the right hose for the job and do not need an original style hose. Hose is 72" in length, cut to desired length.

13916	1-1/2".....	21.99 ea
13910	2".....	24.99 ea
13911	2-1/4".....	19.99 ea
13912	2-1/2".....	21.99 ea
13913	2-3/4".....	38.99 ea
13914	3".....	20.99 ea
13917	3-1/4".....	38.99 ea
13915	3-1/2".....	34.99 ea
13918	4".....	42.99 ea



## 1957 Deluxe Heater Blower Motor Hose

Reproduction deluxe heater blower motor hose for 1957 models. This hose fits between the deluxe blower motor and the inner fender duct. Reproduction hoses are manufactured to original Chevrolet specifications with quality vinyl plastic on a steel spring.

TF600106 1957..... 17.99 ea



AP3155

## 1955-57 EZ-Slider Heater Cable Set

These heater cables with Polyethylene lining provide reduced resistance, maximum flexibility and instant response even during severe weather conditions. The outer shell can be removed to create an original appearance.

AP3155	1955	without AC.....	31.99 set
AP3156	1956	without AC.....	31.99 set
AP3157	1957	without AC.....	40.99 set



TF600108



TF600109

## 1955-57 Heater Cable Retainer Clips

These clips are used to correctly connect the cables to your heater and vent assembly. Sets include screws.

<b>Deluxe Heater Cable Retainer Clip Sets</b>			
TF600108	1955-56	5 piece.....	22.99 set
TF600109	1957	6 piece.....	29.99 set

<b>Individual Heater Cable Retainer Clips</b>			
TF600110	1955-57	straight tab.....	6.99 ea
TF600111	1957	offset tab.....	5.99 ea



TF500212

## 1955-56 Vent and Defrost Control Cable Set

We know how hard it is to get old cables to function properly. Fear no more, we have the solution. A great looking and functional reproduction. Sold in pairs. Choose from smooth or ribbed knobs. Controls defrost and passenger side vents.

TF500212	1955	smooth knobs.....	60.99 set
TF500213	1956	ribbed knobs.....	60.99 set



TF600210

## 1955-57 Deluxe Heater Lens Backing Plate

Reproduction deluxe heater indicator metal backing plate for 1955-57 Chevrolet passenger models. This metal backing plate goes behind the indicator plate on your deluxe heater controls.

TF600210	1955-56.....	3.99 ea
TF600277	1957.....	4.99 ea




installed



## 1955-56 Heater Control Bezel

Reproduction of the heater control bezel for all 1955-56 models equipped with a factory heater. Manufactured with a bright chrome finish as original.

TF126112 1955-56 1 piece..... 99.99 ea



installed



## 1957 Heater Control Bezel

Reproduction of the heater control bezel for all 1957 models equipped with a factory heater. Manufactured with a bright chrome finish as original. This is a two piece bezel. Includes hardware.

TF126113 1957 2 piece..... 150.99 ea



CM1435 - installed



CM1057



CM1435

## 1955-57 Heater Face

Reproduction heater faces for 1955-57 models. Feature original white lettering with green edging and install as original.

CM1057	1955-56.....	24.99 ea
CM1435	1957.....	20.99 ea



# Heater/AC Parts



CX1112 - installed



CX1112

## 1955-57 Heater Lever Control Knob Set

Reproduction heater control knobs for 1955-57 models. Includes a complete set of knobs to restore your heater control.

CX1112	1955-56	8.99	set
CM1434	1957	31.99	set



TF126117

## 1955-57 Dash AC Vents

Reproduction of the dash air vents for all 1955-57 models with factory air conditioning. Manufactured as original with a chrome finish, these vents fit at the sides of the dash on AC models. Sold in pairs.

TF126115	1955	AC	259.99	pr
TF126117	1957	AC	314.99	pr



TF600113

## 1955-56 Heater Control Levers

Reproduction heater control levers for 1955-56 models.

TF600112	1955	20.99	pr
TF600113	1956	21.99	pr



## 1955-56 Deluxe Heater Shaft and Spring Set

Reproduction deluxe heater shaft and spring set for 1955-56 Chevrolet passenger models. Includes: 1 pin, 1 spring, 1 retaining clip, and 2 washers. These parts are hard to find when you are restoring your heater controls.

TF600209	1955-56	heater/heater	5.99	set
----------	---------	---------------	------	-----

**New!**



## 1955 Power Option AC Relay

This highly sought after and rare power options relay was offered in various GM vehicles to perform functions including AC on 1955 models with C.A.C.

1116895	1955	AC relay	94.99	ea
---------	------	----------	-------	----



## 1957 Air Duct Drain Tube

Reproduction inner fender drain tube for all 1957 models. This tube is bolted to the air duct and helps drain moisture that gets into the air duct system. Two required per vehicle.

TF401114	1957	LH or RH	18.99	ea
----------	------	----------	-------	----



## 1957 Air Inlet Drain Tube Grommets

Without these grommets, the drain tube will become loose and rattle and may be lost.

TF300261	1957		2.99	pr
----------	------	--	------	----



## Evaporator Case Seals

Help avoid leaks with these evaporator case seals to protect the investment you've made in your AC system. Seals around the evaporator lines.

AP0250			4.99	set
--------	--	--	------	-----

## AC Relocation Bracket



This steel air conditioning bracket relocates the air conditioning compressor to the left of the engine.

Designed to allow clearance for headers in specific pre-1979 small block Chevy applications.

7608	1955-79		34.99	ea
------	---------	--	-------	----

## Vintage Style 2-Speed 6" Electric Fan

Stay cool when driving down the road in your classic ride with this vintage style 2-speed 12 Volt 6" electric fan, featuring metal chrome housing and blade. Includes mounting pad and screws (requires screwing into dash). 2 wire hook up.

CP500245			39.99	ea
----------	--	--	-------	----



## R-12 to R-134a Retro-fit Set

This set provides the necessary components (except receiver/dryer) to convert your R-12 AC system to use R-134a refrigerant. Includes: an o-ring set, 12 oz. Ester oil, service port adaptors, service warning label. Receiver/dryer must be ordered separately.

AP7134A			299.99	set
---------	--	--	--------	-----

**New!**



## Genuine GM Valve Core

Genuine GM valve core for models equipped with factory air conditioning.

G9791	all with C.A.C.	6.99	ea
-------	-----------------	------	----

**New!**



## Chrome Dress-Up AC Service Caps

Add more chrome to your engine compartment by replacing those missing or plain black R134A AC charge port service caps with these chrome dress-up caps.

AP0625	R134A	4.99	pr
--------	-------	------	----

## Vacuum Switch Socket

Removes and installs ported vacuum switches on most domestic and some foreign vehicles as well. Includes special 7/8" socket with cutaway slot to provide clearance for parts. Provides adequate depth to fit over switch. Heat treated alloy steel. Use with 3/8" square drive.

Y12000		12.99	ea
--------	--	-------	----

## AC Hose Bubble Crimper

When you need to fabricate specially sized hoses, this easy to use bubble crimping set gets the job done at home with professional results. Includes: the crimper, crimping dies for #6 (3/8"), #8 (1/2"), #10 (5/8"), #12 (3/4") fittings and an easy storage plastic carrying case.

K2469		269.99	set
-------	--	--------	-----

AC, HEATER & COOLING SYSTEM

# Air Conditioning

## Keep Your Tri-Five COOL with Air Conditioning Sets from Classic!

If you own a 1955-57 Chevy, you can install a complete behind the dash air conditioning system, including a heater and defroster, while preserving an original appearance. Feel the comfort of cool air without sacrificing the original look of your dash! The all-new, Vintage Air Gen-IV, SureFit Tri-Five air conditioning, heating and defrost systems are a giant leap forward in performance aftermarket climate control systems. The Gen-IV systems feature all electronic controls requiring no cables, capillary tube or vacuum connections. They are truly "fly-by-wire" systems that use separate heating and cooling coils for superior performance. The internal air control doors are servo operated to provide infinite dash, floor, and defrost blending.



961057

### System Features:

- Fly-By-Wire Fully Electronic Servo Motor Controls No Cables or Capillary Tube to Route
- Infinite "Just Right Temperature" Air Blending
- Infinite Blower Fan Speed Adjustment (3-Speed Fan for '57)
- High Volume Dehumidified Defrost Mode
- Separate High Capacity Aluminum Plate and Fin Cooling Coils
- Copper/Brass Coprahbreze™ Parallel Flow Heater Coil
- Mounts Behind the Dash
- AC Exits Through Center and Side Vents
- Uses Your Factory System Controls with Vintage Air's Exclusive Electronic Cable Convertors
- Flat Steel Firewall Cover Panel (Stamped OEM Style on '57)

## 1955-57 Gen IV Electronic Sure Fit System

Get cool air for your hot ride! This comprehensive set features fully electronic fly-by-wire controls, high capacity plate and fin cooling coil, brass parallel flow heater coil, and an evaporator assembly that mounts completely behind the stock dash. Comes with SuperFlow condenser, compressor, mounting brackets, dryer, safety switch, expanded aluminum lines, firewall cover plate and all mounting hardware... Everything you need to give your classic a modern AC and heating system. These Sure Fit sets are designed to install with minimal drilling and no fabrication required. Available as a complete set with center vent or a complete set with 4 vents (no molded center vent - allows use of 4 individual lower louvers).

Note: Special order must be prepaid. Shipped double overcost.

<b>Set with Center Vent</b>		
96155PCU	1955-56	1394.99 set
961057	1957	1379.99 set

<b>Set with Four Vents</b>		
96156PCU	1955-56	1394.99 set
961058	1957	1371.99 set

## 1955-57 Original Style AC Belt

Officially Licensed by GM, they feature indented imprinting of the correct GM emblem, part numbers, broadcast code (where applicable), belt size (where applicable), manufacturer's symbol and construction codes. These authentic looking reproductions are cloth wrapped. The finishing touch to any serious restoration and a great way to gain points over your car show competitors. You don't want something as simple as a worn or incorrect belt to keep you from winning your next trophy, and you certainly don't want to be left stranded on the way to your next show.

TF700157	1955	42.99 ea
TF700158	1956	42.99 ea
TF700159	1957	42.99 ea

New!




OEM AUTHORIZED  
NEW ASSEMBLIES  
NOT REBUILT

## Sanden Style AC Compressors

OEM® Authorized Sanden style air conditioning compressors. New, not rebuilt. The SD508 and SD507 are the most popular aftermarket compressors on the market. These replacement type compressors are available in 4 quality finishes with a double V-groove or 6, 7, or 8 groove serpentine clutch pulley. Can be used with either R-12 or R-134a refrigerants.

Natural		Black	
SD508		SD508	
AC4510N	2 groove..... 159.99 ea	AC4510B	2 groove..... 179.99 ea
AC9560N	6 rib ..... 159.99 ea	AC9560B	6 rib ..... 179.99 ea
AC4514N	7 rib ..... 159.99 ea	AC4514B	7 rib ..... 179.99 ea
AC6698N	8 rib ..... 159.99 ea	AC6698B	8 rib ..... 179.99 ea
SD507		SD507	
AC5104N	2 groove..... 159.99 ea	AC5104B	2 groove..... 179.99 ea
Chrome		Polished	
SD508		SD508	
AC4510C	2 groove..... 179.99 ea	AC4510P	2 groove..... 179.99 ea
AC9560C	6 rib ..... 179.99 ea	AC9560P	6 rib ..... 179.99 ea
AC4514C	7 rib ..... 179.99 ea	AC4514P	7 rib ..... 179.99 ea
AC6698C	8 rib ..... 179.99 ea	AC6698P	8 rib ..... 179.99 ea
SD507		SD507	
AC5104C	2 groove..... 179.99 ea	AC5104P	2 groove..... 179.99 ea

New!



## Sanden AC Compressor Manifold

Custom AC compressor manifold for March Performance Pulley sets with 7176 compressors. It routes the compressor lines downward where they are less visible and less vulnerable to exhaust heat. Manifolds are available polished, chrome, or black.

MP4181	polished	125.99 ea
MP4182	chrome	138.99 ea
MP4183	black	102.99 ea