

Radiators

OER AUTHORIZED



TF600114

MADE IN
USA

1955-57 Reproduction Radiator



These reproduction radiators install on the grill side of the core support on your 1955-57 Chevrolet model with OEM precision, mounting correctly with original style brackets. Each radiator is equipped with a new... not rebuilt, tank and core. Includes original style mounting brackets attached and installs as original to the radiator support. These high efficiency radiators feature a copper core with 1/2" tubes on 3/8" centers 3 row core for the 6 cylinder models and a 4 row core for the V8 models which gives you increased cooling without modifications to your vehicle. Fan shrouds, radiator petcock, and radiator cap are not included and sold separately.

Note: Shipped oversize.

OS1

Radiators for Six Cylinder

Grill Side Mounting

TF500219	1955-56	16-5/8" x 23" x 2"	754.99 ea
TF600240	1957	16-5/8" x 23" x 2"	657.99 ea

Radiators for Small Block

Engine Side Mounting

TF500218	1955-57	16-5/8" x 21-3/8" x 2-5/8"	827.99 ea
----------	---------	----------------------------	-----------

Grill Side Mounting

TF600114	1955-56	16-5/8" x 21-3/8" x 2-5/8"	789.99 ea
TF500217	1957	16-5/8" x 21-3/8" x 2-5/8"	789.99 ea

Radiators for Big Block

Grill Side Mounting

TF500217	1957	16-5/8" x 21-3/8" x 2-5/8"	789.99 ea
TF600114	1955-56	16-5/8" x 21-3/8" x 2-5/8"	789.99 ea



OER AUTHORIZED

detailed views

New! 1955-57 Aluminum Side Mounting Radiator



Improve the cooling capacity of your engine with an OER® Authorized performance aluminum radiator. Features an all aluminum construction that is good at dissipating heat and saving energy, with 3 oversized cooling rows and a polished original style stamped tank. Radiator is 100% TIG welded, pressure tested, and includes OE style fittings for both automatic and manual applications.

Note: Shipped oversize.

OS1

TF500218A	1955-57	V8	17" x 22" x 3"	298.99 ea
-----------	---------	----	----------------	-----------

Northern

1955-57 Aluminum Muscle Car Radiator

Upgrade your cooling system with a high-performance, fully welded construction, bolt-in radiator from Northern! Manufactured with race proven technology, this radiator features a two row, 1" core tube design for maximum cooling efficiency. Heavy-duty, die-stamped tanks, billet filler neck, and extra thick hose connections.

Important: Dimensions listed include the radiator, tanks, and brackets.

Note: Shipped oversize.

OS1

CR5122	1955-57	V8	22-7/8" x 20-3/8" x 3-1/8"	429.99 ea
--------	---------	----	----------------------------	-----------



Designed for Up to 700 Horsepower! Made in USA!



TF600128

MADE IN
USA

1955-57 Extreme Series Cooling System



These Be Cool Extreme series cooling system modules offer the ultimate in fit, finish, and performance. At the heart of every module is a direct fit, dual core, crossflow radiator sealed with a machined cap and mounted in an exclusive aluminum core support. A hand fabricated aluminum overflow tank and matching windshield washer fluid reservoir are mounted on either side. Air is pulled through the radiator by two high torque electric fans with machined motor covers and mounting brackets. These modules come pre-assembled with stainless steel hardware and includes a fan wiring harness with temperature sender and waterproof 40 amp relays. Designed to cool engines producing up to 700 horsepower and comes fully polished.

Note: Modification to upper and lower hoses and transmission lines required for crossflow upgrade. Short water pump required. Shipped truck freight.

TRUCK

Models without AC

Models with Manual Transmission

TF600118	1955	small block/big block	3699.99 set
TF600119	1955	LS1	3899.99 set
TF600120	1956	small block/big block	3699.99 set
TF600121	1956	LS1	3899.99 set
TF600122	1957	small block/big block	3699.99 set
TF600123	1957	LS1	3899.99 set

Models with Automatic Transmission

TF600124	1955	small block/big block	3899.99 set
TF600125	1955	LS1	4099.99 set
TF600126	1956	small block/big block	3899.99 set
TF600127	1956	LS1	4099.99 set
TF600128	1957	small block/big block	3899.99 set
TF600129	1957	LS1	4099.99 set

Models with AC

Models with Manual Transmission

TF600130	1955	small block/big block	3699.99 set
TF600131	1955	LS1	3899.99 set
TF600132	1956	small block/big block	3699.99 set
TF600133	1956	LS1	3899.99 set
TF600134	1957	small block/big block	3699.99 set
TF600135	1957	LS1	3899.99 set

Models with Automatic Transmission

TF600136	1955	small block/big block	3899.99 set
TF600137	1955	LS1	4099.99 set
TF600138	1956	small block/big block	3899.99 set
TF600139	1956	LS1	4099.99 set
TF600140	1957	small block/big block	3899.99 set
TF600141	1957	LS1	4099.99 set

1955-57 Crossflow Aluminum Conversion Module



Be Cool radiators are designed to provide the added cooling capacity required by high horsepower engines. These are complete module cooling systems that include the polished aluminum radiator with radiator cap, dual electric fans, vented coolant recovery tank, aluminum fan mounting brackets, electric fan wiring harness, and all necessary installation hardware. These mount in front of the core support and must use short water pumps. Can be used with any engine combination.

Note: Upper and lower hose, and transmission line modification necessary to use crossflow upgrade. Shipped double oversize.

Polished Aluminum

OS2

TF600171	1955-57	23" x 22"	standard transmission	1499.99 ea
TF600172	1955-57	23" x 22"	automatic transmission	1499.99 ea

Natural Aluminum

TF600173	1955-57	23" x 22"	standard transmission	1199.99 ea
TF600174	1955-57	23" x 22"	automatic transmission	1299.99 ea



Radiators



TF600261



TF600262

1955-57 Polished Aluminum Radiator

These polished high-performance radiators are manufactured from TIG welded aircraft grade aluminum with brazed aluminum cores and billet filler necks. Each radiator offers high capacity cooling with louvered fins and 3/8" spacing between core tubes. Designed for direct fit installation. Radiator cap is included.

Important: All radiators have built-in automatic transmission coolers and can be used in both automatic and manual transmission applications. Core size dimensions listed below.

Note: Shipped oversize.

Two Row Core

1955-57 - 8 Cylinder Mounting Position

TF600261 17-1/4" x 21-1/2" x 1-3/4" 229.99 ea

Three Row Core

1955-56 - 6 Cylinder Mounting Position

TF600262 17-1/4" x 21-1/2" x 2" 284.99 ea

1955-57 - 8 Cylinder Mounting Position

TF600263 17-1/4" x 21-1/2" x 2" 284.99 ea



TF500214

1955-57 Radiator Conversion Bracket Set

These brackets let you keep your 6 cylinder radiator support while adding a V8. These will put your radiator in the V8 position behind the radiator support. They can also be used on a V8 support to put a radiator in the 6 cylinder position for added clearance in front of the engine. Bracket sets are available in both steel and stainless steel.

TF500214 1955-57 steel 46.99 set
TF600270 1955-57 stainless steel 119.99 set



CC46144



CC46116



CC46142

1955-57 Aluminum Radiator

Improve the cooling capacity of your engine with Cold-Case performance radiators for 1955-57 Chevy models. Feature an all aluminum construction that is good at dissipating heat and saving energy, with 2 oversized cooling rows, and polished stamped tanks. All Cold-Case radiators are 100% TIG welded, pressure tested, and includes OE style fittings for both automatic and manual applications. All radiators manufactured by Cold-Case are guaranteed to be free from material and workmanship defects for the life of your installation.

Note: For Straight 6, position mount IN FRONT of radiator support. For V8 position mount BEHIND radiator support.

CC46142	1955-57	V8	396.99 ea
CC46143	1955-56	straight 6	397.99 ea
CC46144	1957	straight 6	397.99 ea
CC46116	1955-57	radiator cap	23.99 ea



1955-57 Aluminum Radiator

Griffin's Performance Fit line of radiators delivers superior performance at an affordable price. They feature 2 rows of Griffin's exclusive MegaCool 1-1/4" induction welded tubing capable of cooling extreme horsepower. This high-performance radiator features a dual pattern mounting bracket to fit the 6 cylinder or V8 radiator supports. Made in the USA and backed by a two year warranty, this radiator will give you the cooling performance you need.

Performance Fit Radiators

Fits L6 or V8 Mounting Locations

21.84" x 17" x 2.68" Core
870018AT 1955-57 AT 562.99 ea



670046AT



670047AT

1955-57 Aluminum Radiator

Griffin's Exact Fit line of performance radiators feature OE fitment, OE style tanks, and mounting provisions for all factory equipment. They offer all the required mounting tabs and brackets to ensure seamless installation without special tools. You get maximum cooling performance by the use of two rows of Griffin exclusive MegaCool 1-1/4" tubing. Constructed of the best AA3003 aluminum, backed by a two year warranty, and no special coolant requirements, a Griffin Exact Fit radiator will give you the cooling performance you need.

Exact Fit Radiators

V8 Mounting Location

22" x 17" x 2.68" Core			
600046MT	1955-57	MT	878.99 ea
670046AT	1955-57	AT	955.99 ea

L6 Mounting Location

22" x 17" x 2.68" Core			
600047MT	1955-57	MT	878.99 ea
670047AT	1955-57	AT	955.99 ea



Radiator & AC Mounting Shoulder Bolts

Correct replacement shoulder bolts used on various GM vehicles. Zinc-plated with shoulder.

B10384 1/4"-20 x 13/16" 2.99 pr



Radiator and AC Mounting Well Nut

Replacement well nuts used on various GM vehicles. 1/4"-20, fits 1/2" hole. Neoprene with captive brass nut.

A13010K 2 piece 2.99 pr

Fan Shrouds/Radiator Parts



TF600227



1955-57 Metal Fan Shroud

OEM style metal fan shrouds for 1955-57 models. These steel shrouds are available in powder coated black or polished chrome for a durable, long-lasting finish. Includes installation hardware and detailed instructions. Made in USA.

Important: *V8 Models with radiator mounted in 6 cylinder position on a 6 cylinder core support should use item #TF600225. **Requires TF500214.

Note: Shipped oversize.

6 Cylinder Core Support

TF600225*	1955-57	L6 or V8 - black	199.99 ea
TF600222	1955-57	L6 or V8-chrome	384.99 ea

8 Cylinder Core Support

TF600226	1955-57	V8 - black.....	199.99 ea
TF600222	1955-57	V8 - chrome	384.99 ea

8 Cylinder Core Support - 6 Cylinder Position

TF600227**	1955-57	V8 - black.....	215.99 ea
TF600222	1955-57	V8 - chrome	399.99 ea



Z40024



Radiator Fan Shroud Set

Northern do-it-yourself fan shroud sets are an excellent way to get a custom fitted fan shroud for your radiator and engine driven fan! Designed to fit exactly on Northern radiators (where specified), as well as most stock or aftermarket radiators. Manufactured from .063" lightweight aircraft aluminum. Made in USA.

Note: *Fits radiator CR5122.

Part#	A	B	C	Price
Z40020	19-5/16"	16-3/4"	2-1/2" ..	84.99 set
Z40021	19-5/16"	20-1/2"	2-1/2" ..	84.99 set
Z40022	19-5/16"	22"	2-1/2" ..	84.99 set
Z40023	19-5/16"	25-3/4"	2-1/2" ..	84.99 set
Z40024	19-5/16"	18-7/8"	2-1/2" ..	84.99 set
Z40025	17-7/8"	15-1/8"	2-1/2" ..	84.99 set
Z40026	18-1/8"	28-1/8"	2-1/2" ..	117.99 set
Z40026	18-1/8"	28-1/8"	2-1/2" ..	117.99 set
Z40027	16"	22-1/4"	2-1/2" ..	84.99 set
Z40028	16"	26-1/4"	2-1/2" ..	84.99 set
Z40029	18-5/8"	15"	2-3/8" ..	84.99 set
Z40030	18-1/2"	21-1/2"	2-7/8" ..	84.99 set
Z40031	18-3/8"	22"	2-5/8" ..	84.99 set
Z40032	16"	21-1/8"	2-1/2" ..	84.99 set
Z40033	25-1/8"	15"	2-1/2" ..	84.99 set
Z40034*	18"	20-1/2"	2-1/2" ..	84.99 set
Z40036	22-7/8"	16-1/4"	2-5/16"	84.99 set

Fan Shroud Mounting Bracket

To help you with your cooling system conversion/upgrade this bracket lets you install the stock OEM fan shroud to a Be Cool aluminum radiator. Made from aluminum and features a natural finish. Sold individually.

4 required per vehicle.

BC72003	natural finish - 4 req.....	14.99 ea
---------	-----------------------------	----------



T9451

Universal Fan Shroud

Shrouds will fit all small block and big block radiators. Mounting hardware is included for installation. Will replace all plastic and OEM shrouds and are available in both chrome or EDP black finishes.

20" Diameter Shrouds

3" Wide		
T9453	chrome finish.....	45.99 ea
T9451	EDP black finish	43.99 ea

5-1/2" Wide

T9454	chrome finish.....	48.99 ea
-------	--------------------	----------



1955-57 Radiator Drain Petcock and Hose

Reproduction radiator drain petcock with hose for 1955-57 Chevrolet passenger models. This petcock is available separately or with 6' of rubber drain hose included. It is manufactured to install on original or reproduction replacement radiators.

TF600166	1955-57	petcock and hose	14.99 ea
----------	---------	------------------	----------



TU4

1513130

748691



1956, 1957 Water Temperature Sending Unit

The 1956 and 1957 Chevy models had electrical temperature gauges while the 1955 had mechanical temperature gauges. These sending units are of the original design and fit to work with your original temperature gauges. Screws into engine.

TU4	1956		15.99 ea
1513130	1956	made in USA	23.99 ea
748691	1957	made in USA	23.99 ea



BC71003

Recovery Tank

It is very important to choose the right recovery tank to complement your cooling system. This proper size billet coolant recovery tank is recommended and also environmentally safer than an overflow tank.

7" x 3" with Inlet and Mount Bracket

BC71003	polished finish	159.99 ea
BC70003	natural finish.....	149.99 ea



60731 - installed



60731


60741

60761

Universal Radiator Overflow Tank

Radiator overflow tank designed for use with a variety of models. These beautiful OER® Authorized polished stainless steel radiator overflow tanks will give your engine compartment a clean, custom look. Includes a twist-on cap and mounting hardware.

60721	2" x 13"	35.99 ea
60731	2" x 15"	34.99 ea
60741	2" x 17"	35.99 ea
60751	2" x 19"	46.99 ea
60761	3" x 10"	39.99 ea
60781	3" x 16"	44.99 ea



A5700218 - installed



Finned Aluminum Overflow Tank

Finish off your cooling system with this vintage style overflow tank. Made from cast aluminum and polished to a show quality finish. Tank holds 24 ounces and measures 13-3/4" tall with a 2-3/4" diameter. Features 1/4"-20 threaded mounting rib and tapped for a 1/4" NPT inlet fitting.

Note: Requires two 1/4"-20 bolts, are not included.

A5700218		338.99 ea
----------	-------	-----------



Radiator Components



1955-57 Radiator Overflow Hose

Replacement hose for the radiator overflow. Produced with OEM style thin walled hose. This often overlooked hose is notorious for deterioration.

B0056 1955-57 4.99 ea



1955-57 RC-1 Radiator Cap

Correct reproduction radiator cap for your Tri-Five. Each cap is produced to OEM specifications with the factory correct markings and designed to provide 7 lbs pressure.

850795 1955-57 7 lbs 46.99 ea



1955-57 Replacement Radiator Cap

Replacement radiator cap for your 1955-57 models. Service replacement cap that may be cosmetically different than the original but will fit and function properly. These are standard caps without release lever.

ST10208 1955 4 lbs 5.99 ea
ST10228 1955-57 7 lbs 5.99 ea



MR2470



red



blue



silver

Thermocap Radiator Cap

Thermocap combines a high-quality pressurized radiator cap with a thermometer element, allowing you to know when it's safe to open your radiator without any guess work. Easy-to-read temperature gauge in Celsius and Fahrenheit.

Note: Specify red, blue, or silver when ordering.

MR2470 13 lbs 43.99 ea
MR2471 16 lbs 60.99 ea



1955-57 Billet Aluminum Radiator Cap

Billet aluminum radiator cap for 1955-57 Chevrolet passenger car models to provide a unique custom look. Rated at a 16 lb pressure rating.

T6017 1955-57 16 lb rating 35.99 ea



A5700246



A5700247



A5700248




Custom Radiator Cap

Vintage style radiator caps to finish off your radiator. Tops are cast in A356 aircraft grade aluminum and polished to show quality shine. The internal cap is a Stant 16 psi rated radiator cap. Supplied as a two part assembly to allow proper alignment. Made in USA.

Note: Recommended adhesive is JB Weld.

A5700246 finned style 71.99 ea
A5700247 aero style 71.99 ea
A5700248 sprocket style 74.99 ea



AM2280

AM2282

Universal Hose Adapter Set

AutoMeter coolant hose adapter sets for mounting gauge senders or probes directly into your heater or radiator hose. Ideal for vehicles with limited access to water passage ports on the engine. They are manufactured from solid brass or aluminum with male hose barb ends for an easy and secure installation.

AM2280 5/8" brass 50.99 set
AM2281 3/4" brass 52.99 set
AM2282 1-1/4" aluminum 69.99 set
AM2283 1-1/2" aluminum 72.99 set



Universal Coolant Filter

Protect your cooling system with this heater core coolant filter. Prevent dangerous clogs in your cooling system with this in line coolant filter. Featuring heavy-duty solid brass construction, this filter is installed in line with the radiator hose ahead of the radiator to prevent dirt and debris from entering and causing damage. 5/8" hose barb inlet and outlet.

RF002 for heater hose 47.99 set

J-B Weld Radiator and Gas Tank Repair

J-B Weld AutoWeld for radiators, gas tanks and metal repair. This steel reinforced epoxy sets in 5 minutes and cures in an hour for a instant seal. Cure color is dark gray. Made in USA.



JB8217 1 oz. 4.99 ea



MM13065

MM13066

MM13067

"Liquid Chill" Engine Coolant and Additive

Mishimoto's Liquid Chill is a universal, synthetic coolant that will provide premium cooling and protection for your vehicle. Liquid Chill protects from boil over to 265 degrees F and from freezing down to -26 degrees F, inhibits corrosion, and reduces operating temps. Made with propylene glycol base and unique poly organic additives to allow for extended life of 2+ years or 250,000 miles before needing service in gasoline applications. One gallon jugs are available in full strength formula or 50/50 blend. For up to 30 degrees F cooler over just coolant alone, the universal Liquid Chill additive is available in 4 oz. bottles.

MM13065 full strength coolant 75.99 ea
MM13066 50/50 mix coolant 48.99 ea
MM13067 additive 18.99 ea

Super Coolant

Purple Ice is a high-performance, synthetic, radiator coolant additive. It reduces engine heat by reducing the surface tension of the radiator fluids for improved heat transfer. Purple Ice fosters optimum coolant flow by helping to prevent formation of scale deposits in the radiator. Purple Ice is recommended for any water/glycol pressurized cooling system, including those using the traditional green silicate based glycols or the newer OAT or HOAT based glycols.



RP01600 12 oz. bottle 10.99 ea
RP12600 case of 12 - 12 oz. bottles.. 131.99 cs




Coolant System Protector

Impurities in well water can cause rust and corrosion inside the radiator, water pump, and cylinder heads. Over time, this can lead to a loss of cooling efficiency. Joe Gibbs Driven Coolant System Protector stops the adverse effect of hard water to help prevent cooling system damage.



JG1330 12 oz. bottle 11.99 ea

Cooling Fans



1955-57 Fan Blade

Correct reproduction fan blade for all 1955-57 V8 and 6 cylinder engines. Measures 17-1/2" in diameter and is an exact replacement of your missing or damaged original.

Note: Not for use with a fan clutch.

B1017 1955-57 all 6 cyl and V8..... 42.99 ea



Rigid Race Fan

Deral high-performance replacement fans feature durable construction with excellent balance and are rated for up to 8000 RPM. Manufactured with a universal heavy-duty steel hub with a 5/8" pilot hole. Available with riveted steel or aluminum blades.

Note: Not for use with a fan clutch.

Steel Blade Standard Rotation

17313	13"	58.99 ea
17315	15"	58.99 ea
17317	17"	58.99 ea
17318	18"	58.99 ea
17319	19"	58.99 ea
17320	20"	58.99 ea

Aluminum Blade Standard Rotation

17513	13"	62.99 ea
17515	15"	62.99 ea
17517	17"	62.99 ea
17518	18"	62.99 ea

Steel Blade Reverse Rotation

17417	17"	58.99 ea
17418	18"	58.99 ea
17419	19"	58.99 ea
17420	20"	58.99 ea

Stainless Steel Flex Fans



Flex-a-lite fan blades are designed to flex or flatten out as the RPM's climb, helping to reduce engine drag for better performance and improved fuel economy. Fan features a premium, high tech silver coating that won't degrade or lose its luster in the harsh environment of an engine compartment. Available in standard or reverse rotation along with four different diameters and six or seven blades.

Important: Must be used with a Flex-a-lite spacer or warranty will be voided. Fans features 5/8" pilot hole with a 1-3/4" to 2-1/2" slotted bolt pattern.



- 16-19 inch 6 Blades Stainless Steel Flex Fan
- Premium silver finish
- Reduces engine drag at higher RPM for better performance and fuel economy
- Standard rotation

Standard Rotation - 6 Blades

FL2016	16" diameter.....	82.99 ea
FL2017	17" diameter.....	82.99 ea
FL2018	18" diameter.....	89.99 ea



- 16-19 inch 6 Blades Stainless Steel Flex Fan
- Premium silver finish
- Reduces engine drag at higher RPM for better performance and fuel economy
- Reverse rotation

Reverse Rotation - 6 Blades

FL2217	17" diameter.....	94.99 ea
FL2218	18" diameter.....	96.99 ea

Fan Clutch Fan



New!




This standard rotation clutch fan is designed to replace the factory fan, features an 8 hole dual bolt pattern center hub that fits most fan clutches.

Manufactured from sturdy steel hubs and fan blades, it produces maximum airflow and is rated up to 8000 RPM. Features a durable, attractive black powder coat finish.



17117	17"	57.99 ea
17118	18"	57.99 ea
17119	19"	57.99 ea
17120	20"	57.99 ea



High Performance Flex Fan



Deral's high-performance standard rotation flex fans include 6 blades (stainless steel or aluminum) and a polished and chrome-plated hub. A very good choice for applications with limited space between the radiator and water pump. Rated for engine speeds up to 8000 RPM. Fan spacer and mounting bolt set sold separately.

Polished Stainless Steel Blades


19213	13"	59.99 ea
19218	18"	59.99 ea

Red Anodized Aluminum Blades

19418	18-1/4"	66.99 ea
-------	---------	----------

Blue Anodized Aluminum Blades

19517	17"	66.99 ea
19518	18-1/4"	66.99 ea



Fan Clutch Hardware



Reproduction style bolt and studs used to attach the fan clutch to the water pump. Unlike other counterfeit reproduction, these replicate the original bolts and include the correct marking when required.

Fan to Clutch Bolt Set

1256621	5/16" - 24 x 3/4" bolt.....	8.99 set
---------	-----------------------------	----------

Clutch to Water Pump Stud Set

1256622	5/16" x 24", 5/16" x 18" stud	13.99 set
---------	-------------------------------	-----------



Fan Spacer



These are the correct replacement fan spacers for use on various applications. Belt driven fans work best when they are 3/4" to 1" from the radiator's surface. Whenever you convert to a flex fan, you need to add a spacer to bring your new fan back into the "sweet spot" in the fan shroud opening. If necessary, multiple spacers may be used up to a maximum of 3 inches. See the listings below for correct thickness to fit your application.

1/2" Spacer

FL14544	silver.....	25.99 ea
---------	-------------	----------

1" Spacer


FL14548	silver.....	24.99 ea
---------	-------------	----------

2" Spacer

FL14556	silver.....	29.99 ea
---------	-------------	----------



Cooling Fan Components



31520 - detail views



31520

Specifications:

- Male pilot diameter: 5/8"
- Female pilot diameter: 5/8"
- Flange bolt spacing: 1-3/4" - 2-1/4"



Aluminum Fan Spacer



This universal fan spacer is constructed from quality aluminum and features a clear anodized finish. Fits most domestic 5/8" pilot water pumps. Includes mounting hardware. Made in USA.

Important: Fan should have a minimum clearance of 3/4" from the radiator, belts, hoses, or pulleys.

31500	1/2"	15.99 ea
31510	1"	15.99 ea
31515	1-1/2"	15.99 ea
31518	1-3/4"	16.99 ea
31520	2"	16.99 ea
31540	2-1/4"	18.99 ea
31550	2-1/2"	19.99 ea



Rubber Fan Spacers



Rubber spacers are used with Champion Series electric fans for proper spacing from the radiator.

MF112		5.99 set
-------	-------	----------



56457CD

D - Bow Tie

Fan Spacer Bolt Set



Dress-up your vehicle with these one-of-a-kind dress-up bolt sets. The Chevrolet Bow Tie is stamped directly onto the head of the bolts. They are available in decorative chrome-plated or polished stainless steel versions. What better way to make a statement than with these unique bolts.

Chrome

56456CD	short 1-3/4" long	13.99 set
56457CD	extended 2-3/4" long	16.99 set

Stainless Steel

56456SD	short 1-3/4" long	11.99 set
---------	-------------------	-----------



16" Fan Mounting Gasket



SPAL fan gasket is a specifically designed rubber gasket for use exclusively with the 16" fan line. The gasket provides an additional 1/4" clearance from the cooler core and is ideal for mounting our pusher style fans.

Note: Will not fit SP2056 and SP2057.

SP2070	16"	16.99 ea
--------	-----------	----------



Cooling System Zinc Anode



Used in heavy-duty and marine applications to protect the cooling systems and its many components from damage due to electrolysis or coolant additive failure/breakdown. The introduction of the zinc anode will protect your cooling system from galvanic action as it "eats" the zinc rather than your cooling system. To be installed in the radiator as a replacement for the drain petcock in radiators that are equipped with a 1/4" NPT hole or any 1/4" NPT hole that is available in the cooling system.

FL32060		21.99 ea
---------	-------	----------



MF109

Fan Temperature Sending Unit



The temperature sending unit screws into the side of the cylinder head or on the intake manifold to operate the Champion or Challenger Series fans.

MF108	185° for carbureted engines	25.99 ea
MF109	195° for fuel injection engines	25.99 ea



Temperature Sending Wire Cloth Insulator



This 3/16" i.d., 5/16" o.d. replacement cloth insulator, keeps your temperature sender harness well insulated from engine heat. Sold per foot. 2-3 feet required per vehicle.

K0163		2.49 ft
-------	-------	---------



Temperature Sending Unit Wiring Set



Reproduction wiring which extends from the front light harness to the temperature sending unit. Includes correct 24" insulator cover and 30" green wire with bullet, blade, or button type terminals included.

CA34620		18.99 set
---------	-------	-----------



Universal Fan Mounting Bracket



SPAL universal fan mounting bracket. It can be used with most aftermarket and OEM radiator types. It is adjustable and features a black powder coated finish. Includes 1 metal strap bracket and 1 plastic foot. Requires 4 for proper installation.

SP2072		2.99 ea
--------	-------	---------



Universal Fan Mounting Rod



SPAL universal mounting rod brackets attach directly to the fan shroud. Manufactured from lightweight steel and plastic. Includes mounting clip. 4 required for proper installation.

SP2071		5.99 ea
--------	-------	---------

Plastic Mounting Bracket




SPAL plastic fan mounting foot bracket. Four mounting brackets are required to complete proper installation. Sold individually. Available in either flat or raised design.



SP2074

SP2073	flat	.99 ea
SP2074	raised	.99 ea




Billet Aluminum Fan Brackets



Use this premium billet aluminum bracket set to mount your 14" or 16" Champion or Challenger Series fan. The set features four adjustable side angle brackets that attach to the side flange of the radiator. Mounting hardware is included.

MF105	billet aluminum fan brackets..	58.99 set
-------	--------------------------------	-----------



Universal Fan Bracket Strip Set



This bracket set is used to mount your Champion or Challenger Series fan. Install the fan's 90 degree mounting feet (included with fan) to these four 7-1/4" long strips for solid support. Mounting hardware is included.

MF104	universal fan bracket strips....	24.99 set
-------	----------------------------------	-----------

Cooling Fans



Fan Shroud and Electric Fan Assembly

High-quality fan shrouds and electric fans setups are available to make a complete cooling module set. These are electric fans that include an aluminum fan shroud designed to fit the Northern aluminum radiators. Assemblies include all mounting hardware and wire leads. Switch not included.

Note: *For radiators CR5026, CR5055, CR5061, & CR5065.

Shroud with Dual 12" Fan
40004* 354.99 ea
40006 for radiator CR5027, CR5056 354.99 ea

Dual Fan Wire Harness with Relay
40080 wire harness with relay 54.99 ea

Temperature Switch
Z18346 single wire 3/8" NPT 64.99 ea



S-Blade Electric Fan

These quiet fans mount to the core and can be used to push or pull air through the radiator. The high torque motor makes these fans strong enough to replace your belt driven fan and fan clutch. The sweep style blades squeeze out the maximum air flow possible.

12-5/8" x 11-3/4" x 2-5/8" Mount
FL392 12" fan 7.7 amp, 925 cfm... 119.99 ea

14-1/2" x 13-7/8" x 3-3/4" Mount
FL394 14" fan 9.2 amp, 1530 cfm 124.99 ea

16-5/8" x 15-3/4" x 4" Mount
FL396 16" fan 13.5 amp, 1980 cfm 152.99 ea



Syclope Electric Fan

The amazing Flex-a-lite Syclope electric fan is the most efficient S-Blade fan blade on the market! This quiet fan mounts to the core and can be used to push or pull air through the radiator. The higher torque (17 amp) motor produces 2500 cfm of air flow, making these fans strong enough to replace your belt driven fan and fan clutch to gain more horsepower and torque. The sweep style blades squeeze out the maximum air flow possible. 16-5/8" x 15-3/4" x 4" mount. Universal mounting brackets are included.

FL398 16" fan 176.99 ea



Black Magic S-Blade

If your vehicle is still running the factory engine driven fan, you're losing vital horsepower and not even getting the full cooling effect you should! By replacing your engine driven fan with an efficient electric unit, you can reduce unneeded drag on your engine to free up horsepower and improve your fuel economy. An engine driven fan can cost up to 17 HP to operate! This universal fit Flex-a-lite electric fan features computer engineered blades that are extremely quiet and efficient, and moves 3000 cfm of air to provide consistent cooling, regardless of engine RPM. Ring fans like this provide better blade support for impact resistance. This electric fan fits vehicles with 16" or wider radiator cores, and requires a mounting surface of 18" x 16" x 4-1/4" for an easy, bolt-in installation. Universal mounting brackets are included.

FL160 319.99 ea



Fan Switch

SPAL replacement temperature fan switch. Manufactured from stainless steel, hermetically sealed and feature a 3/8" NPT. Operating switch range 35 degrees F to 480 degrees F and max current/voltage 3 amp, 32 VDC and grounded case only.

SP2066 on 185°/off at 165° 44.99 ea
SP2067 on 195°/off at 175° 55.99 ea



Improves Horsepower, Extends Water Pump Life and Cools Faster!

Used as a primary fan, this unit frees up wasted horsepower and increases fuel mileage by eliminating drag caused by your standard engine mounted fan. Also increases water pump life by reducing strain on the water pump bearing assembly. When mounted in front of the radiator and used as an auxiliary fan in addition to your stock belt driven fan, this electric fan provides better cooling in any engine prone to overheating.

Single Fan - Mounted in Front of Radiator
FL114 14" 14-3/4" x 14" x 3-1/4" 119.99 ea
FL116 16" 16-1/2" x 16" x 3-1/4" 122.99 ea

Dual Fan - Mounted Behind Radiator
FL210 12" 15-1/2" x 26-1/4" x 2-5/8" 396.99 ea



High-Performance Electric Fan

These reversible fans help prevent overheating in stop-and-go traffic, designed to fit the most popular cars and trucks, increases gas mileage, improves engine performance, frees the water pump pulley for more RPM, installs in minutes with simple hand tools, 10", 12", 14", and 16" fans are (mount in front or back of radiator). Ultra thin design to fit cramped locations. Reinforced glass filled polypropylene blade and plastic housing for minimized weight. Nylon tie mounting kit included. Nominal fan size is based upon approximate overall assembly diameter.

Without Red Bow Tie on Top of Shroud

10" x 2-1/2"
67010 3000 RPM 7 amp 1000 cfm 38.99 ea
12" x 2-1/2"
67012 3000 RPM 7 amp 1200 cfm 40.99 ea
14" x 4"
67014 2500 RPM 8 amp 1650 cfm 49.99 ea
16" x 4"
67016 2000 RPM 9 amp 2100 cfm 52.99 ea

With Red Bow Tie on Top of Shroud

10" x 2-1/2"
D141641 3000 RPM 7 amp 1000 cfm 44.99 ea
12" x 2-1/2"
D141642 3000 RPM 7 amp 1200 cfm 49.99 ea
14" x 4"
D141644 2500 RPM 8 amp 1650 cfm 71.99 ea
16" x 4"
D141646 2000 RPM 9 amp 2100 cfm 67.99 ea

Cooling Fans



SP2020



SP2029

High-Performance Dual Electric Fan

SPAL electric fans are manufactured for the most demanding cooling systems. Fans feature fully sealed waterproof/dustproof electrical motors to ensure maximum performance and durability. SPAL dual fan configurations combine efficiency and style by incorporating two high performance fans into a complete, custom made fan shroud.

Dual Puller Fans with Shroud

Paddle Blade – 23.46" x 16.26" x 4.25"

SP2020 11" 2720 cfm..... 385.99 ea

Curved Blade – 25.83" x 17.32" x 4.02"

SP2029 12" 3168 cfm..... 538.99 ea



Small Electric Fan

SPAL electric fans are manufactured for the most demanding cooling systems. These compact fans are perfect for remote oil coolers and other tight spaces. SPAL fans feature slide-in mounting flanges, fully sealed electrical motors and are designed to be mounted in various ways with many universal brackets, straps, and shrouds. Available in various sizes to best fit your application.

Puller Fan

SP2002	4"	124cfm.....	67.99 ea
SP2004	5.2"	133cfm.....	67.99 ea
SP2007	6-1/2"	325cfm.....	88.99 ea
SP2009	7-1/2"	437cfm.....	88.99 ea
SP2010	7-1/2"	437cfm.....	67.99 ea


Pusher Fan

SP2003	4"	124cfm.....	67.99 ea
SP2005	5.2"	133cfm.....	67.99 ea
SP2008	6-1/2"	325cfm.....	88.99 ea



SP2031

SP2030



SP2056

HP

MP

LP

High-Performance Electric Fan

SPAL electric fans are manufactured for the most demanding cooling systems. Fans feature slide-in mounting flanges, and fully sealed waterproof electrical motors that are fully tested and individually balanced during the production process to ensure maximum performance and durability. SPAL fans are designed to be mounted in various ways and will mount with many universal brackets, straps, and shrouds.

Note: *High output fans require special wiring and upgraded electrical system to handle the additional current draw.

HP Puller Fans – 3.45" Depth

Race Fan– Curved Blade

SP2055* 16" 2467 cfm, 10 blade 214.99 ea

SP2070 16" 1/4" mounting seal..... 16.99 ea

High Output – Curved Blade

SP2021* 11" 1604 cfm, 5 blade 207.99 ea

SP2030* 12" 1870 cfm, 7 blade 230.99 ea

SP2056* 16" 1953 cfm, 7 blade 223.99 ea

HP – Curved Blade

SP2031 13" 1451 cfm, 10 blade 172.99 ea

SP2041 13" 1777 cfm, 10 blade 172.99 ea

SP2049 14" 1864 cfm, 10 blade 172.99 ea

SP2057 16" 1918 cfm, 7 blade 188.99 ea

SP2060 16" 2024 cfm, 10 blade 172.99 ea

HP – Paddle Blade

SP2011 9" 755 cfm, 5 blade 168.99 ea

SP2015 10" 1081 cfm, 5 blade 168.99 ea

SP2033 12" 1640 cfm, 5 blade 158.99 ea

HP Pusher Fans – 3.45" Depth

HP – Curved Blade

SP2032 12" 1381 cfm, 10 blade 172.99 ea

Medium Profile Pusher Fans – 2.44"

MP – Curved Blade

SP2037 12" 1266 cfm..... 108.99 ea

MP – Straight Blade

SP2024 11" 932 cfm..... 103.99 ea

SP2035 12" 1097 cfm..... 103.99 ea

SP2051 14" 1310 cfm..... 106.99 ea

SP2062 16" 1469 cfm..... 108.99 ea

Medium Profile Pusher Fans – 2.44"

MP – Straight Blade

SP2036 12" 1009 cfm..... 108.99 ea

Low Profile Puller Fans – 2.05"

LP – Curved Blade

SP2019 10" 847 cfm..... 84.99 ea

SP2040 12" 909 cfm..... 93.99 ea

LP – Straight Blade

SP2013 9" 543 cfm..... 74.99 ea

SP2038 12" 867 cfm..... 80.99 ea

SP2045 13" 962 cfm..... 92.99 ea

SP2053 14" 1038 cfm..... 92.99 ea

SP2064 16" 1074 cfm..... 92.99 ea



MF163



MF166

Champion Series Low Profile Performance Fan

These Champion Series performance fans are the lowest profile of high and medium performance fans on the market. Quiet, reversible S-blade design gives you the choice of using it as a puller or a pusher fan. Manufactured from glass filled nylon. Includes: powerful sealed motor, four 90 degree mounting feet, mating locking pigtail, and rubber spacers. Recommended wire harness, temperature switch, and adjustable thermostat sold separately.

High-Performance Fans – 3.19" Deep

MF122 12" 1565 cfm, 225 watt ... 169.99 ea

MF142 14" 2135 cfm, 225 watt ... 174.99 ea

MF163 16" 2170 cfm, 225 watt ... 184.99 ea

Medium Performance Fan – 2.48" Deep

MF123 12" 1155 cfm, 130 watt ... 141.99 ea

Medium Performance Fans – 2.87" Deep

MF146 14" 1555 cfm, 160 watt ... 148.99 ea

MF166 16" 1810 cfm, 160 watt ... 178.99 ea



MF107

Challenger Series Performance Fan

These Challenger Series performance fans are economical, yet versatile enough for high-performance or daily drivers. Quiet, reversible S-blade design will operate as a puller or a pusher fan. Manufactured from glass filled nylon. Includes: four 90 degree mounting feet, mating locking pigtail, and rubber spacers. Recommended wire harness, temperature switch, and adjustable thermostat sold separately.

13" High-Performance Fan


MF136 1560 cfm, 160 watt, 3.82" deep 117.99 ea

16" High-Performance Fans

MF107 950 cfm, 160 watt, 3.87" deep 123.99 ea

MF162 2200 cfm, 225 watt, 4.35" deep 130.99 ea

Cooling System



Dual Fan Wire Harness with Relay ⚠

When installing an electric engine cooling fan, a wire harness with a relay is required. This dual fan wire harness with relay will allow safe control of 2 fans while using either an on-off switch or an adjustable temperature sensor. Switch and sensor not included.

40080 wire harness with relay 54.99 ea



Dual Fan — Dual Activation Fan Relay Set ⚠

The dual activation cooling fan relay set by Painless Performance is exactly what you need to run dual fans off of a thermostatic switch and when your AC is on. Installation takes just a few minutes and your cooling fan will come on when the engine reaches the preset temperature of the thermostatic switch or when the AC is turned on. Set includes: three 40 amp relays with mounting bases, one fuse holder with 70 amp fuse, pre-terminated and printed wire harness, and your choice of thermostatic switch on/off temperatures (thread size: 3/8"-18 NPT), 1/2" NPT to 3/8"NPT adapter, mounting hardware and insulated terminals and detailed instructions.

30116 on 200°F, off 185°F 131.99 set
30117 on 185°F, off 175°F 121.99 set
30118 on 205°F, off 190°F 154.99 set



Electric Fan Relay ⚠

Designed as inexpensive protection for your electric fan. Provides constant voltage, protects from voltage and amperage spikes. Choose from the regular fan relay or the weatherproof relay which are for the harsh weather conditions, these relays provide complete protection from the elements and ensure reliable and dependable performance. These sets utilize heavy-duty waterproof relays, weatherproof circuit breaker covers and extreme condition weatherproof shrinkable crimp-on terminals.

30101 standard 28.99 set
30130 weatherproof 39.99 set
30127 weatherproof w/205°F switch 83.99 set
30128 weatherproof w/195°F/185° switch 68.99 set
30129 weatherproof w/185°F/175° switch 61.99 set



Electric Fan Relay with Thermostat ⚠

The Fan-Thom II includes a threaded thermostat that screws into the engine block or manifold for a professional installation. Thermostat thread size: 3/8"-18 NPT fitting.

Electric Fan Relay

30102 195° on/185° off 51.99 set
P30103 185° on/175° off 45.99 set

Replacement Thermostats

30110 195° on/185° off 30.99 ea
30111 185° on/175° off 29.99 ea



Adjustable Fan Temperature Sensor ⚠

Turn your electric fan on at whatever your desired temperature is with this adjustable temperature sensor. Sensor adjusts from 180-240 degrees F and helps prevent overheating in performance vehicles when driving at low speeds or when idling for long periods.

346932 180-240 degrees F 109.99 ea



Fan Harness Set ⚠

SPAL wiring harness sets are a must-have when installing an electric fan. Designed to safely integrate with OEM wiring harness. Feature a waterproof 40 amp relay, stainless steel switch with optional switched override capability along with printed wires which aid in installation. Thermo switch, fuse holder, connectors 1/2" adapter, and instructions are included.

SP2068 185 degrees harness 118.99 set
SP2069 195 degrees harness 125.99 set



Single Fan Pigtail Connector ⚠

Single male fan pigtail connector for Northern or SPAL single fans. Required when not using Northern relay harness.

Note: This same pigtail is included on Northern relay harnesses. Use part #40080 for Northern relay harness.

Z40079 pigtail connector 9.99 ea



PCM Controlled Fan Relay Set ⚠


This PCM controlled, weatherproof fan relay set is inexpensive protection for an electric fan and a vehicle's wire harness. Relay activation by grounding the relay coil can be provided by most Powertrain Control Modules. Provides direct battery power, protects PCM from voltage spikes and prevents the fan from back feeding through the vehicle's wire harness.

30133 weatherproof 35 amp 46.99 set

Delayed Cooling System Shutdown ⚠

Timed cooling system shutdown features adjustable relays that keep power to the cooling fan and electric water pump (if equipped) when the key is shut off. This reduces the block temperature as much as possible without the risk of killing the battery. This is a timed circuit and does not use a thermostat or other fan control to operate.

TF900632 shutdown 172.99 ea



Cooling Fan Shutdown ⚠

This cooling fan shutdown set shuts down your electric cooling fan above 50-60 MPH to improve engine cooling by preventing the electric fan from fighting airflow through the radiator at highway speeds. The unit is adjustable and may be overridden by using the supplied dash mounted toggle switch. This set is designed to be used with the supplied signal generator which must be installed into the speedometer cable.

TF900627 shutdown 214.99 set



Thermo Switch — Screw-In ⚠

Wire your dual electric fan/shroud assembly the easy way with this dual shroud wiring harness with relay and sender specifically designed dual electric fan setups. This wiring harness and relay kit will protect your vehicle's electrical system from the added draw of dual electric fans and proper gauge wiring ensures a stable electrical connection. The temperature switch activates "on" at 185 degrees F and shuts off when the temperature drops to 165 degrees F.

40078 185° on/165° off 114.99 ea

Cooling System

New!



MADE IN USA

Multi-Fan Controller with Soft Start Technology

Now add the Derales Performance digital PWM Fan Controller with built-in soft start technology. The controller utilizes Pulse Width Modulation to constantly adjust electric fan speeds from 0-100%, maintaining the optimal engine operating temperature. This multi-fan controller has a built-in A/C Over-ride circuit and is designed to control as many 12 Volt brushed electric fans as desired, up to 70 amps combined. Even better, installation and calibration is a snap. It simply wires in-between your vehicle's battery and electric fans.

16797 digital PWM controller 251.99 ea

New!



Variable Speed Fan Controller

Turns your electric fan on and off at your desired temperature. The control is right where it belongs, in your hands. Fans turn on at 60 percent power and fan speed increases as the temperature rises. You can easily adjust the activation temperature between approximately 160-240 degrees F. The fan controller includes a 1/8" NPT thread-in temperature sensor with bushing adapter. It features variable fan speed and a 40 amp rating. It works on 12 Volt systems only.

FN4001 with temp sending unit 153.99 ea

Electric Fan Controller

Includes a 70 amp relay and will work with your existing water temperature gauge, operating from the temperature sending unit already installed. A dedicated sending unit can be installed for applications without a water temperature gauge. Operating range of 150-250 degrees F and features fully programmable "fan on" and "fan off" temperature functions to suit any application. This also gives you the capability to leave the electric fan operating after the engine has been shut down for a user adjustable period of time. High-quality LED readout displays current temperature readings.

Important: Must use second relay, either part #DD2701 30 amp relay or DD2702 70 amp relay for dual fan or 2-speed fan operation.

Electric Fan Controller

DD2700 with 70 amp relay 156.99 ea
DD2800BT w/70 amp relay - Bluetooth 156.99 ea

Relays for Dual Fans

DD2701 30 amp relay 12.99 ea
DD2702 70 amp relay 35.99 ea

Dedicated Temperature Sensors

DD2703 1/8" NPT sensor 17.99 ea
DD2704 3/8" NPT sensor 17.99 ea
DD2705 1/2" NPT sensor 17.99 ea

New!



MADE IN USA

Adjustable Electric Fan Controller

This Derales high amperage fan controller breaks new ground in the industry of electric fan controllers. A bulletproof design, 35 amp per fan amperage rating, adjustability from 150-240 degrees F, and a die-cast bright finish aluminum cover. It's capable of controlling two separate 35 amp fans at different turn-on temperatures, with only a single probe. The first electric fan will be activated at the temperature set by the user followed by the second electric fan when the temperature becomes 10 degrees F warmer. Each electric fan will turn off at 10 degrees F below its turn-on temperature. Includes: wiring harness, fusible link, all necessary electrical connectors, and push-in style radiator probe.

Single Electric Fan Controller

16778 push-in probe 115.99 ea
16779 3/8" NPT thread-in probe 115.99 ea

Dual Electric Fan Controller

16788 push-in probe 146.99 ea
16789 3/8" NPT thread-in probe 146.99 ea

New!



Electric Fan Controller

Turn your electric fan into a thermostat controlled fan! PROFORM's premium adjustable fan controller make this easy! The thread-in probe can be installed directly into the water jacket of the intake manifold, engine block, or cylinder head. The push-in probe can be installed between the fins of the radiator. Fan activation is adjustable between 150 and 240 degrees F. This fan controller is recommended for race and street applications.

69598 thread-in probe sensor 47.99 ea
69599 push-in probe sensor 46.99 ea



Fan Controller Set

The Mishimoto fan controller set is applicable to any 12V electric fan and includes all necessary components for installation. Features adjustable activation from 150 to 240 degrees F and deactivates once temperatures are reduced by 10 degrees F. This controller includes a built-in AC override feature and is designed for use with 1-2 electric fans drawing a combined 25 amps or less.


153522 probe style 77.99 set

"Ice Box" Cooling Fan Control

Available as a dual fan/2-speed fan control unit. The sensor is simply tightened under an intake or water pump bolt. It can then be adjusted to your exact preference for on and off temperature. It is equipped with an AC Request system to turn the cooling fan on whenever the AC Compressor engages (this feature does not have to be used). The dual fan control can operate two fans at different temperatures or a single 2-speed fan at different temperatures. Each unit has a fully adjustable operating range of 140-230 degrees.

Note: With Walker 2-speed fans.

TF900635 dual control 172.99 ea



Electric Fan Controller

These sets are designed to operate Champion or Challenger Series electric fans. Includes: a heavy gauge wire harness, relay, weatherproof fuse, and electrical connectors.

Fixed Switch Fan Controllers

MF102 with 185 degree temp. sender 78.99 set
MF103 with 195 degree temp. sender 78.99 set

Adjustable Switch Fan Controllers

MF100 with adj. temperature switch.. 78.99 set
MF110 adjustable switch only 25.99 set



Adjustable Electric Fan Thermostat Set

These sets are designed to allow a wide range of temperature adjustments for your electric fan. The adjustment knob may be used to set a precise temperature desired for fan activation. The mounting bracket is made of brushed stainless steel for good looks and durability. The complete set includes the thermostat with bracket, a 30 amp relay, a 30 amp circuit breaker for overall protection, wiring, terminals, and mounting hardware.

Specs on Adjustable Fan Thermostat:

Temp range - 32 degrees to 248 degrees F

Accuracy: +/- 7.3 degrees F

Differential: 7.3 degrees +/- 3.6 degrees F

Important: Temperature refers to the temp of the capillary tube, not the coolant temp.

30104 with relay 91.99 set
30112 without relay 55.99 set

Radiator & Heater Hoses



Silicone Engine Coolant Plumbing Set

Get the durability of silicone coolant hoses for your custom engine install with these basic universal sets. Each set contains a 90 degree, a 45 degree angled, and a straight 1-1/2" reinforced black silicone hose along with a 1-1/2" 45 degree mandrel bent and one straight aluminized steel tube each featuring beaded ends for a positive seal. Individual components also available for building your own system or adding onto the radiator hose set here.

Radiator Hose Set

Z71051	1-1/2" silicone hose.....	89.99 set
--------	---------------------------	-----------

Individual Components

Aluminized Steel Coolant Tubes

Z71000	1-1/4" x 4" x 6" 90° bend	39.99 ea
Z71001	1-1/2" x 4" x 6" 90° bend	39.99 ea
Z71002	1-3/4" x 4" x 6" 90° bend	39.99 ea
Z71003	1-1/4" x 4" x 6" 75° bend	39.99 ea
Z71004	1-1/2" x 4" x 6" 75° bend	39.99 ea
Z71005	1-3/4" x 4" x 6" 75° bend	39.99 ea
Z71006	1-1/4" x 4" x 6" 45° bend	39.99 ea
Z71007	1-1/2" x 4" x 6" 45° bend	39.99 ea
Z71008	1-3/4" x 4" x 6" 45° bend	39.99 ea

Reinforced Black Silicone Hoses

Z71031	1-1/4" x 5" x 5" 90° bend	29.99 ea
Z71032	1-1/2" x 5" x 5" 90° bend	29.99 ea
Z71033	1-3/4" x 5" x 5" 90° bend	29.99 ea
Z71028	1-1/4" x 4" x 4" 45° bend	29.99 ea
Z71029	1-1/2" x 4" x 4" 45° bend	29.99 ea
Z71030	1-3/4" x 4" x 4" 45° bend	29.99 ea
Z71025	1-1/4" x 6" straight hose	19.99 ea
Z71026	1-1/2" x 6" straight hose	19.99 ea
Z71027	1-3/4" x 6" straight hose	24.99 ea

Step Up/Down Hose Connectors

Z71035	1-1/4" to 1-1/2" x 8"	29.99 ea
Z71036	1-1/2" to 1-3/4" x 8"	29.99 ea



1955-57 V8 Swap Radiator Hose

These custom molded radiator hoses are designed to allow V8 swapped vehicles to run a down flow radiator mounted in the 6 cylinder radiator location. Works for both small block and big block engine swaps.

Note: Not for use with 6 cylinder radiators with an offset neck.

TF600378	1955-57 upper hose	15.99 ea
TF600379	1955-57 lower hose	14.99 ea



1955-57 Reproduction Radiator Hose

Reproduction radiator hoses for 1955-57 Chevrolet passenger models. Feature correctly numbered hoses with GM codes printed on each hose. Provides for an original factory look in the engine compartment.

Upper Radiator Hoses

TF600158	1955-56 6 cylinder	29.99 ea
TF600159	1955-57 8 cylinder	24.99 ea
TF600160	1956-57 dual 4 bbl and FI....	44.99 ea
TF600161	1957 6 cylinder	29.99 ea
TF600212	1957 V8 Ram Jet engine	39.99 set

Lower Radiator Hoses

TF600162	1955-57 6 cylinder	34.99 ea
TF600163	1955-57 8 cylinder	24.99 ea



1955-57 Replacement Radiator Hose

Replacement radiator hoses for 1955-57 models. Your choice of molded or ribbed flex hoses. Ribbed flex hoses will bend to accommodate tight spaces or unoriginal bends.

Note: *These hoses are for radiators mounted in front of the radiator core support.

Upper Radiator Hoses

TF600155	1955-56 6 cylinder	14.99 ea
TF600153	1955-57 8 cylinder	13.99 ea

Lower Radiator Hoses

TF600154	1955-57 8 cylinder	22.99 ea
----------	--------------------------	----------

Ribbed Flex Hoses

TF600156	1957 6 cylinder upper	29.99 ea
TF600157	1957 6 cylinder lower	12.99 ea

Molded Radiator Hoses for Big Blocks

TF600207*	1955-57 upper	34.99 ea
TF600208*	1955-57 lower	27.99 ea



Flexible Radiator Hose

If you're doing an engine swap in your Chevrolet, these flexible radiator hoses may be just what you need to complete the cooling system installation. A variety of sizes are available. Hose features a unique design that allows it to conform to a variety of bends and curves without kinking or collapsing.

HF1107	1-1/4" x 7-3/8"	5.99 ea
HF1111	1-1/4" x 11"	11.99 ea
HF1119	1-1/4" x 19-9/16" x 1-1/2"	19.99 ea
HF1123	1-1/4" x 23"	13.99 ea
HF1208	1-1/2" x 7-9/16"	5.99 ea
HF1211	1-1/2" x 10-11/16"	9.99 ea
HF1212	1-1/2" x 12-3/16"	9.99 ea
HF1317	1-1/2" x 16-5/16" x 1-3/4"	21.99 ea
HF1217	1-1/2" x 17-1/16"	9.99 ea
HF1318	1-1/2" x 19-1/2" x 1-3/4"	20.99 ea
HF1220	1-1/2" x 19-13/16"	19.99 ea
HF12205	1-1/2" x 20-1/2"	10.99 ea
HF1222	1-1/2" x 22"	22.99 ea
HF12228	1-1/2" x 22-7/8" 90 degree end	11.99 ea
HF1223	1-1/2" x 23" x 1-3/4"	23.99 ea
HF1225	1-1/2" x 25"	21.99 ea
HF1214	1-1/2" x 30"	18.99 ea
HF1316	1-3/4" x 16-5/16"	27.99 ea
HF1319	1-3/4" x 18-13/16"	29.99 ea
HF1323	1-3/4" x 23-1/2"	9.99 ea



Flexible Stainless Steel Hose Set

This is an ideal replacement for your worn or rotted hoses. Non-corrosive construction conforms to tight bends and holds shape indefinitely. Rated for high temperatures and high pressure. Can be easily cut to custom lengths. This high-quality set will enhance any engine compartment.

Note: 48" radiator hose set has double quantity of end caps, sleeves, reducers, and clamps. Save money and make both upper and lower radiator hoses with one 48" set.

Heater Hose Sets

S7313	polished ends	71.99 set
S7314	chrome ends	75.99 set

Radiator Hose Sets - Polished Ends

S7301	12"	36.99 set
S7304	24"	56.99 set
S7307	36"	67.99 set
S7310	48"	98.99 set

Radiator Hose Sets - Chrome Ends

S7302	12"	40.99 set
S7305	24"	59.99 set
S7308	36"	63.99 set
S7311	48"	95.99 set



1955-57 Heater Hose Set with GM Markings

Reproduction of correct grooved hose with GM markings for 1955-57 models. Each set includes the correct clamps for each application.

TF600144	1955-56 6 cylinder	39.99 set
TF600145	1955-56 8 cylinder	39.99 set
TF600146	1957 6 cylinder	39.99 set
TF600147	1957 8 cyl w/std, dlx heater	39.99 set
TF600148	1957 8 cyl with AC	39.99 set



Heater Hose

Quality replacement style heater hose. This hose can be used for nearly all applications.

YE5210	5/8" 5 feet	4.99 ea
YE5215	3/4" 5 feet	8.99 ea



1955-56 Heater Valve Hose and Clamp Set

Reproduction heater valve hose for 1955-56 models. Set includes reproduction hose with GM stamping and 2 wire clamps.

TF600152	1955-56	9.99 set
----------	---------------	----------

Hose Clamps



K1231

K1232

K1233

Radiator Hose Reducer Bushing



These rubber hose reducers are designed for custom applications to allow the use of a larger i.d. radiator hose with smaller inlets and outlets on radiators, water pumps and thermostat housings. Simply insert them into the hose before installation.

K1231	2" i.d. to 1-3/4" i.d.	14.99 ea
K1232	1-3/4" i.d. to 1-5/8" i.d.	10.99 ea
K1233	1-3/4" i.d. to 1-1/2" i.d.	14.99 ea



TF600150



AU5354

AU5357

1955-57 Radiator and Heater Hose Clamp Set

Reproduction Corbin all-wire style clamps used on engine radiator and heater hoses for 1955-57 Chevrolet passenger car models.

10 Piece Sets

TF600149	1955-56	all	7.99 set
TF600150	1957	deluxe heater	21.99 set
TF600151	1957	standard heater	18.99 set

Individual Clamps

AU5354	9/16" i.d. hose	2.99 ea
AU5356	11/16" i.d. hose	1.99 ea
AU5357	3/4" i.d. hose	1.99 ea
A17086	13/16" i.d. hose	1.99 ea
A5358	15/16" i.d. hose	1.99 ea
A16603	1-7/8" i.d. hose	1.99 ea
0852	1-1/2" i.d. hose	2.99 ea
0853	1-3/4" i.d. hose	1.99 ea
A16604	2" i.d. hose	1.99 ea



0857

0858

0855

0856

Tower Hose Clamp



Correct style Wittek style tower clamp used on various GM vehicles. Features WITTEK MFG. CO. CHICAGO, U.S.A. stamped on each clamp.

0857	1-1/16"	5/8" hose	3.99 ea
0858	1-3/16"	3/4" hose	3.99 ea
0855	2-1/16"	upper	4.99 ea
0856	2-1/4"	lower	3.99 ea
0854	2-5/16"	lower	4.99 ea



R085677

Radiator and Heater Hose Clamp Set

Sets include the clamps for both the radiator and heater. Correct Corbin style pinch clamps and WITTEK tower style hose clamps used on 1958-72 GM vehicles. Tower clamps feature: WITTEK MFG. CO. CHICAGO, U.S.A. stamped on each clamp. Kits will also work on 1973 and newer vehicles.

R085677	1958-68	25.99 set
R085678	1969-72	32.99 set



332012

332040

Worm Gear Side Screw Hose Clamp



Replacement style stainless steel side screw hose clamps used on various GM vehicles. High-quality clamp with extra strength construction. Durable 200 series stainless steel 1/2" band and screw housing. One piece screw housing is interlocked onto band for extra strength. Cadmium-plated.

332010	#10, range: 1/2"-1-1/8"	1.99 ea
332012	#12, range: 1/2"-1-1/4"	1.99 ea
332024	#24, range: 1"-2"	1.99 ea
332028	#28, range: 1-5/16"-2-1/4"	2.49 ea
332032	#32, range: 1-9/16"-2-1/2"	2.49 ea
332040	#40, range: 1-3/4"-3"	2.99 ea



332755

Side Screw T-Bolt Hose Clamp



Replacement stainless steel heavy-duty T-bolt hose clamps. High-quality clamp with extra strength construction. 3/4" band and bolt housing.

332752	#28, range: 1-3/4"-2"	4.99 ea
332753	#32, range: 1-7/8"-2-3/16"	4.99 ea
332755	#40, range: 2-1/8"-2-7/16"	6.99 ea



154128

Radiator Hose Clamp



Authentic original looking, period correct, double wire hose clamp. For that last OEM detail in the engine compartment to give your engine a genuine appearance.

154128	2" to 1-3/4"	7.99 ea
156202	2-1/4" to 2"	7.99 ea
156212	2-1/2" to 2-1/4"	7.99 ea



3770259

3825416

Heater Hose Retaining Clip



Correct replacement heater hose brackets and clamps to safely secure the hoses.

3770259	fenderwell clip	6.99 ea
3825416	alt bracket clamp (long waterpump)	4.99 ea
K556	2 piece set	9.99 set



14280

1010439

13970

Stainless Steel Heater Hose Bracket



Stainless steel version of the heater hose bracket that mounts to the top alternator bracket and keeps the 2 heater hoses together. This bracket mounts with a slight angle to keep the hoses away from the engine.

Single Loop Hose Brackets

14280	with bent end	24.99 ea
1010439	with straight end	24.99 ea

Double Loop Hose Brackets

13970	to inner fender well	29.99 ea
-------	----------------------	----------

Heat Shrink Hose Clamp

This new advanced heat sensitive thermoplastic clamps that seals better in all conditions and temperature extremes. Easy-to-install with an ordinary heat gun.



A9600216

Part#	Min I.D.	Max I.D.	O.D.	
A9600216	1/4"	1/2"	11/16"	5.99 ea
A9600217	3/8"	11/16"	13/16"	5.99 ea
A9600218	1/2"	13/16"	15/16"	5.99 ea
A9600219	5/8"	15/16"	1-1/16"	5.99 ea
A9600220	3/4"	1-1/16"	1-3/16"	5.99 ea
A9600221	7/8"	1-3/16"	1-1/2"	5.99 ea
A9600222	1"	1-3/16"	1-1/2"	7.99 ea
A9600223	1-1/4"	1-1/2"	1-3/4"	7.99 ea
A9600224	1-1/2"	1-3/4"	2"	8.99 ea
A9600225	1-3/4"	2"	2-1/4"	8.99 ea
A9600226	2"	2-1/4"	2-1/2"	8.99 ea



Hose Clamp Pliers



This handy tool removes and installs spring tension hose clamps used on heater and radiator hoses. Adjustable tips screw in and out to fit clamps of all sizes. Ratcheting lock mechanism holds the clamp in an open position for easy removal and installation. Tips can be switched to accommodate different applications. Offset jaws allow access in hard to reach areas.

Y17100	hose clamp pliers	32.99 ea
--------	-------------------	----------

High Flow Water Pumps



551132



551167

1955-57 Original Style Water Pump



Remanufactured or brand new water pumps for 1955-57 models with 6 or 8 cylinder engines. Remanufactured V8 water pumps feature correct casting numbers. The remanufactured pumps are rebuilt to "better than original" specifications using superior, internal components. New pumps are brand new castings using modern technology and materials. Each pump will install, look and function just like new.

NO EXCHANGE REQUIRED!

New Water Pumps

6 Cylinder Water Pump

551132 5-1/4" hub height 69.99 ea

8 Cylinder Water Pump

551167 1 outlet, 4 hole hub 52.99 ea



1955-57 Small Block Water Pump



These "super cooling" pumps are computer designed to deliver more flow at a higher velocity. Precision cast powdered metal impellers have extra large vanes for the maximum flow rate possible, ensuring adequate pressure and volume even at lower engine speeds. They feature a 5/8" pilot shaft.

Small Block Short Water Pumps

E8810	1955-57	cast finish	323.99 ea
E8820	1955-57	polished finish	460.99 ea
E88103	1955-57	black finish	374.99 ea

DEF AUTHORIZED



153654P

153654C

1958-68 High Volume Small Block Short Water Pump




High-performance, high volume aluminum water pump features balanced distribution and improved efficiency with close tolerance impellers that increase coolant flow over stock pumps. This increases the pressure within the block to help prevent hot spots and steam pockets, as well as improves coolant flow through the radiator. When used with a non-restrictive, high flow thermostat (sold separately) this pump to work to its highest capability. Available in natural aluminum, polished aluminum, or chrome.

153654N	aluminum	86.99 ea
153654P	polished	100.99 ea
153654C	chrome	114.99 ea



WP12203



WP21104

High Flow Water Pump



For over 20 years, Stewart Components has focused on the development and production of high-performance water pumps, resulting in innovations like special high strength castings, larger flow passages, more efficient impellers, and stronger bearings. Every pump is designed to exacting tolerances for reliable, long-term performance, offering maximum flow with minimum power consumption. These pumps deliver up to 180 gpm (gallons per minute) of coolant flow at 8000 RPM, yet consume just 2.26 horsepower at 4000 RPM! Each Stewart pump is hand assembled and tested at 10,000 RPM.

Stage 1 Cast Iron Water Pumps

These Stage 1 pumps use brand new, original equipment iron castings are internally engineered for performance and reliability. These water pumps feature a 3/4" heavy-duty bearing. Available for V-belt or serpentine belt systems.

Small Block - Clockwise Rotation

WP12103	5.625" tall, 5/8" shaft	114.99 ea
WP12203	5.625" tall, 3/4" shaft	122.99 ea
WP13113	6.932" tall, 5/8" shaft	114.99 ea

Big Block - Clockwise Rotation

WP11104	5.750" tall, 5/8" shaft	129.99 ea
WP11113	7.287" tall, 5/8" shaft	126.99 ea

Big Block - Counter Clockwise Rotation

WP11105	5.750" tall, 5/8" shaft	129.99 ea
---------	-------------------------	-----------

Stage 2 Aluminum Water Pumps

These Stage 2 pumps use brand new, 356-T6 heat treated aluminum castings that are precision machined to be compatible with stock lines and brackets. These water pumps feature a 3/4" heavy-duty bearing. Available for V-belt or serpentine belt systems.

Important: These small block water pumps require the use of a high flow, modified thermostat due to the elimination of the factory bypass holes in the Stage 2 pumps. See listings below for available temperatures.

Small Block - Clockwise Rotation

WP22103	5.625" tall, 5/8" shaft	185.99 ea
WP22203	5.625" tall, 3/4" shaft	185.99 ea
WP23113	6.932" tall, 5/8" shaft	191.99 ea

Big Block - Clockwise Rotation

WP21104	5.750" tall, 5/8" shaft	209.99 ea
WP21113	7.287" tall, 5/8" shaft	214.99 ea


Big Block - Counter Clockwise Rotation

WP21105	5.750" tall, 5/8" shaft	209.99 ea
---------	-------------------------	-----------

High Flow Modified Thermostats for Stage 2 Small Block Pumps

WP300	160 degrees	42.99 ea
WP301	180 degrees	42.99 ea
WP302	195 degrees	42.99 ea

DEF AUTHORIZED



153656N

153655C

1955-86 Small Block Water Pump



Aluminum short or long water pumps for small block models featuring a new casting with quality bearings and excellent sealing. Available in natural aluminum, polished aluminum or chrome.

Short Water Pump

153656N	1955-68	aluminum	82.99 ea
153656P	1955-68	polished	97.99 ea
153656C	1955-68	chrome	111.99 ea

Long Water Pump

153655C	1969-86	chrome	119.99 ea
---------	---------	--------	-----------




Electric Water Pumps


Milodon

Increase Coolant Flow Up to 30%! ⚠

This high-performance, Milodon high volume water pump features balanced distribution and improved efficiency with close tolerance impellers that increase coolant flow significantly over stock pumps. This increases the pressure within the block to help prevent hot spots and steam pockets, as well as improves coolant flow through the radiator. When used with a non-restrictive, high flow thermostat (sold separately) it will enable the pump to work to its highest capability.

16200 1955-57 SB, short pump..... 119.99 ea



1955-57 Water Pump Rebuild Set ⚠

All the necessary parts to rebuild your original water pump. These components are required when rebuilding an original water pump designed for 1955-57 models. Using all the components in this rebuild set will insure that your original water pump will work and operate efficiently.

WPK001 1955-57 V8 124.99 set



MR4394



MR4396



MR4393

Electric Water Pump Parts ⚠

Classic Industries® offers replacement service parts for the electric water pump. Each service part will replace the original component precisely.

For MR4333/MR4433 Electric Water Pumps

MR4394 mounting plate 24.99 ea
MR4396 12 Volt DC electric motor.... 74.99 ea

For 4433 Electric Water Pump

MR4393 drive belt 24.99 ea



66225BK



D141673



blue



chrome



polished



red

Electric Water Pump ⚠

Eliminates unnecessary weight and impeller-drag experienced at high RPM, pumps up to 35+ gallons of water per minute, and delivers the cooling that can make the difference between a win and second place! Durable, but lightweight die-cast aluminum, epoxy powder coated for corrosion resistance in the color of your choice. Race or street. Draws 6 amps. Mounting hardware and fitting for water pump is included.

Small Block Water Pumps

Without Red Bow Tie

66225B	blue	181.99 ea
66225BK	black	181.99 ea
66225CR	chrome.....	220.99 ea
66225P	polished.....	206.99 ea
66225R	red	181.99 ea

With Red Bow Tie

D141653	blue	219.99 ea
D141651	black	219.99 ea
D141650	chrome	279.99 ea
D141654	polished.....	249.99 ea
D141652	red	219.99 ea

Big Block Water Pumps

Without Red Bow Tie

68230B	blue	199.99 ea
68230BK	black	199.99 ea
68230C	chrome	259.99 ea
68230P	polished.....	218.99 ea
68230R	red	199.99 ea

With Red Bow Tie

D141673	blue	239.99 ea
D141674	black	239.99 ea
D141671	chrome	287.99 ea
D141672	red	239.99 ea


PAINLESS

Set Includes:


- 30 amp relay
- 30 amp circuit breaker
- Relay base with wire harness
- Terminals
- Mounting hardware

MADE IN USA

Electric Water Pump Relay ⚠

This relay harness provides maximum battery voltage to maximize cooling efficiency and to protect the main electrical system from damaging amperage overloads. Made in USA.

50106 standard 25.99 ea


PAINLESS


end details

Set Includes:

- 30 amp heavy-duty weatherproof relay
- Weatherproof relay base with wire harness
- 30 amp circuit breaker with weatherproof cover
- Extreme condition heat shrinkable crimp-on terminals
- Mounting hardware

Electric Water Pump Relay ⚠

This relay harness set provides maximum battery voltage to maximize cooling efficiency and to protect the main electrical system from damaging amperage overloads. This weatherproof water pump relay harness is perfect for harsh weather conditions. The relay harness provides complete protection from the elements and ensures reliable and dependable performance. This kit utilizes heavy-duty waterproof relays, weatherproof circuit breakers covers and extreme condition weatherproof shrinkable crimp-on terminals.

30132 weatherproof 39.99 ea

Water Pump Hardware

ACDelco



Water Pump to Block Gasket



Replacement water pump to block gasket for early small block engines. Sold individually. 2 required per vehicle.

G8337 1955-57 small block 2.99 ea

New!

FELPRO



1955-00 Water Pump Gasket




High-quality Fel-Pro replacement water pump gaskets for 1955-00 Chevrolet engines. Built to exceed all original equipment specifications.

Note: Years listed are original engine production years. 2 required per vehicle.

5152 1955-99 small block 2.59 ea
30060 1965-00 big block 1.99 ea

New!

FELPRO



1955-00 Water Pump Backing Plate Gasket



High-quality Fel-Pro replacement water pump backing plate gasket for 1955-00 Chevrolet engines. Built to exceed all original equipment specifications.

Note: Years listed are original engine production years.

13032FP 1955-86 small block 2.99 ea
11725 1965-00 big block 2.99 ea



1955-57 Water Pump Bolts



These water pump bolts are the correct style for 1955-56 V8 models. They feature the correct TR markings on their heads as original. 1955-56 sets include: one 2-3/4" bolt, three 1-15/16" bolts and four lock washers. 1957 sets include: one 2-3/4" bolt, two 1-15/16" bolts, one 1-15/16" studded bolt and four lock washers.

TF600290 1955-56 19.99 set
TF600291 1957 23.99 set



AK136A



AK136B

Water Pump Bolts



Replace your original bolts with these chrome-plated or stainless steel bolts for your small block or big block engine. Sets include 4 bolts and washers.

AK136A chrome short pump 11.99 set
AK135A chrome long pump 11.99 set
AK136B stainless short pump 29.99 set
AK135B stainless long pump 20.99 set

ARP
automotive products



AR13322



AR43322



AR43321

MADE IN USA

Water Pump Mounting Set



When installing your new water pump, replace your original bolts with these ARP black oxide or stainless steel bolts. Choose between standard Hex head bolts or compact 12 point fasteners. Made in USA.

Long Water Pump Bolt Sets

AR13322 black oxide Hex head 17.99 set
AR13321 black oxide 12 point 17.99 set
AR43322 stainless Hex head 26.99 set
AR43321 stainless 12 point 26.99 set

New!



1955-57 Water Pump Bolt Set




Reproduction of the correct TR headmark mounting bolts. The 4 piece set includes RH stud for ground strap.

Short Water Pump

K0178 1955-57 small block 14.99 set



154221



154222

Flat Band Side Screw Hose Clamps



Correct style side screw clamp used on various GM vehicles. Most commonly used on 1958-72 vehicles on power steering return and water pump bypass hoses.

23C 3/8" 5.99 pr
154221 5/8" 4.99 pr
154222 3/4" 5.99 ea



Water Pump Bypass Hose Fittings



Reproduction style slotted nipple heater hose fitting designed for use with various models. This replacement fitting can be threaded into the water pump or intake manifold to provide heater hose or bypass hose attachment points. Available in several different sizes. Measures: 1/2" NPT- 3/4" i.d. x 1-5/8" L.

K0151 slotted style 19.99 pr



Water Pump Pulleys



GH1007



GH1007 - front view



GH1007 - back view



GH1009



GH1009 - front view



GH1009 - back view



GH9001



1959-63 Water Pump Pulley for 348 & 409

A quality reproduction of the water pump pulley kit for 1959-61 vehicles equipped with H.L. cam 348 engine. Also correct for 1961-63 vehicles with 409ci engines. Manufactured exactly as original including proper original GM #3724816 stamped in the front pulley. Buy the individual parts or purchase the complete kit and save! Made in USA.

Individual Pulleys

GH1007 1959-63 rear pulley 159.99 ea
GH1009 1959-63 front pulley (3724816) 89.99 ea

Buy the Kit and Save!

GH9001 1959-63 3 piece..... 245.99 kit



Big Block Water Pump Pulley

Reproduction two groove pulley chrome water pump big block pulley for V8 with long water pump. Double groove at 6.3" o.d.

T9723 double groove..... 46.99 ea



1955-57 Water Pump Pulley Reinforcement

Reproduction water pump pulley reinforcement plate. This piece is required for correct pulley alignment, and comes zinc-plated for rust prevention. Replaces GM #3720616.

153584 1955-57 7.99 ea



T9600



T9604



T9601



T9605

Small Block Chrome Water Pump Pulley

Reproduction chrome single or double groove water pump pulleys for 1955-57 models. Available for small block engines with short or long water pumps as listed.

Single Groove Pulley

T9600 short pump 7.1" o.d. 34.99 ea
T9604 long pump 6.3" o.d. 35.99 ea

Double Groove Pulley

T9601 short pump 6.4" o.d. 47.99 ea
T9605 long pump 6.3" o.d. 34.99 ea



R9478B



R9479P



R8842P

Small Block Water Pump Pulley

Aluminum 6-3/4" water pump pulley will dress-up your small block or big block engine. 1962-68 Chevy vehicles used a short water pump and 1969-79 use a long water pump.

1962-68 Small Block Short Water Pump

Satin Aluminum

R9478A single groove..... 46.99 ea
R9479A double groove 48.99 ea

Black Aluminum

R9478B single groove..... 46.99 ea
R9479B double groove 96.99 ea

Chrome Aluminum

R9478C single groove..... 61.99 ea

Polished Aluminum

R9479P double groove 55.99 ea

1962-68 Big Block Short Water Pump

Satin Aluminum

R8840A single groove..... 43.99 ea
R8842A double groove 59.99 ea

Black Aluminum

R8840B single groove..... 43.99 ea
R8842B double groove 59.99 ea

Chrome Aluminum

R8840C single groove..... 58.99 ea
R8842C double groove 74.99 ea

Polished Aluminum

R8840P single groove..... 43.99 ea
R8842P double groove 61.99 ea

Warning: concerning water pump pulleys

Stock replacement, aftermarket stamped steel or cast iron pulleys are not designed to exceed 400 horsepower or 6000 RPM. Using reproduction pulleys on engines in excess of these limits may result in catastrophic disintegration of the pulley causing severe damage to the engine, cooling system and body parts. Classic Industries® assumes no liability for damages caused by improper usage of pulleys. Please be sure to install the pulley properly to avoid damages that could occur from improper installation or exceeding the recommended RPM limitations.

Water Necks



154804



154820



154842

1955-80 Replacement Water Neck ⚠

Replacement water neck/thermostat housing for use with 1955-80 models.


6 Cylinder

154804 1955-62 235, 261 16.99 ea

V8

154820 1955-65 14.99 ea

154842 1974-80 9.99 ea



1955-57 V8 OE Water Neck ⚠

Correct reproduction cast aluminum thermostat housing, features #3837223 located on the mounting flange as original. Includes gasket.

3837223 1955-57 V8 105.99 ea



OEM Style Powder Coated Water Neck ⚠

These are "O" ring style water necks powder coated in Chevy orange. Keep that original look and color on your fresh engine with a new powder coated water neck. Available for early, late or late with a hole Chevy engines. Original year applications listed.

T9928P 1955-57 V8 66.99 ea

T9929P 1966-87 V8 59.99 ea

T9930P 1974-87 V8 with hole 60.99 ea



Chrome Water Neck — Gasket Style ⚠

Triple chrome-plated. Distinctive custom design replaces original equipment. Includes plated bolts and gasket. 1-year manufacturer's warranty.

T4788 1955-65 with gasket 19.99 ea

T4789B 1966-87 with gasket 20.99 ea



Chrome Water Neck — O-Ring Style ⚠

Each chrome water outlet includes o-ring or gasket for easy installation. Replacement o-ring available separately.

T9228 1955-65 with o-ring 16.99 ea

T9229 1966-87 with o-ring 16.99 ea



Late Model Chrome Water Neck ⚠

GM late model style (1974-87) replacement water outlet with temperature sender hole. Each water outlet is triple chrome-plated. Includes o-ring and chrome screws.

T9468 small block or big block 22.99 ea



Swivel Water Neck ⚠

Swivel water necks rotate 360 degrees and are great for applications where the upper radiator hose is routed different than stock applications. These water necks are available in polished aluminum, chrome-plated aluminum or precision CNC-machined stainless steel and with necks at various angles. They will fit most small block and big block engines.

Polished

6015 15 degree 32.99 ea

6003 45 degree 31.99 ea

6009 90 degree 34.99 ea

Chrome

6015C 15 degree 34.99 ea

6003C 45 degree 35.99 ea

6009C 90 degree 37.99 ea



Straight Neck Water Neck ⚠

Chromed water neck designed for Chevrolet 6 cylinder, small block, and big block engines. Water neck features a 1/2" thick base and includes gasket and bolts.

T4987 1955-57 12.99 ea



Water Neck Bolts ⚠

Dress your Tri-Five by installing your water neck with these polished stainless or chrome-plated water bolts.

Includes Two 1" Bolts for OE Style Water Necks

AK134A chrome 6.99 set

AK134B polished stainless 10.99 set

Includes One 1" Bolt & One 2" Bolt for Late Model Necks

AK133A chrome 9.99 set

AK133B polished stainless 17.99 set



Thermostat Housing Bolt Set ⚠

Nobody likes water leaks. These premium grade bolts are engineered to properly engage the manifold threads and resist loosening. Available in your choice of black oxide finished chromoly or rustproof stainless steel, with handy 12 point or standard Hex heads. Washers included. Each set includes 3 bolts: two 1" bolts and one 2" bolt.

Black Oxide

AR13741 12 point 7.99 set

AR13742 Hex head 7.99 set

Stainless

AR43741 12 point 6.99 set

AR43742 Hex head 8.99 set



1955-57 Water Outlet Mounting Bolts ⚠

Correct original style water outlet attachment bolt kit featuring "WB" and "TR" head marks. Includes: one 3/8"-16 x 2-1/8" bolt with "WB" head mark, and one 3/8"-16 x 1-1/8" bolt with "TR" head mark.

1256605 1955-57 6.99 pr



Thermostats



1955-57 Water Neck O-Ring



Avoid water leaks which can compromise your cooling system. Reseal your water neck with this replacement "O" ring. For use on various GM models.

66610 1955-57 replacement o-ring .. 1.99 ea



Water Outlet Restrictors



If coolant travels too fast, it doesn't absorb enough heat inside the engine or properly cool down as it passes through the radiator. That's why it is still important to restrict coolant flow in applications where a thermostat isn't desired. These restrictors come in a set of three with a 5/8", 3/4", and 1" hole to allow adjustment for optimum cooling. Each 2-1/8" plate is made from anodized aluminum and fits under the water outlet in place of the thermostat.

263440 restrictor plates 16.99 set



1955-57 Radiator Thermostat



Choose the thermostat that you need depending on your particular climate or engine requirements.

G7137	1955-57	160 degrees	17.99 ea
G7138	1955-57	170 degrees	16.99 ea
G7140	1955-57	195 degrees	13.99 ea

New!



E8604

E8604 - bottom view

Universal High Performance Thermostat



Edelbrock thermostats are designed to ensure consistent cooling in high-performance applications. Features a brass and copper valve assembly with a stainless steel body for durability. These 160 and 180 degrees F thermostats are a bolt-on replacement that measure 2.087" and 2-1/8" diameter.

E8603	160 degrees.....	21.99 ea
E8604	180 degrees.....	21.99 ea



JT10170



JT10175

1981-02 Low Temp Thermostat



Reduced engine temperatures add life to your engine and provide a denser air/fuel mixture which helps produce more horsepower. With the JET 180 degrees thermostat you get consistent engine cooling and a precise metering of water throughout the engine. Constructed of stainless steel.

JT10170	1981-92	all V8	15.99 ea
JT10174	1993-97	LT1.....	24.99 ea
JT10175	1998-02	LS1	55.99 ea



43631

High-Performance Thermostat



These high-performance thermostats are designed to resist variations in coolant pressure, opening and closing only at the correct temperatures, regardless of engine RPM. Thermostats are made from brass and copper with a high grade steel frame for years of worry free operation.

43631	160 degree thermostat	24.99 ea
43641	180 degree thermostat	24.99 ea



B90134



B90334B



Billet Aluminum LS Thermostat Housing



Billet Specialties aluminum thermostat housings for Chevy LS with 1-1/2" radiator hose. These water necks are precision machined from 6061-T6 billet aluminum to accommodate LS style thermostats and seals. Available in straight or 15 degree swivel designs and in polished or black anodized finishes. Made in USA.

B90134	polished	straight.....	52.99 ea
B90134B	black	straight.....	58.99 ea
B90334	polished	15 degree	97.99 ea
B90334B	black	15 degree	102.99 ea

1955-90 Thermostat Gasket



Replacement thermostat housing gaskets for 1955-90 Chevrolet V8 and 1963-90 inline-six applications.

Choose from GM replacement gaskets or a Mr. Gasket reusable gasket for V8 applications. Mr. Gasket's gasket is made with a thick aluminum body and a silicone bead for a positive seal.



738

GM Replacement Gaskets

G3723	1963-90	16	8.99 ea
-------	---------	----------	---------

Mr. Gasket Reusable Gasket

738	1955-90	V8	28.99 ea
-----	---------	----------	----------

New!



1955-57 "Perma Dry" Thermostat Gasket

High-quality Fel-Pro Perma-Dry Plus molded rubber with rigid core thermostat housing gasket for various 1955-57 GM engines. Unsurpassed quality you can trust.

35562T	1955-57	all	10.99 ea
--------	---------	-----------	----------



3741032



G7141



155021



1955-57 Lower Thermostat Housing

Reproduction cast iron lower thermostat housing and gaskets for 1958-62 Chevrolet 6 cyl. models.

3741032	1955-57	216, 235	49.99 ea
155021	1955-57	gasket to cyl head ..	2.29 ea
G7141	1955-57	gasket to neck	4.99 ea

New!



1955-57 Thermostat Spacer



Moroso thermostat spacers make fixing fitment issues a snap. The billet aluminum 1" spacer raises the thermostat and has two 3/8" NPT female ports for plumbing water lines to cylinder heads.

63433M	1955-57	billet aluminum	42.99 ea
--------	---------	-----------------------	----------

Heater Cores & Parts



TF600167



TF600169



1955-57 Reproduction Heater Core ⚠

Reproduction heater cores for 1955-57 models. These feature copper and brass construction for the ideal heat dissipation to warm and defrost your classic. Mounting plates available separately. Made in USA.

Deluxe Heater Cores

TF600167	1955-56.....	214.99 ea
TF600168	1957	214.99 ea

Standard Heater Cores

TF600256	1956	299.99 ea
TF600257	1957	299.99 ea

Deluxe Mounting Plates

TF600169	1955-56.....	16.99 ea
TF600170	1957	14.99 ea

Standard Mounting Plate

TF600258	1956	19.99 ea
----------	------------	----------




TF600232

1955-57 Aluminum Heater Core ⚠

Aluminum heater cores for 1955-57 models. These all-new heater cores are exactly like originals except they are manufactured in aluminum for lighter weight and improved heat dissipation. 1957 heater cores include mounting plate.

TF600231	1955-56.....	134.99 ea
TF600232	1957	139.99 ea



TF600117


Deluxe Heater Assembly Fastener Set ⚠

Includes all of the clips, sheet metal screws, and machine screws to do the job right.

TF600116	1955-56	deluxe heater	6.99 set
TF600117	1957	deluxe heater	6.99 set



TF600211



TF600104

1955-57 Standard & Deluxe Heater Seal Set ⚠

Reproduction standard and deluxe heater seal sets for 1955-57 models. If your vehicle is equipped with control levers, you require a deluxe seal kit. If you have a fan knob, you require a standard seal.

*Note: *Includes defroster seal.*

TF600211*	1955-56	standard	43.99 ea
TF600104	1957	standard	18.99 ea
TF600105	1957	deluxe	22.99 ea



1957 Heater Defroster Seal ⚠

This seal is located between the heater distributor assembly and the dashboard vent assembly, dries out and needs periodic replacement. The defrost function will not operate without this seal.

TF600107	1957.....	11.99 ea
----------	-----------	----------



TF500220



TF600115

1955-57 Heater Control Valve ⚠

Reproduction heater control valves for 1955-57 models. Heater valves are supplied without capillary tubes, which can be reused if necessary (1955 models only.)


TF500220	1955-56.....	99.99 ea
TF600115	1957	126.99 ea



1955-57 Heater Control Valve Seal ⚠

Reproduction heater control valves seal for 1955-57 models with Ranco heater control valve.

HC110201	1955-57	9.99 ea
----------	---------------	---------



TF600275

1957 Heater Control Valve Block Off Plate ⚠

This steel plate mounts to the firewall to block off the opening for the heater control valve. Block off plate sets are painted semi-gloss black and include a foam gasket with mounting hardware.

TF600275	1957	block off plate set ...	6.99 set
TF600276	1957	foam gasket only	1.99 ea



TF600206

Reproduction Heater Blower Motor ⚠

New reproduction blower motors for 1955-57 models. These motors are manufactured to meet or exceed OEM specifications for magnetic properties, design and performance, motor RPM and windings. Fans sold separately.

With Air Conditioning

TF600205	1955-57	3-speed - 2 wire	41.99 ea
----------	---------	------------------	----------

Without Air Conditioning

TF600206	1955-57	2 wire	55.99 ea
----------	---------	--------------	----------



1957 Blower Motor Sleeve Seal ⚠

These seals are located between the heater blower and transition assembly. This rubber sleeve fits on the base of the shaft.

TF600102	1957	14.99 ea
----------	------------	----------



AP0555

1955-57 Blower Switch ⚠

Maximize your system with this improved switch featuring a rear harness setup that allows the resistor to be attached in the rear of controls.

AP0555	1955-56.....	33.99 ea
AP0523	1957	44.99 ea



Heater/AC Parts



1957 Deluxe Heater Blower Motor Hose

Reproduction deluxe heater blower motor hose for 1957 models. This hose fits between the deluxe blower motor and the inner fender duct. Reproduction hoses are manufactured to original Chevrolet specifications with quality vinyl plastic on a steel spring.

TF600106 1957..... 17.99 ea

OE Style Cloth Defroster and Heater Hose

Reproduction defroster and heater hoses are the original style, cloth like cover over spiraled wire. These will qualify for show as original. Offered in various diameters to meet your under dash needs. Sold in 3 foot lengths.



13901	1-1/2" diameter.....	19.99 ea
13902	1-3/4" diameter.....	24.99 ea
13903	2" diameter.....	29.99 ea
13904	2-1/2" diameter.....	29.99 ea
13905	3" diameter.....	27.99 ea
13909	4" diameter.....	49.99 ea

New!



9154C

OE Cloth Style Defroster/Heater Duct Hose

Reproduction cloth style defroster/air duct hose. Use to replace old deteriorated cloth duct hoses. Can be used with factory and aftermarket AC, heat, and defrost systems. Sold in 72" long sections, trim to fit.

9149C	1-1/2" i.d.	40.99 ea
9150C	1-3/4" i.d.	42.99 ea
9151C	2" i.d.	46.99 ea
9152C	2-1/4" i.d.	40.99 ea
9153C	2-1/2" i.d.	52.99 ea
9154C	2-3/4" i.d.	55.99 ea
9155C2	3" i.d.	59.99 ea
9156C	3-1/4" i.d.	64.99 ea



13914



13918

Plastic Replacement Defroster Duct Hose

This is a plastic replacement flexible hose under the dash that is for the defroster, heater, and fresh air systems. These are for those who need the right hose for the job and do not need an original style hose. Hose is 72" in length, cut to desired length.

13910	2".....	19.99 ea
13911	2-1/4".....	22.99 ea
13912	2-1/2".....	18.99 ea
13913	2-3/4".....	19.99 ea
13914	3".....	19.99 ea
13918	4".....	39.99 ea



1957 Fresh Air Duct Seal Set

The connector between the front duct assembly and the rear duct and valve assembly.

TF600101 1957..... 11.99 ea




AP3155

1955-57 EZ-Slider Heater Cable Set

These heater cables with Polyethylene lining provide reduced resistance, maximum flexibility and instant response even during severe weather conditions. The outer shell can be removed to create an original appearance.

AP3155	1955	without AC.....	31.99 set
AP3156	1956	without AC.....	31.99 set
AP3157	1957	without AC.....	40.99 set



TF600109

1955-57 Heater Cable Retainer Clips

These clips are used to correctly connect the cables to your heater and vent assembly. Sets include screws.

Deluxe Heater Cable Retainer Clip Sets

TF600108	1955-56	5 piece.....	29.99 set
TF600109	1957	6 piece.....	36.99 set

Individual Heater Cable Retainer Clips

TF600110	1955-57	straight tab.....	7.99 ea
TF600111	1957	offset tab.....	6.99 ea



TF500212

1955-56 Vent and Defrost Control Cable Set

We know how hard it is to get old cables to function properly. Fear no more, we have the solution. A great looking and functional reproduction. Sold in pairs. Choose from smooth or ribbed knobs. Controls defrost and passenger side vents.

TF500212	1955	smooth knobs.....	62.99 set
TF500213	1956	ribbed knobs.....	62.99 set

1955-57 Deluxe Heater Lens Backing Plate

Reproduction deluxe heater indicator metal backing plate for 1955-57 Chevrolet passenger models. This metal backing plate goes behind the indicator plate on your deluxe heater controls.



TF600210

TF600210	1955-56.....	3.99 ea
TF600277	1957.....	4.99 ea



installed



1955-56 Heater Control Bezel

Reproduction of the heater control bezel for all 1955-56 models equipped with a factory heater. Manufactured with a bright chrome finish as original.

TF126112 1955-56 1 piece..... 99.99 ea



installed



1957 Heater Control Bezel

Reproduction of the heater control bezel for all 1957 models equipped with a factory heater. Manufactured with a bright chrome finish as original, this is a two piece bezel. Includes hardware.

TF126113 1957 2 piece..... 146.99 ea



CM1435 - installed



CM1057




CM1435

1955-57 Heater Face

Reproduction heater faces for 1955-57 models. Feature original white lettering with green edging and install as original.

CM1057	1955-56.....	26.99 ea
CM1435	1957.....	25.99 ea

Heater/AC Parts



CX1112 - installed



CX1112

1955-57 Heater Lever Control Knob Set

Reproduction heater control knobs for 1955-57 models. Includes a complete set of knobs to restore your heater control.

CX1112	1955-56	10.99 set
CM1434R	1957	19.99 set
CM1434	1957	made in USA..... 32.99 set



TF126117

1955-57 Dash AC Vents

Reproduction of the dash air vents for all 1955-57 models with factory air conditioning. Manufactured as original with a chrome finish, these vents fit at the sides of the dash on AC models. Sold in pairs.

TF126115	1955	AC	259.99 pr
TF126117	1957	AC	314.99 pr



TF600113

1955-56 Heater Control Levers

Reproduction heater control levers for 1955-56 models.

TF600112	1955	20.99 pr
TF600113	1956	21.99 pr



1955-56 Deluxe Heater Shaft and Spring Set

Reproduction deluxe heater shaft and spring set for 1955-56 Chevrolet passenger models. Includes: 1 pin, 1 spring, 1 retaining clip, and 2 washers. These parts are hard to find when you are restoring your heater controls.

TF600209	1955-56	deluxe heater.....	6.99 set
----------	---------	--------------------	----------



1955 Power Option AC Relay

This highly sought after and rare power options relay was offered in various GM vehicles to perform functions including AC on 1955 models with CAC.

1116895	1955	AC relay	95.99 ea
---------	------	----------	----------



1957 Air Duct Drain Tube

Reproduction inner fender drain tube for all 1957 models. This tube is bolted to the air duct and helps drain moisture that gets into the air duct system. Two required per vehicle.

TF401114	1957	LH or RH.....	15.99 ea
----------	------	---------------	----------



1957 Air Inlet Drain Tube Grommets

Without these grommets, the drain tube will become loose and rattle and may be lost.

TF300261	1957	1.99 pr
----------	------	---------



Evaporator Case Seals

Help avoid leaks with these evaporator case seals to protect the investment you've made in your AC system. Seals around the evaporator lines.

AP0250	5.99 set
--------	----------

AC Relocation Bracket



This steel air conditioning bracket relocates the air conditioning compressor to the left of the engine.

Designed to allow clearance for headers in specific pre-1979 small block Chevy applications.

7608	1955-79	34.99 ea
------	---------	----------

Vintage Style 2-Speed 6" Electric Fan

Stay cool when driving down the road in your classic ride with this vintage style 2-speed 12 Volt 6" electric fan, featuring metal chrome housing and blade. Includes mounting pad and screws (requires screwing into dash). 2 wire hook up.

CP500245	34.99 ea
----------	----------



R-12 to R-134a Retro-fit Set

This set provides the necessary components (except receiver/dryer) to convert your R-12 AC system to use R-134a refrigerant. Includes: an o-ring set, 12 oz. Ester oil, service port adaptors, service warning label. Receiver/dryer must be ordered separately.

AP7134A	29.99 set
---------	-----------



Liquid Bleed Valve Core

Genuine GM valve core for models equipped with factory air conditioning.

G9791	all with C.A.C.	8.99 ea
-------	-----------------	---------



Chrome Dress-Up AC Service Caps

Add more chrome to your engine compartment by replacing those missing or plain black R134A AC charge port service caps with these chrome dress-up caps.

AP0625	R134A	4.99 pr
--------	-------	---------



AC Hose Bubble Crimper

When you need to fabricate specially sized hoses, this easy to use bubble crimping set gets the job done at home with professional results. Includes: the crimper, crimping dies for #6 (3/8"), #8 (1/2"), #10 (5/8"), #12 (3/4") fittings and an easy storage plastic carrying case.

K2469	338.99 set
-------	------------

Air Conditioning

Keep Your Tri-Five COOL with Air Conditioning Sets from Classic!

If you own a 1955-57 Chevy, you can install a complete behind the dash air conditioning system, including a heater and defroster, while preserving an original appearance. Feel the comfort of cool air without sacrificing the original look of your dash! The all-new, Vintage Air Gen-IV, SureFit Tri-Five air conditioning, heating and defrost systems are a giant leap forward in performance aftermarket climate control systems. The Gen-IV systems feature all electronic controls requiring no cables, capillary tube or vacuum connections. They are truly "fly-by-wire" systems that use separate heating and cooling coils for superior performance. The internal air control doors are servo operated to provide infinite dash, floor, and defrost blending.



System Features:

- Fly-By-Wire Fully Electronic Servo Motor Controls No Cables or Capillary Tube to Route
- Infinite "Just Right Temperature" Air Blending
- Infinite Blower Fan Speed Adjustment (3-Speed Fan for '57)
- High Volume Dehumidified Defrost Mode
- Separate High Capacity Aluminum Plate and Fin Cooling Coils
- Copper/Brass Cuprobreze™ Parallel Flow Heater Coil
- Mounts Behind the Dash
- AC Exits Through Center and Side Vents
- Uses Your Factory System Controls with Vintage Air's Exclusive Electronic Cable Converters
- Flat Steel Firewall Cover Panel (Stamped OEM Style on '57)

1957 Gen IV Electronic Sure Fit System

Get cool air for your hot ride! This comprehensive set features fully electronic fly-by-wire controls, high capacity plate and fin cooling coil, brass parallel flow heater coil, and an evaporator assembly that mounts completely behind the stock dash. Comes with SuperFlow condenser, compressor, mounting brackets, dryer, safety switch, preformed aluminum lines, firewall cover plate and all mounting hardware... Everything you need to give your classic a modern AC and heating system. These Sure Fit sets are designed to install with minimal drilling and no fabrication required. Available as a complete set with center vent or a complete set with 4 vents (no molded center vent – allows use of 4 individual louver locations).

Note: Special order; must be prepaid. Shipped double oversize.

Set with Center Vent

961057 1957 2199.99 set


Set with Four Vents

961058 1957 2199.99 set

1955-57 Original Style AC Belt

Officially Licensed by GM, they feature indented imprinting of the correct GM emblem, part numbers, broadcast code (where applicable), belt size (where applicable), manufacturer's symbol and construction codes. These authentic looking reproductions are cloth wrapped. The finishing touch to any serious restoration and a great way to gain points over your car show competitors. You don't want something as simple as a worn or incorrect belt to keep you from winning your next trophy, and you certainly don't want to be left stranded on the way to your next show.

TF700157	1955	39.99 ea
TF700158	1956	39.99 ea
TF700159	1957	39.99 ea



Sanden Style AC Compressor

OER® Authorized Sanden style air conditioning compressors. New, not rebuilt. The SD508 and SD507 are the most popular aftermarket compressors on the market. These replacement type compressors are available in 4 quality finishes with a double V-groove or 6, 7, or 8 groove serpentine clutch pulley. Can be used with either R-12 or R-134a refrigerants.

Natural			Black		
SD508			SD508		
AC4510N	2 groove.....	189.99 ea	AC4510B	2 groove.....	189.99 ea
AC9560N	6 rib	159.99 ea	AC9560B	6 rib	179.99 ea
AC4514N	7 rib	189.99 ea	AC4514B	7 rib	189.99 ea
AC6698N	8 rib	189.99 ea	AC6698B	8 rib	199.99 ea
SD507			SD507		
AC5104N	2 groove.....	189.99 ea	AC5104B	2 groove.....	189.99 ea
Chrome			Polished		
SD508			SD508		
AC4510C	2 groove.....	199.99 ea	AC4510P	2 groove.....	199.99 ea
AC9560C	6 rib	199.99 ea	AC9560P	6 rib	199.99 ea
AC4514C	7 rib	199.99 ea	AC4514P	7 rib	199.99 ea
AC6698C	8 rib	199.99 ea	AC6698P	8 rib	199.99 ea
SD507			SD507		
AC5104C	2 groove.....	199.99 ea	AC5104P	2 groove.....	199.99 ea



Sanden AC Compressor Manifold

Custom AC compressor manifold for March Performance Pulley sets with 7176 compressors. It reroutes the compressor lines downward where they are less visible and less vulnerable to exhaust heat. Manifolds are available polished, chrome, or black.

MP4181	polished.....	169.99 ea
MP4182	chrome.....	149.99 ea
MP4183	black.....	132.99 ea