EL & EXHAUST

Fuel Tank Replacements

🕮 AUTHORIZED

These reproduction fuel tanks are manufactured to factory specifications from stamped steel and are available in a variety of finishes to suit your build. Basic zinc coated steel tanks are a great value, offering strong corrosion resistance at a reasonable price. Ni-terms steel tanks provide an OE quality appearance for discerning restorers. For show quality builds, stainless steel tanks offer superior corrosion resistance with a spectacular poolished finish.



7inc Coated Fuel Tanks ***

- · Quality Replacement Tank
- Standard Corrosion Resistance
- Manufactured to Factory Specifications



Ni-Terne Steel Fuel Tanks **

- OE Quality Reproduction Tank
- Exceptional Corrosion Resistance
 Manufactured to Factory Specifications

Stainless Steel Fuel Tanks ★★★★★

- Show Quality Replacement Tank
 Superior Corrosion Resistance
- Stainless Steel Polished Finish
 Manufactured to Factory Specifications





1955-57 Chevrolet Fuel Tanks

Correct reproduction fuel tanks for 1955-57 Chevrolet passenger cars 2 and 4 door hardtop, convertible, and sedan models. 16 gallon capacity. Manufactured to factory specifications.

	double oversize.	USY
	Zinc Coated Steel	
Round Corne		
	1955-56	
FT3002A	1957	120.99 ca
Square Corn	ers	
	1955-56	
	1957	140.99 ca
	Ni-Terne Steel	
Round Corne		
	1955-56	
FT3002B	1957	182.99 ca
Square Corn		
	1955-56	
FT3003B	1957	179.99 ca
	Stainless Steel	
Round Corne		
	1955-56	
FT3002C	1957	372.99 ea



372.99 ea

372 99 ca

Square Corners

FT3003C 1957

1955-56

1955-57 Wagon Fuel Tank

Correct reproduction fuel tanks for 1955-57 Chevrolet station wagon (except9 passenger), Nomad wagon and sedan delivery models. 17 gallon capacity. Nate: Stringed double oversize

Zinc Coated	Steel	087
FT3004A	1955-56	330.99 ea
FT3005A	1957	330.99 ea
Ni-Terne Ste	el	
FT3004B	1955-56	378.99 ea
FT3005B	1957	378.99 ea



Aluminum Fuel Tank

Featuring and In ew design, his baffled aluminum fuel tank is high capacity replacement for the factory fuel tank. This fuel tank mounts to the frame and not the trunk floor, allowing for a him and-tro point and also the trunk floor, allowing for a him and-tro point and sold replaced aluminum gas tanks if hetween the frame rails, are fully balled and have an internal fuel transp. They can run an internal or external fuel pump, there is an extra fuel port into the fuel traps of they work great either with carburetor or with fuel injection. Tank crorosbor, fuel fuel from a distribution of screw-on-style sender part #TF500021 sold separately (compatible with your factory fuel gauge).

Important: Will not work on wagon models. Some drilling to the frame is required. Some vehicles with a 1 piece filler tube may need to shorten the filler tube for the filler hose. Note: For aftermarket non-factory style fuel tank. Shipped double more; he

Fuel Tanks			6832			
ΓF500310	1955-57	25 gallon	529.99 ea			
ΓF500311	1955-57	29 gallon	529.99 ca			
Screw-On Sending Unit - 0-30 Ohm						
ΓF500021*	1955-57		44.99 ca			



1955-57 Stainless Steel Fuel Tank

Direct replacement stainless steel fuel tanks for 1955-57 models. Hand formed from 30 grade stainless steel and TIG welded construction. Features a unique battle system that controls fuel sloot. All tanks include stainless so tell mounting steeps and hards were and feature and the stainless of the stainless of the stainless of the stainless and the stainless of the afterwardet sending unit (sold separately). Fuel tanks for earbursted engines feature 38° NPT fuel supply. Fuel tanks for field injected engines include in-lank fuel pump already installed and feature 6-th NS supply Stainless of the stainless of the

Note: 22 gallon fuel tanks fit seamed and seamless frames, except narrowed frames. Shipped double oversize.

				-
Fue	el Tar	ıks for	Carbureted E	ngines
23" x 2	3" x 8	-1/4"		
TF7002	200	1955-57	16 gallon	789.99 ea
23" x 2	8" x 8	-1/4"		
TF7002	204	1955-57	22 gallon	1029.99 ea
Fue	l Tan	ks for l	Fuel Injected	Engines
23" x 2	3" x 8	-1/4"		
TF7002	202	1955-57	16 gallon	1479.99 ea

23" x 28" x 8-1/4" TF700206 1955-57

22 gallon...... 1479.99 ea



ET2101B

Fuel Tank Replacements



Features/Renefits:

- Tanks are coated galvanized steel then powder coated silver for total corrosion protection
- 255 lph fuel pump with hanger assembly gives you the fuel you need with in-tank quietness. Each knotes 18 gallons of fuel.
 Sender has NPT Supply and Return line ports for each fuel line connection and a harbed went fitting
- NPT Supply and Return line ports for easy fuel line connection and a barbed vent fitting

- Fuel level sender included with the correct Ohm range for your factory gauges
- Fuel pump and sender are recessed in the tank to provide an easy installation with no modification to your car
- EFI style tank baffling includes a large 4.3 liter internal fuel tray to prevent fuel numn starvation
- Fits and looks like an OE tank when installed Complete bolt in solution for your EFI conversion
- Complete EFI fuel tank solution in one box!

EFI Conversion Fuel Tanks with Fuel Pump

Holley and Sniper are here to help you to complete your EH swap with new EH conversion fuel tanks. Earth ank is a direct fit of your application on modifications necessary. The kit includes the tank, a 255 lph fuel pump, internal baffling, a correct form range firel level sender, and the filler neck. The tank is provide could for your EH project!

Now Expert doubt or write.

A9719109 A9719110	1955-56 1957	coupe, sedan, not wagon
4000	(A)	
	la .	
	GM	128AFI GM28BFI
	- 20	
	TORK.	4

GM28CF1 GM28DF1 1955-57 Sixteen Gallon Tanks for EFI Systems

If you have modified your classic to include a fuel injected power plant under the hood, replace your fuel tank with an OE style tank with the fuel pump and sending unit already installed. All tanks have 0-35 Ohms sending unit and in-tank stock capacity fuel pump 85-115 psi/50-60 gph. Includes: strainer, lock ring and o-ring. Tanks and sending unit both permanents.

Note: Fuel injec	tion fuel tanks v	will not fit wagon models. Shipped double oversi.	ce. 4 199
GM28AFI GM28BFI	1955-56 1955-56	round corners	
GM28BFI GM28CFI	1955-56		561.99 ea 561.99 ea
GM28DEI	1957	roung corners	561.99 ca



1132

1955-57 Fuel Tank Mounting Strans

Reproduction fuel tank mounting straps for 1955-57 models produced using heavyduty preformed steel for an original appearance or long-lasting stainless steel for corrosion resistance.

OF Material

FT3100A FT3101A	1955-57 1955-57	wagon	19.99	
Stainless S				
FT3100B	1955-57	coupe/sedan	39.99	п
FT3101B	1955-57	wagon	36.99	'n



1955-57 Fuel Tank Anti-Squeak Set


These gas tank strap gaskets absorb vibrations between the tank and the mounting straps to prevent unwanted noise. When servicing the fuel tank, replacing the antisqueak gaskets is recommended.

UK015 1955-57. 15.99 set



Correct reproduction fuel tank mounting brace for 1955-57 models. Attaches to the bottom of the trunk floor and supports the fuel tank. Mounting straps attach to this brace.

198.99 ca
198.99 ca



1955-57 Fuel Tank Strap Hardware Set



1955-57 Fuel Tank Locator Bracket Set

This set helps keep your fuel tank securely in place. Manufactured in heavy gauge metal. These brackets reduce rattle and adds strength to the fuel tank area. Each set includes 4 brackets. TF700008 1955-57...... 52.99 set



1955-57 Fuel Tank Strap Anchor Bracket Set

Fuel tank strap anchor bracket set for 1955-57 models. These brackets secure the mounting straps to the mounting brace. Set includes two brackets and mounting hardware. TF700013. 1955-57. 45.99 set













FYHA!

Fuel Tank Accessories



1955-57 Fuel Tank Filler Neck

Reproduction fuel tank filler necks for 1955-57 models. Manufactured in your choice of stainless steel or zinc original cad-plated steel with the correct bends. Fits all sedan, hardtop and convertible models.

Zinc-Plated	(Does Not In	nclude Neck to Tank O-Ring)
TF700635	1955	47.99 ea
TF700636	1956	64.99 ea
TF700299	1957	upper 64.99 ea
TF700637	1957	lower 45.99 ea
TF700023	1955-57	o-ring 2.99 ea
Stainless St	eel (Include	s Neck to Tank O-Ring)
TF700291	1955	55.99 ea
TF700292	1956	60.99 ea
TF700293	1957	lower 59.99 ea

ridetech =





Universal Billet Fuel Filler Assembly 🔥

Manufactured from machined aluminum, these billet fuel fillers offer OEM quality sealing. Assembliet include: billet fillerneck, custom billet locking cap with two keys, and fisateners. An optional vent kit is also available for applications where venting is required. 1000034 clear anodized 20,99 e as 1000036 black anodized 219,99 e as 1000038 vent kit. 9,99 ea



1956-57 Fuel Tank Filler Support This support mounts to the underbody/inner

quarter panel to support the filler neck assembly. Black powder coated finish to resist rust. Mounting hardware included.

TF700047 1956-57 black 16.99 ca



1957 Fuel Tank Filler Check Valve Set

The check valve stops fuel from spilling out after gas station fill ups, hard acceleration and comering. This set prevents gas spills. Includes: valve, fuel filler hose, and clamps.

TF700223 1957 all...... 46.99 set



1956 Fuel Neck to Body Grommet 🔥





TF700036

1957 Fuel Tank Filler Hose Set

Complete your installation the right way with this fuel tank hose set. Designed to factory specifications, this hose set helps ensure a leak free fit and authentic appearance. Fuel Tank Filler Hose Set



1957 Fuel Door Inner Support



1955 Fuel Filler Door Bracket



1955-57 Fuel Filler Door Bumper Set

Fuel filler door bumper sets for 1955 and 1957 models. These bumpers isolate the door and prevent it from rattling or striking the door supports.

TEATONOS 1955 6.99 set

TF400505 1955 6.99 set TF300238 1957 6.99 set



1957 Fuel Door Screw Set

models.



1957 Fuel Filler Door Spring Set 🛂

These reproduction springs install behind the fuel tank door on all 1957 models. Worn or missing springs should be replaced to ensure proper fuel door operation.

TF700043 1957 6.99 set



Fuel Caps



1955-57 Replacement Non-Locking Fuel Cap

Replace your original broken or missing gas cap with this service replacement fuel cap from Motorad. This cap is manufactured to correct specifications for use on vehicles without emissions control. May differ from the original in appearance, but will fit and function correctly. For use on vehicle without evaporative emission system.

ST10806 1955-57



1955-57 Replacement Locking Fuel Cap

Replacement locking fuel cap for 1955-57 models. TF700275 1955-57. 42 99 ca





TF700746

1955-57 Original Style Fuel Cap	Λ
Reproduction fuel caps for 1955-57 passenger models. Reproduced to original specifications for b	car

vented and non-vented applications. 6 99 ea TE700046 1055 57 non-vented..... 20.99 ca TF700746 1055-57 vented





Gas Cap with Polished Finned Ton 🔥

Gas caps are usually just a way to cover the fuel filler hole. Why not make a statement with this gas cap and polished custom finned top. The U.S. made casting is of A-356 aluminum alloy and polished to a show quality finish. Each gas cap and top is shipped as two parts so that you can align the fins properly during installation. Features a non-vented gas cap and fits 1955-57 GM models. Polished top is cast in the USA.

Note: We recommend the use of metal to metal adhesive for A9706305 1955-57 polished 64 99 ca





Gold Standard Fuel Tank Sealer Set 🔥

Our 3 step fuel tank sealer set contains almost everything you might need to seal a tank of up to 25 gallons. The Gold Standard Tank Sealer is specifically formulated to stop rust and corrosion by forming a tough, fuel impervious coating while simultaneously sealing small pinholes and weld seams. The prep products are formulated to extend storage times by leaving a zinc phosphate film that prevents rust until you have a chance to seal the tank with the sealer. Complete set and individual items available.

3 Step Fuel Tank Sealer Set Buy our fuel tank sealer set and save! Each fuel tank

sealer set includes: 2 quarts of Klean (a water based, heavy-duty, cleaner/degreaser), 1 quart RustBlast (a powerful rust remover/metal etch), 1 quart Gold Standard Tank Sealer, gloves, instructions, and a stir stick KB53000 prep/sealer set.....

KBS Klean	Refill Components Degreaser	
KB2400	one quart	12.99
KB2500	one gallon	22.99
	Blast Rust Remover	
KB3400	one quart	16.99
KB3500	one gallon	30.99
KBS Fuel	Tank Sealer	
KB5400	one quart	42.99
KB5500	one gallon	114.99



Inline Fuel Pressure Gauge

Set and monitor fuel pressure with these easy to use gauges! Simply splice into the existing carburetor line to with the anodized aluminum fuel block and 3/8" nipples. Each gauge measures 1-1/2" in diameter with a 0-15 psi range in 1/2 lb increments. Gauges are available in standard form or liquid filled for better

71560 71564	standard gaugeliquid filled gauge	48.99 51.99	

Driven Carh Defender Driven Carb Defender Fuel Additive

has been formulated to protect against harmful ethanol deposits and corrosion in fuel and the induction system. Special inhibitors resist expensive damage and reduced performance from moisture accumulation from modern ethanol blended gasoline. This additive controls combustion chamber residue, cleaning and protecting fuel system and intake tract surfaces to keep carburetors functioning properly. Carb Defender is ideal for everyday drivers or classics that spend time in storage between cruises and special events. One bottle treats up to 25 gallons of ethanol blended fuel.

IG1340 4 5 oz. bottle. 9.99 ea IG1341 case of 6 - 4.5 oz. bottles 53.99 cs

Fuel System Cleaner Max-Clean targets and cleans deposit

buildup in the intake system and combustion chamber and is effective on the entire spectrum of engines on the road. Deposit buildup is a natural consequence of fuel combustion, but can have significant effects on the performance and reliability of your engine. Royal Purple's Max-Clean can restore internal engine surfaces, recovering lost fuel economy and performance.

RP11722 20 oz. can 15.99 ea RP11723 case of 6 - 20 oz. cans 86,99 cs

Defender+Booster Fuel Additive

Raises the octane in unleaded fuels, reduces valve seat wear and protects against the corrosion deposits ommon with today's gasoline. Like Driven Carb Defender and Injector Defender Fuel Additives, this product features corrosion inhibitors that control combustion chamber residue, as well as clean and preserve surfaces of the fuel system. By cleaning and controlling combustion chamber and intake valve deposits, Defender + Booster Fuel Additive protects against detonation and improves fuel economy. The additive is ideal for all carbureted and fuel injection vehicles, including motorcycles

and marine engines. Each 10 ounce bottle treats up to 25 gallons of gasoline, and regular use has been proven to lower emissions. 9.99 ca JG1342 10 oz. bottle.... IG1344 case of 6 - 10 oz 53 99 cs

.I-R Weld Gas Tank

and Radiator Repair






EXHAUST











IL & EXHAUS

Sending Units/Fuel Injection



1955-57 Repro Fuel Tank Sending Unit

Premium quality reproduction fuel tank sending units for 1955-57 models. Each units manufactured toft and function exactly as original and comes equipped with a brass float, scal and a premium grade filter. Applications are available for sedan, hardtop, convertible, wagon, and Nomad.

5/16° Sending Units

1955-57 49.99 ea

Wagon and TF700019 TF700017	Nomads 1955-57 1955-57	exc. 9 passenger 9 passenger	
	3/8" Se	ending Units	
		lardtop, and Conve	rtible
1518784	1955-57		59.99 ca
1518784	1956-57	w/dual 4 bbl carb	59.99 ca
1518784	1956-57	w/fuel injection	59.99 ea
Wagon and	Nomad		
TE700019	1055 57	ave O passangar	50 00 an

2 and 4 Door Sedan, Hardtop, and Convertible

1518776

TF70020 1956-57 w/dual 4 bbl carb 45.99 ea TF70020 1956-57 w/fuel injection... 45.99 ea



Universal Fuel Tank Sending Units Universal style fuel tank sending units for steel or

aluminum gas tanks. These senders feature the standard 5 bolt used by CM and most aftermarket manufacturers. Float, screen, and seal included. They will work on all 6-24 bolt system with positive or negative grounds. Easily adjustable to fit tanks from 6 to 24 'deep. CX5041 0-30 Ohm 34.99 ea



Fuel Tank Sending Unit Filter

Correct reproduction or original GM fuel tank float strainer. This will keep dirt and other elements from clogging or entering the fuel system. Attaches directly to the fuel tank sending unit. K404 5/16* propoluction 11.99 ea

K405	3/8" rep	roduction		. 11.99 ea
0	0	0	0	0

1955-57 Sending Unit Mounting Screw Set

Screws are available in replacement style Phillips head with lock washers or original style clutch head with copper washers. B1433 1955-57 with lock washers...... 2.99 set

OO !!

1955-57 Fuel Sender Installation Set

Reproduction fuel tank sending unit installation set for all 1955-57 models. This set includes: the sending unit flat washer, sending unit o-ring, screw set, fuel neck

to tank o-ring, and a drain plug. FT5033 1955-57.......14.99



1955-57 Sending Unit Sealing Components

AUTHORIZED

Fuel Tank Sending Unit Float



1957 Fuel Injection "Doghouse" Base Gasket

Reproduction of the original doghouse base gasket for 1957 Chevrolet models with mechanical fuel injection. TF700432 1957 44 99 ea



1957 Fuel Injection Return Spring A. Reproduction fuel injection return spring for 1957 Chevrolet models.

1957 Fuel Injection Fuel Shut-off Solenoid Reproduction fuel cut-off solenoid for 1957 Chevy


models with mechanical fuel injection. Replaces frequently worn or broken component to provide trouble-free operation of your classic Chevrolet. TF700434 1957....



..... 99.99 ea







Fuel Pumps



Replacement Mechanical Fuel Pump 🔥

Correct replacement mechanical fuel pumps for 8 cylinder vehicles. May differ cosmetically from original. TF700049 1955-57 8 cvl. w/o dual 4 bbl 88.99 ea



Chrome Fuel Pump

Holley triple chrome-plated fuel pump. Each high volume mechanical fuel pump flows 60 gallons per hour at 7-1/2 psi. Features include an adjustable lower housing allowing 360 degree rotation of fuel inletoutlet fittings for custom installations. Applications to fit small block and big block engines. 3/8" NPT inlet and outlet

12834 small block.. 103 99 ca 103 99 ca big block..



Performer RPM 110 GPH Fuel Pump 🔥

Designed for all Edelbrock carburetors used in Performer or Performer RPM applications. These highperformance street fuel pumps feature a high-quality three stage polished finish. The unique valve design improves flow quantity and quality, and will support engines up to 600 HP. High volume, 3/8" NPT inlet and outlet surpasses the capacity of conventional models. Produces 6 psi and does not require a regulator. For gasoline only. Clockable lower housing can be rotated for best inlet/outlet alignment.

E1721	small block	140.99	c
E1722	big block	149.99	c

1955-57 Fuel Pump Pushrod Correct fuel pump pushrod for use with all V8 engines.

For use with small block or big block. 1955-57 3704817



In-Tank Fuel Pump Retrofit Set

Holley 450 lph universal in-tank return less retrofit fuel module. Use this module to convert to an in-tank EFI fuel system with no welding or fabrication. Installs in any fuel tank from 7" to 12" deep. Includes a low profile die-cast pump hanger bracket to control pump vibration low profile and an integrated fuel pump capable of supporting up to 875 EFI or 1100 carb HP. This is the easiest way to convert your vehicle to an in-tank EFI fuel system, ideal for Terminator EFI, Sniper EFI, MSD Atomic EFI or any TBI of EFI conversion. Module Set with Return

	255 lph		
H12136L	450 lph	596.99	se
Module Set	without Return		
H12158	255 lph	537.99	se
H12158L	450 lph	654.99	se

1955-57 Fuel Pump Mounting Plate

G6990

This plate is used to cover the large access area for the fuel pump pushrod, and provides a mounting surface for the fuel pump on 1955-57 V8 small block engines, or 348 and 409 engines. Features: 1 pump arm opening and 4 mounting holes.



1955-57. Fuel Pump Mounting Gasket The genuine gasket mounts between the fuel pump and

the engine block providing an air and water tight seal for the fuel pump. For use with small block or big block models. G6993 all with mechanical pump ...



Bow Tie Fuel Pump Block Off Plate 🔥

The Bow Tie never goes out of style and neither do these official Chevrolet chrome block off plates. Covers the hole on engine where fuel pump normally goes when using an electric fuel pump. Available for big blocks and small blocks. Includes a non-asbestos gasket. D141210 D141211 big block. 15 99 ca



Small Block Fuel Pump Bolt Set

Dress-up your Chevrolet passenger car with these one of a kind dress-up bolt sets. The Chevrolet Bow Tie, SS or flames logo is stamped directly onto the head of the bolts. They are available in decorative chromeplated or polished stainless steel versions. What better way to make a statement than with these unique bolts. Note: Must specify logo prefix: C=Flames, D=Bow Tie, G=350

56460C 56460S	chromestainless steel	9.99 s 4.99 s	
		76	2



Fuel Pump Bolt Sel Make sure that your mechanical fuel pump stays properly attached by using ARP's durable black oxide

finished chromoly or rustproof stainless bolts (both materials are rated at 170,000 psi and considerably stronger than Grade 8 hardware). Your choice of either conventional Hex heads or 12 point head. Washers are included.

AR43161	stainless	12 point	10.99	set
AR43162	stainless	Hex head	9.99	set
AR13161	black oxide	12 point	8.99	
AR15102	black oxide	Hex nead	8.99	

Fuel Pump Mounting Bolts

Includes correct small head 3/8" bolts with lock washers. Available for all small block or big block models. 1256637 small block 6.99 pr 1256638 big block... 5.99 pr



Fuel Pump Bolt Set

If you want to really dress-up your engine, then take a look at these polished stainless steel or chrome fuel pump bolts. These are the original style Hex head bolts for use with all small block or big block fuel

ne fuel pui	np.	пацоп	0
K116A	chrome	9.99	
K116B	nolished stainless	17 99	se













uel Filters and Hoses







1955-57 Fuel Filter

Reproduction fuel filter for 1955-57 models. Replicates the original glass bowl in-line fuel filter assembly. Replacement filter elements and reproduction glass bowls are also available. Glass bowls feature original style AC markings.

	Filter A	Assemblies		
GF48	1955-57	5/16"		
TF700510	1956-57	3/8", Hi-Po	32.99	ca
	Replace	ment Parts		
Filter Eleme GF48A	ent with Ga	sket	7.99	ca
Glass Bowl TF700600	with Gasket		20.99	ca



Clear Chrome Fuel Filter

Visually inspect the condition of the element. Features chrome-plating for a custom appearance. Not for use with fuel injection systems.





Bronze Element Chrome Fuel Filter

Includes 3/8" diameter straight thru inlet and outlet. Free flowing replaceable bronze element. High-quality triple chrome-plating. Includes filter with clamps. Not for use with fuel injection systems. T9407



Straight Chrome Fuel Filter

Disposabl element. I	e in-line filter with chrome housing a	nd paper
it from ha	rmful contaminates. Not for use v	with fuel
injection s	ystems.	
T9177	3/8" inlet and outlet	4.99 ca
T9212	5/16" inlet and outlet	4 99 ca



Plastic Fuel Filter Assembly

Replacement fuel filter set for various models. This set includes: filter, 2 pieces of rubber hose, and 4 clamps. Used to mount an inline filter in factory hard fuel lines. 9155B 6.99 set



Billet Specialties Fuel Filters and Mounts

Billet Specialties aluminum in-line fuel filters for carbureted applications. This compact 4-1/2" x 1-3/8" design is available with smooth and ribbed housing and with a 3/8" barb or -6AN fittings.

B42320		38.99	
B42420		38.99	
B42520	mounting bracket	20.99	ca



Vintage Style Fuel Filter

Vintage style fuel filters for your car or truck. Includes a washable stainless mesh filter. Compact in size, the bowl is 2.4" in diameter, height and width are 4-1/4", and projection from surface is 3". Available in right to left (as facing), or left to right fuel flow. Inlet and outlet ports utilize ORB/AN-6 fittings to reduce the bulk of hose connections. Available in polished and satin finishes. Hardware not included. Made in USA. Right to Left Fuel Flow

A5700220	finned polish	198.99 ca
A5700222	finned satin	178.99 ca
A5700224	grooved polish	198.99 ca
A5700226	grooved satin	178.99 ca
A5700228	smooth polished	188.99 ca
A5700230	smooth satin	168.99 ca
Left to Right I	Fuel Flow	
A5700221	finned polish	198.99 ca
A5700223	finned satin	178.99 ca
A5700225	grooved polish	198.99 ca
A5700227	grooved satin	178.99 ca
A5700229	smooth polished	188.99 ca
A5700231	smooth satin	168.99 ca

Fuel Line to Fuel Pump Hose Set

Correct replacement fuel hose for all models equipped with 4 barrel carburetors. Includes correct 3/8" hose with 2 mounting clamps. K0061 3/8"



1955-57 Fuel Pump Flex Hose

Reproduction fuel pump flex hose for 1955-57 models TF700051 5/16" 10.99 ea 1955-57 TF700051 1956-57 3/8". Hi-Po.... 10.99 ca



Fuel Hose Set

This set is designed to replace the fuel hoses on single

I piece gas lines. Includes: correct 12* forward fuel line hose (near fuel pump) and 5-1/4* rear fuel line hose (near fuel tank) with 4 clamps. 3/8" hose... 8.99 set





Fuel & Vacuum Wire Ring Hose Clamps

Correct style pinch clamp used on various GM vehicles Most commonly used on 1955-57 vehicles on fuel and vacuum hoses 5/16" AU5356 1955-57 1.49 ca









Fuel & Vacuum Pinch Hose Clamps 🔥

Most comm	only used	on fuel and vacuum h	oses.
K0052 TF700041	1/4" 5/16"	redvellow	
K0050 K0051	3/8" 3/8"	olive greenblack	1.19 ea

Fuel Hose End New! -Billet aluminum hose clamp ends



Full Lenath Fuel L



1955-57 Front to Rear Line

Correct reproduction fuel lines which extend from the fuel pump to the fuel tank. You can choose between OEM material lines which were factory original or stainless steel reproduction fuel lines which add a custom look. Replacing your fuel lines can improve your fuel system while retaining originality.

	oversize.		081
	OEM	Material	
6 Cylinder -	5/16" Fee	d Line	
BGL5501	1955-57		64.99 ea
V8 - 5/16" F	Good I ine		
BGL5502	1955-57	2 bbl. exc. conv	64 99 ca
	1955-57	2 bbl, conv only	
BGL5504	1955-57	4 bbl, power pk	64.99 ca
V8 - 3/8" Fe	ad Lina	· · · · · · · · · · · · · · · · · · ·	
BGL5505	1955-57	dual 4 bbl/fuel inject	64.99 ea
Nomad	1,555 51	dum + bourtact inject	04.55 04
Nomaa BGL5506	1955-57		64.99 ea
			64.99 ea
4 Door Wage	n – 5/16"	Feed Line	
BGL5704	1957		64.99 ea
		less Steel	
6 Cylinder -		d Line	
BGL5501S	1955-57		97 99 ca
V8 - 5/16" F			
BGL5502S	1955-57		
BGL5502S BGL5503S	1955-57 1955-57	2 bbl, conv only	97.99 ea
BGL5502S BGL5503S BGL5504S	1955-57 1955-57 1955-57		
BGL5502S BGL5503S BGL5504S V8 - 3/8" Fe	1955-57 1955-57 1955-57 red Line	2 bbl, conv only 4 bbl, power pk	97.99 ea 97.99 ea
BGL5502S BGL5503S BGL5504S V8 - 3/8" Fe BGL5505S	1955-57 1955-57 1955-57 red Line	2 bbl, conv only	97.99 ea
BGL5502S BGL5503S BGL5504S V8 - 3/8" Fe BGL5505S Nomad	1955-57 1955-57 1955-57 red Line 1955-57	2 bbl, conv only 4 bbl, power pk	97.99 ea 97.99 ea 97.99 ea
BGL5502S BGL5503S BGL5504S V8 - 3/8" Fe BGL5505S Nomad BGL5506S	1955-57 1955-57 1955-57 red Line 1955-57	2 bbl, conv only. 4 bbl, power pk dual 4 bbl/fuel inject	97.99 ea 97.99 ea
BGL5502S BGL5503S BGL5504S V8 - 3/8" Fe BGL5505S Nomad BGL5506S 4 Door Wage	1955-57 1955-57 1955-57 red Line 1955-57 1955-57 on - 5/16"	2 bbl, conv only. 4 bbl, power pk dual 4 bbl/fuel inject	97.99 ea 97.99 ea 97.99 ea 97.99 ea
BGL5502S BGL5503S BGL5504S V8 – 3/8" Fe BGL5505S Nomad BGL5506S	1955-57 1955-57 1955-57 red Line 1955-57	2 bbl, conv only. 4 bbl, power pk dual 4 bbl/fuel inject	97.99 ea 97.99 ea 97.99 ea

1955-57 Fuel Pump to Carburetor Line

RPC5601

These lines are the correct size line with original bends making installation easier. You can choose from the original style material or our upgraded stainless steel material. I piece unless noted. Note: *2 piece sets. Shipped oversize. ∠ 0\$1 OFW Water 's

	OEM Material		
1955 BPC5502 BPC5503*	V8 2 barrel and 4 barrel 235, 2 lines 5/16" & 3/16"		
1955-57 BPC5501	6 cylinder	19.99 c	a
1956 BPC5602*	V8 dual 4 barrel	44.99 s	et
1956-57 BPC5601	V8 2 barrel and 4 barrel	19.99 c	a
1957 GLK014 BPC5701 BPC5702	4 barrel, with factory AC V8 dual 4 barrel fuel injection set	14.99 c 44.99 c 26.99 c	a
	Stainless Steel		
1955 BPC5502S BPC5503S*	V8 2 barrel and 4 barrel 235, 2 lines 5/16" & 3/16"		
1955-57 BPC5501S	6 cylinder	26.99 c	a
1956 BPC5602S*	V8 dual 4 barrel	71.99 s	et
1956-57 BPC5601S	V8 2 barrel and 4 barrel	26.99 c	a
1957 GLK014S BPC5701S BPC5702S	4 barrel, with factory AC V8 dual 4 barrel fuel injection set	71.99	a



1957 Fuel Injection Signal Tubes & Vent Tube

Chevrolet passenger car fuel injection enrichment diaphragm signal tube and air meter signal tube. This mechanical fuel injection option directed air across a "spoon shaped" plunger that moved in proportion to air volume. The plunger connected to the fuel metering system which dispensed fuel to the cylinders via distribution tubes

Enrichment .	Diaphra	gm Signal Tube		
TF700548	1957	4800 FI unit		
TF700551	1957	4520 FI unit	10.99	ca
		e for 4800 and 4520		
TF700550	1957	front		
TF700549	1957	геаг	15.99	ca
Vent Tube fo		owl for 4800 and 45.		
TF700552	1957	-	4.49	ea
				_



Pumn to Carburetor Fuel Line

These high-quality fuel line kits offer a clean and precise fuel supply line for mechanical fuel pumps with 3/8" NPT outlet to Edelbrock single feed or dual feed fuel inlet kits. These hose kits are pre-assembled hose with hose ends and are available with stainless steel braided hose or black nylon fabric ProClassic hose. Stainless Steel Braided Hose

E8123 E8124	small blockbig block	
ProClassic		
E81243	big block	



Fuel Lines for Edelbrock Carburetor 🚣

These fuel line and filter sets fit Thunder Series or Performer Series Carburetors. Features chromed hard steel line and Russell fuel filter. The dual feed lines include a stainless steel braided flex line for high-quality looks and performance.

Single .	reea Lines for Square Bore Carb	
E8134	with blue anodized fuel filter	38.99
E8131	with polished fuel filter	
E8126	w/3/8" barbed hose end, no filter	28.99
Dual F	eed Lines for Thunder Series AVS	
E8133	with blue anodized fuel filter	
E8128	with polished fuel filter	
E8132	w/3/8" barbed hose end, no filter	104.99
Replace	ment Fuel Filter	

E8130 blue anodized fuel filter only

E8129 polished fuel filter only.



Fuel and Brake Line Spiral Shielding 🔥

Protect your lines with this armor type shielding. Make your investment in new brake and fuel lines last. Comes

BSA13	3/16"	21.99 ca
BSA14	1/4"	
BSA16	5/16"	
BSA18	3/8"	21.99 ca





Low Profile Fuel Line Disconnect Set

Easily disconnect fuel injection quick connect fuel lines in hard to reach locations. 3/8" adapters work on GM fuel lines. 5/16" adapters work on Ford and Chrysler applications. 34750



Aluminum Line Clamp

Clean up your engine bay with these aluminum line clamps. Machined from 6061 aluminum and feature removeable Delrin inserts with a 3/16" pilot hole that

Made III OSA			
5/8" Tall Line	Clamp		
AE81201	1 hole	14.99 ea	
AE81202	2 hole	19.99 ea	
AE81203	3 hole		
AE81204	4 hole	29.99 ea	a
1" Tall Line (
AE160301	1 hole		
AE160302	2 hole		
AE160303	3 hole		
AE160304	4 hole	34.99 ea	à
		G de	ř

can be drilled to accommodate a larger diameter line.



Reproduction fuel line clips used to mount the fuel

10EE E7 Dooks /Eust Line Pline				
K0094	3/8" fuel & 1/4" vapor - 7 clips	17.99 set		
K0093	small block 3/8" line - 6 clips	17.99 set		
K0093	big block 3/8" line - 6 clips	17 00 cat		
lines to t	he frame.			

1955-57 Brake/Fuel Line Clips 🔼

ea

ca

ea

29.99 ea

32.99 ca

Reproduction the brake and			00073
TF500073	1955-57	inside - 6 piece	30.99 set
TF500074	1955-57	outside - 7 piece	34 99 set

1955-57 Chevrolet Fuel Line Clip Set Reproduction Chevrolet

passenger car fuel line clip to secure the fuel line to the chassis. These clips are correct for 2 or 4 barrel carburetors or for fuel injection. Includes 1 clip and 1 bolt TF700553 1955-57















Electric Fuel Pumps



Electric Fuel Pump

We offer externally mounted Holley electric fuel pumps. They all feature the proven rotor and vane design and are available in ratings from 97 gph to 140 gph. The 97 gph "red" pump is set at 7 psi and does not require a regulator. The 110 gph "blue" pump is set at 14 psi and includes a regulator. The 140 gph "black" pump is also set at 14 psi and can be used for gas or alcohol fuel.

Red Pump H128011
Blue Pump H128021
Black Pump H128151
Regulator H12803

97 gph	144.99	ca
110 gph	180.99	ca
140 gph	228.99	ca
4-1/2 to 9 psi	37.99	ca



Electric Fuel Pump

These externally mounted electric fuel pumps are ideal for most street and strip applications. Proven rotary vein technology provides high flow and stable pressures with minimal vibration and sound. Each pump features 3/8" NPT inlets and outlets along with an externally accessible pressure relief valve. Note: Not for fuel injected engines. Pumps that produce more than 7 psi should be used with a pressure regulator.

	Chrome Housing	
100 gph 62531C	7 psi	119.99 c
120 gph 62541C	14 psi	119.99 c
140 gph 62561C	9 psi	119.99 c
	Cadmium Housing	
100 gph 62531	7 psi	69.99 c
120 gph 62541	14 psi	119.99 c
140 gph 62561	9 psi	69.99 c



Ouiet-Flo Electric Fuel Pump

State-of-the-art electric fuel pumps offer maximum performance in a compact package for carbureted applications. Anodized aluminum housing and highquality internals make it both strong and extremely durable. The E1791 electric fuel pump is factory set to 6.5 psi does not require a regulator. 3/8" inlet/ outlet, 120 gph free flow, up to 600 HP. The E1792 electric fuel pump is preset to 12 psi and requires an external regulator. 1/2" inlet-outlet, 160 gph free flow, up to 1000 HP

Important: For proper installation an requirements, use fuel pump relay E1795. E1791 6.5 psi 233 99 ca E1792 12 psi 236 99 69



Ouiet-Flo Electric Fuel Pump

This anodized aluminum EFI fuel pump offers maximum performance in a compact package. The in-line design keeps the pump motor and components cool even under harsh conditions. Features -10AN inlet/outlet with a flow rate of up to 80 gph at 45 psi for high HP fuel injected applications. This fuel pump supports 835 HP at 12 Volts with a current draw of 12 amps at 45 psi, 10AN inlet/outlet 80 gph at 45 psi, Important: Dimensions: 6-7/8" x 3-1/4".



In-Line Electric Fuel Pump

This in-line electric fuel pump is continuous duty rated and is ideal for EFI applications that require additional pumping capabilities for upgraded modifications. Works superbly as either an in-line booster pump or as a stand alone unit. Use with EFI regulator part #E1728 for adjustability from 35 to 90 psi, 57 gph. 3/8" hose barb fittings. Includes mounting bracket and 3/8" hose barb fittings.

Features:

- Solid-state worry free electronics
- Internal pressure regulating
- Universal design allows for easy installation
- No diaphragms or mechanical parts to wear out Hose barbs fit 5/16" fuel hose

Micro Electric Fuel Pump This compact electric fuel pump features a solid state

design that has a low current draw of around one amp and makes a good stand alone pump or booster pump. Designed for carbureted vehicles with a 12 Volt negative ground electrical system, this pump supports 4-7 psi at up to 35 gph. Includes: fittings, mounting hardware,

Note: Not for diesel applications. ... 48.99 ca



Perfect Flow Fuel Delivery System

The Perfect Flow fuel delivery system is a fuel pump system designed to support up to 1000 horsepower in naturally aspirated engines. It can also be configured as a main and secondary pump to support up to 500 horse power in situations where a redundant fuel delivery system is needed, such as off-road or racing. Set includes: 2 sealed and fused 40 amp relays, terminals, and mounting hardware.

Important: Due to the many possible plumbing options no fittings are included with this set. 65100

649 99 set

FUEL &

Electric Fuel Components

Edelbrook

Fuel Pressure Regulator

This fuel pressure regulator is machined from aircraft quality aluminum with fluorosilicone diaphragm material for high temperature protection and extended life. This fuel pressure regulator has a single 3/8" NPT inlet and dual 3/8" NPT outlets for carbureted applications and is adjustable from 5 psi to 10 psi, providing extremely consistent pressure regulation. Compatible with all grades of gasoline and methanol. and has a 1/8" NPT gauge port. Includes mounting brackets and hardware. 160 gph.

150.99 ca



Fuel Pressure Regulator

For those who want the best! These fuel pressure regulators are machined from aircraft quality aluminum and have fluorosilicone diaphragm material for high temperature protection and extended life. The E1728 features dual -6AN inlet ports, a single -6AN outlet and a -6AN external bypass. The E1729 has a longer body and dual -10AN inlet ports, a single -10AN outlet and a -6AN external bypass. Compatible with all grades of gasoline and methanol fuels. Adjustable from 35 psi to 90 psi and has 1/8" NPT gauge ports. 180 gph. 165.99 ea E1728 F1729 170.99 ea



EFI Fuel Pressure Regulators Holley 3/8" die-cast aluminum EFI bypass fuel pressure

regulators. These regulators are fully adjustable between 15-60 psi. They feature an EFI return port, an 1/8" gauge port and an 1/8" 1:1 boost reference port perfect for fuel injection conversions with or with power adders. 1/8" hose barb fitting included. H12882 polished... 71.99 ea



Billet Fuel Pressure Regulators

Holley billet aluminum bypass fuel pressure regulators. Each one is precision machined from 6061-T6 billet aluminum with a black anodized base and a clear anodized top. These regulators are fully adjustable between 4-60 psi for either carbureted or fuel injected applications. They feature an dedicated bypass/return port, an 1/8" gauge port and an 1/8" 1:1 boost reference power adders. 1/8" hose barb fitting included. H12879 3/8" inlet/outlet.... 156.99 ea

6AN inlet/outlet .. H12880 156 99 ca



EFI Bypass Regulator

Performance EFI regulator designed for medium to high horsepower applications. This regulator features Aeromotive's high flow design, superb pressure control and legendary durability. Features base pressure adjustable from 40-75 psi, gasoline and alcohol compatible, fuel pressure rises on a 1:1 ratio with boost, 1/8" National Pipe Thread taper (NPT) gauge port. Includes 2 o-ring boss fittings (ORB-06) inlet ports and 1 o-ring boss fitting (ORB-06) return port. A9713109 adjustable with EFI.





Universal Bypass Regulator

A dual purpose, universal regulator for EFI or for Carbureted street/strip applications. Features pressure adjustable from 3 to 20 psi with standard spring, (installed) or from 20 to 60 psi with high pressure spring (included). Offers the full flow and rock steady fuel pressure that only a dynamic. Aeromotive bypass regulator provides. Capable of regulating any fuel pump between 100 and 250 gph, fuel pressure rises on a 1:1 ratio when referencing boost. All ports are 3/8" National Pipe Thread taper (NPT), with one inlet and three outlets on the main body and one return port on the bottom. Bypass design provides the ultimate, dynamic fuel pressure control. te: Requires a return line to be installed from the bottom

of the regulator to the top of the tank 3 Port 3/8" NPT

191 99 ca



Carbureted Bypass Regulator

For use when converting from fuel injection to carburetion using the EFI pump in a carbureted application. Perfect for naturally aspirated or 'blow-through' supercharged engines. Features base fuel pressure adjustable from 3-15 psi, 1 o-ring boss fitting (ORB-10) inlet port and 1 o-ring boss fitting (ORB-08) return port, fuel pressure rises on a 1:1 ratio when referencing boost, bypass design provides the ultimate, dynamic fuel delivery system, ideal for converting from fuel injection to carburetion using the stock, in-tank pump, EFI conversions will require a larger than stock return line for proper low pressure control. Includes two o-ring boss fittings (ORB-06) outlet ports and 1/8" National Pipe Thread taper (NPT) gauge port. Note: Requires Army/Navy fitting (AN-08) return line from

bottom of regulator back to top of the tank A9713204 2 port. 206 99 ca



Fuel Pump Safety Switch

This safety feature is a must have for any electric fuel pump vehicle. This safety switch monitors the tach signal to limit when an electric pump can operate. When the key is first turned on, the fuel pump is allowed to run for three seconds, priming the fuel system. After that, it only operates if the engine is running. If the engine stops, so does the fuel pump. No plumbing into the oil lines or no extra priming button under the dash is required.



Fuel Pump Safety Switch This fuel pump safety switch shuts off fuel flow

whenever oil pressure drops below 15 psi. This adds a safety factor in case of an accident or engine stall. Designed for 12 Volt electrical systems and can be teed into the oil pressure sending unit with an 1/8" NPT tee. 77872 25 99 ca



Fuel Pump Relay

This universal fuel pump relay will ensure proper wiring which reduces the risk of damaging the fuel pump, and offers consistent fuel pressure. This relay is used with fuel pump part #E1791 or #E1792.

universal relay 64 99 ca









Street Series Carb

Street carburetors are constructed of lightweight aluminum, including provisions for a choke assembly and changeable idle air bleeds for easy, non-permanent calibration changes if necessary. Fine tuning is accomplished by simply changing air bleeds, not opening up calibration restrictions with a drill bit! These dual fuel feed inlet carburetors are hand assembled in the U.S. using the PROFORM high flow carburetor main body, durable billet metering blocks, aluminum fuel bowls, and a high-performance billet throttle base plate.



Lightweight Aluminum - Not Heavy Zinc High Flow Center Section Design Flat Surfaces: CNC Precision Finish Changeable Screw-in Idle Air Bleeds Changeable Screw-in High Speed Bleeds High-Performance Down Leg Boosters except 650 cfm

Electric Choke on Mechanical Secondary and Vacuum Secondary Models

Fuel Bowl Features: Lightweight Die-Cast Aluminum

Finel Level Sight Windows Externally Adjustable Needle and Seat Dual Feed Fuel Inlet Notched Secondary Float



Slaver Series Carburetor

The 600 and 750 cfm Slayer Series carburetors are designed with the same engineering and innovations featured on all QFT products. These affordable, vacuum secondary street carburetory feature all aluminum construction and hand built quality They are designed with a secondary metering plate with changeable jets. eliminating the need for a costly secondary metering block. Get QFT race winning innovation for your vehicle at a great price.

Note This product is not CARB exempt. Products that are not CARB exempt are legal in most states, but may not be used

- · Changeable idle air and high speed bleeds
- in California or states with similar emissions laws except on pre-1976 vehicles
 - 3 Stage emulsion circuits in primary metering block
 Changeable primary idle feed restrictions and power valve
 - channel restrictions
 - · QFT QuickSet adjustment on the vacuum secondary housing that provides external adjustment of the diaphragm without changing springs

 Notched secondary float for use with jet extensions
 - · Secondary metering plate with changeable jets
- · Fully adjustable electric choke
- Polished finish for superior good looks 600 cfm - electric choke .. 385.99 ea CB710750 750 cfm – electric choke. 417.99 ca



Billet Throttle Base Plate Features:

Adjustable Secondary Housing on Vacuum Secondary Models Easy Access Secondary Idle Air Flow Adjustment Strong, Lightweight Billet Aluminum Corrosion Resistant Black Anodized Appearance Button Torx Head Throttle Plate Screws Power Valve Blow Out Protection Slip Link Linkage on Mechanical Secondary Models

Billet Metering Block Features:

Non-stick Gaskets

Strong, Lightweight Billet Aluminum Four Corner Idle System on Mechanical Secondary Models Changeable Idle Feed Restrictions Durable, No Warping or Porosity Problems Secondary Jet Extensions on Mechanical Secondary Models

447 99 ca





Hot Rod Series Carburetor

The Hot Rod Series of carburetors is designed for street applications. Made from lightweight aluminum castings and packed full of features, these carburetors are sure to make your hot rod run its best! Hand assembled and engine tested in the USA! Available in both vacuum and mechanical secondary configurations.

Note This product is not CARB exempt. Products that are not CARB exempt are legal in most states, but may not be used in California or states with similar emissions laws except on pre-1976 vehicles



· Quick Set electric choke with one wire hookup for years of trouble-free starting. Dual inlet fuel bowls with Quick Set sight windows on both fuel bowls for safe

- and easy float level adjustment Vacuum secondary carburetors have a Quick Set housing that is adjustable by simply turning a screw - no more spring assortments to keep up with or
- torn diaphragms. 4 corner idle for smooth and efficient idle quality.
- Screw-in air bleeds for quick and unsurpassed tuning capability. Screw-in idle feed restrictions
- Non-stick gaskets throughout for easy service.

 The QFT 4 door* power valve with a strong diaphragm and blow-out protection
- in the throttle body
- Universal throttle lever with sealed throttle shafts for years of smooth operation.

Mechanical S	econdary Carburetors		◮		
CB711600	600 cfm	555.99	ca		
CB711650					
CB711750	750 cfm				
CB711850	850 cfm	651.99	ca		
	ndary Carburetors				
CB711580		552.99			
CB711680	680 cfm	533.99	ca		
CB711780	780 cfm	552.99	ea		

Street Series Carburetor

č

These Quick Fuel Super Street carburetors offer race performance in a lightweight, street friendly package These carburetors are manufactured from aluminum and designed for maximum tunability through idle feed adjustment and power valve channel restrictions, as well as idle and high RPM air bleeds. Available with vacuum secondaries. which use fuel bowls with single sight glass windows, or a mechanical secondary design featuring dual inlet. dual sight glass 4500 style fuel bowls with links to tune the secondary



opening rate. Note This product is not CARB exempt. Products that are not CARB exempt are legal in most states, but may not be used in California or states with similar emissions laws except on pre-1976 vehicles.

- · Changeable air bleeds idle and high speed for ultimate tuneability
- Aluminum fuel bowls with dual sight glass windows
 Billet metering blocks with changeable idle feed and power valve
- channel restrictions 4 corner idle system
- Notched secondary floats
- Secondary jet extensions
- Slabbed throttle shafts with Teflon bearing ribbons with stainless steel plates Billet aluminum throttle body
- · Dog leg boosters/annular boosters mechanical secondary

CB712650	650 cfm		745.99	ca
CB712651	650 cfm	annular booster		
CB712750	750 cfm		745.99	ca
CB712751	750 cfm	annular booster	776.99	ca
CB712850	850 cfm		745.99	ea
Vacuum Seco				
CB712680			692.99	
	780 cfm		692.99	
CB712880	880 cfm		692.99	ca



Race Series Carb

Finally an affordable high-performance race carburetor! PROFORM's Race Series carburetors are hand assembled in Bowling Green, Kentucky utilizing PROFORM high flow carburetor main body, durable billet metering blocks, aluminum fuel bowls, and a high-performance billet throttle base plate. These dual fuel feed inlet carburetors are equipped with a square bore base plate.

			nr.Mau
67205	750 cfm	no choke	569.99 ea
67204	650 cfm	no choke	
	Secondarie		
67202	950 cfm	no choke	612.99 ea
67201	850 cfm	no choke	
67200	750 cfm	no choke	
67199	650 cfm	no choke	



Street Demon Carburetor

The Street Demon redefines the street carburetor with clean looks, brisk performance, and universal design. Available in 625 and 750 cfm, the Street Demon supports stock and mildly modified V8's with smooth, crisp throttle response. A dual bolt pattern works with most four barrel spread bore and square flange intake manifolds. Includes integrated 700R4/200R4 transmission kick down location and electric choke. Choose from all-aluminum construction or a polymer main body design. Made in USA.

	Carburetors		
D1900	ball burnished finish	362.99	ca
D1901	with polymer main body	362.99	ca
	Carburetors		
D1903	ball burnished finish		
D1904	with polymer main body	402.99	ea



Direct Replacement Carb Main Body

Replacement carburetor main body for Holley® 750 cfm (#3310) vacuum secondary carburetors. This all new main body replacement will help to enhance the look and performance of your Holley carburetor without a complete replacement.





Street Avenger 2 Barrel Carburetor

2 barrel

The Holley 2300 Series Street Avenger™ Series carburetors are the first true performance carbs specifically designed, dyno-tested, and calibrated for performance on the street. They feature the adjustable vacuum secondary, 2 vacuum ports, electric choke, external float adjustment, and the new Gen IV Power Valve. A 3/4" fuel line connection is included. H80350 350 cfm 448.99 ea

H80500	500 cm	2 barrei	4/2.99 ea
	A.	A CONTRACTOR OF THE PARTY OF TH	BRAWLER
6	M		
Chie			
de			
4	BR67255	al d	10.00
	DNO/200		

Brawler die-cast carburetors are made from lightweight die-cast aluminum components and are available in both vacuum and mechanical secondary models. components and are available in both vacuum and internatives secondary models. They offer all the tunability and options found on more expensive carburetors in the market, including a beautiful appearance, electric choke, and four corner idle adjustment on all mechanical secondary models.

vacuum Se				
BR67253	570 cfm	electric choke		
BR67270	600 cfm	electric choke	331.99	ea
BR67271	600 cfm	manual choke	331.99	ea
BR67256	670 cfm	electric choke	432.99	ea
BR67258	770 cfm	electric choke	432.99	ea
Mechanica	! Secondary			
BR67255	650 cfm	electric choke	422.99	ea
BR67276	650 cfm	electric choke	348.99	ea
BR67277	650 cfm	manual choke	348.99	ea
BR67257	750 cfm	electric choke	492.99	ea
BR67259	850 cfm	electric choke	539 99	ea

Brawler Street Carburetors

Brawler Street carburetors includes billet metering blocks with the latest technology in air/fuel calibrations for today's street or race engine demands. They also feature billet throttle bodies for superior durability and throttle shaft stability. Brawler Street models offer many high-end options found on more expensive carburetors.

BR67206	600 cfm	silver/black		
BR67207	650 cfm	silver/black		
BR67317	680 cfm	black/red		
BR67208	750 cfm	silver/black		
BR67319	670 cfm	black/red	481.99	ea
Mechanical				
BR67211	600 cfm	silver/black		
BR67316	600 cfm	black/red		
BR67212	650 cfm	silver/black		
BR67318	650 cfm	black/red		
BR67312	650 cfm	black/purple	559.99	
BR67213	750 cfm	silver/black		
BR67320	750 cfm	black/red	497.99	
BR67313	750 cfm	black/purple		
BR67214	850 cfm	silver/black		ca
BR67314	850 cfm	black/purple	597.99	ca











= 0000000



Thunder Carburetors

EdelBooch

The Thunder Series carburetors share all the performance advantages of the popular Performer Series but with innovative new features. The Ouick-Tune secondary air valve can be easily adjusted to match your needs. Whether you want the secondaries to "kick in" early or late, you can set the air valve using standard tools, with no extra springs. Its a quick and simple process. These carburetors include all of the performance features of the Performer Series carburetors and also include distinctive black hardware, dual fuel inlets (shipped with left side plugged), lightweight ball burnished and CNC profiled body, and the Ouick-Tune secondary. They're available in 650 cfm and 800 cfm sizes with manual or electric choke. There's even an 800 cfm version specifically designed for off-road vehicles. These Edelbrock carburetors bolt-on and run right out of the box! Simply dependable, proven performance for almost any carbureted vehicle. All Edelbrock carburetors include an installation kit and owners manual







650 CFM Carburetor

This carburetor is recommended for most Performer applications and small cubic inch Torker II applications. te: *With EnduraShine finish. E19054* 650 cfm manual choke 525.99 ea

800 CFM Carburetor

E1906 650 cfm

E1913 800 cfm

402

Recommended for most small block Performer RPM or Torker II applications and big block Performer applications. F1812 800 cfm manual choke 442.99 ea Performer Carburetors

Performer Series carburetors complete the Edelbrock Power Package System for a smooth running and great performing "no guesswork" parts combination. By design, Performer Series square bore carburetors are refined to provide the widest possible torque range when matched with Edelbrock Performer, Performer RPM, RPM Air Gap or Torker II manifold and camshaft combinations. However, these carburetors are not limited to these applications, they also match well with most stock and other manifolds of similar design. Performer Series square bore carburetors are all aluminum, ball burnished and lightweight. There are no power valves to blow out or plastic parts to break. The piece construction resists warping and the metering rods can be changed in seconds without removing the carburetor. These Edelbrock carburetors bolt-on and run right out of the box! Simply dependable, proven performance for almost any carbureted vehicle. All Edelbrock carburetors include an installation kit and



500 CFM Carburetor

Recommended for small cubic inch Performer and dual quad applications. Includes both timed and full vacuum ports for ignition advance. F1404 500 cfm manual choke 373.99 ea F1403 500 cfm electric choke 424 99 ea

600 CFM Flectric Choke Carburetor 🔥 50 state street legal for all 1980 and earlier GM V8s (E.O. #D-215-10). Calibrated for maximum fuel economy. Includes timed vacuum ports, EGR and

fuel vapor outlet. E1400 600 cfm electric choke 429.99 ea

600 CFM Carburetor

Recommended for most Performer applications and small cubic inch Torker II applications. Includes both timed and full vacuum ports for ignition advance. 600 cfm manual choke 338.99 ea 600 cfm electric choke 368.99 ea E1406

750 CFM Carburetor

Recommended for most Performer RPM or Torker II applications and 402ci Performer applications. Provides excellent fuel economy when used on 454ci Performer applications. Includes both timed and full vacuum ports for ignition advance. manual choke 388.99 ea electric choke 425.99 ea F1407 750 cfm E1411

EPS 800 CFM Carburetor

The new EPS 800 carb is designed and calibrated for street high-performance engines. Dyno-tests show that the EPS 800 carb outperformed a Holley #3310 carb out of the box by 26 ft lbs of torque and 22 horsepower on a small block Chevy equipped with Performer RPM components. Features include a high capacity accelerator pump, and an improved secondary cluster design F1412

800 cfm manual choke 463.99 ea E1413 800 cfm electric choke 483 99 ea



1957 Six Cvlinder 1 Barrel Carburetor

We offer quality replacement carburetors for 6 cylinder models. These Rochester carburetors are remanufactured to original specifications. These are replacement carburetors which include a current production date

1304A 1957 235...... 219.99 ea



1955-57 Small Block 2 Barrel Carburetor

We offer quality replacement carburetors for 265, 283 models. These Rochester carburetors are remanufactured to original specification. These are replacement carburetors which include a current production date

2505 1955-57 265, 283...... 239,99 ea

Holley



600 CFM Carburetor



Classic offers newly remanufactured 600 cfm Holley carburetors. They feature an original finish, vacuum secondaries, and Power Valve blowout protection. For all engines with or without air injection reactor (smog). These replacements are similar to the units installed on 1967-69 Z28s with cross ram induction and can be used to replace list numbers 3810S, 4410A, and 4295. ortant: Throttle solenoid used on some models not ided. Order separately. Carburetor is stamped with

current manufacturing date. 80457 600 cfm replacement carb. 362.99 ea

electric choke 384.99 ea

390 CFM Carburetor

Series 390 cfm 4 barrel carburetor is ideal for small displacement V8 or V6 engines. It features side hung float bowls, a universal throttle lever, vacuum secondaries, and an electric choke. This is one of the simplest ways to get more performance from your engine.

390 cfm



649.99 ea Holley

four barrel

Vacuum Secondary Carhuretor

H8007

Holley 4160 Series carburetors are available in several sizes and with manual or electric choke. These carburetors

and power	valve blow-
out protecti	ion. All are bright
chromate fi	nish.
H1850	600 cfm
H80457	600 cfm
H3310	750 cfm
H80508	750 cfm

 a		⚠
manual choke		
electric choke	386.99	ea
manual choke	409.99	ea
electric choke	404.99	ca
		_

Holley

H4770

718 99 ca

Double Pumper Carburetor

Holley 4150 Series double pumper carburetors are available in several sizes and with manual or electric choke. These carburetors feature mechanical secondaries, center hung float bowls and power valve blow-out protection. The double pumper is designed for use on lightweight vehicles with a manual or automatic transmissions

with a high stall and low rear end gears H4776 600 cfm manual choke 637.99 ea H4777 650 cfm manual choke. 614.99 ea H4777E 650 cfm electric choke 614.99 ea H4778 700 cfm manual choke. 676.99 ea H4779E 750 cfm electric choke 662.99 ca H4779 750 cfm 662 99 ca manual choke H4780 800 cfm 718.99 ca manual choke.

650 CFM Carburetor

This Holley 4150 Series 650 cfm 4 barrel carburetor is ideal for mo moderate performance small block V8 engines. It features center hung float bowls, a universal throttle lever, vacuum secondaries, and an electric choke. This is one of the simplest ways to get more performance from your engine H80783 650 cfm electric choke



Holley

1955-86 Chevrolet Tri-Power Holley Tri-Power intake manifold and

carburetor system for small block Chevy engines. It was factory equipment under the hood of the legendary big block L71 and L89 Corvettes. With a Tri-Power system you can cruise around economically on the 350 cfm center carburetor or unleash all 1000 cfm at wide open throttle to truly have the best of both worlds. Systems include a dual plane medium rise 3 x 2 Wieand intake manifold, three Holley 2 barrel carburetors (one 350 cfm center carb with electric choke and two 325 cfm outboard carbs) in either a dichromate or cast shiny finish, steel fuel lines,



progressive throttle linkage and reusable air filters with polished housings Note: Carburetors do not have a provision to co

cable or linkage. Overall height is 11-1/2" front and 12-1/2" rear with air cleaners installed.

HEI distributors will need to use a standard cap style small body distributor, the large caps with coils on top are too large to fit. 2364.99 ea H300521 cast dichromate finish H300522 cast shiny finish 2244.99 ca

Polished Double Pumner Carburetor

Holley 4150 Series double pumper carburetors are available in several sizes and with manual or electric choke. These carburetors feature mechanical secondaries, center hung float bowls and power valve blow-out protection. The double pumper is designed for use on



			-	
H4781S	850cfm	manual choke	629.99	ca
H4779SE	750cfm	electric choke		
H4779S	750cfm	manual choke		
H4777SE	650cfm			
H4777S	650cfm		556.99	
H4776S	600cfm			

Street Series Avenger Carburetor

The Holley 4150 Series Street Avenger™ Series carburetors are the first true performance carbs specifically designed, dyno-tested. and calibrated for performance on the street. They feature the No Trouble™ adjustable vacuum secondary, four vacuum ports, electric choke, external float adjustment, and the new Gen IV Power Valve. If you're looking for better throttle response, quicker

		fuel economy, and superior driveability, the St	reet
venger"	carbs are you	r answer.	
80570	570 cfm	four barrel	531
80670	670 cfm	four barrel	531

four barrel






H4781











Δ1

н

H

H80770 770 cfm



Carburetor Sets

Standard Rebuild Sets These sets are just what you need to

make your Holley carburetor perform like new again. They include: new gaskets, o-rings, pumps, diaphragms, needles and seats, power valves, and detailed instructions to help you step-by-step through the rebuilding process. Note: Visit website for specific carburetor number

annlications of each set With Vacuum Secondaries

H37485

H37720	600 cfm 4160	35.99 set
H37119	600 cfm 4160 (1850/80457)	36.99 set
H37754	750 cfm 4160	35.99 set

47 99 set

4150 double pump carbs... Performance Rebuild Set This set contains all the parts you'll

need to perform a complete rebuild on your Holley vacuum secondary or double pumper carburetor. Plus its got extra parts related to carburetor calibration that are required to accomplish a real performance tune. These include accelerator pump discharge nozzles, accelerator pump cams, vacuum secondary springs, and extra gaskets. A carburetor exploded view and detailed

tuning guide are also included. H37933 Holley Trickit Set® 149.99 set



1955-57 Carburetor to Air Cleaner Gasket

Replace your missing carburetor to air cleaner gasket for your Chevrolet with one of these reproductions. TF700389 1955-57 2 barrel...... 3.99 ea TF700390 1955-57 4 barrel...... 3.99 ea TF700389 1957 6 cylinder 3.99 ea



Holley Carburetor Air Cleaner Gasket This circle shaped gasket is installed between the

carburetor body and the base of the air cleaner. Its a must for keeping small particles of dirt from entering your engine. They measure 5" in diameter and are available in two thicknesses 1256633 5" diameter .060" thick 4.99 ea .200" thick 12.99 ea

CARBURETOR PARTS

5" diameter



Rubber Air Cleaner Base Gasket 🔥

This Buna rubber gasket is designed for air cleaners with a straight lip, the gasket has a groove that fits over the lip for a superior seal against dust and debris. It can also be flipped and used on air cleaners with a rolled lip. 297331 for 5-1/8" neck... 10 99 69



We now offer a selection of the most commonly needed Holley carburetor gaskets. Base Gasket and Studs 4150 & 4160 carbs, .250" 30.99 ea 4150 & 4160 carbs, 5/16" 25.99 ea H10851 H10812

Base Gasket 4150 & 4160 carbs, 204" 28.99 ea 4150 & 4160 carbs, 5/16" 22.99 ea 4150 & 4160 carbs, 1/16" 9.99 ea H10858 H10818 4165 & Quadrejet carbs, 1/4" 24.99 ea H10825 Metering Block

H10889 4150, 4160, & 4165 carbs..... 12.99 pr H10890 4150, 4160, & 4165 carbs 13.99 pr H10891 4150, 4160, & 4165 carbs..... 13 99 pr Fuel Bowl 4150 & 4160 carbs 12.99 pr H10883 H10892 4165 carbs ...



1957 Chevrolet 2 x 4 Carburetor Base Gasket 1957 Chevrolet passenger car 2 x 4 carburetor base

gaskets are needed whenever you remove or replace your carburetors. Installed between the base of the carburetor and the intake manifold. Made from gasket paper as original. TF700466 1957 2 x 4 barrel 4.99 ea



Carburetor Gaskets

These are reproductions of the gaskets used on Holley dual float carburetors. This is a 2 piece set consisting of the base gasket as well as the air cleaner gasket. A must when rebuilding your Holley dual float carburetor. 14306 4 99 pr




1955-57 2 x 4 Carburetor Air Horn Gasket

1955-57 Chevrolet passenger car 2 x 4 carburetor air horn gasket. The air horn receives air heated by the exhaust manifold and contains a bimetal spring which directly moves the choke lever. Made from gasket paper as original. TF700467 1955-57 2 x 4 harrel 4 99 ea

Carburetor Installation Set

This set contains installation bardware for most Demon 4 barrel carburetors, including mounting studs, washers, nuts, air cleaner studs, vacuum caps, throttle cable balls with bushing adapters for throttle levers and 3 types of base gaskets for square and spread bore carburetors, and a gasket for the Street Demon. D160040 24 99 set



1955-57 Carburetor Repair Set 🛮 🗥

Carburetor repair sets for 1955-57 Rochester and Carter carburetors. Contains all components needed to repair gaskets and internals of your original carburetor.

Rochester TF700281 1955-56 216/235 .. 26.99 set 2 bbl 2 bbl 265....... 21.99 set 265/283 .. 26.99 set 265/283 .. 32.99 set TF700278 TF700279 1056 57

4 bbl Carte TF700280 1955-57 1 bbl 216/235 .. 19.99 set

TF700282 1956-57



1955-57 Rochester Carburetor Renair Kit

You've got the original carburetor but it needs work. What do you do? You get a carburetor repair kit and fix it! This OE style repair kit is fabulous for repairing minor problems associated with original Rochester carburetors. Repair kit includes: gaskets, pump, needle and seat, float gauge, guide, ball, spring, and retainer. Perfect for off the vehicle repair.



1967-89 Quadrajet Carburetor Rebuild Set

Bring your carburetor back to original working order by replacing the crucial components with this complete rebuild set for use with original or Edelbrock replacement Quadrajet carburetors. Each part is manufactured to exact specifications assuring a quality part and an authentic rebuild. Includes all parts and gaskets necessary for a complete rebuild. Available for 1967-89 models

FD1920 1967-78 750 cfm 30 00 set 1975-89 795 cfm 39.99 set



Street Demon TPS Set

When using an electronic overdrive transmission, such as a 4L60E, with a carbureted engine, the transmission control unit requires a throttle position signal. This sensor bolts on to the carburetor and sends the proper signal to the computer. The simple design allows for easy calibration and voltage adjustments. Includes all necessary installation hardware. Made in USA. Street Demon TPS..



Throttle Solenoid

Some vehicles require a throttle solenoid to be used with Holley carburetors. This is a replacement unit manufactured by Holley. Also available are the solenoid

	-6	44
H2657	nut	9.99 ca
H209	bracket	12.99 ca
H4674	Holley throttle soleniod	105.99 ca
	FH209, and nut #H2657.	



Street Demon Throttle Solenoid Set

Some vehicles, especially vehicles with air conditioning, require a throttle solenoid to automatically increase engine RPM. This throttle solenoid set from Demon Fuel systems includes the solenoid, bracket, and mounting nut. Made in USA. D1950 Street Demor

133 99 set



Street Demon Calibration Set

This calibration set allows fine tuning of Street Demon carburetors. Although the carburetors are already fine tuned other adjustments and modifications may be necessary for optimal performance in built engines with large cams. This set includes an assortment of primary iets, metering rods and step-up springs along with secondary jets all in a convenient plastic storage case.



Carburetor Calibration Set

These sets include a selection of metering rods, jets, and step up springs that allow fine tuning and calibration of Edelbrock Performer and Thunder Series carburetors for mildly to extremely built motors, especially motors with performance camshafts that cause low intake manifold vacuum. Made in USA.

Note: Not legal for pollution controlled vehicles.

	er Series Sets		
E1479	for 1405 models		
E1480	for 1407, 1410, 1412, and 1413		
E1486	for 1403, 1404, 1801 models		
E1486	for 1802, 1803, & 1804 models		
E1487	for 1406 models		
E1488	for 1409 models		
E1489	for 1411 models	60.99	set
Thunder	AVS Series Sets		
E1840	for 1805 and 1806 models		
E1841	for 1812 and 1813 models		
E1842	for 1826 models	70.99	set



Jet Assortment Set

The Holley jet assortment set is the professional way to track tune your Holley carburetor for top performance. The set consists of 2 each of 36 different jet sizes ranging from #64 to #99. The jets are contained in a plastic case that keep them separated and make them easily accessible. Jet sizes selected will give the broadest range of adjustment and performance for most performance

carburetor applications. H36181 jet assortments

H122 47 = Main Jet Size #47

Desired Main Jet Size

Carburetor Main Jets

Holley jets are the professional way to track tune your Holley carburetor for top performance. They are sold in sets of 2 and are available in jet sizes ranging from #40 to #110. The jets will give the broadest range of adjustment to get the most performance out of your Holley carburetor. Important: Please specify jet size at the end of the part

number when ordering. See chart above for more informat specify jet size, #40 to #110...... 9.99 pr







Power Valves and Installation Tool

The power valve is a key component of the power enrichment system of Holley performance carburetors. These power valves incorporate "power valve blow out protection". Power valve installation tool is also available and sold separately. Power Valve - Standard Flow

H12525	2.5" Hg	12.99 ea
H12535	3.5" Hg	12.99 ea
H12545	4.5" Hg	12.99 ea
H12555	5.5" Hg	12.99 ea
H12565	6.5" Hg	12.99 ea
H12585	8.5" Hg	12.99 ea
H125105	10.5" Ĥg	12.99 ea
Power Valve -		
H125125	2.5" Hg	18.99 ea
H125135	3.5" Hg	18.99 ea
H125145	4.5" Hg	18.99 ea
H125155	5.5" Hg	18.99 ea
H125165	6.5" Hg	18.99 ea
H125185	8.5" Hg	18.99 ea
H1251005	10.5" Ĥg	18.99 ea
Installation T		
67454	anodized aluminum	28.99 ca



Accelerator Pump Squirters

We offer several sizes and styles of accelerator pump squirters. Choose from straight type or tube style to fit 4150, 4160, and 4500 series carburetors. All include 2 gaskets. Straight Type

H121125	.025	straight	16.99 s	
H121128	.028	straight	16.99 s	ct
H121131	.031	straight	16.99 s	ct
H121135	.035	straight	16.99 s	
H121137	.037	straight	16.99 s	
H121140	.040	straight	16.99 s	
H121142	.042	straight	16.99 s	ct
H121145	.045	straight	16.99 s	ct
Tube Type				
H12125	.025	tube	27.99 s	ct
H12128	.028	tube	27.99 s	ct
H12131	.031	tube	27.99 s	ct
H12135	.035	tube	27.99 s	ct
H12137	.037	tube	27.99 s	ct
H12140	.040	tube	27.99 s	
H12142	.042	tube		
H12145	.045	tube	27.99 s	ct













FYNALL

Carburetor Parts



Carh Dual-Feed Fuel Line

Made from aircraft quality Buna-N neoprene hose

Made from aircraft quality Buna-N neoprene hose encased in braided stainless steel, this fuel line is temperature, gas and oil resistant. Made for 3/8" NPT fittings, the fuel line is adjustable between the earb bowls from 7-1/2" to 11-1/2". Includes 1/8" pipe fitting and plug for optional fuel pressure gauge, etc. Hose inlet nipple not included.

Hose inlet nipple not included.

I08.99 ea

Holley

Billet Aluminum

III.19

Chromed copper

Fuel Lines

We offer chromed copper fuel lines for Holley

43.99 ca

carburetors. The hard fines are manufactured with seamless copper tubing and are double flared at the ends with 5/8"-18 inverted flare inlets. H3439 adjustable 4150 & 4500 carbs 301.99 ea H34150 4150 carbs 43.99 ea

H34160 4160 carbs .



Dual Feed Fuel Line

Chrome dual feed fuel line for use on Holley carbs with 3/8° inlet. High-quality gas lines specifically designed for use on Holley dual feed carburetors. Each gas line will replace the original exactly. Stainless steel construction for a performance appearance and long-lasting dependability.

66635 Holley 8-21/32" centers 14.99 ea 66636 Holley 9-5/16" centers 14.99 ea



1967-70 Holley Carburetor Fuel Inlet Nut Correct replacement fuel inlet nut for 1967-70 Holley

carburetor and 5/16" fuel lines.

K0171 1967-70 2 required....... 17.99 ea



Vacuum Secondary Diaphragm



Assorted Vacuum Caps

40747380

6.49 set

Assorted vacuum caps for almost any automotive repair job. Each vacuum cap is constructed from durable heat resistant vinyl, and provides a tight fit to prevent vacuum leaks. Excellent for capping lines and hoses while testing carburetors, emission control systems, vacuum lines, and more. 5/32* Wacuum Cap – For 4 Barrel Holley Carb

Assortment - Black Includes: 5/32", 7/32", 5/16", 3/8", 3/16" x 2, 1/4" x 2. A9747396 8 piece assortment...... 4.49 set A9799350 30 piece assortment...... 6.99 set 4 Pack - Black Includes four 5/16" caps. A9747394 5/16" 2.99 set 5 Pack - Black Includes five 1/4" caps. A9747393 1/4" .. 2.99 set 10 Pack - Black 1/8 5 99 set $\Delta 9747389$ A9747392 7/32 6.49 set A9750003 4.99 set 1/4" ...



Holley

Spread Bore Sealing Plate

Holley EFI spread bore sealing plate. This plate adapts a dual bolt pattern square bore carburetor or throttle body to a spread bore manifold and seal properly. Includes a 1/16" thick plate and 2 gaskets.

Etabook

Carburetor Adapter

Adapt a Holley or AFB 4 barrel carburetor to a Quadrajet 4 barrel manifold with this adaptor plate. Includes all necessary hardware.





Carburetor to Manifold Adapter Sets 🔥

Carburetor to manifold adapter sets. These adapters take the hassle out of many common intake, carburetor, and throttle body swaps. They are constructed of diecast aluminum and include the necessary gaskets and hardware to mount it all up.

Note: Additional modifications my need to be made to achieve proper fit and function.

MG1932 square bore to spread bore......

achteve proper fit and function.

MG1933 Holley 2300 to Rochester 2G. 23.99 set
MG1929 Holley 2300 to Quadra-Jet.... 24.99 set
MG1937 2300/2G to square bore 23.99 set

A9747395 3/8"

23 00 set



IIII TITI

Square Bore to Spread Bore Adapter

Adapt a square bore carburetor to a spread bore manifold with this adapter plate. Includes all necessary hardware. E2696



Carburetor Spacer Sel

Easily optimize the flow rates of air and fuel in your car with this modular 1" carb spacer set! Since various engine combinations have different fuel and air delivery requirements for maximum performance, each spacer set includes 1 frame and 2 popular inserts: open, 4 hole, and tapered 4 hole. This way, you can dial in exactly the right flow to get the most from your motor. 67160 carburetor spacer 34.99 set



Carburetor Spacers

Carburetor spacer sets are now available for Holley carburetors. Each set includes mounting hardware and gaskets.

Open Cent	ter		
T2094	3/8" tall "Hiker" 3/8" tall w/vacuum tube, cap 1" tall	36.99	set
T2103	1" tall w/3/8" fitting for PVC 2" tall	21.99	set
	3/8" tall		

1950-62 Carh Insulator

Reproduction carburetor insulators for 1950-62 models with 235ci inline 6 cylinder engines. Installs between the carburetor and intake manifold. CX18413 1950-62 insulator



Carburetor Cover Keep dirt and

contaminants out of your carburetor while working on your engine with the air cleaner removed. Produced using tough plastic construction. For use on all 4 barrel carburetors. 5-1/8" diameter.



Carburetor Wedge Plate

During hard acceleration the float bowls in a carburetor become uneven, causing moderate fuel starvation. This aluminum spacer tilts the carburetor forward 5 degrees to help keep it level. This spacer measures .830" at its thickest point and has a dual bolt pattern for standard Holley, Carter AFB, and Edelbrock carburetors. Note: Not legal for use on pollution controlled vehicles.

265030



Carhuretor I inkage Plate Each plate is triple chrome-plated for a beautiful and

custom finish. For GM cables, Can be used with part Holley/AFB 17 99 ca

alithorized



Carburetor Rod Clin

Reproduction carburetor rod to accelerator rod clip. Manufactured to original specifications for a correct replacement. Fits 5/32" rod diameter, LH and RH, 11/64" i.d.

100937 ΙH 2 99 00 3962782 RH 2.99 ca



Chrome-plated bracket for Holley or Quadrajet

carburetor linkage plates. Can be used with part #T2333. T2334 10 99 ca



TH700-R4 Trans. Cable Bracket

This bracket is designed to be used on Holley 4150 and 4160 square bore carburetors only. It bolts onto the carburetor flange ear and provides a convenient mounting point for transmission and throttle cable.





Transfer Tube O-Ring Seals

These fuel resistant o-rings will help prevent dangerous fuel leaks at your carburetors fuel transfer tube. Both old and new style o-rings are available. H2637

old style.. 8.99 pr H10897 new style .





Carburetor Needle and Seat

We offer several needle and seat assemblies for Holley carburetors. The seat size determines how much fuel can flow at a certain pressure. Larger sizes flow more fuel. Tune your Holley carburetor to flow the right amount of fuel at the proper pressure with a new Viton-tipped needle and seat.

H6506	97	adjustable	17.99	an
H6504	110	adjustable		
H6518	120	adjustable		
H6513	.97		32.99	
110515	.,,,	On road	32.77	_

Accelerator Pump Cam Set This set will allow you

to "tailor" accelerator pump performance to the engine's actual requirements. Each cam has a different shape to give different results. The shape of each cam directly affects



the accelerator pump stroke and pump capacity. A steeply rising cam shape will give a fast, heavy fuel shot right off idle. Conversely, a gentle sloping ramp will spread the pump action over a longer period of time

H2012 includes 8 pump cams 33.99 set



Carburetor Float Rowl Screws These are reproductions of the screws for Hollev dual

float carburetor bowls. This is a set of eight 2-1/2" flat blade screws. A must when rebuilding your Holley dual float carburetor

14305 14 99 set

Float Adjustment Tool No more slight-of-hand

tricks! Easily adjust your carburetor float level with this hand float adjustment tool. 5/8" socket and built-in screwdriver blade protects your engine and hands from fuel spray. 67442

29 99 ca














Ouick Change Secondary Spring Housing

O 0

Make changing your vacuum secondary spring a simple job with this quick change housing. It is simple to install on any vacuum secondary Holley carburetor. H2059 23.99 set



Carburetor Secondary Spring Set This set will allow you to adjust the opening of your



Carburetor Ball Stud Set







Carburetor Stud Set

folley or	Rochester carburetor. Each set	includ	les
studs, 4	nuts, and 4 washers.		
2046	1-3/8"	3.99	sc
2047	2"	3.99	SC
2106	2"	2.00	



Carburetor Air Cleaner Stud



1968-70 Holley Carburetor Air Cleaner Stud This is a correct reproduction of the threaded stud used

on models equipped with Cowl Induction System. The stud consists standard SAE thread and is coated in clear zinc for corrosion resistance. This stud is used for all 1968-70 big block models






Holley Carburetor Air Cleaner Stud 🔥

Correct reproduction of the stud that attaches the air cleaner to the carburetor on all Holley carburetors with tall air horn and an OE style drop base open element air cleaner.

HC295 universal. 9.99 ea

......



2 x 4 Carb. Vacuum Piston Spring Set Chevrolet passenger car 2 x 4 carburetor vacuum

piston spring set of 2. The tops of the metering rods are connected to a vacuum piston which lifts the rods out of the main jets when the throttle is opened (mechanical linkage) and/or when manifold vacuum drops (vacuum piston). Made from spring steel as original. TE700488 245 HP 11.99 set



1955-57 Carburetor Return Spring

Reproduction of the original carburetor spring designed for use on 1955-57 Chevrolet models with 6 cylinder and manual transmissions. After your cebuild your original carburetor, be sure to make it perform properly. Don't get caught in a vehicle with the throttle stuck wide open.

TF700327 TF700328	1955-57 1955-57	MT	
----------------------	--------------------	----	--



1955-57 Carburetor Return Spring 🔥

After you rebuild your original carburetor make sure you go into the details that make it perform properly. Reproduction of the original carburetor spring designed for use on 1955-57 Chevrolet models with V8, 2 barrel carburetors. After you rebuild your original carburetor, be sure to make it perform properly.

8 Engine: F700329 F700330	1	955 955				rel		8.99 8.99	
	CD.	eTh.	CD.	d)	ŝ	60	sin.		



1955-57 OE Style Carburetor Screw Set After you rebuild your original carburetor make sure

TF700287	1955-57	2 barrel	3.69 set
TF700288	1956-57	4 bbl Rochester	5.99 set
TF700289	1956-57	4 bbl Carter	12.99 set
TF700290	1955-57	4 bbl Carter	4.99 set







Chrome Carb Return Spring Bracket 🗘

This replacement chrome universal carb return bracket is designed to replace the original bracket for most carburetors. Adds a high-performance touch to any carburetor. 66180





1955 Chevrolet Linkage Rod Set

Chevrolet passenger car linkage rod set for V84 barrel. Set includes: steel rod with rubber grommet, plastic bushing, cotter key, spring steel clip to hold rod on carburetor lever, and carburetor return spring. TF700546 1955.... 29 99 set



1956-57 Carburetor Accelerator Linkage Set

Chevrolet passenger car carburetor accelerator linkage needed to connect 2 x 4 barrel carburetors. This linkage is an exact reproduction and includes hardware. TF700543 1956-57. 68.99 set



Here are those hard-to-find linkage rods for carb setups.

Set includes the necessary hardware when required. 348 Tri-Power with 2nd rods 39.99 set CLR400



1956-57 Carburetor Accelerator Linkage Bracket and Spring Set 🔥

Chevrolet carburetor accelerator linkage bracket and spring set needed to connect 2 x 4 barrel carburetors. TF700544 1956-57......



Carh Mount Linkage Bracket

These brightly polished, chrome-plated brackets can be installed on vehicles equipped with Holley carburetors. For use with GM cables. T9619 9 99 ca manual trans



automatic trans

T9620



9.99 69

1955-57 Carburetor Linkage Clip These reproduction carburetor and passing gear linkage

rod clips are essential when replacing your linkage rods. Individual Clips for All Models


C133	1955-57	LH,	1.99	
Clip Sets for 6 TF700441 TF700442	3 piece carl	lodels b set assing gearset		
70.0		A MEDINA ZO		-





1955-57 Carburetor Identification Tag

Brass carburetor identification tags for 1955-57 original style carburetors. TF700435 #22185 21.99 ea



1957 Metering Rods and Jets Metering rods and jets for 1957 models with original

style dual 4 barrel carburetors. TF700194 1957 2626, 2627 101.99 set TF700195 1957 2313, 2314...... 101.99 set



1956-57 Carburetor Vent Tube

Carburetor vent tubes for 1956-57 models with dual 4 barrel carburetors. Front and rear vent tube available. 1956-57 front TE700190 ... 13.99 ca TF700191 1956-57 rear 13.99 ca

1955-57 Fuel Rowl Carburetor Fitting

Fuel bowl carburetor fitting for 1955-57 Chevy models. Choose from Carter or Rochester carburetor options. TF700283 Carter 1/8" x 1/8" TF700284 Rochester 1/8" x 5/16"


















1957 Single Ouad Carburetor Choke Cover

Reproduction carburetor choke cover for 1957 models TE700511 1957

50 00 00



1957 Carburetor Complete Choke Assembly

To provide the rich fuel mixture required to sustain operation at low engine temperatures, a choke is used to restrict the flow of air at the entrance to the carburetor, before the venturi. With this restriction, extra vacuum is developed in the carburetor barrel, which pulls extra fuel through the main metering system to supplement the fuel being pulled from the idle and off idle circuits. This complete choke assembly includes 170AB238S choke cap set (see part #TF700490). Choke cap made from thermoplastic as original. TF700491 1957.



1956-57 Carburetor Choke Housing 🔥

Replace your missing carburetor choke housing. Keep the original carburetor on your Chevrolet by replacing the missing parts

Carter 4 Barrel WCFB Carburetor TF700188 1956-57 threaded dual quad 45.99 ea TF700189 1956-57 unthreaded single quad 45.99 ea



Fuel Injection Choke Heating Element 🔥

Electrical current is sent to this fuel injection choke heating element, acting upon the bimetallic spring to control its tension, thereby controlling the choke. The GM number on the fuel injection unit is required to determine which element is needed. Housing is made from thermoplastic as original with wiring attached, element is made from a bimetal spring. 7014360, 7034520, 7014800, and 7014960

271.99 ea 7014900, 7017200, 7017250, and 7017300 TF700494 271.99 ea 7017310 and 7017320

1955-57 Remote Choke



CARBURETOR PARTS

cover for 1955-57 models with Rochester 4 barrel carburetors with the choke thermostat mounted to the intake manifold K0041 1955-57 L78 396 402 w/OI 9 99 ca Manual Choke Cable

This cable can be used with all manual choke Holley carburetors Cable length is 6 feet and the control knob has the Holley name prominently displayed. H45228 6 ft, length



24 99 69



1955-57 Dual Quad Carb. Choke Can Set

Chevrolet passenger car carburetor choke cap set. To provide the rich fuel mixture needed in cold temperatures, a choke is used to restrict the flow of air at the entrance to the carburetor, before the venturi-This choke cap set includes: gasket, plate, clips, and screws. Made from thermoplastic as original.

TF700490 choke cap #170AB238S..... 26.99 set



1955-57 Thermal Choke Tube

Reproduction thermal choke tubes for various 1955-57 passenger car models. Available in standard or stainless steel, these choke tubes feature all correct contours for

an exact repr	racement.			
Original Ma				
TF700053	1955-56	235		8.99 ca
TF700054	1955-56	8 cyl	2 barrel	8.99 ca
TF700055	1955-56	8 cyl	4 barrel	8.99 ca
TF700056	1957	6 cyl		8.99 ca
TF700057	1957	8 cyl	2 barrel	8.99 ca
TF700058	1957	8 cyl	4 barrel	8.99 ca
TF700059	1957	8 cyl	2 x 4 bbl	8.99 ca
Stainless Ste	eel			
TF700060	1955-56	235		13.99 ca
TF700061	1955-56	8 cyl	2 barrel	13.99 ca
TF700062	1955-56	8 cyl	4 barrel	13.99 ca
TF700063	1957	6 cyl		13.99 ca
TF700064	1957	8 cyl	2 barrel	13.99 ca
TF700065	1957	8 cyl	4 barrel	13.99 ca
TF700066	1957	8 cyl	2 x 4 bbl	13.99 ea





TF700474 1957

Manual Choke Cable Mount Hardware

This universal bracket mounts inside the vehicle under the dashboard to secure the choke control cable. The cable clamp set is for use on Holley model 4010, 4150, and 4160 carburetors only Cable Bracket

universal 24.99 га Cable Clamp Set H45456 4010/4150/4160 carbs 17 99 set



1956-57 2 x 4 Carburetor Secondary Air Valve Butterflies with Screws Set

These Chevrolet passenger car 2 x 4 carburetor secondary air valve butterflies are used in conjunction with the choke to help warm up your engine. When the butterfly is closed, it restricts air flow and increases vacuum which brings in more fuel for start up. Includes a set of 4 screws. Made from steel as original.

TF700471 1956-57 2 x 4 barrel...... 21.99 set



1956-57 2 x 4 Carburetor Throttle Shaft Set Chevrolet passenger car 2 x 4 carburetor throttle shafts.

The throttle is the mechanism by which the flow of air and fuel is managed. The engine's power output is controlled by increasing or decreasing the restriction of air and fuel with these shaft sets, available with or without levers. Made from brass that is hard chromed as original. Levers 2 for Secondary Carbs

TF700481 1956..... 76.99 set TF700473 1957 76 99 set Levers and Shafts, 2 Primary and 2 Secondary 254 99 set TF700472 1957. 254.99 set



1956-57 2 x 4 Carburetor Throttle Levers

Chevrolet passenger car 2 x 4 carburetor throttle levers. The throttle is the mechanism by which the flow of air and fuel is managed. The engine's power output is controlled by increasing or decreasing the restriction of air and fuel with these levers. Made from steel as original. No Butterflies Available

TF/004/9	1956	for primary	99.99	
TF700478	1956	for secondary	99.99	
TF700477	1956	1 primary, 1 secondary	178.99 s	set
#820				
TF700476	1957	for primary	99.99	ea
#819				
TF700475	1957	for secondary	99.99	ea
1 Primary #	820. 1.5	Secondary #819		

178 99 set





1955-57 Throttle Arm w/Rushinas 🔥

Reproduction of the original throttle arm for 1955-57 Chevrolet models. Fits all V8 applications and

includes bushings. TF700440 1955-57 15.99 ea





Throttle Lever Arm Pinch Roll

Correct reproduction accelerator throttle lever to pedal rod pinch bolt kit. Includes: one 1/4"-20 x 1-1/4" Grade 5 bolt, nut, and washer. 15421

+214	1902-09	·	2.99 ea
	(2)	F	lolley





Carburetor Throttle Stud

Install your Holley carburetor and hook it up right with these throttle studs. Measurement based on diameter of throttle stud

7/32" diameter 1/4" diameter		
	_	_





1957 Carburetor Throttle Plates

Chevrolet passenger car carburetor throttle plates. As the throttle is gradually opened from the fully closed position, the throttle plate uncovers additional area behind the throttle plate where a low pressure area is created. This allows more fuel to flow and compensates for the reduced vacuum that occurs when the throttle is opened, thus smoothing the transition in fuel flow metering through the regular open throttle circuit. Made from steel as original.

#2-204, Set of 4 with Brass Screws, 2 x 4's Only TF700482 1957 15 99 cet #2-204, Set of 2 with Brass Screws, 2 x 4's Only TF700483 1057 8 99 set

#2-92, Set of 2 with Brass Screws TF700484 1957



2 x 4 Carb. Fast Idle Screw and Spring Set Chevrolet passenger car AFB, WCFB 2 x 4 carburetor

fast idle screw and spring set. Fast idle serves as a way to help the engine warm up quickly, giving a more stable idle in cold temperatures by increasing airflow throughout the intake system to better atomize the cold fuel. Made from steel as original. TF700487



2 x 4 Carh Air/Fuel Ratio Rrass Mixture Screws Set

Chevrolet passenger car carburetor air/fuel ratio brass mixture screws set. These small brass screws are needed to adjust the air fuel mixture in your carburetor. Set includes 2 brass screws and 2 springs for 2 x 4 barrel carburetors

TF700486 1956-57...



1957 2 x 4 Carburetor Fast Idle Cam

This 1957 Chevrolet passenger car 2 x 4 carburetor fast idle cam prevents the throttle plate from closing fully while the choke is in operation, causing the engine to idle at a higher speed. Fast idle causes the engine to warm up quickly. Includes: fast idle cam with secondary lockout, choke release link, rod, and shaft clip. Made from steel as original TF700468 1957 2 x 4 barrel ...

50 00 00

TF700460

1956-57 Passenger Car 2 x 4 Carburetor Secondary Air Valve Set

These 1956-57 Chevrolet passenger car 2 x 4 carburetor secondary air valves are connected by a cam and linkage to the secondary fuel metering rods. As airflow increases through the secondary bores, the air valves are pushed down, rotating a cam that lifts the secondary metering rods. The position of the air valve will control both fuel and air flow. These are available for 1956 and early 1957 with a short arm and lightweight and for 1957 with a short arm and a heavyweight both include a set of two butterflies. Made from steel as original. TF700469 1956-57 2 x 4 barrel..... 149.99 set TF700470 2 x 4 barrel 149 99 set 1957

1955-57 Throttle Linkage to Firewall Mounting Bolts and Washers

Replace your worn, missing or stripped throttle linkage to firewall mounting bolts and washers. Don't risk a sticky accelerator linkage. TF700447 1955-57 1 99 set







1955-57 Carh. & Throttle Arm Linkage Rushing

Reproduction carburetor linkage and throttle arm linkage bushing and sleeve unit for 1955-57 models. Mounts to the linkage where the accelerator rod fits into the throttle linkage.

1955-57 bushing and sleeve 3.99 set



Universal Accelerator Throttle Rod

This rod is for use when modifications will not allow the use of the original rod between the accelerator pedal lever and the carburetor. Bend and shape as

needed. 14-1/2" long. Note: Not for cable operated applications. AL124 14 99 ca



1955-57 V8 Throttle Linkage Set 🔥

Reproduction and replacement throttle linkage sets for 1955-57 V8 models. Includes all hardware when required.

TF700546 4 barrel 29 99 set TF700317 1956-57 2 barrel 29.99 set TF700318 1956-57 29.99 set 4 barrel TF700543 1956-57 2 x 4 barrel. 68 99 set TF700545 1957 fuel injection ... 22.99 set



1955-57 V8 Kick Down Linkage Set 🔥 Kick down linkage rods for 1955-57 models with

various engines and automatic transmissions. Each linkage rod connects to the throttle linkage bellcrank on the block and the throttle valve control on the transmission. Each set includes the necessary hardware when required

TF/00163	1955-57	2 x 4 bbl w/Pglide	22.99	set
		4 barrel, #2218S		
TF700315	1955-56	4 barrel	22.99	set
TF700316	1955-56	2 barrel	22.99	set
	1957	2 barrel		
TF700161	1957	fuel inj. w/Pglide	22.99	set
TF700162	1957	4 barrel	22.99	set









8 99 set





Universal Throttle Cable

All Lokar throttle cables are designed with a specially extruded liner to extend the life of the cable. Cables are equipped with aluminum fittings and aluminum ferrule to eliminate fraying. These cut-to-fit cables are available in 24", 36", or 48" lengths with a stainless steel inner wire, and your choice of a stainless steel, black stainless steel, or black nylon housing. Clevis is designed to eliminate cotter pins and set screws. Includes installation instructions.

sportant: Remember to pull inner wire out before cutting

Note: For 1986-93 EFI use TC10024. Universal Hi-Tech Throttle Cable - Carbureted

TC10024A	24"	stainless steel		
TC10024B	24"	black stainless steel	67.99	ca
TC10024C	24"		51.99	ca
TC10036A	36"	stainless steel	69.99	
TC10036C	36"	black nylon	59.99	ca
TC10048A	48"	stainless steel	77.99	
TC10048B	48"	black stainless steel	84.99	
TC10048C	48"	black nylon	67.99	ca
Tuned Port In	viection	1985-91 and LT1/L	Γ4	
TC20024A	24"	stainless steel	61.99	
TC20024B	24"	black stainless steel		
TC20024C	24"	black nylon	51.99	ca
TC20036A	36"	stainless steel		
TC20036B	36"	black stainless steel	76.99	ca
LS1/Ram Jet	350			
TC30036C	36"	black nylon	59.99	ca
TC30048A	48"	stainless steel	77.99	ca
TC30048B	48"	black stainless steel	84.99	ca
Ram Jet 502				
TC40024A	24"	stainless steel	61.99	ca
TC40024B TC40024C	24" 24"	black stainless steel black nylon		



Duo-Pak Throttle Cable Set

Lokar Duo-Pak throttle cable sets will easily adapt to most gas pedals and throttle assemblies. Sets feature Lokar's Hi-Tech throttle cable, stainless steel carburetor bracket, and return spring kit. Cables designed with aluminum fittings and aluminum ferrules to eliminate fraying and feature a "U-Cut-to-Fit" stainless inner wire and outer housing. Available in your choice of stainless steel, black stainless steel, or black nylon. Note: Duo-Pak only available for carbureted applicat with Holley, Edelbrock, AFB, Quadrajet and In-Line Dual Quad carbs

DP10001A	24"	stainless	94.99 set
DP10001B	24"	black stainless	103.99 set
DP10001C	24"	black nylon	84.99 set
DP10002A	36"	stainless	102.99 set
DP10002B	36"	black stainless	112.99 set
DP10002C	36"	black nylon	92.99 set

🚅 AUTHORIZED

153665A 153665B

Universal Throttle Cable

OER® Authorized throttle cables are designed with a specially extruded liner to extend the life of the cable.

Cables are manufactured in stainless steel and feature aluminum fittings and aluminum ferrule to eliminate fraying. Clevis is designed to eliminate cotter pins and set screws. Includes installation instructions. Measures: 36". Cut-to-fit. 153665A 21.99 ea stainless 153665B black 26.99 ca



Throttle Cable Brackets

Lokar throttle cable brackets are available for a variety of different motors including carbureted setups, LS1, Ram Jet 350, 502, and more. Finishes include stainless steel, black stainless steel, and billet aluminum were available. Carburetor brackets only fit Holley. Edelbrock, AFB, Quadrajet, Demon, and In-line Dual Ouad carbs and mounts to the rear. Brackets for Tuned Port Injection are available with a single hole stud for throttle only, a dual hole stud for throttle and kick down, and a triple hole stud for a throttle, kick down and cruise control cables. Made in USA.

rtant: Ram Jet 350 uses LS1 throttle cable TC30036 or TC30048

	Carburetor	
Stainless :		
SR4000	bracket and springs	35.99 set
SR4001	bracket only	19.99 ea
SR4002	springs only	19.99 ea
Black Star	inless Steel	
SR4003	bracket and springs	38.99 set
SR4004	bracket only	21.99 ca
SR4005	springs only	21.99 ea
LS1 w	ith 3" Throttle Body Linkag	e Cam

1998-99	Brushed Billet Aluminum		
SR4006	single hole stud throttle only.	48.99	ea
SR4007	dual hole stud throttle & cruise	48.99	ca
	Black Billet Aluminum		
SR4008	single hole stud throttle only.	53.99	ca

I C1 with 2 1 2" Threattle Bady Linhams Co

	Brushed Billet Aluminum		
SR4018		48.99 e	а
SR4011	dual stud - throttle and cruise	48.99 e	а
2000-02	Black Billet Aluminum		
SR4012			
SR4013	dual stud - throttle and cruise	53 99 c	0

	Ram Jet					
SR4014	SB 350		75.99			
SR4015	SB 350	black stainless				
SR4016	BB 502	stainless				
SR4017	BB 502	black stainless	79.99	set		
Tu	ned Port	Injection 1985.	91			

		single hole stud	
		double hole stud	
	TF800160	triple hole stud	48.99 ea
	Polished Bi	llet Aluminum	
		single hole stud	
		double hole stud	
	TF800163	triple hole stud	91.99 ea
		t Aluminum	
.		single hole stud	
Δ.		double hole stud	
a	TF801166	triple hole stud	

Drughed Dillet Aluminum

uinless Steel – Includes Kick Down Bracket 1992-93 LT1.. TF801167 TF801168 1994 and later LT1 & LT4.... 75.99 set TF801169* 1992 and later LT1 ... Black Stainless Steel - Includes Kick Down Bracket TF801170 1992-93 LT1.... TF801171 1994 and later LT1 & LT4 93 99 set 83 99 set

stainless steel

361

48"



Throttle Spring Return Set Mounts to intake manifold on driver side. Required by

many race sanctioning bodies and a great idea for any high-performance car, these intake manifold mounted throttle return spring and bracket sets provide positive throttle return. Includes: chrome brackets, springs, bushings, and fastener.

	1137	
T2387	small block	20.99 set
T2386	big block	
Tall for Us	e with Carb Spacers	
	4150, 4160	11.99 set
Holley 4 E		
DC2083	2300, 2305	11.99 set
Houey 2 E	arrei	



Street Demon Cable Brackets

These brackets remove the guesswork when installing a Street Demon carburetor in almost any carbureted GM application. All brackets have a clear zinc coating for corrosion protection and include installation hardware. Made in USA

Throttle Rod Adapter for Mechanical Linkage Throttle and Trans Kick Down Cable Bracket Set D1953 . 28.99 set



Throttle Cable Bracket

This chrome throttle cable bracket can be used with all 4150 and 4160 model square bore Holley carburetors. It includes dual stainless steel return springs. H2088 with springs



Throttle Valve Cable Bracket

The throttle valve cable bracket is designed for specific carb and transmission setups to mount the cable to the carburetor for proper upshifts and downshifts. For

H2095	for Holley 4150 and 4160	29.99 ea
H20100	for Holley 4011	46.99 ea
H20100	for Edelbrock spread bore	46.99 ea







Rillet Aluminum

Throttle & Kick Down Cable Brackets 🔥 Lokar billet aluminum throttle and kick down cable brackets. They mount to various Holley, Edelbrock, AFB, Quadrajet, and Demon carbs and ease the

installation of Lokar's throttle and kick down cables. Holley 4150, Includes Dual Return Springs 186.99 ca I K2132 hillet aluminum LK2132B black billet aluminum 186.99 ea Edelbrock Performer/Performer AVS

billet aluminum... 91.99 ca LK2133B black billet aluminum 100.99 ca Street Demon hillet aluminum LK2134B black billet aluminum 91.99 ca

TH350 Kick Down Cable AUTHORIZED

Stainless steel transmission kick down cable that fits TH350 transmissions with carburetor kick down cable. Designed for 4 barrel type carburetors and small block Chevrolet engines. Includes extender for more versatility in adjusting cable length where needed Important: Cable housing cannot be cut to fit Note: For bracket, use part #TF800164. 153666 TH350

26.99 ca



Throttle Cable & Kick Down Brackets

Chrome-plated bracket set small block Chevy with cable type linkage. May be used with either round or square mounts. You do not have to remove the carburetor to install. Allows full adjustment. Note: Use T9757 also if you have a TH350 trans

Throttle Cable Bracket T9756 small block 9 99 set Kick Down Bracket 350 transmission 4 99 ca

authorized



1965-69 Upper Kick Down Linkage Rod Retaining Clip

OER® Authorized upper kick down rod retaining clip for various 1965-69 GM models with Powerglide transmission. Connects the upper passing gear kick down rod to the carburetor. 1965-69 1 99 ca



TH350 Kick Down Bracket

This bracket is designed to bolt to a small block V8 intake manifold and provides a convenient mounting point for the transmission kick down bracket. Fits TH350 with 4 barrel carburetors. H2045 ... 17.99 ca



Transmission Kick Down Stud Install your Holley carburetor and hook it up right with this transmission kick down stud. H2040 transmission kick down stud











IEI & FYHAI

414

Electronic Fuel Injection



Atomic EFI Set

The MSD Atomic EFI set fits all engines making up to 525 horsepower at the crankshaft. The annular ping charge injection design produces a better airFuel mixture and distributes it evenly among the cylinders. As a result, engines idle, start and drive better with the Atomic EFI set. Throttle bodies feature 80 Ib injections and as eff-culibrating throttle position sensor. They also feature an internal fuel all for no-leak, no-hassle feat feature an internal fuel all for no-leak, no-hassle feat of the box. It includes the EFI throttle body, electric fuel pump, fuel line and filter with hardware, power module with wide band O2 sensor and handheld controller. Also available are the throttle body set which includes everything except for the fuel system components. Or purchase the fuel components separately.

Note: Atomic EFI sets are California emissions approved for carbureted General Motors vehicles 1987 and older. E.O. number D-722.

Atomic I	EFI Master Set		
2900		1469.99	set
Throttle	Rody Set		



Atomic EFI High Horsepower Fuel Set 🔥

High horsepower fuel components set for MSD Atomic EFI sets. This set supports 620 horsepower at the crankshaft and supplies more fuel to the Atomic EFI throttle body than the standard Atomic EFI fuel pump, fuel filter, brackets and EFI specific fuel lime clamps, fuel filter, brackets and EFI specific fuel lime clamps. 2921 70.99 set



Oxygen sensor bung set. A quick and easy way to install an oxygen sensor onto your exhaust without welding. FF60012 16.99 set





Street Series Fuel Injection System 🛕

FiTech Street Series "Ready-to-Run" throttle body EFI systems. These self-tuning, bolt-on systems will increase reliability, horsepower, and fuel efficiency. Available in 3 performance levels, ranging from 250 to 800 HP.

| Importune | For Insurance anymato aregines on | Go | Street EFI Basic Set - Groy | FF3 (003 | FF3 (003 | FF3 (003 | FF3 (003 | FF3 (005 | FF3



EFI Fuel System Sets

Holley EFI fuel system sets are available in a number of configurations, with and without fuel pumps or return lines. Every set includes 20 feet of 3/8" Earl's Vapor Guard fuel hose, a post filter, and the necessary fittings for installation. Sets with fuel pump include pre-filters and return style sets include an extra 20 feet of hose and a fuel tank bulkhead fitting.

Note: Additional components may be necessary for

Without R	eturn Line		
H5269 H5265	without pump	160.99 403.99	set set
With Retu H52610 H5267	rn Line without pump with pump	263.99 403.99	set set



Go FFI 4 ROOHP Fuel Injection System 🔥

The Go EFI 4 self-tuning fuel injection is rated at up to 600HP and is suitable for engines from 250HP fun 600 HP. It fits any 4 barrel intake manifold and is the most self-contained and full featured unit of this type. It has a built-in fuel pressure regulator and includes handheld touch screen controller for a quick and easy setup.

o EFI 4 I			
	bright aluminum	999.99	
F30002	matte black	999.99	set
o EFI 4	Master Set with Inline Pump		
	bright aluminum	1236.99	set
F31002	matte black	1236.99	set

FI

G



Throttle Return Spring

This set will provide a throttle return spring for any FTEch 4 barrel throttle body. Includes: bracket, springs, and mounting hardware.

FF60011 31.99 set



Sniper EFI Air Cleaner Base

Holley Sniper EFI air cleaner 1" drop base for 14" air cleaners. This base was specifically designed for use with the Sniper EFI 4 barrel throttle body. It features two reliefs stamped into the steel to clear the Snipers dual fuel inlest. Compatible with -6AN to 3/8" 90 degree fittings and available in chrome or black.

H120510 all V8 chrome 29.99 ea H120511 all V8 black 23.99 ea



EFI Fuel Return Adapter

This adapter creates a return system simply by cutting a 2-34" section out of any standard 2" fuel filler tube. Made from aluminum with a 38" fitting that points 90 degrees downward to direct fuel back to the bottom of the tank. Each set includes the adapter with two Buna rubber sleeves and four stainless steel clamps for a leakproof seal. 555385

FI Conversion Sets





Sniper EFI Fuel Injection Conversion Sets

Holley Sniper EFI universal self-tuning fuel injection conversion sets. Converting to EFI will put an end to the cold start issues, hesitations, vapor lock, and flooding associated with most carbureted engines. Sniper sets feature numerous styles of throttle body and are available in polished, black ceramic, and classic gold finishes. Master sets include the most complete fuel system on the market. Holley just brought EFI within range and Classic Industries® carries the complete Sniper line with sets for nearly any application.

Sniper EFI Features:

- Easy 4 Wire Hoon Un
- Throttle Body Mounted ECU
- Supports Up to 650 HP
- Integrated Ignition Timing Control & Coil Driver
- High Resolution Full Color Touchscreen
- Simple Calibration Wizard No Laptop Needed
- DEM Style Sensors
- Clamp-on Oxvgen Sensor Bung

4150 Four Barrel Sets Holley 4150 four barrel sets feature dual bolt patterns (square and spread bore), an internal fuel pressure regulator, and four 100 lb injectors capable of

supporting up to 650 horsepower. Note: Spread bore/Rochester Q-jet applications require

seating plate part	#1190000.			
Standard Sets				
H550510	polished/shiny	1070.99	set	
H550511	black ceramic	1113.99	set	
H550516	classic gold	1113.99	set	
Master Sets				
H550510K	polished/shiny	1404.99	set	
H550511K	black ceramic	1404.99	set	
H550516K	classic gold	1404 99	set	

Quadraiet 4 Barrel Sets

Holley Quadraiet 4 barrel sets are designed to deliver that Rochester roar at wide open throttle. They feature a spread bolt pattern and multiple fuel inlet configurations



appearing installation under the stock air cleaner. Includes a GM brake booster adapter, throttle lever provisions for TH350/TH400 and 200R4/700R4 transmissions, and a kick down bracket. Capable of supporting up to 500 horsepower. Brake booster adapter also included, if required.

	es external fuel pressure regulate	ne 🗘
H550867		1336.99 set
H550868	black ceramic	1392.99 set
H550869	classic gold	1392.99 set



Holley Terminator EFI4 barrel throttle body fuel injection system with transmission control. This high-performance system includes a 950 cfm 4150 flanged throttle body based on Holley's Nascar TBI with four 80 lb/hrinjectors. The Terminator ECU is virtually maintenance-free and fully self-tuning – no laptop required. The base sets include a 4150 style square bore throttle body, a Terminator ECU, a handheld EFI monitor, and with or without transmission control. Master sets include the most complete fuel system on the market.

Stealth Base Se	ets		
H550405	polished/shiny	2471.99	se
H550406	hard core gray	2534.99	sc
Stealth Base Se	ets with Trans Control		
H550407	polished/shiny	3211.99	se
H550408	hard core gray	3274.99	sc
Stealth Master	Sets		
H550405K	polished/shiny	2891.99	se
H550406K	hard core gray	2953.99	se

Terminator Stealth 4 Barrel Sets

Holley Terminator Stealth EFI conversion sets. The Terminator Stealth EFI system has the same great self-tuning features as other Terminator EFI systems but with the stealthier looks of a carburetor. This system is easy-to-install and tunes itself - no laptop required.



to laptop control for more advanced tuning options.										
Stealth Base H550440 H550441 H550444	Sets polished/shiny hard core gray classic gold	2409.99 2471.99 2399.99	set							
	Sets with Trans Control polished/shiny	3133.99 3192.99	set set							
Stealth Mass H550440K H550441K H550444K	ter Sets polished/shinyhard core grayclassic gold	2891.99 2953.99 2865.99	set							

Holley Eff

HP FCII and Harness Sets

Holley HP EFI ECU and harness sets are a "Plug and Play" alternative for stock or high-performance GM TPI and LS engines. This set includes: HP ECU, harnesses, communication cable, software, and a wide band 02 sensor designed to be used with GM engines with factory GM coils. The HP ECU is equipped with 4 programmable inputs and 4 programmable outputs allowing the user to configure the system to support a wide range of controls including boost control, progressive nitrous, water/methanol injection, speed inputs, fuel pump control, AC inputs, timing retard inputs, and various other uses

	Stealth RamTM - HEI		
H550601	Bosch O2 sensors		
H550601N	NTK O2 sensors	2322.99	set
LS1 and LS6 w	24X Crank Sensor -		

Bosch Injector Harness Connectors H550607 Bosch O2 sensors 2213 99 set U550602N NTK O2 sensors 2402.99 set LS2, LS3, and LS7 w/58X Crank Sensor -

EV6 Injector Harness Connectors H550603 Bosch O2 sensors 2213 99 set H550603N NTK O2 sensors 2402.99 set

LS2, LS3, and LS7 w/58X Crank Sensor -**Bosch Injector Harness Connectors** Rosch O2 sensors 2213 99 set H550601 H550607N 2402 99 set



EFI Fuel System Sets

H5267

Holley EFI fuel system sets are available in a number of configurations, with and without fuel pumps or return lines. Every set includes 20 feet of 3/8" Earl's Vapor Guard fuel hose, a post filter, and the necessary fittings for installation. Sets with fuel pump include pre-filters and return style sets include an extra 20 feet of hose and a fuel tank bulkhead fitting

Note: Additional components may be necessary for some applications.

	Return Line		
H5269	without pump	160.99	sc
H5265	with pump	403.99	se
With Retu			
H52610	without pump	263.99	sc
H5267	with pump	403.99	se











Chevrolet Headers

1955-57 Patriot Headers

These headers accommodate the GM 605 power steering box conversion and fit most motor mounts. Extra ground clearance makes "slammed" vehicles driveable and above frame rail exhaust system installation easy. Available in raw finish for individual customizing or with Patriot's metallic ceramic coating. Unlike paint or chrome, metallic ceramic coating is easy to keep clean, resist rust and corrosion and will not discolor. Metallic ceramic coating also reduces underhood temperatures. All Patriot headers include installation hardware, collector reducers, gaskets, and instructions

Note: Be sure to read the important notes listed on the bottom of this page ing to each header system for correct application. Shipped oversize



Unco	ated		9		🚜 🕸 🗘										
Part#	Year	Engine	Smog	See Notes	AC	PB PB	PS	AT Column	AT Floor	MT Column	MT Floor	Tube Dia.	Cell. Dia.	Port Shape	Price
TF700401	1955-57	265-400	3	1, 3, 5, 19, 23, 60, 192	Y	Y	Y	Y	Y	N	Y	1-5/8"	2-1/2"	RD	197.99 set
TF700402	1955-57	265-400	3	3, 5, 23, 36, 60, 92, 192	Y	Y	Y	Y	Y	N	Y	1-5/8"	2-1/2"	OVL	259.99 set
TF700403	1955-57	265-400	3	17, 54, 76, 192	Y	Y	Y	N	Y	N	Y	1-3/4"	3"	REC	352.99 set
TF700495	1955-57	265-400	3	1, 5, 19, 23, 60, 211, 212	Y	Y	Y	Y	Y	N	Y	1-5/8"	3"	RD	247.99 set
TF700404	1955-57	LS1/LS6	3	5, 85, 106, 107, 108	Y	Y	Y	Y	Y	N	Y	1-3/4"	3"	RD	323.99 set
TF700405	1955-57	396-502	3	3, 19, 23, 37, 105, 192	Y	Y	Y	Y	Y	N	N	1-7/8"	3"	SAP.	269.99 set

Metal	Metallic Ceramic Headers													≠ 153 🚹	
Part#	Year	Engine	Smog	See Notes	AC 3A	PB	PS	AT Column	AT Floor	MT Column	MT Floor	Tube Dia.	Coll. Dia.	Port Shape	Price
TF700407	1955-57	265-400	3	1, 3, 5, 19, 23, 60, 192	Y	Y	Y	Y	Y	N	Y	1-5/8"	2-1/2"	RD	396.99 set
TF700408	1955-57	265-400	3	3, 5, 23, 36, 60, 92, 192	Y	Y	Y	Y	Y	N	Y	1-5/8"	2-1/2"	OVL	433.99 set
TF700409	1955-57	265-400	3	17, 54, 76, 192	Y	Y	Y	N	Y	N	Y	1-3/4"	3"	REC	581.99 set
TF700496	1955-57	265-400	3	1, 5, 19, 23, 60, 211, 212	Y	Y	Y	Y	Y	N	Y	1-5/8"	3"	RD	416.99 set
TF700410	1955-57	LS1/LS6	3	5, 85, 106, 107, 108	Y	Y	Y	Y	Y	N	Y	1-3/4"	3"	RD	499.99 set
TF700411	1955-57	396-502	3	3, 19, 23, 37, 105, 192	Y	Y	Y	Y	Y	N	N	1-7/8"	3"	SAP.	502.99 set
TF700412	1955-57	396-502	3	4, 11, 13, 14, 15, 19, 37, 105	Y	Y	Y	Y	Y	N	Y	2"	3-1/2"	SAP.	555.99 set

- Does not fit angle plug heads.
- Patriot Header Notes Fits with stock or 605 steering boxes, aftermarket side engine mounts and rear trans crossmember Fender well exit.

TF700406 1955-57 396-502 3 4, 11, 13, 14, 15, 19, 37, 105 Y

- Shorty design for maximum ground clearance.
- Universal block hugger design.
- May require smaller front tires to avoid contact. 14) 1955-57 Chevy applications require alteration of emergency brake rod.
- Can be used with most oil filter systems or transmission and starter combination.
- Fits most angle plug heads.
- Check motor mount position before ordering.
- Will not fit if engine is more than 3/4" forward for HEI firewall clearance. Fits D-Port cylinder heads including ZZ4 crate engines.
- 36)
- Fits standard deck big blocks only. Fits with manual and auto trans floor shifts only.
- Will not work with 168 tooth flywheels or kick out aftermarket starters.
- 76) Fits with either 3/4" forward or stock location side mounts, rear transmission
- mount or equivalent and stock or 605 steering box. Stock mid-mount and ears

- on the frame must be removed. O2 bungs are welded on both collectors.
- Will fit most angle plug heads including factory Chevrolet "Bow Tie" heads.
- 105) Original bellhousing frame mounts must be removed.
 106) Requires use of Street & Performance (or equivalent) billet aluminum
- adaptors, along with D & P classics (or equivalent) Chevy frame stands. 107) LS1/LS6 engines require the use of a LS1 oil pan for proper header fit.
- 108) Will fit with 605 power steering box. 192) Header is designed to fit cars using original V8 pitman arm not 6 cylinder
- pitman arm. Aftermarket pitman arms must be same as OE for proper header fit. Designed to fit with Maval/Unisteer rack and pinion steering systems.
- 212) Will not fit manual transmission vehicles with factory Z bar clutch linkage

3-1/2" SAP. 276.99 set

Patriot Emission Notes

Legal only for off-highway use (except in California or states that have adopted California emission standards), racing use or for use on pre-emission controlled motor vehicles/motor vehicle engines (pre-1974 domestic vehicles certified to California standards, pre-1974 domestic vehicles certified to federal standards and all pre-1974 foreign vehicles), per the manufacturer's application guide.



Classic Fenton high-performance headers are here. These quality cast iron headers

split single 6 cylinder exhaust systems into a high flow, high-performance dual exhaust system. Fits all 1937-62 Chevrolet 6 cylinder 216, 235, and 261 cid engines. 264.99 pr Δ15312 6 cylinder headers. header holt set A15313 6.99 set



Fenton Small Block Headers

Classic Fenton cast iron small block headers split dual exhaust systems into a unique, high flow quad exhaust system. Universal fit for 265-283, 327, and 350 cid engines. A15314 Fenton small block

Chevrolet Headers

1955-57 Hedman Hedders™

HEDMAN

Classic Industries® stocks a full line of Hedman Hedders™ for 1955-57 Chevrolet passenger car models. These units are designed to replace the heavy and restrictive factory manifolds with tubular steel headers. Hedman HeddersTM are not only lighter, but will also increase your Chevrolet's performance. Tork-Step headers feature an innovative design that allows for and increased overall torque curve. Sets are complete and ready to bolt on. Includes collector and header to head gaskets, collectors, and bolts. Get more performance from your Chevrolet without breaking the bank and do it with a name you can trust in the header business "HedmanTM".

Note: Available in black. Be sure to read the important notes listed on the bottom of this page pertaining to each header system for correct application. Shipped oversize.



													- C
Part#	Year	Engine	See Notes	AC	PS	AT Column A	Floor	MT Colum	n MT Floor	Smog Notes	Tabe Dia.	Collector Diameter	Price
68120	1955-57	283-400	25, 103	Y	Y	N	Y	N	Y	C	1-5/8"	3"	273.99 ea
68260	1955-57	283-400	15, 25, 103	Y	Y	N	Y	N	Y	C	1-5/8"	3"	213.99 ea
68500	1955-57	283-400 Tight Tube	15, 103	Y	Y	Y	Y	Y	Y		1-5/8"	2-1/2"	297.99 ea
65004	1955-57	283-400	1, 3, 6, 103	N	Y	N	Y	N	Y	C	1-3/4"	3"	316.99 ea
68250	1955-57	396-502	3, 208	Y	Y	N	Y	N	Y	C	1-3/4"	3"	291.99 ea

Hedman Hedder Notes

- Without smog injection or injection heads. Front motor mounts only
- Modification to stock exhaust required to retain catalytic converter
- Shortie Hedder (Max. ground clearance).
- Engine swap, all parts must be factory stock.
- Will fit with angle plug heads Chevrolet aluminum only.

clearance problems on some applications. Bottom of header flanges may hit head bolts. Notching may be necessary.

Hedman Hedder Emissions Notes

For vehicles 1964 through 1974 without A.I.R. system, considered as OE replacement parts when existing emission controls are not removed from vehicle.

1955-57 Doug's Headers Header design and development is complex and requires a substantial

amount of time and resources to do the job right. Doug's has made that commitment, and their name has become synonymous with quality. There's no compromise at Doug's that commitment, and their name has become synonymous with quanty. There's no compromise at Doug Every header is tuned with the proper tube size and length to efficiently remove all the exhaust from each cylinder, reducing pumping losses for dramatic gains in horsepower and torque. Doug's headers are caref developed on the vehicles they are intended to fit and are checked and rechecked numerous times during the design and manufacturing process. Doug's headers are available for 1955-57 Chevolet passenger car models with small block or big block V8 engines and console or column shifters as noted. Once you check the heavy duty 1/2* to 5/8* thick machined and finished header flanges, the smooth mandrel bent tubes, and the attention paid to assembly, you'll want Doug's. Metallic Ceramic Thermal Barrier Coating (MCTBC) is simply the best header finish on the market, and is the standard finish on all Doug's headers. MCTBC protects and extends the life of headers by creating a thermal barrier that significantly lowers underhood temperatures, while protecting substrate metal from thermal fatigue. Doug's finishes their headers with a vibratory finishing process that compresses and activates the coating, significantly increasing surface hardness to produce a coating 60% more corrosion resistant than standard header coating. This coating is easy to maintain and will not change color under normal operating conditions. Once you check the options, you'll buy Doug's.

Important: Headers are intended for off-highway use only and are not designed for use on California vehicles with pollution control devices. Be sure to read the important notes listed on the bottom of this page pertaining to each header system for correct application. Note: Shipped oversize.



om cylinder heads on GEN VI engines, 502 BB Chevy will have

esi	⚠

Part#	Year	Engine	Smog	See Notes	AC	PB	PS	AT Column	AT Floor	MT Column	MT Floor	Tube Dia.	Coll. Dia.	Port Shape	Price
8356	1955-57	265-400	3	5, 23, 36, 60, 92, 108, 192	Y	Y	Y	Y	Y	N	Y	1-5/8"-2"	2-1/2"	oval	678.99 set
8357	1955-57	265-400	3	23, 36, 92, 108, 126, 192	Y	Y	Y	Y	Y	N	Y	1-5/8*-2*	2-1/2"	oval	726.99 set
8353	1955-57	265-400	3	36, 76, 92, 108, 133, 137, 192	Y	Y	Y	Y	Y	N	Y	1-3/4"	3"	same as head	711.99 set
8355	1955-57	265-400	3	4, 13, 92, 108, 125	Y	N	Y	Y	Y	Y	Y	1-3/4"	3"	same as head	872.99 set
8354	1955-57	396-502	3	23, 105, 108, 137, 192	Y	Y	Y	Y	Y	N	N	2"	3-1/2"	same as head	721.99 set
8359	1955-57	572	3	108, 187	Y	Y	Y	N	Y	N	Y	2-1/8"	3-1/2"	D-Port	1095.99 set
8311	1955-57	LS1/LS6	3	5, 85, 106, 107, 108	Y	Y	Y	Y	Y	N	Y	1-7/8"	3	same as head	749.99 set

Doug's Header Notes

- Shorty design for maximum ground clearance.
- May require smaller front tire to avoid contact.
- Will not fit if engine is more than 3/4" forward for HEI firewall clearance. Fits D-Port cylinder heads including ZZ4 crate engines. 361
- 60) Will not work with 168 tooth flywheels or kick out aftermarket starters. Fits with either the 3/4" forward or stock location side mounts, rear transmission mount or equivalent and stock or 605 steering box. Stock mid mount and ears on
- the frame must be removed. 851 O2 bungs are welded on both collectors.
- Will fit most angle plug heads including factory Chevrolet "Bow Tie" heads.
- 105) Original bellhousing frame mounts must be removed.
- 106) Requires use of Street & Performance (or equivalent) billet aluminum adaptors, along with D & P classics (or equivalent) Chevy frame stands.

- 107) LS1/LS6 engines require the use of a LS1 oil pan for proper header fit. 108) Will fit with 605 power steering box.
- 125) Fits Edelbrock angle plug heads.
- 126) Tri-Y design.
- 133) Will not fit with Powerelide transmission
- 137) Does not fit 4-speed applications with bell housing mounts.
 187) Will fit 572 tall deck (10.2") crate engine or equivalent.
- 192) Header is designed to fit cars using original V8 pitman arm not 6 cylinder p

arm. Aftermarket pitman arms must be same as OE for proper header fit. Doug's Emission Notes

The product accompanying this document is legal only for off-highway use (except in California or states that have adopted California emission standards). or for use on pre-emission controlled motor vehicles/motor vehicle engines (pre-1974 domestic vehicles certified to California standards, pre-1974 domestic vehicles certified to federa standards and all pre-1974 foreign vehicles), per the manufacturer's application guide









EL & EXHA

Exhaust Header Components




Header Collector Reducers

These welded, 12" extended length reducers connect your headers directly to your Pypes X-pipe to eliminate unnecessary seams, clamps and extra work. They are constructed of polished 304 stainless steel. Limited lifetime warranty.



Header Collector Ball Flange Set

This header collector set takes the place of messy three bolt, flange type connections and allows for a leak free and gasket free ball flange type connection. F15923 3-1/2" collector to 3" system.. 135.99 set F15925 3" collector to 2-1/2" system.. 126.99 set



Aluminum Header Gaskets

Soft conforming aluminum gaskets easily conform to the header flanges for a superior seal. Each set includes 2 gaskets.

67921 Chevy small block square port .. 22.99 pr 67923 Chevy big block round port ... 29.99 pr



Aluminum Collector Gasket Set

Soft conforming aluminum gaskets easily conform to the collector flanges for a superior seal. Each set includes 2 gaskets, 6 nuts, and 6 bolts.

67920 67927 67928	2-1/2" collector	15.99 set

ARIITI ARIIII ARAIITI ARIIIII ARIITI

Header Bolt Set 🎎

ARP manufactures premium bolt sets to facilitate installation of exhaust headers in both stainless steel or 8740 chromoly steel. Each ARP set includes the correct number of bolts for your application, plus premium quality washers. Available with Hex or 12 point heads. Rated at 170,000 psi tensile strength. All bolts are 3/8"- 16.

Small Block = 12 Bolts.

	e Finished C		
AR1111		Hex head	
AR1121	3/4" long	12 point	15.99 set
AR11111	1" long	Hex head	19.99 set
AR11211	1" long	12 point	20.99 set
Stainless Si	teel		
AR4111	3/4" long	Hex head	19.99 set
AR4121	3/4" long	12 point	20.99 set
AR41111	1" long	Hex head	31.99 set
AR41211	1" long	12 point	31.99 set
	Big Bloc	k – 16 Bolts	
Black Oxid	e Finished C		
AR1112	3/4" long	Hex head	
AR1112 AR1122	3/4" long 3/4" long	Hex head 12 point	19.99 set
AR1112 AR1122	3/4" long 3/4" long	Hex head 12 point	19.99 set
AR1112	3/4" long 3/4" long 1" long	Hex head	19.99 set 24.99 set
AR1112 AR1122 AR11112	3/4" long 3/4" long 1" long 1" long	Hex head 12 point Hex head	19.99 set 24.99 set
AR1112 AR1122 AR11112 AR11212	3/4" long 3/4" long 1" long 1" long	Hex head 12 point Hex head	19.99 se 24.99 se 26.99 se
AR1112 AR1122 AR11112 AR11212 Stainless St AR4112	3/4" long 3/4" long 1" long 1" long teel 3/4" long	Hex head 12 point Hex head 12 point	19.99 set 24.99 set 26.99 set 26.99 set
AR1112 AR1122 AR11112 AR11212 Stainless St AR4112 AR4122	3/4" long 3/4" long 1" long 1" long 1" long teel 3/4" long 3/4" long	Hex head	19.99 set 24.99 set 26.99 set 26.99 set 25.99 set
AR1112 AR1122 AR11112 AR11212 Stainless St AR4112	3/4" long 3/4" long 1" long 1" long 1" long teel 3/4" long 3/4" long 1" long	Hex head 12 point Hex head 12 point	19.99 set 24.99 set 26.99 set 25.99 set 39.99 set



Geber Venues Company Header Bolt Set

Dress-up your Tri-Five with these one-of-a-kind dressup bolt sets. Logo is stamped directly onto the head of the bolts. They are available in decorative chromeplated or polished stainless steel versions. Note: Please specify logo prefix: C=Flames, D=Bow Tie,

G=350, H=454.

Chrome He		
56461C		
56418C	small block 1" long	
56477C	small block std exh	
56488C	big block	29.99 set
56498C	w/LT-1 engine	21.99 set
	eel Header Bolts	
56461S	small block	
56418S	small block 1" long	14.99 set
56477S	small block 1" longstandard exhaust	14.99 set 22.99 set
	small block 1" long	14.99 set 22.99 set 19.99 set

APAPAP APAPAP

Header Bolt Set

Includes all original style hex head bolts for small block or big block headers. Choose from polished stainless steel or polished chrome bolts. Small block sets include 12 bolts and big block sets include 16 bolts.

AK119A AK119B AK118A	small block small block big block	stainless	
AK118B	big block	stainless	



Wedge Locking Header Bolts

Wedge locking header bolts were designed to keep bolts from backing off. These bolts feature special washers with hardened serrated teeth. The washers bite into the bolt head and the top surface of the header. After being seef-locked in this manner, any lossening rotation is blocked by a wedge locking action. They are reusable and you can count on them to not fail. Grade 8.

and you	can count on them to not ran. Gra	uc o.	
3/8"-16	Thread Diameter - 3/4" Long		
	set of 12		
66752	set of 16	33.99	set
3/8"-16	Thread Diameter - 1" Long		
66753	set of 12	30.99	set
66756	set of 16	33.99	set





17970 1799

Small Head Header Bolt Set Working in a tight space? These 12 piece small head

bolt sets are designed to replace regular Hex head bolts for easier access and fewer skinned knuckles. Available in both black oxide and zine finishes. Black Oxide Hex Head 66341 3/8"-16 x 3/4" 5.99 set

Black Ox	ide Hex Head	
66341	3/8"-16 x 3/4"	5.99 set
Zinc Hex		
17970	3/8"-16 x 3/4"	9.99 set
17973	3/8"-16 x 1"	11.99 set

Socket Assist

Essential tool for bolts with tight clearance like spark plugs and header bolts! 12 point for maximum



finger traction. Set of three including: 1/4" x 1/4", 1/4" x 3/8", 3/8" x 3/8" (12 point x socket drive size). These belong in every tool box.

Exhaust Manifolds







Ram Horn Exhaust Manifolds

These exhaust manifolds are based on the highperformance small block Chevy Ram Horn manifolds from the 1950's and 60's. Manufactured from heavy cast iron without air injection ports or alternator/ generator bracket provisions. Available in raw cast iron, black ceramic, silver ceramic, or chrome finish. Features 2-1/2" outlet. Includes mounting hardware and gaskets. Sold in pairs.

Note: Shipped overweight. Not legal for use on

pollution contro	olled vehicles.	_
A7700103	raw cast	152.99 pr
A7700102	chrome	211.99 pr
A7700104	black ceramic	253.99 pr
A7700105	silver ceramic	272.99 pr



Keen Cast Iron Manifolds Looking New!

Apply this non-toxic cast iron manifold dressing to your manifolds with a cloth and polish them to a silvery shine. One 3 ounce container will do approximately 3 sets of manifolds. Burn proof up to 1800 degrees F CY1001 3 ounce can 15 99 ca



V8 Ram Horn Exhaust Manifold, 2"

Reproduction small block Ram Horn exhaust manifolds. Originally used on 1957-63 GM engines. Correct casting numbers for 1957. Features 2" outlet. TE700276 309.99 ea 1057 TH TF700277 1957 324 99 ea





V8 Ram Horn Exhaust Manifold, 2-1/2"

Reproduction Hi-performance small block Ram Horn exhaust manifolds. Originally used on 1962-68 Hi-Performance GM engines. Features 2-1/2" outlet. te: *Side facing generator or alternator bracket holes. ator bracket holes

3797901*	1957	LH	2-1/2"	309.99	ca
3846563** 3797942	1957 1957	LH RH	2-1/2" 2-1/2"		



LS Cast Iron Exhaust Manifolds These Hooker cast iron exhaust manifolds are designed

to hug the engine block closely so they will work with a variety of LS engine swaps or as a replacement. Their contoured shape aims exhaust gases for increased flow and performance over stock manifolds with a traditional old school look. Fits all GM LS engines up to 500 horsepower except LS7 and LS9's and have been proven to fit 1970-81 F-Bodies, 1982-88 G-Bodies, and 1968-72 A-Body vehicles. Made from high silicon ductile iron for years of durability and corrosion resistance. Available in a range of different finishes.

Important: Not C.A.R.B. certified and may not be legal for use in some states on pollution controlled vehicles.

85010	"As Cast"	365.99 pr
85013	black ceramic	488.99 pr
85011	silver ceramic	
85014	titanium ceramic	488.99 pr
05015		400 00





1957 Exhaust Manifold Heat Riser

Stock replacement heat riser valves are available for 1957 V8 engines as well as "blank" plates for improved flow.

Note: Imag	es are shown from the bottom (pipe) .	side.	
EMR001	w/2* headpipe w/valve	71.99	ca
EMR003	w/2" headpipe - w/o valve	54.99	ea
EMR004	w/2-1/2" headpipe - w/o valve	47.99	ea



1955-57 Chevrolet Fxhaust Flance Gasket

This is a very important often forgotten item. Exhaust flange is between the head pipe and the exhaust manifold. If this is blown out or missing you an suck in cool air and crack a valve

TF700369 TF700369 31400 TF700371	1955 1956 1957 1957	flat gasket, 2 bolt flange flat gasket, 2 bolt flange pipe packing, 2" pipe packing, 2-1/2"	4.49 ea	1



1955-57 Exhaust Manifold Heat Riser Gasket

This Chevrolet passenger car exhaust manifold heat riser gasket for V8 models with 2 1/2" exhaust mounts between exhaust manifold and the heat riser. Fits heat riser part #EMR002 and #EMR004.

TF700542 1955-57...



Replace your rusted, dented or missing exhaust manifold heat riser cover plate. This is the plate that your choke tube connects to

TF700413 1955-56 12.99 ca

1957 Stainless Steel Fxhaust Manifold Tube

Chevrolet passenger car stainless steel exhaust manifold tube that is inside of the exhaust manifold. TF700541 1957 V8 9 99 ca









Exhaust Hardware





1978-96 Exhaust Manifold Bolt Set 🔥

Dress-up your Tri-Five with these one-of-a-kind dressup bolt sets. Logo is stamped directly onto the head of the bolts. They are available in decorative chromeplated or polished stainless steel versions. What better way to make a statement than with these unique bolts. te: Must specify logo prefix: C=Flames, D=Bow Tie. G=350 H=454

Chrome Header Rolts

564778 1978-87

564888 1079 97

564988 1993-96

56461C	1978-87	small block		
56418C	1978-87	small block 1" long		
56477C	1978-87		29.99	
56488C	1978-87	big block	29.99	set
56498C	1993-96	w/LT-1 engine	21.99	set
	Steel Head			
		small block		
56418S	1978-87	small block 1" long	14.99	set

big block..

LT-1 engine

standard exhaust..... 22.99 set

19 99 set

14 99 set



Exhaust Manifold to Pine Stud Set 🔥

Reproduction carbon steel studs and nuts used to attach the exhaust pipes to exhaust manifold. Each set includes a complete set of studs for the installation of both exhaust manifolds. Set includes: three 3" and three studs, and six nuts. Features smooth tips without threads 1959-82 style.

K0157 carbon steel, smooth tip 26.99 set



1957 OE Style Exhaust Manifold Bolt Set Reproduction exhaust manifold bolt set for small

block exhaust manifolds. Featuring correct head markings. Comes complete with correct extra thick washer as original. K0164 1957 29 99 set

EXHAUST HARDWARE



1955-57 Exhaust Manifold Stud with Nut

Replace your missing, rusted, stripped, or broken exhaust manifold studs. These are often beyond repair when removing your exhaust manifold. Correct style with threads to the tip



1967-76 Exhaust Manifold Rolt & Stud Set Correct style exhaust manifold bolt and stud set will

replace the rusted or broken originals. Includes: 1 long bolt, 3 medium length bolts, 7 short bolts and 1 stud. 1967-76 small block, AC... 27.99 set







1965-75 Big Block Exhaust Manifold Bolts Reproduction of the exhaust manifold bolts for big

block engines from 1965-75. These are black phosphate coated hardened bolts 1965-67 style features a loose washer, 1968-75 style features the correct flanged head, just like original. Set of 16 bolts.

K0092 1965-67 big block 27.99 set 14312 big block. 1968-75 24 99 set



1955-57 Exhaust Manifold Bolt Locks

Get the factory look and keep the manifold bolts tight to help eliminate exhaust leaks. Classic Industries® offers these original style stainless steel reproduction exhaust manifold bolt locks designed for the purist who demands perfection. Set of 4

TF700540 1955-56 small block 17.99 set small block...... 17.99 set EMI.001 1957



Oxvaen Sensor Fitting

Weld-in oxygen sensor fitting for all fuel injection systems. Fits TBI, TPI, CMFI, LT1, LSX, 5.0L, and most other oxygen sensors.

Important: This part requires welding for installation.
Professional installation is recommended. 60406 7.99 ca



Oxvgen Sensor Plug Many headers for late model engines are equipped with

a oxygen sensor bung in each header. When retrofitting a carburetor on late model engines, an oxygen sensor is not necessary. This plug seals the oxygen sensor bung on headers and exhaust manifolds. Made from trivalent chromium-plated steel with a M-18 thread size to fit most stainless headers.

222734 M-18 thread oxygen sensor plug 11.99 ea



Oxvaen Sensor Socket Removes and installs oxygen sensors on most domestic and some foreign vehicles as well. Includes special 7/8" socket with cutaway slot to provide clearance for wire harness. Provides adequate depth to fit over sensor. Heat treated alloy steel. Use with 3/8" square

.. 12.99 са

Dual Drive Oxygen Sensor Wrench

Tool includes both 1/2" and 3/8" drive Attach a 1/2" breaker bar on the end of the tool to initially loosen stuck sensors. Use a 3/8" ratchet on the top for fast removal and installation. Fits oxygen

drive or 1" wrench. Y12000



allows clearance for wire harness. Forged, heat treated steel with six point design will withstand high torque removal applications. 12390

18 99 ca



Exhaust Components



Tru-X and Y-Pipes

The more gentle radius of these X- and Y-pipes allow for better exhaust gas scavenging, noise cancellation and better balance between cylinder banks. The result is a significant increase in power and torque, but a reduction in dB sound levels.

10781 10782	2-1/2" dual in/out x 9.5" long 3" dual in/out x 13.2" long	128.99 134.99	
Crossover			
10790	2-1/4" dual in/out x 12" long	115.99	ea
10791	2-1/2" dual in/out x 12" long	115.99	ea
10792	3" dual x in/out x 14" long	121.99	ea
Y-Pipe			
10748	2-1/2" single, 2" dual	67.99	ea
10758	2-1/2" single, 2-1/4 dual	67.99	ea
10768	2-1/2" single, 2-1/2 dual	67.99	ea
10778	3" single 2-1/2 dual	88 99	00



Tunnel X-Crossover

Since a V8 fires alternately, exhaust exits in pulses rather than a steady flow. While one pipe is filled with pressure the other pipe is relatively pressureless, but connecting the two pipes in a Siamese pattern allows pressure to be equalized between the two tailpipes. This action allows the exhaust to pass through quicker for better breathing that increases horsepower. The Pypes crossover product line is defined by a high-quality, exceptionally versatile design. They are a proven winner when it comes to bumping up the horsepower of your daily driver or race car. Pypes tunnel X-crossover fits 1955-57 Tri-Five models with easy installation. All crossovers are made of 409 stainless steel with dual reinforcement plates at the welds where they are needed most. All pipes are mandrel bent to allow for the maximum flow of exhaust gasses, which boosts acceleration. Limited lifetime warranty.

Important: If using stock, cast iron manifolds, add a set of down pipes to connect your original manifolds to the header back system.

Note: Shipped oversize.	_
2-1/2" Tunnel Crossover	OS
P1065	208.99 ea
3" Tunnel Crossover	



Low Line Lake Pipes... The Look is Back! Get the retro look with a set of chrome lake pipes on

your which This look was popular in the hale 1950's and early 1960's. When setup as a functional feature, it allowed the racer to uncap or "dump" the exhaust for increased calusati flow when raning. The use of for increased calusati flow when raning. The use of driving. It also provided the vehicle with a lower "lead sled" look. These pipes do not incorporate any silencing materials and are recommended for same properties of the provided of the provided provided the provided provided the provided provided the provided provided provided the provided provid


Note: Shipped	l oversize.		
Slant Outlet		681	
H1260	2" x 60"	189.99	pi
H1270	2" x 70"	189.99	pi
H1280	2" x 80"	198.99	pi
Single Outle	et with Caps		
H1263	2" x 60"	218.99	pi
H1273	2" x 70"	213.99	ρι
H1283	2" x 80"	214.99	ρι
Triple Outle	t with Caps		
H1264	2" x 60"	317.99	DI
H1274	2" x 70"	323.99	pi
H1284	2" x 80	339.99	ρı
Chrome Mo	unting Clamps		
	2"	11.99	e



Universal Ralance Pine Set

Flowmaste	r offers a pre-fabricated univers	al balance
	ease the installation of a crossove	
dual exhau	st system. Set includes: T-pipe co	onnectors
balance pip	e, and clamps.	
F15920	2-1/2"	90.99 sc





Smooth Transition Set

Now customizers can compile a system that will work and provide a clean, fully custom look. Made from high-quality stainless steel as the performance Cat-Back systems and can be adapted to fit nearly any application. These sets are offered in dual 2-1/4*, 2-1/2*, and 3° configurations and include a collection of hangers, flanges, J-mandrel bends, U-mandrel bends, L-mandrel bends, and straight pipes.

Note: Mu	flers are sold separately.		
10701	2-1/4" dual exhaust	664.99	set
10702	2-1/2" dual exhaust	718.99	set
10703	3" dual exhaust	774.99	set
			_



U-Fit Dual Pipe Sets

These sets come complete with all the pipes you need to build a custom dual exhaust system in 2-14/4 2-12/2, or 3* pipe diameters. These U-Fitsets include: the front adapter pipes, intermediate pipes, 14-pipe assembly and over the axle pipes. Each pice chas a slip-fit connection, for easy assembly and built from mandrel bent, 16 gauge aluminized steel tubing.

Important:	Hardware not included.		
Note: Shipp	ed double oversize.	€ 0S2	
F15935	2-1/4"	348.99 sc	t
F15936	2-1/2"	373.99 se	
F15937	3"	401.99 sc	t











Exhaust Components



Replacement Style Steel Clamp

Correct replacement style clamps for most applications. Each clamp is listed as standard style or heavy-duty. Standard 5/16" U-Rolt

35408	2"	2.99 ca
35413	2-1/4"	1.99 ca
Heavy-Du	ty 3/8" U-Bolt	
35335	2"	
35336	2-1/4"	
35337	2-1/2"	2.99 ca
35794	3"	4.99 ca



Stainless Steel Clamp

Stainless or plated exhaust clamps now available for chambered or aluminized exhaust systems. Stainless or plated clamps offer long-lasting effectiveness over the original style non-coated clamps.

	_			
E245	2-1/2"	plated	2.99	ea
E244	2-1/4"	plated		
E243	2"	plated		
E242	2-1/2"	stainless		
E241	2-1/4"	stainless		
E240	2"	stainiess		



Muffler Clamp

Correct replacement muffler clamps are designed to replace the factory originals. Each clamp includes hardware. See below for correct application. Either 2" or 2-1/4" pipes.

Stanaara	Ciamp		
HC92	with 2"	9.99	4
HC93	with 2-1/4"	9.99	4
Guillotin			
HC94	with 2"	9.99	¢
HC95	with 2-1/4"	9.99	



1955-57 Exhaust Flange

Replacement exhaust flanges for use with various applications as listed. For 2" exhaust pipes. Steel

31802	1955-57	6 cyl – 2 bolt	4.99 ea
31803	1955-57	8 cyl – 3 bolt	8.99 ea
Chrome TF700375 TF700375 TF700375 TF700376	1955 1956 1957 1957	6 cyl – intermed pipe 6 cyl – intermed pipe V8 – 2 bolt V8 – 3 bolt	10.99 ea 10.99 ea



1955-57 Exhaust Frame Bracket 🔥

Reproduction muffler and tailpipe frame brackets for 1955-57 models. Includes mounting hardware. Muffler Brackets

TF700362	1955-57	RH	15.99 ca
Tailpipe Bra	ickets		
TF700365	1955	LH	9.99 ea
TF700364	1955	RH	19.99 ca
TF700366	1956	LH or RH	9.99 ea



1955-57 Stainless Steel Muffler Hanger Reproduction stainless steel muffler hangers for

1955-57 models. These hangers attach the muffler to the frame bracket and provide support for the exhaust system. Fits either LH or RH.

TF700367	1955-56	LH or RH	
TF700368	1957	LH or RH	
		_	



1955-57 Stainless Steel Tailnine Hanger

Reproduction rubber and stainless steel tailpipe hangers for 1955-57 models. This hanger includes the clamp and is recommended for replacement when the rubber

deterioriates	or crack	S.		
TF700357	1955	LH or RH w/clamp	49.99	ca
TF700358	1956	LH or RH w/clamp		
TF700360	1957	LH	54.99	ca
TF700361	1957	RH	54.99	ca



1955-57 Renroduction Rear Muffler Hanger Reproduction rear muffler hanger. This rubber muffler

mount is ma original des	nufactured to factory specificati ign.	ons in this
TF700103	1955-57	14.99 ea





1955-57 Universal Tailnine Hanger 🔥

When it comes to a variety of exhaust hangers, Classic Industries® has the best selection! 35458 1956-57 6 cylinder. 6 99 00 35458 1956-57 8 cylinder..... 6.99 ca

Tailnine Expander

Used to remove clamp grooves and round out crushed or bent exhaust pipes to ensure a tight fit, eliminating exhaust leaks. The Hex end allows the use of a combination wrench to remove clamp grooves or small imperfections, or an impact wrench to expand pipes Imperfections are forced outward rather than forward, eliminating possible damage to component parts. No holding fixture is necessary.



Exhaust and Tailpipe Cutter

Cuts pipes 3/4" to 3" (19mm to 76mm) in diameter. 15 blades effectively cut pipe so only 1/4" turn is needed for complete cut. Works great in hard to reach areas. 51.99 ca X2031

Exhaust Renair Kit

Complete Permatex exhaust repair kit for repairing cracks and splits in mufflers tailpipes and exhaust pipes Withstands temperatures over 1000 degrees F. The kit contains ready to use foil packed bandage and support wire. S80334



Muffler & Tailpipe Repair

Putty and sealer seals holes and leaks in mufflers, tailpipes and around ioints. Makes new installation more secure. Resists temperatures up to 2000 degrees F. Epoxy impregnated fiberglass bandage chemically welds mufflers and tailpipes. Great for mufflers, tailpipes, joints, and



S80335 S80333	sealer putty	3 oz. tube 4 oz. pouches	
S80331	bandage	84 sq. in	

EXHAUST



Mufflers

Pypes Performance Stainless Steel Mufflers

Through extensive research and feedback from customers, Pypes has learned that no one muffler design is best. Every car is different, and everyone has different requirements. Different performance modifications change the sound and functionality of a muffler, so it's nice to have several different proven designs to choose from! One thing that is consistent with all Pypes mufflers is that they are high-quality, precision engineered and constructed which allow us to include a lifetime warranty







Street Pro Muffler

Don't let the looks of this muffler fool you. At idle, you may cause passengers to grab for their seat belts, but upon acceleration, the smooth, authoritative tone turns apprehension into reassured confidence. This is a great street/strip muffler that will maintain its rich sound qualities for the life of the muffler because there is no filler to burn off. Recommended for stock to medium modified vehicles where an aggressive sound is appreciated without demanding undesirable attention. Muffler shell measures 4" x 9" x 14". Limited lifetime warranty.

P1021 P1022 P1023	2-1/2" 2-1/2" 2-1/2" 3"	inlet/outlet inlet/outlet inlet/outlet	offset/offset offset/center offset/offset	90.99 e 90.99 e 90.99 e
			E	recas



Race Pro



Race Pro Muffler

Sometimes you just have to have the best of everything. When it comes to flow, you just can't get anything better than our Race Pro Muffler. This baby features a 'straight through 'path with throughput that can flow 95% as efficiently as a straight pipe! The throaty sound is surprisingly tame considering the absence of any impedance when you look down its barrel. At idle and low RPM cruising, you will not draw much attention, but upon acceleration, bystanders lookout! The Race Pro's aggressive sound is the result of applying a layer of stainless mesh around a unique internal perforated tube, accompanied by a healthy stuffing of basalt insulation before the unit is sealed. Highly recommended for the track where every tenth counts. Of course, there are plenty of these mufflers hidden under some fine street machines,

ess Steel						
2-1/2"	inlet/outlet	offset/center	90.99	ca		
3"	inlet/outlet	offset/offset	90.99	ca		
304 Polished Stainless Steel						
2-1/2"	inlet/outlet	offset/offset	115.99	ca		
2-1/2"	inlet/outlet	offset/center	110.99	ca		
	ess Steel 2-1/2" 2-1/2" 3" ed Stainle 2-1/2"	ess Steel 2-1/2" inlet/outlet 2-1/2" inlet/outlet 3" inlet/outlet ed Stainless Steel 2-1/2" inlet/outlet		ess Steel 90.99 2-1/2' inlet/outlet offset/offset. 90.99 2-1/2' inlet/outlet offset/offset. 90.99 3' inlet/outlet offset/offset. 90.99 2-1/2' inlet/outlet offset/offset. 115.99		





Violator Muffler

The Pypes Violator muffler has quickly gained acceptance and praise in the marketplace. It flows as much air as the Race-Pro muffler but has an incredibly distinctive chambered sound! The Violator's aggressive sound is the result of a unique internal louvered tube with mini sound deflector chambers. Finally, a muffler that flows like a straight through muffler but sounds like a chambered muffler. If you want to be noticed, then this is your muffler! Muffler shell measures 4" x 9" x 14". Limited lifetime warranty.

409 Stair P1038 P1039 P1040	2-1/2" 2-1/2" 2-1/2" 3"	inlet/outlet inlet/outlet inlet/outlet	offset/offset offset/center offset/offset.	90.99 ca
	-			



Terminator Muffler Flowtech's Terminator is constructed entirely of super thick, black aluminized steel,

fully welded for strength and durability with 3" inner pass tubes that reduce back pressure and increase horsepower like no other muffler can. Available for universal fit applications, Dimensions: 15" x 11" x 5".

50121 50122 50130	2-1/4" 2-1/2" 3"	center/offset	100.99 100.99 100.99	ea



Universal Fit Raptor Muffler Flowtech's new Raptor turbo performance muffler features a unique sound rib case

design and aluminized, lock seal construction. The Raptor has low restriction, reduces back pressure and increases performance. It offers gigantic, high output flow tubes to provide more horsepower, better mileage and a sound of pure performance. Dimensions 13" x 10" x 4-1/2" with offset-inlet/center-outlet.

50050	2"	34.99 ea	
50051	2-1/4"	33.99 ea	
50052	2-1/2"	33.99 ea	












304

whiched

WALKER



1955-57 Chevrolet Muffler

Replacement muffler designed for all 1955-57 Chevrolet models. Each muffler will replace the original muffler exactly. For use with original style exhaust system.

21314 1955-57 2" in x 1-7/8" out..... 61.99 ea



Universal Fit Super Turbo Muffler The Dynomax Super Turbo muffler has exclusive

The Dynomiax super fution miniter has excusive patented flow directors to channel exhaust flow and eliminate turbulence, larger diameter internal tubes for maximum flow, along with fiberglass matting that delivers a mellow, true performance sound. Made of all aluminized materials, double wrapped and are-welded for longer life and sharper appearance. All universal mufflers are reversible for custom installations.

Important: This muffler comes in two styles: Sport mode from 2" to 2-1/2" measures 4" x 9-3/4" x 18-1/2" and 3" measures 4" x 9-3/4" x 20", Street model measures 4" x 9-3/4" x 25-1/2"

9-3/4" x 2	3-1/2".		
Sport		Inlet/Outlet	
17730	2"	offset/center	69.99 ca
17736	2"	offset/offset	77.99 ea
17731	2-1/4"	offset/center	67.99 ca
17732	2-1/4"	offset/offset	55.99 ca
17733	2-1/2"	offset/center	59.99 ca
17734	2-1/2"	offset/offset	65.99 ca
17797	2-3/4"	offset/center	101.99 ca
17744	3"	offset/center	51.99 ca
17743	3"	offset/offset	54.99 ca
Street			
17747	2-1/4"	center/offset	69 99 ca
17767	2-1/4"	offset/center	107 99 ca
17748	2-1/2"	center/offset	73.99 ca
17749	2-1/2"	offset/offset	82.99 ca
17758	2-1/2"	center/offset dual	101.99 ca

Mufflers



Universal Fit Ultra Flo SS Muffler 🔥

The Dynomax Ultra Flo muffler uses a unique straight through design that maximizes flow and power. Made from all stainless steel materials for optimum appearance, corrosion resistance and longer life. Includes: high chromium content, high luster T-304 cover and heads. Continuous perf design maximizes sound absorption, minimizes turbulence and gives a numbers are reversible for custom installation enables of the control of

Important: This muffler comes in two styles: Sport model measures: 4" x 9-3/4" x 18-1/2", Street model measures: 4" x 9-3/4" x 25-1/2".

17283	2-1/4" 2-1/2" 3"	Inlet/Outlet offset/center offset/center center/2-1/2* dual offset	89.99	c
Street 17289	2-1/2"	offset/center	222.99	c





- -7∞

Heat Shield

Formed aluminum heat shield designed to mount on muffler for added protection in reducing heat radiated from mufflers and reducing interior noise. Attaches easily with included straps. Fits 5"x 10"x 17" mufflers. ES 1017





Slassnack Muffler

18 18

18

18

18

Magnaflow Glass Pack Mufflers feature a free-flowing, straight through perforated core, and Rockwool acoustical packing material to deliver that smooth, deep tone unlike some others' products to ensure long life and no sound degradation over time. Available in sizes from

sizes from.	
124 2" 22" x 18" x 3-1/2" 41.99	ea
134 2" 26" x 22" x 3-1/2" 42.99	ea
144 2" 30" x 26" x 3-1/2" 48.99	ea
125 2-1/4" 22" x 18" x 3-1/2" 42.99	a
135 2-1/4" 26" x 22" x 3-1/2" 44.99	a
145 2-1/4" 30" x 26" x 3-1/2" 48.99	ea
146 2-1/2" 30" x 26" x 4" 48.99	a
129 3" 22" x 18" x 4" 60.99	ea



Glassnack Muffler

Thrush has long been the industry leader in glasspace, unfulfers. They have a straight through, smooth flowing, perforated center tube design for maximum flow and power. All Thrush mufflers are made of a heavy-duty gauge shell for durability. Thrush mufflers include expandable bushings for custom applications. Enjoy the unmistakable sound of a Thrush glasspack muffler today. Dimensions: overall length x shell length x

24200	2"	25" x 20" x 3-1/2"	36.99 ea
24202	2"	27" x 22" x 3-1/2"	
24204		31" x 26" x 3-1/2"	
24201	2-1/4"	25" x 20" x 3-1/2"	
24203	2-1/4"		
24205	2-1/4"	31" x 26" x 3-1/2"	
24214	2-1/2"	28" x 23" x 4"	34.99 ca



Н3010

The Sound of the Fabulous Fifties! 🛕


The world's oldest performance muffler, a Smithy's glasspack is now available for your full size Chevrolle passenger car! Getthe muffler your dad used to impress his friends, and yes, it's still guaranteed not to blow out or leak. Double end cap construction and 3-1/2" hammertone finished cases assure the original Smithy look. A great tone for your fifties or sixties sledd.


H3010 2" inlet, 2" outlet, 22" long 47.99 ea H3011 2" inlet, 2" outlet, 26" long 58.99 ea H3012 2" inlet, 2" outlet, 30" long 63.99 ea

Performance Mufflers



MagnaFlow Performance mufflers are lap joint welded for solid construction and rugged reliability even in the most extreme conditions. They feature a free flowing, straight through perforated stainless steel core, stainless mesh wrap and acoustic fiber fill to deliver that smooth, deep tone. All mufflers are reversible for custom installation and include a Lifetime Warranty!







- 4" x 4" Oval Body Muffler



i	ס ג נ	CENTEL / CENTEL MINI	ILI.
tainles.	Steel M	<i>luffler</i>	
2866	14"	2-1/2" inlet/outlet	118.99
2867	14"	3" inlet/outlet	127.99

Stainless	Steel Mi	uffler	
12866	14"	2-1/2" inlet/outlet	118.99 ea
12867	14"	3" inlet/outlet	127.99 ea
Polished	Stainles	Steel Muffler	
148661	14"	2-1/2" inlet/outlet	126.99 ea
148671	14"	3" inlet/outlet	148.99 ca



4" x 4" Center/Center Muffler

14" 14"		
	14"	14" 2-1/2" inlet/outlet 99.99

MAGNAFLOW

5" x 8" Oval Body Muffler

142361

MAGNAFLO

5" x 8" Center/Offset Muffler

Stainless	Steel M	luffler		
12224	14"	2" inlet/outlet	96.99	e
12225	14"	2-1/4" inlet/outlet	101.99	e
12226	14"	2-1/2" inlet/outlet	101.99	c:
12229	14"	3" inlet/outlet	114.99	e
Polished .	Stainles	s Steel Muffler		
142251	14"	2-1/4" inlet/outlet	125.99	e
142261	14"	2-1/2" inlet/outlet	136.99	c:
142291	14"	3" inlet/outlet	149.99	e
			_	-



5" x 8" Center/Center Muffler

Stainless			
		2" inlet/outlet	
		2-1/4" inlet/outlet	
		2-1/2" inlet/outlet	
122191	14"	3" inlet/outlet	114.99 ea
Polished !	Stainles	s Steel Muffler	
142141	14"	2" inlet/outlet	128.99 ea
		2-1/4" inlet/outlet	
		2-1/2" inlet/outlet	
		3" inlet/outlet	
141511		3-1/2" inlet/outlet	
141531	1.4*	4" inlat/outlat	191 00 as

114329

4" x 9" Center/Offset Muffler

		uffler 4" x 9"	
11224	14"	2" inlet/outlet	
11225	14"	2-1/4" inlet/outlet	101.99 ca
11226	14"	2-1/2" inlet/outlet	101.99 ca
11229	14"	3" inlet/outlet	114.99 ca
Polished	Stainless	Steel Muffler 4" x 9"	
114324	14"	2" inlet/outlet	124.99 ca
114325	14"	2-1/4" inlet/outlet	135.99 ea
114326	14"	2-1/2" inlet/outlet	135.99 ca

MAGNAFLOW

Ell v Oll Offoot /Offoot Mufflon

	O Y	0 01191	SI/ Uliagi iyiuli	Iti.	4
Polishee	l Stain	less Steel	Muffler		
142351	14"	2-1/4	" inlet/outlet	136.99	ea
142361	14"	2-1/2	" inlet/outlet	136.99	
142391	14"	3" inl	et/outlet	149.99	ea



5" x 8" Offset/Offset Muffler

Staintess	Siee	1 Mujjier 5" x 8"		
12266		2-1/2" inlet 2-1/4" dual outlet		
12265		2-1/2" inlet 2-1/2" dual outlet		
12267	18*	3* inlet 2-1/2* dual outlet	144.99	ca
		uless Steel Muffler 5" x 8"		
		2-1/2" inlet 2-1/4" dual outlet		
114288	18*	3" inlet 2-1/2" dual outlet	184.99	ca











FUEL & EXHAUST (L

Performance Mufflers

Super 40 American Thunder

The Super 40 5" x 10" case design gives you a deeper tone that retains our classic 40 Series sound and feel. Increased flow path radius for optimum internal flow using the latest in Delta Flow technology. Flowmaster state-of-the-art robot assembly technolog assures a product that exceeds OEM auto manufacturers' specifications. To achieve such critical quality, Flowmaster performs extensive R&D at the track and in-house with our own engine and chassis dyno facilities. Flowmaster Super





Super HP-2 Muffler Designed for street rods, customs and vehicles where

undercarriage space is tight, the Flowmaster Super HP-2 provides the exhaust performance you need in a compact package that fits wherever you need it. The Super HP-2 has a moderate tone with the appearance, durability, and sound control to suit daily drivers, weekend cruisers, and world-class show vehicles. Available with a 409S

stainless steel case or polishable 304S stainless steel case in sizes from 2", 2-1/4", and 2-1/2". Made in USA.

409S Stainless 5	Steel Case		4
	2" in/out	4" x 5" x 12"	136.99 ea
	2" in/out	4" x 5" x 18"	
	2-1/4" in/out	4" x 5" x 12"	
	2-1/4" in/out	4" x 5" x 18"	
	2-1/2" in/out	4" x 5" x 12"	
F12518409	2-1/2" in/out	4" x 5" x 18"	170.99 ea
304S Polishable	Stainless Steel C	Case	
		4" x 5" x 12"	
F12518304	2-1/2" in/out	4" v 5" v 18"	203 99 69

Super 10 Series Stainless Steel Muffler

Looking for the most aggressive sound available? Flowmaster's new Super 10 series mufflers are so aggressive, they aren't recommended for street driven vehicles. Best suited to racing applications, these feature the same performance technology used in the Super 40 and Super 44 series Flowmaster mufflers. These short, single chamber mufflers deliver the closest thing to open pipe sound possible. If you want high impact sound, the Super 10 series mufflers are the answer. Measures: 6-1/2" x 9-1/2" x 4".

ı		gners are recommes eet driven vehicles.	naea jor ojj nignway – 20	*2010	◮
ı	F842515	2-1/2"	center inlet/center outlet	. 89.99	ca
ı	F8425152	2-1/2"/2-1/4"	center inlet/dual outlet	. 89.99	ca
ı	F842518	2-1/2"	offset inlet/offset outlet		
ı	F843015	3"	center inlet/center outlet		
	F8430152	3"/2-1/2"	center inlet/dual outlet	80 00	60

FLOWMASTER 40 Series Performance Mufflers

FLORINASTER	22	40 S	ERIES"
	Interior Total Level	Exterior Tona Lauret	Multipe Cons Disconsisses
Powerful		40	9.75° Wide
Deep	40		1
Mellow			0 6
Mild	OE	04	10 Thea

- MERICAN THUNDER
- Aluminized Steel
- · Original Flowmaster Tone
- Deep Tone Inside Vehicle
- Street or Strip

40 Series — Original Flowmaster Tone

This is the most "aggressive" sounding street/strip muffler that Flowmaster offers. If you're looking for attention, this one will get you noticed. The standard 40 series has an "aggressive rumble" and will generally resonate inside the vehicle around 1800-2000 RPM's, and again at 2400-2600 RPM's. Constructed of 16 gauge aluminized steel and fully MIG welded for maximum durability

) (ea
) (ea
) (ea
	9 9 9 9 9

FLOWMASTER Delta Flow 40 Performance Mufflers





- T409 Stainless Steel
- Powerful Aggressive Tone · Lower Interior Resonance
- · Street or Strip



Delta Flow 40 Series — Reduced Interior Resonance

This two chamber design incorporates Flowmasters patented "Delta Flow" technology. The "Delta" deflectors result in increased scavenging for better performance and reduced interior resonance over the standard 40 series with a nice growl outside the vehicle. Sounds great on late model performance cars with catalytic converters.

F842541		offset inlet/center outlet		
F843041	3"	offset inlet/center outlet	125.99 ea	
F842543	2-1/2"	offset inlet/offset outlet	125.99 ea	

F12518304

Performance Mufflers

FLOWMASTER Suner 44 Delta Flow Mufflers

S44 SERIES Deep



Super 44 Delta Flow

The Super 44 is the most aggressive, deepest toned street and strip muffler Flowmaster has ever made! The Super 44's offer maximum performance, an improved flow path radius, and generates more torque and more power than ever before! If you really

want to hear y	our exhaust	system inside as well as outside, the Super 44	is for you!
F942445	2-1/4"	center inlet/center outlet	95.99 ea
F942446	2-1/4"	offset inlet/center outlet	95.99 ea
F942447	2-1/4"	center inlet/offset outlet	
F942448	2-1/4"	offset inlet/opposite offset outlet	95.99 ea
F942545	2-1/2"	center inlet/center outlet	95.99 ea
F942546	2-1/2"	offset inlet/center outlet	95.99 ea
F942547	2-1/2"	center inlet/offset outlet	95.99 ea
F942548	2-1/2"	offset inlet/opposite offset outlet	95.99 ea
F942549	2-1/2"	offset inlet/same offset outlet	95.99 ea
F943045	3"	center inlet/center outlet	95.99 ea
F943046	3"	offset inlet/center outlet	95.99 ea
F943047	3"	center inlet/offset outlet	95.99 ea
F943048	3"	offset inlet/opposite offset outlet	95.99 ea
F943049	3"	offset inlet/same offset outlet	
F9430452	3"	center inlet/dual outlet	95.99 ea

FLOWMASTER 50 Series SIIV-Performance Mufflers

	Interior	Exterior Terro Level	Mailtier Case
Powerful			10.07 Water
Deep		160	
Mellow	340		100
Mild	1	***	П



- Early Era Muscle Cars · Deep Tone Outside of Vehicle
 - 50 Series SUV Performance

The SUV/Performance muffler is a larger version of Flowmasters 50 Series Delta Flow muffler and is specially designed for trucks, light SUVs and high horsepower vehicles. The larger H-chamber reduces interior resonance to a minimum. Constructed of 16 gauge aluminized steel and fully MIG welded for maximum durability.

F52555	2-1/2"	center inlet/center outlet		
F52556	2-1/2"	offset inlet/center outlet	158.99 ea	
F52557	2-1/2"	center inlet/offset outlet		
F52558	2-1/2"	offset inlet/offset outlet		
F53055	3"	center inlet/center outlet	158.99 ea	
F53056	3"	offset inlet/center outlet		
F53057	3"	center inlet/offset outlet		
F53058	3"	offset inlet/offset outlet	158 99 ca	

FLOWMASTER 50 Series Performance Mufflers

FERRMASTER		50 S	ERIES"		
	Interior Tors Level	Exterior Tone Level	Martine Core Elementors		
Powerful			E H		
Deep		533			
Mellow	523		5 5 6		
Mild	100	96	11		

- T409 Stainless Steel Milder Performance Sound
- Lower Interior Resonance
- Performance Street



Delta Flow 50 Series — Milder Interior & Exterior Tone

This is the latest design of the 50 series muffler that utilizes Flowmasters patented "Delta Flow" technology along with an "H-Chamber" to eliminate most all interior resonance and still have that famous Flowmaster sound outside the vehicle. Constructed of 16 gauge steel and fully MIG welded for maximum du

F842451	2-1/4"	offset inlet/center outlet	146.99	ea
F842551	2-1/2"	offset inlet/center outlet	146.99	ea
F843051	3"	offset inlet/center outlet	146.99	ca
F842452	2-1/4"	center inlet/offset outlet	146.99	ca
F842453	2-1/4"	offset inlet/offset outlet	146.99	ca
F842553	2-1/2"	offset inlet/offset outlet	146.99	ca

FLOWMASTER AO Series Performance Mufflers



Cross Flow 80 Series — Transverse Mounting

The 80 Series is designed for applications where the muffler must be mounted transversely (crossflow) behind the rear end. It provides an aggressive muscle car sound both inside and outside the vehicle. Constructed of 16 gauge aluminized steel

and fully	MIG welde	d for maximum durability.	
F42582	2-1/2"	dual inlet/dual outlet 4" x 9-3/4" x 18"	
F42583	2-1/2"	single inlet/dual outlet 4" x 9-3/4" x 15"	136.99 ea











F52556

'UEL & EXHAI

Exhaust Systems



Original Style Exhaust System — Aluminized

OE style aluminized exhaust systems for 195:5-5 TC hevrollet passenger car models. These original style exhaust systems are manufactured in heavy 16 gauge aluminized sixed (mulflers aluminized inside and out) in corroct size 25° body 195. The convertibles and 195. To convertibles and 29° body aire for 1957 (except convertibles). All systems feature notled in parlippies a corriginal and all exhaust systems are exhaust beader pipes and two headed pipe flange gaskets as required.

Important: 1957 exhaust pipes do not have the crossover holes drilled in the pipe. This allows the customer to decide if they want the exhaust to flow through the crossover pipe or not.

Important: It the customer	1957 exha to decide	ust pipes do not have the crossover holes drilled in the pipe if they want the exhaust to flow through the crossover pipe	. This allo or not.	ws
		ger set sold separately. Special rate shipping charges app		J
		Exhaust Systems		
Single Exh				
SC63000	1955	6 cylinder, non-convertible		
SC63001	1955	6 cylinder, convertible	354.99	se
SC63002	1955	6 cylinder, wagon (exc. 9 pass.)		
SC63003	1955	8 cylinder, non-convertible		
SC63004	1955	8 cylinder, convertible	409.99	se
SC63005	1955	8 cylinder, wagon (exc. 9 pass.)	409.99	se
SC63009	1956	6 cylinder, non-convertible		
SC63010	1956	6 cylinder, convertible	354.99	sc
SC63011	1956	6 cylinder, wagon (exc. 9 pass.)	354.99	se
SC63012	1956	8 cylinder, non-convertible	409.99	se
SC63013	1956	8 cylinder, convertible	409.99	se
SC63014	1956	8 cylinder, wagon (exc. 9 pass.)		
SC63018	1957	6 cylinder, non-convertible		
SC63019	1957	6 cylinder, convertible	354.99	se
SC63020	1957	6 cylinder, wagon (exc. 9 pass.)		
SC63021	1957	8 cylinder, non-convertible	404.99	se
SC63022	1957	8 cylinder, convertible	409.99	se
SC63023	1957	8 cylinder, wagon (exc. 9 pass.)	404.99	se
Dual Exha	ust			
SC63006	1955	8 cylinder, non-convertible	659 99	sc
SC63007	1955	8 cylinder, convertible	659.99	se
SC63008	1955	8 cylinder, wagon (exc. 9 pass.)	659 99	sc
SC63047	1955	8 cyl., non-convertible w/Ram Horn manifolds	659.99	SC
SC63048	1955	8 cylinder, convertible w/Ram Horn manifolds.	659.99	se
SC63049	1955	8 cyl., wagon (exc. 9 pass.) w/Ram Horn manifolds	659 99	sc
SC63015	1956	8 cylinder, non-convertible		
SC63016	1956	8 cylinder, convertible	659.99	se
SC63017	1956	8 cylinder, wagon (exc. 9 pass.)	659 99	sc
SC63029	1956	8 cylinder, dual 4 barrel, non-convertible	679.99	50
SC63050	1956	8 cyl., non-convertible w/Ram Horn manifolds	659.99	SC
SC63051	1956	8 cyl, convertible w/Ram Horn manifolds	659.99	SC
SC63052	1956	8 cyl., wagon (exc. 9 pass.) w/Ram Horn manifolds	659.99	50
SC63024	1957	8 cylinder, non-convertible	724 99	SC
SC63025	1957	8 cylinder, convertible	729.99	50
SC63026	1957	8 cylinder, wagon (exc. 9 pass.)		
SC63044	1957	8 cylinder, non-convertible without crossover	659.99	50
SC63045	1957	8 cylinder, convertible without crossover		
SC63046	1957	8 cylinder, wagon (exc. 9 pass.) w/o crossover	659.99	50
00000	1,551	Clamp and Hanger Sets	037.77	30
SC64000	1955	6 cylinder	84.99	
SC64000 SC64003	1955	8 cylinder single exhaust		
SC64005	1955			
SC64006 SC64013	1955	8 cylinder dual exhaust 8 cyl with Ram Horn manifolds dual exhaust		
SC640013	1955	6 cylinder		
SC64004	1956 1956	8 cylinder single exhaust		
SC64007 SC64014	1956	8 cylinder dual exhaust 8 cyl with Ram Horn manifolds dual exhaust	102.99	se
	1956	6 cyl with Rain rioth manifolds dual exhaust	04.00	se
SC64002	1957	6 cylinder	04.99	se



Original Style Exhaust System — Stainless Steel

⚠

OE style replacement exhaust systems for all 1955-57. Chevrolet passenger can models. Manufactured in 30d gradestainless steel, each replacement exhaust system is designed to closely duplicate and replace the original system. The mufflers are correct size 23° body for 1955 Chevotte models and 1955-57 convertibles and correct size 24° body for 1955 Chevotte models and 1955-57 convertibles and 29° body size for 1957 (except convertibles). All systems feature notched tip tailpringse as-original and all exhaust systems are mandrel bent for improved performance and exhaust flow. Each system includes header pipes and two header pipe flange gaskets as required.

Important: 1957 exhaust pipes do not have the crossover holes drilled in the pipe. This allows the customer to decide if they want the exhaust to flow through the crossover pipe or not.

Note: Clann	and hans	er set sold separately. Special rate shipping charges appl	. 4
- Commy		Exhaust Systems	-
Single Exh	aust	Exhaust Systems	
SC63000S	1955	6 cylinder, non-convertible	714.99 sc
SC63001S	1955	6 cylinder, convertible	699.99 sc
SC63002S	1955	6 cylinder, wagon (exc. 9 pass.)	714.99 sc
SC63003S	1955	8 cylinder, non-convertible	854.99 sc
SC63004S	1955	8 cylinder, convertible	854 99 sc
SC63005S	1955	8 cylinder, wagon (exc. 9 pass.)	854.99 sc
SC63009S	1956	6 cylinder, non-convertible	714.99 sc
SC63010S	1956	6 cylinder, convertible	699 99 sc
SC63011S	1956	6 cylinder, wagon (exc. 9 pass.)	714.99 sc
SC63012S	1956	8 cylinder, non-convertible	854.99 sc
SC63013S	1956	8 cylinder, convertible	854.99 sc
SC63014S	1956	8 cylinder, wagon (exc. 9 pass.)	854.99 sc
SC63018S	1957	6 cylinder, non-convertible	714.99 sc
SC63019S	1957	6 cylinder, convertible	699,99 sc
SC63020S	1957	6 cylinder, wagon (exc. 9 pass.)	714.99 sc
SC63021S	1957	8 cylinder, non-convertible	829.99 sc
SC63022S	1957	8 cylinder, convertible	799,99 sc
SC63023S	1957	8 cylinder, wagon (exc. 9 pass.)	829.99 sc
Dual Exha	ust		
SC63006S	1955	8 cylinder, non-convertible	1289.99 sc
SC63007S	1955	8 cylinder, convertible	1289.99 sc
SC63008S	1955	8 cylinder, wagon (exc. 9 pass.)	1289.99 sc
SC63047S	1955	8 cy., non-convertible w/Ram Horn manifolds	1289.99 sc
SC63048S	1955	8 cylinder, convertible w/Ram Horn manifolds	1289.99 sc
SC63049S	1955	8 cyl, wagon (exc. 9 pass.) w/Ram Horn manifolds	1289.99 sc
SC63015S	1956	8 cylinder, non-convertible	1289.99 sc
SC63016S	1956	8 cylinder, convertible	1289.99 sc
SC63017S	1956	8 cylinder, wagon (exc. 9 pass.)	1289.99 sc
SC63029S	1956	8 cylinder, dual 4 barrel, non-convertible	1329.99 sc
SC63050S	1956	8 cyl, non-convertible w/Ram Horn manifolds	1289.99 sc
SC63051S	1956	8 cylinder, convertible w/Ram Horn manifolds	1289.99 sc
SC63052S	1956	8 cyl, wagon (exc. 9 pass.) w/Ram Horn manifolds	1419.99 sc
SC63024S	1957	8 cylinder, non-convertible	1461.99 sc
SC63025S	1957	8 cylinder, convertible	1349.99 sc
SC63026S	1957	8 cylinder, wagon (exc. 9 pass.)	1461.99 sc
SC63044S	1957	8 cylinder, non-convertible, without crossover	1289.99 sc
SC63045S	1957	8 cylinder, convertible without crossover	1289.99 sc
SC63046S	1957	8 cylinder, wagon (exc. 9 pass.) w/o crossover.	1289.99 sc
		Clamp and Hanger Sets	
SC64000	1955	6 cylinder	84.99 sc
SC64003	1955	8 cylinder single exhaust	111.99 sc

1955	6 cylinder	84.99	set
1955	8 cylinder single exhaust	111.99	set
1955	8 cylinder dual exhaust	162.99	set
1955	8 cyl with Ram Horn manifolds dual exhaust	209.99	set
	6 cylinder	84.99	
1956	8 cylinder single exhaust	111.99	set
		162.99	set
1957	6 cylinder	84.99	set
1957			
1957	8 cylinder dual exhaust without crossover	162.99	set
	1955 1955 1955 1956 1956 1956 1956 1956	cylinder single echaust. cylinder single echaust. cyl with Ram Hom manifolds dual exhaust. cylinder single exhaust. cylinder single exhaust. cylinder wRam Hom manifolds dual exhaust. cylinder single exhaust. cylinder wRam Hom manifolds dual exhaust cylinder wRam Hom manifolds dual exhaust cylinder single exhaust.	

162.99 set

162.99 set

1957

1957

8 cylinder single exhaust... 8 cylinder dual exhaust....

8 cylinder dual exhaust without crossover



1955-57 Tri-Five Crossmember Back Exhaust System

The classic of all classics. You should be proud of it but don't short change the ultimate classic with anything but the ultimate exhaust system. Upgrade your exhaust system! Performance exhaust system for your Chevrolet Tri-Five is a treat for the eyes when you see how easy it is to install, your ears when you fire it up and your ego when you step on the gas. These systems include an X-Pipe or X-Change pipe that has side dumps that you may install electric cutouts for "flip of the switch" convenience, performance matched mufflers or without mufflers, stainless steel hangers, and a set of tailpipes that allow for straight out the back or side exit.

Note: Shipped a	double oversize			
X-Pipe - 2-1/	2"		- OS2	
TF700331	1955-57	no muffler	555.99	set
TF700332	1955-57	Race Pro muffler	653.99	set
TF700334	1955-57	Street Pro muffler		
TF700337	1955-57	Violator muffler	652.99	set
TF700349	1955-57	no muffler - wagon	581.99	set
TF700350	1955-57	Race Pro muffler - wagon	651.99	set
TF700351	1955-57	Street Pro muffler - wagon	651.99	set
TF700352	1955-57	violator muffler - wagon	651.99	set
X-Pipe - 3"				
TF700343	1955-57	no muffler	646.99	set
X-Change Pi				
TF700338	1955-57	no muffler	686.99	set
TF700339	1955-57	Race Pro muffler	767.99	set
TF700340	1955-57	Street Pro muffler		
TF700342	1955-57	Violator muffler		
TF700353	1955-57	no muffler - wagon	703.99	set
TF700354	1955-57	Race Pro muffler - wagon	813.99	set
TF700355	1955-57	Street Pro muffler - wagon		
TF700356	1955-57	violator muffler - wagon	813.99	set



1955-57 Dual Exhaust System with Mufflers

Full 2" dual exhaust system for 1955-57 models with small block V8 engines and designed to mate to Hedman Hedders. Sets include: Quickflow mufflers, exhaust tubing, H-pipe, required mounting hardware and clamps. rtant: *For angle plug Hedman Hedders

Note: Special or	der. Must be prepaid. Special rate shipping charges apply.	_		
Aluminized St	teel Sets	4		
TF700099*	1955-57	404.99	set	
TF700100	1955-57	474.99	set	
Stainless Stee				
TF700101*	1955-57	909.99	set	
TF700102	1955-57	1019 99	set	





1955-57 Crossmember Back Performance Exhaust

Every performance mod for your Chevrolet model is designed for one thing. To put more power to the ground! Magnaflow's Chevrolet systems start with mufflers specifically designed with internal paths that ensure fast, equalized exhaust flow so that both sides flow the same. The Crossmember back systems are built with fast flowing mandrel bent stainless steel tubing that feature Magnaflow's Tru-X crossover pipe. Plus, Magnaflow's wide open performance mufflers outflow OEM crossiver pipe. Figs., magaanow's write open performance manners source of the chamber style mufflers by as much as 167%, all of which reduces engine heat and back pressure and improves exhaust scavenging from the combustion chamber for much stronger performance. These complete systems minimize the power robbing effects of the OEM system to maximize torque and horsepower from the engine. These exhaust systems offer multiple exit options. Magnaflow is the wide open performance muffler with a smooth, deep tone!

235, 265, 3" . 283, 3" TF700320 1955-57 968 99 set TF700320 1957 968.99 set 235, 2.5 TF700321 1955-57 947 99 set











0

Made in USA

Performance Exhaust



al Dual Electric Cutout Set

The optional electric exhaust cutouts and make uncorking your exhaust as easy as flipping a switch. Electric cutout set includes: 2 valves, wire harness, switch, mounting hardware and 2 gaskets. Limited lifetime warranty. Available with or without Y-pipes.

te: *Connects to any 2.5" exhaust with a straight section of approximately 12" in length and enough clearance for atarbahu arremblies

For use with 2-1/2" or 3" Y-Pipes (Dump Legs) cutout set only.

Includes 2-1/2" Y-Pipes (Dump Legs) cutout set with Y-pipes. P1074K* 523 99 set



Don't crawl under your vehicle to uncork your exhaust ever again by switching to electric cutouts. Keep them closed and quiet for the street, wide open for the strip, or anywhere in between with the flip of a switch. You control the volume and the power! Available in sizes 2-1/4* to 4* and a low profile oval design for applications with limited ground clearance. Fits 2-1/4" to 3" round exhaust pipe. Built with high-quality materials CNC 6061 aluminum body and motor plate, stainless steel shaft and butterfly plate, high torque DC gear driven motor, weather tight wiring connectors, and custom illuminated toggle switch.

Note: Match valve size with cutout size for optimal fit and performance Electric Cutout Valves - Individual -

MN2460

Cutout Size valv 2-1/4 valve 2-1/2" valve

valve

3-1/2" valve

two 2-1/4" valves

two 2-1/4" valves two 2-1/2" valves two 3" valves

two oval valves

two 4" valves two 4" valves

two 3-1/2" valves

oval valve

4" valve 4" valve

MN2444 MN2445

MN2446

MN2447

MN2448

MN2440

MN2450

MN2451

MN2452

MN2454

MN2455

MN2456

Stainless Steel Flectric Cutout

These cutouts feature a rugged 12 Volt DC motor and rotating gate for a leak proof seal every time the cutout is opened and closed. When fully opened, these cutouts do not create exhaust flow obstructions that can create a leaky gasket sound, unlike butterfly style cutouts. A prewired harness with an illuminated rocker switch is supplied for easy installation. Uncork our exhaust with the flip of a switch from your dash. The cutouts are ideal for race tracks that don't require mufflers. Available individually, in pairs, or in complete kits with Y-Pipes for easy installation. Made in USA. portant: Not recommended for vehicles equipped with

catalytic converters. Note: May not be legal for highway use or use on emission

controlle	d vehicles.		
2-1/2"			
25054	complete electric cutout set	421.99	set
25052	single electric cutout	227.99	ca
25053	pair electric cutouts	385.99	DI

3" Cutouts complete electric cutout set ... 453.99 set single electric cutout..... 219.99 ea pair electric cutouts. 407.99 pr



Stainless Steel Cutout Turndown Easily route your cutout exhaust flow away from the floor boards or in any direction with these easily

installed 304 stainless steel turn downs. These turndowns are made specifically for Doug's electric cutouts and included stainless band clamps for weld free attachment. Made in USA. 25058 2-1/2" turndown pipe .. 47 99 ea

3" turndown pipe

	ed from 304 stainless steel with a polished	
	feature a TIG welded construction with	
	for a proper seal. Includes: the end cap,	
gasket and I	ardware for an easy installation.	
MN2460	2-1/4" cutout 59.99 ea	
	2-1/2" cutout 59.99 ea	
MN2462	3" cutout 59.99 ea	
MN2463	3-1/2" cutout 59.99 ea	

4" cutout .

Stainless Steel Cutout Pine





MN2458 MN2457 Universal Exhaust Turndown

Universal exhaust turndowns for electric cutouts. The round tips feature a 360 degrees floating flange which allows turning in any direction. Manufactured from

MN2457	2-1/2" turndown	30.99 ea
MN2458	3" turndown	30.99 ea
MN2400	oval turndown	32.99 ea



Electric Cutout Remote Control System

Remote control for your electric cutout system. When space is a premium this control box gives you the flexibility you need. Includes 2 wireless key fobs for 100% control over your cutouts at the push of a button. MN2466

47 99 ca

MN2464

95 99 ca

Exhaust Tips





Stainless Rolled Edge Tip Stainless exhaust tip that is designed with your choice

of a rolled edge or angle cut tip. Finished with an embossed Flowmaster logo. Sold individually.

Clamp-On Rolled Edge Tip F15361 3" dia. for 2-1/2" pipe -12" L 62.99 ea F15363 3-1/2" dia. for 3" pipe -12" L 59.99 ea Clamp-On Double Wall Rolled Edge Tip 3-1/2" tip fits 2-1/4" pipe 66.99 ea 4" tip fits 2-1/2" pipe 65.99 ea F15364 F15365 Weld-On Angle-Cut Tip

F15362 3" dia. for 2-1/2" pipe - 13" L 53.99 ea



Stainless Steel Exhaust Tin

Made of T-304 stainless steel this tips will stand out on any vehicle Made in USA

	angular Tips 2" x 8" dia., 11" long, 2-1/4" i.d	204.99	pr
	Tips 2-1/2" dia., 13" long, 2.75" i.d 3" dia., 13" long, 3" i.d	59.99 68.99	
15 Degree	Slash Cut Tips		
35101	3" dia., 12" long, 3" o.d	38.99	ca
35102	3" dia., 18" long, 2-1/2" i.d	51.99	ca
35103	3" dia., 22" long, 2-1/2" i.d	56.99	ca
35104	3-1/2" dia., 12" long, 3" i.d	44.99	
35105	3-1/2" dia., 18" long, 2-1/2" i.d	57.99	
35106	3-1/2" dia., 22" long, 2-1/2" i.d	66.99	
35107	4" dia., 12" long, 3" i.d	50.99	
35108	4" dia., 18" long, 2-1/2" i.d	63.99	
35109	4" dia., 22" long, 2-1/2" i.d	76.99	ca
45 Degree	Slash Cut Tips		
35140	3" dia., 18" long, 2-1/4" i.d	55.99	
35138	3" dia., 18" long, 2-1/2" i.d	48.99	
35141	3" dia., 22" long, 2-1/4" i.d	65.99	
35139	3" dia., 22" long, 2-1/2" i.d	58.99	
35216	3-1/2" dia., 18" long, 2-1/4" i.d	56.99	
351431	3-1/2" dia., 18" long, 2-1/2" i.d	80.99	
35144	3-1/2" dia., 22" long, 2-1/2" i.d	67.99	
35146	4" dia., 18" long, 2-1/2" i.d	67.99	
351471	4" dia., 22" long, 2-1/2" i.d	76.99	ca



Stainless Exhaust Tips

These tips add the final personal touch to your custom exhaust! The extensive line of stainless steel Pypes exhaust tips will provide years of eye-popping looks and excellent durability.

For 2-1/2"		
P1048	dual 3-1/2" splitters	134.99 pr
P1049	6" x 3" oval tip	95.99 pr
P1050	8" x 2" rectangle tip	136.99 pr
P1051	9" slash cut tip	38.99 pr
P1052	3-1/2" rolled edge tip	58.99 pr
P1053	4" x 2" oval tip	106.99 pr
P1072	2-1/2" long slåsh cut tip	101.99 pr
For 3" Pip	es	
P1082	8" x 2" rectangle tip	146.99 pr
P1083	9" slash cut tip	45.99 pr
P1085	4" x 2" oval tip	121.99 pr
P1073	3" long slash cut tip	107.99 pr
		<u>GM</u>



Bow Tie 8" Exhaust Tip

8" length fits 2-1/4" pipe. Universal to fit nearly any Chevrolet car or truck. The ultimate dress tip for street or show. Manufactured in the United States using 1/8" thick carbon steel (or 409L chrome-plated stainless steel). Choose from 2 popular materials triple chrome-plated carbon steel or triple chrome-plated 409L magnetic stainless steel. Made in USA.

ST778C chrome-plated.... ST778SC chrome-plated stainless steel.. 34.99 ea

1955-56 Power-Pak **Exhaust Extensions**

Reproduction Power-Pak dual exhaust extensions for all 1955-56 models equipped with the Power-Pak option. Manufactured in high grade stainless steel and polished for a deep shine. Installation hardware and instructions included.



IB8267



1955-56 Accessory Exhaust Extension Reproduction accessory exhaust extensions for 1955-

56 models. Manufactured in chrome steel, they extend past the rear of the vehicle and eliminate discoloration of the rear bumper by hot exhaust gasses. Features an embossed Bel Air Crest emblem. Sold individually. TF700378 1955-56



1955 Exhaust Deflector

Create a custom look with this polished stainless steel exhaust deflector. Clamps to the tail pipe with included hardware and can be used on any 1-1/2" pipe. 982511 1955 stainless steel....



Chevrolet Exhaust Deflector

Add vintage style to your Chevrolet and protect your paint at the same time with these stainless steel exhaust deflectors. Exhaust deflectors clamp on the tailpipe to deflect the exhaust downward, preventing the exhaust from discoloring your chrome or paint.

C2505 Bow Tie logo with Chevrolet ... 24.99 ea C2506 Bow Tie logo only... 23.99 ea

.I-R Weld SteelStik J-B Weld SteelStik is a steel reinforced epoxy putty stick This hand kneadable epoxy adhesive will plug holes and mal permanent repairs on wet and dry surfaces. Cures completely submerged in gasoline or under water in 60 minutes. Can be drilled, sanded, filed, tapped, machined and painted. Works on multiple surfaces: aluminum. brass, bronze, copper, iron and stainless steel. Cure color is dark gray. Made in USA.









TE700377 1955-56




Exhaust Components



net weight co

08-off-white 28-pure white 10-flame blu



Xtreme Temperature Coating

XTC is a high temperature/heat resistant coating formulated specifically to protect metal surfaces operating at temperatures from 500 to 1500 degrees F. With proper preparation, XTC provides outstanding adhesion, film integrity, weathering, and thermal shock resistance throughout this entire temperature range, and is guaranteed not to burn off! Available in your choice of a wide variety of colors and sizes. Note: 8 oz, will coat approximately 3 sets of automotive exhaust manifolds with 2 coats or coat a set of shorty headers with 2 coats. Pints will coat a set of full size headers with 2 coats or coat a complete automotive exhaust system with 2 coats.

Xtreme Temperature Coating

the two digit numerical color code to the end of the part number to specify your desired color.					
Jet Black, Charcoal Metallic, Flame Blue, Cast Iron Gray, or Off-White					
KB651	12 oz. net weight	specify color	19.99 ca		
KB652	half pint (8 oz.)	specify color	19.99 ca		
KB653	one pint	specify color	30.99 ea		
KB654	one quart	specify color	58.99 ea		
KB655	one gallon	specify color	179.99 ea		
	Rocket Red, Pure Wh	ite, or Stainless Steel			
KB651	12 oz. net weight	specify color	19.99 ca		
KB652	half pint (8 oz.)	specify color	26.99 ea		
KB653	one pint	specify color	39.99 ea		
KB654	one quart	specify color	74.99 ca		
KB655	one gallon	specify color	249.99 ca		

Xtreme Temperature Primer XTC Silicone Zinc Primer prevents corrosion of metal surfaces exposed to high heat, high humidity, condensation, and salt air. It functions much like galvanizing as it locks itself to bare metal surfaces leaving a perfect primed surface for top coating. Available in a wide variety of sizes.

KB65100 KB65400 KB65500	12 oz. net weight one quart one gallon		19.99 113.99 389.99	ca
-------------------------------	--	--	---------------------------	----

Hi-Heat Coating

The coating will protect the wrap from abrasion and harmful liquid spills. Extra resins and binders toughen the surface. extend the life of wrap by protecting it from friction, and seal the pores to minimize the enetration of harmful liquids. The coating also works excellent as a paint

directly on metal surfaces Note: Shipped within the continental U.S. only. Shipped eround only TT12001 11 oz. black 11.99 ea

TT12002 11 oz. aluminum 14.99 ea TT12003 11 oz. copper.... 14.99 ea

Gen II Copper Header Wrap



horsepower and reduces underhood temperatures, increases exhaust scavenging, withstands continuous heat up to 2000 degrees Fahrenheit, contains no asbestos. 1" x 50' TT11031 36 99 69 2" x 50' 53.99 ea



Heat Sleeves

Black

TT1048

Silicone coated fiberglass heat sleeving protects wires, cables and hoses from intense heat exposure, liquid spills and even occasional flame exposure Withstands continuous 500 degrees F temperatures and short term exposure up to 2200 degrees F. Available in either silver or black, and diameters of 1/2", 3/4", and 1". Made in USA.

1/2" x 31 29.99 ea

TT1032	1/2" x 10'	77.99 ea	
TT1033	1/2" x 50'	347.99 ea	
TT1034	3/4" x 3'	31.99 ea	
TT1035	3/4" x 10'	96.99 ea	
TT1036	3/4" x 50'	316.99 ea	
TT1037	1" x 3'	39.99 ea	
TT1038	1" x 10'	126.99 ea	
TT1039	1" x 50'	372.99 ea	
Silver			
Silver TT1040	1/2" x 3'	25.99 ea	
	1/2" x 3' 1/2" x 10'	25.99 ea 76.99 ea	
TT1040			
TT1040 TT1041	1/2" x 10'	76.99 ea	
TT1040 TT1041 TT1042	1/2" x 10' 1/2" x 50' 3/4" x 3' 3/4" x 10'	76.99 ea 347.99 ea	
TT1040 TT1041 TT1042 TT1043	1/2" x 10' 1/2" x 50' 3/4" x 3'	76.99 ea 347.99 ea 32.99 ea	
TT1040 TT1041 TT1042 TT1043 TT1044	1/2" x 10' 1/2" x 50' 3/4" x 3' 3/4" x 10'	76.99 ea 347.99 ea 32.99 ea 95.99 ea	



355.99 ca

Thermo-Sleeve

Thermo-Sleeve is the combination of a high temperature fabric laminated to a highly reflective Mylar foil. It provides protection from radiant heat for hoses and wires. Thermo-Sleeve's ultra lightweight construction provides more insulation than traditional bulky rubber coated fiberglass. The aluminized sleeve reflects more than 90% of radiant heat, plus it is fireproof and oil resistant! Thermo-

3' Foot Lengths					
TT1020	1/4" to 1/2" i.d	14.99	ca		
TT1021	5/8" to 1" i.d	19.99	ca		
	1-1/8" to 1-1/2" i.d.	21.99	ca		
TT1023	1-5/8" to 2" i.d	26.99	ca		
TT1024	2-1/8" to 2-1/2" i.d.	30.99	ca		
12' Foot	Lengths				
TT1026	1/4" to 1/2" i.d	52.99	ca		
TT1027	5/8" to 1" i.d	67.99	ca		
	1-1/8" to 1-1/2" i.d.	81.99	ca		
TT1029	1-5/8" to 2" i.d	99.99	ca		
TT1030	2-1/8" to 2-1/2" i.d.	108 99	ca		



Titanium Exhaust Wran 🔥

DE

DE

DE

DE DE DE Rlo

Titanium exhaust wrap from DEI. Withstands 1800 of direct, and 2500 of intermittent heat. Extremely pliable for an easy install with no wetting necessary. Very durable with high resistance to abrasions, oil, and chemicals, and thermal breakdown.

antum Exnaust wrap					
	1" x 15'				
	1" x 50'				
	2" x 15'				
	2" x 25'				
010132	2" x 35'				
010127	2" x 50'	50.99 ea			
ick Titanium Exhaust Wran					





Stainless Steel Stran Sets

Quality stainless steel straps with a dependable multi-lock system are available in standard lengths. The narrow width, standard length straps include the multi-lock already attached just insert the end and pull to tighten.

Sets with Variety of Sizes TT13105 (6) 9" & (4) 18" 27.99 set TT13101 (8) 9" & (4) 18" 30.99 set

Bulk Pack of Single Sizes TT13150 (12) 9" straps 28.99 set TT13160 (6) 18" straps 18.99 set



HiTemp Stainless Steel Cable Tie

High temperature stainless steel cable ties are great for harsh environments. Perfect for installing heavy-duty and high temp sleeving. Available in 7-1/2" or 14-1/2" lengths.

	7-1/2" 14-1/2"	
	7-1/2" 14-1/2"	
	7-1/2" 14-1/2"	



Stainless Steel Locking Tie and Tool Set

All the ties you need to securely fasten your exhaust wrap to your headers or exhaust. Set includes: eight9 inch locking ties, four 14 inch locking ties, and a 1/4" locking tie tightening tool. DE010219 13 piece tie and tool set... 27.99 set 1/4" drive tightening tool. DE010220

Exhaust Components

HEADER WRAP



Reduce Underhood Temperatures!

Increased exhaust scavenging is produced, along with lower intake temperatures. Exhaust Insulating Wrap™ withstands continuous heat up to 2000 degrees F, and contains no asbestos. Will not over insulate a system contains no assessos. Will not over insurate a system when properly installed due to a proprietary coating developed by Thermo-Tec® Thermal Conduction Technology (TCT) that conducts heat across the wrap's surface. The 116° thick wrap is available in 1 inch or 2 inch widths in 15' or 50' rolls. Choose from off-white or graphite black.

Off-White .	Exhaust Wrap	
	1" x 15' short roll	
TT1011	2" x 15' short roll	
	1" x 50' long roll	
TT1012	2" x 50' long roll	46.99 ea
	lack Exhaust Wrap	
TT1053	1" x 15' short roll	
TT1054	2" x 15' short roll	
TT1013	1" x 50' long roll	30.99 ea
TT1014	2" x 50' long roll	46.99 ea



Reduce Underhood Temps Up to 70%!

The new quick wrap, high velocity Exhaust Jackets are an innovative way to insulate and block radiant heat. The jackets cover the header tubes vertically allowing for a consistent fit. The fit allows the exhaust system to expand as it comes up to operating temperatures without restrictions and provides air space for added insulation. This product uses Thermal Conduction Technology (TCT), developed by Thermo-Tec®, and can be applied with the headers in the vehicle. 4-6 cylinder..... 70.99 са TT1015

8 cylinder.....

TT1016

New!	
13/	
1	

This Flexible Heat Shield Clius Into Place!

The Header Manifold Blanket provides excellent heat retention for exhaust headers and manifolds. This flexible heat shield simply clips into place on the upper portion of the header. The fabric side of the material should be facing the heat source, and the aluminized side facing away - offering protection from abrasion and harmful liquid spills. The Header Manifold Blanket is available in 2 sizes: two 20" by 24" blankets for V6 and V8 applications, and one 36" by 40" blanket for

TT1017	V6-V8 applications	78.99
TT1018	straight 6 or 4 cvl models	73.99





Vermiculite Coated Header Wran

Insultherm Header Wrap is an extremely high temperature resistant wrap used to insulate hot gases in automotive exhausts. Manufactured from texturized fiberglass yarns that are woven into a strong, flexible wrap with vermiculite coating. Resists gasoline and engine chemicals and withstands temperatures up to 1200 degrees F (maximum continuous temperature of 1000 degrees F). Available in black or natural in 50' or 25' rolls.

1" Header Wr	ap		
HW719301	black	1" x 50'	
HW719302	natural	1" x 50'	
HW719303	black	1" x 25'	
HW719304	natural	1" x 25'	8.99 ca
2" Header Wr	ар		
HW719311	black	2" x 50'	
HW719312	natural	2" x 50'	
HW719313	black	2" x 25'	
HW719314	natural	2" x 25'	15.99 ea



Turbo Insulating Set

The turbo insulating set is designed to protect and improve performance of the turbo. This universal set will help reduce turbo lag. The cut-to-fit set includes a substantial amount of material to cover turbos from the smallest automotive application to heavy-duty

TT15002	6 or 8 cylinder set	102.99	
TT15003	turbo insulation cover only	40.99	ca

Shield Plastic or Rubber Hoses and Wiring from Radiant Heat!

Thermo-Shield™ protects hoses and wires from radiant heat. Unprotected, rubber hoses and plastic or rubber insulated wiring can dry out, melt or crack over time. Thermo-

truck applications.

ShieldTM is used in applications where it is difficult or not practical to disconnect one end of the hose or wire. The adhesive backed composite construction tape can easily be wrapped around the hose or wire to make a clean, professional appearance. Reflects radiant heat up to 2000 degrees F. Provides a barrier against the extreme conditions that underhood components are exposed to. Wrap your fuel lines

and say goo	d-bye to vapor lock.		4
TT1019	1-1/2" x 15' feet	20.99	c
TT1051	2" x 50' feet	44 99	c





Floor and Tunnel Shield II

Ten mil aluminum bonded to woven glass fiber with a hi-temp adhesive backing. Designed to withstand temperatures up to 1750 degrees F. The adhesive backing adhere to almost anything while withstanding temperatures over 450 degrees F. Ideal for firewalls, floor pans, transmission tunnels, and under hoods. Note: Cool-Tane recommended for seams and edges

42" x 4'	127.99	ca
42" x 4'	67.99	ca
2" x 30' roll	35.99	ca
	21" x 2' 21" x 4' 42" x 4' mel Shield without Adhesis 42" x 2' 42" x 4'	21" x 2' 35.99 21" x 4' 67.99 42" x 4' 127.99 42" x 4' 127.99 42" x 2' 67.99 42" x 2' 67.99 1-1/2" x 15' roll 18.99 1-1/2" x 30' roll 39.99 2" x 30' roll 35.99

or and Tunnel Shield with Adhesive Backin

An Extremely Versatile Heat Barrier™!

The Aluminized Heat Barrier™ is made up of woven silica with a flexible aluminized finish. The highly reflective surface of the material is capable of withstanding radiant temperatures in excess of 2000 degrees F.



Installed using standard rivets with a backup washer, or with weather strip adhesive. The Snar Straps (sold separately) can be used to hold the blanket in place for manifolds or exhaust systems. TT1008 36" x 40", 10 sq. ft...

Keen Cool! Reflect Radiant Heat

The Muffler/Catalytic Converter Heat ShieldTM is made up of woven silica with a flexible Mylar finish. The highly reflective heat shield can be installed between the



from the undercarriage of the vehicle. Kit includes one 24" x 40" Mylar heat shield and all necessary fasteners. TT1007 muffler heat shield

Clamo-On Heat Shield The flexible Clamp-On Heat

Shield blocks more than 90% of damaging radiant heat from the exhaust. Silica based clampon shields are available in 1', 2', and 3' lengths Clamp-On Shields are available in 1', 2', and 3' lengths. Sets



n minutes.		amps and mistan cas	
ilica Based	Fabric Clam	o-On Heat Shield	
	4" x 1'	28.9	
TT11660	4" x 2'	56.4	99
TT11600	6" x 1"	32.9	99

	Silica Based	Fabric Clamp-On Heat Shiel	d	~		
		4" x 1'				
		4" x 2'				
	TT11600	6" x 1'				
	TT11620	6" x 2'				
	TT11630	6" x 3'	62.99	set		
Stainless Steel Clamp-On Heat Shield						
		6" x 1 [†]				
	TT1104	6" x 2'	76.99	set		









84 99 00





90

EXHAUST